Quarterly Groundwater Monitoring Report

Prepared for

Black & Decker (U.S.) Inc.

Hampstead, Maryland

January 2008

Prepared by

WESTON SOLUTIONS, INC.

West Chester, Pennsylvania 19380-1499

TABLE OF CONTENTS

LIST OF APPENDICES

LIST OF TABLES

Table **Page**

1. INTRODUCTION

This Groundwater Monitoring Report has been prepared to meet the requirements of Condition IV.G of the Administrative Consent Order between the State of Maryland Department of the Environment (MDE) and Black & Decker (U.S.) Inc. (April 1995) (Consent Order). Specifically, Condition IV.G calls for preparation of a Groundwater Monitoring Report containing the following information for each reporting period:

- The quantities of groundwater pumped, treated, and discharged.
- The calculation of quantities of contaminants removed from groundwater.
- A summary of all sampling analyses.
- An explanation of all operational or other problems encountered, and the manner in which each problem was resolved.
- Copies of all reports submitted to the Department of Natural Resources in conjunction with the Groundwater Appropriations Permit.
- Recommendations for changes to the Interim Groundwater Treatment System.

This document is one of several which are being prepared in response to the Consent Order; each of these documents are to be submitted to the MDE in accordance with the schedule outlined in the Consent Order. This document will become part of the Administrative Record for the site, which is maintained at the Hampstead Public Library.

2. SITE CHARACTERISTICS

2.1 HYDRAULIC PROPERTIES

In accordance with the Consent Order and the Water Appropriation Permit issued to the Black and Decker (U.S.) Inc. Hampstead, Maryland, facility, the following pumping and water level information is included for the period of October through December 2007.

Pumping records showing the total gallons pumped per month of treatment system operation are presented in Table 2-1. The complete groundwater treatment system pumping records are included in Appendix A.

Monthly water levels for wells included in the water level monitoring plan are presented in Table 2-2. For the reporting period of October through December 2007, the extraction wells were pumping at an average combined rate of approximately 163 gallons per minute (gpm).

2.2 EFFLUENT CHARACTERISTICS

Effluent characteristics of the NPDES discharge points are recorded monthly on Discharge Monitoring Reports (DMRs) and are submitted to MDE, Water Management Administration, on a quarterly basis. A summary of the sample results from the DMRs is presented in Table 2-3. DMRs for the period of October through December 2007 are included in Appendix B.

2.3 GROUNDWATER QUALITY DATA

For the reporting period of October through December 2007, approximately 20.4 pounds of total volatile organic compounds (VOCs) were removed from the groundwater by the extraction and treatment system. In general, the total VOCs removed from the groundwater were comprised primarily of trichloroethene (TCE) (80 %) and tetrachloroethene (PCE) (20 %). Analytical results of the groundwater collected from the air stripper for the period of October through December 2007 are included in Appendix C.

A summary of the analytical results from the fourth quarter (November 2007) groundwater sampling round of the extraction and monitor wells is included in Table 2-4. The complete

Table 2-1
Treatment System Pumping Records - 4th Quarter 2007
Black & Decker
Hampstead, Maryland

Date	Water Pumped (gallons)
October 2007	7,014,176
November 2007	6,606,981
December 2007	6,587,914

Table 2-2
Groundwater Elevation Data - 4th Quarter 2007
Black & Decker
Hampstead, Maryland

WELL NO.	TOC ELEV.	TOTAL DEPTH	10/18/2007 DTW	10/18/2007 ELEV	11/19/2007 DTW	11/19/2007 ELEV	12/19/2007 DTW	12/19/2007 ELEV
EW-1	847.21	55	DRY	NA	DRY	NA	DRY	NA
EW-2	849.21	110	79.43	769.78	75.33	773.88	77.42	771.79
EW-3	846.64	118	90.02	756.62	93.41	753.23	92.24	754.40
EW-4	858.01	97.5	NA	NA	NA	NA	NA	NA
EW-5	864.17	98	73.46	790.71	76.50	787.67	79.90	784.27
EW-6	831.98	115	93.61	738.37	101.20	730.78	98.17	733.81
EW-7	818.38	78	49.40	768.98	54.01	764.37	56.65	761.73
EW-8	811.13	98	85.84	725.29	91.45	719.68	90.80	720.33
EW-9	811.35	141	103.90	707.45	101.90	709.45	101.40	709.95
EW-10	807.74	NA	58.20	749.54	61.88	745.86	62.60	745.14
RFW-1A	864.37	78	49.69	814.68	53.15	811.22	53.24	811.13
RFW-1B	864.23	200	49.75	814.48	53.18	811.05	53.28	810.95
RFW-2A	857.41	35	20.02	837.39	20.99	836.42	18.74	838.67
RFW-2B	857.73	75	20.62	837.11	21.66	836.07	19.20	838.53
RFW-3B	839.21	153	35.27	803.94	39.47	799.74	38.94	800.27
RFW-4A	830.37	62	39.97	790.40	39.47	790.90	39.63	790.74
RFW-4B	830.37	120	39.91	790.46	39.10	791.27	39.51	790.86
RFW-5A	817.50	30	DRY	NA	DRY	NA	DRY	NA
RFW-6	785.04	120	6.47	778.57	4.92	780.12	5.41	779.63
RFW-7	805.14	29	8.14	797.00	7.53	797.61	7.87	797.27
RFW-8	860.07	56	DRY	NA	DRY	NA	DRY	NA
RFW-9	862.02	49	29.93	832.09	30.08	831.94	29.94	832.08
RFW-10	852.06	58	DRY	NA	DRY	NA	DRY	NA
RFW-11A	849.32	72	NA	NA	NA	NA	NA	NA
RFW-11B	849.62	116	68.66	780.96	68.82	780.80	69.03	780.59
RFW-12B	844.87	264	50.83	794.04	52.04	792.83	53.41	791.46
RFW-13	849.11	150	61.01	788.10	63.69	785.42	64.11	785.00
RFW-14B	812.39	281	54.94	757.45	55.12	757.27	NA	NA
RFW-16	856.14	41	DRY	NA	DRY	NA	DRY	NA
RFW-17	834.66	60.5	29.13	805.53	29.63	805.03	29.80	804.86
RFW-20	842.49	142	35.37	807.12	38.13	804.36	39.02	803.47
RFW-21	832.65	102	23.90	808.75	24.86	807.79	24.81	807.84
PH-7	805.94	89	37.67	768.27	38.84	767.10	39.12	766.82
PH-9	814.94	98	41.52	773.42	46.27	768.67	46.81	768.13
PH-11	820.68	78	47.72	772.96	47.63	773.05	47.71	772.97
PH-12	828.35	87	49.11	779.24	49.94	778.41	50.03	778.32
B-3	803.02	83	9.53	793.49	9.12	793.90	9.61	793.41
Amoco	842.29	NA	NA	NA	NA	NA	NA	NA
Hamp. Town #22	804.96	NA	19.56	785.40	NA	NA	27.44	777.52
Pembroke #1	NA	NA	18.08	NA	NA	NA	17.85	NA
Pembroke #2	NA	NA	NA	NA	NA	NA	NA	NA
N. Houcks. Rd.	NA	NA	10.78	NA	NA	NA	10.68	NA
E. Century St.	NA	NA	12.87	NA	NA	NA	13.45	NA
Lwr. Beckleys. Rd.	NA	NA	54.51	NA	NA	NA	54.77	NA

NA - Not Available/Not Accessible

Table 2-3
Effluent Characteristics Summary - 4th Quarter 2007
Black & Decker
Hampstead, Maryland

Discharge Number	Parameter		Units	Permit Limits	DMR DATE		
					October 2007	November 2007	December 2007
001	FLOW	average	MGD	NA	0.084	0.151	0.212
		maximum	MGD	NA	0.172	0.238	0.442
	1,1,1-Trichloroethane		ug/l	5	< 1	< 1	< 1
	Tetrachloroethylene		ug/l	5	< 1	< 1	< 1
	Trichloroethylene		ug/l	5	< 1	< 1	< 1
	Total Residual Chlorine		mg/l	< 0.1	< 0.1	< 0.1	< 0.1
	Oil & Grease	maximum	mg/l	15	< 5	< 5	< 5
		quarterly average	mg/l	10	0	0	0.0
	pH	minimum	STD	6.0	6.60	6.40	6.00
		maximum	STD	8.5	8.20	6.70	6.90
	BOD		mg/l	15	4.0	2.0	4.0
	TSS	maximum	mg/l	30	11.0	6.0	6.0
		quarterly average	mg/l	20	11.0	6.0	6.0
101 (Monitoring Point)	FLOW	average	MGD	NA	0.194	0.200	0.208
		maximum	MGD	NA	0.650	0.429	0.750
	Fecal Coliform		MPN/100ml	200	2.0	1.0	1.0
201 (Monitoring Point)	FLOW	average	MGD	NA	NR	NR	0.220
		maximum	MGD	NA	NR	NR	0.254
	1,1,1-Trichloroethane		ug/l	NA	NR	NR	< 1
	Tetrachloroethylene		ug/l	NA	NR	NR	< 1
	Trichloroethylene		ug/l	NA	NR	NR	< 1

DMR - Discharge Monitoring Report
NA - Not Applicable
NR - Not Reported

Table 2-4
Summary of Groundwater Analytical Results - November 2007
Black & Decker
Hampstead, Maryland

PARAMETER	Units	EW-1	EW-2 (2)	EW-3	EW-3 (DUP)	EW-4 (10)	EW-5	EW-6	EW-7	EW-8	EW-9	EW-10
Chloromethane	ug/L	NS	2 U	1 U	1 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromomethane	ug/L	NS	2 U	1 U	1 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	2 U	1 U	1 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U
Chloroethane	ug/L	NS	2 U	1 U	1 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	4 U	2 U	2 U	20 U	2 U	2 U	2 U	2 U	2 U	2 U
Acetone	ug/L	NS	10 U	5 U	5 U	50 U	5 U	5 U	5 U	5 U	5 U	5 U
Carbon Disulfide	ug/L	NS	10 U	5 U	5 U	50 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1-Dichloroethene	ug/L	NS	2 U	1 U	1 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1-Dichloroethane	ug/L	NS	2 U	1 U	1 U	10 U	1 U	1 U	1 U	1.2	1 U	1 U
1,2-Dichloroethene (total)	ug/L	NS	3	1.8	1.9	10 U	1 U	1 U	7.1	29	1.1	1 U
Chloroform	ug/L	NS	2 U	1 U	1 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethane	ug/L	NS	2 U	1 U	1 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U
2-Butanone	ug/L	NS	10 U	5 U	5 U	50 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1,1-Trichloroethane	ug/L	NS	2 U	1 U	1 U	10 U	1	1 U	1 U	1 U	1 U	1 U
Carbon Tetrachloride	ug/L	NS	2 U	1 U	1 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromodichloromethane	ug/L	NS	2 U	1 U	1 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloropropane	ug/L	NS	2 U	1 U	1 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U
cis-1,3-Dichloropropene	ug/L	NS	2 U	1 U	1 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U
Trichloroethene	ug/L	NS	420	150	130	1200	200	11	5.5	15	1.7	1 U
Dibromochloromethane	ug/L	NS	2 U	1 U	1 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	ug/L	NS	2 U	1 U	1 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U
Benzene	ug/L	NS	2 U	1 U	1 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U
Trans-1,3-Dichloropropene	ug/L	NS	2 U	1 U	1 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromoform	ug/L	NS	2 U	1 U	1 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U
4-Methyl-2-pentanone	ug/L	NS	10 U	5 U	5 U	50 U	5 U	5 U	5 U	5 U	5 U	5 U
2-Hexanone	ug/L	NS	10 U	5 U	5 U	50 U	5 U	5 U	5 U	5 U	5 U	5 U
Tetrachloroethene	ug/L	NS	67	3.7	3.4	24	7.8	21	11	130	230	6.7
1,1,2,2-Tetrachloroethane	ug/L	NS	2 U	1 U	1 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U
Toluene	ug/L	NS	2 U	1 U	1 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U
Chlorobenzene	ug/L	NS	2 U	1 U	1 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U
Ethylbenzene	ug/L	NS	2 U	1 U	1 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U
Styrene	ug/L	NS	2 U	1 U	1 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U
Xylene (total)	ug/L	NS	2 U	1 U	1 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U

Notes: U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.
J = Indicates an estimated value.

Table 2-4
Summary of Groundwater Analytical Results - November 2007
Black & Decker
Hampstead, Maryland

PARAMETER	Units	RFW-1A	RFW-1B	RFW-2A	RFW-2B	RFW-3B	RFW-4A	RFW-4B	RFW-4B (DUP)	RFW-5A	RFW-6	RFW-7	RFW-8	RFW-9	RFW-10
Chloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromomethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Vinyl Chloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Methylene Chloride	ug/L	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	NS	2 U	2 U	NS	2 U	NS
Acetone	ug/L	5 U	5.4	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
Carbon Disulfide	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1-Dichloroethene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1.1	NS
1,1-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloroethene (total)	ug/L	1 U	1 U	1 U	1 U	4.8	1.1	2.5	2.7	NS	1.1	1 U	NS	2.9	NS
Chloroform	ug/L	1 U	1 U	1 U	1 U	1 U	1.2	1.5	1.6	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
2-Butanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1,1-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1	NS
Carbon Tetrachloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromodichloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloropropane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
cis-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Trichloroethene	ug/L	1 U	1 U	1 J	1 U	2.7	36	48	51	NS	5.7	3.2	NS	14	NS
Dibromochloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,1,2-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Benzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Trans-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromoform	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
4-Methyl-2-pentanone	ug/L	5 U	5 U	5 U	1 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
2-Hexanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
Tetrachloroethene	ug/L	1 U	1 U	1 U	1 U	2.9	33	71	77	NS	4.6	1 U	NS	1.5	NS
1,1,2,2-Tetrachloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Toluene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chlorobenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Ethylbenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Styrene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Xylene (total)	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS

Notes: DUP = Duplicate sample
NS = Not sampled
U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.
J = Indicates an estimated value.

Table 2-4
Summary of Groundwater Analytical Results - November 2007
Black & Decker
Hampstead, Maryland

PARAMETER	Units	RFW-11A	RFW-11B	RFW-12B (5)	RFW-13	RFW-16	RFW-17	Leister Dairy	Leister Res. #1	Leister Res. #2	Trip Blank	RFW-20	RFW-21	Town #22	Town #23	Trip Blank
												USEPA drinking water method 524.2				
Chloromethane	ug/L	NS	1 U	5 U	1 U	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	ug/L	NS	1 U	5 U	1 U	NS	1 U	1 U	1 U	NS	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	1 U	5 U	1 U	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	ug/L	NS	1 U	5 U	1 U	NS	1 U	1 U	1 U	NS	1 U	1 U	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	2 U	10 U	2 U	NS	2 U	2 U	2 U	NS	2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Acetone	ug/L	NS	5 U	25 U	5 U	NS	5 U	5 U	5 U	NS	5 U	10 U	10 U	10 U	4.9 J	10 U
Carbon Disulfide	ug/L	NS	5 U	25 U	5 U	NS	5 U	5 U	5 U	NS	5 U	NA	NA	NA	NA	NA
1,1-Dichloroethene	ug/L	NS	1 U	5 U	1 U	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	ug/L	NS	1 U	5 U	1 U	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethene (total)	ug/L	NS	1 U	3.6 J	1 U	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	ug/L	NS	1 U	5 U	1 U	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	8.7	0.5 U
1,2-Dichloroethane	ug/L	NS	1 U	5 U	1 U	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone	ug/L	NS	5 U	25 U	5 U	NS	5 U	5 U	5 U	NS	5 U	10 U	10 U	10 U	10 U	10 U
1,1,1-Trichloroethane	ug/L	NS	1 U	5 U	1 U	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	ug/L	NS	1 U	5 U	1 U	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	ug/L	NS	1 U	5 U	1 U	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	10	0.5 U
1,2-Dichloropropane	ug/L	NS	1 U	5 U	1 U	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	5 U	1 U	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene	ug/L	NS	15	540	11	NS	1 U	1 U	1 U	NS	1 U	1	0.5 U	0.5 U	0.5 U	0.5 U
Dibromochloromethane	ug/L	NS	1 U	5 U	1 U	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	8.3	0.5 U
1,1,2-Trichloroethane	ug/L	NS	1 U	5 U	1 U	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Benzene	ug/L	NS	1 U	5 U	1 U	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	ug/L	NS	1 U	5 U	1 U	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	ug/L	NS	1 U	5 U	1 U	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	1.5	0.5 U
4-Methyl-2-pentanone	ug/L	NS	5 U	25 U	5 U	NS	5 U	5 U	5 U	NS	5 U	10 U	10 U	10 U	10 U	10 U
2-Hexanone	ug/L	NS	5 U	25 U	5 U	NS	5 U	5 U	5 U	NS	5 U	10 U	10 U	10 U	10 U	10 U
Tetrachloroethene	ug/L	NS	1 U	49	37	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	ug/L	NS	1 U	5 U	1 U	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	ug/L	NS	1 U	5 U	1 U	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	ug/L	NS	1 U	5 U	1 U	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	ug/L	NS	1 U	5 U	1 U	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Styrene	ug/L	NS	1 U	5 U	1 U	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Xylene (total)	ug/L	NS	1 U	5 U	1 U	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

Notes: Samples from wells RFW-20 & 21, Town-22&23 are analyzed with the USEPA drinking water method 524.2 at the request of the MDE Source Protection and Appropriation Division. Samples from all of the other wells are analyzed with USEPA Method 8260.
NS = Not sampled
U = Compound was analyzed but not detected.

analytical data package is included in Appendix D.

As found in earlier sampling events at the Black & Decker facility, TCE and PCE were the VOCs detected at the highest concentrations in the groundwater samples. The highest concentration of TCE was detected in the groundwater samples collected from wells RFW-12B and EW-4 and the highest concentration of PCE was detected in the groundwater sample collected from wells RFW-4B and EW-9. The remainder of VOCs present were detected at levels below the Federal Maximum Contaminant Levels (MCL).

3. OPERATION AND MAINTENANCE OF THE TREATMENT SYSTEM

A summary of the maintenance activities which were undertaken with the extraction and treatment system during the reporting period (October through December 2007) is provided in Table 3-1. This table is comprehensive in summarizing significant maintenance events or activities, while not including those activities considered unworthy of note (such as replacement of light bulbs, lubrication of moving parts as appropriate or other routine activities).

Table 3-1
Treatment System Maintenance Activities - 4th Quarter 2007
Black & Decker
Hampstead, Maryland

Date	Event/Corrective Action
Oct-07	Alarm at air stripper. EW-2 had a bad timer relay and control relay. Both were replaced and EW-2 is back online.
Oct-07	EW-2 off for 4 days due to a bad control contactor. The control contactor was replaced and the well is back online.
Oct-07	Alarm at the air stripper. Due to high pressure in the high column. Adjustments were made to the pressure and the system is back online
Oct-07	Short power outage. The system was reset and is back online.
Dec-07	Alarm at stripper. EW-10 tripped off due to 115 volt power breaker turned off in the old boiler room causing the heater in the well house to be turned off. The breaker was turned back on. EW-10 is back online.
Dec-07	Alarm at stripper. High column blower failure. Found ice on the intake of the blower. The system was reset and the blower is back online.

4. RECOMMENDATIONS

For the reporting period of October through December 2007, the treatment system continued to create a hydraulic boundary preventing off-site migration of groundwater. The extraction system will continue to operate as currently configured to pump and treat contaminated groundwater. Depth-to-water measurements will continue to be collected on a monthly basis in all site monitor wells to construct a groundwater elevation contour map for the site. The groundwater elevation contour map will be used to verify that the required area of groundwater capture is being maintained. If necessary, pumping rates will be adjusted to maintain groundwater capture due to seasonal fluctuations in groundwater elevations. The treatment system will also continue to operate as currently configured, as data collected have proven that the treatment system is fully effective in removing VOCs from the extracted groundwater.

APPENDIX A
GROUNDWATER TREATMENT SYSTEM PUMPING RECORDS
(OCTOBER - DECEMBER 2007)

MARYLAND DEPARTMENT of the ENVIRONMENT, WATER MANAGEMENT ADMINISTRATION, 1800 WASHINGTON BLVD, BALTIMORE, MD 21230

Black & Decker WTP

Operated by
Maryland Environmental Service

Operator Justin Myers, ESS Certification # 8406
PWSID # 106-0004 County: Carroll
Address: BTR CAPITAL GROUP, Hampstead, MD 21073
625 Hanover Pike, Hampstead, Carroll County, Maryland

Month. OCTOBER
Year: 2007

GENERAL (DOMESTIC WATER)				CHEMICAL							MONITORING		DISTRIBUTION				RAW WATER		
Date	Day	Weather	Flow meter reading 0	MGD Total FQIR	pH P.O.E	Free Cl2	Na_2CO_3 Level	Na_2CO_3 (gpd)	NaOCL Level	NaOCL (gpd)	VOC'S (ppb)	Bacti Pos/Neg	pH su	TRC mg/l	DISTRIBUTION LOCATION	Operator Initials	pH su	TOTAL RAW WATER WELL (mgd)	Comments
1	mon	clr	0	0.0082	7.9	1.32	37.00	3.00	60.00	0.00			6.90	0.80	Loading Dock	ss		0.215257	Ocl
2	tue	clr	0	0.0082	7.0	1.33	34.00	2.00	60.00	0.00						ss		0.198289	
3	wed	cldy	0	0.0071	6.9	1.59	32.00	3.00	60.00	0.00			6.80	1.40	Eng Lab	dj	5.00	0.219369	
4	thur	clr	0	0.0062	7.0	1.58	29.00	2.00	60.00	0.00						dj		0.234430	
5	fri	cldy	0	0.0026	7.1	1.51	27.00	1.00	60.00	0.00			7.0	1.40	Admin 1st FL	dj		0.235252	
6	sat	cldy	0	0.0024	7.0	1.10	46.00	1.00	60.00	0.00						ss		0.223800	
7	sun	clr	0	0.0051	7.1	0.74	45.00	1.00	60.00	0.00						ss		0.229700	
8	mon	clr	0	0.0054	6.9	1.26	44.00	1.00	60.00	0.00			7.0	1.00	Eng Lab	dj		0.229174	
9	tue	clr	0	0.0059	6.8	1.23	43.00	2.00	60.00	0.00						dj		0.227553	
10	wed	clr	0	0.0079	6.8	1.18	41.00	2.00	60.00	0.00			6.8	0.90	Loading Dock	dj	5.20	0.232984	
11	thur	cldy	0	0.0056	6.7	1.16	39.00	2.00	60.00	0.00						dj		0.235168	
12	fri	clr	0	0.0086	6.7	1.12	37.00	3.00	60.00	0.00			6.7	1.00	Admin 1st FL	dj		0.234271	
13	sat	clr	0	0.0024	7.6	1.15	34.00	1.00	60.00	0.00						bc		0.221260	
14	sun	clr	0	0.0029	8.1	1.06	33.00	1.00	60.00	0.00						bc		0.210866	
15	mon	clr	0	0.0054	7.2	1.14	32.00	1.00	60.00	0.00			6.9	0.90	Eng Lab	dj		0.222135	
16	tue	clr	0	0.0082	6.9	1.16	31.00	3.00	60.00	0.00						dj		0 228931	
17	wed	clr	0	0.0057	7.0	1.13	28.00	2.00	60.00	0.00			6.8	0.80	Loading Dock	dj	5.30	0.228920	
18	thur	clr	0	0.0054	6.8	1.15	26.00	2.00	60.00	0.00						dj		0.238736	
19	fri	rain	0	0.0051	6.8	1.09	44.00	1.00	60.00	0.00			6.9	0.70	Admin 1st FL	dj		0.210518	
20	sat	clr	0	0.0000	6.7	1.15	43.00	0.00	60.00	0.00						dj		0.253850	
21	sun	clr	0	0.0052	6.9	1.08	43.00	2.00	60.00	0.00						dj		0.239453	
22	mon	clr	0	0.0056	7.0	1.08	41.00	2.00	60.00	0.00			7.4	0.70	Loading Dock	ss		0.228237	
23	tue	cldy	0	0.0053	7.1	0.99	39.00	2.00	60.00	0.00						ss		0.220140	
24	wed	rain	0	0.0065	6.9	1.25	37.00	1.00	60.00	0.00			6.8	1.00	Eng Lab	dj	5.10	0.208420	
25	thur	rain	0	0.0067	7.0	1.46	36.00	2.00	60.00	0.00						dj		0.226792	
26	fri	clr	0	0.0041	6.9	1.42	34.00	2.00	60.00	0.00			6.9	1.10	Admin 1st FL	dj		0 246092	
27	sat	cldy	0	0.0014	7.0	1.32	32.00	1.00	60.00	0.00						ss		0 222100	
28	sun	clr	0	0.0041	7.0	1.30	31.00	1.00	60.00	0.00						ss		0.215039	
29	mon	clr	0	0.0074	7.2	1.37	30.00	2.00	60.00	0.00			7.1	1.30	Eng Lab	dj		0.231104	
30	tue	clr	0	0.0067	7.1	1.45	28.00	2.00	60.00	0.00						dj		0.243802	
31	wed	clr	0	0.0050	7.0	1.36	26.00	2.00	60.00	0.00			6.9	1.40	Loading Dock	dj	5 30	0 202534	
Total				0.1663	218.1	38.23	1102.0	53.00	1860.0	0.00	0.0	0.0	96.9	14				7.014176	
Average				0.0054	7.04	1.23	35.55	1.71	60.00	0.00	0.0	0.0	6.92	1.03				0.226264	
Minimum				0.0000	6.70	0.74	26.00	0.00	60.00	0.00	0.0	0.0	6.70	0.70				0.198289	MOR
Maximum				0.0086	8.10	1.59	46.00	3.00	60.00	0.00	0.0	0.0	7.40	1.40				0.253850	04/09/07

MARYLAND DEPARTMENT of the ENVIRONMENT, WATER MANAGEMENT ADMINISTRATION, 1800 WASHINGTON BLVD, BALTIMORE, MD 21230

Operator Justin Myers, ESS Certification # 8406

Black & Decker WTP

PWSID # 106-0004 County: Carroll

Month: NOV

Operated by
Maryland Environmental Service

Address: BTR CAPITAL GROUP, Hampstead, MD 21073
625 Hanover Pike, Hampstead, Carroll County, Maryland

Year: 2007

GENERAL (DOMESTIC WATER)				CHEMICAL							MONITORING		DISTRIBUTION				RAW WATER	
Date	Day	Weather	Flow meter reading 0	MGD Total FQIR	pH P.O.E	Free Cl2	Na_2CO_3 Level	Na_2CO_3 (gpd)	NaOCL Level	NaOCL (gpd)	VOC'S (ppb)	Bacti Pos/Neg	pH su	TRC mg/l	DISTRIBUTION LOCATION	Operator Initials	pH su	TOTAL RAW WATER WELL (mgd)	Comments
1	thur	cldy	0	0.0077	7.0	1.37	24.00	2.00	60.00	0.00						djones		0.221313	
2	fri	clr	0	0.0027	6.8	1.21	42.00	5.50	60.00	0.00			6.8	0.90	Admin 1st fl	djones		0.243222	
3	sat	clr	0	0.0024	7.7	0.90	36.50	0.00	60.00	0.00						bc		0.221523	
4	sun	clr	0	0.0053	7.3	0.88	36.50		60.00	0.00						bc		0.225500	
5	mon	clr	0	0.0055	6.9	1.15	38.00	2.00	60.00	0.00			7.0	0.80	Eng Lab	djones		0 223274	
6	tue	clr	0	0.0054	7.0	1.10	36.00	2.00	60.00	0.00						djones		0.220069	
7	wed	clr	0	0.0133	6.9	1.11	34.00	3 00	60.00	0.00			6.8	0.80	Loading Dock	djones	5.00	0.223110	
8	thur	cldy	0	0.0058	6.8	1.16	31.00	3.00	60.00	0.00						djones		0.226657	
9	fri	rain	0	0.0047	6.7	1.14	28.00	1.00	60.00	0.00			6.7	0.90	Admin 1st fl	djones		0.234346	
10	sat	cldy	0	0.0024	6.7	1.20	27.00	1.00	60.00	0.00						djones		0.218920	
11	sun	clr	0	0.0042	6.9	1.23	46.00	1.00	60.00	0.00						djones		0.225845	
12	mon	rain	0	0.0054	7.5	1.21	45.00	1.00	60.00	0.00						bc		0.216445	
13	tue	cldy	0	0.0055	6.9	1.13	44.00	2.00	60.00	0.00			7.4	0.80	Loading Dock	ss		0.198409	
14	wed	fog	0	0.0080	7.0	1.08	42.00	3.00	60.00	0.00						gd/dj		0.251082	
15	thur	rain	0	0.0057	6.8	0.91	39.00	2.00	60.00	0.00			7.5	0 80	Eng Lab	ss		0.215135	
16	fri	cldy	0	0.0049	6.9	1.04	37.00	1.00	60.00	0.00			6.7	0.80	Admin 1st fl	djones	5.00	0.226777	
17	sat	cldy	0	0.0024	6.8	0.91	36.00	1.00	60.00	0.00						ss		0.211688	
18	sun	cldy	0	0.0029	6.8	0.82	35.00	1.00	60.00	0.00						ss		0 207492	
19	mon	rain	0	0.0055	6.9	1.01	34.00	1.00	60.00	0.00			6.9	0.80	Eng Lab	djones		0.220774	
20	tue	rain	0	0.0076	6.9	1.18	33.00	3.00	60.00	0.00						djones		0 226065	
21	wed	clr	0	0.0029	7.2	1.22	30.00	1.00	60.00	0.00			6.9	1 00	Admin 1st fl	djones	5.20	0.184833	
22	thur	clr	0	0.0000	6.9	1.25	29.00	0.00	60.00	0.00						djones		0.225257	
23	fri	clr	0	0.0023	6.9	1.13	29.00	1.00	60.00	0.00						djones		0.243621	
24	sat	clr	0	0.0000	6.8	1.16	28.00	1.00	60.00	0.00						ss		0.202554	
25	sun	clr	0	0.0028	6.8	1.04	27.00	0.00	60.00	0.00						ss		0.227006	
26	mon	rain	0	0.0082	7.0	1.20	27.00	3.00	60.00	0.00			6.9	0.60	Loading Dock	djones		0.215181	
27	tue	cldy	0	0.0058	6.9	1.16	44.00	2.00	60.00	0.00						djones		0.221801	
28	wed	clr	0	0.0052	7.0	1.13	42.00	1.00	60.00	0.00			6.9	1.00	Eng Lab	djones	5.20	0.211744	
29	thur	cldy	0	0.0077	7.0	1.24	41.00	3.00	60.00	0.00						djones		0 219078	
30	fri	clr	0	0.0040	7.1	1.28	38.00	1.00	60.00	0.00			6.7	1.00	Admin 1st fl	djones		0 198260	
31																			
Total				0.1462	208.8	33.55	1059.0	48.50	1800.0	0 00	0.0	0.0	83.2	10.2				6.606981	
Average				0.0049	6.96	1.12	35.30	1.67	60.00	0.00	0.0	0.0	6 9	0.85				0.220233	
Minimum				0.0000	6.70	0.82	24.00	0.00	60.00	0.00	0.0	0.0	6.7	0.60				0.184833	MOR
Maximum				0 0133	7.70	1.37	46 00	5.50	60.00	0.00	0.0	0.0	7.5	1.00				0.251082	04/09/07

MARYLAND DEPARTMENT of the ENVIRONMENT, WATER MANAGEMENT ADMINISTRATION, 1800 WASHINGTON BLVD, BALTIMORE, MD 21230

Operator Justin Myers, ESS Certification # 8406

Black & Decker WTP

PWSID # 106-0004 County: Carroll

Operated by

Address: BTR CAPITAL GROUP, Hampstead, MD 21073

Maryland Environmental Service

625 Hanover Pike, Hampstead, Carroll County, Maryland

Month: December

Year: 2007

GENERAL (DOMESTIC WATER)				CHEMICAL							MONITORING		DISTRIBUTION				RAW WATER		
Date	Day	Weather	Flow meter reading 0	MGD Total FQIR	pH P.O.E	Free Cl2	Na_2CO_3 Level	Na_2CO_3 (gpd)	NaOCL Level	NaOCL (gpd)	VOC'S (ppb)	Bacti Pos/Neg	pH su	TRC mg/l	DISTRIBUTION LOCATION	Operator Initials	pH su	TOTAL RAW WATER WELL (mgd)	Comments
1	sat		0	0.0025	6.8	1.15	37.00	1.00	60.00	0.00						djones		0.225567	
2	sun		0	0.0028	6.7	1.11	36.00	1.00	60.00	0.00						djones		0.221023	
3	mon		0	0.0081	6.9	1.11	35.00	1.00	60.00	0.00			7.40	0.83	Loading Dock	ss		0.180449	
4	tue		0	0.0038	7.0	1.19	34.00	3.00	60.00	0.00						ss		0.247253	
5	wed		0	0.0074	7.0	1.15	31.00	2.00	60.00	0.00			6.9	1.10	Eng Lab	djones	5.10	0.226120	
6	thur		0	0.0060	6.7	1.31	29.00	2.00	60.00	0.00						djones		0.210899	
7	fri		0	0.0052	6.5	1.18	27.00	1.00	60.00	0.00			6.5	1.00	Admin Bldg 1st fl	gd		0.229038	
8	sat		0	0.0000	7.1	1.36	47.00	0.00	60.00	0.00						ss		0.215325	
9	sun		0	0.0054	7.2	1.23	47.00	3.00	60.00	0.00						ss		0.201497	
10	mon		0	0.0050	7.0	1.37	44.00	2.00	60.00	0.00			6.7	1.00	Loading Dock	gd		0.212162	
11	tue		0	0.0065	6.9	1.24	42.00	1.00	60.00	0.00						djones		0.217623	
12	wed		0	0.0057	7.0	1.09	41.00	1.00	60.00	0.00			6.6	0.90	Eng Lab	djones	5.00	0.207382	
13	thur		0	0.0082	7.0	1.02	40.00	3.00	60.00	0.00						djones		0.220702	
14	fri		0	0.0025	6.9	1.03	37.00	1.00	60.00	0.00			6.8	0.80	Admin Bldg 1st fl	djones		0.233737	
15	sat		0	0.0023	7.0	1.14	36.00	1.00	60.00	0.00						bc		0.203294	
16	sun		0	0.0081	8.1	1.21	35.00	2.00	60.00	0.00						bc		0.201278	
17	mon		0	0.0057	7.3	1.37	33.00	1.00	60.00	0.00			6.7	1.10	Loading Dock	djones		0.212417	
18	tue		0	0.0053	7.0	1.40	32.00	2.00	60.00	0.00						djones		0.220562	
19	wed		0	0.0057	7.2	1.28	30.00	3.00	60.00	0.00						djones		0.186439	
20	thur		0	0.0063	8.0	1.39	27.00	1.00	60.00	0.00			7.3	1.20	Eng Lab	djones	5.10	0.212685	
21	fri		0	0.0027	7.8	1.37	26.00	1.00	60.00	0.00			7.3	1.10	Admin Bldg 1st fl	djones		0.191561	
22	sat		0	0.0000	7.3	1.40	46.00	0.00	60.00	0.00						djones		0.243276	
23	sun		0	0.0000	7.5	1.22	46.00	0.00	60.00	0.00						djones		0.182440	
24	mon		0	0.0000	7.6	1.19	46.00	2.00	60.00	0.00						ss		0.221033	
25	tue		0	0.0082	7.6	1.21	44.00	1.00	60.00	0.00						bc		0.217141	
26	wed		0	0.0274	6.9	1.44	43.00	6.00	60.00	0.00			7.4	1.00	Loading Dock	djones	4.80	0.212762	
27	thur		0	0.0276	7.0	1.52	37.00	9.00	60.00	0.00						djones		0.208513	
28	fri		0	0.0187	6.8	1.61	28.00	7.00	60.00	0.00			6.7	1.40	Admin Bldg 1st fl	djones		0.223007	
29	sat		0	0.0000	7.8	1.58	41.00	0.00	60.00	0.00						djones		0.209243	
30	sun		0	0.0023	7.0	1.53	41.00	2.00	60.00	0.00						djones		0.190230	
31	mon		0	0.0004	7.3	1.70	39.00	0.00	60.00	0.00			6.7	0.60	Loading Dock	djones		0.203256	
Total				0.1898	221.9	40.10	1157.0	60.00	1860.0	0.00	0.0	0.0	83	12				6.587914	
Average				0.0061	7.16	1.29	37.32	1.94	60.00	0.00	0.0	0.0	6.92	1.00				0.212513	
Minimum				0.0000	6.50	1.02	26.00	0.00	60.00	0.00	0.0	0.0	6.50	0.60				0.180449	MOR
Maximum				0.0276	8.10	1.70	47.00	9.00	60.00	0.00	0.0	0.0	7.40	1.40				0.247253	04/09/07

APPENDIX B
DISCHARGE MONITORING REPORTS
(OCTOBER - DECEMBER 2007)

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if different)*

NAME AG/GFI Hampstead, Inc

ADDRESS 626 Hanover Pike

Hampstead, MD 21074

FACILITY Black and Decker WWTP

LOCATION 626 Hanover Pike

ATTN:

NATIONAL POLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT *(DMR)*

State Discharge Permit
02-DP-0022

Form Approved. 12345
OMB No. 2040-0004.
Approval expires 05-31-98

(2-16) PERMIT NUMBER	*(17-19)* DISCHARGE NUMBER
MD0001881	001

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
FROM	07	10	01	TO	07	10	31
	(20-21)	*(22-23)*	*(24-25)*		*(26-27)*	*(28-29)*	*(30-31)*

*** NO DISCHARGE ☐ ***

NOTE: Read instructions before completing this form.

PARAMETER *(32-37)*		*(3 Card Only)* QUANTITY OR LOADING *(46-53)* AVERAGE	*(54-61)* MAXIMUM	UNITS	*(4 Card Only)* QUANTITY OR CONCENTRATION *(38-45)* MINIMUM	*(46-53)* AVERAGE	*(54-61)* MAXIMUM	UNITS	NO. EX *(62-63)*	FREQUENCY OF ANALYSIS *(64-68)*	SAMPLE TYPE *(69-70)*
BOD, 5-DAY (20 DEG. C) 00310 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******	****	******	******	4	(19) MG/L	0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	******	******		******	******	15 ******			ONE/ MONTH	GRAB
pH 00400 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******	****	6.6	******	8.2	(12) SU	0	TWO/ WEEK	GRAB
	PERMIT REQUIREMENT	******	******		6.0	******	8.5			TWO/ WEEK	GRAB
SOLIDS, TOTAL SUSPENDED 00530 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******	****	******	11	11	(19) MG/L	0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	******	******		******	20	30			ONE/ MONTH	GRAB
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	84387	172000	(07) GPD	******	******	******	****	0	MEASURED	RECORD
	PERMIT REQUIREMENT	REPORT	REPORT		******	******	******			MEASURED	RECORD
CHLORINE, TOTAL RESIDUAL 50060 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******	****	******	<0.1	<0.1	(19) MG/L	0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	******	******		******	0.011	0.019			ONE/ MONTH	GRAB
TETRACHLOROETHYLENE 34475 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******	****	******	******	0	ug/l	0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	******	******		******	******	5			ONE/ MONTH	GRAB
1,1,1-TRICHLOROETHANE 34506 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******	****	******	******	0	ug/l	0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	******	******		******	******	5			ONE/ MONTH	GRAB

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER			TELEPHONE		DATE		
Jim Harkins, Director MES	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	410 AREA CODE	729-8350 NUMBER	07 YEAR	11 MO	28 DAY
TYPED OR PRINTED							

COMMENT AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if different)*

NAME AG/GFI Hampstead, Inc

ADDRESS 626 Hanover Pike

Hampstead, MD 21074

FACILITY Black and Decker WWTP

LOCATION 626 Hanover Pike

ATTN:

NATIONAL POLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT *(DMR)*

(2-16) *(17-19)*

PERMIT NUMBER	DISCHARGE NUMBER
MD0001881	001

State Discharge Permit
02-DP-0022

Form Approved. 12345
OMB No. 2040-0004.
Approval expires 05-31-98

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
FROM	07	10	01	TO	07	10	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE [ ] ***

NOTE: Read instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(4 Card Only) QUANTITY OR CONCENTRATION (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
TRICHLOROETHENE 79141 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******	****	******	******	0	ug/l	0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	******	******		******	******	5			ONE/ MONTH	GRAB
OIL AND GREASE TOTAL RECOVERABLE 70030 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******	****	******	0	0	(19) MG/L	0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	******	******		******	10 ******	15 ******			ONE/ MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER			TELEPHONE		DATE		
Jim Harkins, Director MES	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE 410	NUMBER 729-8350	YEAR 07	MO 11	DAY 28
TYPED OR PRINTED							

COMMENT AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if different)*

NAME AG/GFI Hampstead, Inc

ADDRESS 626 Hanover Pike

Hampstead, MD 21074

FACILITY Black and Decker WWTP

LOCATION 626 Hanover Pike

ATTN:

NATIONAL POLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT *(DMR)*

State Discharge Permit

02-DP-0022

(2-16) PERMIT NUMBER	*(17-19)* DISCHARGE NUMBER
MD0001881	101

Form Approved. 12345

OMB No. 2040-0004.

Approval expires 05-31-98

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
FROM	07	10	01	TO	07	10	31
	(20-21)	*(22-23)*	*(24-25)*		*(26-27)*	*(28-29)*	*(30-31)*

*** NO DISCHARGE [ ] ***

NOTE: Read instructions before completing this form.

PARAMETER *(32-37)*		*(3 Card Only)* QUANTITY OR LOADING *(46-53)* AVERAGE	*(54-61)* MAXIMUM	UNITS	*(4 Card Only)* QUANTITY OR CONCENTRATION *(38-45)* MINIMUM	*(46-53)* AVERAGE	*(54-61)* MAXIMUM	UNITS	NO. EX *(62-63)*	FREQUENCY OF ANALYSIS *(64-68)*	SAMPLE TYPE *(69-70)*
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	194258	650000	(07)	******	******	******		0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	REPORT ******	REPORT ******	GPD	******	******	******	****		ONE/ MONTH	GRAB
COLIFORM, FECAL GENERAL 74055 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******		******	******	2	(30)	0	ONE/ WEEK	GRAB
	PERMIT REQUIREMENT	******	******	****	******	******	200	MPN		ONE/ WEEK	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

Jim Harkins, Director MES

TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE		DATE		
AREA CODE	NUMBER	YEAR	MO	DAY
410	729-8350	07	11	28

COMMENT AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if different)*

NAME: AG/GFI Hampstead, Inc

ADDRESS: 626 Hanover Pike

Hampstead, MD 21074

FACILITY: Black and Decker WWTP

LOCATION: 626 Hanover Pike

ATTN:

NATIONAL POLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT *(DMR)*

State Discharge Permit
02-DP-0022

Form Approved. 12345
OMB No. 2040-0004.
Approval expires 05-31-98

PERMIT NUMBER *(2-16)*	DISCHARGE NUMBER *(17-19)*
MD0001881	001

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
FROM	07	11	01	TO	07	11	30
	(20-21)	*(22-23)*	*(24-25)*		*(26-27)*	*(28-29)*	*(30-31)*

*** NO DISCHARGE [ ] ***

NOTE: Read instructions before completing this form.

PARAMETER *(32-37)*		*(3 Card Only)* QUANTITY OR LOADING *(46-53)* AVERAGE	*(54-61)* MAXIMUM	UNITS	*(4 Card Only)* QUANTITY OR CONCENTRATION *(38-45)* MINIMUM	*(46-53)* AVERAGE	*(54-61)* MAXIMUM	UNITS	NO. EX *(62-63)*	FREQUENCY OF ANALYSIS *(64-68)*	SAMPLE TYPE *(69-70)*
BOD, 5-DAY (20 DEG. C) 00310 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******	****	******	******	2	(19) MG/L	0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	******	******		******	******	15 ******			ONE/ MONTH	GRAB
pH 00400 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******	****	6.4	******	6.7	(12) SU	0	TWO/ WEEK	GRAB
	PERMIT REQUIREMENT	******	******		6.0	******	8.5			TWO/ WEEK	GRAB
SOLIDS, TOTAL SUSPENDED 00530 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******	****	******	6	6	(19) MG/L	0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	******	******		******	20	30			ONE/ MONTH	GRAB
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	150700	238000	(07) GPD	******	******	******	****	0	MEASURED	RECORD
	PERMIT REQUIREMENT	REPORT	REPORT		******	******	******			MEASURED	RECORD
CHLORINE, TOTAL RESIDUAL 50060 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******	****	******	<0.1	<0.1	(19) MG/L	0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	******	******		******	0.011	0.019			ONE/ MONTH	GRAB
TETRACHLOROETHYLENE 34475 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******	****	******	******	0	ug/l	0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	******	******		******	******	5			ONE/ MONTH	GRAB
1,1,1-TRICHLOROETHANE 34506 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******	****	******	******	0	ug/l	0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	******	******		******	******	5			ONE/ MONTH	GRAB

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		TELEPHONE		DATE		
Jim Harkins, Director MES	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	410	729-8350	07	12	18
TYPED OR PRINTED		AREA CODE	NUMBER	YEAR	MO	DAY

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

COMMENT AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if different)*

NAME AG/GFI Hampstead, Inc

ADDRESS 626 Hanover Pike

Hampstead, MD 21074

FACILITY Black and Decker WWTP

LOCATION 626 Hanover Pike

ATTN:

NATIONAL POLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT *(DMR)*

(2-16) PERMIT NUMBER	*(17-19)* DISCHARGE NUMBER
MD0001881	001

State Discharge Permit
02-DP-0022

Form Approved. 12345
OMB No. 2040-0004.
Approval expires 05-31-98

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
FROM	07	11	01	TO	07	11	30
	(20-21)	*(22-23)*	*(24-25)*		*(26-27)*	*(28-29)*	*(30-31)*

*** NO DISCHARGE ☐ ***

NOTE: Read instructions before completing this form.

PARAMETER *(32-37)*		*(3 Card Only)* QUANTITY OR LOADING *(46-53)* AVERAGE	*(54-61)* MAXIMUM	UNITS	*(4 Card Only)* QUANTITY OR CONCENTRATION *(38-45)* MINIMUM	*(46-53)* AVERAGE	*(54-61)* MAXIMUM	UNITS	NO. EX *(62-63)*	FREQUENCY OF ANALYSIS *(64-68)*	SAMPLE TYPE *(69-70)*
TRICHLOROETHENE 79141 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******	****	******	******	0	ug/l	0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	******	******		******	******	5			ONE/ MONTH	GRAB
OIL AND GREASE TOTAL RECOVERABLE 70030 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******	****	******	0	0	(19) MG/L	0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	******	******		******	10 ******	15 ******			ONE/ MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER			TELEPHONE		DATE		
Jim Harkins, Director MES	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	410	729-8350	07	12	18
TYPED OR PRINTED			AREA CODE	NUMBER	YEAR	MO	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if different)*

NAME: AG/GFI Hampstead, Inc

ADDRESS: 626 Hanover Pike

Hampstead, MD 21074

FACILITY: Black and Decker WWTP

LOCATION: 626 Hanover Pike

ATTN:

NATIONAL POLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT *(DMR)*

State Discharge Permit

02-DP-0022

(2-16) PERMIT NUMBER	*(17-19)* DISCHARGE NUMBER
MD0001881	101

Form Approved. 12345

OMB No. 2040-0004.

Approval expires 05-31-98

MONITORING PERIOD

	YEAR *(20-21)*	MO *(22-23)*	DAY *(24-25)*		YEAR *(26-27)*	MO *(28-29)*	DAY *(30-31)*
FROM	07	11	01	TO	07	11	30

*** NO DISCHARGE [ ] ***

NOTE: Read instructions before completing this form.

PARAMETER *(32-37)*		*(3 Card Only)* QUANTITY OR LOADING *(46-53)* AVERAGE	*(54-61)* MAXIMUM	UNITS	*(4 Card Only)* QUANTITY OR CONCENTRATION *(38-45)* MINIMUM	*(46-53)* AVERAGE	*(54-61)* MAXIMUM	UNITS	NO. EX *(62-63)*	FREQUENCY OF ANALYSIS *(64-68)*	SAMPLE TYPE *(69-70)*
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	199567	429000	(07) GPD	******	******	******	****	0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	REPORT ******	REPORT ******		******	******	******			ONE/ MONTH	GRAB
COLIFORM, FECAL GENERAL 74055 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******	****	******	******	1	(30) MPN	0	ONE/ WEEK	GRAB
	PERMIT REQUIREMENT	******	******		******	******	200			ONE/ WEEK	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER			TELEPHONE		DATE		
Jim Harkins, Director MES	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	410 AREA CODE	729-8350 NUMBER	07 YEAR	12 MO	18 DAY
TYPED OR PRINTED							

COMMENT AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if different)*

NAME: AG/GFI Hampstead, Inc

ADDRESS: 626 Hanover Pike

Hampstead, MD 21074

FACILITY: Black and Decker WWTP

LOCATION: 626 Hanover Pike

ATTN:

NATIONAL POLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT *(DMR)*

State Discharge Permit

02-DP-0022

Form Approved. 12345

OMB No. 2040-0004.

Approval expires 05-31-98

(2-16) PERMIT NUMBER	*(17-19)* DISCHARGE NUMBER
MD0001881	001

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
FROM	07	12	01	TO	07	12	31
	(20-21)	*(22-23)*	*(24-25)*		*(26-27)*	*(28-29)*	*(30-31)*

*** NO DISCHARGE [ ] ***

NOTE: Read instructions before completing this form.

PARAMETER *(32-37)*		*(3 Card Only)* QUANTITY OR LOADING *(46-53)* AVERAGE	*(54-61)* MAXIMUM	UNITS	*(4 Card Only)* QUANTITY OR CONCENTRATION *(38-45)* MINIMUM	*(46-53)* AVERAGE	*(54-61)* MAXIMUM	UNITS	NO. EX *(62-63)*	FREQUENCY OF ANALYSIS *(64-68)*	SAMPLE TYPE *(69-70)*
BOD, 5-DAY (20 DEG. C) 00310 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******	****	******	******	4	(19)	0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	******	******		******	******	15 ******	MG/L		ONE/ MONTH	GRAB
pH 00400 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******	****	6.0	******	6.9	(12)	0	TWO/ WEEK	GRAB
	PERMIT REQUIREMENT	******	******		6.0	******	8.5	SU		TWO/ WEEK	GRAB
SOLIDS, TOTAL SUSPENDED 00530 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******	****	******	6	6	(19)	0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	******	******		******	20	30	MG/L		ONE/ MONTH	GRAB
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	212290	442000	(07)	******	******	******	****	0	MEASURED	RECORD
	PERMIT REQUIREMENT	REPORT	REPORT	GPD	******	******	******			MEASURED	RECORD
CHLORINE, TOTAL RESIDUAL 50060 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******	****	******	<0.1	<0.1	(19)	0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	******	******		******	0.011	0.019	MG/L		ONE/ MONTH	GRAB
TETRACHLOROETHYLENE 34475 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******	****	******	******	0		0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	******	******		******	******	5	ug/l		ONE/ MONTH	GRAB
1,1,1-TRICHLOROETHANE 34506 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******	****	******	******	0		0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	******	******		******	******	5	ug/l		ONE/ MONTH	GRAB

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER			TELEPHONE		DATE		
Jim Harkins, Director MES	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	410	729-8350	08	01	24
TYPED OR PRINTED			AREA CODE	NUMBER	YEAR	MO	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if different)*

NAME AG/GFI Hampstead, Inc

ADDRESS 626 Hanover Pike

Hampstead, MD 21074

FACILITY Black and Decker WWTP

LOCATION 626 Hanover Pike

ATTN:

NATIONAL POLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT *(DMR)*

MD0001881	001
PERMIT NUMBER *(2-16)*	DISCHARGE NUMBER *(17-19)*

State Discharge Permit
02-DP-0022

Form Approved. 12345
OMB No. 2040-0004.
Approval expires 05-31-98

MONITORING PERIOD	YEAR	MO	DAY		YEAR	MO	DAY
FROM / TO	07	12	01		07	12	31
	(20-21)	*(22-23)*	*(24-25)*		*(26-27)*	*(28-29)*	*(30-31)*

*** NO DISCHARGE [ ] ***

NOTE: Read instructions before completing this form.

PARAMETER *(32-37)*		*(3 Card Only)* QUANTITY OR LOADING *(46-53)* AVERAGE	*(54-61)* MAXIMUM	UNITS	*(4 Card Only)* QUANTITY OR CONCENTRATION *(38-45)* MINIMUM	*(46-53)* AVERAGE	*(54-61)* MAXIMUM	UNITS	NO. EX *(62-63)*	FREQUENCY OF ANALYSIS *(64-68)*	SAMPLE TYPE *(69-70)*
TRICHLOROETHENE 79141 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******	****	******	******	0	ug/l	0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	******	******		******	******	5			ONE/ MONTH	GRAB
OIL AND GREASE TOTAL RECOVERABLE 70030 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******	****	******	0	0	(19) MG/L	0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	******	******		******	10 ******	15 ******			ONE/ MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER			TELEPHONE		DATE		
Jim Harkins, Director MES	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.		410	729-8350	08	01	24
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE	NUMBER	YEAR	MO	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if different)*

NAME AG/GFI Hampstead, Inc

ADDRESS 626 Hanover Pike

Hampstead, MD 21074

FACILITY Black and Decker WWTP

LOCATION 626 Hanover Pike

ATTN:

NATIONAL POLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT *(DMR)*

State Discharge Permit

02-DP-0022

(2-16) PERMIT NUMBER	*(17-19)* DISCHARGE NUMBER
MD0001881	101

Form Approved. 12345

OMB No. 2040-0004.

Approval expires 05-31-98

MONITORING PERIOD

	YEAR *(20-21)*	MO *(22-23)*	DAY *(24-25)*		YEAR *(26-27)*	MO *(28-29)*	DAY *(30-31)*
FROM	07	12	01	TO	07	12	31

*** NO DISCHARGE [ ] ***

NOTE: Read instructions before completing this form.

PARAMETER *(32-37)*		*(3 Card Only)* QUANTITY OR LOADING *(46-53)* AVERAGE	*(54-61)* MAXIMUM	UNITS	*(4 Card Only)* QUANTITY OR CONCENTRATION *(38-45)* MINIMUM	*(46-53)* AVERAGE	*(54-61)* MAXIMUM	UNITS	NO. EX *(62-63)*	FREQUENCY OF ANALYSIS *(64-68)*	SAMPLE TYPE *(69-70)*
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	208129	750000	(07) GPD	******	******	******	****	0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	REPORT ******	REPORT ******		******	******	******			ONE/ MONTH	GRAB
COLIFORM, FECAL GENERAL 74055 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******	****	******	******	1	(30) MPN	0	ONE/ WEEK	GRAB
	PERMIT REQUIREMENT	******	******		******	******	200			ONE/ WEEK	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER			TELEPHONE		DATE		
Jim Harkins, Director MES	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	410 AREA CODE	729-8350 NUMBER	08 YEAR	01 MO	24 DAY
TYPED OR PRINTED							

COMMENT AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if different)*

NAME: AG/GFI Hampstead, Inc

ADDRESS: 626 Hanover Pike

Hampstead, MD 21074

FACILITY: Black and Decker WWTP

LOCATION: 626 Hanover Pike

ATTN:

NATIONAL POLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT *(DMR)*

State Discharge Permit
02-DP-0022

MD0001881	201
PERMIT NUMBER *(2-16)*	DISCHARGE NUMBER *(17-19)*

Form Approved. 12345
OMB No. 2040-0004.
Approval expires 05-31-98

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
FROM	07	10	01	TO	07	12	31
	(20-21)	*(22-23)*	*(24-25)*		*(26-27)*	*(28-29)*	*(30-31)*

*** NO DISCHARGE [ ] ***

NOTE: Read instructions before completing this form.

PARAMETER *(32-37)*		*(3 Card Only)* QUANTITY OR LOADING *(46-53)* AVERAGE	*(54-61)* MAXIMUM	UNITS	*(4 Card Only)* QUANTITY OR CONCENTRATION *(38-45)* MINIMUM	*(46-53)* AVERAGE	*(54-61)* MAXIMUM	UNITS	NO. EX *(62-63)*	FREQUENCY OF ANALYSIS *(64-68)*	SAMPLE TYPE *(69-70)*
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	220175	253850	(07)	******	******	******		0	MEASURED	RECORD
	PERMIT REQUIREMENT	REPORT	REPORT	GPD	******	******	******	****		MEASURED	RECORD
TETRACHLOROETHYLENE 34475 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******		******	0	0		0	ONE/ QUARTER	GRAB
	PERMIT REQUIREMENT	******	******	****	******	REPORT ******	REPORT ******	ug/l		ONE/ QUARTER	GRAB
1,1,1-TRICHLOROETHANE 34506 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******		******	0	0		0	ONE/ QUARTER	GRAB
	PERMIT REQUIREMENT	******	******	****	******	REPORT ******	REPORT	ug/l		ONE/ QUARTER	GRAB
TRICHLOROETHENE 79141 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******		******	0	0		0	ONE/ QUARTER	GRAB
	PERMIT REQUIREMENT	******	******	****	******	REPORT ******	REPORT	ug/l		ONE/ QUARTER	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		TELEPHONE		DATE		
Jim Harkins, Director MES	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	410	729-8350	08	01	24
TYPED OR PRINTED	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE	NUMBER	YEAR	MO	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

Quarterly Report!

APPENDIX C
GROUNDWATER TREATMENT SYSTEM ANALYTICAL RESULTS
(OCTOBER - DECEMBER 2007)

ATLANTIC COAST
Laboratories, Incorporated

630 Churchmans Road
Newark, Delaware 19702
302-266-9121 • 454-8720 (FAX)
WWW.ATLANTICCOASTLABS.COM

REPORT OF ANALYSIS

Maryland Environmental Services (A)
259 Najoles Road
Millersville, MD 21108

Attention: Mr. Jay Janney

Order Number A07100660
Project Name: Black & Decker WWTP
Receive Date: 10/11/2007
Client Code: MES_A
Project Location: Black & Decker WWTP

Sample # A07100660-01 **Sample Date: 10/10/2007 11:26**

Site: Black & Decker 001
Client Sample ID:
Sample Comments: None

Matrix: Waste Water

Test	Result	Units	RDL	Method	Analysis Date	Analyst
BOD-5	4	mg/L	2	SM 5210 B	10/12/2007 10:00:00 AM	YThomas
Total Suspended Solids	11	mg/L	4	SM 2540D	10/12/2007 6:52:00 PM	JMcGuire

Sample # A07100660-01A **Sample Date: 10/10/2007 11:26**

Site: Black & Decker 001
Client Sample ID: A
Sample Comments: None

Matrix: Waste Water

Test	Result	Units	RDL	Method	Analysis Date	Analyst
Oil and Grease (HEM)	<5	mg/L	5	EPA 1664	10/12/2007 1:45:00 PM	SHess

Sample # A07100660-01B **Sample Date: 10/10/2007 11:26**

Site: Black & Decker 001
Client Sample ID: B
Sample Comments: None

Matrix: Waste Water

Test	Result	Units	RDL	Method	Analysis Date	Analyst
1,1,1-Trichloroethane	<1	ug/L	1	EPA 8260B	10/22/2007 2:24:00 AM	IMcMullen
Tetrachloroethene	<1	ug/L	1	EPA 8260B	10/22/2007 2:24:00 AM	IMcMullen
Trichloroethene	<1	ug/L	1	EPA 8260B	10/22/2007 2:24:00 AM	IMcMullen

Approved: Keith A. Hanoltrecht
President

Reported: 11/2/2007 8:54:10 AM

RDL = Reporting Detection Limit *N/A = Not Applicable*
Laboratory Certification Numbers: *Delaware - DE00011* *Maryland - #138* *Pennsylvania - 68-335* *New Jersey - DE568*

ATLANTIC COAST
Laboratories, Incorporated

630 Churchmans Road
Newark, Delaware 19702
302-266-9121 ◦ 454-8720 (FAX)
WWW.ATLANTICCOASTLABS.COM

REPORT OF ANALYSIS

Maryland Environmental Services (A)
259 Najoles Road
Millersville, MD 21108

Attention: Mr. Jay Janney

Order Number A07100659
Project Name: Black & Decker WWTP
Receive Date: 10/11/2007
Client Code: MES_A
Project Location: Black & Decker WWTP

Sample # A07100659-01 **Sample Date: 10/10/2007 11:43**

Site: Black & Decker 201
Client Sample ID:
Sample Comments: None

Matrix: Waste Water

Test	Result	Units	RDL	Method	Analysis Date	Analyst
1,1,1-Trichloroethane	<1	ug/L	1	EPA 8260B	10/22/2007 1:52:00 AM	IMcMullen
Tetrachloroethene	<1	ug/L	1	EPA 8260B	10/22/2007 1:52:00 AM	IMcMullen
Trichloroethene	<1	ug/L	1	EPA 8260B	10/22/2007 1:52:00 AM	IMcMullen

Approved: Keith A. Hanobrecht
President

Reported: 11/2/2007 8:54:07 AM

RDL = Reporting Detection Limit *N/A = Not Applicable*
Laboratory Certification Numbers: *Delaware - DE00011* *Maryland - #138* *Pennsylvania - 68-335* *New Jersey - DE568*

ATLANTIC COAST
Laboratories, Incorporated

630 Churchmans Road
Newark, Delaware 19702
302-266-9121 ◦ 454-8720 (FAX)
WWW.ATLANTICCOASTLABS.COM

REPORT OF ANALYSIS

Maryland Environmental Services (A)
259 Najoles Road
Millersville, MD 21108

Attention: Mr. Jay Janney

Order Number A07110345
Project Name: Black & Decker WWTP
Receive Date: 11/7/2007
Client Code: MES_A
Project Location: Black & Decker WWTP

Sample # A07110345-01 **Sample Date: 11/7/2007 10:25**

Site: Black & Decker 001
Client Sample ID:
Sample Comments: None

Matrix: Waste Water

Test	Result	Units	RDL	Method	Analysis Date	Analyst
BOD-5	2	mg/L	2	SM 5210 B	11/8/2007 12:00:00 PM	SKent
Total Suspended Solids	6	mg/L	4	SM 2540D	11/9/2007 3:40:00 PM	JMcGuire

Sample # A07110345-01A **Sample Date: 11/7/2007 10:25**

Site: Black & Decker 001
Client Sample ID: A
Sample Comments: None

Matrix: Waste Water

Test	Result	Units	RDL	Method	Analysis Date	Analyst
Oil and Grease (HEM)	<5	mg/L	5	EPA 1664	11/19/2007 1:50:00 PM	XGraves

Sample # A07110345-01B **Sample Date: 11/7/2007 10:25**

Site: Black & Decker 001
Client Sample ID: B
Sample Comments: None

Matrix: Waste Water

Test	Result	Units	RDL	Method	Analysis Date	Analyst
1,1,1-Trichloroethane	<1	ug/L	1	EPA 8260B	11/20/2007 12:07:00	AMIMcMullen
Tetrachloroethene	<1	ug/L	1	EPA 8260B	11/20/2007 12:07:00	AMIMcMullen
Trichloroethene	<1	ug/L	1	EPA 8260B	11/20/2007 12:07:00	AMIMcMullen

Approved: Warren Van Arsdall
Quality Assurance Manager

Reported: 11/29/2007 3:18:27 PM

RDL = Reporting Detection Limit *N/A = Not Applicable*
Laboratory Certification Numbers: *Delaware - DE00011* *Maryland - #138* *Pennsylvania - 68-335* *New Jersey - DE568*

ATLANTIC COAST
Laboratories, Incorporated

630 Churchmans Road
Newark, Delaware 19702
302-266-9121 • 454-8720 (FAX)
WWW.ATLANTICCOASTLABS.COM

REPORT OF ANALYSIS

Maryland Environmental Services (A)
259 Najoles Road
Millersville, MD 21108

Attention: Mr. Jay Janney

Order Number A07120996
Project Name: Black & Decker WWTP
Receive Date: 12/19/2007
Client Code: MES_A
Project Location: Black & Decker WWTP

Sample # A07120996-01 **Sample Date: 12/19/2007 11:35**

Site: Black & Decker 001
Client Sample ID:
Sample Comments: None
Matrix: Waste Water

Test	Result	Units	RDL	Method	Analysis Date	Analyst
BOD-5	4	mg/L	2	SM 5210 B	12/20/2007 11:30:00 AM	JMcGuire
Total Suspended Solids	6	mg/L	4	SM 2540D	12/22/2007 3:12:00 PM	JMcGuire

Sample # A07120996-01A **Sample Date: 12/19/2007 11:35**

Site: Black & Decker 001
Client Sample ID: A
Sample Comments: None
Matrix: Waste Water

Test	Result	Units	RDL	Method	Analysis Date	Analyst
Oil and Grease (HEM)	<5	mg/L	5	EPA 1664	1/8/2008 12:55:00 PM	XGraves

Sample # A07120996-01B **Sample Date: 12/19/2007 11:35**

Site: Black & Decker 001
Client Sample ID: B
Sample Comments: None
Matrix: Waste Water

Test	Result	Units	RDL	Method	Analysis Date	Analyst
1,1,1-Trichloroethane	<1	ug/L	1	EPA 8260B	1/1/2008 2:08:00 PM	IMcMullen
Tetrachloroethene	<1	ug/L	1	EPA 8260B	1/1/2008 2:08:00 PM	IMcMullen
Trichloroethene	<1	ug/L	1	EPA 8260B	1/1/2008 2:08:00 PM	IMcMullen

Approved: Warren Van Arsdall
Quality Assurance Manager

Reported: 1/15/2008 2:11:00 PM

RDL = Reporting Detection Limit *N/A = Not Applicable*
Laboratory Certification Numbers: *Delaware - DE00011* *Maryland - #138* *Pennsylvania - 68-335* *New Jersey - DE568*

APPENDIX D
GROUNDWATER ANALYTICAL DATA PACKAGE
(NOVEMBER 2007)

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

Job Number: 500-7942-1

Job Description: Black and Decker

For:
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Attention: Mr. Tom Cornuet

Richard C Wright
Project Manager II
richard.wright@testamericainc.com
11/27/2007

cc: Greg Flasinski

These test results meet all the requirements of NELAC for accredited parameters.

The Lab Certification ID# is 100201.

All questions regarding this test report should be directed to the TestAmerica Project Manager whose signature appears on this report. All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.

Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.

Comments
No additional comments.

Receipt
All samples were received in good condition within temperature requirements.

GC/MS VOA
Method(s) 8260B: The following sample(s) was diluted due to the abundance of target analytes: EW-2 (500-7942-19), EW-4 (500-7942-22), RFW-12B (500-7942-13). Elevated reporting limits (RLs) are provided.

No other analytical or quality issues were noted.

EXECUTIVE SUMMARY - Detections

Client: Weston Solutions, Inc. Job Number: 500-7942-1

Lab Sample ID / Analyte	Client Sample ID	Result / Qualifier		Reporting Limit	Units	Method
500-7942-2	**RFW-1B**					
Acetone		5.4		5.0	ug/L	8260B
500-7942-3	**RFW-2A**					
Trichloroethene		1.0	J	1.0	ug/L	8260B
500-7942-5	**RFW-3B**					
cis-1,2-Dichloroethene		4.8		1.0	ug/L	8260B
Trichloroethene		2.7		1.0	ug/L	8260B
Tetrachloroethene		2.9		1.0	ug/L	8260B
500-7942-6	**RFW-4A**					
cis-1,2-Dichloroethene		1.1		1.0	ug/L	8260B
Chloroform		1.2		1.0	ug/L	8260B
Trichloroethene		36		1.0	ug/L	8260B
Tetrachloroethene		33		1.0	ug/L	8260B
500-7942-7	**RFW-4B**					
cis-1,2-Dichloroethene		2.5		1.0	ug/L	8260B
Chloroform		1.5		1.0	ug/L	8260B
Trichloroethene		48		1.0	ug/L	8260B
Tetrachloroethene		71		1.0	ug/L	8260B
500-7942-8	**RFW-4B DUP**					
cis-1,2-Dichloroethene		2.7		1.0	ug/L	8260B
Chloroform		1.6		1.0	ug/L	8260B
Trichloroethene		51		1.0	ug/L	8260B
Tetrachloroethene		77		1.0	ug/L	8260B
500-7942-9	**RFW-6**					
cis-1,2-Dichloroethene		1.1		1.0	ug/L	8260B
Trichloroethene		5.7		1.0	ug/L	8260B
Tetrachloroethene		4.6		1.0	ug/L	8260B
500-7942-10	**RFW-7**					
Trichloroethene		3.2		1.0	ug/L	8260B

EXECUTIVE SUMMARY - Detections

Client: Weston Solutions, Inc. Job Number: 500-7942-1

Lab Sample ID / Analyte	Client Sample ID	Result / Qualifier		Reporting Limit	Units	Method
500-7942-11	**RFW-9**					
1,1-Dichloroethene		1.1		1.0	ug/L	8260B
cis-1,2-Dichloroethene		2.9		1.0	ug/L	8260B
1,1,1-Trichloroethane		1.0		1.0	ug/L	8260B
Trichloroethene		14		1.0	ug/L	8260B
Tetrachloroethene		1.5		1.0	ug/L	8260B
500-7942-12	**RFW-11B**					
Trichloroethene		15		1.0	ug/L	8260B
500-7942-13	**RFW-12B**					
cis-1,2-Dichloroethene		3.6	J	5.0	ug/L	8260B
Trichloroethene		540		50	ug/L	8260B
Tetrachloroethene		49		5.0	ug/L	8260B
500-7942-14	**RFW-13**					
Trichloroethene		11		1.0	ug/L	8260B
Tetrachloroethene		37		1.0	ug/L	8260B
500-7942-19	**EW-2**					
cis-1,2-Dichloroethene		3.0		2.0	ug/L	8260B
Trichloroethene		420		20	ug/L	8260B
Tetrachloroethene		67		2.0	ug/L	8260B
500-7942-20	**EW-3**					
cis-1,2-Dichloroethene		1.8		1.0	ug/L	8260B
Trichloroethene		150		10	ug/L	8260B
Tetrachloroethene		3.7		1.0	ug/L	8260B
500-7942-21	**EW-3 DUP**					
cis-1,2-Dichloroethene		1.9		1.0	ug/L	8260B
Trichloroethene		130		10	ug/L	8260B
Tetrachloroethene		3.4		1.0	ug/L	8260B
500-7942-22	**EW-4**					
Trichloroethene		1200		100	ug/L	8260B
Tetrachloroethene		24		10	ug/L	8260B

EXECUTIVE SUMMARY - Detections

Client: Weston Solutions, Inc. Job Number: 500-7942-1

Lab Sample ID / Analyte	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
500-7942-23	**EW-5**				
1,1,1-Trichloroethane		1.0	1.0	ug/L	8260B
Trichloroethene		200	10	ug/L	8260B
Tetrachloroethene		7.8	1.0	ug/L	8260B
500-7942-24	**EW-6**				
Trichloroethene		11	1.0	ug/L	8260B
Tetrachloroethene		21	1.0	ug/L	8260B
500-7942-25	**EW-7**				
cis-1,2-Dichloroethene		7.1	1.0	ug/L	8260B
Trichloroethene		5.5	1.0	ug/L	8260B
Tetrachloroethene		11	1.0	ug/L	8260B
500-7942-26	**EW-8**				
1,1-Dichloroethane		1.2	1.0	ug/L	8260B
cis-1,2-Dichloroethene		29	1.0	ug/L	8260B
Trichloroethene		15	1.0	ug/L	8260B
Tetrachloroethene		130	10	ug/L	8260B
500-7942-27	**EW-9**				
cis-1,2-Dichloroethene		1.1	1.0	ug/L	8260B
Trichloroethene		1.7	1.0	ug/L	8260B
Tetrachloroethene		230	10	ug/L	8260B
500-7942-28	**EW-10**				
Tetrachloroethene		6.7	1.0	ug/L	8260B

METHOD SUMMARY

Client: Weston Solutions, Inc. Job Number: 500-7942-1

Description	Lab Location	Method	Preparation Method
Matrix: Water			
VOC	TAL CHI	SW846 8260B	
Purge-and-Trap	TAL CHI		SW846 5030B

Lab References:

TAL CHI = TestAmerica Chicago

Method References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

SAMPLE SUMMARY

Client: Weston Solutions, Inc.

Job Number: 500-7942-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
500-7942-1	RFW-1A	Water	11/19/2007 1040	11/21/2007 1030
500-7942-2	RFW-1B	Water	11/20/2007 1125	11/21/2007 1030
500-7942-3	RFW-2A	Water	11/19/2007 0920	11/21/2007 1030
500-7942-4	RFW-2B	Water	11/19/2007 1005	11/21/2007 1030
500-7942-5	RFW-3B	Water	11/20/2007 1115	11/21/2007 1030
500-7942-6	RFW-4A	Water	11/20/2007 1150	11/21/2007 1030
500-7942-7	RFW-4B	Water	11/20/2007 1330	11/21/2007 1030
500-7942-8	RFW-4B DUP	Water	11/20/2007 1330	11/21/2007 1030
500-7942-9	RFW-6	Water	11/20/2007 1110	11/21/2007 1030
500-7942-10	RFW-7	Water	11/19/2007 1115	11/21/2007 1030
500-7942-11	RFW-9	Water	11/20/2007 1000	11/21/2007 1030
500-7942-12	RFW-11B	Water	11/20/2007 1140	11/21/2007 1030
500-7942-13	RFW-12B	Water	11/20/2007 1020	11/21/2007 1030
500-7942-14	RFW-13	Water	11/19/2007 1540	11/21/2007 1030
500-7942-15	RFW-17	Water	11/19/2007 1140	11/21/2007 1030
500-7942-16	LEISTER-1	Water	11/20/2007 1205	11/21/2007 1030
500-7942-17	LEISTER-DAIRY	Water	11/20/2007 1215	11/21/2007 1030
500-7942-18	TRIP BLANK 1	Water	11/19/2007 0800	11/21/2007 1030
500-7942-19	EW-2	Water	11/20/2007 1015	11/21/2007 1030
500-7942-20	EW-3	Water	11/20/2007 0935	11/21/2007 1030
500-7942-21	EW-3 DUP	Water	11/20/2007 0935	11/21/2007 1030
500-7942-22	EW-4	Water	11/20/2007 0920	11/21/2007 1030
500-7942-23	EW-5	Water	11/19/2007 1030	11/21/2007 1030
500-7942-24	EW-6	Water	11/19/2007 1505	11/21/2007 1030
500-7942-25	EW-7	Water	11/19/2007 1510	11/21/2007 1030
500-7942-26	EW-8	Water	11/19/2007 1515	11/21/2007 1030
500-7942-27	EW-9	Water	11/19/2007 1525	11/21/2007 1030
500-7942-28	EW-10	Water	11/19/2007 1530	11/21/2007 1030

SAMPLE RESULTS

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: RFW-1A
Lab Sample ID: 500-7942-1

Date Sampled: 11/19/2007 1040
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	11/24/2007 1401		
Prep Method: 5030B		Date Prepared:	11/24/2007 1401		
Benzene	<1.0	ug/L	0.23	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.12	1.0	1.0
Chloromethane	<1.0	ug/L	0.20	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.16	1.0	1.0
Bromomethane	<1.0	ug/L	0.59	1.0	1.0
Chloroethane	<1.0	ug/L	0.32	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.25	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.15	5.0	1.0
Acetone	<5.0	ug/L	1.4	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.24	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.29	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.15	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.20	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	1.0	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.27	1.0	1.0
Chloroform	<1.0	ug/L	0.14	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.38	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.34	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
Trichloroethene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.21	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.22	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.15	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.92	5.0	1.0
Toluene	<1.0	ug/L	0.18	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.24	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.18	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.22	1.0	1.0
2-Hexanone	<5.0	ug/L	0.99	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.33	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.33	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.21	1.0	1.0

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: RFW-1A
Lab Sample ID: 500-7942-1

Date Sampled: 11/19/2007 1040
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.36	2.0	1.0
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.18	1.0	1.0
Bromoform	<1.0	ug/L	0.32	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.22	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.34	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.35	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.16	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.19	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.29	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.25	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.35	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.29	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.41	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.36	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.36	1.0	1.0
Naphthalene	<1.0	ug/L	0.37	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.43	1.0	1.0

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	107	%	70 - 125
Toluene-d8 (Surr)	95	%	75 - 120
4-Bromofluorobenzene (Surr)	90	%	75 - 120
Dibromofluoromethane	112	%	75 - 120

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: RFW-1B
Lab Sample ID: 500-7942-2

Date Sampled: 11/20/2007 1125
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	11/24/2007 1424		
Prep Method: 5030B		Date Prepared:	11/24/2007 1424		
Benzene	<1.0	ug/L	0.23	1.0	1.0
Dichlorodifluoromethane	<1.0 *	ug/L	0.12	1.0	1.0
Chloromethane	<1.0	ug/L	0.20	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.16	1.0	1.0
Bromomethane	<1.0	ug/L	0.59	1.0	1.0
Chloroethane	<1.0	ug/L	0.32	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.25	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.15	5.0	1.0
Acetone	5.4	ug/L	1.4	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.24	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.29	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.15	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.20	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	1.0	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.27	1.0	1.0
Chloroform	<1.0	ug/L	0.14	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.38	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.34	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
Trichloroethene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.21	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.22	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.15	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.92	5.0	1.0
Toluene	<1.0	ug/L	0.18	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.24	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.18	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.22	1.0	1.0
2-Hexanone	<5.0	ug/L	0.99	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.33	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.33	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.21	1.0	1.0

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: RFW-1B
Lab Sample ID: 500-7942-2

Date Sampled: 11/20/2007 1125
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.36	2.0	1.0
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.18	1.0	1.0
Bromoform	<1.0	ug/L	0.32	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.22	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.34	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.35	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.16	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.19	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.29	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.25	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.35	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.29	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.41	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.36	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.36	1.0	1.0
Naphthalene	<1.0	ug/L	0.37	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.43	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	106	%		70 - 125	
Toluene-d8 (Surr)	94	%		75 - 120	
4-Bromofluorobenzene (Surr)	90	%		75 - 120	
Dibromofluoromethane	110	%		75 - 120	

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: RFW-2A
Lab Sample ID: 500-7942-3

Date Sampled: 11/19/2007 0920
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	RL	Dilution
Method: 8260B			Date Analyzed:	11/24/2007 1447		
Prep Method: 5030B			Date Prepared:	11/24/2007 1447		
Benzene	<1.0		ug/L	0.23	1.0	1.0
Dichlorodifluoromethane	<1.0	*	ug/L	0.12	1.0	1.0
Chloromethane	<1.0		ug/L	0.20	1.0	1.0
Vinyl chloride	<1.0		ug/L	0.16	1.0	1.0
Bromomethane	<1.0		ug/L	0.59	1.0	1.0
Chloroethane	<1.0		ug/L	0.32	1.0	1.0
Trichlorofluoromethane	<1.0		ug/L	0.14	1.0	1.0
1,1-Dichloroethene	<1.0		ug/L	0.25	1.0	1.0
Carbon disulfide	<5.0		ug/L	0.15	5.0	1.0
Acetone	<5.0		ug/L	1.4	5.0	1.0
Methylene Chloride	<2.0		ug/L	0.24	2.0	1.0
trans-1,2-Dichloroethene	<1.0		ug/L	0.29	1.0	1.0
1,1-Dichloroethane	<1.0		ug/L	0.15	1.0	1.0
2,2-Dichloropropane	<1.0		ug/L	0.17	1.0	1.0
cis-1,2-Dichloroethene	<1.0		ug/L	0.20	1.0	1.0
Methyl Ethyl Ketone	<5.0		ug/L	1.0	5.0	1.0
Bromochloromethane	<1.0		ug/L	0.27	1.0	1.0
Chloroform	<1.0		ug/L	0.14	1.0	1.0
1,1,1-Trichloroethane	<1.0		ug/L	0.17	1.0	1.0
1,1-Dichloropropene	<1.0		ug/L	0.38	1.0	1.0
Carbon tetrachloride	<1.0		ug/L	0.34	1.0	1.0
1,2-Dichloroethane	<1.0		ug/L	0.25	1.0	1.0
Trichloroethene	1.0	J	ug/L	0.13	1.0	1.0
1,2-Dichloropropane	<1.0		ug/L	0.19	1.0	1.0
Dibromomethane	<1.0		ug/L	0.21	1.0	1.0
Bromodichloromethane	<1.0		ug/L	0.22	1.0	1.0
cis-1,3-Dichloropropene	<1.0		ug/L	0.15	1.0	1.0
methyl isobutyl ketone	<5.0		ug/L	0.92	5.0	1.0
Toluene	<1.0		ug/L	0.18	1.0	1.0
trans-1,3-Dichloropropene	<1.0		ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	<1.0		ug/L	0.24	1.0	1.0
Tetrachloroethene	<1.0		ug/L	0.18	1.0	1.0
1,3-Dichloropropane	<1.0		ug/L	0.22	1.0	1.0
2-Hexanone	<5.0		ug/L	0.99	5.0	1.0
Dibromochloromethane	<1.0		ug/L	0.22	1.0	1.0
1,2-Dibromoethane	<1.0		ug/L	0.33	1.0	1.0
Chlorobenzene	<1.0		ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0		ug/L	0.33	1.0	1.0
Ethylbenzene	<1.0		ug/L	0.21	1.0	1.0

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: RFW-2A
Lab Sample ID: 500-7942-3

Date Sampled: 11/19/2007 0920
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.36	2.0	1.0
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.18	1.0	1.0
Bromoform	<1.0	ug/L	0.32	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.22	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.34	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.35	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.16	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.19	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.29	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.25	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.35	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.29	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.41	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.36	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.36	1.0	1.0
Naphthalene	<1.0	ug/L	0.37	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.43	1.0	1.0

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	107	%	70 - 125
Toluene-d8 (Surr)	90	%	75 - 120
4-Bromofluorobenzene (Surr)	91	%	75 - 120
Dibromofluoromethane	115	%	75 - 120

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: RFW-2B
Lab Sample ID: 500-7942-4

Date Sampled: 11/19/2007 1005
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	RL	Dilution
Method: 8260B			Date Analyzed:	11/24/2007 1510		
Prep Method: 5030B			Date Prepared:	11/24/2007 1510		
Benzene	<1.0		ug/L	0.23	1.0	1.0
Dichlorodifluoromethane	<1.0	*	ug/L	0.12	1.0	1.0
Chloromethane	<1.0		ug/L	0.20	1.0	1.0
Vinyl chloride	<1.0		ug/L	0.16	1.0	1.0
Bromomethane	<1.0		ug/L	0.59	1.0	1.0
Chloroethane	<1.0		ug/L	0.32	1.0	1.0
Trichlorofluoromethane	<1.0		ug/L	0.14	1.0	1.0
1,1-Dichloroethene	<1.0		ug/L	0.25	1.0	1.0
Carbon disulfide	<5.0		ug/L	0.15	5.0	1.0
Acetone	<5.0		ug/L	1.4	5.0	1.0
Methylene Chloride	<2.0		ug/L	0.24	2.0	1.0
trans-1,2-Dichloroethene	<1.0		ug/L	0.29	1.0	1.0
1,1-Dichloroethane	<1.0		ug/L	0.15	1.0	1.0
2,2-Dichloropropane	<1.0		ug/L	0.17	1.0	1.0
cis-1,2-Dichloroethene	<1.0		ug/L	0.20	1.0	1.0
Methyl Ethyl Ketone	<5.0		ug/L	1.0	5.0	1.0
Bromochloromethane	<1.0		ug/L	0.27	1.0	1.0
Chloroform	<1.0		ug/L	0.14	1.0	1.0
1,1,1-Trichloroethane	<1.0		ug/L	0.17	1.0	1.0
1,1-Dichloropropene	<1.0		ug/L	0.38	1.0	1.0
Carbon tetrachloride	<1.0		ug/L	0.34	1.0	1.0
1,2-Dichloroethane	<1.0		ug/L	0.25	1.0	1.0
Trichloroethene	<1.0		ug/L	0.13	1.0	1.0
1,2-Dichloropropane	<1.0		ug/L	0.19	1.0	1.0
Dibromomethane	<1.0		ug/L	0.21	1.0	1.0
Bromodichloromethane	<1.0		ug/L	0.22	1.0	1.0
cis-1,3-Dichloropropene	<1.0		ug/L	0.15	1.0	1.0
methyl isobutyl ketone	<5.0		ug/L	0.92	5.0	1.0
Toluene	<1.0		ug/L	0.18	1.0	1.0
trans-1,3-Dichloropropene	<1.0		ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	<1.0		ug/L	0.24	1.0	1.0
Tetrachloroethene	<1.0		ug/L	0.18	1.0	1.0
1,3-Dichloropropane	<1.0		ug/L	0.22	1.0	1.0
2-Hexanone	<5.0		ug/L	0.99	5.0	1.0
Dibromochloromethane	<1.0		ug/L	0.22	1.0	1.0
1,2-Dibromoethane	<1.0		ug/L	0.33	1.0	1.0
Chlorobenzene	<1.0		ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0		ug/L	0.33	1.0	1.0
Ethylbenzene	<1.0		ug/L	0.21	1.0	1.0

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: RFW-2B
Lab Sample ID: 500-7942-4

Date Sampled: 11/19/2007 1005
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.36	2.0	1.0
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.18	1.0	1.0
Bromoform	<1.0	ug/L	0.32	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.22	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.34	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.35	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.16	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.19	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.29	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.25	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.35	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.29	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.41	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.36	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.36	1.0	1.0
Naphthalene	<1.0	ug/L	0.37	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.43	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	109	%		70 - 125	
Toluene-d8 (Surr)	91	%		75 - 120	
4-Bromofluorobenzene (Surr)	91	%		75 - 120	
Dibromofluoromethane	117	%		75 - 120	

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: RFW-3B
Lab Sample ID: 500-7942-5

Date Sampled: 11/20/2007 1115
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	11/24/2007 1533		
Prep Method: 5030B		Date Prepared:	11/24/2007 1533		
Benzene	<1.0	ug/L	0.23	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.12	1.0	1.0
Chloromethane	<1.0	ug/L	0.20	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.16	1.0	1.0
Bromomethane	<1.0	ug/L	0.59	1.0	1.0
Chloroethane	<1.0	ug/L	0.32	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.25	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.15	5.0	1.0
Acetone	<5.0	ug/L	1.4	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.24	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.29	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.15	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
cis-1,2-Dichloroethene	4.8	ug/L	0.20	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	1.0	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.27	1.0	1.0
Chloroform	<1.0	ug/L	0.14	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.38	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.34	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
Trichloroethene	2.7	ug/L	0.13	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.21	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.22	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.15	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.92	5.0	1.0
Toluene	<1.0	ug/L	0.18	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.24	1.0	1.0
Tetrachloroethene	2.9	ug/L	0.18	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.22	1.0	1.0
2-Hexanone	<5.0	ug/L	0.99	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.33	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.33	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.21	1.0	1.0

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: RFW-3B
Lab Sample ID: 500-7942-5

Date Sampled: 11/20/2007 1115
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.36	2.0	1.0
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.18	1.0	1.0
Bromoform	<1.0	ug/L	0.32	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.22	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.34	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.35	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.16	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.19	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.29	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.25	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.35	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.29	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.41	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.36	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.36	1.0	1.0
Naphthalene	<1.0	ug/L	0.37	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.43	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	111	%		70 - 125	
Toluene-d8 (Surr)	92	%		75 - 120	
4-Bromofluorobenzene (Surr)	92	%		75 - 120	
Dibromofluoromethane	115	%		75 - 120	

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: RFW-4A
Lab Sample ID: 500-7942-6

Date Sampled: 11/20/2007 1150
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	11/24/2007 1556		
Prep Method: 5030B		Date Prepared:	11/24/2007 1556		
Benzene	<1.0	ug/L	0.23	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.12	1.0	1.0
Chloromethane	<1.0	ug/L	0.20	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.16	1.0	1.0
Bromomethane	<1.0	ug/L	0.59	1.0	1.0
Chloroethane	<1.0	ug/L	0.32	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.25	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.15	5.0	1.0
Acetone	<5.0	ug/L	1.4	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.24	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.29	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.15	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
cis-1,2-Dichloroethene	1.1	ug/L	0.20	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	1.0	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.27	1.0	1.0
Chloroform	1.2	ug/L	0.14	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.38	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.34	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
Trichloroethene	36	ug/L	0.13	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.21	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.22	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.15	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.92	5.0	1.0
Toluene	<1.0	ug/L	0.18	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.24	1.0	1.0
Tetrachloroethene	33	ug/L	0.18	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.22	1.0	1.0
2-Hexanone	<5.0	ug/L	0.99	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.33	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.33	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.21	1.0	1.0

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: RFW-4A
Lab Sample ID: 500-7942-6

Date Sampled: 11/20/2007 1150
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.36	2.0	1.0
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.18	1.0	1.0
Bromoform	<1.0	ug/L	0.32	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.22	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.34	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.35	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.16	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.19	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.29	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.25	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.35	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.29	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.41	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.36	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.36	1.0	1.0
Naphthalene	<1.0	ug/L	0.37	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.43	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	110	%		70 - 125	
Toluene-d8 (Surr)	94	%		75 - 120	
4-Bromofluorobenzene (Surr)	90	%		75 - 120	
Dibromofluoromethane	114	%		75 - 120	

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: RFW-4B
Lab Sample ID: 500-7942-7

Date Sampled: 11/20/2007 1330
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	11/24/2007 1619		
Prep Method: 5030B		Date Prepared:	11/24/2007 1619		
Benzene	<1.0	ug/L	0.23	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.12	1.0	1.0
Chloromethane	<1.0	ug/L	0.20	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.16	1.0	1.0
Bromomethane	<1.0	ug/L	0.59	1.0	1.0
Chloroethane	<1.0	ug/L	0.32	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.25	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.15	5.0	1.0
Acetone	<5.0	ug/L	1.4	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.24	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.29	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.15	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
cis-1,2-Dichloroethene	2.5	ug/L	0.20	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	1.0	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.27	1.0	1.0
Chloroform	1.5	ug/L	0.14	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.38	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.34	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
Trichloroethene	48	ug/L	0.13	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.21	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.22	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.15	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.92	5.0	1.0
Toluene	<1.0	ug/L	0.18	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.24	1.0	1.0
Tetrachloroethene	71	ug/L	0.18	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.22	1.0	1.0
2-Hexanone	<5.0	ug/L	0.99	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.33	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.33	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.21	1.0	1.0

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: RFW-4B
Lab Sample ID: 500-7942-7

Date Sampled: 11/20/2007 1330
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.36	2.0	1.0
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.18	1.0	1.0
Bromoform	<1.0	ug/L	0.32	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.22	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.34	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.35	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.16	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.19	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.29	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.25	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.35	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.29	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.41	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.36	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.36	1.0	1.0
Naphthalene	<1.0	ug/L	0.37	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.43	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	113	%		70 - 125	
Toluene-d8 (Surr)	95	%		75 - 120	
4-Bromofluorobenzene (Surr)	87	%		75 - 120	
Dibromofluoromethane	116	%		75 - 120	

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: RFW-4B DUP
Lab Sample ID: 500-7942-8

Date Sampled: 11/20/2007 1330
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	11/24/2007 1704		
Prep Method: 5030B		Date Prepared:	11/24/2007 1704		
Benzene	<1.0	ug/L	0.23	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.12	1.0	1.0
Chloromethane	<1.0	ug/L	0.20	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.16	1.0	1.0
Bromomethane	<1.0	ug/L	0.59	1.0	1.0
Chloroethane	<1.0	ug/L	0.32	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.25	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.15	5.0	1.0
Acetone	<5.0	ug/L	1.4	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.24	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.29	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.15	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
cis-1,2-Dichloroethene	2.7	ug/L	0.20	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	1.0	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.27	1.0	1.0
Chloroform	1.6	ug/L	0.14	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.38	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.34	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
Trichloroethene	51	ug/L	0.13	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.21	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.22	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.15	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.92	5.0	1.0
Toluene	<1.0	ug/L	0.18	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.24	1.0	1.0
Tetrachloroethene	77	ug/L	0.18	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.22	1.0	1.0
2-Hexanone	<5.0	ug/L	0.99	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.33	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.33	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.21	1.0	1.0

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: RFW-4B DUP
Lab Sample ID: 500-7942-8

Date Sampled: 11/20/2007 1330
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.36	2.0	1.0
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.18	1.0	1.0
Bromoform	<1.0	ug/L	0.32	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.22	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.34	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.35	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.16	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.19	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.29	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.25	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.35	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.29	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.41	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.36	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.36	1.0	1.0
Naphthalene	<1.0	ug/L	0.37	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.43	1.0	1.0

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	114	%	70 - 125
Toluene-d8 (Surr)	94	%	75 - 120
4-Bromofluorobenzene (Surr)	87	%	75 - 120
Dibromofluoromethane	119	%	75 - 120

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: RFW-6
Lab Sample ID: 500-7942-9

Date Sampled: 11/20/2007 1110
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	RL	Dilution
Method: 8260B			Date Analyzed:	11/25/2007 1039		
Prep Method: 5030B			Date Prepared:	11/25/2007 1039		
Benzene	<1.0		ug/L	0.23	1.0	1.0
Dichlorodifluoromethane	<1.0	*	ug/L	0.12	1.0	1.0
Chloromethane	<1.0		ug/L	0.20	1.0	1.0
Vinyl chloride	<1.0		ug/L	0.16	1.0	1.0
Bromomethane	<1.0		ug/L	0.59	1.0	1.0
Chloroethane	<1.0		ug/L	0.32	1.0	1.0
Trichlorofluoromethane	<1.0		ug/L	0.14	1.0	1.0
1,1-Dichloroethene	<1.0		ug/L	0.25	1.0	1.0
Carbon disulfide	<5.0		ug/L	0.15	5.0	1.0
Acetone	<5.0		ug/L	1.4	5.0	1.0
Methylene Chloride	<2.0		ug/L	0.24	2.0	1.0
trans-1,2-Dichloroethene	<1.0		ug/L	0.29	1.0	1.0
1,1-Dichloroethane	<1.0		ug/L	0.15	1.0	1.0
2,2-Dichloropropane	<1.0		ug/L	0.17	1.0	1.0
cis-1,2-Dichloroethene	1.1		ug/L	0.20	1.0	1.0
Methyl Ethyl Ketone	<5.0		ug/L	1.0	5.0	1.0
Bromochloromethane	<1.0		ug/L	0.27	1.0	1.0
Chloroform	<1.0		ug/L	0.14	1.0	1.0
1,1,1-Trichloroethane	<1.0		ug/L	0.17	1.0	1.0
1,1-Dichloropropene	<1.0		ug/L	0.38	1.0	1.0
Carbon tetrachloride	<1.0		ug/L	0.34	1.0	1.0
1,2-Dichloroethane	<1.0		ug/L	0.25	1.0	1.0
Trichloroethene	5.7		ug/L	0.13	1.0	1.0
1,2-Dichloropropane	<1.0		ug/L	0.19	1.0	1.0
Dibromomethane	<1.0		ug/L	0.21	1.0	1.0
Bromodichloromethane	<1.0		ug/L	0.22	1.0	1.0
cis-1,3-Dichloropropene	<1.0		ug/L	0.15	1.0	1.0
methyl isobutyl ketone	<5.0		ug/L	0.92	5.0	1.0
Toluene	<1.0		ug/L	0.18	1.0	1.0
trans-1,3-Dichloropropene	<1.0		ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	<1.0		ug/L	0.24	1.0	1.0
Tetrachloroethene	4.6		ug/L	0.18	1.0	1.0
1,3-Dichloropropane	<1.0		ug/L	0.22	1.0	1.0
2-Hexanone	<5.0		ug/L	0.99	5.0	1.0
Dibromochloromethane	<1.0		ug/L	0.22	1.0	1.0
1,2-Dibromoethane	<1.0		ug/L	0.33	1.0	1.0
Chlorobenzene	<1.0		ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0		ug/L	0.33	1.0	1.0
Ethylbenzene	<1.0		ug/L	0.21	1.0	1.0

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: RFW-6
Lab Sample ID: 500-7942-9

Date Sampled: 11/20/2007 1110
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.36	2.0	1.0
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.18	1.0	1.0
Bromoform	<1.0	ug/L	0.32	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.22	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.34	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.35	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.16	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.19	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.29	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.25	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.35	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.29	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.41	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.36	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.36	1.0	1.0
Naphthalene	<1.0	ug/L	0.37	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.43	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	108	%		70 - 125	
Toluene-d8 (Surr)	95	%		75 - 120	
4-Bromofluorobenzene (Surr)	91	%		75 - 120	
Dibromofluoromethane	105	%		75 - 120	

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: **RFW-7**
Lab Sample ID: **500-7942-10**

Date Sampled: 11/19/2007 1115
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	11/25/2007 1102		
Prep Method: 5030B		Date Prepared:	11/25/2007 1102		
Benzene	<1.0	ug/L	0.23	1.0	1.0
Dichlorodifluoromethane	<1.0 *	ug/L	0.12	1.0	1.0
Chloromethane	<1.0	ug/L	0.20	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.16	1.0	1.0
Bromomethane	<1.0	ug/L	0.59	1.0	1.0
Chloroethane	<1.0	ug/L	0.32	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.25	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.15	5.0	1.0
Acetone	<5.0	ug/L	1.4	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.24	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.29	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.15	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.20	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	1.0	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.27	1.0	1.0
Chloroform	<1.0	ug/L	0.14	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.38	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.34	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
Trichloroethene	3.2	ug/L	0.13	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.21	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.22	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.15	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.92	5.0	1.0
Toluene	<1.0	ug/L	0.18	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.24	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.18	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.22	1.0	1.0
2-Hexanone	<5.0	ug/L	0.99	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.33	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.33	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.21	1.0	1.0

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: RFW-7
Lab Sample ID: 500-7942-10

Date Sampled: 11/19/2007 1115
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.36	2.0	1.0
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.18	1.0	1.0
Bromoform	<1.0	ug/L	0.32	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.22	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.34	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.35	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.16	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.19	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.29	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.25	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.35	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.29	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.41	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.36	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.36	1.0	1.0
Naphthalene	<1.0	ug/L	0.37	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.43	1.0	1.0

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	104	%	70 - 125
Toluene-d8 (Surr)	92	%	75 - 120
4-Bromofluorobenzene (Surr)	92	%	75 - 120
Dibromofluoromethane	105	%	75 - 120

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: RFW-9
Lab Sample ID: 500-7942-11

Date Sampled: 11/20/2007 1000
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	11/25/2007 1125		
Prep Method: 5030B		Date Prepared:	11/25/2007 1125		
Benzene	<1.0	ug/L	0.23	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.12	1.0	1.0
Chloromethane	<1.0	ug/L	0.20	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.16	1.0	1.0
Bromomethane	<1.0	ug/L	0.59	1.0	1.0
Chloroethane	<1.0	ug/L	0.32	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloroethene	1.1	ug/L	0.25	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.15	5.0	1.0
Acetone	<5.0	ug/L	1.4	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.24	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.29	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.15	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
cis-1,2-Dichloroethene	2.9	ug/L	0.20	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	1.0	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.27	1.0	1.0
Chloroform	<1.0	ug/L	0.14	1.0	1.0
1,1,1-Trichloroethane	1.0	ug/L	0.17	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.38	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.34	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
Trichloroethene	14	ug/L	0.13	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.21	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.22	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.15	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.92	5.0	1.0
Toluene	<1.0	ug/L	0.18	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.24	1.0	1.0
Tetrachloroethene	1.5	ug/L	0.18	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.22	1.0	1.0
2-Hexanone	<5.0	ug/L	0.99	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.33	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.33	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.21	1.0	1.0

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: RFW-9
Lab Sample ID: 500-7942-11

Date Sampled: 11/20/2007 1000
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.36	2.0	1.0
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.18	1.0	1.0
Bromoform	<1.0	ug/L	0.32	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.22	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.34	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.35	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.16	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.19	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.29	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.25	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.35	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.29	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.41	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.36	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.36	1.0	1.0
Naphthalene	<1.0	ug/L	0.37	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.43	1.0	1.0

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	107	%	70 - 125
Toluene-d8 (Surr)	94	%	75 - 120
4-Bromofluorobenzene (Surr)	89	%	75 - 120
Dibromofluoromethane	103	%	75 - 120

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: RFW-11B
Lab Sample ID: 500-7942-12

Date Sampled: 11/20/2007 1140
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	11/25/2007 1248		
Prep Method: 5030B		Date Prepared:	11/25/2007 1248		
Benzene	<1.0	ug/L	0.23	1.0	1.0
Dichlorodifluoromethane	<1.0 *	ug/L	0.12	1.0	1.0
Chloromethane	<1.0	ug/L	0.20	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.16	1.0	1.0
Bromomethane	<1.0	ug/L	0.59	1.0	1.0
Chloroethane	<1.0	ug/L	0.32	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.25	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.15	5.0	1.0
Acetone	<5.0	ug/L	1.4	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.24	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.29	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.15	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.20	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	1.0	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.27	1.0	1.0
Chloroform	<1.0	ug/L	0.14	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.38	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.34	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
Trichloroethene	15	ug/L	0.13	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.21	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.22	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.15	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.92	5.0	1.0
Toluene	<1.0	ug/L	0.18	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.24	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.18	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.22	1.0	1.0
2-Hexanone	<5.0	ug/L	0.99	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.33	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.33	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.21	1.0	1.0

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: RFW-11B
Lab Sample ID: 500-7942-12

Date Sampled: 11/20/2007 1140
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.36	2.0	1.0
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.18	1.0	1.0
Bromoform	<1.0	ug/L	0.32	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.22	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.34	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.35	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.16	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.19	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.29	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.25	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.35	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.29	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.41	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.36	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.36	1.0	1.0
Naphthalene	<1.0	ug/L	0.37	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.43	1.0	1.0

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	112	%	70 - 125
Toluene-d8 (Surr)	93	%	75 - 120
4-Bromofluorobenzene (Surr)	89	%	75 - 120
Dibromofluoromethane	113	%	75 - 120

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: RFW-12B
Lab Sample ID: 500-7942-13

Date Sampled: 11/20/2007 1020
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	RL	Dilution
Method: 8260B			Date Analyzed:	11/25/2007 1311		
Prep Method: 5030B			Date Prepared:	11/25/2007 1311		
Benzene	<5.0		ug/L	1.2	5.0	5.0
Dichlorodifluoromethane	<5.0	*	ug/L	0.60	5.0	5.0
Chloromethane	<5.0		ug/L	1.0	5.0	5.0
Vinyl chloride	<5.0		ug/L	0.80	5.0	5.0
Bromomethane	<5.0		ug/L	3.0	5.0	5.0
Chloroethane	<5.0		ug/L	1.6	5.0	5.0
Trichlorofluoromethane	<5.0		ug/L	0.70	5.0	5.0
1,1-Dichloroethene	<5.0		ug/L	1.3	5.0	5.0
Carbon disulfide	<25		ug/L	0.75	25	5.0
Acetone	<25		ug/L	7.0	25	5.0
Methylene Chloride	<10		ug/L	1.2	10	5.0
trans-1,2-Dichloroethene	<5.0		ug/L	1.5	5.0	5.0
1,1-Dichloroethane	<5.0		ug/L	0.75	5.0	5.0
2,2-Dichloropropane	<5.0		ug/L	0.85	5.0	5.0
cis-1,2-Dichloroethene	3.6	J	ug/L	1.0	5.0	5.0
Methyl Ethyl Ketone	<25		ug/L	5.0	25	5.0
Bromochloromethane	<5.0		ug/L	1.4	5.0	5.0
Chloroform	<5.0		ug/L	0.70	5.0	5.0
1,1,1-Trichloroethane	<5.0		ug/L	0.85	5.0	5.0
1,1-Dichloropropene	<5.0		ug/L	1.9	5.0	5.0
Carbon tetrachloride	<5.0		ug/L	1.7	5.0	5.0
1,2-Dichloroethane	<5.0		ug/L	1.3	5.0	5.0
1,2-Dichloropropane	<5.0		ug/L	0.95	5.0	5.0
Dibromomethane	<5.0		ug/L	1.1	5.0	5.0
Bromodichloromethane	<5.0		ug/L	1.1	5.0	5.0
cis-1,3-Dichloropropene	<5.0		ug/L	0.75	5.0	5.0
methyl isobutyl ketone	<25		ug/L	4.6	25	5.0
Toluene	<5.0		ug/L	0.90	5.0	5.0
trans-1,3-Dichloropropene	<5.0		ug/L	0.80	5.0	5.0
1,1,2-Trichloroethane	<5.0		ug/L	1.2	5.0	5.0
Tetrachloroethene	49		ug/L	0.90	5.0	5.0
1,3-Dichloropropane	<5.0		ug/L	1.1	5.0	5.0
2-Hexanone	<25		ug/L	5.0	25	5.0
Dibromochloromethane	<5.0		ug/L	1.1	5.0	5.0
1,2-Dibromoethane	<5.0		ug/L	1.7	5.0	5.0
Chlorobenzene	<5.0		ug/L	0.75	5.0	5.0
1,1,1,2-Tetrachloroethane	<5.0		ug/L	1.7	5.0	5.0
Ethylbenzene	<5.0		ug/L	1.1	5.0	5.0
m&p-Xylene	<10		ug/L	1.8	10	5.0

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: RFW-12B
Lab Sample ID: 500-7942-13

Date Sampled: 11/20/2007 1020
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
o-Xylene	<5.0	ug/L	0.95	5.0	5.0
Styrene	<5.0	ug/L	0.90	5.0	5.0
Bromoform	<5.0	ug/L	1.6	5.0	5.0
Isopropylbenzene	<5.0	ug/L	1.0	5.0	5.0
Bromobenzene	<5.0	ug/L	1.1	5.0	5.0
1,1,2,2-Tetrachloroethane	<5.0	ug/L	1.7	5.0	5.0
1,2,3-Trichloropropane	<5.0	ug/L	1.8	5.0	5.0
N-Propylbenzene	<5.0	ug/L	0.80	5.0	5.0
2-Chlorotoluene	<5.0	ug/L	0.80	5.0	5.0
1,3,5-Trimethylbenzene	<5.0	ug/L	0.90	5.0	5.0
4-Chlorotoluene	<5.0	ug/L	0.90	5.0	5.0
tert-Butylbenzene	<5.0	ug/L	0.80	5.0	5.0
1,2,4-Trimethylbenzene	<5.0	ug/L	1.3	5.0	5.0
sec-Butylbenzene	<5.0	ug/L	0.95	5.0	5.0
1,3-Dichlorobenzene	<5.0	ug/L	1.1	5.0	5.0
p-Isopropyltoluene	<5.0	ug/L	1.5	5.0	5.0
1,4-Dichlorobenzene	<5.0	ug/L	1.3	5.0	5.0
n-Butylbenzene	<5.0	ug/L	1.8	5.0	5.0
1,2-Dichlorobenzene	<5.0	ug/L	1.5	5.0	5.0
1,2-Dibromo-3-Chloropropane	<10	ug/L	2.1	10	5.0
1,2,4-Trichlorobenzene	<5.0	ug/L	1.8	5.0	5.0
Hexachlorobutadiene	<5.0	ug/L	1.8	5.0	5.0
Naphthalene	<5.0	ug/L	1.9	5.0	5.0
1,2,3-Trichlorobenzene	<5.0	ug/L	2.2	5.0	5.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	102	%		70 - 125	
Toluene-d8 (Surr)	95	%		75 - 120	
4-Bromofluorobenzene (Surr)	88	%		75 - 120	
Dibromofluoromethane	109	%		75 - 120	
Method: 8260B Run Type: DL		Date Analyzed:		11/25/2007 1334	
Prep Method: 5030B		Date Prepared:		11/25/2007 1334	
Trichloroethene	540	ug/L	6.5	50	50
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	107	%		70 - 125	
Toluene-d8 (Surr)	94	%		75 - 120	
4-Bromofluorobenzene (Surr)	90	%		75 - 120	
Dibromofluoromethane	108	%		75 - 120	

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: RFW-13
Lab Sample ID: 500-7942-14

Date Sampled: 11/19/2007 1540
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	11/25/2007 1357		
Prep Method: 5030B		Date Prepared:	11/25/2007 1357		
Benzene	<1.0	ug/L	0.23	1.0	1.0
Dichlorodifluoromethane	<1.0 *	ug/L	0.12	1.0	1.0
Chloromethane	<1.0	ug/L	0.20	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.16	1.0	1.0
Bromomethane	<1.0	ug/L	0.59	1.0	1.0
Chloroethane	<1.0	ug/L	0.32	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.25	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.15	5.0	1.0
Acetone	<5.0	ug/L	1.4	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.24	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.29	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.15	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.20	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	1.0	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.27	1.0	1.0
Chloroform	<1.0	ug/L	0.14	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.38	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.34	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
Trichloroethene	11	ug/L	0.13	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.21	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.22	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.15	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.92	5.0	1.0
Toluene	<1.0	ug/L	0.18	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.24	1.0	1.0
Tetrachloroethene	37	ug/L	0.18	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.22	1.0	1.0
2-Hexanone	<5.0	ug/L	0.99	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.33	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.33	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.21	1.0	1.0

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: RFW-13
Lab Sample ID: 500-7942-14

Date Sampled: 11/19/2007 1540
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.36	2.0	1.0
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.18	1.0	1.0
Bromoform	<1.0	ug/L	0.32	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.22	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.34	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.35	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.16	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.19	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.29	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.25	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.35	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.29	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.41	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.36	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.36	1.0	1.0
Naphthalene	<1.0	ug/L	0.37	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.43	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	111	%		70 - 125	
Toluene-d8 (Surr)	94	%		75 - 120	
4-Bromofluorobenzene (Surr)	88	%		75 - 120	
Dibromofluoromethane	108	%		75 - 120	

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: RFW-17
Lab Sample ID: 500-7942-15

Date Sampled: 11/19/2007 1140
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	11/25/2007 1420		
Prep Method: 5030B		Date Prepared:	11/25/2007 1420		
Benzene	<1.0	ug/L	0.23	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.12	1.0	1.0
Chloromethane	<1.0	ug/L	0.20	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.16	1.0	1.0
Bromomethane	<1.0	ug/L	0.59	1.0	1.0
Chloroethane	<1.0	ug/L	0.32	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.25	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.15	5.0	1.0
Acetone	<5.0	ug/L	1.4	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.24	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.29	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.15	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.20	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	1.0	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.27	1.0	1.0
Chloroform	<1.0	ug/L	0.14	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.38	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.34	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
Trichloroethene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.21	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.22	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.15	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.92	5.0	1.0
Toluene	<1.0	ug/L	0.18	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.24	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.18	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.22	1.0	1.0
2-Hexanone	<5.0	ug/L	0.99	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.33	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.33	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.21	1.0	1.0

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: RFW-17
Lab Sample ID: 500-7942-15

Date Sampled: 11/19/2007 1140
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.36	2.0	1.0
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.18	1.0	1.0
Bromoform	<1.0	ug/L	0.32	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.22	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.34	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.35	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.16	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.19	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.29	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.25	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.35	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.29	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.41	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.36	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.36	1.0	1.0
Naphthalene	<1.0	ug/L	0.37	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.43	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	109	%		70 - 125	
Toluene-d8 (Surr)	92	%		75 - 120	
4-Bromofluorobenzene (Surr)	91	%		75 - 120	
Dibromofluoromethane	107	%		75 - 120	

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: LEISTER-1
Lab Sample ID: 500-7942-16

Date Sampled: 11/20/2007 1205
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	11/25/2007 1442		
Prep Method: 5030B		Date Prepared:	11/25/2007 1442		
Benzene	<1.0	ug/L	0.23	1.0	1.0
Dichlorodifluoromethane	<1.0 *	ug/L	0.12	1.0	1.0
Chloromethane	<1.0	ug/L	0.20	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.16	1.0	1.0
Bromomethane	<1.0	ug/L	0.59	1.0	1.0
Chloroethane	<1.0	ug/L	0.32	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.25	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.15	5.0	1.0
Acetone	<5.0	ug/L	1.4	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.24	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.29	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.15	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.20	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	1.0	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.27	1.0	1.0
Chloroform	<1.0	ug/L	0.14	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.38	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.34	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
Trichloroethene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.21	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.22	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.15	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.92	5.0	1.0
Toluene	<1.0	ug/L	0.18	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.24	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.18	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.22	1.0	1.0
2-Hexanone	<5.0	ug/L	0.99	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.33	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.33	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.21	1.0	1.0

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: LEISTER-1
Lab Sample ID: 500-7942-16

Date Sampled: 11/20/2007 1205
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.36	2.0	1.0
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.18	1.0	1.0
Bromoform	<1.0	ug/L	0.32	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.22	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.34	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.35	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.16	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.19	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.29	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.25	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.35	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.29	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.41	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.36	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.36	1.0	1.0
Naphthalene	<1.0	ug/L	0.37	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.43	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	112	%		70 - 125	
Toluene-d8 (Surr)	94	%		75 - 120	
4-Bromofluorobenzene (Surr)	91	%		75 - 120	
Dibromofluoromethane	112	%		75 - 120	

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: LEISTER-DAIRY
Lab Sample ID: 500-7942-17

Date Sampled: 11/20/2007 1215
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	11/25/2007 1505		
Prep Method: 5030B		Date Prepared:	11/25/2007 1505		
Benzene	<1.0	ug/L	0.23	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.12	1.0	1.0
Chloromethane	<1.0	ug/L	0.20	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.16	1.0	1.0
Bromomethane	<1.0	ug/L	0.59	1.0	1.0
Chloroethane	<1.0	ug/L	0.32	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.25	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.15	5.0	1.0
Acetone	<5.0	ug/L	1.4	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.24	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.29	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.15	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.20	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	1.0	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.27	1.0	1.0
Chloroform	<1.0	ug/L	0.14	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.38	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.34	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
Trichloroethene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.21	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.22	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.15	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.92	5.0	1.0
Toluene	<1.0	ug/L	0.18	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.24	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.18	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.22	1.0	1.0
2-Hexanone	<5.0	ug/L	0.99	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.33	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.33	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.21	1.0	1.0

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: LEISTER-DAIRY
Lab Sample ID: 500-7942-17

Date Sampled: 11/20/2007 1215
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.36	2.0	1.0
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.18	1.0	1.0
Bromoform	<1.0	ug/L	0.32	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.22	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.34	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.35	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.16	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.19	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.29	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.25	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.35	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.29	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.41	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.36	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.36	1.0	1.0
Naphthalene	<1.0	ug/L	0.37	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.43	1.0	1.0

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	111	%	70 - 125
Toluene-d8 (Surr)	93	%	75 - 120
4-Bromofluorobenzene (Surr)	89	%	75 - 120
Dibromofluoromethane	109	%	75 - 120

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: TRIP BLANK 1
Lab Sample ID: 500-7942-18

Date Sampled: 11/19/2007 0800
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	11/25/2007 1528		
Prep Method: 5030B		Date Prepared:	11/25/2007 1528		
Benzene	<1.0	ug/L	0.23	1.0	1.0
Dichlorodifluoromethane	<1.0 *	ug/L	0.12	1.0	1.0
Chloromethane	<1.0	ug/L	0.20	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.16	1.0	1.0
Bromomethane	<1.0	ug/L	0.59	1.0	1.0
Chloroethane	<1.0	ug/L	0.32	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.25	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.15	5.0	1.0
Acetone	<5.0	ug/L	1.4	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.24	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.29	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.15	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.20	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	1.0	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.27	1.0	1.0
Chloroform	<1.0	ug/L	0.14	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.38	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.34	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
Trichloroethene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.21	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.22	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.15	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.92	5.0	1.0
Toluene	<1.0	ug/L	0.18	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.24	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.18	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.22	1.0	1.0
2-Hexanone	<5.0	ug/L	0.99	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.33	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.33	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.21	1.0	1.0

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: TRIP BLANK 1
Lab Sample ID: 500-7942-18

Date Sampled: 11/19/2007 0800
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.36	2.0	1.0
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.18	1.0	1.0
Bromoform	<1.0	ug/L	0.32	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.22	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.34	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.35	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.16	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.19	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.29	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.25	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.35	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.29	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.41	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.36	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.36	1.0	1.0
Naphthalene	<1.0	ug/L	0.37	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.43	1.0	1.0

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	115	%	70 - 125
Toluene-d8 (Surr)	94	%	75 - 120
4-Bromofluorobenzene (Surr)	89	%	75 - 120
Dibromofluoromethane	113	%	75 - 120

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: EW-2
Lab Sample ID: 500-7942-19

Date Sampled: 11/20/2007 1015
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	11/25/2007 1551		
Prep Method: 5030B		Date Prepared:	11/25/2007 1551		
Benzene	<2.0	ug/L	0.46	2.0	2.0
Dichlorodifluoromethane	<2.0	ug/L	0.24	2.0	2.0
Chloromethane	<2.0	ug/L	0.40	2.0	2.0
Vinyl chloride	<2.0	ug/L	0.32	2.0	2.0
Bromomethane	<2.0	ug/L	1.2	2.0	2.0
Chloroethane	<2.0	ug/L	0.64	2.0	2.0
Trichlorofluoromethane	<2.0	ug/L	0.28	2.0	2.0
1,1-Dichloroethene	<2.0	ug/L	0.50	2.0	2.0
Carbon disulfide	<10	ug/L	0.30	10	2.0
Acetone	<10	ug/L	2.8	10	2.0
Methylene Chloride	<4.0	ug/L	0.48	4.0	2.0
trans-1,2-Dichloroethene	<2.0	ug/L	0.58	2.0	2.0
1,1-Dichloroethane	<2.0	ug/L	0.30	2.0	2.0
2,2-Dichloropropane	<2.0	ug/L	0.34	2.0	2.0
cis-1,2-Dichloroethene	3.0	ug/L	0.40	2.0	2.0
Methyl Ethyl Ketone	<10	ug/L	2.0	10	2.0
Bromochloromethane	<2.0	ug/L	0.54	2.0	2.0
Chloroform	<2.0	ug/L	0.28	2.0	2.0
1,1,1-Trichloroethane	<2.0	ug/L	0.34	2.0	2.0
1,1-Dichloropropene	<2.0	ug/L	0.76	2.0	2.0
Carbon tetrachloride	<2.0	ug/L	0.68	2.0	2.0
1,2-Dichloroethane	<2.0	ug/L	0.50	2.0	2.0
1,2-Dichloropropane	<2.0	ug/L	0.38	2.0	2.0
Dibromomethane	<2.0	ug/L	0.42	2.0	2.0
Bromodichloromethane	<2.0	ug/L	0.44	2.0	2.0
cis-1,3-Dichloropropene	<2.0	ug/L	0.30	2.0	2.0
methyl isobutyl ketone	<10	ug/L	1.8	10	2.0
Toluene	<2.0	ug/L	0.36	2.0	2.0
trans-1,3-Dichloropropene	<2.0	ug/L	0.32	2.0	2.0
1,1,2-Trichloroethane	<2.0	ug/L	0.48	2.0	2.0
Tetrachloroethene	67	ug/L	0.36	2.0	2.0
1,3-Dichloropropane	<2.0	ug/L	0.44	2.0	2.0
2-Hexanone	<10	ug/L	2.0	10	2.0
Dibromochloromethane	<2.0	ug/L	0.44	2.0	2.0
1,2-Dibromoethane	<2.0	ug/L	0.66	2.0	2.0
Chlorobenzene	<2.0	ug/L	0.30	2.0	2.0
1,1,1,2-Tetrachloroethane	<2.0	ug/L	0.66	2.0	2.0
Ethylbenzene	<2.0	ug/L	0.42	2.0	2.0
m&p-Xylene	<4.0	ug/L	0.72	4.0	2.0

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: EW-2
Lab Sample ID: 500-7942-19

Date Sampled: 11/20/2007 1015
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
o-Xylene	<2.0	ug/L	0.38	2.0	2.0
Styrene	<2.0	ug/L	0.36	2.0	2.0
Bromoform	<2.0	ug/L	0.64	2.0	2.0
Isopropylbenzene	<2.0	ug/L	0.40	2.0	2.0
Bromobenzene	<2.0	ug/L	0.44	2.0	2.0
1,1,2,2-Tetrachloroethane	<2.0	ug/L	0.68	2.0	2.0
1,2,3-Trichloropropane	<2.0	ug/L	0.70	2.0	2.0
N-Propylbenzene	<2.0	ug/L	0.32	2.0	2.0
2-Chlorotoluene	<2.0	ug/L	0.32	2.0	2.0
1,3,5-Trimethylbenzene	<2.0	ug/L	0.36	2.0	2.0
4-Chlorotoluene	<2.0	ug/L	0.36	2.0	2.0
tert-Butylbenzene	<2.0	ug/L	0.32	2.0	2.0
1,2,4-Trimethylbenzene	<2.0	ug/L	0.52	2.0	2.0
sec-Butylbenzene	<2.0	ug/L	0.38	2.0	2.0
1,3-Dichlorobenzene	<2.0	ug/L	0.42	2.0	2.0
p-Isopropyltoluene	<2.0	ug/L	0.58	2.0	2.0
1,4-Dichlorobenzene	<2.0	ug/L	0.50	2.0	2.0
n-Butylbenzene	<2.0	ug/L	0.70	2.0	2.0
1,2-Dichlorobenzene	<2.0	ug/L	0.58	2.0	2.0
1,2-Dibromo-3-Chloropropane	<4.0	ug/L	0.82	4.0	2.0
1,2,4-Trichlorobenzene	<2.0	ug/L	0.72	2.0	2.0
Hexachlorobutadiene	<2.0	ug/L	0.72	2.0	2.0
Naphthalene	<2.0	ug/L	0.74	2.0	2.0
1,2,3-Trichlorobenzene	<2.0	ug/L	0.86	2.0	2.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	111	%		70 - 125	
Toluene-d8 (Surr)	97	%		75 - 120	
4-Bromofluorobenzene (Surr)	90	%		75 - 120	
Dibromofluoromethane	108	%		75 - 120	
Method: 8260B Run Type: DL			Date Analyzed:	11/25/2007 1614	
Prep Method: 5030B			Date Prepared:	11/25/2007 1614	
Trichloroethene	420	ug/L	2.6	20	20
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	112	%		70 - 125	
Toluene-d8 (Surr)	93	%		75 - 120	
4-Bromofluorobenzene (Surr)	89	%		75 - 120	
Dibromofluoromethane	110	%		75 - 120	

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: EW-3
Lab Sample ID: 500-7942-20

Date Sampled: 11/20/2007 0935
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	11/25/2007 1636		
Prep Method: 5030B		Date Prepared:	11/25/2007 1636		
Benzene	<1.0	ug/L	0.23	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.12	1.0	1.0
Chloromethane	<1.0	ug/L	0.20	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.16	1.0	1.0
Bromomethane	<1.0	ug/L	0.59	1.0	1.0
Chloroethane	<1.0	ug/L	0.32	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.25	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.15	5.0	1.0
Acetone	<5.0	ug/L	1.4	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.24	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.29	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.15	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
cis-1,2-Dichloroethene	1.8	ug/L	0.20	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	1.0	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.27	1.0	1.0
Chloroform	<1.0	ug/L	0.14	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.38	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.34	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.21	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.22	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.15	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.92	5.0	1.0
Toluene	<1.0	ug/L	0.18	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.24	1.0	1.0
Tetrachloroethene	3.7	ug/L	0.18	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.22	1.0	1.0
2-Hexanone	<5.0	ug/L	0.99	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.33	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.33	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.21	1.0	1.0
m&p-Xylene	<2.0	ug/L	0.36	2.0	1.0

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: EW-3
Lab Sample ID: 500-7942-20

Date Sampled: 11/20/2007 0935
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.18	1.0	1.0
Bromoform	<1.0	ug/L	0.32	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.22	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.34	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.35	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.16	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.19	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.29	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.25	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.35	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.29	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.41	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.36	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.36	1.0	1.0
Naphthalene	<1.0	ug/L	0.37	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.43	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	111	%		70 - 125	
Toluene-d8 (Surr)	93	%		75 - 120	
4-Bromofluorobenzene (Surr)	89	%		75 - 120	
Dibromofluoromethane	109	%		75 - 120	
Method: 8260B Run Type: DL			Date Analyzed:	11/26/2007 1541	
Prep Method: 5030B			Date Prepared:	11/26/2007 1541	
Trichloroethene	150	ug/L	1.3	10	10
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	105	%		70 - 125	
Toluene-d8 (Surr)	102	%		75 - 120	
4-Bromofluorobenzene (Surr)	98	%		75 - 120	
Dibromofluoromethane	104	%		75 - 120	

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: EW-3 DUP
Lab Sample ID: 500-7942-21

Date Sampled: 11/20/2007 0935
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	11/25/2007 1659		
Prep Method: 5030B		Date Prepared:	11/25/2007 1659		
Benzene	<1.0	ug/L	0.23	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.12	1.0	1.0
Chloromethane	<1.0	ug/L	0.20	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.16	1.0	1.0
Bromomethane	<1.0	ug/L	0.59	1.0	1.0
Chloroethane	<1.0	ug/L	0.32	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.25	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.15	5.0	1.0
Acetone	<5.0	ug/L	1.4	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.24	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.29	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.15	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
cis-1,2-Dichloroethene	1.9	ug/L	0.20	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	1.0	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.27	1.0	1.0
Chloroform	<1.0	ug/L	0.14	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.38	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.34	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.21	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.22	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.15	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.92	5.0	1.0
Toluene	<1.0	ug/L	0.18	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.24	1.0	1.0
Tetrachloroethene	3.4	ug/L	0.18	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.22	1.0	1.0
2-Hexanone	<5.0	ug/L	0.99	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.33	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.33	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.21	1.0	1.0
m&p-Xylene	<2.0	ug/L	0.36	2.0	1.0

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: EW-3 DUP
Lab Sample ID: 500-7942-21

Date Sampled: 11/20/2007 0935
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.18	1.0	1.0
Bromoform	<1.0	ug/L	0.32	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.22	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.34	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.35	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.16	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.19	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.29	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.25	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.35	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.29	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.41	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.36	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.36	1.0	1.0
Naphthalene	<1.0	ug/L	0.37	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.43	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	113	%		70 - 125	
Toluene-d8 (Surr)	95	%		75 - 120	
4-Bromofluorobenzene (Surr)	86	%		75 - 120	
Dibromofluoromethane	109	%		75 - 120	
Method: 8260B Run Type: DL			Date Analyzed:	11/25/2007 1722	
Prep Method: 5030B			Date Prepared:	11/25/2007 1722	
Trichloroethene	130	ug/L	1.3	10	10
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	110	%		70 - 125	
Toluene-d8 (Surr)	93	%		75 - 120	
4-Bromofluorobenzene (Surr)	89	%		75 - 120	
Dibromofluoromethane	113	%		75 - 120	

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: EW-4
Lab Sample ID: 500-7942-22

Date Sampled: 11/20/2007 0920
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	11/25/2007 1745		
Prep Method: 5030B		Date Prepared:	11/25/2007 1745		
Benzene	<10	ug/L	2.3	10	10
Dichlorodifluoromethane	<10	ug/L	1.2	10	10
Chloromethane	<10	ug/L	2.0	10	10
Vinyl chloride	<10	ug/L	1.6	10	10
Bromomethane	<10	ug/L	5.9	10	10
Chloroethane	<10	ug/L	3.2	10	10
Trichlorofluoromethane	<10	ug/L	1.4	10	10
1,1-Dichloroethene	<10	ug/L	2.5	10	10
Carbon disulfide	<50	ug/L	1.5	50	10
Acetone	<50	ug/L	14	50	10
Methylene Chloride	<20	ug/L	2.4	20	10
trans-1,2-Dichloroethene	<10	ug/L	2.9	10	10
1,1-Dichloroethane	<10	ug/L	1.5	10	10
2,2-Dichloropropane	<10	ug/L	1.7	10	10
cis-1,2-Dichloroethene	<10	ug/L	2.0	10	10
Methyl Ethyl Ketone	<50	ug/L	10	50	10
Bromochloromethane	<10	ug/L	2.7	10	10
Chloroform	<10	ug/L	1.4	10	10
1,1,1-Trichloroethane	<10	ug/L	1.7	10	10
1,1-Dichloropropene	<10	ug/L	3.8	10	10
Carbon tetrachloride	<10	ug/L	3.4	10	10
1,2-Dichloroethane	<10	ug/L	2.5	10	10
1,2-Dichloropropane	<10	ug/L	1.9	10	10
Dibromomethane	<10	ug/L	2.1	10	10
Bromodichloromethane	<10	ug/L	2.2	10	10
cis-1,3-Dichloropropene	<10	ug/L	1.5	10	10
methyl isobutyl ketone	<50	ug/L	9.2	50	10
Toluene	<10	ug/L	1.8	10	10
trans-1,3-Dichloropropene	<10	ug/L	1.6	10	10
1,1,2-Trichloroethane	<10	ug/L	2.4	10	10
Tetrachloroethene	24	ug/L	1.8	10	10
1,3-Dichloropropane	<10	ug/L	2.2	10	10
2-Hexanone	<50	ug/L	9.9	50	10
Dibromochloromethane	<10	ug/L	2.2	10	10
1,2-Dibromoethane	<10	ug/L	3.3	10	10
Chlorobenzene	<10	ug/L	1.5	10	10
1,1,1,2-Tetrachloroethane	<10	ug/L	3.3	10	10
Ethylbenzene	<10	ug/L	2.1	10	10
m&p-Xylene	<20	ug/L	3.6	20	10

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: EW-4
Lab Sample ID: 500-7942-22

Date Sampled: 11/20/2007 0920
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
o-Xylene	<10	ug/L	1.9	10	10
Styrene	<10	ug/L	1.8	10	10
Bromoform	<10	ug/L	3.2	10	10
Isopropylbenzene	<10	ug/L	2.0	10	10
Bromobenzene	<10	ug/L	2.2	10	10
1,1,2,2-Tetrachloroethane	<10	ug/L	3.4	10	10
1,2,3-Trichloropropane	<10	ug/L	3.5	10	10
N-Propylbenzene	<10	ug/L	1.6	10	10
2-Chlorotoluene	<10	ug/L	1.6	10	10
1,3,5-Trimethylbenzene	<10	ug/L	1.8	10	10
4-Chlorotoluene	<10	ug/L	1.8	10	10
tert-Butylbenzene	<10	ug/L	1.6	10	10
1,2,4-Trimethylbenzene	<10	ug/L	2.6	10	10
sec-Butylbenzene	<10	ug/L	1.9	10	10
1,3-Dichlorobenzene	<10	ug/L	2.1	10	10
p-Isopropyltoluene	<10	ug/L	2.9	10	10
1,4-Dichlorobenzene	<10	ug/L	2.5	10	10
n-Butylbenzene	<10	ug/L	3.5	10	10
1,2-Dichlorobenzene	<10	ug/L	2.9	10	10
1,2-Dibromo-3-Chloropropane	<20	ug/L	4.1	20	10
1,2,4-Trichlorobenzene	<10	ug/L	3.6	10	10
Hexachlorobutadiene	<10	ug/L	3.6	10	10
Naphthalene	<10	ug/L	3.7	10	10
1,2,3-Trichlorobenzene	<10	ug/L	4.3	10	10
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	111	%		70 - 125	
Toluene-d8 (Surr)	96	%		75 - 120	
4-Bromofluorobenzene (Surr)	87	%		75 - 120	
Dibromofluoromethane	116	%		75 - 120	
Method: 8260B Run Type: DL			Date Analyzed:	11/25/2007 1808	
Prep Method: 5030B			Date Prepared:	11/25/2007 1808	
Trichloroethene	1200	ug/L	13	100	100
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	118	%		70 - 125	
Toluene-d8 (Surr)	95	%		75 - 120	
4-Bromofluorobenzene (Surr)	90	%		75 - 120	
Dibromofluoromethane	117	%		75 - 120	

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: EW-5
Lab Sample ID: 500-7942-23

Date Sampled: 11/19/2007 1030
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	11/25/2007 1831		
Prep Method: 5030B		Date Prepared:	11/25/2007 1831		
Benzene	<1.0	ug/L	0.23	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.12	1.0	1.0
Chloromethane	<1.0	ug/L	0.20	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.16	1.0	1.0
Bromomethane	<1.0	ug/L	0.59	1.0	1.0
Chloroethane	<1.0	ug/L	0.32	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.25	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.15	5.0	1.0
Acetone	<5.0	ug/L	1.4	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.24	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.29	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.15	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.20	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	1.0	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.27	1.0	1.0
Chloroform	<1.0	ug/L	0.14	1.0	1.0
1,1,1-Trichloroethane	1.0	ug/L	0.17	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.38	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.34	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.21	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.22	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.15	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.92	5.0	1.0
Toluene	<1.0	ug/L	0.18	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.24	1.0	1.0
Tetrachloroethene	7.8	ug/L	0.18	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.22	1.0	1.0
2-Hexanone	<5.0	ug/L	0.99	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.33	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.33	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.21	1.0	1.0
m&p-Xylene	<2.0	ug/L	0.36	2.0	1.0

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: EW-5
Lab Sample ID: 500-7942-23

Date Sampled: 11/19/2007 1030
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.18	1.0	1.0
Bromoform	<1.0	ug/L	0.32	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.22	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.34	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.35	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.16	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.19	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.29	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.25	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.35	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.29	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.41	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.36	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.36	1.0	1.0
Naphthalene	<1.0	ug/L	0.37	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.43	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	117	%		70 - 125	
Toluene-d8 (Surr)	97	%		75 - 120	
4-Bromofluorobenzene (Surr)	88	%		75 - 120	
Dibromofluoromethane	116	%		75 - 120	
Method: 8260B Run Type: DL			Date Analyzed:	11/25/2007 1854	
Prep Method: 5030B			Date Prepared:	11/25/2007 1854	
Trichloroethene	200	ug/L	1.3	10	10
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	110	%		70 - 125	
Toluene-d8 (Surr)	94	%		75 - 120	
4-Bromofluorobenzene (Surr)	87	%		75 - 120	
Dibromofluoromethane	115	%		75 - 120	

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: EW-6
Lab Sample ID: 500-7942-24

Date Sampled: 11/19/2007 1505
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	11/25/2007 1917		
Prep Method: 5030B		Date Prepared:	11/25/2007 1917		
Benzene	<1.0	ug/L	0.23	1.0	1.0
Dichlorodifluoromethane	<1.0 *	ug/L	0.12	1.0	1.0
Chloromethane	<1.0	ug/L	0.20	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.16	1.0	1.0
Bromomethane	<1.0	ug/L	0.59	1.0	1.0
Chloroethane	<1.0	ug/L	0.32	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.25	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.15	5.0	1.0
Acetone	<5.0	ug/L	1.4	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.24	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.29	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.15	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.20	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	1.0	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.27	1.0	1.0
Chloroform	<1.0	ug/L	0.14	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.38	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.34	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
Trichloroethene	11	ug/L	0.13	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.21	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.22	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.15	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.92	5.0	1.0
Toluene	<1.0	ug/L	0.18	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.24	1.0	1.0
Tetrachloroethene	21	ug/L	0.18	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.22	1.0	1.0
2-Hexanone	<5.0	ug/L	0.99	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.33	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.33	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.21	1.0	1.0

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: EW-6
Lab Sample ID: 500-7942-24

Date Sampled: 11/19/2007 1505
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.36	2.0	1.0
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.18	1.0	1.0
Bromoform	<1.0	ug/L	0.32	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.22	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.34	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.35	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.16	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.19	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.29	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.25	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.35	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.29	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.41	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.36	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.36	1.0	1.0
Naphthalene	<1.0	ug/L	0.37	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.43	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	114	%		70 - 125	
Toluene-d8 (Surr)	95	%		75 - 120	
4-Bromofluorobenzene (Surr)	87	%		75 - 120	
Dibromofluoromethane	112	%		75 - 120	

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: EW-7
Lab Sample ID: 500-7942-25

Date Sampled: 11/19/2007 1510
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	11/25/2007 1939		
Prep Method: 5030B		Date Prepared:	11/25/2007 1939		
Benzene	<1.0	ug/L	0.23	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.12	1.0	1.0
Chloromethane	<1.0	ug/L	0.20	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.16	1.0	1.0
Bromomethane	<1.0	ug/L	0.59	1.0	1.0
Chloroethane	<1.0	ug/L	0.32	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.25	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.15	5.0	1.0
Acetone	<5.0	ug/L	1.4	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.24	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.29	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.15	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
cis-1,2-Dichloroethene	7.1	ug/L	0.20	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	1.0	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.27	1.0	1.0
Chloroform	<1.0	ug/L	0.14	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.38	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.34	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
Trichloroethene	5.5	ug/L	0.13	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.21	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.22	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.15	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.92	5.0	1.0
Toluene	<1.0	ug/L	0.18	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.24	1.0	1.0
Tetrachloroethene	11	ug/L	0.18	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.22	1.0	1.0
2-Hexanone	<5.0	ug/L	0.99	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.33	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.33	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.21	1.0	1.0

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: EW-7
Lab Sample ID: 500-7942-25

Date Sampled: 11/19/2007 1510
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.36	2.0	1.0
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.18	1.0	1.0
Bromoform	<1.0	ug/L	0.32	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.22	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.34	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.35	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.16	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.19	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.29	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.25	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.35	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.29	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.41	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.36	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.36	1.0	1.0
Naphthalene	<1.0	ug/L	0.37	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.43	1.0	1.0

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	116	%	70 - 125
Toluene-d8 (Surr)	94	%	75 - 120
4-Bromofluorobenzene (Surr)	85	%	75 - 120
Dibromofluoromethane	110	%	75 - 120

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: EW-8
Lab Sample ID: 500-7942-26

Date Sampled: 11/19/2007 1515
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	11/26/2007 1604		
Prep Method: 5030B		Date Prepared:	11/26/2007 1604		
Benzene	<1.0	ug/L	0.23	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.12	1.0	1.0
Chloromethane	<1.0	ug/L	0.20	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.16	1.0	1.0
Bromomethane	<1.0	ug/L	0.59	1.0	1.0
Chloroethane	<1.0	ug/L	0.32	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.25	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.15	5.0	1.0
Acetone	<5.0	ug/L	1.4	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.24	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.29	1.0	1.0
1,1-Dichloroethane	1.2	ug/L	0.15	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
cis-1,2-Dichloroethene	29	ug/L	0.20	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	1.0	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.27	1.0	1.0
Chloroform	<1.0	ug/L	0.14	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.38	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.34	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
Trichloroethene	15	ug/L	0.13	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.21	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.22	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.15	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.92	5.0	1.0
Toluene	<1.0	ug/L	0.18	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.24	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.22	1.0	1.0
2-Hexanone	<5.0	ug/L	0.99	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.33	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.33	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.21	1.0	1.0
m&p-Xylene	<2.0	ug/L	0.36	2.0	1.0

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: EW-8
Lab Sample ID: 500-7942-26

Date Sampled: 11/19/2007 1515
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.18	1.0	1.0
Bromoform	<1.0	ug/L	0.32	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.22	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.34	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.35	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.16	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.19	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.29	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.25	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.35	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.29	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.41	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.36	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.36	1.0	1.0
Naphthalene	<1.0	ug/L	0.37	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.43	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	105	%		70 - 125	
Toluene-d8 (Surr)	102	%		75 - 120	
4-Bromofluorobenzene (Surr)	97	%		75 - 120	
Dibromofluoromethane	105	%		75 - 120	
Method: 8260B Run Type: DL		Date Analyzed:		11/27/2007 1117	
Prep Method: 5030B		Date Prepared:		11/27/2007 1117	
Tetrachloroethene	130	ug/L	1.8	10	10
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	101	%		70 - 125	
Toluene-d8 (Surr)	100	%		75 - 120	
4-Bromofluorobenzene (Surr)	95	%		75 - 120	
Dibromofluoromethane	107	%		75 - 120	

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: EW-9
Lab Sample ID: 500-7942-27

Date Sampled: 11/19/2007 1525
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	11/26/2007 1627		
Prep Method: 5030B		Date Prepared:	11/26/2007 1627		
Benzene	<1.0	ug/L	0.23	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.12	1.0	1.0
Chloromethane	<1.0	ug/L	0.20	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.16	1.0	1.0
Bromomethane	<1.0	ug/L	0.59	1.0	1.0
Chloroethane	<1.0	ug/L	0.32	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.25	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.15	5.0	1.0
Acetone	<5.0	ug/L	1.4	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.24	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.29	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.15	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
cis-1,2-Dichloroethene	1.1	ug/L	0.20	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	1.0	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.27	1.0	1.0
Chloroform	<1.0	ug/L	0.14	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.38	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.34	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
Trichloroethene	1.7	ug/L	0.13	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.21	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.22	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.15	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.92	5.0	1.0
Toluene	<1.0	ug/L	0.18	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.24	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.22	1.0	1.0
2-Hexanone	<5.0	ug/L	0.99	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.33	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.33	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.21	1.0	1.0
m&p-Xylene	<2.0	ug/L	0.36	2.0	1.0

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: EW-9
Lab Sample ID: 500-7942-27

Date Sampled: 11/19/2007 1525
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.18	1.0	1.0
Bromoform	<1.0	ug/L	0.32	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.22	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.34	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.35	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.16	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.19	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.29	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.25	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.35	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.29	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.41	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.36	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.36	1.0	1.0
Naphthalene	<1.0	ug/L	0.37	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.43	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	104	%		70 - 125	
Toluene-d8 (Surr)	102	%		75 - 120	
4-Bromofluorobenzene (Surr)	99	%		75 - 120	
Dibromofluoromethane	110	%		75 - 120	
Method: 8260B Run Type: DL		Date Analyzed:		11/26/2007 1651	
Prep Method: 5030B		Date Prepared:		11/26/2007 1651	
Tetrachloroethene	230	ug/L	1.8	10	10
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	103	%		70 - 125	
Toluene-d8 (Surr)	101	%		75 - 120	
4-Bromofluorobenzene (Surr)	98	%		75 - 120	
Dibromofluoromethane	108	%		75 - 120	

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: EW-10
Lab Sample ID: 500-7942-28

Date Sampled: 11/19/2007 1530
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	11/26/2007 1714		
Prep Method: 5030B		Date Prepared:	11/26/2007 1714		
Benzene	<1.0	ug/L	0.23	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.12	1.0	1.0
Chloromethane	<1.0	ug/L	0.20	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.16	1.0	1.0
Bromomethane	<1.0	ug/L	0.59	1.0	1.0
Chloroethane	<1.0	ug/L	0.32	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.14	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.25	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.15	5.0	1.0
Acetone	<5.0	ug/L	1.4	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.24	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.29	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.15	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.20	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	1.0	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.27	1.0	1.0
Chloroform	<1.0	ug/L	0.14	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.38	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.34	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
Trichloroethene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.19	1.0	1.0
Dibromomethane	<1.0	ug/L	0.21	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.22	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.15	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.92	5.0	1.0
Toluene	<1.0	ug/L	0.18	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.24	1.0	1.0
Tetrachloroethene	6.7	ug/L	0.18	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.22	1.0	1.0
2-Hexanone	<5.0	ug/L	0.99	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.33	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.33	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.21	1.0	1.0

Mr. Tom Cornuet
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Job Number: 500-7942-1

Client Sample ID: EW-10
Lab Sample ID: 500-7942-28

Date Sampled: 11/19/2007 1530
Date Received: 11/21/2007 1030
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.36	2.0	1.0
o-Xylene	<1.0	ug/L	0.19	1.0	1.0
Styrene	<1.0	ug/L	0.18	1.0	1.0
Bromoform	<1.0	ug/L	0.32	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.22	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.34	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.35	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.16	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.26	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.19	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.29	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.25	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.35	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.29	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.41	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.36	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.36	1.0	1.0
Naphthalene	<1.0	ug/L	0.37	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.43	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	107	%		70 - 125	
Toluene-d8 (Surr)	102	%		75 - 120	
4-Bromofluorobenzene (Surr)	95	%		75 - 120	
Dibromofluoromethane	109	%		75 - 120	

DATA REPORTING QUALIFIERS

Client: Weston Solutions, Inc. Job Number: 500-7942-1

Lab Section	Qualifier	Description
GC/MS VOA		
	*	LCS or LCSD exceeds the control limits
	J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

QUALITY CONTROL RESULTS

Client: Weston Solutions, Inc.

Job Number: 500-7942-1

QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
GC/MS VOA					
Analysis Batch:500-26935					
LCS 500-26935/5	Lab Control Spike	T	Water	8260B	
MB 500-26935/4	Method Blank	T	Water	8260B	
500-7942-1	RFW-1A	T	Water	8260B	
500-7942-2	RFW-1B	T	Water	8260B	
500-7942-3	RFW-2A	T	Water	8260B	
500-7942-4	RFW-2B	T	Water	8260B	
500-7942-5	RFW-3B	T	Water	8260B	
500-7942-6	RFW-4A	T	Water	8260B	
500-7942-7	RFW-4B	T	Water	8260B	
500-7942-8	RFW-4B DUP	T	Water	8260B	
Analysis Batch:500-26978					
LCS 500-26978/4	Lab Control Spike	T	Water	8260B	
MB 500-26978/3	Method Blank	T	Water	8260B	
500-7942-9	RFW-6	T	Water	8260B	
500-7942-10	RFW-7	T	Water	8260B	
500-7942-11	RFW-9	T	Water	8260B	
500-7942-12	RFW-11B	T	Water	8260B	
500-7942-13	RFW-12B	T	Water	8260B	
500-7942-13DL	RFW-12B	T	Water	8260B	
500-7942-14	RFW-13	T	Water	8260B	
500-7942-15	RFW-17	T	Water	8260B	
500-7942-16	LEISTER-1	T	Water	8260B	
500-7942-17	LEISTER-DAIRY	T	Water	8260B	
500-7942-18	TRIP BLANK 1	T	Water	8260B	
500-7942-19	EW-2	T	Water	8260B	
500-7942-19DL	EW-2	T	Water	8260B	
500-7942-20	EW-3	T	Water	8260B	
500-7942-21	EW-3 DUP	T	Water	8260B	
500-7942-21DL	EW-3 DUP	T	Water	8260B	
500-7942-22	EW-4	T	Water	8260B	
500-7942-22DL	EW-4	T	Water	8260B	
500-7942-23	EW-5	T	Water	8260B	
500-7942-23DL	EW-5	T	Water	8260B	
500-7942-24	EW-6	T	Water	8260B	
500-7942-25	EW-7	T	Water	8260B	
Analysis Batch:500-27019					
LCS 500-27019/4	Lab Control Spike	T	Water	8260B	
MB 500-27019/3	Method Blank	T	Water	8260B	
500-7942-20DL	EW-3	T	Water	8260B	
500-7942-26	EW-8	T	Water	8260B	
500-7942-27	EW-9	T	Water	8260B	
500-7942-27DL	EW-9	T	Water	8260B	
500-7942-28	EW-10	T	Water	8260B	

Client: Weston Solutions, Inc.

Job Number: 500-7942-1

QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
GC/MS VOA					
Analysis Batch:500-27050					
LCS 500-27050/5	Lab Control Spike	T	Water	8260B	
MB 500-27050/4	Method Blank	T	Water	8260B	
500-7942-26DL	EW-8	T	Water	8260B	

Report Basis
T = Total

Surrogate Recovery Report

8260B VOC

Client Matrix: Water

Lab Sample ID	Client Sample ID	12DCE %Rec	TOL %Rec	BFB %Rec	DBFM %Rec
500-7942-1	RFW-1A	107	95	90	112
500-7942-2	RFW-1B	106	94	90	110
500-7942-3	RFW-2A	107	90	91	115
500-7942-4	RFW-2B	109	91	91	117
500-7942-5	RFW-3B	111	92	92	115
500-7942-6	RFW-4A	110	94	90	114
500-7942-7	RFW-4B	113	95	87	116
500-7942-8	RFW-4B DUP	114	94	87	119
500-7942-9	RFW-6	108	95	91	105
500-7942-10	RFW-7	104	92	92	105
500-7942-11	RFW-9	107	94	89	103
500-7942-12	RFW-11B	112	93	89	113
500-7942-13	RFW-12B	102	95	88	109
500-7942-13 DL	RFW-12B DL	107	94	90	108
500-7942-14	RFW-13	111	94	88	108
500-7942-15	RFW-17	109	92	91	107
500-7942-16	LEISTER-1	112	94	91	112
500-7942-17	LEISTER-DAIRY	111	93	89	109
500-7942-18	TRIP BLANK 1	115	94	89	113
500-7942-19	EW-2	111	97	90	108
500-7942-19 DL	EW-2 DL	112	93	89	110
500-7942-20 DL	EW-3 DL	105	102	98	104
500-7942-20	EW-3	111	93	89	109
500-7942-21	EW-3 DUP	113	95	86	109
500-7942-21 DL	EW-3 DUP DL	110	93	89	113
500-7942-22	EW-4	111	96	87	116
500-7942-22 DL	EW-4 DL	118	95	90	117
500-7942-23	EW-5	117	97	88	116
500-7942-23 DL	EW-5 DL	110	94	87	115

Surrogate	Acceptance Limits
12DCE = 1,2-Dichloroethane-d4 (Surr)	70-125
TOL = Toluene-d8 (Surr)	75-120
BFB = 4-Bromofluorobenzene (Surr)	75-120
DBFM = Dibromofluoromethane	75-120

Client: Weston Solutions, Inc.

Job Number: 500-7942-1

Surrogate Recovery Report

8260B VOC

Client Matrix: Water

Lab Sample ID	Client Sample ID	12DCE %Rec	TOL %Rec	BFB %Rec	DBFM %Rec
500-7942-24	EW-6	114	95	87	112
500-7942-25	EW-7	116	94	85	110
500-7942-26	EW-8	105	102	97	105
500-7942-26 DL	EW-8 DL	101	100	95	107
500-7942-27	EW-9	104	102	99	110
500-7942-27 DL	EW-9 DL	103	101	98	108
500-7942-28	EW-10	107	102	95	109
MB 500-26935/4		96	94	97	102
MB 500-26978/3		106	95	94	114
MB 500-27019/3		111	109	103	112
MB 500-27050/4		102	103	97	103
LCS 500-26935/5		95	98	97	102
LCS 500-26978/4		102	98	98	109
LCS 500-27019/4		108	108	107	111
LCS 500-27050/5		101	102	100	110

Surrogate	Acceptance Limits
12DCE = 1,2-Dichloroethane-d4 (Surr)	70-125
TOL = Toluene-d8 (Surr)	75-120
BFB = 4-Bromofluorobenzene (Surr)	75-120
DBFM = Dibromofluoromethane	75-120

Client: Weston Solutions, Inc.

Job Number: 500-7942-1

Method Blank - Batch: 500-26935

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 500-26935/4
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 11/24/2007 0904
Date Prepared: 11/24/2007 0904

Analysis Batch: 500-26935
Prep Batch: N/A
Units: ug/L

Instrument ID: Agilent 6890N GC - 5973N
Lab File ID: 6M1124.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Result	Qual	MDL	RL
Benzene	<1.0		0.23	1.0
Dichlorodifluoromethane	<1.0		0.12	1.0
Chloromethane	<1.0		0.20	1.0
Vinyl chloride	<1.0		0.16	1.0
Bromomethane	<1.0		0.59	1.0
Chloroethane	<1.0		0.32	1.0
Trichlorofluoromethane	<1.0		0.14	1.0
1,1-Dichloroethene	<1.0		0.25	1.0
Carbon disulfide	<5.0		0.15	5.0
Acetone	<5.0		1.4	5.0
Methylene Chloride	<2.0		0.24	2.0
trans-1,2-Dichloroethene	<1.0		0.29	1.0
1,1-Dichloroethane	<1.0		0.15	1.0
2,2-Dichloropropane	<1.0		0.17	1.0
cis-1,2-Dichloroethene	<1.0		0.20	1.0
Methyl Ethyl Ketone	<5.0		1.0	5.0
Bromochloromethane	<1.0		0.27	1.0
Chloroform	<1.0		0.14	1.0
1,1,1-Trichloroethane	<1.0		0.17	1.0
1,1-Dichloropropene	<1.0		0.38	1.0
Carbon tetrachloride	<1.0		0.34	1.0
1,2-Dichloroethane	<1.0		0.25	1.0
Trichloroethene	<1.0		0.13	1.0
1,2-Dichloropropane	<1.0		0.19	1.0
Dibromomethane	<1.0		0.21	1.0
Bromodichloromethane	<1.0		0.22	1.0
cis-1,3-Dichloropropene	<1.0		0.15	1.0
methyl isobutyl ketone	<5.0		0.92	5.0
Toluene	<1.0		0.18	1.0
trans-1,3-Dichloropropene	<1.0		0.16	1.0
1,1,2-Trichloroethane	<1.0		0.24	1.0
Tetrachloroethene	<1.0		0.18	1.0
1,3-Dichloropropane	<1.0		0.22	1.0
2-Hexanone	<5.0		0.99	5.0
Dibromochloromethane	<1.0		0.22	1.0
1,2-Dibromoethane	<1.0		0.33	1.0
Chlorobenzene	<1.0		0.15	1.0
1,1,1,2-Tetrachloroethane	<1.0		0.33	1.0
Ethylbenzene	<1.0		0.21	1.0
m&p-Xylene	<2.0		0.36	2.0
o-Xylene	<1.0		0.19	1.0

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Weston Solutions, Inc.

Job Number: 500-7942-1

Method Blank - Batch: 500-26935

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 500-26935/4
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 11/24/2007 0904
Date Prepared: 11/24/2007 0904

Analysis Batch: 500-26935
Prep Batch: N/A
Units: ug/L

Instrument ID: Agilent 6890N GC - 5973N
Lab File ID: 6M1124.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Result	Qual	MDL	RL
Styrene	<1.0		0.18	1.0
Bromoform	<1.0		0.32	1.0
Isopropylbenzene	<1.0		0.20	1.0
Bromobenzene	<1.0		0.22	1.0
1,1,2,2-Tetrachloroethane	<1.0		0.34	1.0
1,2,3-Trichloropropane	<1.0		0.35	1.0
N-Propylbenzene	<1.0		0.16	1.0
2-Chlorotoluene	<1.0		0.16	1.0
1,3,5-Trimethylbenzene	<1.0		0.18	1.0
4-Chlorotoluene	<1.0		0.18	1.0
tert-Butylbenzene	<1.0		0.16	1.0
1,2,4-Trimethylbenzene	<1.0		0.26	1.0
sec-Butylbenzene	<1.0		0.19	1.0
1,3-Dichlorobenzene	<1.0		0.21	1.0
p-Isopropyltoluene	<1.0		0.29	1.0
1,4-Dichlorobenzene	<1.0		0.25	1.0
n-Butylbenzene	<1.0		0.35	1.0
1,2-Dichlorobenzene	<1.0		0.29	1.0
1,2-Dibromo-3-Chloropropane	<2.0		0.41	2.0
1,2,4-Trichlorobenzene	<1.0		0.36	1.0
Hexachlorobutadiene	<1.0		0.36	1.0
Naphthalene	<1.0		0.37	1.0
1,2,3-Trichlorobenzene	<1.0		0.43	1.0

Surrogate	% Rec	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	96	70 - 125
Toluene-d8 (Surr)	94	75 - 120
4-Bromofluorobenzene (Surr)	97	75 - 120
Dibromofluoromethane	102	75 - 120

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Weston Solutions, Inc.

Job Number: 500-7942-1

Lab Control Spike - Batch: 500-26935

Method: 8260B
Preparation: 5030B

Lab Sample ID: LCS 500-26935/5
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 11/24/2007 0927
Date Prepared: 11/24/2007 0927

Analysis Batch: 500-26935
Prep Batch: N/A
Units: ug/L

Instrument ID: Agilent 6890N GC - 5973N
Lab File ID: 6S1124.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Benzene	25.0	23.8	95	68 - 120	
Dichlorodifluoromethane	25.0	49.0	196	21 - 178	*
Chloromethane	25.0	33.1	132	50 - 140	
Vinyl chloride	25.0	31.2	125	57 - 135	
Bromomethane	25.0	33.4	134	61 - 172	
Chloroethane	25.0	30.6	123	56 - 152	
Trichlorofluoromethane	25.0	25.6	102	58 - 147	
1,1-Dichloroethene	25.0	23.5	94	50 - 121	
Carbon disulfide	25.0	22.6	91	33 - 120	
Acetone	25.0	23.5	94	22 - 175	
Methylene Chloride	25.0	25.8	103	52 - 126	
trans-1,2-Dichloroethene	25.0	24.3	97	57 - 122	
1,1-Dichloroethane	25.0	25.1	100	63 - 121	
2,2-Dichloropropane	25.0	24.4	98	56 - 134	
cis-1,2-Dichloroethene	25.0	26.4	105	62 - 127	
Methyl Ethyl Ketone	25.0	22.7	91	36 - 157	
Bromochloromethane	25.0	23.3	93	61 - 125	
Chloroform	25.0	25.4	102	65 - 127	
1,1,1-Trichloroethane	25.0	25.5	102	65 - 129	
1,1-Dichloropropene	25.0	26.2	105	62 - 122	
Carbon tetrachloride	25.0	23.3	93	67 - 121	
1,2-Dichloroethane	25.0	23.2	93	68 - 120	
Trichloroethene	25.0	24.1	96	73 - 120	
1,2-Dichloropropane	25.0	26.0	104	72 - 120	
Dibromomethane	25.0	23.1	92	71 - 120	
Bromodichloromethane	25.0	26.2	105	71 - 131	
cis-1,3-Dichloropropene	26.9	27.1	101	60 - 120	
methyl isobutyl ketone	25.0	26.3	105	65 - 128	
Toluene	25.0	26.2	105	75 - 120	
trans-1,3-Dichloropropene	24.3	21.1	87	61 - 120	
1,1,2-Trichloroethane	25.0	26.4	106	59 - 135	
Tetrachloroethene	25.0	24.0	96	65 - 120	
1,3-Dichloropropane	25.0	24.9	100	73 - 120	
2-Hexanone	25.0	27.2	109	54 - 139	
Dibromochloromethane	25.0	23.9	96	57 - 132	
1,2-Dibromoethane	25.0	23.8	95	68 - 125	
Chlorobenzene	25.0	23.9	96	75 - 120	
1,1,1,2-Tetrachloroethane	25.0	25.6	103	72 - 120	
Ethylbenzene	25.0	25.8	103	75 - 120	
m&p-Xylene	50.0	52.5	105	75 - 120	
o-Xylene	25.0	27.1	108	75 - 120	

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Weston Solutions, Inc.

Job Number: 500-7942-1

Lab Control Spike - Batch: 500-26935

Method: 8260B
Preparation: 5030B

Lab Sample ID: LCS 500-26935/5
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 11/24/2007 0927
Date Prepared: 11/24/2007 0927

Analysis Batch: 500-26935
Prep Batch: N/A
Units: ug/L

Instrument ID: Agilent 6890N GC - 5973N
Lab File ID: 6S1124.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Styrene	25.0	24.1	96	77 - 120	
Bromoform	25.0	22.9	92	55 - 120	
Isopropylbenzene	25.0	25.0	100	68 - 120	
Bromobenzene	25.0	24.9	99	76 - 120	
1,1,2,2-Tetrachloroethane	25.0	24.3	97	68 - 120	
1,2,3-Trichloropropane	25.0	22.8	91	70 - 120	
N-Propylbenzene	25.0	24.9	100	74 - 120	
2-Chlorotoluene	25.0	26.9	107	74 - 120	
1,3,5-Trimethylbenzene	25.0	25.1	100	76 - 120	
4-Chlorotoluene	25.0	26.9	108	75 - 120	
tert-Butylbenzene	25.0	25.4	102	75 - 120	
1,2,4-Trimethylbenzene	25.0	25.4	102	76 - 120	
sec-Butylbenzene	25.0	27.2	109	73 - 120	
1,3-Dichlorobenzene	25.0	24.3	97	76 - 120	
p-Isopropyltoluene	25.0	24.0	96	71 - 120	
1,4-Dichlorobenzene	25.0	23.3	93	74 - 120	
n-Butylbenzene	25.0	27.1	108	68 - 120	
1,2-Dichlorobenzene	25.0	24.3	97	74 - 120	
1,2-Dibromo-3-Chloropropane	25.0	22.5	90	60 - 120	
1,2,4-Trichlorobenzene	25.0	24.9	100	63 - 120	
Hexachlorobutadiene	25.0	26.0	104	54 - 131	
Naphthalene	25.0	24.2	97	50 - 120	
1,2,3-Trichlorobenzene	25.0	23.6	94	62 - 120	

Surrogate	% Rec	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	95	70 - 125
Toluene-d8 (Surr)	98	75 - 120
4-Bromofluorobenzene (Surr)	97	75 - 120
Dibromofluoromethane	102	75 - 120

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Weston Solutions, Inc.

Job Number: 500-7942-1

Method Blank - Batch: 500-26978

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 500-26978/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 11/25/2007 0908
Date Prepared: 11/25/2007 0908

Analysis Batch: 500-26978
Prep Batch: N/A
Units: ug/L

Instrument ID: Agilent 6890N GC - 5973N
Lab File ID: 6M1125.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Result	Qual	MDL	RL
Benzene	<1.0		0.23	1.0
Dichlorodifluoromethane	<1.0		0.12	1.0
Chloromethane	<1.0		0.20	1.0
Vinyl chloride	<1.0		0.16	1.0
Bromomethane	<1.0		0.59	1.0
Chloroethane	<1.0		0.32	1.0
Trichlorofluoromethane	<1.0		0.14	1.0
1,1-Dichloroethene	<1.0		0.25	1.0
Carbon disulfide	<5.0		0.15	5.0
Acetone	<5.0		1.4	5.0
Methylene Chloride	<2.0		0.24	2.0
trans-1,2-Dichloroethene	<1.0		0.29	1.0
1,1-Dichloroethane	<1.0		0.15	1.0
2,2-Dichloropropane	<1.0		0.17	1.0
cis-1,2-Dichloroethene	<1.0		0.20	1.0
Methyl Ethyl Ketone	<5.0		1.0	5.0
Bromochloromethane	<1.0		0.27	1.0
Chloroform	<1.0		0.14	1.0
1,1,1-Trichloroethane	<1.0		0.17	1.0
1,1-Dichloropropene	<1.0		0.38	1.0
Carbon tetrachloride	<1.0		0.34	1.0
1,2-Dichloroethane	<1.0		0.25	1.0
Trichloroethene	<1.0		0.13	1.0
1,2-Dichloropropane	<1.0		0.19	1.0
Dibromomethane	<1.0		0.21	1.0
Bromodichloromethane	<1.0		0.22	1.0
cis-1,3-Dichloropropene	<1.0		0.15	1.0
methyl isobutyl ketone	<5.0		0.92	5.0
Toluene	<1.0		0.18	1.0
trans-1,3-Dichloropropene	<1.0		0.16	1.0
1,1,2-Trichloroethane	<1.0		0.24	1.0
Tetrachloroethene	<1.0		0.18	1.0
1,3-Dichloropropane	<1.0		0.22	1.0
2-Hexanone	<5.0		0.99	5.0
Dibromochloromethane	<1.0		0.22	1.0
1,2-Dibromoethane	<1.0		0.33	1.0
Chlorobenzene	<1.0		0.15	1.0
1,1,1,2-Tetrachloroethane	<1.0		0.33	1.0
Ethylbenzene	<1.0		0.21	1.0
m&p-Xylene	<2.0		0.36	2.0
o-Xylene	<1.0		0.19	1.0

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Weston Solutions, Inc.

Job Number: 500-7942-1

Method Blank - Batch: 500-26978

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 500-26978/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 11/25/2007 0908
Date Prepared: 11/25/2007 0908

Analysis Batch: 500-26978
Prep Batch: N/A
Units: ug/L

Instrument ID: Agilent 6890N GC - 5973N
Lab File ID: 6M1125.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Result	Qual	MDL	RL
Styrene	<1.0		0.18	1.0
Bromoform	<1.0		0.32	1.0
Isopropylbenzene	<1.0		0.20	1.0
Bromobenzene	<1.0		0.22	1.0
1,1,2,2-Tetrachloroethane	<1.0		0.34	1.0
1,2,3-Trichloropropane	<1.0		0.35	1.0
N-Propylbenzene	<1.0		0.16	1.0
2-Chlorotoluene	<1.0		0.16	1.0
1,3,5-Trimethylbenzene	<1.0		0.18	1.0
4-Chlorotoluene	<1.0		0.18	1.0
tert-Butylbenzene	<1.0		0.16	1.0
1,2,4-Trimethylbenzene	<1.0		0.26	1.0
sec-Butylbenzene	<1.0		0.19	1.0
1,3-Dichlorobenzene	<1.0		0.21	1.0
p-Isopropyltoluene	<1.0		0.29	1.0
1,4-Dichlorobenzene	<1.0		0.25	1.0
n-Butylbenzene	<1.0		0.35	1.0
1,2-Dichlorobenzene	<1.0		0.29	1.0
1,2-Dibromo-3-Chloropropane	<2.0		0.41	2.0
1,2,4-Trichlorobenzene	<1.0		0.36	1.0
Hexachlorobutadiene	<1.0		0.36	1.0
Naphthalene	<1.0		0.37	1.0
1,2,3-Trichlorobenzene	<1.0		0.43	1.0

Surrogate	% Rec	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	106	70 - 125
Toluene-d8 (Surr)	95	75 - 120
4-Bromofluorobenzene (Surr)	94	75 - 120
Dibromofluoromethane	114	75 - 120

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Weston Solutions, Inc.

Job Number: 500-7942-1

Lab Control Spike - Batch: 500-26978

Method: 8260B
Preparation: 5030B

Lab Sample ID: LCS 500-26978/4
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 11/25/2007 0931
Date Prepared: 11/25/2007 0931

Analysis Batch: 500-26978
Prep Batch: N/A
Units: ug/L

Instrument ID: Agilent 6890N GC - 5973N
Lab File ID: 6S1125.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Benzene	25.0	24.9	100	68 - 120	
Dichlorodifluoromethane	25.0	49.7	199	21 - 178	*
Chloromethane	25.0	34.1	136	50 - 140	
Vinyl chloride	25.0	30.9	123	57 - 135	
Bromomethane	25.0	34.3	137	61 - 172	
Chloroethane	25.0	30.8	123	56 - 152	
Trichlorofluoromethane	25.0	26.8	107	58 - 147	
1,1-Dichloroethene	25.0	24.1	96	50 - 121	
Carbon disulfide	25.0	23.9	96	33 - 120	
Acetone	25.0	25.2	101	22 - 175	
Methylene Chloride	25.0	27.3	109	52 - 126	
trans-1,2-Dichloroethene	25.0	25.3	101	57 - 122	
1,1-Dichloroethane	25.0	26.5	106	63 - 121	
2,2-Dichloropropane	25.0	26.8	107	56 - 134	
cis-1,2-Dichloroethene	25.0	28.0	112	62 - 127	
Methyl Ethyl Ketone	25.0	23.3	93	36 - 157	
Bromochloromethane	25.0	23.4	93	61 - 125	
Chloroform	25.0	27.9	111	65 - 127	
1,1,1-Trichloroethane	25.0	28.2	113	65 - 129	
1,1-Dichloropropene	25.0	27.4	109	62 - 122	
Carbon tetrachloride	25.0	26.0	104	67 - 121	
1,2-Dichloroethane	25.0	25.7	103	68 - 120	
Trichloroethene	25.0	25.1	101	73 - 120	
1,2-Dichloropropane	25.0	26.8	107	72 - 120	
Dibromomethane	25.0	25.1	101	71 - 120	
Bromodichloromethane	25.0	28.7	115	71 - 131	
cis-1,3-Dichloropropene	26.9	28.1	104	60 - 120	
methyl isobutyl ketone	25.0	27.4	109	65 - 128	
Toluene	25.0	27.5	110	75 - 120	
trans-1,3-Dichloropropene	24.3	22.1	91	61 - 120	
1,1,2-Trichloroethane	25.0	27.7	111	59 - 135	
Tetrachloroethene	25.0	25.5	102	65 - 120	
1,3-Dichloropropane	25.0	25.6	102	73 - 120	
2-Hexanone	25.0	26.2	105	54 - 139	
Dibromochloromethane	25.0	25.1	100	57 - 132	
1,2-Dibromoethane	25.0	24.5	98	68 - 125	
Chlorobenzene	25.0	25.1	100	75 - 120	
1,1,1,2-Tetrachloroethane	25.0	27.8	111	72 - 120	
Ethylbenzene	25.0	26.2	105	75 - 120	
m&p-Xylene	50.0	54.3	109	75 - 120	
o-Xylene	25.0	28.3	113	75 - 120	

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Weston Solutions, Inc.

Job Number: 500-7942-1

Lab Control Spike - Batch: 500-26978

Method: 8260B
Preparation: 5030B

Lab Sample ID: LCS 500-26978/4
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 11/25/2007 0931
Date Prepared: 11/25/2007 0931

Analysis Batch: 500-26978
Prep Batch: N/A
Units: ug/L

Instrument ID: Agilent 6890N GC - 5973N
Lab File ID: 6S1125.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Styrene	25.0	24.5	98	77 - 120	
Bromoform	25.0	24.3	97	55 - 120	
Isopropylbenzene	25.0	24.2	97	68 - 120	
Bromobenzene	25.0	24.5	98	76 - 120	
1,1,2,2-Tetrachloroethane	25.0	24.1	97	68 - 120	
1,2,3-Trichloropropane	25.0	23.7	95	70 - 120	
N-Propylbenzene	25.0	24.3	97	74 - 120	
2-Chlorotoluene	25.0	26.5	106	74 - 120	
1,3,5-Trimethylbenzene	25.0	25.3	101	76 - 120	
4-Chlorotoluene	25.0	26.8	107	75 - 120	
tert-Butylbenzene	25.0	24.9	100	75 - 120	
1,2,4-Trimethylbenzene	25.0	25.7	103	76 - 120	
sec-Butylbenzene	25.0	27.2	109	73 - 120	
1,3-Dichlorobenzene	25.0	24.6	98	76 - 120	
p-Isopropyltoluene	25.0	24.1	96	71 - 120	
1,4-Dichlorobenzene	25.0	23.6	94	74 - 120	
n-Butylbenzene	25.0	26.9	108	68 - 120	
1,2-Dichlorobenzene	25.0	25.0	100	74 - 120	
1,2-Dibromo-3-Chloropropane	25.0	23.1	93	60 - 120	
1,2,4-Trichlorobenzene	25.0	24.6	99	63 - 120	
Hexachlorobutadiene	25.0	26.8	107	54 - 131	
Naphthalene	25.0	23.5	94	50 - 120	
1,2,3-Trichlorobenzene	25.0	24.3	97	62 - 120	

Surrogate	% Rec	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	102	70 - 125
Toluene-d8 (Surr)	98	75 - 120
4-Bromofluorobenzene (Surr)	98	75 - 120
Dibromofluoromethane	109	75 - 120

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Weston Solutions, Inc.

Job Number: 500-7942-1

Method Blank - Batch: 500-27019

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 500-27019/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 11/26/2007 1014
Date Prepared: 11/26/2007 1014

Analysis Batch: 500-27019
Prep Batch: N/A
Units: ug/L

Instrument ID: Agilent 6890N GC - 5973N
Lab File ID: 2M1126.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Result	Qual	MDL	RL
Benzene	<1.0		0.23	1.0
Dichlorodifluoromethane	<1.0		0.12	1.0
Chloromethane	<1.0		0.20	1.0
Vinyl chloride	<1.0		0.16	1.0
Bromomethane	<1.0		0.59	1.0
Chloroethane	<1.0		0.32	1.0
Trichlorofluoromethane	<1.0		0.14	1.0
1,1-Dichloroethene	<1.0		0.25	1.0
Carbon disulfide	<5.0		0.15	5.0
Acetone	<5.0		1.4	5.0
Methylene Chloride	<2.0		0.24	2.0
trans-1,2-Dichloroethene	<1.0		0.29	1.0
1,1-Dichloroethane	<1.0		0.15	1.0
2,2-Dichloropropane	<1.0		0.17	1.0
cis-1,2-Dichloroethene	<1.0		0.20	1.0
Methyl Ethyl Ketone	<5.0		1.0	5.0
Bromochloromethane	<1.0		0.27	1.0
Chloroform	<1.0		0.14	1.0
1,1,1-Trichloroethane	<1.0		0.17	1.0
1,1-Dichloropropene	<1.0		0.38	1.0
Carbon tetrachloride	<1.0		0.34	1.0
1,2-Dichloroethane	<1.0		0.25	1.0
Trichloroethene	<1.0		0.13	1.0
1,2-Dichloropropane	<1.0		0.19	1.0
Dibromomethane	<1.0		0.21	1.0
Bromodichloromethane	<1.0		0.22	1.0
cis-1,3-Dichloropropene	<1.0		0.15	1.0
methyl isobutyl ketone	<5.0		0.92	5.0
Toluene	<1.0		0.18	1.0
trans-1,3-Dichloropropene	<1.0		0.16	1.0
1,1,2-Trichloroethane	<1.0		0.24	1.0
Tetrachloroethene	<1.0		0.18	1.0
1,3-Dichloropropane	<1.0		0.22	1.0
2-Hexanone	<5.0		0.99	5.0
Dibromochloromethane	<1.0		0.22	1.0
1,2-Dibromoethane	<1.0		0.33	1.0
Chlorobenzene	<1.0		0.15	1.0
1,1,1,2-Tetrachloroethane	<1.0		0.33	1.0
Ethylbenzene	<1.0		0.21	1.0
m&p-Xylene	<2.0		0.36	2.0
o-Xylene	<1.0		0.19	1.0

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Weston Solutions, Inc.

Job Number: 500-7942-1

Method Blank - Batch: 500-27019

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 500-27019/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 11/26/2007 1014
Date Prepared: 11/26/2007 1014

Analysis Batch: 500-27019
Prep Batch: N/A
Units: ug/L

Instrument ID: Agilent 6890N GC - 5973N
Lab File ID: 2M1126.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Result	Qual	MDL	RL
Styrene	<1.0		0.18	1.0
Bromoform	<1.0		0.32	1.0
Isopropylbenzene	<1.0		0.20	1.0
Bromobenzene	<1.0		0.22	1.0
1,1,2,2-Tetrachloroethane	<1.0		0.34	1.0
1,2,3-Trichloropropane	<1.0		0.35	1.0
N-Propylbenzene	<1.0		0.16	1.0
2-Chlorotoluene	<1.0		0.16	1.0
1,3,5-Trimethylbenzene	<1.0		0.18	1.0
4-Chlorotoluene	<1.0		0.18	1.0
tert-Butylbenzene	<1.0		0.16	1.0
1,2,4-Trimethylbenzene	<1.0		0.26	1.0
sec-Butylbenzene	<1.0		0.19	1.0
1,3-Dichlorobenzene	<1.0		0.21	1.0
p-Isopropyltoluene	<1.0		0.29	1.0
1,4-Dichlorobenzene	<1.0		0.25	1.0
n-Butylbenzene	<1.0		0.35	1.0
1,2-Dichlorobenzene	<1.0		0.29	1.0
1,2-Dibromo-3-Chloropropane	<2.0		0.41	2.0
1,2,4-Trichlorobenzene	<1.0		0.36	1.0
Hexachlorobutadiene	<1.0		0.36	1.0
Naphthalene	<1.0		0.37	1.0
1,2,3-Trichlorobenzene	<1.0		0.43	1.0

Surrogate	% Rec	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	111	70 - 125
Toluene-d8 (Surr)	109	75 - 120
4-Bromofluorobenzene (Surr)	103	75 - 120
Dibromofluoromethane	112	75 - 120

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Weston Solutions, Inc.

Job Number: 500-7942-1

Lab Control Spike - Batch: 500-27019

Method: 8260B
Preparation: 5030B

Lab Sample ID: LCS 500-27019/4
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 11/26/2007 1037
Date Prepared: 11/26/2007 1037

Analysis Batch: 500-27019
Prep Batch: N/A
Units: ug/L

Instrument ID: Agilent 6890N GC - 5973N
Lab File ID: 2S1126.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Benzene	25.0	23.6	94	68 - 120	
Dichlorodifluoromethane	25.0	28.3	113	21 - 178	
Chloromethane	25.0	34.8	139	50 - 140	
Vinyl chloride	25.0	30.6	122	57 - 135	
Bromomethane	25.0	27.9	112	61 - 172	
Chloroethane	25.0	30.6	122	56 - 152	
Trichlorofluoromethane	25.0	24.6	98	58 - 147	
1,1-Dichloroethene	25.0	23.1	92	50 - 121	
Carbon disulfide	25.0	22.1	89	33 - 120	
Acetone	25.0	24.1	96	22 - 175	
Methylene Chloride	25.0	23.3	93	52 - 126	
trans-1,2-Dichloroethene	25.0	24.1	96	57 - 122	
1,1-Dichloroethane	25.0	26.2	105	63 - 121	
2,2-Dichloropropane	25.0	25.5	102	56 - 134	
cis-1,2-Dichloroethene	25.0	24.7	99	62 - 127	
Methyl Ethyl Ketone	25.0	21.4	86	36 - 157	
Bromochloromethane	25.0	22.8	91	61 - 125	
Chloroform	25.0	24.9	100	65 - 127	
1,1,1-Trichloroethane	25.0	24.4	98	65 - 129	
1,1-Dichloropropene	25.0	25.0	100	62 - 122	
Carbon tetrachloride	25.0	25.0	100	67 - 121	
1,2-Dichloroethane	25.0	25.1	100	68 - 120	
Trichloroethene	25.0	23.9	96	73 - 120	
1,2-Dichloropropane	25.0	25.8	103	72 - 120	
Dibromomethane	25.0	21.7	87	71 - 120	
Bromodichloromethane	25.0	24.8	99	71 - 131	
cis-1,3-Dichloropropene	26.9	26.0	97	60 - 120	
methyl isobutyl ketone	25.0	24.0	96	65 - 128	
Toluene	25.0	23.8	95	75 - 120	
trans-1,3-Dichloropropene	24.3	21.3	88	61 - 120	
1,1,2-Trichloroethane	25.0	24.1	96	59 - 135	
Tetrachloroethene	25.0	23.9	96	65 - 120	
1,3-Dichloropropane	25.0	24.0	96	73 - 120	
2-Hexanone	25.0	23.4	94	54 - 139	
Dibromochloromethane	25.0	25.7	103	57 - 132	
1,2-Dibromoethane	25.0	25.1	101	68 - 125	
Chlorobenzene	25.0	24.3	97	75 - 120	
1,1,1,2-Tetrachloroethane	25.0	25.0	100	72 - 120	
Ethylbenzene	25.0	26.0	104	75 - 120	
m&p-Xylene	50.0	48.9	98	75 - 120	
o-Xylene	25.0	24.4	98	75 - 120	

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Weston Solutions, Inc.

Job Number: 500-7942-1

Lab Control Spike - Batch: 500-27019

Method: 8260B
Preparation: 5030B

Lab Sample ID: LCS 500-27019/4
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 11/26/2007 1037
Date Prepared: 11/26/2007 1037

Analysis Batch: 500-27019
Prep Batch: N/A
Units: ug/L

Instrument ID: Agilent 6890N GC - 5973N
Lab File ID: 2S1126.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Styrene	25.0	26.0	104	77 - 120	
Bromoform	25.0	23.7	95	55 - 120	
Isopropylbenzene	25.0	23.8	95	68 - 120	
Bromobenzene	25.0	22.6	90	76 - 120	
1,1,2,2-Tetrachloroethane	25.0	23.9	95	68 - 120	
1,2,3-Trichloropropane	25.0	21.9	88	70 - 120	
N-Propylbenzene	25.0	25.7	103	74 - 120	
2-Chlorotoluene	25.0	24.5	98	74 - 120	
1,3,5-Trimethylbenzene	25.0	26.4	106	76 - 120	
4-Chlorotoluene	25.0	23.8	95	75 - 120	
tert-Butylbenzene	25.0	27.5	110	75 - 120	
1,2,4-Trimethylbenzene	25.0	26.7	107	76 - 120	
sec-Butylbenzene	25.0	27.5	110	73 - 120	
1,3-Dichlorobenzene	25.0	24.6	99	76 - 120	
p-Isopropyltoluene	25.0	26.4	106	71 - 120	
1,4-Dichlorobenzene	25.0	23.4	94	74 - 120	
n-Butylbenzene	25.0	27.1	108	68 - 120	
1,2-Dichlorobenzene	25.0	24.1	97	74 - 120	
1,2-Dibromo-3-Chloropropane	25.0	22.3	89	60 - 120	
1,2,4-Trichlorobenzene	25.0	22.8	91	63 - 120	
Hexachlorobutadiene	25.0	26.1	104	54 - 131	
Naphthalene	25.0	23.6	94	50 - 120	
1,2,3-Trichlorobenzene	25.0	22.5	90	62 - 120	

Surrogate	% Rec	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	108	70 - 125
Toluene-d8 (Surr)	108	75 - 120
4-Bromofluorobenzene (Surr)	107	75 - 120
Dibromofluoromethane	111	75 - 120

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Weston Solutions, Inc.

Job Number: 500-7942-1

Method Blank - Batch: 500-27050

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 500-27050/4
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 11/27/2007 1031
Date Prepared: 11/27/2007 1031

Analysis Batch: 500-27050
Prep Batch: N/A
Units: ug/L

Instrument ID: Agilent 6890N GC - 5973N
Lab File ID: 2M1127.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Result	Qual	MDL	RL
Benzene	<1.0		0.23	1.0
Dichlorodifluoromethane	<1.0		0.12	1.0
Chloromethane	<1.0		0.20	1.0
Vinyl chloride	<1.0		0.16	1.0
Bromomethane	<1.0		0.59	1.0
Chloroethane	<1.0		0.32	1.0
Trichlorofluoromethane	<1.0		0.14	1.0
1,1-Dichloroethene	<1.0		0.25	1.0
Carbon disulfide	<5.0		0.15	5.0
Acetone	<5.0		1.4	5.0
Methylene Chloride	<2.0		0.24	2.0
trans-1,2-Dichloroethene	<1.0		0.29	1.0
1,1-Dichloroethane	<1.0		0.15	1.0
2,2-Dichloropropane	<1.0		0.17	1.0
cis-1,2-Dichloroethene	<1.0		0.20	1.0
Methyl Ethyl Ketone	<5.0		1.0	5.0
Bromochloromethane	<1.0		0.27	1.0
Chloroform	<1.0		0.14	1.0
1,1,1-Trichloroethane	<1.0		0.17	1.0
1,1-Dichloropropene	<1.0		0.38	1.0
Carbon tetrachloride	<1.0		0.34	1.0
1,2-Dichloroethane	<1.0		0.25	1.0
Trichloroethene	<1.0		0.13	1.0
1,2-Dichloropropane	<1.0		0.19	1.0
Dibromomethane	<1.0		0.21	1.0
Bromodichloromethane	<1.0		0.22	1.0
cis-1,3-Dichloropropene	<1.0		0.15	1.0
methyl isobutyl ketone	<5.0		0.92	5.0
Toluene	<1.0		0.18	1.0
trans-1,3-Dichloropropene	<1.0		0.16	1.0
1,1,2-Trichloroethane	<1.0		0.24	1.0
Tetrachloroethene	<1.0		0.18	1.0
1,3-Dichloropropane	<1.0		0.22	1.0
2-Hexanone	<5.0		0.99	5.0
Dibromochloromethane	<1.0		0.22	1.0
1,2-Dibromoethane	<1.0		0.33	1.0
Chlorobenzene	<1.0		0.15	1.0
1,1,1,2-Tetrachloroethane	<1.0		0.33	1.0
Ethylbenzene	<1.0		0.21	1.0
m&p-Xylene	<2.0		0.36	2.0
o-Xylene	<1.0		0.19	1.0

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Weston Solutions, Inc.

Job Number: 500-7942-1

Method Blank - Batch: 500-27050

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 500-27050/4
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 11/27/2007 1031
Date Prepared: 11/27/2007 1031

Analysis Batch: 500-27050
Prep Batch: N/A
Units: ug/L

Instrument ID: Agilent 6890N GC - 5973N
Lab File ID: 2M1127.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Result	Qual	MDL	RL
Styrene	<1.0		0.18	1.0
Bromoform	<1.0		0.32	1.0
Isopropylbenzene	<1.0		0.20	1.0
Bromobenzene	<1.0		0.22	1.0
1,1,2,2-Tetrachloroethane	<1.0		0.34	1.0
1,2,3-Trichloropropane	<1.0		0.35	1.0
N-Propylbenzene	<1.0		0.16	1.0
2-Chlorotoluene	<1.0		0.16	1.0
1,3,5-Trimethylbenzene	<1.0		0.18	1.0
4-Chlorotoluene	<1.0		0.18	1.0
tert-Butylbenzene	<1.0		0.16	1.0
1,2,4-Trimethylbenzene	<1.0		0.26	1.0
sec-Butylbenzene	<1.0		0.19	1.0
1,3-Dichlorobenzene	<1.0		0.21	1.0
p-Isopropyltoluene	<1.0		0.29	1.0
1,4-Dichlorobenzene	<1.0		0.25	1.0
n-Butylbenzene	<1.0		0.35	1.0
1,2-Dichlorobenzene	<1.0		0.29	1.0
1,2-Dibromo-3-Chloropropane	<2.0		0.41	2.0
1,2,4-Trichlorobenzene	<1.0		0.36	1.0
Hexachlorobutadiene	<1.0		0.36	1.0
Naphthalene	<1.0		0.37	1.0
1,2,3-Trichlorobenzene	<1.0		0.43	1.0

Surrogate	% Rec	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	102	70 - 125
Toluene-d8 (Surr)	103	75 - 120
4-Bromofluorobenzene (Surr)	97	75 - 120
Dibromofluoromethane	103	75 - 120

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Weston Solutions, Inc.

Job Number: 500-7942-1

Lab Control Spike - Batch: 500-27050

Method: 8260B
Preparation: 5030B

Lab Sample ID: LCS 500-27050/5
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 11/27/2007 1054
Date Prepared: 11/27/2007 1054

Analysis Batch: 500-27050
Prep Batch: N/A
Units: ug/L

Instrument ID: Agilent 6890N GC - 5973N
Lab File ID: 2S1127.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Benzene	25.0	22	87	68 - 120	
Dichlorodifluoromethane	25.0	28	111	21 - 178	
Chloromethane	25.0	36	143	50 - 140	
Vinyl chloride	25.0	30	119	57 - 135	
Bromomethane	25.0	28	113	61 - 172	
Chloroethane	25.0	29	117	56 - 152	
Trichlorofluoromethane	25.0	25	101	58 - 147	
1,1-Dichloroethene	25.0	21	84	50 - 121	
Carbon disulfide	25.0	20	80	33 - 120	
Acetone	25.0	25	102	22 - 175	
Methylene Chloride	25.0	22	86	52 - 126	
trans-1,2-Dichloroethene	25.0	23	92	57 - 122	
1,1-Dichloroethane	25.0	24	97	63 - 121	
2,2-Dichloropropane	25.0	24	94	56 - 134	
cis-1,2-Dichloroethene	25.0	24	95	62 - 127	
Methyl Ethyl Ketone	25.0	21	83	36 - 157	
Bromochloromethane	25.0	26	102	61 - 125	
Chloroform	25.0	23	93	65 - 127	
1,1,1-Trichloroethane	25.0	22	90	65 - 129	
1,1-Dichloropropene	25.0	24	95	62 - 122	
Carbon tetrachloride	25.0	23	91	67 - 121	
1,2-Dichloroethane	25.0	23	94	68 - 120	
Trichloroethene	25.0	22	89	73 - 120	
1,2-Dichloropropane	25.0	24	97	72 - 120	
Dibromomethane	25.0	21	84	71 - 120	
Bromodichloromethane	25.0	23	91	71 - 131	
cis-1,3-Dichloropropene	26.9	24	88	60 - 120	
methyl isobutyl ketone	25.0	22	88	65 - 128	
Toluene	25.0	22	89	75 - 120	
trans-1,3-Dichloropropene	24.3	19	78	61 - 120	
1,1,2-Trichloroethane	25.0	22	87	59 - 135	
Tetrachloroethene	25.0	22	87	65 - 120	
1,3-Dichloropropane	25.0	23	92	73 - 120	
2-Hexanone	25.0	22	88	54 - 139	
Dibromochloromethane	25.0	23	94	57 - 132	
1,2-Dibromoethane	25.0	24	95	68 - 125	
Chlorobenzene	25.0	22	89	75 - 120	
1,1,1,2-Tetrachloroethane	25.0	23	93	72 - 120	
Ethylbenzene	25.0	24	95	75 - 120	
m&p-Xylene	50.0	44	89	75 - 120	
o-Xylene	25.0	22	89	75 - 120	

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Weston Solutions, Inc.

Job Number: 500-7942-1

Lab Control Spike - Batch: 500-27050

Method: 8260B
Preparation: 5030B

Lab Sample ID: LCS 500-27050/5
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 11/27/2007 1054
Date Prepared: 11/27/2007 1054

Analysis Batch: 500-27050
Prep Batch: N/A
Units: ug/L

Instrument ID: Agilent 6890N GC - 5973N
Lab File ID: 2S1127.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Styrene	25.0	24	95	77 - 120	
Bromoform	25.0	21	86	55 - 120	
Isopropylbenzene	25.0	22	88	68 - 120	
Bromobenzene	25.0	21	85	76 - 120	
1,1,2,2-Tetrachloroethane	25.0	22	86	68 - 120	
1,2,3-Trichloropropane	25.0	23	90	70 - 120	
N-Propylbenzene	25.0	23	94	74 - 120	
2-Chlorotoluene	25.0	23	91	74 - 120	
1,3,5-Trimethylbenzene	25.0	24	97	76 - 120	
4-Chlorotoluene	25.0	22	88	75 - 120	
tert-Butylbenzene	25.0	25	102	75 - 120	
1,2,4-Trimethylbenzene	25.0	25	98	76 - 120	
sec-Butylbenzene	25.0	25	99	73 - 120	
1,3-Dichlorobenzene	25.0	23	92	76 - 120	
p-Isopropyltoluene	25.0	24	96	71 - 120	
1,4-Dichlorobenzene	25.0	22	89	74 - 120	
n-Butylbenzene	25.0	25	98	68 - 120	
1,2-Dichlorobenzene	25.0	23	91	74 - 120	
1,2-Dibromo-3-Chloropropane	25.0	22	86	60 - 120	
1,2,4-Trichlorobenzene	25.0	21	86	63 - 120	
Hexachlorobutadiene	25.0	24	94	54 - 131	
Naphthalene	25.0	22	86	50 - 120	
1,2,3-Trichlorobenzene	25.0	21	84	62 - 120	

Surrogate	% Rec	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	101	70 - 125
Toluene-d8 (Surr)	102	75 - 120
4-Bromofluorobenzene (Surr)	100	75 - 120
Dibromofluoromethane	110	75 - 120

Calculations are performed before rounding to avoid round-off errors in calculated results.

Chain of Custody Record

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

500-7942

11/27/2007

TAL-4142 (0907)

Client	Project Manager	Date	Chain of Custody Number
Black + Decker / Weston	Greg Flasinski	11/20/07	383192
Address	**Telephone Number (Area Code) / Fax Number**	**Lab Number**	**Page 1 of 3**
1401 Weston Way	610-701-7213		
City	**State / Zip Code**	**Site Contact**	**Lab Contact**
W Chester	PA 19380		Dick Wright
Project Name and Location (State)	**Carrier/Waybill Number**	**Analysis (Attach list if more space is needed)**	
Black + Decker, Hampstead MD			
Contract/Purchase Order/Quote No.			

Sample I.D. No. and Description (Containers for each sample may be combined on one line)	Date	Time	Matrix: Air	Aqueous	Sed.	Soil	Containers & Preservatives: Unpres.	H2SO4	HNO3	HCl	NaOH	ZnAc/NaOH	VOA	Special Instructions/ Conditions of Receipt
1 RFW-1A	11/19/07	1040		X						3			1	
2 RFW-1B	11/20/07	1125		X						3				
3 RFW-2A	11/19/07	920		X						3				
4 RFW-2B	11/19/07	1005		X						3				
5 RFW-3B	11/20/07	1115		X						3				
6 RFW-4A	11/20/07	1150		X						3				
7 RFW-4B	11/20/07	1330		X						3				
8 RFW-4B Dup	11/20/07	1350		X						3				
9 RFW-6	11/20/07	1110		X						3				
10 RFW-7	11/19/07	1115		X						3				
11 RFW-9	11/20/07	1010		X						3				
12 RFW-11B	11/20/07	1140		X						3				

Page 87 of 90

Possible Hazard Identification
☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown

Sample Disposal
☐ Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months (A fee may be assessed if samples are retained longer than 1 month)

Turn Around Time Required
☐ 24 Hours ☐ 48 Hours ☐ 7 Days ☐ 14 Days ☐ 21 Days ☐ Other _____

QC Requirements (Specify)

	Date	Time		Date	Time
1. Relinquished By	11/20/07	1700	1. Received By	11/21/07	1030
2. Relinquished By			2. Received By		
3. Relinquished By			3. Received By		

Comments

DISTRIBUTION: WHITE - Returned to Client with Report; CANARY - Stays with the Sample; PINK - Field Copy

Chain of Custody Record

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

500-7942

11/27/2007

TAL-4142 (0907)

Client	Project Manager	Date	Chain of Custody Number
Blackhawk Dicker		11/20/07	383193
Address	Telephone Number (Area Code)/Fax Number	Lab Number	Page 2 of 3
See Party			
City	State / Zip Code	Site Contact	Lab Contact
Project Name and Location (State)	Carrier/Waybill Number		
Contract/Purchase Order/Quote No.			

Sample I.D. No. and Description (Containers for each sample may be combined on one line)	Date	Time	Matrix: Air	Aqueous	Sed.	Soil	Containers & Preservatives: Unpres.	H2SO4	HNO3	HCl	NaOH	ZnAc/NaOH	Analysis (Attach list if more space is needed): SOAP	Special Instructions/ Conditions of Receipt
13 RFW-12B	11/20/07	1020		X						3			X	
14 RFW-13	11/19/07	1540		X						3				
15 RFW-17	11/19/07	1140		X						3				
16 Leister-1	11/20/07	1205		X						3				
17 Leister-Dairy	11/20/07	1215		X						3				
18 Trip Blank	11/19/07	0800		X						3				

Page 88 of 90

Possible Hazard Identification
☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown

Sample Disposal
☐ Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months
(A fee may be assessed if samples are retained longer than 1 month)

Turn Around Time Required
☐ 24 Hours ☐ 48 Hours ☐ 7 Days ☐ 14 Days ☐ 21 Days ☐ Other _____

QC Requirements (Specify)

	Date	Time		Date	Time
1. Relinquished By	11/20/07	1700	1. Received By	11/21/07	1030
2. Relinquished By			2. Received By		
3. Relinquished By			3. Received By		

Comments

DISTRIBUTION: WHITE - Returned to Client with Report; CANARY - Stays with the Sample; PINK - Field Copy

ANALYSIS REQUEST AND CHAIN OF CUSTODY RECORD

SEVERN TRENT **STL**

STL Savannah
5102 LaRoche Avenue
Savannah, GA 31404

Website: www.stlinc.com
Phone: (912) 354-7858
Fax: (912) 352-0165

500-7942

Alternate Laboratory Name/Location

Phone:
Fax:

PROJECT REFERENCE	PROJECT NO.	PROJECT LOCATION (STATE)	MATRIX TYPE	REQUIRED ANALYSIS	PAGE 3 OF 3
	025 01.004.004.07				
STL (LAB) PROJECT MANAGER: Dick Wright	P.O. NUMBER	CONTRACT NO.			STANDARD REPORT DELIVERY ☒
CLIENT (SITE) PM: Greg Flasinski	CLIENT PHONE: 610.701.7293	CLIENT FAX			DATE DUE
CLIENT NAME: Black + Decker	CLIENT E-MAIL				EXPEDITED REPORT DELIVERY (SURCHARGE) ○
CLIENT ADDRESS: Hampstead					DATE DUE
COMPANY CONTRACTING THIS WORK (if applicable): see page 1					NUMBER OF COOLERS SUBMITTED PER SHIPMENT:

	SAMPLE DATE	SAMPLE TIME	SAMPLE IDENTIFICATION	COMPOSITE (C) OR GRAB (G) INDICATE	AQUEOUS (WATER)	SOLID OR SEMISOLID	AIR	NONAQUEOUS LIQUID (OIL, SOLVENT,...)	NUMBER OF CONTAINERS SUBMITTED	REMARKS
19	11/20/07	1015	EW-2						3	
20	11/20/07	935	EW-3						3	
21	11/20/07	935	EW-3 Dup						3	
22	11/20/07	920	EW-4						3	
23	11/19/07	1030	EW-5						3	
24	11/19/07	1505	EW-6						3	
25	11/19/07	1510	EW-7						3	
26	11/19/07	1515	EW-8						3	
27	11/19/07	1525	EW-9						3	
28	11/19/07	1530	EW-10						3	

RELINQUISHED BY: (SIGNATURE)	DATE	TIME	RELINQUISHED BY: (SIGNATURE)	DATE	TIME	RELINQUISHED BY: (SIGNATURE)	DATE	TIME
	11/20/07	1700						
RECEIVED BY: (SIGNATURE)	DATE	TIME	RECEIVED BY: (SIGNATURE)	DATE	TIME	RECEIVED BY: (SIGNATURE)	DATE	TIME
	11/20/07	1030						

LABORATORY USE ONLY

RECEIVED FOR LABORATORY BY: (SIGNATURE)	DATE	TIME	CUSTODY INTACT YES ○ NO ○	CUSTODY SEAL NO.	STL SAVANNAH LOG NO.	LABORATORY REMARKS

STL8240-680 (12/02)

11/27/2007

Page 69 of 90

Login Sample Receipt Check List

Client: Weston Solutions, Inc.

Job Number: 500-7942-1

Login Number: 7942
Creator: Lunt, Jeff T
List Number: 1

List Source: TestAmerica Chicago

Question	T / F/ NA	Comment
Radioactivity either was not measured or, if measured, is at or below background	True	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	2.3
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

Job Number: 680-32146-1

Job Description: Black & Decker

For:
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380

Attention: Mr. Tom Cornuet

Abbie Page
Project Manager I
abbie.page@testamericainc.com
01/15/2008
Revision: 1

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory. All questions regarding this report should be directed to the TestAmerica Project Manager who signed this report.

TestAmerica Laboratories, Inc.
TestAmerica Savannah 5102 LaRoche Avenue, Savannah, GA 31404
Tel (912) 354-7858 Fax (912) 352-0165 www.testamericainc.com

ACCREDITED IN ACCORDANCE WITH nelac

Job Narrative
680-J32146-1

Comments
This report was revised on 01/15/07.

Samples 680-32146-1 (RFW-20) and 680-32146-5 (Trip Blank) were reanalyzed outside the analytical hold time due to concerns from Weston that the sample ids may have been switched during analysis and/or processing.

Based on the results of the reanalysis and the available historical data for id RFW-20, it is reasonable to conclude that the lab inadvertently misreported the original data; therefore, the report has been revised.

No additional comments.

Receipt
All samples were received in good condition within temperature requirements.

GC/MS VOA
Method(s) 524.2: The method blank used for the following samples: HAMP-22 (680-32146-3), HAMP-23 (680-32146-4), RFW-20 (680-32146-1), RFW-21 (680-32146-2), Trip Blank (680-32146-5) contained a target compound above the reporting limit (RL). None of the samples associated with this method blank contained the target compound; therefore, re-extraction and/or re-analysis of samples were not performed.

No other analytical or quality issues were noted.

METHOD SUMMARY

Client: Weston Solutions, Inc.

Job Number: 680-32146-1

Description	Lab Location	Method	Preparation Method
Matrix Water			
Purgeable Organic Compounds in Water by GC/MS	TAL SAV	EPA-DW 524.2	

Lab References:

TAL SAV = TestAmerica Savannah

Method References:

EPA-DW = "Methods For The Determination Of Organic Compounds In Drinking Water", EPA/600/4-88/039, December 1988 And Its Supplements.

SAMPLE SUMMARY

Client: Weston Solutions, Inc. Job Number: 680-32146-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
680-32146-1	RFW-20	Drinking Water	11/20/2007 1045	11/21/2007 0931
680-32146-2	RFW-21	Drinking Water	11/19/2007 1250	11/21/2007 0931
680-32146-3	HAMP-22	Drinking Water	11/20/2007 1030	11/21/2007 0931
680-32146-4	HAMP-23	Drinking Water	11/20/2007 1035	11/21/2007 0931
680-32146-5TB	Trip Blank	Drinking Water	11/19/2007 0900	11/21/2007 0931

Client: Weston Solutions, Inc.

Job Number: 680-32146-1

Client Sample ID: **RFW-20**

Lab Sample ID: 680-32146-1
Client Matrix: Drinking Water

Date Sampled: 11/20/2007 1045
Date Received: 11/21/2007 0931

524.2 Purgeable Organic Compounds in Water by GC/MS

Method: 524.2
Preparation: N/A
Dilution: 1.0
Date Analyzed: 11/30/2007 1342
Date Prepared: N/A

Analysis Batch: 680-92474

Instrument ID: GC/MS Volatiles - U
Lab File ID: u7382.d
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acetone	<10		2.1	10
Benzene	<0.50		0.19	0.50
Bromobenzene	<0.50		0.13	0.50
Bromoform	<0.50		0.17	0.50
Bromomethane	<1.0		0.49	1.0
Carbon tetrachloride	<0.50		0.38	0.50
Chlorobenzene	<0.50		0.19	0.50
Chlorobromomethane	<0.50		0.27	0.50
Chlorodibromomethane	<0.50		0.16	0.50
Chloroethane	<1.0		0.36	1.0
Chloroform	<0.50		0.20	0.50
Chloromethane	<0.50		0.31	0.50
2-Chlorotoluene	<0.50		0.18	0.50
4-Chlorotoluene	<0.50		0.18	0.50
cis-1,2-Dichloroethene	<0.50		0.25	0.50
cis-1,3-Dichloropropene	<0.50		0.16	0.50
1,2-Dibromo-3-Chloropropane	<0.50		0.29	0.50
Dibromomethane	<0.50		0.18	0.50
1,2-Dichlorobenzene	<0.50		0.23	0.50
1,3-Dichlorobenzene	<0.50		0.19	0.50
1,4-Dichlorobenzene	<0.50		0.17	0.50
Dichlorobromomethane	<0.50		0.19	0.50
Dichlorodifluoromethane	<0.50		0.46	0.50
1,1-Dichloroethane	<0.50		0.23	0.50
1,2-Dichloroethane	<0.50		0.19	0.50
1,1-Dichloroethene	<0.50		0.24	0.50
1,2-Dichloropropane	<0.50		0.22	0.50
1,3-Dichloropropane	<0.50		0.19	0.50
2,2-Dichloropropane	<0.50		0.33	0.50
1,1-Dichloropropene	<0.50		0.19	0.50
1,3-Dichloropropene, Total	<0.50		0.37	0.50
Diisopropyl ether	<0.50		0.16	0.50
Ethylbenzene	<0.50		0.18	0.50
Ethylene Dibromide	<0.50		0.27	0.50
Freon 113	<0.50		0.22	0.50
Hexachlorobutadiene	<0.50		0.20	0.50
2-Hexanone	<10		5.0	10
Isopropylbenzene	<0.50		0.15	0.50
4-Isopropyltoluene	<0.50		0.15	0.50
Methylene Chloride	<0.50		0.21	0.50
2-Butanone (MEK)	<10		5.0	10
4-Methyl-2-pentanone (MIBK)	<10		5.0	10
m-Xylene & p-Xylene	<0.50		0.34	0.50
Naphthalene	<1.0		0.13	1.0

Client: Weston Solutions, Inc. Job Number: 680-32146-1

Client Sample ID: **RFW-20**

Lab Sample ID: 680-32146-1 Date Sampled: 11/20/2007 1045
Client Matrix: Drinking Water Date Received: 11/21/2007 0931

524.2 Purgeable Organic Compounds in Water by GC/MS

Method: 524.2 Analysis Batch: 680-92474 Instrument ID: GC/MS Volatiles - U
Preparation: N/A Lab File ID: u7382.d
Dilution: 1.0 Initial Weight/Volume: 5 mL
Date Analyzed: 11/30/2007 1342 Final Weight/Volume: 5 mL
Date Prepared: N/A

Analyte	Result (ug/L)	Qualifier	MDL	RL
n-Butylbenzene	<0.50		0.14	0.50
N-Propylbenzene	<0.50		0.19	0.50
o-Xylene	<0.50		0.11	0.50
sec-Butylbenzene	<0.50		0.17	0.50
Styrene	<0.50		0.30	0.50
Tert-amyl methyl ether	<0.50		0.091	0.50
tert-Butyl alcohol	<2.0		1.1	2.0
tert-Butylbenzene	<0.50		0.17	0.50
Tert-butyl ethyl ether	<0.50		0.11	0.50
1,1,1,2-Tetrachloroethane	<0.50		0.20	0.50
1,1,2,2-Tetrachloroethane	<0.50		0.15	0.50
Tetrachloroethene	<0.50		0.22	0.50
Toluene	<0.50		0.21	0.50
trans-1,2-Dichloroethene	<0.50		0.22	0.50
trans-1,3-Dichloropropene	<0.50		0.21	0.50
1,2,3-Trichlorobenzene	<0.50		0.12	0.50
1,2,4-Trichlorobenzene	<0.50		0.10	0.50
1,1,1-Trichloroethane	<0.50		0.16	0.50
1,1,2-Trichloroethane	<0.50		0.25	0.50
Trichloroethene	1.0		0.20	0.50
Trichlorofluoromethane	<0.50		0.31	0.50
1,2,3-Trichloropropane	<0.50		0.22	0.50
Trihalomethanes, Total	<0.50		0.16	0.50
1,2,4-Trimethylbenzene	<0.50		0.17	0.50
1,3,5-Trimethylbenzene	<0.50		0.17	0.50
Vinyl chloride	<0.50		0.29	0.50
Xylenes, Total	<0.50		0.44	0.50

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	93	70 - 130
1,2-Dichlorobenzene-d4	102	70 - 130

Client: Weston Solutions, Inc.

Job Number: 680-32146-1

Client Sample ID: **RFW-21**

Lab Sample ID: 680-32146-2
Client Matrix: Drinking Water

Date Sampled: 11/19/2007 1250
Date Received: 11/21/2007 0931

524.2 Purgeable Organic Compounds in Water by GC/MS

Method: 524.2
Preparation: N/A
Dilution: 1.0
Date Analyzed: 11/30/2007 1423
Date Prepared: N/A

Analysis Batch: 680-92474

Instrument ID: GC/MS Volatiles - U
Lab File ID: u7384.d
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acetone	<10		2.1	10
Benzene	<0.50		0.19	0.50
Bromobenzene	<0.50		0.13	0.50
Bromoform	<0.50		0.17	0.50
Bromomethane	<1.0		0.49	1.0
Carbon tetrachloride	<0.50		0.38	0.50
Chlorobenzene	<0.50		0.19	0.50
Chlorobromomethane	<0.50		0.27	0.50
Chlorodibromomethane	<0.50		0.16	0.50
Chloroethane	<1.0		0.36	1.0
Chloroform	<0.50		0.20	0.50
Chloromethane	<0.50		0.31	0.50
2-Chlorotoluene	<0.50		0.18	0.50
4-Chlorotoluene	<0.50		0.18	0.50
cis-1,2-Dichloroethene	<0.50		0.25	0.50
cis-1,3-Dichloropropene	<0.50		0.16	0.50
1,2-Dibromo-3-Chloropropane	<0.50		0.29	0.50
Dibromomethane	<0.50		0.18	0.50
1,2-Dichlorobenzene	<0.50		0.23	0.50
1,3-Dichlorobenzene	<0.50		0.19	0.50
1,4-Dichlorobenzene	<0.50		0.17	0.50
Dichlorobromomethane	<0.50		0.19	0.50
Dichlorodifluoromethane	<0.50		0.46	0.50
1,1-Dichloroethane	<0.50		0.23	0.50
1,2-Dichloroethane	<0.50		0.19	0.50
1,1-Dichloroethene	<0.50		0.24	0.50
1,2-Dichloropropane	<0.50		0.22	0.50
1,3-Dichloropropane	<0.50		0.19	0.50
2,2-Dichloropropane	<0.50		0.33	0.50
1,1-Dichloropropene	<0.50		0.19	0.50
1,3-Dichloropropene, Total	<0.50		0.37	0.50
Diisopropyl ether	<0.50		0.16	0.50
Ethylbenzene	<0.50		0.18	0.50
Ethylene Dibromide	<0.50		0.27	0.50
Freon 113	<0.50		0.22	0.50
Hexachlorobutadiene	<0.50		0.20	0.50
2-Hexanone	<10		5.0	10
Isopropylbenzene	<0.50		0.15	0.50
4-Isopropyltoluene	<0.50		0.15	0.50
Methylene Chloride	<0.50		0.21	0.50
2-Butanone (MEK)	<10		5.0	10
4-Methyl-2-pentanone (MIBK)	<10		5.0	10
m-Xylene & p-Xylene	<0.50		0.34	0.50
Naphthalene	<1.0		0.13	1.0

Client: Weston Solutions, Inc. Job Number: 680-32146-1

Client Sample ID: **RFW-21**

Lab Sample ID: 680-32146-2 Date Sampled: 11/19/2007 1250
Client Matrix: Drinking Water Date Received: 11/21/2007 0931

524.2 Purgeable Organic Compounds in Water by GC/MS

Method: 524.2 Analysis Batch: 680-92474 Instrument ID: GC/MS Volatiles - U
Preparation: N/A Lab File ID: u7384.d
Dilution: 1.0 Initial Weight/Volume: 5 mL
Date Analyzed: 11/30/2007 1423 Final Weight/Volume: 5 mL
Date Prepared: N/A

Analyte	Result (ug/L)	Qualifier	MDL	RL
n-Butylbenzene	<0.50		0.14	0.50
N-Propylbenzene	<0.50		0.19	0.50
o-Xylene	<0.50		0.11	0.50
sec-Butylbenzene	<0.50		0.17	0.50
Styrene	<0.50		0.30	0.50
Tert-amyl methyl ether	<0.50		0.091	0.50
tert-Butyl alcohol	<2.0		1.1	2.0
tert-Butylbenzene	<0.50		0.17	0.50
Tert-butyl ethyl ether	<0.50		0.11	0.50
1,1,1,2-Tetrachloroethane	<0.50		0.20	0.50
1,1,2,2-Tetrachloroethane	<0.50		0.15	0.50
Tetrachloroethene	<0.50		0.22	0.50
Toluene	<0.50		0.21	0.50
trans-1,2-Dichloroethene	<0.50		0.22	0.50
trans-1,3-Dichloropropene	<0.50		0.21	0.50
1,2,3-Trichlorobenzene	<0.50		0.12	0.50
1,2,4-Trichlorobenzene	<0.50		0.10	0.50
1,1,1-Trichloroethane	<0.50		0.16	0.50
1,1,2-Trichloroethane	<0.50		0.25	0.50
Trichloroethene	<0.50		0.20	0.50
Trichlorofluoromethane	<0.50		0.31	0.50
1,2,3-Trichloropropane	<0.50		0.22	0.50
Trihalomethanes, Total	<0.50		0.16	0.50
1,2,4-Trimethylbenzene	<0.50		0.17	0.50
1,3,5-Trimethylbenzene	<0.50		0.17	0.50
Vinyl chloride	<0.50		0.29	0.50
Xylenes, Total	<0.50		0.44	0.50

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	95	70 - 130
1,2-Dichlorobenzene-d4	105	70 - 130

Client: Weston Solutions, Inc.

Job Number: 680-32146-1

Client Sample ID: **HAMP-22**

Lab Sample ID: 680-32146-3
Client Matrix: Drinking Water

Date Sampled: 11/20/2007 1030
Date Received: 11/21/2007 0931

524.2 Purgeable Organic Compounds in Water by GC/MS

Method: 524.2
Preparation: N/A
Dilution: 1.0
Date Analyzed: 11/30/2007 1443
Date Prepared: N/A

Analysis Batch: 680-92474

Instrument ID: GC/MS Volatiles - U
Lab File ID: u7385.d
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acetone	<10		2.1	10
Benzene	<0.50		0.19	0.50
Bromobenzene	<0.50		0.13	0.50
Bromoform	<0.50		0.17	0.50
Bromomethane	<1.0		0.49	1.0
Carbon tetrachloride	<0.50		0.38	0.50
Chlorobenzene	<0.50		0.19	0.50
Chlorobromomethane	<0.50		0.27	0.50
Chlorodibromomethane	<0.50		0.16	0.50
Chloroethane	<1.0		0.36	1.0
Chloroform	<0.50		0.20	0.50
Chloromethane	<0.50		0.31	0.50
2-Chlorotoluene	<0.50		0.18	0.50
4-Chlorotoluene	<0.50		0.18	0.50
cis-1,2-Dichloroethene	<0.50		0.25	0.50
cis-1,3-Dichloropropene	<0.50		0.16	0.50
1,2-Dibromo-3-Chloropropane	<0.50		0.29	0.50
Dibromomethane	<0.50		0.18	0.50
1,2-Dichlorobenzene	<0.50		0.23	0.50
1,3-Dichlorobenzene	<0.50		0.19	0.50
1,4-Dichlorobenzene	<0.50		0.17	0.50
Dichlorobromomethane	<0.50		0.19	0.50
Dichlorodifluoromethane	<0.50		0.46	0.50
1,1-Dichloroethane	<0.50		0.23	0.50
1,2-Dichloroethane	<0.50		0.19	0.50
1,1-Dichloroethene	<0.50		0.24	0.50
1,2-Dichloropropane	<0.50		0.22	0.50
1,3-Dichloropropane	<0.50		0.19	0.50
2,2-Dichloropropane	<0.50		0.33	0.50
1,1-Dichloropropene	<0.50		0.19	0.50
1,3-Dichloropropene, Total	<0.50		0.37	0.50
Diisopropyl ether	<0.50		0.16	0.50
Ethylbenzene	<0.50		0.18	0.50
Ethylene Dibromide	<0.50		0.27	0.50
Freon 113	<0.50		0.22	0.50
Hexachlorobutadiene	<0.50		0.20	0.50
2-Hexanone	<10		5.0	10
Isopropylbenzene	<0.50		0.15	0.50
4-Isopropyltoluene	<0.50		0.15	0.50
Methylene Chloride	<0.50		0.21	0.50
2-Butanone (MEK)	<10		5.0	10
4-Methyl-2-pentanone (MIBK)	<10		5.0	10
m-Xylene & p-Xylene	<0.50		0.34	0.50
Naphthalene	<1.0		0.13	1.0

Client: Weston Solutions, Inc.

Job Number: 680-32146-1

Client Sample ID: **HAMP-22**

Lab Sample ID: 680-32146-3
Client Matrix: Drinking Water

Date Sampled: 11/20/2007 1030
Date Received: 11/21/2007 0931

524.2 Purgeable Organic Compounds in Water by GC/MS

Method: 524.2
Preparation: N/A
Dilution: 1.0
Date Analyzed: 11/30/2007 1443
Date Prepared: N/A

Analysis Batch: 680-92474

Instrument ID: GC/MS Volatiles - U
Lab File ID: u7385.d
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	RL
n-Butylbenzene	<0.50		0.14	0.50
N-Propylbenzene	<0.50		0.19	0.50
o-Xylene	<0.50		0.11	0.50
sec-Butylbenzene	<0.50		0.17	0.50
Styrene	<0.50		0.30	0.50
Tert-amyl methyl ether	<0.50		0.091	0.50
tert-Butyl alcohol	<2.0		1.1	2.0
tert-Butylbenzene	<0.50		0.17	0.50
Tert-butyl ethyl ether	<0.50		0.11	0.50
1,1,1,2-Tetrachloroethane	<0.50		0.20	0.50
1,1,2,2-Tetrachloroethane	<0.50		0.15	0.50
Tetrachloroethene	<0.50		0.22	0.50
Toluene	<0.50		0.21	0.50
trans-1,2-Dichloroethene	<0.50		0.22	0.50
trans-1,3-Dichloropropene	<0.50		0.21	0.50
1,2,3-Trichlorobenzene	<0.50		0.12	0.50
1,2,4-Trichlorobenzene	<0.50		0.10	0.50
1,1,1-Trichloroethane	<0.50		0.16	0.50
1,1,2-Trichloroethane	<0.50		0.25	0.50
Trichloroethene	<0.50		0.20	0.50
Trichlorofluoromethane	<0.50		0.31	0.50
1,2,3-Trichloropropane	<0.50		0.22	0.50
Trihalomethanes, Total	<0.50		0.16	0.50
1,2,4-Trimethylbenzene	<0.50		0.17	0.50
1,3,5-Trimethylbenzene	<0.50		0.17	0.50
Vinyl chloride	<0.50		0.29	0.50
Xylenes, Total	<0.50		0.44	0.50

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	90	70 - 130
1,2-Dichlorobenzene-d4	99	70 - 130

Client: Weston Solutions, Inc.

Job Number: 680-32146-1

Client Sample ID: **HAMP-23**

Lab Sample ID: 680-32146-4
Client Matrix: Drinking Water

Date Sampled: 11/20/2007 1035
Date Received: 11/21/2007 0931

524.2 Purgeable Organic Compounds in Water by GC/MS

Method: 524.2
Preparation: N/A
Dilution: 1.0
Date Analyzed: 11/30/2007 1503
Date Prepared: N/A

Analysis Batch: 680-92474

Instrument ID: GC/MS Volatiles - U
Lab File ID: u7386.d
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acetone	4.9	J	2.1	10
Benzene	<0.50		0.19	0.50
Bromobenzene	<0.50		0.13	0.50
Bromoform	1.5		0.17	0.50
Bromomethane	<1.0		0.49	1.0
Carbon tetrachloride	<0.50		0.38	0.50
Chlorobenzene	<0.50		0.19	0.50
Chlorobromomethane	<0.50		0.27	0.50
Chlorodibromomethane	8.3		0.16	0.50
Chloroethane	<1.0		0.36	1.0
Chloroform	8.7		0.20	0.50
Chloromethane	<0.50		0.31	0.50
2-Chlorotoluene	<0.50		0.18	0.50
4-Chlorotoluene	<0.50		0.18	0.50
cis-1,2-Dichloroethene	<0.50		0.25	0.50
cis-1,3-Dichloropropene	<0.50		0.16	0.50
1,2-Dibromo-3-Chloropropane	<0.50		0.29	0.50
Dibromomethane	<0.50		0.18	0.50
1,2-Dichlorobenzene	<0.50		0.23	0.50
1,3-Dichlorobenzene	<0.50		0.19	0.50
1,4-Dichlorobenzene	<0.50		0.17	0.50
Dichlorobromomethane	10		0.19	0.50
Dichlorodifluoromethane	<0.50		0.46	0.50
1,1-Dichloroethane	<0.50		0.23	0.50
1,2-Dichloroethane	<0.50		0.19	0.50
1,1-Dichloroethene	<0.50		0.24	0.50
1,2-Dichloropropane	<0.50		0.22	0.50
1,3-Dichloropropane	<0.50		0.19	0.50
2,2-Dichloropropane	<0.50		0.33	0.50
1,1-Dichloropropene	<0.50		0.19	0.50
1,3-Dichloropropene, Total	<0.50		0.37	0.50
Diisopropyl ether	<0.50		0.16	0.50
Ethylbenzene	<0.50		0.18	0.50
Ethylene Dibromide	<0.50		0.27	0.50
Freon 113	<0.50		0.22	0.50
Hexachlorobutadiene	<0.50		0.20	0.50
2-Hexanone	<10		5.0	10
Isopropylbenzene	<0.50		0.15	0.50
4-Isopropyltoluene	<0.50		0.15	0.50
Methylene Chloride	<0.50		0.21	0.50
2-Butanone (MEK)	<10		5.0	10
4-Methyl-2-pentanone (MIBK)	<10		5.0	10
m-Xylene & p-Xylene	<0.50		0.34	0.50
Naphthalene	<1.0		0.13	1.0

Client: Weston Solutions, Inc.

Job Number: 680-32146-1

Client Sample ID: **HAMP-23**

Lab Sample ID: 680-32146-4
Client Matrix: Drinking Water

Date Sampled: 11/20/2007 1035
Date Received: 11/21/2007 0931

524.2 Purgeable Organic Compounds in Water by GC/MS

Method: 524.2
Preparation: N/A
Dilution: 1.0
Date Analyzed: 11/30/2007 1503
Date Prepared: N/A

Analysis Batch: 680-92474

Instrument ID: GC/MS Volatiles - U
Lab File ID: u7386.d
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	RL
n-Butylbenzene	<0.50		0.14	0.50
N-Propylbenzene	<0.50		0.19	0.50
o-Xylene	<0.50		0.11	0.50
sec-Butylbenzene	<0.50		0.17	0.50
Styrene	<0.50		0.30	0.50
Tert-amyl methyl ether	<0.50		0.091	0.50
tert-Butyl alcohol	<2.0		1.1	2.0
tert-Butylbenzene	<0.50		0.17	0.50
Tert-butyl ethyl ether	<0.50		0.11	0.50
1,1,1,2-Tetrachloroethane	<0.50		0.20	0.50
1,1,2,2-Tetrachloroethane	<0.50		0.15	0.50
Tetrachloroethene	<0.50		0.22	0.50
Toluene	<0.50		0.21	0.50
trans-1,2-Dichloroethene	<0.50		0.22	0.50
trans-1,3-Dichloropropene	<0.50		0.21	0.50
1,2,3-Trichlorobenzene	<0.50		0.12	0.50
1,2,4-Trichlorobenzene	<0.50		0.10	0.50
1,1,1-Trichloroethane	<0.50		0.16	0.50
1,1,2-Trichloroethane	<0.50		0.25	0.50
Trichloroethene	<0.50		0.20	0.50
Trichlorofluoromethane	<0.50		0.31	0.50
1,2,3-Trichloropropane	<0.50		0.22	0.50
Trihalomethanes, Total	28.5		0.16	0.50
1,2,4-Trimethylbenzene	<0.50		0.17	0.50
1,3,5-Trimethylbenzene	<0.50		0.17	0.50
Vinyl chloride	<0.50		0.29	0.50
Xylenes, Total	<0.50		0.44	0.50

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	98	70 - 130
1,2-Dichlorobenzene-d4	109	70 - 130

Client: Weston Solutions, Inc.

Job Number: 680-32146-1

Client Sample ID: **Trip Blank**

Lab Sample ID: 680-32146-5TB
Client Matrix: Drinking Water

Date Sampled: 11/19/2007 0900
Date Received: 11/21/2007 0931

524.2 Purgeable Organic Compounds in Water by GC/MS

Method: 524.2
Preparation: N/A
Dilution: 1.0
Date Analyzed: 11/30/2007 1402
Date Prepared: N/A

Analysis Batch: 680-92474

Instrument ID: GC/MS Volatiles - U
Lab File ID: u7383.d
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acetone	<10		2.1	10
Benzene	<0.50		0.19	0.50
Bromobenzene	<0.50		0.13	0.50
Bromoform	<0.50		0.17	0.50
Bromomethane	<1.0		0.49	1.0
Carbon tetrachloride	<0.50		0.38	0.50
Chlorobenzene	<0.50		0.19	0.50
Chlorobromomethane	<0.50		0.27	0.50
Chlorodibromomethane	<0.50		0.16	0.50
Chloroethane	<1.0		0.36	1.0
Chloroform	<0.50		0.20	0.50
Chloromethane	<0.50		0.31	0.50
2-Chlorotoluene	<0.50		0.18	0.50
4-Chlorotoluene	<0.50		0.18	0.50
cis-1,2-Dichloroethene	<0.50		0.25	0.50
cis-1,3-Dichloropropene	<0.50		0.16	0.50
1,2-Dibromo-3-Chloropropane	<0.50		0.29	0.50
Dibromomethane	<0.50		0.18	0.50
1,2-Dichlorobenzene	<0.50		0.23	0.50
1,3-Dichlorobenzene	<0.50		0.19	0.50
1,4-Dichlorobenzene	<0.50		0.17	0.50
Dichlorobromomethane	<0.50		0.19	0.50
Dichlorodifluoromethane	<0.50		0.46	0.50
1,1-Dichloroethane	<0.50		0.23	0.50
1,2-Dichloroethane	<0.50		0.19	0.50
1,1-Dichloroethene	<0.50		0.24	0.50
1,2-Dichloropropane	<0.50		0.22	0.50
1,3-Dichloropropane	<0.50		0.19	0.50
2,2-Dichloropropane	<0.50		0.33	0.50
1,1-Dichloropropene	<0.50		0.19	0.50
1,3-Dichloropropene, Total	<0.50		0.37	0.50
Diisopropyl ether	<0.50		0.16	0.50
Ethylbenzene	<0.50		0.18	0.50
Ethylene Dibromide	<0.50		0.27	0.50
Freon 113	<0.50		0.22	0.50
Hexachlorobutadiene	<0.50		0.20	0.50
2-Hexanone	<10		5.0	10
Isopropylbenzene	<0.50		0.15	0.50
4-Isopropyltoluene	<0.50		0.15	0.50
Methylene Chloride	<0.50		0.21	0.50
2-Butanone (MEK)	<10		5.0	10
4-Methyl-2-pentanone (MIBK)	<10		5.0	10
m-Xylene & p-Xylene	<0.50		0.34	0.50
Naphthalene	<1.0		0.13	1.0

Client: Weston Solutions, Inc. Job Number: 680-32146-1

Client Sample ID: **Trip Blank**

Lab Sample ID: 680-32146-5TB
Client Matrix: Drinking Water

Date Sampled: 11/19/2007 0900
Date Received: 11/21/2007 0931

524.2 Purgeable Organic Compounds in Water by GC/MS

Method: 524.2
Preparation: N/A
Dilution: 1.0
Date Analyzed: 11/30/2007 1402
Date Prepared: N/A

Analysis Batch: 680-92474

Instrument ID: GC/MS Volatiles - U
Lab File ID: u7383.d
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	RL
n-Butylbenzene	<0.50		0.14	0.50
N-Propylbenzene	<0.50		0.19	0.50
o-Xylene	<0.50		0.11	0.50
sec-Butylbenzene	<0.50		0.17	0.50
Styrene	<0.50		0.30	0.50
Tert-amyl methyl ether	<0.50		0.091	0.50
tert-Butyl alcohol	<2.0		1.1	2.0
tert-Butylbenzene	<0.50		0.17	0.50
Tert-butyl ethyl ether	<0.50		0.11	0.50
1,1,1,2-Tetrachloroethane	<0.50		0.20	0.50
1,1,2,2-Tetrachloroethane	<0.50		0.15	0.50
Tetrachloroethene	<0.50		0.22	0.50
Toluene	<0.50		0.21	0.50
trans-1,2-Dichloroethene	<0.50		0.22	0.50
trans-1,3-Dichloropropene	<0.50		0.21	0.50
1,2,3-Trichlorobenzene	<0.50		0.12	0.50
1,2,4-Trichlorobenzene	<0.50		0.10	0.50
1,1,1-Trichloroethane	<0.50		0.16	0.50
1,1,2-Trichloroethane	<0.50		0.25	0.50
Trichloroethene	<0.50		0.20	0.50
Trichlorofluoromethane	<0.50		0.31	0.50
1,2,3-Trichloropropane	<0.50		0.22	0.50
Trihalomethanes, Total	<0.50		0.16	0.50
1,2,4-Trimethylbenzene	<0.50		0.17	0.50
1,3,5-Trimethylbenzene	<0.50		0.17	0.50
Vinyl chloride	<0.50		0.29	0.50
Xylenes, Total	<0.50		0.44	0.50

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	92	70 - 130
1,2-Dichlorobenzene-d4	100	70 - 130

DATA REPORTING QUALIFIERS

Client: Weston Solutions, Inc. Job Number: 680-32146-1

Lab Section	Qualifier	Description
GC/MS VOA		
	B	Compound was found in the blank and sample.
	J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Client: Weston Solutions, Inc.

Job Number: 680-32146-1

Surrogate Recovery Report

524.2 Purgeable Organic Compounds in Water by GC/MS

Client Matrix: Water

Lab Sample ID	Client Sample ID	BFB %Rec	12DCB %Rec
680-32146-1	RFW-20	93	102
680-32146-2	RFW-21	95	105
680-32146-3	HAMP-22	90	99
680-32146-4	HAMP-23	98	109
680-32146-5	Trip Blank	92	100
MB 680-92474/13		94	102
LCS 680-92474/12		104	116

Surrogate	Acceptance Limits
BFB = 4-Bromofluorobenzene	70-130
12DCB = 1,2-Dichlorobenzene-d4	70-130

Client: Weston Solutions, Inc.

Job Number: 680-32146-1

Method Blank - Batch: 680-92474

Method: 524.2
Preparation: N/A

Lab Sample ID: MB 680-92474/13
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 11/30/2007 1302
Date Prepared: N/A

Analysis Batch: 680-92474
Prep Batch: N/A
Units: ug/L

Instrument ID: GC/MS Volatiles - U
Lab File ID: uq2469.d
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	RL
Acetone	<10		2.1	10
Benzene	<0.50		0.19	0.50
Bromobenzene	<0.50		0.13	0.50
Bromoform	<0.50		0.17	0.50
Bromomethane	<1.0		0.49	1.0
Carbon tetrachloride	<0.50		0.38	0.50
Chlorobenzene	<0.50		0.19	0.50
Chlorobromomethane	<0.50		0.27	0.50
Chlorodibromomethane	<0.50		0.16	0.50
Chloroethane	<1.0		0.36	1.0
Chloroform	<0.50		0.20	0.50
Chloromethane	<0.50		0.31	0.50
2-Chlorotoluene	<0.50		0.18	0.50
4-Chlorotoluene	<0.50		0.18	0.50
cis-1,2-Dichloroethene	<0.50		0.25	0.50
cis-1,3-Dichloropropene	<0.50		0.16	0.50
1,2-Dibromo-3-Chloropropane	<0.50		0.29	0.50
Dibromomethane	<0.50		0.18	0.50
1,2-Dichlorobenzene	<0.50		0.23	0.50
1,3-Dichlorobenzene	<0.50		0.19	0.50
1,4-Dichlorobenzene	<0.50		0.17	0.50
Dichlorobromomethane	<0.50		0.19	0.50
Dichlorodifluoromethane	<0.50		0.46	0.50
1,1-Dichloroethane	<0.50		0.23	0.50
1,2-Dichloroethane	<0.50		0.19	0.50
1,1-Dichloroethene	<0.50		0.24	0.50
1,2-Dichloropropane	<0.50		0.22	0.50
1,3-Dichloropropane	<0.50		0.19	0.50
2,2-Dichloropropane	<0.50		0.33	0.50
1,1-Dichloropropene	<0.50		0.19	0.50
1,3-Dichloropropene, Total	<0.50		0.37	0.50
Diisopropyl ether	<0.50		0.16	0.50
Ethylbenzene	<0.50		0.18	0.50
Ethylene Dibromide	<0.50		0.27	0.50
Freon 113	<0.50		0.22	0.50
Hexachlorobutadiene	<0.50		0.20	0.50
2-Hexanone	<10		5.0	10
Isopropylbenzene	<0.50		0.15	0.50
4-Isopropyltoluene	<0.50		0.15	0.50
Methylene Chloride	0.57		0.21	0.50
2-Butanone (MEK)	<10		5.0	10

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Weston Solutions, Inc.

Job Number: 680-32146-1

Method Blank - Batch: 680-92474

Method: 524.2
Preparation: N/A

Lab Sample ID: MB 680-92474/13
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 11/30/2007 1302
Date Prepared: N/A

Analysis Batch: 680-92474
Prep Batch: N/A
Units: ug/L

Instrument ID: GC/MS Volatiles - U
Lab File ID: uq2469.d
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	RL
4-Methyl-2-pentanone (MIBK)	<10		5.0	10
m-Xylene & p-Xylene	<0.50		0.34	0.50
Naphthalene	<1.0		0.13	1.0
n-Butylbenzene	<0.50		0.14	0.50
N-Propylbenzene	<0.50		0.19	0.50
o-Xylene	<0.50		0.11	0.50
sec-Butylbenzene	<0.50		0.17	0.50
Styrene	<0.50		0.30	0.50
Tert-amyl methyl ether	<0.50		0.091	0.50
tert-Butyl alcohol	<2.0		1.1	2.0
tert-Butylbenzene	<0.50		0.17	0.50
Tert-butyl ethyl ether	<0.50		0.11	0.50
1,1,1,2-Tetrachloroethane	<0.50		0.20	0.50
1,1,2,2-Tetrachloroethane	<0.50		0.15	0.50
Tetrachloroethene	<0.50		0.22	0.50
Toluene	<0.50		0.21	0.50
trans-1,2-Dichloroethene	<0.50		0.22	0.50
trans-1,3-Dichloropropene	<0.50		0.21	0.50
1,2,3-Trichlorobenzene	<0.50		0.12	0.50
1,2,4-Trichlorobenzene	<0.50		0.10	0.50
1,1,1-Trichloroethane	<0.50		0.16	0.50
1,1,2-Trichloroethane	<0.50		0.25	0.50
Trichloroethene	<0.50		0.20	0.50
Trichlorofluoromethane	<0.50		0.31	0.50
1,2,3-Trichloropropane	<0.50		0.22	0.50
Trihalomethanes, Total	<0.50		0.16	0.50
1,2,4-Trimethylbenzene	<0.50		0.17	0.50
1,3,5-Trimethylbenzene	<0.50		0.17	0.50
Vinyl chloride	<0.50		0.29	0.50
Xylenes, Total	<0.50		0.44	0.50

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	94	70 - 130
1,2-Dichlorobenzene-d4	102	70 - 130

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Weston Solutions, Inc.

Job Number: 680-32146-1

Lab Control Spike - Batch: 680-92474

Method: 524.2
Preparation: N/A

Lab Sample ID: LCS 680-92474/12
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 11/30/2007 1041
Date Prepared: N/A

Analysis Batch: 680-92474
Prep Batch: N/A
Units: ug/L

Instrument ID: GC/MS Volatiles - U
Lab File ID: uq2467.d
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Acetone	40.0	28.4	71	70 - 130	
Benzene	20.0	17.9	90	70 - 130	
Bromobenzene	20.0	20.5	102	70 - 130	
Bromoform	20.0	24.0	120	70 - 130	
Bromomethane	20.0	23.8	119	70 - 130	
Carbon tetrachloride	20.0	22.5	112	70 - 130	
Chlorobenzene	20.0	19.6	98	70 - 130	
Chlorobromomethane	20.0	19.0	95	70 - 130	
Chlorodibromomethane	20.0	22.1	111	70 - 130	
Chloroethane	20.0	22.9	114	70 - 130	
Chloroform	20.0	18.3	91	70 - 130	
Chloromethane	20.0	18.8	94	70 - 130	
2-Chlorotoluene	20.0	19.0	95	70 - 130	
4-Chlorotoluene	20.0	20.4	102	70 - 130	
cis-1,2-Dichloroethene	20.0	19.2	96	70 - 130	
cis-1,3-Dichloropropene	20.0	17.6	88	70 - 130	
1,2-Dibromo-3-Chloropropane	20.0	17.2	86	70 - 130	
Dibromomethane	20.0	18.2	91	70 - 130	
1,2-Dichlorobenzene	20.0	21.4	107	70 - 130	
1,3-Dichlorobenzene	20.0	21.9	109	70 - 130	
1,4-Dichlorobenzene	20.0	21.6	108	70 - 130	
Dichlorobromomethane	20.0	19.4	97	70 - 130	
Dichlorodifluoromethane	20.0	18.4	92	70 - 130	
1,1-Dichloroethane	20.0	18.1	91	70 - 130	
1,2-Dichloroethane	20.0	18.3	92	70 - 130	
1,1-Dichloroethene	20.0	18.7	93	70 - 130	
1,2-Dichloropropane	20.0	17.2	86	70 - 130	
1,3-Dichloropropane	20.0	17.2	86	70 - 130	
2,2-Dichloropropane	20.0	13.9	70	70 - 130	
1,1-Dichloropropene	20.0	18.2	91	70 - 130	
Diisopropyl ether	16.0	14.9	93	70 - 130	
Ethylbenzene	20.0	18.9	95	70 - 130	
Ethylene Dibromide	20.0	19.4	97	70 - 130	
Freon 113	16.0	19.6	122	70 - 130	
Hexachlorobutadiene	20.0	22.2	111	70 - 130	
2-Hexanone	40.0	31.3	78	70 - 130	
Isopropylbenzene	20.0	20.5	103	70 - 130	
4-Isopropyltoluene	20.0	22.3	112	70 - 130	
Methylene Chloride	20.0	17.7	89	70 - 130	B
2-Butanone (MEK)	40.0	29.3	73	70 - 130	
4-Methyl-2-pentanone (MIBK)	40.0	32.6	82	70 - 130	

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Weston Solutions, Inc.

Job Number: 680-32146-1

Lab Control Spike - Batch: 680-92474

Method: 524.2
Preparation: N/A

Lab Sample ID: LCS 680-92474/12
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 11/30/2007 1041
Date Prepared: N/A

Analysis Batch: 680-92474
Prep Batch: N/A
Units: ug/L

Instrument ID: GC/MS Volatiles - U
Lab File ID: uq2467.d
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
m-Xylene & p-Xylene	40.0	40.2	101	70 - 130	
Naphthalene	20.0	22.4	112	70 - 130	
n-Butylbenzene	20.0	20.6	103	70 - 130	
N-Propylbenzene	20.0	20.0	100	70 - 130	
o-Xylene	20.0	20.6	103	70 - 130	
sec-Butylbenzene	20.0	21.5	107	70 - 130	
Styrene	20.0	21.0	105	70 - 130	
Tert-amyl methyl ether	16.6	13.9	84	70 - 130	
tert-Butyl alcohol	80.0	65.3	82	70 - 130	
tert-Butylbenzene	20.0	22.1	111	70 - 130	
Tert-butyl ethyl ether	15.9	14.6	92	70 - 130	
1,1,1,2-Tetrachloroethane	20.0	22.6	113	70 - 130	
1,1,2,2-Tetrachloroethane	20.0	16.9	85	70 - 130	
Tetrachloroethene	20.0	22.1	111	70 - 130	
Toluene	20.0	19.0	95	70 - 130	
trans-1,2-Dichloroethene	20.0	18.9	95	70 - 130	
trans-1,3-Dichloropropene	20.0	18.5	93	70 - 130	
1,2,3-Trichlorobenzene	20.0	24.1	121	70 - 130	
1,2,4-Trichlorobenzene	20.0	23.8	119	70 - 130	
1,1,1-Trichloroethane	20.0	20.7	103	70 - 130	
1,1,2-Trichloroethane	20.0	17.2	86	70 - 130	
Trichloroethene	20.0	18.5	92	70 - 130	
Trichlorofluoromethane	20.0	23.4	117	70 - 130	
1,2,3-Trichloropropane	20.0	19.0	95	70 - 130	
Trihalomethanes, Total	80.0	83.0	104	70 - 130	
1,2,4-Trimethylbenzene	20.0	22.3	111	70 - 130	
1,3,5-Trimethylbenzene	20.0	22.3	111	70 - 130	
Vinyl chloride	20.0	18.3	91	70 - 130	
Xylenes, Total	60.0	60.8	101	70 - 130	

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	104	70 - 130
1,2-Dichlorobenzene-d4	116	70 - 130

Calculations are performed before rounding to avoid round-off errors in calculated results.

Chain of Custody Record

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

01/15/2008

TAL-4142 (0907)

Client: Black + Decker / Western	Project Manager: Greg Flasnasky	Date: 11/20/07	Chain of Custody Number: 383194
Address: 1400 Western Way	Telephone Number (Area Code)/Fax Number: 610.701.7293	Lab Number	Page 1 of 1
City: W Chester / State: PA / Zip Code: 19380	Site Contact	Lab Contact: Abbie Page	
Project Name and Location (State): Black + Decker, Hampstead, MD	Carrier/Waybill Number		
Contract/Purchase Order/Quote No.			

Sample I.D. No. and Description (Containers for each sample may be combined on one line)	Date	Time	Matrix: Air	Aqueous	Sed	Soil	Containers & Preservatives: Unpres.	H_2SO_4	HNO_3	HCl	NaOH	ZnAc/NaOH	Analysis (Attach list if more space is needed): 524.2
RFW-20	11/20/07	1045		✓						3			✓
RFW-21	11/19/07	1250								3			✓
HAMP-22	11/20/07	1030								3			✓
HAMP-23	11/20/07	1035								3			✓
Trip Blank	11/14/07	900								3			✓

Special Instructions/ Conditions of Receipt

524.2
Drinking water

680.32146

TEMP. 4.8

Page 21 of 21

Possible Hazard Identification
☑ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown

Sample Disposal
☐ Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months (A fee may be assessed if samples are retained longer than 1 month)

Turn Around Time Required
☐ 24 Hours ☐ 48 Hours ☐ 7 Days ☐ 14 Days ☐ 21 Days ☐ Other _____

QC Requirements (Specify)

1. Relinquished By	Date: 11/20/07	Time: 1700	1. Received By: KARL I HAL	Date: 112107	Time: 0931
2. Relinquished By	Date	Time	2. Received By	Date	Time
3. Relinquished By	Date	Time	3. Received By	Date	Time

Comments

DISTRIBUTION: WHITE - Returned to Client with Report; CANARY - Stays with the Sample; PINK - Field Copy

Weston Solutions, Inc.
1400 Weston Way
P.O. Box 2653
West Chester, Pennsylvania 19380
610-701-3000 • Fax 610-701-3186
www.westonsolutions.com

30 January 2008

Mr. Arthur O'Connell
Waste Management Administration
Maryland Department of the Environment
1800 Washington Blvd
Baltimore, MD 21230

Re: Black & Decker Hampstead Facility

Dear Mr. O'Connell

On behalf of our client, Black & Decker (U.S.) Inc. (Black & Decker), Weston Solutions, Inc. (WESTON®) provides enclosed with this letter two copies of the Quarterly Groundwater Monitoring Report for the period of October through December 2007. This report has been drafted for your review pursuant to the Administrative Consent Order of 13 April 1995.

If you have any questions regarding the enclosure, please contact me at (610) 701-7360.

Very truly yours,

WESTON SOLUTIONS, INC.

Thomas Cornuet

Thomas Cornuet, P.G.
Project Manager

Enclosure
cc: L. Biagioni, B&D
J. Freed, B&D
T. Lynch III, M&S
K. Decker, Town of Hampstead
L. Bove, WESTON (w/o encl.)
B. Dietz, MDE (w/o encl.)

Weston Solutions, Inc.
1400 Weston Way
P.O. Box 2653
West Chester, Pennsylvania 19380
610-701-3000 • Fax 610-701-3186
www.westonsolutions.com

30 January 2008

Mr. Charlie Zeleski
Carroll County Health Department
Bureau of Environmental Health
P.O. Box 845
290 S. Center St.
Westminster, MD 21158

Re: Black & Decker Hampstead Facility

Dear Mr. Zeleski:

On behalf of our client, Black & Decker (U.S.) Inc. (Black & Decker), Weston Solutions, Inc. (WESTON®) provides enclosed with this letter a copy of the Quarterly Groundwater Monitoring Report for the period of October through December 2007.

If you have any questions regarding the enclosure, please contact me at (610) 701-7360.

Very truly yours,

WESTON SOLUTIONS, INC.

Thomas Cornuet

Thomas Cornuet, P.G.
Project Manager

Enclosure
cc: L. Biagioni, B&D
J. Freed, B&D
T. Lynch III, M&S
L. Bove, WESTON (w/o encl.)

Weston Solutions, Inc.
1400 Weston Way
P.O. Box 2653
West Chester, Pennsylvania 19380
610-701-3000 • Fax 610-701-3186
www.westonsolutions.com

30 January 2008

Mr. Matthew G. Pajerowski
Water Rights Administration
Maryland Department of the Environment
1800 Washington Blvd.
Baltimore, MD 21230

RE: Permit No. CL66G029(06)
Black & Decker Hampstead Facility
Water Level Monitoring Report

Dear Mr. Pajerowski:

In accordance with the Water Appropriation Permit issued to the Black and Decker (U.S.), Inc. Hampstead, Maryland, facility, enclosed is the Water Level Monitoring Report for the period of July through December 2007. Please note that, in accordance with the referenced permit, Black & Decker also has submitted pumping records under separate cover.

Please call Thomas Cornuet at (610) 701-7360 if you have any questions regarding the enclosed.

Very truly yours,

WESTON SOLUTIONS, INC.

Thomas Cornuet

Thomas Cornuet, P.G.
Project Manager

Enclosure

cc: L. Biagioni, B&D (w/o encl.)
J. Freed, B&D (w/o encl.)
T. Lynch, M&S (w/o encl.)
L. Bove, WESTON (w/o encl.)