

ANNUAL REPORT

Prepared for

BLACK & DECKER (U.S.), INC.
Hampstead, Maryland

July 2006

Prepared by

WESTON SOLUTIONS, INC.
West Chester, Pennsylvania 19380-1499

W.O. No. 02501.004.004.0200

TABLE OF CONTENTS

Section	Page
1. INTRODUCTION.....	1-1
2. SITE CHARACTERISTICS.....	2-1
2.1 HYDRAULIC PROPERTIES	2-1
2.2 EFFLUENT CHARACTERISTICS	2-1
2.3 GROUNDWATER QUALITY DATA	2-1
3. OPERATION AND MAINTENANCE OF THE TREATMENT SYSTEM.....	3-1
4. TREATMENT SYSTEM PERFORMANCE EVALUATION.....	4-1
5. RECOMMENDATIONS.....	5-1

LIST OF APPENDICES

APPENDIX A – WITHDRAWAL REPORTS

APPENDIX B – DISCHARGE MONITORING REPORTS

APPENDIX C – GROUNDWATER TREATMENT SYSTEM ANALYTICAL RESULTS

APPENDIX D - GROUNDWATER ANALYTICAL DATA PACKAGE (MAY 2006)

LIST OF FIGURES

Figure	Page
Figure 2-1 Groundwater Elevation Contour Map Under Pumping Conditions (June 2006).....	2-6

LIST OF TABLES

Table	Page
Table 2-1 Treatment System Pumping Records (July 2005 through June 2006)	2-2
Table 2-2 Groundwater Elevation Data (July 2005 through June 2006)	2-3
Table 2-3 Effluent Characteristics Summary (July 2005 through June 2006).....	2-7
Table 2-4 Summary of Groundwater Analytical Results – August 2005	2-10
Table 2-5 Summary of Groundwater Analytical Results – November 2005	2-13
Table 2-6 Summary of Groundwater Analytical Results – February 2006	2-16
Table 2-7 Summary of Groundwater Analytical Results – May 2006	2-19
Table 3-1 Treatment System Maintenance Activities (July 2005 through June 2006).....	3-2

1. INTRODUCTION

This Annual Report has been prepared to meet the requirements of Condition IV.L of the Administrative Consent Order between the State of Maryland Department of the Environment (MDE) and Black & Decker (U.S.) Inc. (April 1995) (Consent Order) and the Addendum to Administrative Consent Order dated 29 June 1995. Specifically, Condition IV.L calls for preparation of an Annual Report containing a summary of the information contained in the Discharge Monitoring Reports (Table 2-3), a summary of all analyses of water samples (Tables 2-4 to 2-7), an explanation of all problems encountered and the manner in which they were resolved (Table 3-1), a performance evaluation of the treatment system (Section 4), and recommendations for continuation of, or changes to, the treatment system (Section 5). This document is one of several that are being prepared in response to the Consent Order; each of these documents are to be submitted to the MDE in accordance with the schedule outlined in the Consent Order. This document will become part of the Administrative Record for the site, which is maintained at the Hampstead Public Library.

2. SITE CHARACTERISTICS

2.1 HYDRAULIC PROPERTIES

In accordance with the Consent Order and the Water Appropriation Permit issued to the Black & Decker (U.S.) Inc. Hampstead, Maryland, facility, the following pumping and water level information is included for the period of July 2005 through June 2006.

Pumping records showing the total gallons pumped per month of treatment system operation are presented in Table 2-1. Copies of the Withdrawal Reports, for the periods of July through December 2005 and January through June 2006, are included in Appendix A.

Water levels (Water Level Monitoring Report) for wells included in the water level monitoring plan are presented in Table 2-2. Based on the June 2006 water levels, a representative groundwater elevation contour map under pumping conditions is presented in Figure 2-1. At the time the data were collected, the extraction wells were pumping at a combined rate of approximately 169 gpm.

2.2 EFFLUENT CHARACTERISTICS

Effluent characteristics of the NPDES discharge points are recorded monthly on Discharge Monitoring Reports (DMRs) and are submitted to MDE, Water Management Administration on a quarterly basis. A summary of the sample results from the DMRs is presented in Table 2-3. DMRs for the period of July 2005 through June 2006 are included in Appendix B.

2.3 GROUNDWATER QUALITY DATA

For the reporting period of July 2005 through June 2006, approximately 138 pounds (lb) of total volatile organic compounds (VOCs) were removed from the groundwater by the extraction and treatment system. In general, the total VOCs were comprised of trichloroethene (TCE) (68 %), tetrachloroethene (PCE) (32 %). Analytical results of the groundwater collected at the inlet to the air stripper for the period of July 2005 through June 2006 are included in Appendix C.

A summary of the analytical results of the groundwater samples collected from the monitor and extraction wells during the third and fourth quarters of 2005 and the first and second quarters of

Table 2-1
Treatment System Pumping Records
(July 2005 through June 2006)

Black & Decker
Hampstead, Maryland

Date	Water Pumped (gallons)
July 2005	7,238,781
August 2005	7,117,255
September 2005	6,741,037
October 2005	6,891,562
November 2005	6,662,063
December 2005	6,522,500
January 2006	6,686,728
February 2006	6,248,297
March 2006	6,852,072
April 2006	6,787,343
May 2006	6,613,267
June 2006	6,280,593

Table 2-2
Groundwater Elevation Data (July 2005 through June 2006)
Black & Decker
Hampstead, Maryland

WELL NO.	TOC ELEV	TOTAL DEPTH	7/13/2005		8/18/2005		9/30/05		10/26/2005	
			DTW	ELEV	DTW	ELEV	DTW	ELEV	DTW	ELEV
EW-1	847.21	55	DRY	NA	DRY	NA	DRY	NA	DRY	NA
EW-2	849.21	110	91.42	757.79	101.30	747.91	92.84	756.37	92.00	757.21
EW-3	846.64	118	88.18	758.46	89.43	757.21	89.40	757.24	90.80	755.84
EW-4	858.01	97.5	NA	NA	NA	NA	NA	NA	NA	NA
EW-5	864.17	98	90.89	773.28	90.66	773.51	91.47	772.70	79.43	784.74
EW-6	831.98	115	82.11	749.87	82.72	749.26	83.67	748.31	86.48	745.50
EW-7	818.38	78	42.13	776.25	38.45	779.93	49.41	768.97	42.14	776.24
EW-8	811.13	98	43.58	767.55	44.81	766.32	47.38	763.75	49.18	761.95
EW-9	811.35	141	94.73	716.62	104.50	706.85	96.88	714.47	102.57	708.78
EW-10	807.74	NA	44.86	762.88	42.71	765.03	48.00	759.74	50.97	756.77
RFW-1A	864.37	78	50.43	813.94	49.43	814.94	51.55	812.82	50.81	813.56
RFW-1B	864.23	200	50.45	813.78	49.46	814.77	51.58	812.65	50.87	813.36
RFW-2A	857.41	35	13.07	844.34	15.71	841.70	14.11	843.30	12.26	845.15
RFW-2B	857.73	75	13.84	843.89	16.32	841.41	14.68	843.05	12.93	844.80
RFW-3B	839.21	153	27.26	811.95	30.37	808.84	29.32	809.89	27.84	811.37
RFW-4A	830.37	62	36.96	793.41	37.90	792.47	38.77	791.60	28.08	802.29
RFW-4B	830.37	120	36.84	793.53	37.76	792.61	38.70	791.67	38.03	792.34
RFW-5A	817.50	30	DRY	NA	DRY	NA	DRY	NA	DRY	NA
RFW-6	785.04	120	2.94	782.10	3.99	781.05	4.23	780.81	3.51	781.53
RFW-7	805.14	29	7.57	797.57	7.51	797.63	8.19	796.95	6.89	798.25
RFW-8	860.07	53	DRY	NA	DRY	NA	DRY	NA	DRY	NA
RFW-9	862.02	49	25.11	836.91	26.43	835.59	27.43	834.59	26.87	835.15
RFW-10	852.06	58	DRY	NA	DRY	NA	DRY	NA	DRY	NA
RFW-11A	849.32	72	NA	NA	NA	NA	NA	NA	NA	NA
RFW-11B	849.62	116	71.11	778.51	70.14	779.48	72.46	777.16	72.22	777.40
RFW-12B	844.87	264	51.47	793.40	51.42	793.45	55.69	789.18	55.11	789.76
RFW-13	849.11	150	59.13	789.98	58.93	790.18	60.31	788.80	60.42	788.69
RFW-14B	812.39	281	33.91	778.48	34.43	777.96	34.44	777.95	34.11	778.28
RFW-16	856.14	41	DRY	NA	DRY	NA	DRY	NA	DRY	NA
RFW-17	834.66	60.5	25.99	808.67	27.01	807.65	27.76	806.90	26.88	807.78
RFW-20	842.29	142	33.47	808.82	34.14	808.15	34.11	808.18	34.01	808.28
RFW-21	832.65	102	21.26	811.39	21.76	810.89	22.69	809.96	22.37	810.28
PH-7	805.94	89	19.00	786.94	19.56	786.38	19.76	786.18	20.02	785.92
PH-9	814.94	98	31.17	783.77	32.90	782.04	33.13	781.81	36.26	778.68
PH-11	820.68	78	42.03	778.65	42.38	778.30	43.94	776.74	42.41	778.27
PH-12	828.35	87	42.93	785.42	43.67	784.68	44.27	784.08	42.87	785.48
B-3	803.02	83	NA	NA	NA	NA	NA	NA	NA	NA
Amoco	842.29	NA	NA	NA	NA	NA	NA	NA	NA	NA
Hamp. Town #22	804.96	NA	31.40	773.56	29.56	775.40	19.57	785.39	27.11	777.85
Pembroke #1	NA	NA	11.99	NA	12.35	NA	12.68	NA	NA	NA
Pembroke #2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
N. Houcks. Rd.	NA	NA	10.18	NA	10.80	NA	9.89	NA	9.89	NA
E. Century St.	NA	NA	29.11	NA	26.53	NA	27.59	NA	19.94	NA
Lwr. Beckleys. Rd.	NA	NA	52.26	NA	NA	NA	54.26	NA	55.89	NA

Table 2-2
Groundwater Elevation Data (July 2005 through June 2006)
Black & Decker
Hampstead, Maryland

WELL NO.	TOC ELEV	TOTAL DEPTH	11/29/2005		12/15/2005		1/19/2006		2/27/2006	
			DTW	ELEV	DTW	ELEV	DTW	ELEV	DTW	ELEV
EW-1	847.21	55	DRY	NA	DRY	NA	DRY	NA	DRY	NA
EW-2	849.21	110	95.46	753.75	88.22	760.99	89.74	759.47	95.10	754.11
EW-3	846.64	118	78.81	767.83	81.42	765.22	94.61	752.03	97.31	749.33
EW-4	858.01	97.5	NA	NA	NA	NA	NA	NA	NA	NA
EW-5	864.17	98	82.06	782.11	82.99	781.18	84.40	779.77	84.88	779.29
EW-6	831.98	115	92.40	739.58	91.00	740.98	87.96	744.02	88.47	743.51
EW-7	818.38	78	43.50	774.88	44.72	773.66	44.97	773.41	47.31	771.07
EW-8	811.13	98	48.95	762.18	51.11	760.02	48.03	763.10	49.11	762.02
EW-9	811.35	141	103.20	708.15	100.84	710.51	101.40	709.95	100.05	711.30
EW-10	807.74	NA	52.47	755.27	51.71	756.03	44.03	763.71	45.87	761.87
RFW-1A	864.37	78	51.67	812.70	51.60	812.77	51.43	812.94	50.16	814.21
RFW-1B	864.23	200	51.73	812.50	51.62	812.61	51.46	812.77	50.24	813.99
RFW-2A	857.41	35	15.55	841.86	15.30	842.11	16.01	841.40	12.64	844.77
RFW-2B	857.73	75	16.28	841.45	15.99	841.74	16.43	841.30	13.28	844.45
RFW-3B	839.21	153	33.08	806.13	32.98	806.23	32.27	806.94	29.33	809.88
RFW-4A	830.37	62	38.53	791.84	38.21	792.16	37.33	793.04	36.28	794.09
RFW-4B	830.37	120	38.33	792.04	38.06	792.31	37.21	793.16	36.11	794.26
RFW-5A	817.50	30	DRY	NA	DRY	NA	DRY	NA	DRY	NA
RFW-6	785.04	120	4.41	780.63	2.43	782.61	3.48	781.56	3.74	781.30
RFW-7	805.14	29	7.10	798.04	7.94	797.20	7.71	797.43	5.68	799.46
RFW-8	860.07	53	DRY	NA	DRY	NA	DRY	NA	DRY	NA
RFW-9	862.02	49	26.50	835.52	26.41	835.61	25.64	836.38	24.76	837.26
RFW-10	852.06	58	DRY	NA	DRY	NA	DRY	NA	DRY	NA
RFW-11A	849.32	72	NA	NA	NA	NA	NA	NA	NA	NA
RFW-11B	849.62	116	69.18	780.44	70.14	779.48	71.47	778.15	69.54	780.08
RFW-12B	844.87	264	53.67	791.20	53.61	791.26	54.30	790.57	53.86	791.01
RFW-13	849.11	150	62.05	787.06	61.89	787.22	61.40	787.71	62.60	786.51
RFW-14B	812.39	281	35.88	776.51	35.94	776.45	35.86	776.53	34.71	777.68
RFW-16	856.14	41	DRY	NA	DRY	NA	DRY	NA	DRY	NA
RFW-17	834.66	60.5	27.86	806.80	27.81	806.85	27.60	807.06	25.83	808.83
RFW-20	842.29	142	32.62	809.67	32.64	809.65	31.99	810.30	33.71	808.58
RFW-21	832.65	102	22.52	810.13	22.45	810.20	22.50	810.15	21.20	811.45
PH-7	805.94	89	24.11	781.83	23.98	781.96	23.08	782.86	23.78	782.16
PH-9	814.94	98	37.04	777.90	37.13	777.81	37.46	777.48	38.11	776.83
PH-11	820.68	78	42.55	778.13	42.47	778.21	43.01	777.67	42.88	777.80
PH-12	828.35	87	42.98	785.37	42.63	785.72	43.29	785.06	43.35	785.00
B-3	803.02	83	NA	NA	NA	NA	NA	NA	NA	NA
Amoco	842.29	NA	NA	NA	NA	NA	NA	NA	NA	NA
Hamp. Town #22	804.96	NA	24.00	780.96	33.02	771.94	31.40	773.56	27.63	777.33
Pembroke #1	NA	NA	12.37	NA	11.78	NA	10.94	NA	NA	NA
Pembroke #2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
N. Houcks. Rd.	NA	NA	9.41	NA	10.40	NA	9.87	NA	NA	NA
E. Century St.	NA	NA	29.21	NA	27.59	NA	27.40	NA	NA	NA
Lwr. Beckleys. Rd.	NA	NA	55.17	NA	53.98	NA	55.49	NA	NA	NA

Table 2-2
Groundwater Elevation Data (July 2005 through June 2006)
Black & Decker
Hampstead, Maryland

WELL NO.	TOC ELEV	TOTAL DEPTH	3/17/2006		4/28/06		5/19/06		6/08/06	
			DTW	ELEV	DTW	ELEV	DTW	ELEV	DTW	ELEV
EW-1	847.21	55	DRY	NA	DRY	NA	DRY	NA	DRY	NA
EW-2	849.21	110	94.26	754.95	98.63	750.58	96.73	752.48	102.00	747.21
EW-3	846.64	118	96.86	749.78	88.56	758.08	92.68	753.96	79.40	767.24
EW-4	858.01	97.5	NA	NA	NA	NA	NA	NA	NA	NA
EW-5	864.17	98	85.10	779.07	82.34	781.83	84.77	779.40	80.09	784.08
EW-6	831.98	115	89.70	742.28	90.08	741.90	87.91	744.07	88.71	743.27
EW-7	818.38	78	47.83	770.55	44.66	773.72	46.13	772.25	43.76	774.62
EW-8	811.13	98	49.96	761.17	47.98	763.15	48.52	762.61	46.48	764.65
EW-9	811.35	141	101.30	710.05	102.89	708.46	102.50	708.85	104.21	707.14
EW-10	807.74	NA	45.69	762.05	45.88	761.86	46.87	760.87	44.77	762.97
RFW-1A	864.37	78	51.41	812.96	52.06	812.31	49.58	814.79	50.06	814.31
RFW-1B	864.23	200	50.46	813.77	52.10	812.13	49.61	814.62	50.13	814.10
RFW-2A	857.41	35	12.70	844.71	15.61	841.80	14.92	842.49	14.60	842.81
RFW-2B	857.73	75	13.21	844.52	15.93	841.80	15.14	842.59	14.73	843.00
RFW-3B	839.21	153	27.67	811.54	30.17	809.04	30.29	808.92	32.80	806.41
RFW-4A	830.37	62	36.29	794.08	37.42	792.95	37.92	792.45	38.19	792.18
RFW-4B	830.37	120	36.13	794.24	37.36	793.01	38.12	792.25	38.33	792.04
RFW-5A	817.50	30	DRY	NA	DRY	NA	DRY	NA	DRY	NA
RFW-6	785.04	120	4.12	780.92	4.28	780.76	4.71	780.33	4.57	780.47
RFW-7	805.14	29	6.34	798.80	7.40	797.74	7.18	797.96	6.98	798.16
RFW-8	860.07	53	DRY	NA	DRY	NA	DRY	NA	DRY	NA
RFW-9	862.02	49	25.03	836.99	25.58	836.44	26.10	835.92	26.33	835.69
RFW-10	852.06	58	DRY	NA	DRY	NA	DRY	NA	DRY	NA
RFW-11A	849.32	72	NA	NA	NA	NA	NA	NA	NA	NA
RFW-11B	849.62	116	70.17	779.45	73.17	776.45	69.01	780.61	68.74	780.88
RFW-12B	844.87	264	53.61	791.26	55.67	789.20	51.56	793.31	51.53	792.74
RFW-13	849.11	150	62.47	786.64	62.03	787.08	61.76	787.35	62.05	787.06
RFW-14B	812.39	281	35.13	777.26	33.86	778.53	36.41	775.98	48.13	764.26
RFW-16	856.14	41	DRY	NA	DRY	NA	DRY	NA	DRY	NA
RFW-17	834.66	60.5	25.92	808.74	27.68	806.98	27.16	807.50	27.53	807.13
RFW-20	842.29	142	33.37	808.92	34.11	808.18	34.71	807.58	34.66	810.08
RFW-21	832.65	102	21.03	811.62	23.08	809.57	21.77	810.88	21.40	813.57
PH-7	805.94	89	24.06	781.88	24.61	781.33	25.31	780.63	31.34	774.60
PH-9	814.94	98	38.30	776.64	38.91	776.03	32.61	782.33	33.01	781.93
PH-11	820.68	78	43.19	777.49	43.87	776.81	42.90	777.78	42.53	778.15
PH-12	828.35	87	43.43	784.92	44.13	784.22	43.06	785.29	42.96	785.39
B-3	803.02	83	NA	NA	NA	NA	NA	NA	NA	NA
Amoco	842.29	NA	NA	NA	NA	NA	NA	NA	NA	NA
Hamp. Town #22	804.96	NA	27.13	777.83	43.59	761.37	34.77	770.19	31.59	773.37
Pembroke #1	NA	NA	10.98	NA	NA	NA	11.11	NA	11.79	NA
Pembroke #2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
N. Houcks. Rd.	NA	NA	10.73	NA	8.48	NA	8.96	NA	9.89	NA
E. Century St.	NA	NA	23.84	NA	26.49	NA	29.56	NA	28.43	NA
Lwr. Beckleys. Rd.	NA	NA	53.31	NA	55.80	NA	54.83	NA	53.62	NA

Table 2-3
 Effluent Characteristics Summary (July 2005 through June 2006)
 Black & Decker
 Hampstead, Maryland

Discharge Number	Parameter	Units	Permit Limits	DMR DATE					
				July 2005	August 2005	September 2005	October 2005	November 2005	December 2005
001	FLOW average	MGD	NA	0.338	0.113	0.057	0.326	0.129	0.147
	maximum	MGD	NA	1.141	1.141	0.064	0.739	0.300	0.308
	1,1,1-Trichloroethane	ug/l	5	<5	<5	<5	<5	<5	<5
	Tetrachloroethylene	ug/l	5	<5	<5	<5	<5	<5	<5
	Trichloroethylene	ug/l	5	<5	<5	<5	<5	<5	<5
	Total Residual Chlorine	mg/l	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
	Oil & Grease maximum	mg/l	15	<5	<5	<5	<5	<5	<5
	quarterly average	mg/l	10	NR	NR	<5	NR	NR	<5
	pH minimum	STD	6.0	6.20	6.10	6.30	6.10	6.10	6.00
	maximum	STD	8.5	7.00	6.90	6.70	7.30	7.10	7.40
BOD	mg/l	15	5.0	<2	7.0	<2	3.0	<2	
TSS maximum	mg/l	30	13.0	8.0	14.0	9.5	4.5	5.5	
quarterly average	mg/l	20	NR	NR	12.0	NR	NR	2.5	
101 (Monitoring Point)	FLOW average	MGD	NA	0.257	0.260	0.237	0.224	0.217	0.245
	maximum	MGD	NA	0.290	0.268	0.277	0.235	0.232	0.253
	Fecal Coliform	MPN/100ml	200	<2	<2	<2	<2	<2	<2
201 (Monitoring Point)	FLOW average	MGD	NA	0.234	0.230	0.225	0.222	0.222	0.210
	maximum	MGD	NA	0.277	0.278	0.273	0.244	0.259	0.247
	1,1,1-Trichloroethane	ug/l	NA	<5	<5	<5	<5	<5	<5
	Tetrachloroethylene	ug/l	NA	<5	<5	<5	<5	<5	<5
Trichloroethylene	ug/l	NA	<5	<5	<5	<5	<5	<5	

DMR - Discharge Monitoring Report

NA - Not Applicable

NR - Not Reported

* As noted on the DMR dated 6/30/04, a collection or lab error on the oil/grease caused month/quarter to register high. Follow up tested <5 ppb as in the past.

Table 2-3
Effluent Characteristics Summary (July 2005 through June 2006)
Black & Decker
Hampstead, Maryland


Discharge Number	Parameter	Units	Permit Limits	DMR DATE					
				January 2006	February 2006	March 2006	April 2006	May 2006	June 2006
001	FLOW average	MGD	NA	0.246	0.250	0.181	0.222	0.118	0.253
	maximum	MGD	NA	0.487	0.630	0.247	0.383	0.339	1.045
	1,1,1-Trichloroethane	ug/l	5	<5	<5	<5	<5	<5	<5
	Tetrachloroethylene	ug/l	5	<5	<5	<5	<5	<5	<5
	Trichloroethylene	ug/l	5	<5	<5	<5	<5	<5	<5
	Total Residual Chlorine	mg/l	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
	Oil & Grease maximum	mg/l	15	<5	<5	<5	<5	<5	<5
	quarterly average	mg/l	10	NR	NR	<5	<5	NR	<5
	pH minimum	STD	6.0	6.10	6.10	6.10	6.20	6.20	6.30
	maximum	STD	8.5	6.70	6.70	7.20	7.30	7.30	7.00
BOD	mg/l	15	<2	<2	<2	4.2	3.3	<2	
TSS maximum	mg/l	30	<2.5	3.5	2.8	6.5	3.5	4.2	
	quarterly average	mg/l	20	NR	NR	2.5	NR	2.5	
101 (Monitoring Point)	FLOW average	MGD	NA	0.217	0.251	0.251	0.244	0.231	0.226
	maximum	MGD	NA	0.256	0.275	0.275	0.285	0.238	0.234
	Fecal Coliform	MPN/100ml	200	<2	<2	<2	<2	<2	<2
201 (Monitoring Point)	FLOW average	MGD	NA	0.216	0.215	0.221	0.226	0.217	0.209
	maximum	MGD	NA	0.248	0.239	0.247	0.246	0.256	0.262
	1,1,1-Trichloroethane	ug/l	NA	<5	<5	<5	<5	<5	<5
	Tetrachloroethylene	ug/l	NA	<5	<5	<5	<5	<5	<5
	Trichloroethylene	ug/l	NA	<5	<5	<5	<5	<5	<5

DMR - Discharge Monitoring Report

NA - Not Applicable

NR - Not Reported

* As noted on the DMR dated 6/30/04, a collection or lab error on the oil/grease caused month/quarter to register high. Follow up tested <5 ppb as in the past.



2006 are included in Tables 2-4, 2-5, 2-6, and 2-7, respectively. As found in earlier sampling events at the Black & Decker facility, TCE and PCE were the VOCs detected at the highest concentrations in the groundwater samples. The highest concentrations of TCE were detected in the groundwater samples collected from wells EW-2, EW-4 and RFW-12B and the highest concentrations of PCE were detected in the groundwater samples collected from well EW-9. The remainder were detected at levels well below the Federal Maximum Concentration Levels (MCLs). The second quarter 2006 (May 2006) analytical data package is included in Appendix D. Analytical data packages for the remaining quarters are included in the respective Quarterly Groundwater Monitoring Reports.

Table 2-4
 Summary of Groundwater Analytical Results - August 2005
 Black & Decker
 Hampstead, Maryland

PARAMETER	Units	EW-1	EW-2	EW-3	EW-4	EW-5	EW-5 (DUP)	EW-6	EW-7	EW-8	EW-9	EW-10
Chloromethane	ug/L	NS	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromomethane	ug/L	NS	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chloroethane	ug/L	NS	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Acetone	ug/L	NS	5 U	5 U	25 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Carbon Disulfide	ug/L	NS	5 U	5 U	25 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1-Dichloroethene	ug/L	NS	1 U	1 U	5 U	1 J	1 U	1 U	1 U	1 U	1 U	1 U
1,1-Dichloroethane	ug/L	NS	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 J	1 U	1 U
1,2-Dichloroethene (total)	ug/L	NS	4	2.4	5 U	1 U	1 U	1 U	5.3	21	1.2	1 U
Chloroform	ug/L	NS	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethane	ug/L	NS	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
2-Butanone	ug/L	NS	5 U	5 U	25 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Carbon Tetrachloride	ug/L	NS	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromodichloromethane	ug/L	NS	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloropropane	ug/L	NS	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trichloroethene	ug/L	NS	740	230	950	410	390	8.8	4.4	10	2.3	1 U
Dibromochloromethane	ug/L	NS	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Benzene	ug/L	NS	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromoform	ug/L	NS	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	25 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
2-Hexanone	ug/L	NS	5 U	5 U	25 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Tetrachloroethene	ug/L	NS	68	5.5	27	13	13	21	6.9	63	180	10
1,1,2,2-Tetrachloroethane	ug/L	NS	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Toluene	ug/L	NS	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chlorobenzene	ug/L	NS	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Ethylbenzene	ug/L	NS	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Styrene	ug/L	NS	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Xylene (total)	ug/L	NS	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U

Notes: U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.
 J = Indicates an estimated value.
 B = Indicates that the analyte was found in the associated blank as well as in the sample.

Table 2-4
 Summary of Groundwater Analytical Results - August 2005
 Black & Decker
 Hampstead, Maryland

PARAMETER	Units	RFW-1A	RFW-1B	RFW-2A	RFW-2B	RFW-3B	RFW-4A	RFW-4A (DUP)	RFW-4B	RFW-5A	RFW-6	RFW-7	RFW-8	RFW-9	RFW-10
Chloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromomethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Vinyl Chloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Methylene Chloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Acetone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
Carbon Disulfide	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1-Dichloroethene	ug/L	1 U	1 U	1 U	1 U	1.2	1 U	1 U	1 U	NS	1 U	1 U	NS	1.6	NS
1,1-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1.2	NS
1,2-Dichloroethene (total)	ug/L	1 U	1 U	1 U	1 U	10	1.8	1.7	6.6	NS	1.6	1 U	NS	12	NS
Chloroform	ug/L	1 U	1 U	1 U	1 U	1 U	1.3	1.2	0.9 J	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
2-Butanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1,1-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	2	NS
Carbon Tetrachloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromodichloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloropropane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
cis-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Trichloroethene	ug/L	1 U	1 U	1.5	1 U	7.9	56	55	18	NS	9.9	11	NS	21	NS
Dibromochloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,1,2-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Benzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Trans-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromoform	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
4-Methyl-2-pentanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
2-Hexanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
Tetrachloroethene	ug/L	1 U	1 U	1 U	1 U	8.2	65	63	60	NS	6.8	1 U	NS	5	NS
1,1,2,2-Tetrachloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Toluene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chlorobenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Ethylbenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Styrene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Xylene (total)	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS

Notes: DUP = Duplicate sample
 NS = Not sampled
 (2.5) = Dilution factor.

U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.
 J = Indicates an estimated value.
 B = Indicates that the analyte was found in the associated blank as well as in the sample.

Table 2-4
 Summary of Groundwater Analytical Results - August 2005
 Black & Decker
 Hampstead, Maryland

PARAMETER	Units	RFW-11A	RFW-11B	RFW-12B	RFW-13	RFW-16	RFW-17	RFW-20	RFW-21	Town #22	Town #23	Leister Dairy	Leister Res. #1	Leister Res. #2	Trip Blank
Chloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
Bromomethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
Chloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
Acetone	ug/L	NS	5 U	5 U	5 U	NS	5 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	5 U
Carbon Disulfide	ug/L	NS	5 U	5 U	5 U	NS	5 U	NA	NA	NA	NA	5 U	5 U	5 U	5 U
1,1-Dichloroethene	ug/L	NS	1 U	1.1	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
1,1-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
1,2-Dichloroethene (total)	ug/L	NS	1 U	6.6	1 J	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
Chloroform	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
1,2-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
2-Butanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	5 U
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
Carbon Tetrachloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
Bromodichloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
1,2-Dichloropropane	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
Trichloroethene	ug/L	NS	31	550	3.1	NS	1 U	1.5	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
Dibromochloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
Benzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
Bromoform	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	5 U
2-Hexanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	5 U
Tetrachloroethene	ug/L	NS	1 U	40	16	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
1,1,2,2-Tetrachloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
Toluene	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
Chlorobenzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
Ethylbenzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
Styrene	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
Xylene (total)	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U

Notes: DUP = Duplicate sample
 NS = Not sampled
 (2.5) = Dilution factor.

U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.
 J = Indicates an estimated value.
 B = Indicates that the analyte was found in the associated blank as well as in the sample.

Table 2-5
 Summary of Groundwater Analytical Results - November 2005
 Black & Decker
 Hampstead, Maryland

PARAMETER	Units	EW-1	EW-2	EW-3	EW-4	EW-5	EW-6	EW-7	EW-8	EW-9	EW-9 (DUP)	EW-10
			(2)		(2)	(2)						
Chloromethane	ug/L	NS	2 U	1 U	2 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromomethane	ug/L	NS	2 U	1 U	2 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	2 U	1 U	2 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U
Chloroethane	ug/L	NS	2 U	1 U	2 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	2 U	1 U	2 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U
Acetone	ug/L	NS	10 U	5 U	10 U	10 U	5 U	5 U	5 U	5 U	5 U	5 U
Carbon Disulfide	ug/L	NS	10 U	5 U	10 U	10 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1-Dichloroethene	ug/L	NS	2 U	1 U	2 U	2 U	1 U	0.9 J	0.9 J	1 U	1 U	1 U
1,1-Dichloroethane	ug/L	NS	2 U	1 U	2 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethene (total)	ug/L	NS	3.6	1.9	2 U	2 U	1 U	6.9	22	1.1	1.3	1 U
Chloroform	ug/L	NS	2 U	1 U	2 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethane	ug/L	NS	2 U	1 U	2 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U
2-Butanone	ug/L	NS	10 U	5 U	10 U	10 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1,1-Trichloroethane	ug/L	NS	2 U	1 U	2 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U
Carbon Tetrachloride	ug/L	NS	2 U	1 U	2 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromodichloromethane	ug/L	NS	2 U	1 U	2 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloropropane	ug/L	NS	2 U	1 U	2 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U
cis-1,3-Dichloropropene	ug/L	NS	2 U	1 U	2 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U
Trichloroethene	ug/L	NS	620	210	800	280	11	6.6	14	2.1	2.2	1 U
Dibromochloromethane	ug/L	NS	2 U	1 U	2 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	ug/L	NS	2 U	1 U	2 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U
Benzene	ug/L	NS	2 U	1 U	2 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U
Trans-1,3-Dichloropropene	ug/L	NS	2 U	1 U	2 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromoform	ug/L	NS	2 U	1 U	2 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U
4-Methyl-2-pentanone	ug/L	NS	10 U	5 U	10 U	10 U	5 U	5 U	5 U	5 U	5 U	5 U
2-Hexanone	ug/L	NS	10 U	5 U	10 U	10 U	5 U	5 U	5 U	5 U	5 U	5 U
Tetrachloroethene	ug/L	NS	79	6.2	19	11	26	13	92	310	300	11
1,1,2,2-Tetrachloroethane	ug/L	NS	2 U	1 U	2 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U
Toluene	ug/L	NS	2 U	1 U	2 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U
Chlorobenzene	ug/L	NS	2 U	1 U	2 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U
Ethylbenzene	ug/L	NS	2 U	1 U	2 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U
Styrene	ug/L	NS	2 U	1 U	2 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U
Xylene (total)	ug/L	NS	2 U	1 U	2 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U

DUP = Duplicate sample
 NS = Not sampled
 (2.5) = Dilution factor.

U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.
 J = Indicates an estimated value.
 B = Indicates that the analyte was found in the associated blank as well as in the sample.

Table 2-5
Summary of Groundwater Analytical Results - November 2005
Black & Decker
Hampstead, Maryland

PARAMETER	Units	RFW-1A	RFW-1B	RFW-2A	RFW-2B	RFW-3B	RFW-4A	RFW-4A (DUP)	RFW-4B	RFW-5A	RFW-6	RFW-7	RFW-8	RFW-9	RFW-10
Chloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromomethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Vinyl Chloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Methylene Chloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Acetone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
Carbon Disulfide	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1-Dichloroethene	ug/L	1 U	1 U	1 U	1 U	1.1	1 U	1 U	1 U	NS	1 U	1 U	NS	1.1	NS
1,1-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloroethene (total)	ug/L	1 U	1 U	1 U	1 U	8.2	1.4	1.2	5.7	NS	1.3	1 U	NS	6.2	NS
Chloroform	ug/L	1 U	1 U	1 U	1 U	1 U	1	0.9 J	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
2-Butanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1,1-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1.5	1 U	1 U	1 U	NS	1 U	1 U	NS	1.5	NS
Carbon Tetrachloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromodichloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloropropane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
cis-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Trichloroethene	ug/L	1 U	1 U	1.8	1.9	7.8	48	46	8.6	NS	8.9	6.7	NS	19	NS
Dibromochloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,1,2-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Benzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Trans-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromoform	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
4-Methyl-2-pentanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
2-Hexanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
Tetrachloroethene	ug/L	1 U	1 U	1 U	1 U	8.1	62	59	59	NS	7.3	1 U	NS	3.9	NS
1,1,2,2-Tetrachloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Toluene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chlorobenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Ethylbenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Styrene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Xylene (total)	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS

DUP = Duplicate sample
 NS = Not sampled
 (2.5) = Dilution factor.

U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.
 J = Indicates an estimated value.
 B = Indicates that the analyte was found in the associated blank as well as in the sample.

Table 2-5
Summary of Groundwater Analytical Results - November 2005
Black & Decker
Hampstead, Maryland

PARAMETER	Units	RFW-11A	RFW-11B	RFW-12B	RFW-13	RFW-16	RFW-17	RFW-20	RFW-21	Town #22	Town #23	Leister Dairy	Leister Res. #1	Leister Res. #2	Trip Blank
Chloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
Bromomethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
Chloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
Acetone	ug/L	NS	5 U	5 U	5 U	NS	5 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	5 U
Carbon Disulfide	ug/L	NS	5 U	5 U	5 U	NS	5 U	NA	NA	NA	NA	5 U	5 U	5 U	5 U
1,1-Dichloroethene	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
1,1-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
1,2-Dichloroethene (total)	ug/L	NS	1 U	4.2	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
Chloroform	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
1,2-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
2-Butanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	5 U
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
Carbon Tetrachloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
Bromodichloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
1,2-Dichloropropane	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
Trichloroethene	ug/L	NS	20	660	14	NS	1 U	1.5	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
Dibromochloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
Benzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
Bromoform	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	5 U
2-Hexanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	5 U
Tetrachloroethene	ug/L	NS	1 U	54	45	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	2	1 U	1 U	1 U
1,1,2,2-Tetrachloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
Toluene	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
Chlorobenzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
Ethylbenzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
Styrene	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
Xylene (total)	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U

Note: Samples from wells RFW-20&21, Town-22&23 are analyzed with USEPA Method 524.2 at the request of the MDE Source Protection and Appropriation Division. Samples from all other wells are analyzed with USEPA Method 8260.

DUP = Duplicate sample
 NS = Not sampled
 (2.5) = Dilution factor.

U = Compound was analyzed for but not detected. Value shown is the method detection limit for qu
 J = Indicates an estimated value.
 B = Indicates that the analyte was found in the associated blank as well as in the sample.

Table 2-6
 Summary of Groundwater Analytical Results - February 2006
 Black & Decker
 Hampstead, Maryland

PARAMETER	Units	EW-1	EW-2	EW-3	EW-4 (5)	EW-5	EW-6	EW-7	EW-8	EW-9	EW-9 DUP	EW-10
Chloromethane	ug/L	NS	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromomethane	ug/L	NS	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chloroethane	ug/L	NS	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Acetone	ug/L	NS	5 U	5 U	25 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Carbon Disulfide	ug/L	NS	5 U	5 U	25 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1-Dichloroethene	ug/L	NS	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1-Dichloroethane	ug/L	NS	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethene (total)	ug/L	NS	3.6	1.7	5 U	1 U	1 U	8	23	1.5	1.3	1 U
Chloroform	ug/L	NS	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethane	ug/L	NS	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
2-Butanone	ug/L	NS	5 U	5 U	25 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	5 U	1.2	1 U	1 U	1 U	1 U	1 U	1 U
Carbon Tetrachloride	ug/L	NS	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromodichloromethane	ug/L	NS	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloropropane	ug/L	NS	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trichloroethene	ug/L	NS	520	170	1200	260	11	7.2	12	2.2	2.2	1 U
Dibromochloromethane	ug/L	NS	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Benzene	ug/L	NS	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromoform	ug/L	NS	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	25 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
2-Hexanone	ug/L	NS	5 U	5 U	25 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Tetrachloroethene	ug/L	NS	63	5	26	7.8	19	13	73	310	310	9.1
1,1,2,2-Tetrachloroethane	ug/L	NS	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Toluene	ug/L	NS	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chlorobenzene	ug/L	NS	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Ethylbenzene	ug/L	NS	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Styrene	ug/L	NS	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Xylene (total)	ug/L	NS	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U

DUP = Duplicate sample
 NS = Not sampled
 (2.5) = Dilution factor.

U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.
 J = Indicates an estimated value.
 B = Indicates that the analyte was found in the associated blank as well as in the sample.

Table 2-6
 Summary of Groundwater Analytical Results - February 2006
 Black & Decker
 Hampstead, Maryland

PARAMETER	Units	RFW-1A	RFW-1B	RFW-2A	RFW-2B	RFW-3B	RFW-4A	RFW-4B	RFW-4B (DUP)	RFW-5A	RFW-6	RFW-7	RFW-8	RFW-9	RFW-10
Chloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromomethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Vinyl Chloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chloroethanane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Methylene Chloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	5 U	1 U	NS	1 U	NS
Acetone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	1 U	5 U	NS	1 U	NS
Carbon Disulfide	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	1 U	5 U	NS	1 U	NS
1,1-Dichloroethene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1.5	NS
1,1-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1.3	NS
1,2-Dichloroethene (total)	ug/L	1 U	1 U	1 U	1 U	9.3	1.2	4.5	4.4	NS	1.4	1 U	NS	14	NS
Chloroform	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
2-Butanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	1 U	5 U	NS	1 U	NS
1,1,1-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	2.1	NS
Carbon Tetrachloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromodichloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloropropane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	5 U	1 U	NS	1 U	NS
cis-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	5 U	1 U	NS	1 U	NS
Trichloroethene	ug/L	1 U	1 U	1.3	2	1.2	41	13	13	NS	8.8	4.3	NS	22	NS
Dibromochloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,1,2-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Benzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Trans-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromoform	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
4-Methyl-2-pentanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	1 U	NS
2-Hexanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	1 U	NS
Tetrachloroethene	ug/L	1.2	1 U	1 U	1 U	4.7	40	37	36	NS	6.9	1 U	NS	6.9	NS
1,1,2,2-Tetrachloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Toluene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chlorobenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Ethylbenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Styrene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Xylene (total)	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS

DUP = Duplicate sample
 NS = Not sampled
 (2.5) = Dilution factor.

U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.
 J = Indicates an estimated value.
 B = Indicates that the analyte was found in the associated blank as well as in the sample.

Table 2-6
Summary of Groundwater Analytical Results - February 2006
Black & Decker
Hampstead, Maryland

PARAMETER	Units	RFW-11A	RFW-11B	RFW-12B	RFW-13	RFW-16	RFW-17	RFW-20	RFW-21	Town #22	Town #23	Leister Dairy	Leister Res. #1	Leister Res. #2	Trip Blank
Chloromethane	ug/L	NS	1 U	1 U	1 U	NS	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	NS	1 U
Bromomethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U
Vinyl Chloride	ug/L	NS	1 U	1 U	1 U	NS	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	NS	1 U
Chloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U
Methylene Chloride	ug/L	NS	1 U	1 U	1 U	NS	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	NS	1 U
Acetone	ug/L	NS	5 U	5 U	5 U	NS	10 U	10 U	10 U	10 U	5 U	5 U	5 U	NS	5 U
Carbon Disulfide	ug/L	NS	5 U	5 U	5 U	NS	NA	NA	NA	NA	5 U	5 U	5 U	NS	5 U
1,1-Dichloroethene	ug/L	NS	1 U	1 U	1 U	NS	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	NS	1 U
1,1-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	NS	1 U
1,2-Dichloroethene (total)	ug/L	NS	1 U	6	1 U	NS	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	NS	1 U
Chloroform	ug/L	NS	1 U	1 U	1 U	NS	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	NS	1 U
1,2-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	NS	1 U
2-Butanone	ug/L	NS	5 U	5 U	5 U	NS	10 U	10 U	10 U	10 U	5 U	5 U	5 U	NS	5 U
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	NS	1 U
Carbon Tetrachloride	ug/L	NS	1 U	1 U	1 U	NS	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	NS	1 U
Bromodichloromethane	ug/L	NS	1 U	1 U	1 U	NS	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	NS	1 U
1,2-Dichloropropane	ug/L	NS	1 U	1 U	1 U	NS	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	NS	1 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	NS	1 U
Trichloroethene	ug/L	NS	27	630	16	NS	1.1	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	NS	1 U
Dibromochloromethane	ug/L	NS	1 U	1 U	1 U	NS	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	NS	1 U
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	NS	1 U
Benzene	ug/L	NS	1 U	1 U	1 U	NS	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	NS	1 U
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	NS	1 U
Bromoform	ug/L	NS	1 U	1 U	1 U	NS	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	NS	1 U
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	5 U	NS	10 U	10 U	10 U	10 U	5 U	5 U	5 U	NS	5 U
2-Hexanone	ug/L	NS	5 U	5 U	5 U	NS	10 U	10 U	10 U	10 U	5 U	5 U	5 U	NS	5 U
Tetrachloroethene	ug/L	NS	1 U	48	41	NS	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	NS	1 U
1,1,2,2-Tetrachloroethane	ug/L	NS	1 U	1 U	1 U	NS	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	NS	1 U
Toluene	ug/L	NS	1 U	1 U	1 U	NS	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	NS	1 U
Chlorobenzene	ug/L	NS	1 U	1 U	1 U	NS	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	NS	1 U
Ethylbenzene	ug/L	NS	1 U	1 U	1 U	NS	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	NS	1 U
Styrene	ug/L	NS	1 U	1 U	1 U	NS	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	NS	1 U
Xylene (total)	ug/L	NS	1 U	1 U	1 U	NS	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	NS	1 U

Note: Samples from wells RFW-20&21, Town-22&23 are analyzed with USEPA Method 524.2 at the request of the MDE Source Protection and Appropriation Division. Samples from all other wells are analyzed with USEPA Method 8260.

DUP = Duplicate sample

U = Compound was analyzed for but not detected. Value shown is the method detection limit for qu

NS = Not sampled

J = Indicates an estimated value.

(2.5) = Dilution factor.

B = Indicates that the analyte was found in the associated blank as well as in the sample.

Table 2-7
 Summary of Groundwater Analytical Results - May 2006
 Black & Decker
 Hampstead, Maryland

PARAMETER	Units	EW-1	EW-2	EW-3	EW-4	EW-5	EW-6	EW-7	EW-8	EW-9	EW-9 DUP	EW-10
Chloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromomethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Acetone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Carbon Disulfide	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1-Dichloroethene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1-Dichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethene (total)	ug/L	NS	2.8	1.7	1 U	1 U	1 U	6.9	20	1.1	1 U	1 U
Chloroform	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
2-Butanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Carbon Tetrachloride	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromodichloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloropropane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trichloroethene	ug/L	NS	530	150	710	210	9	6.3	11	3.5	2.6	1 U
Dibromochloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Benzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromoform	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
2-Hexanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Tetrachloroethene	ug/L	NS	59	4.3	17	9.9	14	12	68	240	240	4.6
1,1,2,2-Tetrachloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Toluene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chlorobenzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Ethylbenzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Styrene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Xylene (total)	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U

DUP = Duplicate sample
 NS = Not sampled
 (2.5) = Dilution factor.

U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.
 J = Indicates an estimated value.
 B = Indicates that the analyte was found in the associated blank as well as in the sample.

Table 2-7
Summary of Groundwater Analytical Results - May 2006
Black & Decker
Hampstead, Maryland

PARAMETER	Units	RFW-1A	RFW-1B	RFW-2A	RFW-2B	RFW-3B	RFW-4A	RFW-4B	RFW-4B (DUP)	RFW-5A	RFW-6	RFW-7	RFW-8	RFW-9	RFW-10
Chloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromomethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Vinyl Chloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Methylene Chloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	5 U	1 U	NS	1 U	NS
Acetone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	1 U	5 U	NS	1 U	NS
Carbon Disulfide	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	1 U	5 U	NS	1 U	NS
1,1-Dichloroethene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1.2	NS
1,1-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloroethene (total)	ug/L	1 U	1 U	1 U	1 U	6.8	1.1	5.1	5.3	NS	1.1	1 U	NS	9.1	NS
Chloroform	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
2-Butanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	1 U	5 U	NS	1 U	NS
1,1,1-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1.5	NS
Carbon Tetrachloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromodichloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloropropane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	5 U	1 U	NS	1 U	NS
cis-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	5 U	1 U	NS	1 U	NS
Trichloroethene	ug/L	1 U	1 U	1.2	1.6	0.9 J	42	10	10	NS	4.8	4.1	NS	17	NS
Dibromochloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,1,2-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Benzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Trans-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromoform	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
4-Methyl-2-pentanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	1 U	NS
2-Hexanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	1 U	NS
Tetrachloroethene	ug/L	1 U	1 U	1 U	1 U	3.2	47	57	57	NS	3.9	1 U	NS	4.9	NS
1,1,2,2-Tetrachloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Toluene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chlorobenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Ethylbenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Styrene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Xylene (total)	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS

DUP = Duplicate sample
 NS = Not sampled
 (2.5) = Dilution factor.

U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.
 J = Indicates an estimated value.
 B = Indicates that the analyte was found in the associated blank as well as in the sample.

Table 2-7
 Summary of Groundwater Analytical Results - May 2006
 Black & Decker
 Hampstead, Maryland

PARAMETER	Units	RFW-11A	RFW-11B	RFW-12B	RFW-13	RFW-16	RFW-17	RFW-20	RFW-21	Town #22	Town #23	Leister Dairy	Leister Res. #1	Leister Res. #2	Trip Blank
Chloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	NS	1 U
Bromomethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U
Vinyl Chloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	NS	1 U
Chloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U
Methylene Chloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	NS	1 U
Acetone	ug/L	NS	5 U	5 U	5 U	NS	5 U	10 U	10 U	10 U	10 U	5 U	5 U	NS	5 U
Carbon Disulfide	ug/L	NS	5 U	5 U	5 U	NS	5 U	NA	NA	NA	NA	5 U	5 U	NS	5 U
1,1-Dichloroethene	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	NS	1 U
1,1-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	NS	1 U
1,2-Dichloroethene (total)	ug/L	NS	1 U	5	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	NS	1 U
Chloroform	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	NS	1 U
1,2-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	NS	1 U
2-Butanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	10 U	10 U	10 U	10 U	5 U	5 U	NS	5 U
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	NS	1 U
Carbon Tetrachloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	NS	1 U
Bromodichloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	NS	1 U
1,2-Dichloropropane	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	NS	1 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	NS	1 U
Trichloroethene	ug/L	NS	22	410	4.5	NS	1 U	1.2	0.5 U	0.5 U	0.5 U	1 U	1 U	NS	1 U
Dibromochloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	NS	1 U
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	NS	1 U
Benzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	NS	1 U
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	NS	1 U
Bromoform	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	NS	1 U
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	10 U	10 U	10 U	10 U	5 U	5 U	NS	5 U
2-Hexanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	10 U	10 U	10 U	10 U	5 U	5 U	NS	5 U
Tetrachloroethene	ug/L	NS	1 U	34	20	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	NS	1 U
1,1,2,2-Tetrachloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	NS	1 U
Toluene	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	NS	1 U
Chlorobenzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	NS	1 U
Ethylbenzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	NS	1 U
Styrene	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	NS	1 U
Xylene (total)	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	NS	1 U

Note: Samples from wells RFW-20&21, Town-22&23 are analyzed with USEPA Method 524.2 at the request of the MDE Source Protection and Appropriation Division. Samples from all other wells are analyzed with USEPA Method 8260.

DUP = Duplicate sample
 NS = Not sampled
 (2.5) = Dilution factor.

U = Compound was analyzed for but not detected. Value shown is the method detection limit for qu
 J = Indicates an estimated value.
 B = Indicates that the analyte was found in the associated blank as well as in the sample.

3. OPERATION AND MAINTENANCE OF THE TREATMENT SYSTEM

A summary of the maintenance activities that were undertaken with the extraction and treatment system during the reporting period (July 2005 through June 2006) is provided in Table 3-1. This table is comprehensive in summarizing significant maintenance events or activities, while not including those activities considered unworthy of note (such as replacement of light bulbs, lubrication of moving parts, as appropriate, or other routine activities).

Table 3-1
Treatment System Maintenance Activities (July 2005 through June 2006)
Black & Decker
Hampstead, Maryland

Date	Event/Corrective Action
July 2005	Replaced the integrater for the flow meter in well EW-8.
August 2005	Replaced the integrater for the flow meter in well EW-2.
December 2005	Alarm at EW-2, well shutdown due to low temperature. Heater in the well house shorted out. Heater has been replaced and the well is back online.
December 2005	December 15, 2005 an alarm sounds at EW-10. The well will not run in auto mode. Microtech found that there is a broken control wire. EW-10 is being run in hand mode for approximately 12 hours a day, while Black & Decker personnel are onsite. The control wire was repaired January 9, 2006 and the well no longer requires hand-mode operation.
March 2006	The pump motor on EW - 5 shorted out. A new pump and motor were installed. The well was down for 6 days. The well is back online.
June 2006	Microtech replaced the Moore controller in the control panel, after an alarm at the air stripper.

4. TREATMENT SYSTEM PERFORMANCE EVALUATION

During the reporting period of July 2005 to June 2006 depth-to-water measurements were collected in all site monitor wells on a monthly basis. Each month, a groundwater elevation contour map was constructed to verify that the groundwater extraction system was providing a hydraulic barrier to prevent any groundwater contamination from migrating off-site. Pumping rates were adjusted as necessary to ensure that hydraulic control was being maintained across the site. Significant drawdown has been observed in both shallow and deeper monitor wells throughout the long-term pumping of the extraction well system, indicating that considerable interconnection exists between the shallow and deeper groundwater.

As evidenced by the groundwater elevation contour map (Figure 2-1), groundwater flow is still principally to the southwest, with some components to the south and east. However, depressions in the groundwater surface, due to the pumping of the extraction wells, are evident on the map and the flow lines indicate that direction of groundwater flow is toward the extraction wells. The system as presently configured is successful in meeting the objective of capturing on-site groundwater, thereby eliminating the potential off-site migration of contaminated groundwater. The system is also successful in treating the collected groundwater to remove the VOCs from the water. The laboratory analysis results of the treated discharge water do not show the presence of VOCs.

5. RECOMMENDATIONS

As discussed in Section 4, the treatment system has created a hydraulic boundary that prevents the off-site migration of groundwater. The extraction system will continue to operate as currently configured to pump and treat contaminated groundwater. Depth-to-water measurements will continue to be collected on a monthly basis in all site monitor wells to construct a groundwater elevation contour map for the site. The groundwater elevation contour map will be used to verify that the required area of groundwater capture is being maintained. If necessary, pumping rates will be adjusted to maintain groundwater capture due to seasonal fluctuations in groundwater elevations. The treatment system will also continue to operate as currently configured, as data collected have proven that the treatment system is fully effective in removing VOCs from the extracted groundwater.

APPENDIX A
WITHDRAWAL REPORTS

Month / Year

April 2006

Black & Decker
Air Stripper # 2
Operating Record

Past Month Reading

98580230

Date	Day	Time	Integ. Reading	GPD	Pump # 11	Pump # 12
1				↑		
2				451751		
3	M	1330	99257856	224250	29231	29236
4	T	1240	99482106	241550	29231	29260
5	W	1330	99723656	236136	29231	29285
6	TH	1400	99959792	235326	29231	29309
7	F	1420	100195118	↑	29231	29333
8						
9				688905		
10	M	1350	100884023	198603	29231	29405
11	T	1025	101082626	234073	29252	29405
12	W	1050	101316699	245775	29276	29405
13	TH	1235	101562474	↑	29302	29405
14	F					
15						
16				926719		
17	M	1350	102489193	226557	29399	29405
18	T	1330	102715750	235994	29399	29429
19	W	1430	102951744	210122	29399	29453
20	TH	1315	103167866	205812	29399	29476
21	F	1130	103367678	↑	29399	29498
22						
23				681216		
24	M	1300	104048844	232879	29399	29572
25	T	1400	104281733	221028	29424	29572
26	W	1400	104503761	217428	29448	29572
27	TH	1345	104720189	210638	29472	29572
28	F	1245	104930827	↑	29495	29572
29						
30				1602581		
31						
Total				6787343		
Average						

Next Month Reading 105593408

Date 5-1-06

Month / Year

May/2006

Black & Decker
Air Stripper # 2
Operating Record

Past Month Reading

104930827

Date	Day	Time	Integ. Reading	GPD	Pump # 11	Pump # 12
1	M	1310	105593408	225,107	29567	29572
2	T	1345	105818515	216,926	29567	29597
3	W	1340	106035441	205790	29567	29620
4	Th	1225	106241231	225734	29567	29643
5	F	1325	106466965	↑	29567	29668
6						
7				649532		
8	M	1315	107116497	221628	29567	29740
9	T	1350	107338125	193011	29592	29740
10	W	1115	107531136	220356	29613	29740
11	Th	1140	107751492	242722	29638	29740
12	F	1430	107994214	↑	29665	29740
13						
14				615307		
15	M	1050	108609521	222420	29733	29740
16	T	1130	108831941	211035	29733	29765
17	W	1055	109042976	222217	29733	29788
18	Th	1130	109265138	218689	29733	29813
19	F	1150	109483827	↑	29733	29837
20						
21				636370		
22	M	1035	110120197	227832	29733	29908
23	T	1165	110348029	234950	29758	29908
24	W	1406	110582979	189300	29784	29908
25	Th	1110	110772279	214917	29806	29908
26	F	1105	110987196	↑	29829	29908
27						
28				628824		
29	M	0920	111616020	256100	29900	29908
30	T	1345	111872120	212882	29928	29908
31	W	1330	112085002	221618	29928	29931
Total				6613267		
Average						

Next Month Reading 112306620

Date 6-1-06

Month / Year

June - 06

Black & Decker
Air Stripper # 2
Operating Record

Past Month Reading

112085002

Date	Day	Time	Integ. Reading	GPD	Pump # 11	Pump # 12
1	T	1417	112366620	191319	29928	29956
2	F	1137	112497939	↑	29928	29977
3	S					
4	S			668086		
5	M	1410	113166025	214935	29928	30052
6	T	1410	113380960	208445	29952	30052
7	W	1330	113589405	217006	29976	30052
8	T	1350	113806411	214060	30000	30052
9	F	1510	114020471	↑	30024	30052
10	S					
11	S			458920		
12	M	1230	114479391	225187	30093	30052
13	T	1305	114704578	207912	30117	30052
14	W	1140	114912490	224382	30117	30075
15	T	1215	115136872	200461	30117	30099
16	F	1020	115337333	↑	30117	30121
17	S					
18	S			634968		
19	M	0835	115972301	261911	30117	30191
20	T	1335	116234212	203992	30146	30191
21	W	1210	116438204	219606	30169	30191
22	T	1235	116659810	205602	30193	30191
23	F	1130	116863412	↑	30216	30191
24	S					
25	S			667698		
26	M	1340	117531110	206368	30291	30191
27	T	1245	117737418	214804	30291	30214
28	W	1230	117952222	222586	30291	30238
29	T	1310	118174808	198440	30291	30263
30	F	1105	118373248	213965	30291	30285
Total				6280593		
Average				209353		

Next Month Reading 118587213

Date 7-1-06

**APPENDIX B
DISCHARGE MONITORING REPORTS**

PERMITTEE NAME/ADDRESS: (Include Facility Name/Location if different)

NAME: **BTR CAPITAL GROUP**
 ADDRESS: **555 13th Street., NW**
Suite 420E
Washington, DC 20004
 FACILITY: **Hampstead, Maryland 21074**
 LOCATION: **CARROLL COUNTY**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

MD0001881			001		
PERMIT NUMBER			DISCHARGE NUMBER		
(2-16)			(17-19)		
MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
2006	04	01	06	04	30
(20-21)		(22-23)	(24-25)	(26-27)	(28-29) (30-31)

FORM APPROVED
OMB No.2040-0004

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUALITY OR CONCENTRATION (38-45)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
FLOW	SAMPLE MEASUREMENT	0.222	0.383	MGD				0	Measured/Recorded	
	PERMIT REQUIREMENT	NO LIMIT	NO LIMIT							
1,1,1-TRICHLOROETHANE	SAMPLE MEASUREMENT						<5	0	1/MONTH	GRAB
	PERMIT REQUIREMENT						5	ppb	1/MONTH	GRAB
TETRACHLOROETHYLENE	SAMPLE MEASUREMENT						<5	0	1/MONTH	GRAB
	PERMIT REQUIREMENT						5	ppb	1/MONTH	GRAB
TRICHLOROETHYLENE	SAMPLE MEASUREMENT						<5	0	1/MONTH	GRAB
	PERMIT REQUIREMENT						5	ppb	1/MONTH	GRAB
TOTAL RESIDUAL CHLORINE	SAMPLE MEASUREMENT						<0.1	0	1/MONTH	GRAB
	PERMIT REQUIREMENT					0.011	0.019	mg/l	1/MONTH	GRAB
OIL & GREASE	SAMPLE MEASUREMENT						<5	0	1/MONTH	GRAB
	PERMIT REQUIREMENT					10	<5	mg/l	1/MONTH	GRAB
pH	SAMPLE MEASUREMENT				6.20		7.30	0	2/WEEK	GRAB
	PERMIT REQUIREMENT				6.00		8.50	STD	2/WEEK	GRAB

NAME / TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN. AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)	TELEPHONE	DATE
Michael A. Clark Principal		<i>Emil Waddley</i> SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	410-374-9025
TYPED OR PRINTED		AREA CODE-NUMBER	YEAR MO DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

*Averages for TSS and Oil & Grease are reported quarterly.

PERMITTEE NAME/ADDRESS: (Include Facility Name/Location if different)

NAME: BTR CAPITAL GROUP

ADDRESS: 555 13th Street., NW

Suite 420E

Washington, DC 20004

FACILITY: Hampstead, Maryland 21074

LOCATION: CARROLL COUNTY

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

FORM APPROVED

OMB No.2040-0004

MD0001881	001
PERMIT NUMBER	DISCHARGE NUMBER

MONITORING PERIOD							
FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY
	2006	04	01		06	04	30

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	X	(3 Card Only) QUANTITY OR LOADING (48-53)			(4 Card Only) QUALITY OR CONCENTRATION (38-45)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM				UNITS
BOD	SAMPLE MEASUREMENT						4.2		0	1/MONTH	GRAB
	PERMIT REQUIREMENT						15	mg/l		1/MONTH	GRAB
TOTAL SUSPENDED SOLIDS	SAMPLE MEASUREMENT						6.5		0	1/MONTH	GRAB
	PERMIT REQUIREMENT					20	30	mg/l		1/MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME / TITLE PRINCIPAL EXECUTIVE OFFICER
Michael A. Clark
Principal
TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)

Earl Wedder
SIGNATURE OF PRINCIPAL EXECUTIVE
OFFICER OR AUTHORIZED AGENT

TELEPHONE: 410-374-9025
DATE: 06 | 05 | 02
AREA CODE-NUMBER: YEAR | MO | DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS: (Include Facility Name/Location if different)

NAME: **BTR CAPITAL GROUP**
 ADDRESS: **555 13th Street., NW**
Suite 420E
Washington, DC 20004
 FACILITY: **Hampstead, Maryland 21074**
 LOCATION: **CARROLL COUNTY**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

MD0001881 **101**
 PERMIT NUMBER DISCHARGE NUMBER
 (2-16) (17-19)

FORM APPROVED
 OMB No.2040-0004

MONITORING PERIOD
 FROM

YEAR	MO	DAY
2006	04	01

 TO

YEAR	MO	DAY
06	04	30

 (20-21) (22-23) (24-25) (26-27) (28-29) (30-31)

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	X	(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUALITY OR CONCENTRATION (46-53)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
FLOW	SAMPLE MEASUREMENT	0.244	0.285	MGD				0	Cont Measure/Record	
	PERMIT REQUIREMENT	NO LIMIT	NO LIMIT							
FECAL COLIFORM	SAMPLE MEASUREMENT					<2	MPN/ 100ml	0	1/WEEK	GRAB
	PERMIT REQUIREMENT					200				
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									

NAME / TITLE PRINCIPAL EXECUTIVE OFFICER
Michael A. Clark
Principal
 TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 3 years.)

Paul Weddell
 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE **410-374-9025**
 DATE **06 | 05 | 02**
 AREA CODE-NUMBER YEAR | MO | DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS

(Reference all attachments here)

PERMITTEE NAME/ADDRESS: (Include Facility Name/Location if different)

NAME: **BTR CAPITAL GROUP**

ADDRESS: **555 13th Street., NW**

Suite 420E

Washington, DC 20004

FACILITY: **Hampstead, Maryland 21074**

LOCATION: **CARROLL COUNTY**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

MD0001881

PERMIT NUMBER

(2-16)

201

DISCHARGE NUMBER

(17-19)

FORM APPROVED
OMB No.2040-0004

MONITORING PERIOD

FROM			TO		
YEAR	MO	DAY	YEAR	MO	DAY
2006	04	01	06	04	30
(20-21)	(22-23)	(24-25)	(26-27)	(28-29)	(30-31)

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	X	(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUALITY OR CONCENTRATION (38-45)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
FLOW	SAMPLE MEASUREMENT	0.226	0.246	MGD				0	Cont Measure/Record	
	PERMIT REQUIREMENT	NO LIMIT	NO LIMIT						Cont Measure/Record	
1,1,1-TRICHLOROETHANE	SAMPLE MEASUREMENT						<5	ppb	0	1/MONTH GRAB
	PERMIT REQUIREMENT						N/A			1/MONTH GRAB
TETRACHLOROETHYLENE	SAMPLE MEASUREMENT						<5	ppb	0	1/MONTH GRAB
	PERMIT REQUIREMENT						N/A			1/MONTH GRAB
TRICHLOROETHYLENE	SAMPLE MEASUREMENT						<5	ppb	0	1/MONTH GRAB
	PERMIT REQUIREMENT						N/A			1/MONTH GRAB
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									

NAME / TITLE PRINCIPAL EXECUTIVE OFFICER
Michael A. Clark
Principal
TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)

Earl Weddle
SIGNATURE OF PRINCIPAL EXECUTIVE
OFFICER OR AUTHORIZED AGENT

TELEPHONE: 410-374-9025
DATE: 06 | 05 | 02
AREA CODE-NUMBER: YEAR | MO | DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS

(Reference all attachments here)

PERMITTEE NAME/ADDRESS: (Include Facility Name/Location if different)

NAME: **BTR CAPITAL GROUP**
 ADDRESS: **555 13th Street, NW**
Suite 420E
Washington, DC 20004

FACILITY: **Hampstead, Maryland 21074**

LOCATION: **CARROLL COUNTY**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)

MD0001881
 PERMIT NUMBER

001
 DISCHARGE NUMBER

MONITORING PERIOD					
FROM			TO		
YEAR	MO	DAY	YEAR	MO	DAY
2006	05	01	06	05	31

FORM APPROVED
 OMB No. 2040-0004

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	X	(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUALITY OR CONCENTRATION				NO EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLI TYPE (69-71)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW	SAMPLE MEASUREMENT	0.118	0.339	MGD					0	Measured/Recorded	
	PERMIT REQUIREMENT	NO LIMIT	NO LIMIT							Measured/Recorded	
1,1,1-TRICHLOROETHANE	SAMPLE MEASUREMENT						<5	ppb	0	1/MONTH	GRA
	PERMIT REQUIREMENT						5			1/MONTH	GRA
TETRACHLOROETHYLENE	SAMPLE MEASUREMENT						<5	ppb	0	1/MONTH	GRA
	PERMIT REQUIREMENT						5			1/MONTH	GRA
TRICHLOROETHYLENE	SAMPLE MEASUREMENT						<5	ppb	0	1/MONTH	GRA
	PERMIT REQUIREMENT						5			1/MONTH	GRA
TOTAL RESIDUAL CHLORINE	SAMPLE MEASUREMENT						<0.1	mg/l	0	1/MONTH	GRA
	PERMIT REQUIREMENT						0.011	0.019		1/MONTH	GRA
OIL & GREASE	SAMPLE MEASUREMENT						<5	mg/l	0	1/MONTH	GRA
	PERMIT REQUIREMENT						10	<5		1/MONTH	GRA
pH	SAMPLE MEASUREMENT				6.20		7.30		0	2/WEEK	GRA
	PERMIT REQUIREMENT				6.00		8.80	STD		2/WEEK	GRA

NAME / TITLE PRINCIPAL EXECUTIVE OFFICER
Michael A. Clark
 Principal
 TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 15 U.S.C. § 1061 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)

Earl Wedde
 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE: 410-374-9025
 DATE: 06 | 06 | 02
 AREA CODE-NUMBER: YEAR | MO | DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS: (Include Facility Name/Location if different)
NAME: BTR CAPITAL GROUP
ADDRESS: 555 13th Street., NW
 Suite 420E
 Washington, DC 20004
FACILITY: Hampstead, Maryland 21074
LOCATION: CARROLL COUNTY

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)

FORM APPROVED
 OMB No. 2040-0004

MD0001881 **001**
 PERMIT NUMBER DISCHARGE NUMBER
 (2-18) (17-18)

MONITORING PERIOD
 FROM YEAR MO DAY TO YEAR MO DAY
 2006 05 01 06 05 31
 (20-21) (22-23) (24-25) (26-27) (28-29) (30-31)

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	X	(3 Card Only) (46-53) QUANTITY OR LOADING (54-61)			(4 Card Only) QUALITY OR CONCENTRATION				NO. EX (#2-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS				
BOD	SAMPLE MEASUREMENT							3.3		0	1/MONTH	GRAB
	PERMIT REQUIREMENT							15	mg/l		1/MONTH	GRAB
TOTAL SUSPENDED SOLIDS	SAMPLE MEASUREMENT							3.5		0	1/MONTH	GRAB
	PERMIT REQUIREMENT						20	30	mg/l		1/MONTH	GRAB
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
NAME / TITLE PRINCIPAL EXECUTIVE OFFICER		I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN, AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINES AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)							TELEPHONE	DATE		
Michael A. Clark Principal TYPED OR PRINTED									SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT <i>Earl Wedde</i>			

COMMENT AND EXPLANATION OF ANY VIOLATIONS

(Reference all attachments here)

*Averages for TSS and Oil & Grease are reported quarterly.

EPA Form 3320-1 (Rev. 9-88) Previous edition to be used until supply is exhausted.

(REPLACES EPA FORM T-40 WHICH MAY NOT BE USED.)

PAGE 2 OF 2

PERMITTEE NAME/ADDRESS: (Include Facility Name/Location if different)

NAME: **BTR CAPITAL GROUP**
 ADDRESS: **555 13th Street, NW**
Suite 420E
Washington, DC 20004

FACILITY: **Hampstead, Maryland 21074**

LOCATION: **CARROLL COUNTY**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)

MD0001881
 PERMIT NUMBER
 (2-18)

101
 DISCHARGE NUMBER
 (17-18)

FORM APPROVED
 OMB No.2040-0004

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
2006	05	01	06	05	31
(20-21)	(22-23)	(24-25)	(28-27)	(28-29)	(30-31)

FROM TO NOTE: Read instructions before completing this form.

PARAMETER (32-37)	X	(3 Card Only) (48-53) QUANTITY OR LOADING (54-61)			(4 Card Only) QUALITY OR CONCENTRATION				NO. EX. (92-93)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-71)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW	SAMPLE MEASUREMENT	0.231	0.238	MGD					0	Cont Measure/Record	
	PERMIT REQUIREMENT	NO LIMIT	NO LIMIT								
FECAL COLIFORM	SAMPLE MEASUREMENT						<2	MPN/100ml	0	1/WEEK	GRAB
	PERMIT REQUIREMENT						200			1/WEEK	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME / TITLE PRINCIPAL EXECUTIVE OFFICER
Michael A. Clark
 Principal
 TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN, AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)

Earl Wedder
 SIGNATURE OF PRINCIPAL EXECUTIVE
 OFFICER OR AUTHORIZED AGENT

TELEPHONE
410-374-9025
 AREA CODE-NUMBER
 DATE
06 | 06 | 02
 YEAR | MO | DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS: (Include Facility Name/Location if different)

NAME: **BTR CAPITAL GROUP**

ADDRESS: **555 13th Street, NW**

**Suite 420E
Washington, DC 20004**

FACILITY: **Hampstead, Maryland 21074**

LOCATION: **CARROLL COUNTY**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

MD0001881
PERMIT NUMBER
(2-16)

201
DISCHARGE NUMBER
(17-18)

FORM APPROVED
OMB No. 2040-0004

MONITORING PERIOD

YEAR	MO	DAY	YEAR	MO	DAY
2006	05	01	06	05	31

FROM (20-21) (22-23) (24-25) TO (26-27) (28-28) (30-31)

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	X	(3 Card Only) (46-53)			(4 Card Only)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPL. TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW	SAMPLE MEASUREMENT	0.217	0.256	MGD					0	Cont Measure/Record	
	PERMIT REQUIREMENT	NO LIMIT	NO LIMIT							Cont Measure/Record	
1,1,1-TRICHLOROETHANE	SAMPLE MEASUREMENT						<5	ppb	0	1/MONTH GRAB	
	PERMIT REQUIREMENT						N/A			1/MONTH GRAB	
TETRACHLOROETHYLENE	SAMPLE MEASUREMENT						<5	ppb	0	1/MONTH GRAB	
	PERMIT REQUIREMENT						N/A			1/MONTH GRAB	
TRICHLOROETHYLENE	SAMPLE MEASUREMENT						<5	ppb	0	1/MONTH GRAB	
	PERMIT REQUIREMENT						N/A			1/MONTH GRAB	
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME / TITLE PRINCIPAL EXECUTIVE OFFICER

**Michael A. Clark
Principal**

TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN, AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)

Earl Wedde
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE

410-374-9025

AREA CODE-NUMBER

DATE

06 | 06 | 02

YEAR | MO | DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS

(Reference all attachments here)

PERMITTEE NAME/ADDRESS: (Include Facility Name/Location if different)

NAME: **BTR CAPITAL GROUP**
 ADDRESS: **555 13th Street., NW**
Suite 420E
Washington, DC 20004
 FACILITY: **Hampstead, Maryland 21074**
 LOCATION: **CARROLL COUNTY**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

FORM APPROVED
 OMB No.2040-0004

MD0001881	001
PERMIT NUMBER	DISCHARGE NUMBER
(2-16)	(17-19)

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
2006	06	01	06	06	30
(20-21)	(22-23)	(24-25)	(26-27)	(28-29)	(30-31)

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	X	(3 Card Only) QUANTITY OR LOADING (46-53) (54-61)			(4 Card Only) QUALITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW	SAMPLE MEASUREMENT	0.253	1.045	MGD					0	Measured/Recorded	
	PERMIT REQUIREMENT	NO LIMIT	NO LIMIT								Measured/Recorded
1,1,1-TRICHLOROETHANE	SAMPLE MEASUREMENT						<5	ppb	0	1/MONTH	GRAB
	PERMIT REQUIREMENT						5			1/MONTH	GRAB
TETRACHLOROETHYLENE	SAMPLE MEASUREMENT						<5	ppb	0	1/MONTH	GRAB
	PERMIT REQUIREMENT						5			1/MONTH	GRAB
TRICHLOROETHYLENE	SAMPLE MEASUREMENT						<5	ppb	0	1/MONTH	GRAB
	PERMIT REQUIREMENT						5			1/MONTH	GRAB
TOTAL RESIDUAL CHLORINE	SAMPLE MEASUREMENT						<0.1	mg/l	0	1/MONTH	GRAB
	PERMIT REQUIREMENT						0.011		0.019		1/MONTH
OIL & GREASE	SAMPLE MEASUREMENT						<5	mg/l	0	1/MONTH	GRAB
	PERMIT REQUIREMENT						10		<5		1/MONTH
pH	SAMPLE MEASUREMENT				6.30		7.00	STD	0	2/WEEK	GRAB
	PERMIT REQUIREMENT				6.00		8.50			2/WEEK	GRAB

NAME / TITLE PRINCIPAL EXECUTIVE OFFICER

Michael A. Clark
Principal

TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREON; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)

Earl Weddell
 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE	DATE
410-374-9025	06 07 07
AREA CODE-NUMBER	YEAR MO DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS

(Reference all attachments here)

*Averages for TSS and Oil & Grease are reported quarterly.

EPA Form 3320-1 (Rev. 9-88) Previous edition to be used until supply is exhausted.

(REPLACES EPA FORM T-40 WHICH MAY NOT BE USED.)

PERMITTEE NAME/ADDRESS: (Include Facility Name/Location if different)

NAME: **BTR CAPITAL GROUP**
 ADDRESS: **555 13th Street., NW**
Suite 420E
Washington, DC 20004

FACILITY: **Hampstead, Maryland 21074**

LOCATION: **CARROLL COUNTY**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

MD0001881 **001**
 PERMIT NUMBER DISCHARGE NUMBER

(2-16) (17-19)

MONITORING PERIOD

FROM

YEAR	MO	DAY
2006	06	01

 TO

YEAR	MO	DAY
06	06	30

(20-21) (22-23) (24-25) (26-27) (28-29) (30-31)

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	X	(3 Card Only) (46-53) QUANTITY OR LOADING (54-61)			(4 Card Only) QUALITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS				
BOD	SAMPLE MEASUREMENT							<2	mg/l	0	1/MONTH	GRAB
	PERMIT REQUIREMENT							15			1/MONTH	GRAB
TOTAL SUSPENDED SOLIDS	SAMPLE MEASUREMENT					4.2		2.5	mg/l	0	1/MONTH	GRAB
	PERMIT REQUIREMENT					20		30			1/MONTH	GRAB
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											

NAME / TITLE PRINCIPAL EXECUTIVE OFFICER

Michael A. Clark
Principal

TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)

Earl Weddle
SIGNATURE OF PRINCIPAL EXECUTIVE
OFFICER OR AUTHORIZED AGENT

TELEPHONE

410-374-9025

AREA CODE-NUMBER

DATE

06 | 07 | 07

YEAR | MO | DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS

(Reference all attachments here)

*Averages for TSS and Oil & Grease are reported quarterly.

EPA Form 3320-1 (Rev. 9-88) Previous edition to be used until supply is exhausted.

(REPLACES EPA FORM T-40 WHICH MAY NOT BE USED.)

PAGE 2 OF 2

PERMITTEE NAME/ADDRESS: (Include Facility Name/Location if different)

NAME: BTR CAPITAL GROUP

ADDRESS: 555 13th Street., NW

Suite 420E

Washington, DC 20004

FACILITY: Hampstead, Maryland 21074

LOCATION: CARROLL COUNTY

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

MD0001881

PERMIT NUMBER

(2-16)

101

DISCHARGE NUMBER

(17-19)

MONITORING PERIOD

FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY
	2006	06	01		06	06	30
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

FORM APPROVED

OMB No.2040-0004

NOTE: Read Instructions before completing this form.

PARAMETER (32-37)	X	(3 Card Only) (46-53)			(4 Card Only)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW	SAMPLE MEASUREMENT	0.226	0.234	MGD					0	Cont Measure/Record	
	PERMIT REQUIREMENT	NO LIMIT	NO LIMIT							Cont Measure/Record	
FECAL COLIFORM	SAMPLE MEASUREMENT						<2	MPN/100ml	0	1/WEEK GRAB	
	PERMIT REQUIREMENT						200			1/WEEK GRAB	
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME / TITLE PRINCIPAL EXECUTIVE OFFICER

Michael A. Clark
Principal

TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 23 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)

Earl Wedder

SIGNATURE OF PRINCIPAL EXECUTIVE
OFFICER OR AUTHORIZED AGENT

TELEPHONE

410-374-9025

AREA CODE-NUMBER

DATE

06 | 07 | 07

YEAR | MO | DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS

(Reference all attachments here)

PERMITTEE NAME/ADDRESS: (Include Facility Name/Location if different)

NAME: BTR CAPITAL GROUP

ADDRESS: 555 13th Street., NW

Suite 420E

Washington, DC 20004

FACILITY: Hampstead, Maryland 21074

LOCATION: CARROLL COUNTY

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

MD0001881
PERMIT NUMBER
(2-16)

201
DISCHARGE NUMBER
(17-19)

FORM APPROVED

OMB No.2040-0004

MONITORING PERIOD

FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY
	2006	06	01		06	06	30
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	QUANTITY OR LOADING (46-53)			QUALITY OR CONCENTRATION (4 Card Only)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW		0.209	0.262	MGD					0	Cont Measure/Record	
	PERMIT REQUIREMENT	NO LIMIT	NO LIMIT							Cont Measure/Records	
1,1,1-TRICHLOROETHANE	SAMPLE MEASUREMENT						<5	ppb	0	1/MONTH	GRAB
	PERMIT REQUIREMENT						N/A			1/MONTH	GRAB
TETRACHLOROETHYLENE	SAMPLE MEASUREMENT						<5	ppb	0	1/MONTH	GRAB
	PERMIT REQUIREMENT						N/A			1/MONTH	GRAB
TRICHLOROETHYLENE	SAMPLE MEASUREMENT						<5	ppb	0	1/MONTH	GRAB
	PERMIT REQUIREMENT						N/A			1/MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME / TITLE PRINCIPAL EXECUTIVE OFFICER

Michael A. Clark
Principal

TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 19 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)

Earl Weddell

SIGNATURE OF PRINCIPAL EXECUTIVE
OFFICER OR AUTHORIZED AGENT

TELEPHONE

410-374-9025

AREA CODE-NUMBER

DATE

06 | 07 | 07

YEAR | MO | DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS

(Reference all attachments here)

APPENDIX C
GROUNDWATER TREATMENT SYSTEM ANALYTICAL RESULTS

Test Results

Client: BTR Hampstead, Inc. Client Sample ID: Air Stripper 2 (Pre)
 Report No: 0604082
 Project: Hampstead-Monthly Lab ID: 0604082-002
 Matrix: WASTEWATER Collection Date: 4/5/2006 11:21

Analyses	Test Results	Reporting Limit	Units	Date/Time Analyzed
----------	--------------	-----------------	-------	--------------------

VOLATILE ORGANIC COMPOUNDS (EPA 624)

Analyst: MLS

Prep. Method: NA

Prep. Date: NA

Prep Analyst NA

Chloromethane	< 10	10	µg/L	4/11/2006 3:34
Vinyl chloride	< 10	10	µg/L	4/11/2006 3:34
Bromomethane	< 10	10	µg/L	4/11/2006 3:34
Chloroethane	< 10	10	µg/L	4/11/2006 3:34
Acrolein	< 100	100	µg/L	4/11/2006 3:34
1,1-Dichloroethene	< 5.0	5.0	µg/L	4/11/2006 3:34
Methylene chloride	< 5.0	5.0	µg/L	4/11/2006 3:34
Acrylonitrile	< 100	100	µg/L	4/11/2006 3:34
trans-1,2-Dichloroethene	< 5.0	5.0	µg/L	4/11/2006 3:34
1,1-Dichloroethane	< 5.0	5.0	µg/L	4/11/2006 3:34
Chloroform	< 5.0	5.0	µg/L	4/11/2006 3:34
1,1,1-Trichloroethane	< 5.0	5.0	µg/L	4/11/2006 3:34
Carbon tetrachloride	< 5.0	5.0	µg/L	4/11/2006 3:34
Benzene	< 5.0	5.0	µg/L	4/11/2006 3:34
1,2-Dichloroethane	< 5.0	5.0	µg/L	4/11/2006 3:34
Trichloroethene	140	5.0	µg/L	4/11/2006 3:34
1,2-Dichloropropane	< 5.0	5.0	µg/L	4/11/2006 3:34
Bromodichloromethane	< 5.0	5.0	µg/L	4/11/2006 3:34
2-Chloroethyl vinyl ether	< 10	10	µg/L	4/11/2006 3:34
cis-1,3-Dichloropropene	< 5.0	5.0	µg/L	4/11/2006 3:34
Toluene	< 5.0	5.0	µg/L	4/11/2006 3:34
trans-1,3-Dichloropropene	< 5.0	5.0	µg/L	4/11/2006 3:34
1,1,2-Trichloroethane	< 5.0	5.0	µg/L	4/11/2006 3:34
Tetrachloroethene	77	5.0	µg/L	4/11/2006 3:34
Dibromochloromethane	< 5.0	5.0	µg/L	4/11/2006 3:34
Chlorobenzene	< 5.0	5.0	µg/L	4/11/2006 3:34
Ethylbenzene	< 5.0	5.0	µg/L	4/11/2006 3:34
Bromoform	< 5.0	5.0	µg/L	4/11/2006 3:34
1,1,2,2-Tetrachloroethane	< 5.0	5.0	µg/L	4/11/2006 3:34
1,3-Dichlorobenzene	< 5.0	5.0	µg/L	4/11/2006 3:34
1,4-Dichlorobenzene	< 5.0	5.0	µg/L	4/11/2006 3:34

Test Results

Page 5

Client:	BTR Hampstead, Inc.	Client Sample ID:	Air Stripper 2 (Pre)
Report No:	0604082	Lab ID:	0604082-002
Project:	Hampstead-Monthly	Collection Date:	4/5/2006 11:21
Matrix:	WASTEWATER		

Analyses	Test Results	Reporting Limit	Units	Date/Time Analyzed
1,2-Dichlorobenzene	< 5.0	5.0	µg/L	4/11/2006 3:34

Test Results

Client: BTR Hampstead, Inc.
Report No: 0604082
Project: Hampstead-Monthly
Matrix: WASTEWATER

Client Sample ID: Outfall 201 (Post)
Lab ID: 0604082-003
Collection Date: 4/5/2006 11:20

Analyses	Test Results	Reporting Limit	Units	Date/Time Analyzed
----------	--------------	-----------------	-------	--------------------

VOLATILE ORGANIC COMPOUNDS (EPA 624)

Analyst: MLS

Prep. Method: NA

Prep. Date: NA

Prep Analyst NA

Chloromethane	< 10	10	µg/L	4/11/2006 4:09
Vinyl chloride	< 10	10	µg/L	4/11/2006 4:09
Bromomethane	< 10	10	µg/L	4/11/2006 4:09
Chloroethane	< 10	10	µg/L	4/11/2006 4:09
Acrolein	< 100	100	µg/L	4/11/2006 4:09
1,1-Dichloroethene	< 5.0	5.0	µg/L	4/11/2006 4:09
Methylene chloride	< 5.0	5.0	µg/L	4/11/2006 4:09
Acrylonitrile	< 100	100	µg/L	4/11/2006 4:09
trans-1,2-Dichloroethene	< 5.0	5.0	µg/L	4/11/2006 4:09
1,1-Dichloroethane	< 5.0	5.0	µg/L	4/11/2006 4:09
Chloroform	< 5.0	5.0	µg/L	4/11/2006 4:09
1,1,1-Trichloroethane	< 5.0	5.0	µg/L	4/11/2006 4:09
Carbon tetrachloride	< 5.0	5.0	µg/L	4/11/2006 4:09
Benzene	< 5.0	5.0	µg/L	4/11/2006 4:09
1,2-Dichloroethane	< 5.0	5.0	µg/L	4/11/2006 4:09
Trichloroethene	< 5.0	5.0	µg/L	4/11/2006 4:09
1,2-Dichloropropane	< 5.0	5.0	µg/L	4/11/2006 4:09
Bromodichloromethane	< 5.0	5.0	µg/L	4/11/2006 4:09
2-Chloroethyl vinyl ether	< 10	10	µg/L	4/11/2006 4:09
cis-1,3-Dichloropropene	< 5.0	5.0	µg/L	4/11/2006 4:09
Toluene	< 5.0	5.0	µg/L	4/11/2006 4:09
trans-1,3-Dichloropropene	< 5.0	5.0	µg/L	4/11/2006 4:09
1,1,2-Trichloroethane	< 5.0	5.0	µg/L	4/11/2006 4:09
Tetrachloroethene	< 5.0	5.0	µg/L	4/11/2006 4:09
Dibromochloromethane	< 5.0	5.0	µg/L	4/11/2006 4:09
Chlorobenzene	< 5.0	5.0	µg/L	4/11/2006 4:09
Ethylbenzene	< 5.0	5.0	µg/L	4/11/2006 4:09
Bromoform	< 5.0	5.0	µg/L	4/11/2006 4:09
1,1,2,2-Tetrachloroethane	< 5.0	5.0	µg/L	4/11/2006 4:09
1,3-Dichlorobenzene	< 5.0	5.0	µg/L	4/11/2006 4:09
1,4-Dichlorobenzene	< 5.0	5.0	µg/L	4/11/2006 4:09

Test Results

Page 7

Client:	BTR Hampstead, Inc.	Client Sample ID:	Outfall 201 (Post)
Report No:	0604082	Lab ID:	0604082-003
Project:	Hampstead-Monthly	Collection Date:	4/5/2006 11:20
Matrix:	WASTEWATER		

Analyses	Test Results	Reporting Limit	Units	Date/Time Analyzed
1,2-Dichlorobenzene	< 5.0	5.0	µg/L	4/11/2006 4:09

Microbac

www.microbac.com

Microbac Laboratories, Inc.
Gascoyne Division

Phone: 410-633-1800

Fax: 410-633-6553

www.gascoyne.com

2101 Van Deman Street • Baltimore, MD 21224

CERTIFICATE OF ANALYSIS

Page 2 of 7

BTR Hampstead, Inc.
626 Hanover PikeHampstead, Maryland 21074
Attn: Mike ClarkReport No: 0605089
Date Received: 5/3/2006
Date Reported: 5/18/2006

Project: Hampstead-Qtrly

Test	Result	Units	Reporting Limit	Date/Time of Analysis	Analyst
Lab ID: 0605089-002 Collection Date: 5/3/2006 1:17:00 PM Client Sample ID: XXXXXXXXXX Matrix: WASTEWATER VOLATILE ORGANIC COMPOUNDS (METHOD : EPA 624) Prep. Method: <u>NA</u> Prep. Date: <u>NA</u> Prep Analyst: <u>NA</u>					
Chloromethane	< 10	µg/L	10	5/16/2006 5:39	MLS
Vinyl chloride	< 10	µg/L	10	5/16/2006 5:39	MLS
Bromomethane	< 10	µg/L	10	5/16/2006 5:39	MLS
Chloroethane	< 10	µg/L	10	5/16/2006 5:39	MLS
Acrolein	< 100	µg/L	100	5/16/2006 5:39	MLS
1,1-Dichloroethene	< 5.0	µg/L	5.0	5/16/2006 5:39	MLS
Methylene chloride	< 5.0	µg/L	5.0	5/16/2006 5:39	MLS
Acrylonitrile	< 100	µg/L	100	5/16/2006 5:39	MLS
trans-1,2-Dichloroethene	< 5.0	µg/L	5.0	5/16/2006 5:39	MLS
1,1-Dichloroethane	< 5.0	µg/L	5.0	5/16/2006 5:39	MLS
Chloroform	< 5.0	µg/L	5.0	5/16/2006 5:39	MLS
1,1,1-Trichloroethane	< 5.0	µg/L	5.0	5/16/2006 5:39	MLS
Carbon tetrachloride	< 5.0	µg/L	5.0	5/16/2006 5:39	MLS
Benzene	< 5.0	µg/L	5.0	5/16/2006 5:39	MLS
1,2-Dichloroethane	< 5.0	µg/L	5.0	5/16/2006 5:39	MLS
Trichloroethene	130	µg/L	5.0	5/16/2006 5:39	MLS
1,2-Dichloropropane	< 5.0	µg/L	5.0	5/16/2006 5:39	MLS
Bromodichloromethane	< 5.0	µg/L	5.0	5/16/2006 5:39	MLS
2-Chloroethyl vinyl ether	< 10	µg/L	10	5/16/2006 5:39	MLS
cis-1,3-Dichloropropene	< 5.0	µg/L	5.0	5/16/2006 5:39	MLS
Toluene	< 5.0	µg/L	5.0	5/16/2006 5:39	MLS
trans-1,3-Dichloropropene	< 5.0	µg/L	5.0	5/16/2006 5:39	MLS
1,1,2-Trichloroethane	< 5.0	µg/L	5.0	5/16/2006 5:39	MLS
Tetrachloroethene	56	µg/L	5.0	5/16/2006 5:39	MLS
Dibromochloromethane	< 5.0	µg/L	5.0	5/16/2006 5:39	MLS
Chlorobenzene	< 5.0	µg/L	5.0	5/16/2006 5:39	MLS
Ethylbenzene	< 5.0	µg/L	5.0	5/16/2006 5:39	MLS
Bromoform	< 5.0	µg/L	5.0	5/16/2006 5:39	MLS
1,1,2,2-Tetrachloroethane	< 5.0	µg/L	5.0	5/16/2006 5:39	MLS
1,3-Dichlorobenzene	< 5.0	µg/L	5.0	5/16/2006 5:39	MLS
1,4-Dichlorobenzene	< 5.0	µg/L	5.0	5/16/2006 5:39	MLS
1,2-Dichlorobenzene	< 5.0	µg/L	5.0	5/16/2006 5:39	MLS



www.microbac.com

Microbac Laboratories, Inc.

Gascoyne Division

2101 Van Deman Street • Baltimore, MD 21224

Phone: 410-633-1800

Fax: 410-633-6553

www.gascoyne.com

CERTIFICATE OF ANALYSIS

Page 3 of 7

BTR Hampstead, Inc.
626 Hanover Pike

Hampstead, Maryland 21074
Attn: Mike Clark

Report No: 0605089

Date Received: 5/3/2006

Date Reported: 5/18/2006

Project: Hampstead-Qtrly

Test	Result	Units	Reporting Limit	Date/Time of Analysis	Analyst
------	--------	-------	-----------------	-----------------------	---------

Lab ID: 0605089-003

Collection Date: 5/3/2006 1:16:00 PM

Client Sample ID: Outfall 201 (Post)

Matrix: WASTEWATER

VOLATILE ORGANIC COMPOUNDS (METHOD : EPA 624)

Prep. Method: NA

Prep. Date: NA

Prep Analyst NA

Chloromethane	< 10	µg/L	10	5/16/2006 6:14	MLS
Vinyl chloride	< 10	µg/L	10	5/16/2006 6:14	MLS
Bromomethane	< 10	µg/L	10	5/16/2006 6:14	MLS
Chloroethane	< 10	µg/L	10	5/16/2006 6:14	MLS
Acrolein	< 100	µg/L	100	5/16/2006 6:14	MLS
1,1-Dichloroethene	< 5.0	µg/L	5.0	5/16/2006 6:14	MLS
Methylene chloride	< 5.0	µg/L	5.0	5/16/2006 6:14	MLS
Acrylonitrile	< 100	µg/L	100	5/16/2006 6:14	MLS
trans-1,2-Dichloroethene	< 5.0	µg/L	5.0	5/16/2006 6:14	MLS
1,1-Dichloroethane	< 5.0	µg/L	5.0	5/16/2006 6:14	MLS
Chloroform	< 5.0	µg/L	5.0	5/16/2006 6:14	MLS
1,1,1-Trichloroethane	< 5.0	µg/L	5.0	5/16/2006 6:14	MLS
Carbon tetrachloride	< 5.0	µg/L	5.0	5/16/2006 6:14	MLS
Benzene	< 5.0	µg/L	5.0	5/16/2006 6:14	MLS
1,2-Dichloroethane	< 5.0	µg/L	5.0	5/16/2006 6:14	MLS
Trichloroethene	< 5.0	µg/L	5.0	5/16/2006 6:14	MLS
1,2-Dichloropropane	< 5.0	µg/L	5.0	5/16/2006 6:14	MLS
Bromodichloromethane	< 5.0	µg/L	5.0	5/16/2006 6:14	MLS
2-Chloroethyl vinyl ether	< 10	µg/L	10	5/16/2006 6:14	MLS
cis-1,3-Dichloropropene	< 5.0	µg/L	5.0	5/16/2006 6:14	MLS
Toluene	< 5.0	µg/L	5.0	5/16/2006 6:14	MLS
trans-1,3-Dichloropropene	< 5.0	µg/L	5.0	5/16/2006 6:14	MLS
1,1,2-Trichloroethane	< 5.0	µg/L	5.0	5/16/2006 6:14	MLS
Tetrachloroethene	< 5.0	µg/L	5.0	5/16/2006 6:14	MLS
Dibromochloromethane	< 5.0	µg/L	5.0	5/16/2006 6:14	MLS
Chlorobenzene	< 5.0	µg/L	5.0	5/16/2006 6:14	MLS
Ethylbenzene	< 5.0	µg/L	5.0	5/16/2006 6:14	MLS
Bromoform	< 5.0	µg/L	5.0	5/16/2006 6:14	MLS
1,1,2,2-Tetrachloroethane	< 5.0	µg/L	5.0	5/16/2006 6:14	MLS
1,3-Dichlorobenzene	< 5.0	µg/L	5.0	5/16/2006 6:14	MLS
1,4-Dichlorobenzene	< 5.0	µg/L	5.0	5/16/2006 6:14	MLS
1,2-Dichlorobenzene	< 5.0	µg/L	5.0	5/16/2006 6:14	MLS


Certificate of Analysis

Page 2

Client: BTR Hampstead, Inc.
Report No: 0606135
Project: Hampstead-Monthly
Matrix: WASTEWATER

Client Sample ID: Air Stripper 2 (Pre)
Lab ID: 0606135-002
Collection Date: 6/7/2006 10:08

Analyses	Test Results	Reporting Limit	Units	Date/Time Analyzed	
<u>VOLATILE ORGANIC COMPOUNDS (EPA 624)</u>					
Prep. Method: <u>NA</u>	Prep. Date: <u>NA</u>			Analyst: <u>MLS</u>	
				Prep Analyst	<u>NA</u>
Chloromethane	< 10	10	µg/L	6/9/2006	23:03
Vinyl chloride	< 10	10	µg/L	6/9/2006	23:03
Bromomethane	< 10	10	µg/L	6/9/2006	23:03
Chloroethane	< 10	10	µg/L	6/9/2006	23:03
Acrolein	< 100	100	µg/L	6/9/2006	23:03
1,1-Dichloroethene	< 5.0	5.0	µg/L	6/9/2006	23:03
Methylene chloride	< 5.0	5.0	µg/L	6/9/2006	23:03
Acrylonitrile	< 100	100	µg/L	6/9/2006	23:03
trans-1,2-Dichloroethene	< 5.0	5.0	µg/L	6/9/2006	23:03
1,1-Dichloroethane	< 5.0	5.0	µg/L	6/9/2006	23:03
Chloroform	< 5.0	5.0	µg/L	6/9/2006	23:03
1,1,1-Trichloroethane	< 5.0	5.0	µg/L	6/9/2006	23:03
Carbon tetrachloride	< 5.0	5.0	µg/L	6/9/2006	23:03
Benzene	< 5.0	5.0	µg/L	6/9/2006	23:03
1,2-Dichloroethane	< 5.0	5.0	µg/L	6/9/2006	23:03
Trichloroethene	99	5.0	µg/L	6/9/2006	23:03
1,2-Dichloropropane	< 5.0	5.0	µg/L	6/9/2006	23:03
Bromodichloromethane	< 5.0	5.0	µg/L	6/9/2006	23:03
2-Chloroethyl vinyl ether	< 10	10	µg/L	6/9/2006	23:03
cis-1,3-Dichloropropene	< 5.0	5.0	µg/L	6/9/2006	23:03
Toluene	< 5.0	5.0	µg/L	6/9/2006	23:03
trans-1,3-Dichloropropene	< 5.0	5.0	µg/L	6/9/2006	23:03
1,1,2-Trichloroethane	< 5.0	5.0	µg/L	6/9/2006	23:03
Tetrachloroethene	67	5.0	µg/L	6/9/2006	23:03
Dibromochloromethane	< 5.0	5.0	µg/L	6/9/2006	23:03
Chlorobenzene	< 5.0	5.0	µg/L	6/9/2006	23:03
Ethylbenzene	< 5.0	5.0	µg/L	6/9/2006	23:03
Bromoform	< 5.0	5.0	µg/L	6/9/2006	23:03
1,1,2,2-Tetrachloroethane	< 5.0	5.0	µg/L	6/9/2006	23:03
1,3-Dichlorobenzene	< 5.0	5.0	µg/L	6/9/2006	23:03
1,4-Dichlorobenzene	< 5.0	5.0	µg/L	6/9/2006	23:03
1,2-Dichlorobenzene	< 5.0	5.0	µg/L	6/9/2006	23:03



Phone: 410-633-1800

Fax: 410-633-6553

www.microbac.com

Certificate of Analysis

Page 3

Client: BTR Hampstead, Inc.
 Report No: 0606135
 Project: Hampstead-Monthly
 Matrix: WASTEWATER

Client Sample ID: Outfall 201 (Post)
 Lab ID: 0606135-003
 Collection Date: 6/7/2006 10:07

Analyses	Test Results	Reporting Limit	Units	Date/Time Analyzed	
<u>VOLATILE ORGANIC COMPOUNDS (EPA 624)</u>					
Prep. Method: <u>NA</u>	Prep. Date: <u>NA</u>			Analyst: <u>MLS</u>	
			Prep Analyst	<u>NA</u>	
Chloromethane	< 10	10	µg/L	6/9/2006	23:37
Vinyl chloride	< 10	10	µg/L	6/9/2006	23:37
Bromomethane	< 10	10	µg/L	6/9/2006	23:37
Chloroethane	< 10	10	µg/L	6/9/2006	23:37
Acrolein	< 100	100	µg/L	6/9/2006	23:37
1,1-Dichloroethene	< 5.0	5.0	µg/L	6/9/2006	23:37
Methylene chloride	< 5.0	5.0	µg/L	6/9/2006	23:37
Acrylonitrile	< 100	100	µg/L	6/9/2006	23:37
trans-1,2-Dichloroethene	< 5.0	5.0	µg/L	6/9/2006	23:37
1,1-Dichloroethane	< 5.0	5.0	µg/L	6/9/2006	23:37
Chloroform	< 5.0	5.0	µg/L	6/9/2006	23:37
1,1,1-Trichloroethane	< 5.0	5.0	µg/L	6/9/2006	23:37
Carbon tetrachloride	< 5.0	5.0	µg/L	6/9/2006	23:37
Benzene	< 5.0	5.0	µg/L	6/9/2006	23:37
1,2-Dichloroethane	< 5.0	5.0	µg/L	6/9/2006	23:37
Trichloroethene	< 5.0	5.0	µg/L	6/9/2006	23:37
1,2-Dichloropropane	< 5.0	5.0	µg/L	6/9/2006	23:37
Bromodichloromethane	< 5.0	5.0	µg/L	6/9/2006	23:37
2-Chloroethyl vinyl ether	< 10	10	µg/L	6/9/2006	23:37
cis-1,3-Dichloropropene	< 5.0	5.0	µg/L	6/9/2006	23:37
Toluene	< 5.0	5.0	µg/L	6/9/2006	23:37
trans-1,3-Dichloropropene	< 5.0	5.0	µg/L	6/9/2006	23:37
1,1,2-Trichloroethane	< 5.0	5.0	µg/L	6/9/2006	23:37
Tetrachloroethene	< 5.0	5.0	µg/L	6/9/2006	23:37
Dibromochloromethane	< 5.0	5.0	µg/L	6/9/2006	23:37
Chlorobenzene	< 5.0	5.0	µg/L	6/9/2006	23:37
Ethylbenzene	< 5.0	5.0	µg/L	6/9/2006	23:37
Bromoform	< 5.0	5.0	µg/L	6/9/2006	23:37
1,1,2,2-Tetrachloroethane	< 5.0	5.0	µg/L	6/9/2006	23:37
1,3-Dichlorobenzene	< 5.0	5.0	µg/L	6/9/2006	23:37
1,4-Dichlorobenzene	< 5.0	5.0	µg/L	6/9/2006	23:37
1,2-Dichlorobenzene	< 5.0	5.0	µg/L	6/9/2006	23:37

APPENDIX D
GROUNDWATER ANALYTICAL DATA PACKAGE (MAY 2006)

STL Chicago
2417 Bond Street
University Park, IL 60466

Tel: 708 534 5200 Fax: 708 534 5211
www.stl-inc.com

SEVERN TRENT LABORATORIES
ANALYTICAL REPORT

JOB NUMBER: 246663

Prepared For:


Weston Solutions, Inc.
Building 5-2
1400 Weston Way
West Chester, PA 19380-1499

Project: Black & Decker - MD

Attention: Tom Cornuet

Date: 06/06/2006

Signature



Name: Richard C. Wright

Title: Project Manager

E-Mail: rwright@stl-inc.com

Date

6/6/06

STL Chicago
2417 Bond Street
University Park, IL 60466


PHONE: (708) 534-5200
FAX...: (708) 534-5211

This Report Contains (114) Pages

Severn Trent Laboratories Chicago
GC/MS Case Narrative

Weston Solutions
Black and Decker
JOB Number: 246663
VOA DATA:

1. All of the samples were analyzed within the 14-day hold time from the date of collection.
2. All Method Blank target compounds were below reporting limits.
3. The LCS (Laboratory Control Samples) had all five-controlled spike recoveries within the in-house generated QC limits.
4. Matrix Spike/Matrix Spike Duplicate analyses were not performed on this sample set.
5. Sample 19 had one surrogate recovery outside of the in-house QC limits. Sample 19 was reanalyzed at a dilution with all surrogate recoveries within QC limits. The other volatile samples had all surrogate recoveries within the in-house generated QC limits.
6. The water samples were prepared using Method 5030 and analyzed following SW846 Method 8260B and 8000B. All calibration criteria are met per method or SOP (for minimum R values for certain compounds). The low point in the initial calibration verifies the base reporting limits. The target compounds were quantitated using the initial calibration.
7. The volatile samples had all internal standard areas and retention times within the SOP acceptance limits as compared to the corresponding calibration verification standard.
8. The water samples were analyzed using a 10-mL purge volume. Secondary dilutions for target compounds were required on samples 12, 16, 17, 18, 19, 23, and 24. The results and reporting limits were adjusted to account for the dilution performed.



John Nagel
GC/MS Dept.

6.6.06
Date

STL Chicago is part of Severn Trent Laboratories, Inc.

S A M P L E I N F O R M A T I O N
Date: 06/06/2006

Job Number.: 246663
Customer...: Weston Solutions, Inc.
Attn.....: Tom Cornuet

Project Number.....: 20005711
Customer Project ID....: BLACK AND DECKER
Project Description....: Black & Decker - MD

Laboratory Sample ID	Customer Sample ID	Sample Matrix	Date Sampled	Time Sampled	Date Received	Time Received
246663-1	RFW-1A	Water	05/19/2006	09:15	05/23/2006	10:15
246663-2	RFW-1B	Water	05/19/2006	16:00	05/23/2006	10:15
246663-3	RFW-2A	Water	05/19/2006	08:10	05/23/2006	10:15
246663-4	RFW-2B	Water	05/19/2006	08:35	05/23/2006	10:15
246663-5	RFW-3B	Water	05/19/2006	17:00	05/23/2006	10:15
246663-6	RFW-4A	Water	05/22/2006	08:40	05/23/2006	10:15
246663-7	RFW-4B	Water	05/22/2006	09:20	05/23/2006	10:15
246663-8	RFW-6	Water	05/19/2006	16:50	05/23/2006	10:15
246663-9	RFW-7	Water	05/19/2006	14:40	05/23/2006	10:15
246663-10	RFW-9	Water	05/22/2006	10:05	05/23/2006	10:15
246663-11	RFW-11B	Water	05/22/2006	12:00	05/23/2006	10:15
246663-12	RFW-12B	Water	05/22/2006	13:50	05/23/2006	10:15
246663-13	RFW-13	Water	05/19/2006	14:15	05/23/2006	10:15
246663-14	RFW-17	Water	05/19/2006	12:50	05/23/2006	10:15
246663-15	RFW-4B DUP	Water	05/22/2006	09:20	05/23/2006	10:15
246663-16	EW-2	Water	05/22/2006	13:30	05/23/2006	10:15
246663-17	EW-3	Water	05/22/2006	13:00	05/23/2006	10:15
246663-18	EW-4	Water	05/22/2006	12:20	05/23/2006	10:15
246663-19	EW-5	Water	05/22/2006	12:10	05/23/2006	10:15
246663-20	EW-6	Water	05/22/2006	08:00	05/23/2006	10:15
246663-21	EW-7	Water	05/22/2006	08:10	05/23/2006	10:15
246663-22	EW-8	Water	05/22/2006	08:15	05/23/2006	10:15
246663-23	EW-9	Water	05/22/2006	08:25	05/23/2006	10:15
246663-24	EW-9 DUP	Water	05/22/2006	08:25	05/23/2006	10:15
246663-25	EW-10	Water	05/22/2006	08:30	05/23/2006	10:15
246663-26	LEISTER-1	Water	05/22/2006	14:00	05/23/2006	10:15

STL Chicago is part of Severn Trent Laboratories, Inc.

SAMPLE INFORMATION
Date:

Job Number.: 246663
Customer...: Weston Solutions, Inc.
Attn.....: Tom Cornuet
Project Number.....: 20005711
Customer Project ID....: BLACK AND DECKER
Project Description....: Black & Decker - MD

Laboratory Sample ID	Customer Sample ID	Sample Matrix	Date Sampled	Time Sampled	Date Received	Time Received
246663-27	LEISTER-DAIRY	Water	05/22/2006	14:10	05/23/2006	10:15
246663-28	TRIP BLANK	Water	05/19/2006	08:00	05/23/2006	10:15

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: RFW-1A
 Date Sampled.....: 05/19/2006
 Time Sampled.....: 09:15
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-1
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Dichlorodifluoromethane	1.0	U		0.12	1.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	Chloromethane	1.0	U		0.20	1.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	Vinyl chloride	1.0	U		0.16	1.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	Bromomethane	1.0	U		0.59	1.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	Chloroethane	1.0	U		0.32	1.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	Trichlorofluoromethane	1.0	U		0.14	1.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	1,1-Dichloroethene	1.0	U		0.25	1.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	Carbon disulfide	5.0	U		0.15	5.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	Acetone	5.0	U		1.4	5.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	Methylene chloride	1.0	U		0.24	1.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	trans-1,2-Dichloroethene	1.0	U		0.29	1.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	1,1-Dichloroethane	1.0	U		0.15	1.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	2,2-Dichloropropane	1.0	U		0.17	1.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	cis-1,2-Dichloroethene	1.0	U		0.20	1.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	2-Butanone (MEK)	5.0	U		1.0	5.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	Bromochloromethane	1.0	U		0.27	1.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	Chloroform	1.0	U		0.14	1.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	1,1,1-Trichloroethane	1.0	U		0.17	1.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	1,1-Dichloropropene	1.0	U		0.38	1.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	Carbon tetrachloride	1.0	U		0.34	1.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	Benzene	1.0	U		0.23	1.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	1,2-Dichloroethane	1.0	U		0.25	1.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	Trichloroethene	1.0	U		0.13	1.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	1,2-Dichloropropane	1.0	U		0.19	1.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	Dibromomethane	1.0	U		0.21	1.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	Bromodichloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	cis-1,3-Dichloropropene	1.0	U		0.15	1.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	4-Methyl-2-pentanone (MIBK)	5.0	U		0.92	5.0	1.00000	ug/L	182236		06/01/06 0531	jdn

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: RFW-1A
 Date Sampled.....: 05/19/2006
 Time Sampled.....: 09:15
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-1
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Toluene	1.0	U		0.18	1.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	trans-1,3-Dichloropropene	1.0	U		0.16	1.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	1,1,2-Trichloroethane	1.0	U		0.24	1.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	Tetrachloroethane	1.0	U		0.18	1.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	1,3-Dichloropropane	1.0	U		0.22	1.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	2-Hexanone	5.0	U		0.99	5.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	Dibromochloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	1,2-Dibromoethane (EDB)	1.0	U		0.33	1.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	Chlorobenzene	1.0	U		0.15	1.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	1,1,1,2-Tetrachloroethane	1.0	U		0.33	1.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	Ethylbenzene	1.0	U		0.21	1.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	m&p-Xylenes	2.0	U		0.36	2.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	o-Xylene	1.0	U		0.19	1.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	Styrene	1.0	U		0.18	1.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	Bromoform	1.0	U		0.32	1.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	Isopropylbenzene	1.0	U		0.20	1.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	Bromobenzene	1.0	U		0.22	1.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	1,1,2,2-Tetrachloroethane	1.0	U		0.34	1.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	1,2,3-Trichloropropane	1.0	U		0.35	1.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	n-Propylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	2-Chlorotoluene	1.0	U		0.16	1.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	1,3,5-Trimethylbenzene	1.0	U		0.18	1.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	4-Chlorotoluene	1.0	U		0.18	1.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	tert-Butylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	1,2,4-Trimethylbenzene	1.0	U		0.26	1.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	sec-Butylbenzene	1.0	U		0.19	1.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	1,3-Dichlorobenzene	1.0	U		0.21	1.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	p-Isopropyltoluene	1.0	U		0.29	1.0	1.00000	ug/L	182236		06/01/06 0531	jdn
	1,4-Dichlorobenzene	1.0	U		0.25	1.0	1.00000	ug/L	182236		06/01/06 0531	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS		Date: 06/06/2006											
Job Number: 246663		CUSTOMER: Weston Solutions, Inc.								PROJECT: BLACK AND DECKER		ATTN: Tom Cornuet	
Customer Sample ID: RFW-1A Date Sampled.....: 05/19/2006 Time Sampled.....: 09:15 Sample Matrix.....: Water					Laboratory Sample ID: 246663-1 Date Received.....: 05/23/2006 Time Received.....: 10:15								
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH	
	n-Butylbenzene	1.0	U		0.35	1.0	1.00000	ug/L	182236		06/01/06 0531	jd	
	1,2-Dichlorobenzene	1.0	U		0.29	1.0	1.00000	ug/L	182236		06/01/06 0531	jd	
	1,2-Dibromo-3-chloropropane	1.0	U		0.41	1.0	1.00000	ug/L	182236		06/01/06 0531	jd	
	1,2,4-Trichlorobenzene	1.0	U		0.36	1.0	1.00000	ug/L	182236		06/01/06 0531	jd	
	Hexachlorobutadiene	1.0	U		0.36	1.0	1.00000	ug/L	182236		06/01/06 0531	jd	
	Naphthalene	1.0	U		0.37	1.0	1.00000	ug/L	182236		06/01/06 0531	jd	
	1,2,3-Trichlorobenzene	1.0	U		0.43	1.0	1.00000	ug/L	182236		06/01/06 0531	jd	

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: RFW-1B
 Date Sampled.....: 05/19/2006
 Time Sampled.....: 16:00
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-2
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Dichlorodifluoromethane	1.0	U		0.12	1.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	Chloromethane	1.0	U		0.20	1.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	Vinyl chloride	1.0	U		0.16	1.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	Bromomethane	1.0	U		0.59	1.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	Chloroethane	1.0	U		0.32	1.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	Trichlorofluoromethane	1.0	U		0.14	1.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	1,1-Dichloroethene	1.0	U		0.25	1.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	Carbon disulfide	5.0	U		0.15	5.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	Acetone	5.0	U		1.4	5.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	Methylene chloride	1.0	U		0.24	1.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	trans-1,2-Dichloroethene	1.0	U		0.29	1.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	1,1-Dichloroethane	1.0	U		0.15	1.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	2,2-Dichloropropane	1.0	U		0.17	1.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	cis-1,2-Dichloroethene	1.0	U		0.20	1.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	2-Butanone (MEK)	5.0	U		1.0	5.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	Bromochloromethane	1.0	U		0.27	1.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	Chloroform	1.0	U		0.14	1.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	1,1,1-Trichloroethane	1.0	U		0.17	1.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	1,1-Dichloropropene	1.0	U		0.38	1.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	Carbon tetrachloride	1.0	U		0.34	1.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	Benzene	1.0	U		0.23	1.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	1,2-Dichloroethane	1.0	U		0.25	1.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	Trichloroethene	1.0	U		0.13	1.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	1,2-Dichloropropane	1.0	U		0.19	1.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	Dibromomethane	1.0	U		0.21	1.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	Bromodichloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	cis-1,3-Dichloropropene	1.0	U		0.15	1.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	4-Methyl-2-pentanone (MIBK)	5.0	U		0.92	5.0	1.00000	ug/L	182236		06/01/06 0552	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: RFW-1B
 Date Sampled.....: 05/19/2006
 Time Sampled.....: 16:00
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-2
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Toluene	1.0	U		0.18	1.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	trans-1,3-Dichloropropene	1.0	U		0.16	1.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	1,1,2-Trichloroethane	1.0	U		0.24	1.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	Tetrachloroethane	1.0	U		0.18	1.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	1,3-Dichloropropane	1.0	U		0.22	1.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	2-Hexanone	5.0	U		0.99	5.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	Dibromochloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	1,2-Dibromoethane (EDB)	1.0	U		0.33	1.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	Chlorobenzene	1.0	U		0.15	1.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	1,1,1,2-Tetrachloroethane	1.0	U		0.33	1.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	Ethylbenzene	1.0	U		0.21	1.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	m&p-Xylenes	2.0	U		0.36	2.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	o-Xylene	1.0	U		0.19	1.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	Styrene	1.0	U		0.18	1.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	Bromoform	1.0	U		0.32	1.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	Isopropylbenzene	1.0	U		0.20	1.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	Bromobenzene	1.0	U		0.22	1.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	1,1,2,2-Tetrachloroethane	1.0	U		0.34	1.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	1,2,3-Trichloropropane	1.0	U		0.35	1.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	n-Propylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	2-Chlorotoluene	1.0	U		0.16	1.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	1,3,5-Trimethylbenzene	1.0	U		0.18	1.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	4-Chlorotoluene	1.0	U		0.18	1.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	tert-Butylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	1,2,4-Trimethylbenzene	1.0	U		0.26	1.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	sec-Butylbenzene	1.0	U		0.19	1.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	1,3-Dichlorobenzene	1.0	U		0.21	1.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	p-Isopropyltoluene	1.0	U		0.29	1.0	1.00000	ug/L	182236		06/01/06 0552	jdn
	1,4-Dichlorobenzene	1.0	U		0.25	1.0	1.00000	ug/L	182236		06/01/06 0552	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS												
Job Number: 246663								Date: 06/06/2006				
CUSTOMER: Weston Solutions, Inc.				PROJECT: BLACK AND DECKER				ATTN: Tom Cornuet				
Customer Sample ID: RFW-1B Date Sampled.....: 05/19/2006 Time Sampled.....: 16:00 Sample Matrix.....: Water						Laboratory Sample ID: 246663-2 Date Received.....: 05/23/2006 Time Received.....: 10:15						
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	n-Butylbenzene	1.0	U		0.35	1.0	1.00000	ug/L	182236		06/01/06 0552	jdj
	1,2-Dichlorobenzene	1.0	U		0.29	1.0	1.00000	ug/L	182236		06/01/06 0552	jdj
	1,2-Dibromo-3-chloropropane	1.0	U		0.41	1.0	1.00000	ug/L	182236		06/01/06 0552	jdj
	1,2,4-Trichlorobenzene	1.0	U		0.36	1.0	1.00000	ug/L	182236		06/01/06 0552	jdj
	Hexachlorobutadiene	1.0	U		0.36	1.0	1.00000	ug/L	182236		06/01/06 0552	jdj
	Naphthalene	1.0	U		0.37	1.0	1.00000	ug/L	182236		06/01/06 0552	jdj
	1,2,3-Trichlorobenzene	1.0	U		0.43	1.0	1.00000	ug/L	182236		06/01/06 0552	jdj

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS												
Job Number: 246663								Date: 06/06/2006				
CUSTOMER: Weston Solutions, Inc.				PROJECT: BLACK AND DECKER				ATTN: Tom Cornuet				
Customer Sample ID: RFW-2A Date Sampled.....: 05/19/2006 Time Sampled.....: 08:10 Sample Matrix.....: Water						Laboratory Sample ID: 246663-3 Date Received.....: 05/23/2006 Time Received.....: 10:15						
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Dichlorodifluoromethane	1.0	U		0.12	1.0	1.00000	ug/L	182236		06/01/06 0613	jdn
	Chloromethane	1.0	U		0.20	1.0	1.00000	ug/L	182236		06/01/06 0613	jdn
	Vinyl chloride	1.0	U		0.16	1.0	1.00000	ug/L	182236		06/01/06 0613	jdn
	Bromomethane	1.0	U		0.59	1.0	1.00000	ug/L	182236		06/01/06 0613	jdn
	Chloroethane	1.0	U		0.32	1.0	1.00000	ug/L	182236		06/01/06 0613	jdn
	Trichlorofluoromethane	1.0	U		0.14	1.0	1.00000	ug/L	182236		06/01/06 0613	jdn
	1,1-Dichloroethene	1.0	U		0.25	1.0	1.00000	ug/L	182236		06/01/06 0613	jdn
	Carbon disulfide	5.0	U		0.15	5.0	1.00000	ug/L	182236		06/01/06 0613	jdn
	Acetone	5.0	U		1.4	5.0	1.00000	ug/L	182236		06/01/06 0613	jdn
	Methylene chloride	1.0	U		0.24	1.0	1.00000	ug/L	182236		06/01/06 0613	jdn
	trans-1,2-Dichloroethene	1.0	U		0.29	1.0	1.00000	ug/L	182236		06/01/06 0613	jdn
	1,1-Dichloroethane	1.0	U		0.15	1.0	1.00000	ug/L	182236		06/01/06 0613	jdn
	2,2-Dichloropropane	1.0	U		0.17	1.0	1.00000	ug/L	182236		06/01/06 0613	jdn
	cis-1,2-Dichloroethene	1.0	U		0.20	1.0	1.00000	ug/L	182236		06/01/06 0613	jdn
	2-Butanone (MEK)	5.0	U		1.0	5.0	1.00000	ug/L	182236		06/01/06 0613	jdn
	Bromochloromethane	1.0	U		0.27	1.0	1.00000	ug/L	182236		06/01/06 0613	jdn
	Chloroform	1.0	U		0.14	1.0	1.00000	ug/L	182236		06/01/06 0613	jdn
	1,1,1-Trichloroethane	1.0	U		0.17	1.0	1.00000	ug/L	182236		06/01/06 0613	jdn
	1,1-Dichloropropene	1.0	U		0.38	1.0	1.00000	ug/L	182236		06/01/06 0613	jdn
	Carbon tetrachloride	1.0	U		0.34	1.0	1.00000	ug/L	182236		06/01/06 0613	jdn
	Benzene	1.0	U		0.23	1.0	1.00000	ug/L	182236		06/01/06 0613	jdn
	1,2-Dichloroethane	1.0	U		0.25	1.0	1.00000	ug/L	182236		06/01/06 0613	jdn
	Trichloroethene	1.2	U		0.13	1.0	1.00000	ug/L	182236		06/01/06 0613	jdn
	1,2-Dichloropropane	1.0	U		0.19	1.0	1.00000	ug/L	182236		06/01/06 0613	jdn
	Dibromomethane	1.0	U		0.21	1.0	1.00000	ug/L	182236		06/01/06 0613	jdn
	Bromodichloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182236		06/01/06 0613	jdn
	cis-1,3-Dichloropropene	1.0	U		0.15	1.0	1.00000	ug/L	182236		06/01/06 0613	jdn
	4-Methyl-2-pentanone (MIBK)	5.0	U		0.92	5.0	1.00000	ug/L	182236		06/01/06 0613	jdn

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: RFW-2A
 Date Sampled.....: 05/19/2006
 Time Sampled.....: 08:10
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-3
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Toluene	1.0	U		0.18	1.0	1.00000	ug/L	182236		06/01/06 0613	jdj
	trans-1,3-Dichloropropene	1.0	U		0.16	1.0	1.00000	ug/L	182236		06/01/06 0613	jdj
	1,1,2-Trichloroethane	1.0	U		0.24	1.0	1.00000	ug/L	182236		06/01/06 0613	jdj
	Tetrachloroethane	1.0	U		0.18	1.0	1.00000	ug/L	182236		06/01/06 0613	jdj
	1,3-Dichloropropane	1.0	U		0.22	1.0	1.00000	ug/L	182236		06/01/06 0613	jdj
	2-Hexanone	5.0	U		0.99	5.0	1.00000	ug/L	182236		06/01/06 0613	jdj
	Dibromochloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182236		06/01/06 0613	jdj
	1,2-Dibromoethane (EDB)	1.0	U		0.33	1.0	1.00000	ug/L	182236		06/01/06 0613	jdj
	Chlorobenzene	1.0	U		0.15	1.0	1.00000	ug/L	182236		06/01/06 0613	jdj
	1,1,1,2-Tetrachloroethane	1.0	U		0.33	1.0	1.00000	ug/L	182236		06/01/06 0613	jdj
	Ethylbenzene	1.0	U		0.21	1.0	1.00000	ug/L	182236		06/01/06 0613	jdj
	m&p-Xylenes	2.0	U		0.36	2.0	1.00000	ug/L	182236		06/01/06 0613	jdj
	o-Xylene	1.0	U		0.19	1.0	1.00000	ug/L	182236		06/01/06 0613	jdj
	Styrene	1.0	U		0.18	1.0	1.00000	ug/L	182236		06/01/06 0613	jdj
	Bromoform	1.0	U		0.32	1.0	1.00000	ug/L	182236		06/01/06 0613	jdj
	Isopropylbenzene	1.0	U		0.20	1.0	1.00000	ug/L	182236		06/01/06 0613	jdj
	Bromobenzene	1.0	U		0.22	1.0	1.00000	ug/L	182236		06/01/06 0613	jdj
	1,1,2,2-Tetrachloroethane	1.0	U		0.34	1.0	1.00000	ug/L	182236		06/01/06 0613	jdj
	1,2,3-Trichloropropane	1.0	U		0.35	1.0	1.00000	ug/L	182236		06/01/06 0613	jdj
	n-Propylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182236		06/01/06 0613	jdj
	2-Chlorotoluene	1.0	U		0.16	1.0	1.00000	ug/L	182236		06/01/06 0613	jdj
	1,3,5-Trimethylbenzene	1.0	U		0.18	1.0	1.00000	ug/L	182236		06/01/06 0613	jdj
	4-Chlorotoluene	1.0	U		0.18	1.0	1.00000	ug/L	182236		06/01/06 0613	jdj
	tert-Butylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182236		06/01/06 0613	jdj
	1,2,4-Trimethylbenzene	1.0	U		0.26	1.0	1.00000	ug/L	182236		06/01/06 0613	jdj
	sec-Butylbenzene	1.0	U		0.19	1.0	1.00000	ug/L	182236		06/01/06 0613	jdj
	1,3-Dichlorobenzene	1.0	U		0.21	1.0	1.00000	ug/L	182236		06/01/06 0613	jdj
	p-Isopropyltoluene	1.0	U		0.29	1.0	1.00000	ug/L	182236		06/01/06 0613	jdj
	1,4-Dichlorobenzene	1.0	U		0.25	1.0	1.00000	ug/L	182236		06/01/06 0613	jdj

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS												
Job Number: 246663								Date: 06/06/2006				
CUSTOMER: Weston Solutions, Inc.				PROJECT: BLACK AND DECKER				ATTN: Tom Cornuet				
Customer Sample ID: RFW-2A Date Sampled.....: 05/19/2006 Time Sampled.....: 08:10 Sample Matrix.....: Water						Laboratory Sample ID: 246663-3 Date Received.....: 05/23/2006 Time Received.....: 10:15						
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	n-Butylbenzene	1.0	U		0.35	1.0	1.00000	ug/L	182236		06/01/06 0613	jdj
	1,2-Dichlorobenzene	1.0	U		0.29	1.0	1.00000	ug/L	182236		06/01/06 0613	jdj
	1,2-Dibromo-3-chloropropane	1.0	U		0.41	1.0	1.00000	ug/L	182236		06/01/06 0613	jdj
	1,2,4-Trichlorobenzene	1.0	U		0.36	1.0	1.00000	ug/L	182236		06/01/06 0613	jdj
	Hexachlorobutadiene	1.0	U		0.36	1.0	1.00000	ug/L	182236		06/01/06 0613	jdj
	Naphthalene	1.0	U		0.37	1.0	1.00000	ug/L	182236		06/01/06 0613	jdj
	1,2,3-Trichlorobenzene	1.0	U		0.43	1.0	1.00000	ug/L	182236		06/01/06 0613	jdj

* In Description = Dry Wgt.

LABORATORY TEST RESULTS												
Job Number: 246663								Date: 06/06/2006				
CUSTOMER: Weston Solutions, Inc.				PROJECT: BLACK AND DECKER				ATTN: Tom Cornuet				
Customer Sample ID: RFW-2B Date Sampled.....: 05/19/2006 Time Sampled.....: 08:35 Sample Matrix.....: Water						Laboratory Sample ID: 246663-4 Date Received.....: 05/23/2006 Time Received.....: 10:15						
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Dichlorodifluoromethane	1.0	U		0.12	1.0	1.00000	ug/L	182236		06/01/06 0635	jdj
	Chloromethane	1.0	U		0.20	1.0	1.00000	ug/L	182236		06/01/06 0635	jdj
	Vinyl chloride	1.0	U		0.16	1.0	1.00000	ug/L	182236		06/01/06 0635	jdj
	Bromomethane	1.0	U		0.59	1.0	1.00000	ug/L	182236		06/01/06 0635	jdj
	Chloroethane	1.0	U		0.32	1.0	1.00000	ug/L	182236		06/01/06 0635	jdj
	Trichlorofluoromethane	1.0	U		0.14	1.0	1.00000	ug/L	182236		06/01/06 0635	jdj
	1,1-Dichloroethene	1.0	U		0.25	1.0	1.00000	ug/L	182236		06/01/06 0635	jdj
	Carbon disulfide	5.0	U		0.15	5.0	1.00000	ug/L	182236		06/01/06 0635	jdj
	Acetone	5.0	U		1.4	5.0	1.00000	ug/L	182236		06/01/06 0635	jdj
	Methylene chloride	1.0	U		0.24	1.0	1.00000	ug/L	182236		06/01/06 0635	jdj
	trans-1,2-Dichloroethene	1.0	U		0.29	1.0	1.00000	ug/L	182236		06/01/06 0635	jdj
	1,1-Dichloroethane	1.0	U		0.15	1.0	1.00000	ug/L	182236		06/01/06 0635	jdj
	2,2-Dichloropropane	1.0	U		0.17	1.0	1.00000	ug/L	182236		06/01/06 0635	jdj
	cis-1,2-Dichloroethene	1.0	U		0.20	1.0	1.00000	ug/L	182236		06/01/06 0635	jdj
	2-Butanone (MEK)	5.0	U		1.0	5.0	1.00000	ug/L	182236		06/01/06 0635	jdj
	Bromochloromethane	1.0	U		0.27	1.0	1.00000	ug/L	182236		06/01/06 0635	jdj
	Chloroform	1.0	U		0.14	1.0	1.00000	ug/L	182236		06/01/06 0635	jdj
	1,1,1-Trichloroethane	1.0	U		0.17	1.0	1.00000	ug/L	182236		06/01/06 0635	jdj
	1,1-Dichloropropene	1.0	U		0.38	1.0	1.00000	ug/L	182236		06/01/06 0635	jdj
	Carbon tetrachloride	1.0	U		0.34	1.0	1.00000	ug/L	182236		06/01/06 0635	jdj
	Benzene	1.0	U		0.23	1.0	1.00000	ug/L	182236		06/01/06 0635	jdj
	1,2-Dichloroethane	1.0	U		0.25	1.0	1.00000	ug/L	182236		06/01/06 0635	jdj
	Trichloroethene	1.6	U		0.13	1.0	1.00000	ug/L	182236		06/01/06 0635	jdj
	1,2-Dichloropropane	1.0	U		0.19	1.0	1.00000	ug/L	182236		06/01/06 0635	jdj
	Dibromomethane	1.0	U		0.21	1.0	1.00000	ug/L	182236		06/01/06 0635	jdj
	Bromodichloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182236		06/01/06 0635	jdj
	cis-1,3-Dichloropropene	1.0	U		0.15	1.0	1.00000	ug/L	182236		06/01/06 0635	jdj
	4-Methyl-2-pentanone (MIBK)	5.0	U		0.92	5.0	1.00000	ug/L	182236		06/01/06 0635	jdj

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: RFW-2B
 Date Sampled.....: 05/19/2006
 Time Sampled.....: 08:35
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-4
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Toluene	1.0	U		0.18	1.0	1.00000	ug/L	182236		06/01/06 0635	jd
	trans-1,3-Dichloropropene	1.0	U		0.16	1.0	1.00000	ug/L	182236		06/01/06 0635	jd
	1,1,2-Trichloroethane	1.0	U		0.24	1.0	1.00000	ug/L	182236		06/01/06 0635	jd
	Tetrachloroethene	1.0	U		0.18	1.0	1.00000	ug/L	182236		06/01/06 0635	jd
	1,3-Dichloropropane	1.0	U		0.22	1.0	1.00000	ug/L	182236		06/01/06 0635	jd
	2-Hexanone	5.0	U		0.99	5.0	1.00000	ug/L	182236		06/01/06 0635	jd
	Dibromochloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182236		06/01/06 0635	jd
	1,2-Dibromoethane (EDB)	1.0	U		0.33	1.0	1.00000	ug/L	182236		06/01/06 0635	jd
	Chlorobenzene	1.0	U		0.15	1.0	1.00000	ug/L	182236		06/01/06 0635	jd
	1,1,1,2-Tetrachloroethane	1.0	U		0.33	1.0	1.00000	ug/L	182236		06/01/06 0635	jd
	Ethylbenzene	1.0	U		0.21	1.0	1.00000	ug/L	182236		06/01/06 0635	jd
	m&p-Xylenes	2.0	U		0.36	2.0	1.00000	ug/L	182236		06/01/06 0635	jd
	o-Xylene	1.0	U		0.19	1.0	1.00000	ug/L	182236		06/01/06 0635	jd
	Styrene	1.0	U		0.18	1.0	1.00000	ug/L	182236		06/01/06 0635	jd
	Bromoform	1.0	U		0.32	1.0	1.00000	ug/L	182236		06/01/06 0635	jd
	Isopropylbenzene	1.0	U		0.20	1.0	1.00000	ug/L	182236		06/01/06 0635	jd
	Bromobenzene	1.0	U		0.22	1.0	1.00000	ug/L	182236		06/01/06 0635	jd
	1,1,2,2-Tetrachloroethane	1.0	U		0.34	1.0	1.00000	ug/L	182236		06/01/06 0635	jd
	1,2,3-Trichloropropane	1.0	U		0.35	1.0	1.00000	ug/L	182236		06/01/06 0635	jd
	n-Propylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182236		06/01/06 0635	jd
	2-Chlorotoluene	1.0	U		0.16	1.0	1.00000	ug/L	182236		06/01/06 0635	jd
	1,3,5-Trimethylbenzene	1.0	U		0.18	1.0	1.00000	ug/L	182236		06/01/06 0635	jd
	4-Chlorotoluene	1.0	U		0.18	1.0	1.00000	ug/L	182236		06/01/06 0635	jd
	tert-Butylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182236		06/01/06 0635	jd
	1,2,4-Trimethylbenzene	1.0	U		0.26	1.0	1.00000	ug/L	182236		06/01/06 0635	jd
	sec-Butylbenzene	1.0	U		0.19	1.0	1.00000	ug/L	182236		06/01/06 0635	jd
	1,3-Dichlorobenzene	1.0	U		0.21	1.0	1.00000	ug/L	182236		06/01/06 0635	jd
	p-Isopropyltoluene	1.0	U		0.29	1.0	1.00000	ug/L	182236		06/01/06 0635	jd
	1,4-Dichlorobenzene	1.0	U		0.25	1.0	1.00000	ug/L	182236		06/01/06 0635	jd

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

Job Number: 246663		LABORATORY TEST RESULTS						Date: 06/06/2006				
CUSTOMER: Weston Solutions, Inc.			PROJECT: BLACK AND DECKER				ATTN: Tom Cornuet					
Customer Sample ID: RFW-2B			Laboratory Sample ID: 246663-4									
Date Sampled.....: 05/19/2006			Date Received.....: 05/23/2006									
Time Sampled.....: 08:35			Time Received.....: 10:15									
Sample Matrix.....: Water												
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	n-Butylbenzene	1.0		U	0.35	1.0	1.00000	ug/L	182236		06/01/06 0635	jd n
	1,2-Dichlorobenzene	1.0		U	0.29	1.0	1.00000	ug/L	182236		06/01/06 0635	jd n
	1,2-Dibromo-3-chloropropane	1.0		U	0.41	1.0	1.00000	ug/L	182236		06/01/06 0635	jd n
	1,2,4-Trichlorobenzene	1.0		U	0.36	1.0	1.00000	ug/L	182236		06/01/06 0635	jd n
	Hexachlorobutadiene	1.0		U	0.36	1.0	1.00000	ug/L	182236		06/01/06 0635	jd n
	Naphthalene	1.0		U	0.37	1.0	1.00000	ug/L	182236		06/01/06 0635	jd n
	1,2,3-Trichlorobenzene	1.0		U	0.43	1.0	1.00000	ug/L	182236		06/01/06 0635	jd n

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

TEST METHOD		PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
<p>Job Number: 246663 LABORATORY TEST RESULTS Date: 06/06/2006</p> <p>CUSTOMER: Weston Solutions, Inc. PROJECT: BLACK AND DECKER ATTN: Tom Cornuet</p> <p>Customer Sample ID: RFW-3B Laboratory Sample ID: 246663-5 Date Sampled.....: 05/19/2006 Date Received.....: 05/23/2006 Time Sampled.....: 17:00 Time Received.....: 10:15 Sample Matrix.....: Water</p>													
8260B		Volatile Organics											
		Dichlorodifluoromethane	1.0	U		0.12	1.0	1.00000	ug/L	182236		06/01/06 0657	jd
		Chloromethane	1.0	U		0.20	1.0	1.00000	ug/L	182236		06/01/06 0657	jd
		Vinyl chloride	1.0	U		0.16	1.0	1.00000	ug/L	182236		06/01/06 0657	jd
		Bromomethane	1.0	U		0.59	1.0	1.00000	ug/L	182236		06/01/06 0657	jd
		Chloroethane	1.0	U		0.32	1.0	1.00000	ug/L	182236		06/01/06 0657	jd
		Trichlorofluoromethane	1.0	U		0.14	1.0	1.00000	ug/L	182236		06/01/06 0657	jd
		1,1-Dichloroethene	1.0	U		0.25	1.0	1.00000	ug/L	182236		06/01/06 0657	jd
		Carbon disulfide	5.0	U		0.15	5.0	1.00000	ug/L	182236		06/01/06 0657	jd
		Acetone	5.0	U		1.4	5.0	1.00000	ug/L	182236		06/01/06 0657	jd
		Methylene chloride	1.0	U		0.24	1.0	1.00000	ug/L	182236		06/01/06 0657	jd
		trans-1,2-Dichloroethene	1.0	U		0.29	1.0	1.00000	ug/L	182236		06/01/06 0657	jd
		1,1-Dichloroethane	1.0	U		0.15	1.0	1.00000	ug/L	182236		06/01/06 0657	jd
		2,2-Dichloropropane	1.0	U		0.17	1.0	1.00000	ug/L	182236		06/01/06 0657	jd
		cis-1,2-Dichloroethene	6.8	U		0.20	1.0	1.00000	ug/L	182236		06/01/06 0657	jd
		2-Butanone (MEK)	5.0	U		1.0	5.0	1.00000	ug/L	182236		06/01/06 0657	jd
		Bromochloromethane	1.0	U		0.27	1.0	1.00000	ug/L	182236		06/01/06 0657	jd
		Chloroform	1.0	U		0.14	1.0	1.00000	ug/L	182236		06/01/06 0657	jd
		1,1,1-Trichloroethane	1.0	U		0.17	1.0	1.00000	ug/L	182236		06/01/06 0657	jd
		1,1-Dichloropropene	1.0	U		0.38	1.0	1.00000	ug/L	182236		06/01/06 0657	jd
		Carbon tetrachloride	1.0	U		0.34	1.0	1.00000	ug/L	182236		06/01/06 0657	jd
		Benzene	1.0	U		0.23	1.0	1.00000	ug/L	182236		06/01/06 0657	jd
		1,2-Dichloroethane	1.0	U		0.25	1.0	1.00000	ug/L	182236		06/01/06 0657	jd
		Trichloroethene	0.94	J	H	0.13	1.0	1.00000	ug/L	182236		06/01/06 0657	jd
		1,2-Dichloropropane	1.0	U		0.19	1.0	1.00000	ug/L	182236		06/01/06 0657	jd
		Dibromomethane	1.0	U		0.21	1.0	1.00000	ug/L	182236		06/01/06 0657	jd
		Bromodichloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182236		06/01/06 0657	jd
		cis-1,3-Dichloropropene	1.0	U		0.15	1.0	1.00000	ug/L	182236		06/01/06 0657	jd
		4-Methyl-2-pentanone (MIBK)	5.0	U		0.92	5.0	1.00000	ug/L	182236		06/01/06 0657	jd

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: RFW-3B
 Date Sampled.....: 05/19/2006
 Time Sampled.....: 17:00
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-5
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Toluene	1.0	U		0.18	1.0	1.00000	ug/L	182236		06/01/06 0657	jdj
	trans-1,3-Dichloropropene	1.0	U		0.16	1.0	1.00000	ug/L	182236		06/01/06 0657	jdj
	1,1,2-Trichloroethane	1.0	U		0.24	1.0	1.00000	ug/L	182236		06/01/06 0657	jdj
	Tetrachloroethene	3.2	U		0.18	1.0	1.00000	ug/L	182236		06/01/06 0657	jdj
	1,3-Dichloropropane	1.0	U		0.22	1.0	1.00000	ug/L	182236		06/01/06 0657	jdj
	2-Hexanone	5.0	U		0.99	5.0	1.00000	ug/L	182236		06/01/06 0657	jdj
	Dibromochloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182236		06/01/06 0657	jdj
	1,2-Dibromoethane (EDB)	1.0	U		0.33	1.0	1.00000	ug/L	182236		06/01/06 0657	jdj
	Chlorobenzene	1.0	U		0.15	1.0	1.00000	ug/L	182236		06/01/06 0657	jdj
	1,1,1,2-Tetrachloroethane	1.0	U		0.33	1.0	1.00000	ug/L	182236		06/01/06 0657	jdj
	Ethylbenzene	1.0	U		0.21	1.0	1.00000	ug/L	182236		06/01/06 0657	jdj
	m&p-Xylenes	2.0	U		0.36	2.0	1.00000	ug/L	182236		06/01/06 0657	jdj
	o-Xylene	1.0	U		0.19	1.0	1.00000	ug/L	182236		06/01/06 0657	jdj
	Styrene	1.0	U		0.18	1.0	1.00000	ug/L	182236		06/01/06 0657	jdj
	Bromoform	1.0	U		0.32	1.0	1.00000	ug/L	182236		06/01/06 0657	jdj
	Isopropylbenzene	1.0	U		0.20	1.0	1.00000	ug/L	182236		06/01/06 0657	jdj
	Bromobenzene	1.0	U		0.22	1.0	1.00000	ug/L	182236		06/01/06 0657	jdj
	1,1,2,2-Tetrachloroethane	1.0	U		0.34	1.0	1.00000	ug/L	182236		06/01/06 0657	jdj
	1,2,3-Trichloropropane	1.0	U		0.35	1.0	1.00000	ug/L	182236		06/01/06 0657	jdj
	n-Propylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182236		06/01/06 0657	jdj
	2-Chlorotoluene	1.0	U		0.16	1.0	1.00000	ug/L	182236		06/01/06 0657	jdj
	1,3,5-Trimethylbenzene	1.0	U		0.18	1.0	1.00000	ug/L	182236		06/01/06 0657	jdj
	4-Chlorotoluene	1.0	U		0.18	1.0	1.00000	ug/L	182236		06/01/06 0657	jdj
	tert-Butylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182236		06/01/06 0657	jdj
	1,2,4-Trimethylbenzene	1.0	U		0.26	1.0	1.00000	ug/L	182236		06/01/06 0657	jdj
	sec-Butylbenzene	1.0	U		0.19	1.0	1.00000	ug/L	182236		06/01/06 0657	jdj
	1,3-Dichlorobenzene	1.0	U		0.21	1.0	1.00000	ug/L	182236		06/01/06 0657	jdj
	p-Isopropyltoluene	1.0	U		0.29	1.0	1.00000	ug/L	182236		06/01/06 0657	jdj
	1,4-Dichlorobenzene	1.0	U		0.25	1.0	1.00000	ug/L	182236		06/01/06 0657	jdj

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 246663 Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc. PROJECT: BLACK AND DECKER ATTN: Tom Cornuet

Customer Sample ID: RFW-3B
 Date Sampled.....: 05/19/2006
 Time Sampled.....: 17:00
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-5
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	n-Butylbenzene	1.0	U		0.35	1.0	1.00000	ug/L	182236		06/01/06 0657	jdj
	1,2-Dichlorobenzene	1.0	U		0.29	1.0	1.00000	ug/L	182236		06/01/06 0657	jdj
	1,2-Dibromo-3-chloropropane	1.0	U		0.41	1.0	1.00000	ug/L	182236		06/01/06 0657	jdj
	1,2,4-Trichlorobenzene	1.0	U		0.36	1.0	1.00000	ug/L	182236		06/01/06 0657	jdj
	Hexachlorobutadiene	1.0	U		0.36	1.0	1.00000	ug/L	182236		06/01/06 0657	jdj
	Naphthalene	1.0	U		0.37	1.0	1.00000	ug/L	182236		06/01/06 0657	jdj
	1,2,3-Trichlorobenzene	1.0	U		0.43	1.0	1.00000	ug/L	182236		06/01/06 0657	jdj

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: RFW-4A
 Date Sampled.....: 05/22/2006
 Time Sampled.....: 08:40
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-6
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Dichlorodifluoromethane	1.0	U		0.12	1.0	1.00000	ug/L	182289		06/01/06 1724	jd
	Chloromethane	1.0	U		0.20	1.0	1.00000	ug/L	182289		06/01/06 1724	jd
	Vinyl chloride	1.0	U		0.16	1.0	1.00000	ug/L	182289		06/01/06 1724	jd
	Bromomethane	1.0	U		0.59	1.0	1.00000	ug/L	182289		06/01/06 1724	jd
	Chloroethane	1.0	U		0.32	1.0	1.00000	ug/L	182289		06/01/06 1724	jd
	Trichlorofluoromethane	1.0	U		0.14	1.0	1.00000	ug/L	182289		06/01/06 1724	jd
	1,1-Dichloroethene	1.0	U		0.25	1.0	1.00000	ug/L	182289		06/01/06 1724	jd
	Carbon disulfide	5.0	U		0.15	5.0	1.00000	ug/L	182289		06/01/06 1724	jd
	Acetone	5.0	U		1.4	5.0	1.00000	ug/L	182289		06/01/06 1724	jd
	Methylene chloride	1.0	U		0.24	1.0	1.00000	ug/L	182289		06/01/06 1724	jd
	trans-1,2-Dichloroethene	1.0	U		0.29	1.0	1.00000	ug/L	182289		06/01/06 1724	jd
	1,1-Dichloroethane	1.0	U		0.15	1.0	1.00000	ug/L	182289		06/01/06 1724	jd
	2,2-Dichloropropane	1.0	U		0.17	1.0	1.00000	ug/L	182289		06/01/06 1724	jd
	cis-1,2-Dichloroethene	1.1	U		0.20	1.0	1.00000	ug/L	182289		06/01/06 1724	jd
	2-Butanone (MEK)	5.0	U		1.0	5.0	1.00000	ug/L	182289		06/01/06 1724	jd
	Bromochloromethane	1.0	U		0.27	1.0	1.00000	ug/L	182289		06/01/06 1724	jd
	Chloroform	1.0	U		0.14	1.0	1.00000	ug/L	182289		06/01/06 1724	jd
	1,1,1-Trichloroethane	1.0	U		0.17	1.0	1.00000	ug/L	182289		06/01/06 1724	jd
	1,1-Dichloropropene	1.0	U		0.38	1.0	1.00000	ug/L	182289		06/01/06 1724	jd
	Carbon tetrachloride	1.0	U		0.34	1.0	1.00000	ug/L	182289		06/01/06 1724	jd
	Benzene	1.0	U		0.23	1.0	1.00000	ug/L	182289		06/01/06 1724	jd
	1,2-Dichloroethane	1.0	U		0.25	1.0	1.00000	ug/L	182289		06/01/06 1724	jd
	Trichloroethene	42	U		0.13	1.0	1.00000	ug/L	182289		06/01/06 1724	jd
	1,2-Dichloropropane	1.0	U		0.19	1.0	1.00000	ug/L	182289		06/01/06 1724	jd
	Dibromomethane	1.0	U		0.21	1.0	1.00000	ug/L	182289		06/01/06 1724	jd
	Bromodichloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182289		06/01/06 1724	jd
	cis-1,3-Dichloropropene	1.0	U		0.15	1.0	1.00000	ug/L	182289		06/01/06 1724	jd
	4-Methyl-2-pentanone (MIBK)	5.0	U		0.92	5.0	1.00000	ug/L	182289		06/01/06 1724	jd

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: RFW-4A
 Date Sampled.....: 05/22/2006
 Time Sampled.....: 08:40
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-6
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Toluene	1.0	U		0.18	1.0	1.00000	ug/L	182289		06/01/06 1724	jd
	trans-1,3-Dichloropropene	1.0	U		0.16	1.0	1.00000	ug/L	182289		06/01/06 1724	jd
	1,1,2-Trichloroethane	1.0	U		0.24	1.0	1.00000	ug/L	182289		06/01/06 1724	jd
	Tetrachloroethene	47			0.18	1.0	1.00000	ug/L	182289		06/01/06 1724	jd
	1,3-Dichloropropane	1.0	U		0.22	1.0	1.00000	ug/L	182289		06/01/06 1724	jd
	2-Hexanone	5.0	U		0.99	5.0	1.00000	ug/L	182289		06/01/06 1724	jd
	Dibromochloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182289		06/01/06 1724	jd
	1,2-Dibromoethane (EDB)	1.0	U		0.33	1.0	1.00000	ug/L	182289		06/01/06 1724	jd
	Chlorobenzene	1.0	U		0.15	1.0	1.00000	ug/L	182289		06/01/06 1724	jd
	1,1,1,2-Tetrachloroethane	1.0	U		0.33	1.0	1.00000	ug/L	182289		06/01/06 1724	jd
	Ethylbenzene	1.0	U		0.21	1.0	1.00000	ug/L	182289		06/01/06 1724	jd
	m&p-Xylenes	2.0	U		0.36	2.0	1.00000	ug/L	182289		06/01/06 1724	jd
	o-Xylene	1.0	U		0.19	1.0	1.00000	ug/L	182289		06/01/06 1724	jd
	Styrene	1.0	U		0.18	1.0	1.00000	ug/L	182289		06/01/06 1724	jd
	Bromoform	1.0	U		0.32	1.0	1.00000	ug/L	182289		06/01/06 1724	jd
	Isopropylbenzene	1.0	U		0.20	1.0	1.00000	ug/L	182289		06/01/06 1724	jd
	Bromobenzene	1.0	U		0.22	1.0	1.00000	ug/L	182289		06/01/06 1724	jd
	1,1,2,2-Tetrachloroethane	1.0	U		0.34	1.0	1.00000	ug/L	182289		06/01/06 1724	jd
	1,2,3-Trichloropropane	1.0	U		0.35	1.0	1.00000	ug/L	182289		06/01/06 1724	jd
	n-Propylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182289		06/01/06 1724	jd
	2-Chlorotoluene	1.0	U		0.16	1.0	1.00000	ug/L	182289		06/01/06 1724	jd
	1,3,5-Trimethylbenzene	1.0	U		0.18	1.0	1.00000	ug/L	182289		06/01/06 1724	jd
	4-Chlorotoluene	1.0	U		0.18	1.0	1.00000	ug/L	182289		06/01/06 1724	jd
	tert-Butylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182289		06/01/06 1724	jd
	1,2,4-Trimethylbenzene	1.0	U		0.26	1.0	1.00000	ug/L	182289		06/01/06 1724	jd
	sec-Butylbenzene	1.0	U		0.19	1.0	1.00000	ug/L	182289		06/01/06 1724	jd
	1,3-Dichlorobenzene	1.0	U		0.21	1.0	1.00000	ug/L	182289		06/01/06 1724	jd
	p-Isopropyltoluene	1.0	U		0.29	1.0	1.00000	ug/L	182289		06/01/06 1724	jd
	1,4-Dichlorobenzene	1.0	U		0.25	1.0	1.00000	ug/L	182289		06/01/06 1724	jd

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS												
Job Number: 246663								Date: 06/06/2006				
CUSTOMER: Weston Solutions, Inc.				PROJECT: BLACK AND DECKER				ATTN: Tom Cornuet				
Customer Sample ID: RFW-4A Date Sampled.....: 05/22/2006 Time Sampled.....: 08:40 Sample Matrix.....: Water						Laboratory Sample ID: 246663-6 Date Received.....: 05/23/2006 Time Received.....: 10:15						
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	n-Butylbenzene	1.0	U		0.35	1.0	1.00000	ug/L	182289		06/01/06 1724	jdj
	1,2-Dichlorobenzene	1.0	U		0.29	1.0	1.00000	ug/L	182289		06/01/06 1724	jdj
	1,2-Dibromo-3-chloropropane	1.0	U		0.41	1.0	1.00000	ug/L	182289		06/01/06 1724	jdj
	1,2,4-Trichlorobenzene	1.0	U		0.36	1.0	1.00000	ug/L	182289		06/01/06 1724	jdj
	Hexachlorobutadiene	1.0	U		0.36	1.0	1.00000	ug/L	182289		06/01/06 1724	jdj
	Naphthalene	1.0	U		0.37	1.0	1.00000	ug/L	182289		06/01/06 1724	jdj
	1,2,3-Trichlorobenzene	1.0	U		0.43	1.0	1.00000	ug/L	182289		06/01/06 1724	jdj

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: RFW-4B
 Date Sampled.....: 05/22/2006
 Time Sampled.....: 09:20
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-7
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Dichlorodifluoromethane	1.0	U		0.12	1.0	1.00000	ug/L	182289		06/01/06 1806	jd
	Chloromethane	1.0	U		0.20	1.0	1.00000	ug/L	182289		06/01/06 1806	jd
	Vinyl chloride	1.0	U		0.16	1.0	1.00000	ug/L	182289		06/01/06 1806	jd
	Bromomethane	1.0	U		0.59	1.0	1.00000	ug/L	182289		06/01/06 1806	jd
	Chloroethane	1.0	U		0.32	1.0	1.00000	ug/L	182289		06/01/06 1806	jd
	Trichlorofluoromethane	1.0	U		0.14	1.0	1.00000	ug/L	182289		06/01/06 1806	jd
	1,1-Dichloroethene	1.0	U		0.25	1.0	1.00000	ug/L	182289		06/01/06 1806	jd
	Carbon disulfide	5.0	U		0.15	5.0	1.00000	ug/L	182289		06/01/06 1806	jd
	Acetone	5.0	U		1.4	5.0	1.00000	ug/L	182289		06/01/06 1806	jd
	Methylene chloride	1.0	U		0.24	1.0	1.00000	ug/L	182289		06/01/06 1806	jd
	trans-1,2-Dichloroethene	1.0	U		0.29	1.0	1.00000	ug/L	182289		06/01/06 1806	jd
	1,1-Dichloroethane	1.0	U		0.15	1.0	1.00000	ug/L	182289		06/01/06 1806	jd
	2,2-Dichloropropane	1.0	U		0.17	1.0	1.00000	ug/L	182289		06/01/06 1806	jd
	cis-1,2-Dichloroethene	5.1	U		0.20	1.0	1.00000	ug/L	182289		06/01/06 1806	jd
	2-Butanone (MEK)	5.0	U		1.0	5.0	1.00000	ug/L	182289		06/01/06 1806	jd
	Bromochloromethane	1.0	U		0.27	1.0	1.00000	ug/L	182289		06/01/06 1806	jd
	Chloroform	1.0	U		0.14	1.0	1.00000	ug/L	182289		06/01/06 1806	jd
	1,1,1-Trichloroethane	1.0	U		0.17	1.0	1.00000	ug/L	182289		06/01/06 1806	jd
	1,1-Dichloropropene	1.0	U		0.38	1.0	1.00000	ug/L	182289		06/01/06 1806	jd
	Carbon tetrachloride	1.0	U		0.34	1.0	1.00000	ug/L	182289		06/01/06 1806	jd
	Benzene	1.0	U		0.23	1.0	1.00000	ug/L	182289		06/01/06 1806	jd
	1,2-Dichloroethane	1.0	U		0.25	1.0	1.00000	ug/L	182289		06/01/06 1806	jd
	Trichloroethene	10	U		0.13	1.0	1.00000	ug/L	182289		06/01/06 1806	jd
	1,2-Dichloropropane	1.0	U		0.19	1.0	1.00000	ug/L	182289		06/01/06 1806	jd
	Dibromomethane	1.0	U		0.21	1.0	1.00000	ug/L	182289		06/01/06 1806	jd
	Bromodichloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182289		06/01/06 1806	jd
	cis-1,3-Dichloropropene	1.0	U		0.15	1.0	1.00000	ug/L	182289		06/01/06 1806	jd
	4-Methyl-2-pentanone (MIBK)	5.0	U		0.92	5.0	1.00000	ug/L	182289		06/01/06 1806	jd

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: RFW-4B
 Date Sampled.....: 05/22/2006
 Time Sampled.....: 09:20
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-7
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Toluene	1.0	U		0.18	1.0	1.00000	ug/L	182289		06/01/06 1806	jdj
	trans-1,3-Dichloropropene	1.0	U		0.16	1.0	1.00000	ug/L	182289		06/01/06 1806	jdj
	1,1,2-Trichloroethane	1.0	U		0.24	1.0	1.00000	ug/L	182289		06/01/06 1806	jdj
	Tetrachloroethene	57			0.18	1.0	1.00000	ug/L	182289		06/01/06 1806	jdj
	1,3-Dichloropropane	1.0	U		0.22	1.0	1.00000	ug/L	182289		06/01/06 1806	jdj
	2-Hexanone	5.0	U		0.99	5.0	1.00000	ug/L	182289		06/01/06 1806	jdj
	Dibromochloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182289		06/01/06 1806	jdj
	1,2-Dibromoethane (EDB)	1.0	U		0.33	1.0	1.00000	ug/L	182289		06/01/06 1806	jdj
	Chlorobenzene	1.0	U		0.15	1.0	1.00000	ug/L	182289		06/01/06 1806	jdj
	1,1,1,2-Tetrachloroethane	1.0	U		0.33	1.0	1.00000	ug/L	182289		06/01/06 1806	jdj
	Ethylbenzene	1.0	U		0.21	1.0	1.00000	ug/L	182289		06/01/06 1806	jdj
	m&p-Xylenes	2.0	U		0.36	2.0	1.00000	ug/L	182289		06/01/06 1806	jdj
	o-Xylene	1.0	U		0.19	1.0	1.00000	ug/L	182289		06/01/06 1806	jdj
	Styrene	1.0	U		0.18	1.0	1.00000	ug/L	182289		06/01/06 1806	jdj
	Bromoform	1.0	U		0.32	1.0	1.00000	ug/L	182289		06/01/06 1806	jdj
	Isopropylbenzene	1.0	U		0.20	1.0	1.00000	ug/L	182289		06/01/06 1806	jdj
	Bromobenzene	1.0	U		0.22	1.0	1.00000	ug/L	182289		06/01/06 1806	jdj
	1,1,2,2-Tetrachloroethane	1.0	U		0.34	1.0	1.00000	ug/L	182289		06/01/06 1806	jdj
	1,2,3-Trichloropropane	1.0	U		0.35	1.0	1.00000	ug/L	182289		06/01/06 1806	jdj
	n-Propylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182289		06/01/06 1806	jdj
	2-Chlorotoluene	1.0	U		0.16	1.0	1.00000	ug/L	182289		06/01/06 1806	jdj
	1,3,5-Trimethylbenzene	1.0	U		0.18	1.0	1.00000	ug/L	182289		06/01/06 1806	jdj
	4-Chlorotoluene	1.0	U		0.18	1.0	1.00000	ug/L	182289		06/01/06 1806	jdj
	tert-Butylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182289		06/01/06 1806	jdj
	1,2,4-Trimethylbenzene	1.0	U		0.26	1.0	1.00000	ug/L	182289		06/01/06 1806	jdj
	sec-Butylbenzene	1.0	U		0.19	1.0	1.00000	ug/L	182289		06/01/06 1806	jdj
	1,3-Dichlorobenzene	1.0	U		0.21	1.0	1.00000	ug/L	182289		06/01/06 1806	jdj
	p-Isopropyltoluene	1.0	U		0.29	1.0	1.00000	ug/L	182289		06/01/06 1806	jdj
	1,4-Dichlorobenzene	1.0	U		0.25	1.0	1.00000	ug/L	182289		06/01/06 1806	jdj

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: RFW-4B
 Date Sampled.....: 05/22/2006
 Time Sampled.....: 09:20
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-7
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	n-Butylbenzene	1.0	U		0.35	1.0	1.00000	ug/L	182289		06/01/06 1806	jd
	1,2-Dichlorobenzene	1.0	U		0.29	1.0	1.00000	ug/L	182289		06/01/06 1806	jd
	1,2-Dibromo-3-chloropropane	1.0	U		0.41	1.0	1.00000	ug/L	182289		06/01/06 1806	jd
	1,2,4-Trichlorobenzene	1.0	U		0.36	1.0	1.00000	ug/L	182289		06/01/06 1806	jd
	Hexachlorobutadiene	1.0	U		0.36	1.0	1.00000	ug/L	182289		06/01/06 1806	jd
	Naphthalene	1.0	U		0.37	1.0	1.00000	ug/L	182289		06/01/06 1806	jd
	1,2,3-Trichlorobenzene	1.0	U		0.43	1.0	1.00000	ug/L	182289		06/01/06 1806	jd

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: RFW-6
 Date Sampled.....: 05/19/2006
 Time Sampled.....: 16:50
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-8
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Dichlorodifluoromethane	1.0	U		0.12	1.0	1.00000	ug/L	182236		06/01/06 0718	jd
	Chloromethane	1.0	U		0.20	1.0	1.00000	ug/L	182236		06/01/06 0718	jd
	Vinyl chloride	1.0	U		0.16	1.0	1.00000	ug/L	182236		06/01/06 0718	jd
	Bromomethane	1.0	U		0.59	1.0	1.00000	ug/L	182236		06/01/06 0718	jd
	Chloroethane	1.0	U		0.32	1.0	1.00000	ug/L	182236		06/01/06 0718	jd
	Trichlorofluoromethane	1.0	U		0.14	1.0	1.00000	ug/L	182236		06/01/06 0718	jd
	1,1-Dichloroethane	1.0	U		0.25	1.0	1.00000	ug/L	182236		06/01/06 0718	jd
	Carbon disulfide	5.0	U		0.15	5.0	1.00000	ug/L	182236		06/01/06 0718	jd
	Acetone	5.0	U		1.4	5.0	1.00000	ug/L	182236		06/01/06 0718	jd
	Methylene chloride	1.0	U		0.24	1.0	1.00000	ug/L	182236		06/01/06 0718	jd
	trans-1,2-Dichloroethene	1.0	U		0.29	1.0	1.00000	ug/L	182236		06/01/06 0718	jd
	1,1-Dichloroethane	1.0	U		0.15	1.0	1.00000	ug/L	182236		06/01/06 0718	jd
	2,2-Dichloropropane	1.0	U		0.17	1.0	1.00000	ug/L	182236		06/01/06 0718	jd
	cis-1,2-Dichloroethene	1.1	U		0.20	1.0	1.00000	ug/L	182236		06/01/06 0718	jd
	2-Butanone (MEK)	5.0	U		1.0	5.0	1.00000	ug/L	182236		06/01/06 0718	jd
	Bromochloromethane	1.0	U		0.27	1.0	1.00000	ug/L	182236		06/01/06 0718	jd
	Chloroform	1.0	U		0.14	1.0	1.00000	ug/L	182236		06/01/06 0718	jd
	1,1,1-Trichloroethane	1.0	U		0.17	1.0	1.00000	ug/L	182236		06/01/06 0718	jd
	1,1-Dichloropropene	1.0	U		0.38	1.0	1.00000	ug/L	182236		06/01/06 0718	jd
	Carbon tetrachloride	1.0	U		0.34	1.0	1.00000	ug/L	182236		06/01/06 0718	jd
	Benzene	1.0	U		0.23	1.0	1.00000	ug/L	182236		06/01/06 0718	jd
	1,2-Dichloroethane	1.0	U		0.25	1.0	1.00000	ug/L	182236		06/01/06 0718	jd
	Trichloroethene	4.8	U		0.13	1.0	1.00000	ug/L	182236		06/01/06 0718	jd
	1,2-Dichloropropane	1.0	U		0.19	1.0	1.00000	ug/L	182236		06/01/06 0718	jd
	Dibromomethane	1.0	U		0.21	1.0	1.00000	ug/L	182236		06/01/06 0718	jd
	Bromodichloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182236		06/01/06 0718	jd
	cis-1,3-Dichloropropene	1.0	U		0.15	1.0	1.00000	ug/L	182236		06/01/06 0718	jd
	4-Methyl-2-pentanone (MIBK)	5.0	U		0.92	5.0	1.00000	ug/L	182236		06/01/06 0718	jd

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: RFW-6
 Date Sampled.....: 05/19/2006
 Time Sampled.....: 16:50
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-8
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Toluene	1.0	U		0.18	1.0	1.00000	ug/L	182236		06/01/06 0718	jdj
	trans-1,3-Dichloropropene	1.0	U		0.16	1.0	1.00000	ug/L	182236		06/01/06 0718	jdj
	1,1,2-Trichloroethane	1.0	U		0.24	1.0	1.00000	ug/L	182236		06/01/06 0718	jdj
	Tetrachloroethene	3.9	U		0.18	1.0	1.00000	ug/L	182236		06/01/06 0718	jdj
	1,3-Dichloropropane	1.0	U		0.22	1.0	1.00000	ug/L	182236		06/01/06 0718	jdj
	2-Hexanone	5.0	U		0.99	5.0	1.00000	ug/L	182236		06/01/06 0718	jdj
	Dibromochloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182236		06/01/06 0718	jdj
	1,2-Dibromoethane (EDB)	1.0	U		0.33	1.0	1.00000	ug/L	182236		06/01/06 0718	jdj
	Chlorobenzene	1.0	U		0.15	1.0	1.00000	ug/L	182236		06/01/06 0718	jdj
	1,1,1,2-Tetrachloroethane	1.0	U		0.33	1.0	1.00000	ug/L	182236		06/01/06 0718	jdj
	Ethylbenzene	1.0	U		0.21	1.0	1.00000	ug/L	182236		06/01/06 0718	jdj
	m&p-Xylenes	2.0	U		0.36	2.0	1.00000	ug/L	182236		06/01/06 0718	jdj
	o-Xylene	1.0	U		0.19	1.0	1.00000	ug/L	182236		06/01/06 0718	jdj
	Styrene	1.0	U		0.18	1.0	1.00000	ug/L	182236		06/01/06 0718	jdj
	Bromoform	1.0	U		0.32	1.0	1.00000	ug/L	182236		06/01/06 0718	jdj
	Isopropylbenzene	1.0	U		0.20	1.0	1.00000	ug/L	182236		06/01/06 0718	jdj
	Bromobenzene	1.0	U		0.22	1.0	1.00000	ug/L	182236		06/01/06 0718	jdj
	1,1,2,2-Tetrachloroethane	1.0	U		0.34	1.0	1.00000	ug/L	182236		06/01/06 0718	jdj
	1,2,3-Trichloropropane	1.0	U		0.35	1.0	1.00000	ug/L	182236		06/01/06 0718	jdj
	n-Propylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182236		06/01/06 0718	jdj
	2-Chlorotoluene	1.0	U		0.16	1.0	1.00000	ug/L	182236		06/01/06 0718	jdj
	1,3,5-Trimethylbenzene	1.0	U		0.18	1.0	1.00000	ug/L	182236		06/01/06 0718	jdj
	4-Chlorotoluene	1.0	U		0.18	1.0	1.00000	ug/L	182236		06/01/06 0718	jdj
	tert-Butylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182236		06/01/06 0718	jdj
	1,2,4-Trimethylbenzene	1.0	U		0.26	1.0	1.00000	ug/L	182236		06/01/06 0718	jdj
	sec-Butylbenzene	1.0	U		0.19	1.0	1.00000	ug/L	182236		06/01/06 0718	jdj
	1,3-Dichlorobenzene	1.0	U		0.21	1.0	1.00000	ug/L	182236		06/01/06 0718	jdj
	p-Isopropyltoluene	1.0	U		0.29	1.0	1.00000	ug/L	182236		06/01/06 0718	jdj
	1,4-Dichlorobenzene	1.0	U		0.25	1.0	1.00000	ug/L	182236		06/01/06 0718	jdj

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: RFW-6
 Date Sampled.....: 05/19/2006
 Time Sampled.....: 16:50
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-8
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	n-Butylbenzene	1.0	U		0.35	1.0	1.00000	ug/L	182236		06/01/06 0718	jdj
	1,2-Dichlorobenzene	1.0	U		0.29	1.0	1.00000	ug/L	182236		06/01/06 0718	jdj
	1,2-Dibromo-3-chloropropane	1.0	U		0.41	1.0	1.00000	ug/L	182236		06/01/06 0718	jdj
	1,2,4-Trichlorobenzene	1.0	U		0.36	1.0	1.00000	ug/L	182236		06/01/06 0718	jdj
	Hexachlorobutadiene	1.0	U		0.36	1.0	1.00000	ug/L	182236		06/01/06 0718	jdj
	Naphthalene	1.0	U		0.37	1.0	1.00000	ug/L	182236		06/01/06 0718	jdj
	1,2,3-Trichlorobenzene	1.0	U		0.43	1.0	1.00000	ug/L	182236		06/01/06 0718	jdj

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: RFW-7
 Date Sampled.....: 05/19/2006
 Time Sampled.....: 14:40
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-9
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Dichlorodifluoromethane	1.0	U		0.12	1.0	1.00000	ug/L	182236		06/01/06 0740	jd
	Chloromethane	1.0	U		0.20	1.0	1.00000	ug/L	182236		06/01/06 0740	jd
	Vinyl chloride	1.0	U		0.16	1.0	1.00000	ug/L	182236		06/01/06 0740	jd
	Bromomethane	1.0	U		0.59	1.0	1.00000	ug/L	182236		06/01/06 0740	jd
	Chloroethane	1.0	U		0.32	1.0	1.00000	ug/L	182236		06/01/06 0740	jd
	Trichlorofluoromethane	1.0	U		0.14	1.0	1.00000	ug/L	182236		06/01/06 0740	jd
	1,1-Dichloroethene	1.0	U		0.25	1.0	1.00000	ug/L	182236		06/01/06 0740	jd
	Carbon disulfide	5.0	U		0.15	5.0	1.00000	ug/L	182236		06/01/06 0740	jd
	Acetone	5.0	U		1.4	5.0	1.00000	ug/L	182236		06/01/06 0740	jd
	Methylene chloride	1.0	U		0.24	1.0	1.00000	ug/L	182236		06/01/06 0740	jd
	trans-1,2-Dichloroethene	1.0	U		0.29	1.0	1.00000	ug/L	182236		06/01/06 0740	jd
	1,1-Dichloroethane	1.0	U		0.15	1.0	1.00000	ug/L	182236		06/01/06 0740	jd
	2,2-Dichloropropane	1.0	U		0.17	1.0	1.00000	ug/L	182236		06/01/06 0740	jd
	cis-1,2-Dichloroethene	1.0	U		0.20	1.0	1.00000	ug/L	182236		06/01/06 0740	jd
	2-Butanone (MEK)	5.0	U		1.0	5.0	1.00000	ug/L	182236		06/01/06 0740	jd
	Bromochloromethane	1.0	U		0.27	1.0	1.00000	ug/L	182236		06/01/06 0740	jd
	Chloroform	1.0	U		0.14	1.0	1.00000	ug/L	182236		06/01/06 0740	jd
	1,1,1-Trichloroethane	1.0	U		0.17	1.0	1.00000	ug/L	182236		06/01/06 0740	jd
	1,1-Dichloropropene	1.0	U		0.38	1.0	1.00000	ug/L	182236		06/01/06 0740	jd
	Carbon tetrachloride	1.0	U		0.34	1.0	1.00000	ug/L	182236		06/01/06 0740	jd
	Benzene	1.0	U		0.23	1.0	1.00000	ug/L	182236		06/01/06 0740	jd
	1,2-Dichloroethane	1.0	U		0.25	1.0	1.00000	ug/L	182236		06/01/06 0740	jd
	Trichloroethene	4.1	U		0.13	1.0	1.00000	ug/L	182236		06/01/06 0740	jd
	1,2-Dichloropropane	1.0	U		0.19	1.0	1.00000	ug/L	182236		06/01/06 0740	jd
	Dibromomethane	1.0	U		0.21	1.0	1.00000	ug/L	182236		06/01/06 0740	jd
	Bromodichloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182236		06/01/06 0740	jd
	cis-1,3-Dichloropropene	1.0	U		0.15	1.0	1.00000	ug/L	182236		06/01/06 0740	jd
	4-Methyl-2-pentanone (MIBK)	5.0	U		0.92	5.0	1.00000	ug/L	182236		06/01/06 0740	jd

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: RFW-7
 Date Sampled.....: 05/19/2006
 Time Sampled.....: 14:40
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-9
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Toluene	1.0	U		0.18	1.0	1.00000	ug/L	182236		06/01/06 0740	jdj
	trans-1,3-Dichloropropene	1.0	U		0.16	1.0	1.00000	ug/L	182236		06/01/06 0740	jdj
	1,1,2-Trichloroethane	1.0	U		0.24	1.0	1.00000	ug/L	182236		06/01/06 0740	jdj
	Tetrachloroethene	1.0	U		0.18	1.0	1.00000	ug/L	182236		06/01/06 0740	jdj
	1,3-Dichloropropane	1.0	U		0.22	1.0	1.00000	ug/L	182236		06/01/06 0740	jdj
	2-Hexanone	5.0	U		0.99	5.0	1.00000	ug/L	182236		06/01/06 0740	jdj
	Dibromochloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182236		06/01/06 0740	jdj
	1,2-Dibromoethane (EDB)	1.0	U		0.33	1.0	1.00000	ug/L	182236		06/01/06 0740	jdj
	Chlorobenzene	1.0	U		0.15	1.0	1.00000	ug/L	182236		06/01/06 0740	jdj
	1,1,1,2-Tetrachloroethane	1.0	U		0.33	1.0	1.00000	ug/L	182236		06/01/06 0740	jdj
	Ethylbenzene	1.0	U		0.21	1.0	1.00000	ug/L	182236		06/01/06 0740	jdj
	m&p-Xylenes	2.0	U		0.36	2.0	1.00000	ug/L	182236		06/01/06 0740	jdj
	o-Xylene	1.0	U		0.19	1.0	1.00000	ug/L	182236		06/01/06 0740	jdj
	Styrene	1.0	U		0.18	1.0	1.00000	ug/L	182236		06/01/06 0740	jdj
	Bromoform	1.0	U		0.32	1.0	1.00000	ug/L	182236		06/01/06 0740	jdj
	Isopropylbenzene	1.0	U		0.20	1.0	1.00000	ug/L	182236		06/01/06 0740	jdj
	Bromobenzene	1.0	U		0.22	1.0	1.00000	ug/L	182236		06/01/06 0740	jdj
	1,1,2,2-Tetrachloroethane	1.0	U		0.34	1.0	1.00000	ug/L	182236		06/01/06 0740	jdj
	1,2,3-Trichloropropane	1.0	U		0.35	1.0	1.00000	ug/L	182236		06/01/06 0740	jdj
	n-Propylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182236		06/01/06 0740	jdj
	2-Chlorotoluene	1.0	U		0.16	1.0	1.00000	ug/L	182236		06/01/06 0740	jdj
	1,3,5-Trimethylbenzene	1.0	U		0.18	1.0	1.00000	ug/L	182236		06/01/06 0740	jdj
	4-Chlorotoluene	1.0	U		0.18	1.0	1.00000	ug/L	182236		06/01/06 0740	jdj
	tert-Butylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182236		06/01/06 0740	jdj
	1,2,4-Trimethylbenzene	1.0	U		0.26	1.0	1.00000	ug/L	182236		06/01/06 0740	jdj
	sec-Butylbenzene	1.0	U		0.19	1.0	1.00000	ug/L	182236		06/01/06 0740	jdj
	1,3-Dichlorobenzene	1.0	U		0.21	1.0	1.00000	ug/L	182236		06/01/06 0740	jdj
	p-Isopropyltoluene	1.0	U		0.29	1.0	1.00000	ug/L	182236		06/01/06 0740	jdj
	1,4-Dichlorobenzene	1.0	U		0.25	1.0	1.00000	ug/L	182236		06/01/06 0740	jdj

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: RFW-7
 Date Sampled.....: 05/19/2006
 Time Sampled.....: 14:40
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-9
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	n-Butylbenzene	1.0	U		0.35	1.0	1.00000	ug/L	182236		06/01/06 0740	jd n
	1,2-Dichlorobenzene	1.0	U		0.29	1.0	1.00000	ug/L	182236		06/01/06 0740	jd n
	1,2-Dibromo-3-chloropropane	1.0	U		0.41	1.0	1.00000	ug/L	182236		06/01/06 0740	jd n
	1,2,4-Trichlorobenzene	1.0	U		0.36	1.0	1.00000	ug/L	182236		06/01/06 0740	jd n
	Hexachlorobutadiene	1.0	U		0.36	1.0	1.00000	ug/L	182236		06/01/06 0740	jd n
	Naphthalene	1.0	U		0.37	1.0	1.00000	ug/L	182236		06/01/06 0740	jd n
	1,2,3-Trichlorobenzene	1.0	U		0.43	1.0	1.00000	ug/L	182236		06/01/06 0740	jd n

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: RFW-9
 Date Sampled.....: 05/22/2006
 Time Sampled.....: 10:05
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-10
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Dichlorodifluoromethane	1.0	U		0.12	1.0	1.00000	ug/L	182289		06/01/06 1849	jdn
	Chloromethane	1.0	U		0.20	1.0	1.00000	ug/L	182289		06/01/06 1849	jdn
	Vinyl chloride	1.0	U		0.16	1.0	1.00000	ug/L	182289		06/01/06 1849	jdn
	Bromomethane	1.0	U		0.59	1.0	1.00000	ug/L	182289		06/01/06 1849	jdn
	Chloroethane	1.0	U		0.32	1.0	1.00000	ug/L	182289		06/01/06 1849	jdn
	Trichlorofluoromethane	1.0	U		0.14	1.0	1.00000	ug/L	182289		06/01/06 1849	jdn
	1,1-Dichloroethene	1.2	U		0.25	1.0	1.00000	ug/L	182289		06/01/06 1849	jdn
	Carbon disulfide	5.0	U		0.15	5.0	1.00000	ug/L	182289		06/01/06 1849	jdn
	Acetone	5.0	U		1.4	5.0	1.00000	ug/L	182289		06/01/06 1849	jdn
	Methylene chloride	1.0	U		0.24	1.0	1.00000	ug/L	182289		06/01/06 1849	jdn
	trans-1,2-Dichloroethene	1.0	U		0.29	1.0	1.00000	ug/L	182289		06/01/06 1849	jdn
	1,1-Dichloroethane	1.0	U		0.15	1.0	1.00000	ug/L	182289		06/01/06 1849	jdn
	2,2-Dichloropropane	1.0	U		0.17	1.0	1.00000	ug/L	182289		06/01/06 1849	jdn
	cis-1,2-Dichloroethene	9.1	U		0.20	1.0	1.00000	ug/L	182289		06/01/06 1849	jdn
	2-Butanone (MEK)	5.0	U		1.0	5.0	1.00000	ug/L	182289		06/01/06 1849	jdn
	Bromochloromethane	1.0	U		0.27	1.0	1.00000	ug/L	182289		06/01/06 1849	jdn
	Chloroform	1.0	U		0.14	1.0	1.00000	ug/L	182289		06/01/06 1849	jdn
	1,1,1-Trichloroethane	1.5	U		0.17	1.0	1.00000	ug/L	182289		06/01/06 1849	jdn
	1,1-Dichloropropene	1.0	U		0.38	1.0	1.00000	ug/L	182289		06/01/06 1849	jdn
	Carbon tetrachloride	1.0	U		0.34	1.0	1.00000	ug/L	182289		06/01/06 1849	jdn
	Benzene	1.0	U		0.23	1.0	1.00000	ug/L	182289		06/01/06 1849	jdn
	1,2-Dichloroethane	1.0	U		0.25	1.0	1.00000	ug/L	182289		06/01/06 1849	jdn
	Trichloroethene	17	U		0.13	1.0	1.00000	ug/L	182289		06/01/06 1849	jdn
	1,2-Dichloropropane	1.0	U		0.19	1.0	1.00000	ug/L	182289		06/01/06 1849	jdn
	Dibromomethane	1.0	U		0.21	1.0	1.00000	ug/L	182289		06/01/06 1849	jdn
	Bromodichloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182289		06/01/06 1849	jdn
	cis-1,3-Dichloropropene	1.0	U		0.15	1.0	1.00000	ug/L	182289		06/01/06 1849	jdn
	4-Methyl-2-pentanone (MIBK)	5.0	U		0.92	5.0	1.00000	ug/L	182289		06/01/06 1849	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: RFW-9
 Date Sampled.....: 05/22/2006
 Time Sampled.....: 10:05
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-10
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Toluene	1.0	U		0.18	1.0	1.00000	ug/L	182289		06/01/06 1849	jd
	trans-1,3-Dichloropropene	1.0	U		0.16	1.0	1.00000	ug/L	182289		06/01/06 1849	jd
	1,1,2-Trichloroethane	1.0	U		0.24	1.0	1.00000	ug/L	182289		06/01/06 1849	jd
	Tetrachloroethene	4.9	U		0.18	1.0	1.00000	ug/L	182289		06/01/06 1849	jd
	1,3-Dichloropropane	1.0	U		0.22	1.0	1.00000	ug/L	182289		06/01/06 1849	jd
	2-Hexanone	5.0	U		0.99	5.0	1.00000	ug/L	182289		06/01/06 1849	jd
	Dibromochloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182289		06/01/06 1849	jd
	1,2-Dibromoethane (EDB)	1.0	U		0.33	1.0	1.00000	ug/L	182289		06/01/06 1849	jd
	Chlorobenzene	1.0	U		0.15	1.0	1.00000	ug/L	182289		06/01/06 1849	jd
	1,1,1,2-Tetrachloroethane	1.0	U		0.33	1.0	1.00000	ug/L	182289		06/01/06 1849	jd
	Ethylbenzene	1.0	U		0.21	1.0	1.00000	ug/L	182289		06/01/06 1849	jd
	m&p-Xylenes	2.0	U		0.36	2.0	1.00000	ug/L	182289		06/01/06 1849	jd
	o-Xylene	1.0	U		0.19	1.0	1.00000	ug/L	182289		06/01/06 1849	jd
	Styrene	1.0	U		0.18	1.0	1.00000	ug/L	182289		06/01/06 1849	jd
	Bromoform	1.0	U		0.32	1.0	1.00000	ug/L	182289		06/01/06 1849	jd
	Isopropylbenzene	1.0	U		0.20	1.0	1.00000	ug/L	182289		06/01/06 1849	jd
	Bromobenzene	1.0	U		0.22	1.0	1.00000	ug/L	182289		06/01/06 1849	jd
	1,1,2,2-Tetrachloroethane	1.0	U		0.34	1.0	1.00000	ug/L	182289		06/01/06 1849	jd
	1,2,3-Trichloropropane	1.0	U		0.35	1.0	1.00000	ug/L	182289		06/01/06 1849	jd
	n-Propylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182289		06/01/06 1849	jd
	2-Chlorotoluene	1.0	U		0.16	1.0	1.00000	ug/L	182289		06/01/06 1849	jd
	1,3,5-Trimethylbenzene	1.0	U		0.18	1.0	1.00000	ug/L	182289		06/01/06 1849	jd
	4-Chlorotoluene	1.0	U		0.18	1.0	1.00000	ug/L	182289		06/01/06 1849	jd
	tert-Butylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182289		06/01/06 1849	jd
	1,2,4-Trimethylbenzene	1.0	U		0.26	1.0	1.00000	ug/L	182289		06/01/06 1849	jd
	sec-Butylbenzene	1.0	U		0.19	1.0	1.00000	ug/L	182289		06/01/06 1849	jd
	1,3-Dichlorobenzene	1.0	U		0.21	1.0	1.00000	ug/L	182289		06/01/06 1849	jd
	p-Isopropyltoluene	1.0	U		0.29	1.0	1.00000	ug/L	182289		06/01/06 1849	jd
	1,4-Dichlorobenzene	1.0	U		0.25	1.0	1.00000	ug/L	182289		06/01/06 1849	jd

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: RFW-9
 Date Sampled.....: 05/22/2006
 Time Sampled.....: 10:05
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-10
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	n-Butylbenzene	1.0	U		0.35	1.0	1.00000	ug/L	182289		06/01/06 1849	jd
	1,2-Dichlorobenzene	1.0	U		0.29	1.0	1.00000	ug/L	182289		06/01/06 1849	jd
	1,2-Dibromo-3-chloropropane	1.0	U		0.41	1.0	1.00000	ug/L	182289		06/01/06 1849	jd
	1,2,4-Trichlorobenzene	1.0	U		0.36	1.0	1.00000	ug/L	182289		06/01/06 1849	jd
	Hexachlorobutadiene	1.0	U		0.36	1.0	1.00000	ug/L	182289		06/01/06 1849	jd
	Naphthalene	1.0	U		0.37	1.0	1.00000	ug/L	182289		06/01/06 1849	jd
	1,2,3-Trichlorobenzene	1.0	U		0.43	1.0	1.00000	ug/L	182289		06/01/06 1849	jd

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: RFW-11B
 Date Sampled.....: 05/22/2006
 Time Sampled.....: 12:00
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-11
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Dichlorodifluoromethane	1.0	U		0.12	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	Chloromethane	1.0	U		0.20	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	Vinyl chloride	1.0	U		0.16	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	Bromomethane	1.0	U		0.59	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	Chloroethane	1.0	U		0.32	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	Trichlorofluoromethane	1.0	U		0.14	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	1,1-Dichloroethene	1.0	U		0.25	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	Carbon disulfide	5.0	U		0.15	5.0	1.00000	ug/L	182289		06/01/06 1911	jd
	Acetone	5.0	U		1.4	5.0	1.00000	ug/L	182289		06/01/06 1911	jd
	Methylene chloride	1.0	U		0.24	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	trans-1,2-Dichloroethene	1.0	U		0.29	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	1,1-Dichloroethane	1.0	U		0.15	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	2,2-Dichloropropane	1.0	U		0.17	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	cis-1,2-Dichloroethene	1.0	U		0.20	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	2-Butanone (MEK)	5.0	U		1.0	5.0	1.00000	ug/L	182289		06/01/06 1911	jd
	Bromochloromethane	1.0	U		0.27	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	Chloroform	1.0	U		0.14	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	1,1,1-Trichloroethane	1.0	U		0.17	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	1,1-Dichloropropene	1.0	U		0.38	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	Carbon tetrachloride	1.0	U		0.34	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	Benzene	1.0	U		0.23	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	1,2-Dichloroethane	1.0	U		0.25	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	Trichloroethene	22	U		0.13	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	1,2-Dichloropropane	1.0	U		0.19	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	Dibromomethane	1.0	U		0.21	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	Bromodichloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	cis-1,3-Dichloropropene	1.0	U		0.15	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	4-Methyl-2-pentanone (MIBK)	5.0	U		0.92	5.0	1.00000	ug/L	182289		06/01/06 1911	jd

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: RFW-11B
 Date Sampled.....: 05/22/2006
 Time Sampled.....: 12:00
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-11
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Toluene	1.0	U		0.18	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	trans-1,3-Dichloropropene	1.0	U		0.16	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	1,1,2-Trichloroethane	1.0	U		0.24	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	Tetrachloroethene	1.0	U		0.18	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	1,3-Dichloropropane	1.0	U		0.22	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	2-Hexanone	5.0	U		0.99	5.0	1.00000	ug/L	182289		06/01/06 1911	jd
	Dibromochloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	1,2-Dibromoethane (EDB)	1.0	U		0.33	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	Chlorobenzene	1.0	U		0.15	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	1,1,1,2-Tetrachloroethane	1.0	U		0.33	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	Ethylbenzene	1.0	U		0.21	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	m&p-Xylenes	2.0	U		0.36	2.0	1.00000	ug/L	182289		06/01/06 1911	jd
	o-Xylene	1.0	U		0.19	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	Styrene	1.0	U		0.18	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	Bromoform	1.0	U		0.32	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	Isopropylbenzene	1.0	U		0.20	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	Bromobenzene	1.0	U		0.22	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	1,1,2,2-Tetrachloroethane	1.0	U		0.34	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	1,2,3-Trichloropropane	1.0	U		0.35	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	n-Propylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	2-Chlorotoluene	1.0	U		0.16	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	1,3,5-Trimethylbenzene	1.0	U		0.18	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	4-Chlorotoluene	1.0	U		0.18	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	tert-Butylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	1,2,4-Trimethylbenzene	1.0	U		0.26	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	sec-Butylbenzene	1.0	U		0.19	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	1,3-Dichlorobenzene	1.0	U		0.21	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	p-Isopropyltoluene	1.0	U		0.29	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	1,4-Dichlorobenzene	1.0	U		0.25	1.0	1.00000	ug/L	182289		06/01/06 1911	jd

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: RFW-11B
 Date Sampled.....: 05/22/2006
 Time Sampled.....: 12:00
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-11
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	n-Butylbenzene	1.0	U		0.35	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	1,2-Dichlorobenzene	1.0	U		0.29	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	1,2-Dibromo-3-chloropropane	1.0	U		0.41	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	1,2,4-Trichlorobenzene	1.0	U		0.36	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	Hexachlorobutadiene	1.0	U		0.36	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	Naphthalene	1.0	U		0.37	1.0	1.00000	ug/L	182289		06/01/06 1911	jd
	1,2,3-Trichlorobenzene	1.0	U		0.43	1.0	1.00000	ug/L	182289		06/01/06 1911	jd

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: RFW-12B
 Date Sampled.....: 05/22/2006
 Time Sampled.....: 13:50
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-12
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Dichlorodifluoromethane	1.0	U		0.12	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	Chloromethane	1.0	U		0.20	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	Vinyl chloride	1.0	U		0.16	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	Bromomethane	1.0	U		0.59	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	Chloroethane	1.0	U		0.32	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	Trichlorofluoromethane	1.0	U		0.14	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	1,1-Dichloroethene	1.0	U		0.25	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	Carbon disulfide	5.0	U		0.15	5.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	Acetone	5.0	U		1.4	5.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	Methylene chloride	1.0	U		0.24	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	trans-1,2-Dichloroethene	1.0	U		0.29	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	1,1-Dichloroethane	1.0	U		0.15	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	2,2-Dichloropropane	1.0	U		0.17	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	cis-1,2-Dichloroethene	5.0	U		0.20	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	2-Butanone (MEK)	5.0	U		1.0	5.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	Bromochloromethane	1.0	U		0.27	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	Chloroform	1.0	U		0.14	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	1,1,1-Trichloroethane	1.0	U		0.17	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	1,1-Dichloropropene	1.0	U		0.38	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	Carbon tetrachloride	1.0	U		0.34	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	Benzene	1.0	U		0.23	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	1,2-Dichloroethane	1.0	U		0.25	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	Trichloroethene	410	U		1.3	10	10.0000	ug/L	182289	D1	06/01/06 1932	jdj
	1,2-Dichloropropane	1.0	U		0.19	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	Dibromomethane	1.0	U		0.21	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	Bromodichloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	cis-1,3-Dichloropropene	1.0	U		0.15	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	4-Methyl-2-pentanone (MIBK)	5.0	U		0.92	5.0	1.00000	ug/L	182633		06/05/06 1554	jdj

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: RFW-12B
 Date Sampled.....: 05/22/2006
 Time Sampled.....: 13:50
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-12
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Toluene	1.0	U		0.18	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	trans-1,3-Dichloropropene	1.0	U		0.16	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	1,1,2-Trichloroethane	1.0	U		0.24	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	Tetrachloroethene	34			0.18	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	1,3-Dichloropropane	1.0	U		0.22	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	2-Hexanone	5.0	U		0.99	5.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	Dibromochloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	1,2-Dibromoethane (EDB)	1.0	U		0.33	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	Chlorobenzene	1.0	U		0.15	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	1,1,1,2-Tetrachloroethane	1.0	U		0.33	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	Ethylbenzene	1.0	U		0.21	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	m&p-Xylenes	2.0	U		0.36	2.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	o-Xylene	1.0	U		0.19	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	Styrene	1.0	U		0.18	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	Bromoform	1.0	U		0.32	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	Isopropylbenzene	1.0	U		0.20	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	Bromobenzene	1.0	U		0.22	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	1,1,2,2-Tetrachloroethane	1.0	U		0.34	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	1,2,3-Trichloropropane	1.0	U		0.35	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	n-Propylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	2-Chlorotoluene	1.0	U		0.16	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	1,3,5-Trimethylbenzene	1.0	U		0.18	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	4-Chlorotoluene	1.0	U		0.18	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	tert-Butylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	1,2,4-Trimethylbenzene	1.0	U		0.26	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	sec-Butylbenzene	1.0	U		0.19	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	1,3-Dichlorobenzene	1.0	U		0.21	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	p-Isopropyltoluene	1.0	U		0.29	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	1,4-Dichlorobenzene	1.0	U		0.25	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: RFW-12B
 Date Sampled.....: 05/22/2006
 Time Sampled.....: 13:50
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-12
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	n-Butylbenzene	1.0	U		0.35	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	1,2-Dichlorobenzene	1.0	U		0.29	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	1,2-Dibromo-3-chloropropane	1.0	U		0.41	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	1,2,4-Trichlorobenzene	1.0	U		0.36	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	Hexachlorobutadiene	1.0	U		0.36	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	Naphthalene	1.0	U		0.37	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj
	1,2,3-Trichlorobenzene	1.0	U		0.43	1.0	1.00000	ug/L	182633		06/05/06 1554	jdj

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: RFW-13
 Date Sampled.....: 05/19/2006
 Time Sampled.....: 14:15
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-13
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Dichlorodifluoromethane	1.0	U		0.12	1.0	1.00000	ug/L	182236		06/01/06 0801	jd
	Chloromethane	1.0	U		0.20	1.0	1.00000	ug/L	182236		06/01/06 0801	jd
	Vinyl chloride	1.0	U		0.16	1.0	1.00000	ug/L	182236		06/01/06 0801	jd
	Bromomethane	1.0	U		0.59	1.0	1.00000	ug/L	182236		06/01/06 0801	jd
	Chloroethane	1.0	U		0.32	1.0	1.00000	ug/L	182236		06/01/06 0801	jd
	Trichlorofluoromethane	1.0	U		0.14	1.0	1.00000	ug/L	182236		06/01/06 0801	jd
	1,1-Dichloroethane	1.0	U		0.25	1.0	1.00000	ug/L	182236		06/01/06 0801	jd
	Carbon disulfide	5.0	U		0.15	5.0	1.00000	ug/L	182236		06/01/06 0801	jd
	Acetone	5.0	U		1.4	5.0	1.00000	ug/L	182236		06/01/06 0801	jd
	Methylene chloride	1.0	U		0.24	1.0	1.00000	ug/L	182236		06/01/06 0801	jd
	trans-1,2-Dichloroethene	1.0	U		0.29	1.0	1.00000	ug/L	182236		06/01/06 0801	jd
	1,1-Dichloroethane	1.0	U		0.15	1.0	1.00000	ug/L	182236		06/01/06 0801	jd
	2,2-Dichloropropane	1.0	U		0.17	1.0	1.00000	ug/L	182236		06/01/06 0801	jd
	cis-1,2-Dichloroethene	1.0	U		0.20	1.0	1.00000	ug/L	182236		06/01/06 0801	jd
	2-Butanone (MEK)	5.0	U		1.0	5.0	1.00000	ug/L	182236		06/01/06 0801	jd
	Bromochloromethane	1.0	U		0.27	1.0	1.00000	ug/L	182236		06/01/06 0801	jd
	Chloroform	1.0	U		0.14	1.0	1.00000	ug/L	182236		06/01/06 0801	jd
	1,1,1-Trichloroethane	1.0	U		0.17	1.0	1.00000	ug/L	182236		06/01/06 0801	jd
	1,1-Dichloropropene	1.0	U		0.38	1.0	1.00000	ug/L	182236		06/01/06 0801	jd
	Carbon tetrachloride	1.0	U		0.34	1.0	1.00000	ug/L	182236		06/01/06 0801	jd
	Benzene	1.0	U		0.23	1.0	1.00000	ug/L	182236		06/01/06 0801	jd
	1,2-Dichloroethane	1.0	U		0.25	1.0	1.00000	ug/L	182236		06/01/06 0801	jd
	Trichloroethene	4.5	U		0.13	1.0	1.00000	ug/L	182236		06/01/06 0801	jd
	1,2-Dichloropropane	1.0	U		0.19	1.0	1.00000	ug/L	182236		06/01/06 0801	jd
	Dibromomethane	1.0	U		0.21	1.0	1.00000	ug/L	182236		06/01/06 0801	jd
	Bromodichloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182236		06/01/06 0801	jd
	cis-1,3-Dichloropropene	1.0	U		0.15	1.0	1.00000	ug/L	182236		06/01/06 0801	jd
	4-Methyl-2-pentanone (MIBK)	5.0	U		0.92	5.0	1.00000	ug/L	182236		06/01/06 0801	jd

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: RFW-13
 Date Sampled.....: 05/19/2006
 Time Sampled.....: 14:15
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-13
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Toluene	1.0	U		0.18	1.0	1.00000	ug/L	182236		06/01/06 0801	jd
	trans-1,3-Dichloropropene	1.0	U		0.16	1.0	1.00000	ug/L	182236		06/01/06 0801	jd
	1,1,2-Trichloroethane	1.0	U		0.24	1.0	1.00000	ug/L	182236		06/01/06 0801	jd
	Tetrachloroethene	20			0.18	1.0	1.00000	ug/L	182236		06/01/06 0801	jd
	1,3-Dichloropropane	1.0	U		0.22	1.0	1.00000	ug/L	182236		06/01/06 0801	jd
	2-Hexanone	5.0	U		0.99	5.0	1.00000	ug/L	182236		06/01/06 0801	jd
	Dibromochloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182236		06/01/06 0801	jd
	1,2-Dibromoethane (EDB)	1.0	U		0.33	1.0	1.00000	ug/L	182236		06/01/06 0801	jd
	Chlorobenzene	1.0	U		0.15	1.0	1.00000	ug/L	182236		06/01/06 0801	jd
	1,1,1,2-Tetrachloroethane	1.0	U		0.33	1.0	1.00000	ug/L	182236		06/01/06 0801	jd
	Ethylbenzene	1.0	U		0.21	1.0	1.00000	ug/L	182236		06/01/06 0801	jd
	m&p-Xylenes	2.0	U		0.36	2.0	1.00000	ug/L	182236		06/01/06 0801	jd
	o-Xylene	1.0	U		0.19	1.0	1.00000	ug/L	182236		06/01/06 0801	jd
	Styrene	1.0	U		0.18	1.0	1.00000	ug/L	182236		06/01/06 0801	jd
	Bromoform	1.0	U		0.32	1.0	1.00000	ug/L	182236		06/01/06 0801	jd
	Isopropylbenzene	1.0	U		0.20	1.0	1.00000	ug/L	182236		06/01/06 0801	jd
	Bromobenzene	1.0	U		0.22	1.0	1.00000	ug/L	182236		06/01/06 0801	jd
	1,1,2,2-Tetrachloroethane	1.0	U		0.34	1.0	1.00000	ug/L	182236		06/01/06 0801	jd
	1,2,3-Trichloropropane	1.0	U		0.35	1.0	1.00000	ug/L	182236		06/01/06 0801	jd
	n-Propylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182236		06/01/06 0801	jd
	2-Chlorotoluene	1.0	U		0.16	1.0	1.00000	ug/L	182236		06/01/06 0801	jd
	1,3,5-Trimethylbenzene	1.0	U		0.18	1.0	1.00000	ug/L	182236		06/01/06 0801	jd
	4-Chlorotoluene	1.0	U		0.18	1.0	1.00000	ug/L	182236		06/01/06 0801	jd
	tert-Butylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182236		06/01/06 0801	jd
	1,2,4-Trimethylbenzene	1.0	U		0.26	1.0	1.00000	ug/L	182236		06/01/06 0801	jd
	sec-Butylbenzene	1.0	U		0.19	1.0	1.00000	ug/L	182236		06/01/06 0801	jd
	1,3-Dichlorobenzene	1.0	U		0.21	1.0	1.00000	ug/L	182236		06/01/06 0801	jd
	p-Isopropyltoluene	1.0	U		0.29	1.0	1.00000	ug/L	182236		06/01/06 0801	jd
	1,4-Dichlorobenzene	1.0	U		0.25	1.0	1.00000	ug/L	182236		06/01/06 0801	jd

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

Job Number: 246663		LABORATORY TEST RESULTS						Date: 06/06/2006				
CUSTOMER: Weston Solutions, Inc.			PROJECT: BLACK AND DECKER				ATTN: Tom Cornuet					
Customer Sample ID: RFW-13 Date Sampled.....: 05/19/2006 Time Sampled.....: 14:15 Sample Matrix.....: Water			Laboratory Sample ID: 246663-13 Date Received.....: 05/23/2006 Time Received.....: 10:15									
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	n-Butylbenzene	1.0	U		0.35	1.0	1.00000	ug/L	182236		06/01/06 0801	jdj
	1,2-Dichlorobenzene	1.0	U		0.29	1.0	1.00000	ug/L	182236		06/01/06 0801	jdj
	1,2-Dibromo-3-chloropropane	1.0	U		0.41	1.0	1.00000	ug/L	182236		06/01/06 0801	jdj
	1,2,4-Trichlorobenzene	1.0	U		0.36	1.0	1.00000	ug/L	182236		06/01/06 0801	jdj
	Hexachlorobutadiene	1.0	U		0.36	1.0	1.00000	ug/L	182236		06/01/06 0801	jdj
	Naphthalene	1.0	U		0.37	1.0	1.00000	ug/L	182236		06/01/06 0801	jdj
	1,2,3-Trichlorobenzene	1.0	U		0.43	1.0	1.00000	ug/L	182236		06/01/06 0801	jdj

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: RFW-17
 Date Sampled.....: 05/19/2006
 Time Sampled.....: 12:50
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-14
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Dichlorodifluoromethane	1.0	U		0.12	1.0	1.00000	ug/L	182236		06/01/06 0823	jd
	Chloromethane	1.0	U		0.20	1.0	1.00000	ug/L	182236		06/01/06 0823	jd
	Vinyl chloride	1.0	U		0.16	1.0	1.00000	ug/L	182236		06/01/06 0823	jd
	Bromomethane	1.0	U		0.59	1.0	1.00000	ug/L	182236		06/01/06 0823	jd
	Chloroethane	1.0	U		0.32	1.0	1.00000	ug/L	182236		06/01/06 0823	jd
	Trichlorofluoromethane	1.0	U		0.14	1.0	1.00000	ug/L	182236		06/01/06 0823	jd
	1,1-Dichloroethene	1.0	U		0.25	1.0	1.00000	ug/L	182236		06/01/06 0823	jd
	Carbon disulfide	5.0	U		0.15	5.0	1.00000	ug/L	182236		06/01/06 0823	jd
	Acetone	5.0	U		1.4	5.0	1.00000	ug/L	182236		06/01/06 0823	jd
	Methylene chloride	1.0	U		0.24	1.0	1.00000	ug/L	182236		06/01/06 0823	jd
	trans-1,2-Dichloroethene	1.0	U		0.29	1.0	1.00000	ug/L	182236		06/01/06 0823	jd
	1,1-Dichloroethane	1.0	U		0.15	1.0	1.00000	ug/L	182236		06/01/06 0823	jd
	2,2-Dichloropropane	1.0	U		0.17	1.0	1.00000	ug/L	182236		06/01/06 0823	jd
	cis-1,2-Dichloroethene	1.0	U		0.20	1.0	1.00000	ug/L	182236		06/01/06 0823	jd
	2-Butanone (MEK)	5.0	U		1.0	5.0	1.00000	ug/L	182236		06/01/06 0823	jd
	Bromochloromethane	1.0	U		0.27	1.0	1.00000	ug/L	182236		06/01/06 0823	jd
	Chloroform	1.0	U		0.14	1.0	1.00000	ug/L	182236		06/01/06 0823	jd
	1,1,1-Trichloroethane	1.0	U		0.17	1.0	1.00000	ug/L	182236		06/01/06 0823	jd
	1,1-Dichloropropene	1.0	U		0.38	1.0	1.00000	ug/L	182236		06/01/06 0823	jd
	Carbon tetrachloride	1.0	U		0.34	1.0	1.00000	ug/L	182236		06/01/06 0823	jd
	Benzene	1.0	U		0.23	1.0	1.00000	ug/L	182236		06/01/06 0823	jd
	1,2-Dichloroethane	1.0	U		0.25	1.0	1.00000	ug/L	182236		06/01/06 0823	jd
	Trichloroethene	1.0	U		0.13	1.0	1.00000	ug/L	182236		06/01/06 0823	jd
	1,2-Dichloropropane	1.0	U		0.19	1.0	1.00000	ug/L	182236		06/01/06 0823	jd
	Dibromomethane	1.0	U		0.21	1.0	1.00000	ug/L	182236		06/01/06 0823	jd
	Bromodichloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182236		06/01/06 0823	jd
	cis-1,3-Dichloropropene	1.0	U		0.15	1.0	1.00000	ug/L	182236		06/01/06 0823	jd
	4-Methyl-2-pentanone (MIBK)	5.0	U		0.92	5.0	1.00000	ug/L	182236		06/01/06 0823	jd

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: RFW-17
 Date Sampled.....: 05/19/2006
 Time Sampled.....: 12:50
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-14
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Toluene	1.0	U		0.18	1.0	1.00000	ug/L	182236		06/01/06 0823	jd
	trans-1,3-Dichloropropene	1.0	U		0.16	1.0	1.00000	ug/L	182236		06/01/06 0823	jd
	1,1,2-Trichloroethane	1.0	U		0.24	1.0	1.00000	ug/L	182236		06/01/06 0823	jd
	Tetrachloroethene	1.0	U		0.18	1.0	1.00000	ug/L	182236		06/01/06 0823	jd
	1,3-Dichloropropane	1.0	U		0.22	1.0	1.00000	ug/L	182236		06/01/06 0823	jd
	2-Hexanone	5.0	U		0.99	5.0	1.00000	ug/L	182236		06/01/06 0823	jd
	Dibromochloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182236		06/01/06 0823	jd
	1,2-Dibromoethane (EDB)	1.0	U		0.33	1.0	1.00000	ug/L	182236		06/01/06 0823	jd
	Chlorobenzene	1.0	U		0.15	1.0	1.00000	ug/L	182236		06/01/06 0823	jd
	1,1,1,2-Tetrachloroethane	1.0	U		0.33	1.0	1.00000	ug/L	182236		06/01/06 0823	jd
	Ethylbenzene	1.0	U		0.21	1.0	1.00000	ug/L	182236		06/01/06 0823	jd
	m&p-Xylenes	2.0	U		0.36	2.0	1.00000	ug/L	182236		06/01/06 0823	jd
	o-Xylene	1.0	U		0.19	1.0	1.00000	ug/L	182236		06/01/06 0823	jd
	Styrene	1.0	U		0.18	1.0	1.00000	ug/L	182236		06/01/06 0823	jd
	Bromoform	1.0	U		0.32	1.0	1.00000	ug/L	182236		06/01/06 0823	jd
	Isopropylbenzene	1.0	U		0.20	1.0	1.00000	ug/L	182236		06/01/06 0823	jd
	Bromobenzene	1.0	U		0.22	1.0	1.00000	ug/L	182236		06/01/06 0823	jd
	1,1,2,2-Tetrachloroethane	1.0	U		0.34	1.0	1.00000	ug/L	182236		06/01/06 0823	jd
	1,2,3-Trichloropropane	1.0	U		0.35	1.0	1.00000	ug/L	182236		06/01/06 0823	jd
	n-Propylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182236		06/01/06 0823	jd
	2-Chlorotoluene	1.0	U		0.16	1.0	1.00000	ug/L	182236		06/01/06 0823	jd
	1,3,5-Trimethylbenzene	1.0	U		0.18	1.0	1.00000	ug/L	182236		06/01/06 0823	jd
	4-Chlorotoluene	1.0	U		0.18	1.0	1.00000	ug/L	182236		06/01/06 0823	jd
	tert-Butylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182236		06/01/06 0823	jd
	1,2,4-Trimethylbenzene	1.0	U		0.26	1.0	1.00000	ug/L	182236		06/01/06 0823	jd
	sec-Butylbenzene	1.0	U		0.19	1.0	1.00000	ug/L	182236		06/01/06 0823	jd
	1,3-Dichlorobenzene	1.0	U		0.21	1.0	1.00000	ug/L	182236		06/01/06 0823	jd
	p-Isopropyltoluene	1.0	U		0.29	1.0	1.00000	ug/L	182236		06/01/06 0823	jd
	1,4-Dichlorobenzene	1.0	U		0.25	1.0	1.00000	ug/L	182236		06/01/06 0823	jd

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

Job Number: 246663		LABORATORY TEST RESULTS						Date: 06/06/2006				
CUSTOMER: Weston Solutions, Inc.			PROJECT: BLACK AND DECKER				ATTN: Tom Cornuet					
Customer Sample ID: RFW-17 Date Sampled.....: 05/19/2006 Time Sampled.....: 12:50 Sample Matrix.....: Water			Laboratory Sample ID: 246663-14 Date Received.....: 05/23/2006 Time Received.....: 10:15									
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	n-Butylbenzene	1.0	U		0.35	1.0	1.00000	ug/L	182236		06/01/06 0823	jdj
	1,2-Dichlorobenzene	1.0	U		0.29	1.0	1.00000	ug/L	182236		06/01/06 0823	jdj
	1,2-Dibromo-3-chloropropane	1.0	U		0.41	1.0	1.00000	ug/L	182236		06/01/06 0823	jdj
	1,2,4-Trichlorobenzene	1.0	U		0.36	1.0	1.00000	ug/L	182236		06/01/06 0823	jdj
	Hexachlorobutadiene	1.0	U		0.36	1.0	1.00000	ug/L	182236		06/01/06 0823	jdj
	Naphthalene	1.0	U		0.37	1.0	1.00000	ug/L	182236		06/01/06 0823	jdj
	1,2,3-Trichlorobenzene	1.0	U		0.43	1.0	1.00000	ug/L	182236		06/01/06 0823	jdj

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS												
Job Number: 246663								Date: 06/06/2006				
CUSTOMER: Weston Solutions, Inc.				PROJECT: BLACK AND DECKER				ATTN: Tom Cornuet				
Customer Sample ID: RFW-4B DUP Date Sampled.....: 05/22/2006 Time Sampled.....: 09:20 Sample Matrix.....: Water						Laboratory Sample ID: 246663-15 Date Received.....: 05/23/2006 Time Received.....: 10:15						
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Dichlorodifluoromethane	1.0		U	0.12	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	Chloromethane	1.0		U	0.20	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	Vinyl chloride	1.0		U	0.16	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	Bromomethane	1.0		U	0.59	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	Chloroethane	1.0		U	0.32	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	Trichlorofluoromethane	1.0		U	0.14	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	1,1-Dichloroethane	1.0		U	0.25	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	Carbon disulfide	5.0		U	0.15	5.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	Acetone	5.0		U	1.4	5.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	Methylene chloride	1.0		U	0.24	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	trans-1,2-Dichloroethane	1.0		U	0.29	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	1,1-Dichloroethane	1.0		U	0.15	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	2,2-Dichloropropane	1.0		U	0.17	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	cis-1,2-Dichloroethane	5.3		U	0.20	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	2-Butanone (MEK)	5.0		U	1.0	5.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	Bromochloromethane	1.0		U	0.27	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	Chloroform	1.0		U	0.14	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	1,1,1-Trichloroethane	1.0		U	0.17	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	1,1-Dichloropropene	1.0		U	0.38	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	Carbon tetrachloride	1.0		U	0.34	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	Benzene	1.0		U	0.23	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	1,2-Dichloroethane	1.0		U	0.25	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	Trichloroethene	10		U	0.13	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	1,2-Dichloropropane	1.0		U	0.19	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	Dibromomethane	1.0		U	0.21	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	Bromodichloromethane	1.0		U	0.22	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	cis-1,3-Dichloropropene	1.0		U	0.15	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	4-Methyl-2-pentanone (MIBK)	5.0		U	0.92	5.0	1.00000	ug/L	182289		06/01/06 2015	jdj

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: RFW-4B DUP
 Date Sampled.....: 05/22/2006
 Time Sampled.....: 09:20
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-15
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Toluene	1.0	U		0.18	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	trans-1,3-Dichloropropene	1.0	U		0.16	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	1,1,2-Trichloroethane	1.0	U		0.24	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	Tetrachloroethane	57			0.18	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	1,3-Dichloropropane	1.0	U		0.22	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	2-Hexanone	5.0	U		0.99	5.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	Dibromochloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	1,2-Dibromoethane (EDB)	1.0	U		0.33	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	Chlorobenzene	1.0	U		0.15	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	1,1,1,2-Tetrachloroethane	1.0	U		0.33	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	Ethylbenzene	1.0	U		0.21	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	m&p-Xylenes	2.0	U		0.36	2.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	o-Xylene	1.0	U		0.19	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	Styrene	1.0	U		0.18	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	Bromoform	1.0	U		0.32	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	Isopropylbenzene	1.0	U		0.20	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	Bromobenzene	1.0	U		0.22	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	1,1,2,2-Tetrachloroethane	1.0	U		0.34	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	1,2,3-Trichloropropane	1.0	U		0.35	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	n-Propylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	2-Chlorotoluene	1.0	U		0.16	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	1,3,5-Trimethylbenzene	1.0	U		0.18	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	4-Chlorotoluene	1.0	U		0.18	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	tert-Butylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	1,2,4-Trimethylbenzene	1.0	U		0.26	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	sec-Butylbenzene	1.0	U		0.19	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	1,3-Dichlorobenzene	1.0	U		0.21	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	p-Isopropyltoluene	1.0	U		0.29	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	1,4-Dichlorobenzene	1.0	U		0.25	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

Job Number: 246663		LABORATORY TEST RESULTS						Date: 06/06/2006				
CUSTOMER: Weston Solutions, Inc.			PROJECT: BLACK AND DECKER				ATTN: Tom Cornuet					
Customer Sample ID: RFW-4B DUP Date Sampled.....: 05/22/2006 Time Sampled.....: 09:20 Sample Matrix.....: Water			Laboratory Sample ID: 246663-15 Date Received.....: 05/23/2006 Time Received.....: 10:15									
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	n-Butylbenzene	1.0	U		0.35	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	1,2-Dichlorobenzene	1.0	U		0.29	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	1,2-Dibromo-3-chloropropane	1.0	U		0.41	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	1,2,4-Trichlorobenzene	1.0	U		0.36	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	Hexachlorobutadiene	1.0	U		0.36	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	Naphthalene	1.0	U		0.37	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj
	1,2,3-Trichlorobenzene	1.0	U		0.43	1.0	1.00000	ug/L	182289		06/01/06 2015	jdj

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: EW-2
 Date Sampled.....: 05/22/2006
 Time Sampled.....: 13:30
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-16
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Dichlorodifluoromethane	1.0	U		0.12	1.0	1.00000	ug/L	182474		06/02/06 1409	jd
	Chloromethane	1.0	U		0.20	1.0	1.00000	ug/L	182474		06/02/06 1409	jd
	Vinyl chloride	1.0	U		0.16	1.0	1.00000	ug/L	182474		06/02/06 1409	jd
	Bromomethane	1.0	U		0.59	1.0	1.00000	ug/L	182474		06/02/06 1409	jd
	Chloroethane	1.0	U		0.32	1.0	1.00000	ug/L	182474		06/02/06 1409	jd
	Trichlorofluoromethane	1.0	U		0.14	1.0	1.00000	ug/L	182474		06/02/06 1409	jd
	1,1-Dichloroethene	1.0	U		0.25	1.0	1.00000	ug/L	182474		06/02/06 1409	jd
	Carbon disulfide	5.0	U		0.15	5.0	1.00000	ug/L	182474		06/02/06 1409	jd
	Acetone	5.0	U		1.4	5.0	1.00000	ug/L	182474		06/02/06 1409	jd
	Methylene chloride	1.0	U		0.24	1.0	1.00000	ug/L	182474		06/02/06 1409	jd
	trans-1,2-Dichloroethene	1.0	U		0.29	1.0	1.00000	ug/L	182474		06/02/06 1409	jd
	1,1-Dichloroethane	1.0	U		0.15	1.0	1.00000	ug/L	182474		06/02/06 1409	jd
	2,2-Dichloropropane	1.0	U		0.17	1.0	1.00000	ug/L	182474		06/02/06 1409	jd
	cis-1,2-Dichloroethene	2.8	U		0.20	1.0	1.00000	ug/L	182474		06/02/06 1409	jd
	2-Butanone (MEK)	5.0	U		1.0	5.0	1.00000	ug/L	182474		06/02/06 1409	jd
	Bromochloromethane	1.0	U		0.27	1.0	1.00000	ug/L	182474		06/02/06 1409	jd
	Chloroform	1.0	U		0.14	1.0	1.00000	ug/L	182474		06/02/06 1409	jd
	1,1,1-Trichloroethane	1.0	U		0.17	1.0	1.00000	ug/L	182474		06/02/06 1409	jd
	1,1-Dichloropropene	1.0	U		0.38	1.0	1.00000	ug/L	182474		06/02/06 1409	jd
	Carbon tetrachloride	1.0	U		0.34	1.0	1.00000	ug/L	182474		06/02/06 1409	jd
	Benzene	1.0	U		0.23	1.0	1.00000	ug/L	182474		06/02/06 1409	jd
	1,2-Dichloroethane	1.0	U		0.25	1.0	1.00000	ug/L	182474		06/02/06 1409	jd
	Trichloroethene	530	U		1.3	10	10.0000	ug/L	182289	D1	06/01/06 2036	jd
	1,2-Dichloropropane	1.0	U		0.19	1.0	1.00000	ug/L	182474		06/02/06 1409	jd
	Dibromomethane	1.0	U		0.21	1.0	1.00000	ug/L	182474		06/02/06 1409	jd
	Bromodichloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182474		06/02/06 1409	jd
	cis-1,3-Dichloropropene	1.0	U		0.15	1.0	1.00000	ug/L	182474		06/02/06 1409	jd
	4-Methyl-2-pentanone (MIBK)	5.0	U		0.92	5.0	1.00000	ug/L	182474		06/02/06 1409	jd

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: EW-2
 Date Sampled.....: 05/22/2006
 Time Sampled.....: 13:30
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-16
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Toluene	1.0	U		0.18	1.0	1.00000	ug/L	182474		06/02/06 1409	jdj
	trans-1,3-Dichloropropene	1.0	U		0.16	1.0	1.00000	ug/L	182474		06/02/06 1409	jdj
	1,1,2-Trichloroethane	1.0	U		0.24	1.0	1.00000	ug/L	182474		06/02/06 1409	jdj
	Tetrachloroethene	59			0.18	1.0	1.00000	ug/L	182474		06/02/06 1409	jdj
	1,3-Dichloropropane	1.0	U		0.22	1.0	1.00000	ug/L	182474		06/02/06 1409	jdj
	2-Hexanone	5.0	U		0.99	5.0	1.00000	ug/L	182474		06/02/06 1409	jdj
	Dibromochloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182474		06/02/06 1409	jdj
	1,2-Dibromoethane (EDB)	1.0	U		0.33	1.0	1.00000	ug/L	182474		06/02/06 1409	jdj
	Chlorobenzene	1.0	U		0.15	1.0	1.00000	ug/L	182474		06/02/06 1409	jdj
	1,1,1,2-Tetrachloroethane	1.0	U		0.33	1.0	1.00000	ug/L	182474		06/02/06 1409	jdj
	Ethylbenzene	1.0	U		0.21	1.0	1.00000	ug/L	182474		06/02/06 1409	jdj
	m&p-Xylenes	2.0	U		0.36	2.0	1.00000	ug/L	182474		06/02/06 1409	jdj
	o-Xylene	1.0	U		0.19	1.0	1.00000	ug/L	182474		06/02/06 1409	jdj
	Styrene	1.0	U		0.18	1.0	1.00000	ug/L	182474		06/02/06 1409	jdj
	Bromoform	1.0	U		0.32	1.0	1.00000	ug/L	182474		06/02/06 1409	jdj
	Isopropylbenzene	1.0	U		0.20	1.0	1.00000	ug/L	182474		06/02/06 1409	jdj
	Bromobenzene	1.0	U		0.22	1.0	1.00000	ug/L	182474		06/02/06 1409	jdj
	1,1,2,2-Tetrachloroethane	1.0	U		0.34	1.0	1.00000	ug/L	182474		06/02/06 1409	jdj
	1,2,3-Trichloropropane	1.0	U		0.35	1.0	1.00000	ug/L	182474		06/02/06 1409	jdj
	n-Propylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182474		06/02/06 1409	jdj
	2-Chlorotoluene	1.0	U		0.16	1.0	1.00000	ug/L	182474		06/02/06 1409	jdj
	1,3,5-Trimethylbenzene	1.0	U		0.18	1.0	1.00000	ug/L	182474		06/02/06 1409	jdj
	4-Chlorotoluene	1.0	U		0.18	1.0	1.00000	ug/L	182474		06/02/06 1409	jdj
	tert-Butylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182474		06/02/06 1409	jdj
	1,2,4-Trimethylbenzene	1.0	U		0.26	1.0	1.00000	ug/L	182474		06/02/06 1409	jdj
	sec-Butylbenzene	1.0	U		0.19	1.0	1.00000	ug/L	182474		06/02/06 1409	jdj
	1,3-Dichlorobenzene	1.0	U		0.21	1.0	1.00000	ug/L	182474		06/02/06 1409	jdj
	p-Isopropyltoluene	1.0	U		0.29	1.0	1.00000	ug/L	182474		06/02/06 1409	jdj
	1,4-Dichlorobenzene	1.0	U		0.25	1.0	1.00000	ug/L	182474		06/02/06 1409	jdj

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

Job Number: 246663		LABORATORY TEST RESULTS						Date: 06/06/2006				
CUSTOMER: Weston Solutions, Inc.			PROJECT: BLACK AND DECKER				ATTN: Tom Cornuet					
Customer Sample ID: EW-2			Laboratory Sample ID: 246663-16									
Date Sampled.....: 05/22/2006			Date Received.....: 05/23/2006									
Time Sampled.....: 13:30			Time Received.....: 10:15									
Sample Matrix.....: Water												
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	n-Butylbenzene	1.0	U		0.35	1.0	1.00000	ug/L	182474		06/02/06 1409	jdj
	1,2-Dichlorobenzene	1.0	U		0.29	1.0	1.00000	ug/L	182474		06/02/06 1409	jdj
	1,2-Dibromo-3-chloropropane	1.0	U		0.41	1.0	1.00000	ug/L	182474		06/02/06 1409	jdj
	1,2,4-Trichlorobenzene	1.0	U		0.36	1.0	1.00000	ug/L	182474		06/02/06 1409	jdj
	Hexachlorobutadiene	1.0	U		0.36	1.0	1.00000	ug/L	182474		06/02/06 1409	jdj
	Naphthalene	1.0	U		0.37	1.0	1.00000	ug/L	182474		06/02/06 1409	jdj
	1,2,3-Trichlorobenzene	1.0	U		0.43	1.0	1.00000	ug/L	182474		06/02/06 1409	jdj

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: EW-3
 Date Sampled.....: 05/22/2006
 Time Sampled.....: 13:00
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-17
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Dichlorodifluoromethane	1.0	U		0.12	1.0	1.00000	ug/L	182474		06/02/06 1452	jd
	Chloromethane	1.0	U		0.20	1.0	1.00000	ug/L	182474		06/02/06 1452	jd
	Vinyl chloride	1.0	U		0.16	1.0	1.00000	ug/L	182474		06/02/06 1452	jd
	Bromomethane	1.0	U		0.59	1.0	1.00000	ug/L	182474		06/02/06 1452	jd
	Chloroethane	1.0	U		0.32	1.0	1.00000	ug/L	182474		06/02/06 1452	jd
	Trichlorofluoromethane	1.0	U		0.14	1.0	1.00000	ug/L	182474		06/02/06 1452	jd
	1,1-Dichloroethene	1.0	U		0.25	1.0	1.00000	ug/L	182474		06/02/06 1452	jd
	Carbon disulfide	5.0	U		0.15	5.0	1.00000	ug/L	182474		06/02/06 1452	jd
	Acetone	5.0	U		1.4	5.0	1.00000	ug/L	182474		06/02/06 1452	jd
	Methylene chloride	1.0	U		0.24	1.0	1.00000	ug/L	182474		06/02/06 1452	jd
	trans-1,2-Dichloroethene	1.0	U		0.29	1.0	1.00000	ug/L	182474		06/02/06 1452	jd
	1,1-Dichloroethane	1.0	U		0.15	1.0	1.00000	ug/L	182474		06/02/06 1452	jd
	2,2-Dichloropropane	1.0	U		0.17	1.0	1.00000	ug/L	182474		06/02/06 1452	jd
	cis-1,2-Dichloroethene	1.7	U		0.20	1.0	1.00000	ug/L	182474		06/02/06 1452	jd
	2-Butanone (MEK)	5.0	U		1.0	5.0	1.00000	ug/L	182474		06/02/06 1452	jd
	Bromochloromethane	1.0	U		0.27	1.0	1.00000	ug/L	182474		06/02/06 1452	jd
	Chloroform	1.0	U		0.14	1.0	1.00000	ug/L	182474		06/02/06 1452	jd
	1,1,1-Trichloroethane	1.0	U		0.17	1.0	1.00000	ug/L	182474		06/02/06 1452	jd
	1,1-Dichloropropene	1.0	U		0.38	1.0	1.00000	ug/L	182474		06/02/06 1452	jd
	Carbon tetrachloride	1.0	U		0.34	1.0	1.00000	ug/L	182474		06/02/06 1452	jd
	Benzene	1.0	U		0.23	1.0	1.00000	ug/L	182474		06/02/06 1452	jd
	1,2-Dichloroethane	1.0	U		0.25	1.0	1.00000	ug/L	182474		06/02/06 1452	jd
	Trichloroethene	150	U		1.3	10	10.00000	ug/L	182474	D1	06/02/06 1514	jd
	1,2-Dichloropropane	1.0	U		0.19	1.0	1.00000	ug/L	182474		06/02/06 1452	jd
	Dibromomethane	1.0	U		0.21	1.0	1.00000	ug/L	182474		06/02/06 1452	jd
	Bromodichloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182474		06/02/06 1452	jd
	cis-1,3-Dichloropropene	1.0	U		0.15	1.0	1.00000	ug/L	182474		06/02/06 1452	jd
	4-Methyl-2-pentanone (MIBK)	5.0	U		0.92	5.0	1.00000	ug/L	182474		06/02/06 1452	jd

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: EW-3
 Date Sampled.....: 05/22/2006
 Time Sampled.....: 13:00
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-17
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Toluene	1.0	U		0.18	1.0	1.00000	ug/L	182474		06/02/06 1452	jdj
	trans-1,3-Dichloropropene	1.0	U		0.16	1.0	1.00000	ug/L	182474		06/02/06 1452	jdj
	1,1,2-Trichloroethane	1.0	U		0.24	1.0	1.00000	ug/L	182474		06/02/06 1452	jdj
	Tetrachloroethene	4.3	U		0.18	1.0	1.00000	ug/L	182474		06/02/06 1452	jdj
	1,3-Dichloropropane	1.0	U		0.22	1.0	1.00000	ug/L	182474		06/02/06 1452	jdj
	2-Hexanone	5.0	U		0.99	5.0	1.00000	ug/L	182474		06/02/06 1452	jdj
	Dibromochloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182474		06/02/06 1452	jdj
	1,2-Dibromoethane (EDB)	1.0	U		0.33	1.0	1.00000	ug/L	182474		06/02/06 1452	jdj
	Chlorobenzene	1.0	U		0.15	1.0	1.00000	ug/L	182474		06/02/06 1452	jdj
	1,1,1,2-Tetrachloroethane	1.0	U		0.33	1.0	1.00000	ug/L	182474		06/02/06 1452	jdj
	Ethylbenzene	1.0	U		0.21	1.0	1.00000	ug/L	182474		06/02/06 1452	jdj
	m&p-Xylenes	2.0	U		0.36	2.0	1.00000	ug/L	182474		06/02/06 1452	jdj
	o-Xylene	1.0	U		0.19	1.0	1.00000	ug/L	182474		06/02/06 1452	jdj
	Styrene	1.0	U		0.18	1.0	1.00000	ug/L	182474		06/02/06 1452	jdj
	Bromoform	1.0	U		0.32	1.0	1.00000	ug/L	182474		06/02/06 1452	jdj
	Isopropylbenzene	1.0	U		0.20	1.0	1.00000	ug/L	182474		06/02/06 1452	jdj
	Bromobenzene	1.0	U		0.22	1.0	1.00000	ug/L	182474		06/02/06 1452	jdj
	1,1,2,2-Tetrachloroethane	1.0	U		0.34	1.0	1.00000	ug/L	182474		06/02/06 1452	jdj
	1,2,3-Trichloropropane	1.0	U		0.35	1.0	1.00000	ug/L	182474		06/02/06 1452	jdj
	n-Propylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182474		06/02/06 1452	jdj
	2-Chlorotoluene	1.0	U		0.16	1.0	1.00000	ug/L	182474		06/02/06 1452	jdj
	1,3,5-Trimethylbenzene	1.0	U		0.18	1.0	1.00000	ug/L	182474		06/02/06 1452	jdj
	4-Chlorotoluene	1.0	U		0.18	1.0	1.00000	ug/L	182474		06/02/06 1452	jdj
	tert-Butylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182474		06/02/06 1452	jdj
	1,2,4-Trimethylbenzene	1.0	U		0.26	1.0	1.00000	ug/L	182474		06/02/06 1452	jdj
	sec-Butylbenzene	1.0	U		0.19	1.0	1.00000	ug/L	182474		06/02/06 1452	jdj
	1,3-Dichlorobenzene	1.0	U		0.21	1.0	1.00000	ug/L	182474		06/02/06 1452	jdj
	p-Isopropyltoluene	1.0	U		0.29	1.0	1.00000	ug/L	182474		06/02/06 1452	jdj
	1,4-Dichlorobenzene	1.0	U		0.25	1.0	1.00000	ug/L	182474		06/02/06 1452	jdj

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS												
Job Number: 246663								Date: 06/06/2006				
CUSTOMER: Weston Solutions, Inc.				PROJECT: BLACK AND DECKER				ATTN: Tom Cornuet				
Customer Sample ID: EW-3 Date Sampled.....: 05/22/2006 Time Sampled.....: 13:00 Sample Matrix.....: Water						Laboratory Sample ID: 246663-17 Date Received.....: 05/23/2006 Time Received.....: 10:15						
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	n-Butylbenzene	1.0	U		0.35	1.0	1.00000	ug/L	182474		06/02/06 1452	jdj
	1,2-Dichlorobenzene	1.0	U		0.29	1.0	1.00000	ug/L	182474		06/02/06 1452	jdj
	1,2-Dibromo-3-chloropropane	1.0	U		0.41	1.0	1.00000	ug/L	182474		06/02/06 1452	jdj
	1,2,4-Trichlorobenzene	1.0	U		0.36	1.0	1.00000	ug/L	182474		06/02/06 1452	jdj
	Hexachlorobutadiene	1.0	U		0.36	1.0	1.00000	ug/L	182474		06/02/06 1452	jdj
	Naphthalene	1.0	U		0.37	1.0	1.00000	ug/L	182474		06/02/06 1452	jdj
	1,2,3-Trichlorobenzene	1.0	U		0.43	1.0	1.00000	ug/L	182474		06/02/06 1452	jdj

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: EW-4
 Date Sampled.....: 05/22/2006
 Time Sampled.....: 12:20
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-18
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Dichlorodifluoromethane	1.0	U		0.12	1.0	1.00000	ug/L	182474		06/02/06 1535	jdn
	Chloromethane	1.0	U		0.20	1.0	1.00000	ug/L	182474		06/02/06 1535	jdn
	Vinyl chloride	1.0	U		0.16	1.0	1.00000	ug/L	182474		06/02/06 1535	jdn
	Bromomethane	1.0	U		0.59	1.0	1.00000	ug/L	182474		06/02/06 1535	jdn
	Chloroethane	1.0	U		0.32	1.0	1.00000	ug/L	182474		06/02/06 1535	jdn
	Trichlorofluoromethane	1.0	U		0.14	1.0	1.00000	ug/L	182474		06/02/06 1535	jdn
	1,1-Dichloroethene	1.0	U		0.25	1.0	1.00000	ug/L	182474		06/02/06 1535	jdn
	Carbon disulfide	5.0	U		0.15	5.0	1.00000	ug/L	182474		06/02/06 1535	jdn
	Acetone	5.0	U		1.4	5.0	1.00000	ug/L	182474		06/02/06 1535	jdn
	Methylene chloride	1.0	U		0.24	1.0	1.00000	ug/L	182474		06/02/06 1535	jdn
	trans-1,2-Dichloroethene	1.0	U		0.29	1.0	1.00000	ug/L	182474		06/02/06 1535	jdn
	1,1-Dichloroethane	1.0	U		0.15	1.0	1.00000	ug/L	182474		06/02/06 1535	jdn
	2,2-Dichloropropane	1.0	U		0.17	1.0	1.00000	ug/L	182474		06/02/06 1535	jdn
	cis-1,2-Dichloroethene	1.0	U		0.20	1.0	1.00000	ug/L	182474		06/02/06 1535	jdn
	2-Butanone (MEK)	5.0	U		1.0	5.0	1.00000	ug/L	182474		06/02/06 1535	jdn
	Bromochloromethane	1.0	U		0.27	1.0	1.00000	ug/L	182474		06/02/06 1535	jdn
	Chloroform	1.0	U		0.14	1.0	1.00000	ug/L	182474		06/02/06 1535	jdn
	1,1,1-Trichloroethane	1.0	U		0.17	1.0	1.00000	ug/L	182474		06/02/06 1535	jdn
	1,1-Dichloropropene	1.0	U		0.38	1.0	1.00000	ug/L	182474		06/02/06 1535	jdn
	Carbon tetrachloride	1.0	U		0.34	1.0	1.00000	ug/L	182474		06/02/06 1535	jdn
	Benzene	1.0	U		0.23	1.0	1.00000	ug/L	182474		06/02/06 1535	jdn
	1,2-Dichloroethane	1.0	U		0.25	1.0	1.00000	ug/L	182474		06/02/06 1535	jdn
	Trichloroethene	710	U		1.3	10	10.0000	ug/L	182633	D1	06/05/06 1616	jdn
	1,2-Dichloropropane	1.0	U		0.19	1.0	1.00000	ug/L	182474		06/02/06 1535	jdn
	Dibromomethane	1.0	U		0.21	1.0	1.00000	ug/L	182474		06/02/06 1535	jdn
	Bromodichloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182474		06/02/06 1535	jdn
	cis-1,3-Dichloropropene	1.0	U		0.15	1.0	1.00000	ug/L	182474		06/02/06 1535	jdn
	4-Methyl-2-pentanone (MIBK)	5.0	U		0.92	5.0	1.00000	ug/L	182474		06/02/06 1535	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS												
Job Number: 246663								Date: 06/06/2006				
CUSTOMER: Weston Solutions, Inc.				PROJECT: BLACK AND DECKER				ATTN: Tom Cornuet				
Customer Sample ID: EW-4 Date Sampled.....: 05/22/2006 Time Sampled.....: 12:20 Sample Matrix.....: Water						Laboratory Sample ID: 246663-18 Date Received.....: 05/23/2006 Time Received.....: 10:15						
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Toluene	1.0	U		0.18	1.0	1.00000	ug/L	182474		06/02/06 1535	jdj
	trans-1,3-Dichloropropene	1.0	U		0.16	1.0	1.00000	ug/L	182474		06/02/06 1535	jdj
	1,1,2-Trichloroethane	1.0	U		0.24	1.0	1.00000	ug/L	182474		06/02/06 1535	jdj
	Tetrachloroethane	17			0.18	1.0	1.00000	ug/L	182474		06/02/06 1535	jdj
	1,3-Dichloropropane	1.0	U		0.22	1.0	1.00000	ug/L	182474		06/02/06 1535	jdj
	2-Hexanone	5.0	U		0.99	5.0	1.00000	ug/L	182474		06/02/06 1535	jdj
	Dibromochloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182474		06/02/06 1535	jdj
	1,2-Dibromoethane (EDB)	1.0	U		0.33	1.0	1.00000	ug/L	182474		06/02/06 1535	jdj
	Chlorobenzene	1.0	U		0.15	1.0	1.00000	ug/L	182474		06/02/06 1535	jdj
	1,1,1,2-Tetrachloroethane	1.0	U		0.33	1.0	1.00000	ug/L	182474		06/02/06 1535	jdj
	Ethylbenzene	1.0	U		0.21	1.0	1.00000	ug/L	182474		06/02/06 1535	jdj
	m&p-Xylenes	2.0	U		0.36	2.0	1.00000	ug/L	182474		06/02/06 1535	jdj
	o-Xylene	1.0	U		0.19	1.0	1.00000	ug/L	182474		06/02/06 1535	jdj
	Styrene	1.0	U		0.18	1.0	1.00000	ug/L	182474		06/02/06 1535	jdj
	Bromoform	1.0	U		0.32	1.0	1.00000	ug/L	182474		06/02/06 1535	jdj
	Isopropylbenzene	1.0	U		0.20	1.0	1.00000	ug/L	182474		06/02/06 1535	jdj
	Bromobenzene	1.0	U		0.22	1.0	1.00000	ug/L	182474		06/02/06 1535	jdj
	1,1,2,2-Tetrachloroethane	1.0	U		0.34	1.0	1.00000	ug/L	182474		06/02/06 1535	jdj
	1,2,3-Trichloropropane	1.0	U		0.35	1.0	1.00000	ug/L	182474		06/02/06 1535	jdj
	n-Propylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182474		06/02/06 1535	jdj
	2-Chlorotoluene	1.0	U		0.16	1.0	1.00000	ug/L	182474		06/02/06 1535	jdj
	1,3,5-Trimethylbenzene	1.0	U		0.18	1.0	1.00000	ug/L	182474		06/02/06 1535	jdj
	4-Chlorotoluene	1.0	U		0.18	1.0	1.00000	ug/L	182474		06/02/06 1535	jdj
	tert-Butylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182474		06/02/06 1535	jdj
	1,2,4-Trimethylbenzene	1.0	U		0.26	1.0	1.00000	ug/L	182474		06/02/06 1535	jdj
	sec-Butylbenzene	1.0	U		0.19	1.0	1.00000	ug/L	182474		06/02/06 1535	jdj
	1,3-Dichlorobenzene	1.0	U		0.21	1.0	1.00000	ug/L	182474		06/02/06 1535	jdj
	p-Isopropyltoluene	1.0	U		0.29	1.0	1.00000	ug/L	182474		06/02/06 1535	jdj
	1,4-Dichlorobenzene	1.0	U		0.25	1.0	1.00000	ug/L	182474		06/02/06 1535	jdj

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS												
Job Number: 246663								Date: 06/06/2006				
CUSTOMER: Weston Solutions, Inc.				PROJECT: BLACK AND DECKER				ATTN: Tom Cornuet				
Customer Sample ID: EW-4 Date Sampled.....: 05/22/2006 Time Sampled.....: 12:20 Sample Matrix.....: Water						Laboratory Sample ID: 246663-18 Date Received.....: 05/23/2006 Time Received.....: 10:15						
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	n-Butylbenzene	1.0	U		0.35	1.0	1.00000	ug/L	182474		06/02/06 1535	jdj
	1,2-Dichlorobenzene	1.0	U		0.29	1.0	1.00000	ug/L	182474		06/02/06 1535	jdj
	1,2-Dibromo-3-chloropropane	1.0	U		0.41	1.0	1.00000	ug/L	182474		06/02/06 1535	jdj
	1,2,4-Trichlorobenzene	1.0	U		0.36	1.0	1.00000	ug/L	182474		06/02/06 1535	jdj
	Hexachlorobutadiene	1.0	U		0.36	1.0	1.00000	ug/L	182474		06/02/06 1535	jdj
	Naphthalene	1.0	U		0.37	1.0	1.00000	ug/L	182474		06/02/06 1535	jdj
	1,2,3-Trichlorobenzene	1.0	U		0.43	1.0	1.00000	ug/L	182474		06/02/06 1535	jdj

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

Job Number: 246663		LABORATORY TEST RESULTS						Date: 06/06/2006				
CUSTOMER: Weston Solutions, Inc.			PROJECT: BLACK AND DECKER			ATTN: Tom Cornuet						
Customer Sample ID: EW-5 Date Sampled.....: 05/22/2006 Time Sampled.....: 12:10 Sample Matrix.....: Water			Laboratory Sample ID: 246663-19 Date Received.....: 05/23/2006 Time Received.....: 10:15									
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Dichlorodifluoromethane	1.0	U		0.12	1.0	1.00000	ug/L	182474		06/02/06 1618	jdj
	Chloromethane	1.0	U		0.20	1.0	1.00000	ug/L	182474		06/02/06 1618	jdj
	Vinyl chloride	1.0	U		0.16	1.0	1.00000	ug/L	182474		06/02/06 1618	jdj
	Bromomethane	1.0	U		0.59	1.0	1.00000	ug/L	182474		06/02/06 1618	jdj
	Chloroethane	1.0	U		0.32	1.0	1.00000	ug/L	182474		06/02/06 1618	jdj
	Trichlorofluoromethane	1.0	U		0.14	1.0	1.00000	ug/L	182474		06/02/06 1618	jdj
	1,1-Dichloroethene	1.0	U		0.25	1.0	1.00000	ug/L	182474		06/02/06 1618	jdj
	Carbon disulfide	5.0	U		0.15	5.0	1.00000	ug/L	182474		06/02/06 1618	jdj
	Acetone	5.0	U		1.4	5.0	1.00000	ug/L	182474		06/02/06 1618	jdj
	Methylene chloride	1.0	U		0.24	1.0	1.00000	ug/L	182474		06/02/06 1618	jdj
	trans-1,2-Dichloroethene	1.0	U		0.29	1.0	1.00000	ug/L	182474		06/02/06 1618	jdj
	1,1-Dichloroethane	1.0	U		0.15	1.0	1.00000	ug/L	182474		06/02/06 1618	jdj
	2,2-Dichloropropane	1.0	U		0.17	1.0	1.00000	ug/L	182474		06/02/06 1618	jdj
	cis-1,2-Dichloroethene	1.0	U		0.20	1.0	1.00000	ug/L	182474		06/02/06 1618	jdj
	2-Butanone (MEK)	5.0	U		1.0	5.0	1.00000	ug/L	182474		06/02/06 1618	jdj
	Bromochloromethane	1.0	U		0.27	1.0	1.00000	ug/L	182474		06/02/06 1618	jdj
	Chloroform	1.0	U		0.14	1.0	1.00000	ug/L	182474		06/02/06 1618	jdj
	1,1,1-Trichloroethane	1.0	U		0.17	1.0	1.00000	ug/L	182474		06/02/06 1618	jdj
	1,1-Dichloropropene	1.0	U		0.38	1.0	1.00000	ug/L	182474		06/02/06 1618	jdj
	Carbon tetrachloride	1.0	U		0.34	1.0	1.00000	ug/L	182474		06/02/06 1618	jdj
	Benzene	1.0	U		0.23	1.0	1.00000	ug/L	182474		06/02/06 1618	jdj
	1,2-Dichloroethane	1.0	U		0.25	1.0	1.00000	ug/L	182474		06/02/06 1618	jdj
	Trichloroethene	210			1.3	10	10.0000	ug/L	182633	D1	06/05/06 1637	jdj
	1,2-Dichloropropane	1.0	U		0.19	1.0	1.00000	ug/L	182474		06/02/06 1618	jdj
	Dibromomethane	1.0	U		0.21	1.0	1.00000	ug/L	182474		06/02/06 1618	jdj
	Bromodichloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182474		06/02/06 1618	jdj
	cis-1,3-Dichloropropene	1.0	U		0.15	1.0	1.00000	ug/L	182474		06/02/06 1618	jdj
	4-Methyl-2-pentanone (MIBK)	5.0	U		0.92	5.0	1.00000	ug/L	182474		06/02/06 1618	jdj

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: EW-5
 Date Sampled.....: 05/22/2006
 Time Sampled.....: 12:10
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-19
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Toluene	1.0	U		0.18	1.0	1.00000	ug/L	182474		06/02/06 1618	jdn
	trans-1,3-Dichloropropene	1.0	U		0.16	1.0	1.00000	ug/L	182474		06/02/06 1618	jdn
	1,1,2-Trichloroethane	1.0	U		0.24	1.0	1.00000	ug/L	182474		06/02/06 1618	jdn
	Tetrachloroethane	9.9	U		0.18	1.0	1.00000	ug/L	182474		06/02/06 1618	jdn
	1,3-Dichloropropane	1.0	U		0.22	1.0	1.00000	ug/L	182474		06/02/06 1618	jdn
	2-Hexanone	5.0	U		0.99	5.0	1.00000	ug/L	182474		06/02/06 1618	jdn
	Dibromochloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182474		06/02/06 1618	jdn
	1,2-Dibromoethane (EDB)	1.0	U		0.33	1.0	1.00000	ug/L	182474		06/02/06 1618	jdn
	Chlorobenzene	1.0	U		0.15	1.0	1.00000	ug/L	182474		06/02/06 1618	jdn
	1,1,1,2-Tetrachloroethane	1.0	U		0.33	1.0	1.00000	ug/L	182474		06/02/06 1618	jdn
	Ethylbenzene	1.0	U		0.21	1.0	1.00000	ug/L	182474		06/02/06 1618	jdn
	m&p-Xylenes	2.0	U		0.36	2.0	1.00000	ug/L	182474		06/02/06 1618	jdn
	o-Xylene	1.0	U		0.19	1.0	1.00000	ug/L	182474		06/02/06 1618	jdn
	Styrene	1.0	U		0.18	1.0	1.00000	ug/L	182474		06/02/06 1618	jdn
	Bromoform	1.0	U		0.32	1.0	1.00000	ug/L	182474		06/02/06 1618	jdn
	Isopropylbenzene	1.0	U		0.20	1.0	1.00000	ug/L	182474		06/02/06 1618	jdn
	Bromobenzene	1.0	U		0.22	1.0	1.00000	ug/L	182474		06/02/06 1618	jdn
	1,1,1,2-Tetrachloroethane	1.0	U		0.34	1.0	1.00000	ug/L	182474		06/02/06 1618	jdn
	1,2,3-Trichloropropane	1.0	U		0.35	1.0	1.00000	ug/L	182474		06/02/06 1618	jdn
	n-Propylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182474		06/02/06 1618	jdn
	2-Chlorotoluene	1.0	U		0.16	1.0	1.00000	ug/L	182474		06/02/06 1618	jdn
	1,3,5-Trimethylbenzene	1.0	U		0.18	1.0	1.00000	ug/L	182474		06/02/06 1618	jdn
	4-Chlorotoluene	1.0	U		0.18	1.0	1.00000	ug/L	182474		06/02/06 1618	jdn
	tert-Butylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182474		06/02/06 1618	jdn
	1,2,4-Trimethylbenzene	1.0	U		0.26	1.0	1.00000	ug/L	182474		06/02/06 1618	jdn
	sec-Butylbenzene	1.0	U		0.19	1.0	1.00000	ug/L	182474		06/02/06 1618	jdn
	1,3-Dichlorobenzene	1.0	U		0.21	1.0	1.00000	ug/L	182474		06/02/06 1618	jdn
	p-Isopropyltoluene	1.0	U		0.29	1.0	1.00000	ug/L	182474		06/02/06 1618	jdn
	1,4-Dichlorobenzene	1.0	U		0.25	1.0	1.00000	ug/L	182474		06/02/06 1618	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

Job Number: 246663		LABORATORY TEST RESULTS						Date: 06/06/2006				
CUSTOMER: Weston Solutions, Inc.			PROJECT: BLACK AND DECKER				ATTN: Tom Cornuet					
Customer Sample ID: EW-5 Date Sampled.....: 05/22/2006 Time Sampled.....: 12:10 Sample Matrix.....: Water			Laboratory Sample ID: 246663-19 Date Received.....: 05/23/2006 Time Received.....: 10:15									
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	n-Butylbenzene	1.0	U		0.35	1.0	1.00000	ug/L	182474		06/02/06 1618	jdj
	1,2-Dichlorobenzene	1.0	U		0.29	1.0	1.00000	ug/L	182474		06/02/06 1618	jdj
	1,2-Dibromo-3-chloropropane	1.0	U		0.41	1.0	1.00000	ug/L	182474		06/02/06 1618	jdj
	1,2,4-Trichlorobenzene	1.0	U		0.36	1.0	1.00000	ug/L	182474		06/02/06 1618	jdj
	Hexachlorobutadiene	1.0	U		0.36	1.0	1.00000	ug/L	182474		06/02/06 1618	jdj
	Naphthalene	1.0	U		0.37	1.0	1.00000	ug/L	182474		06/02/06 1618	jdj
	1,2,3-Trichlorobenzene	1.0	U		0.43	1.0	1.00000	ug/L	182474		06/02/06 1618	jdj

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: EW-6
 Date Sampled.....: 05/22/2006
 Time Sampled.....: 08:00
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-20
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Dichlorodifluoromethane	1.0	U		0.12	1.0	1.00000	ug/L	182633		06/05/06 1658	jd n
	Chloromethane	1.0	U		0.20	1.0	1.00000	ug/L	182633		06/05/06 1658	jd n
	Vinyl chloride	1.0	U		0.16	1.0	1.00000	ug/L	182633		06/05/06 1658	jd n
	Bromomethane	1.0	U		0.59	1.0	1.00000	ug/L	182633		06/05/06 1658	jd n
	Chloroethane	1.0	U		0.32	1.0	1.00000	ug/L	182633		06/05/06 1658	jd n
	Trichlorofluoromethane	1.0	U		0.14	1.0	1.00000	ug/L	182633		06/05/06 1658	jd n
	1,1-Dichloroethene	1.0	U		0.25	1.0	1.00000	ug/L	182633		06/05/06 1658	jd n
	Carbon disulfide	5.0	U		0.15	5.0	1.00000	ug/L	182633		06/05/06 1658	jd n
	Acetone	5.0	U		1.4	5.0	1.00000	ug/L	182633		06/05/06 1658	jd n
	Methylene chloride	1.0	U		0.24	1.0	1.00000	ug/L	182633		06/05/06 1658	jd n
	trans-1,2-Dichloroethene	1.0	U		0.29	1.0	1.00000	ug/L	182633		06/05/06 1658	jd n
	1,1-Dichloroethane	1.0	U		0.15	1.0	1.00000	ug/L	182633		06/05/06 1658	jd n
	2,2-Dichloropropane	1.0	U		0.17	1.0	1.00000	ug/L	182633		06/05/06 1658	jd n
	cis-1,2-Dichloroethene	1.0	U		0.20	1.0	1.00000	ug/L	182633		06/05/06 1658	jd n
	2-Butanone (MEK)	5.0	U		1.0	5.0	1.00000	ug/L	182633		06/05/06 1658	jd n
	Bromochloromethane	1.0	U		0.27	1.0	1.00000	ug/L	182633		06/05/06 1658	jd n
	Chloroform	1.0	U		0.14	1.0	1.00000	ug/L	182633		06/05/06 1658	jd n
	1,1,1-Trichloroethane	1.0	U		0.17	1.0	1.00000	ug/L	182633		06/05/06 1658	jd n
	1,1-Dichloropropene	1.0	U		0.38	1.0	1.00000	ug/L	182633		06/05/06 1658	jd n
	Carbon tetrachloride	1.0	U		0.34	1.0	1.00000	ug/L	182633		06/05/06 1658	jd n
	Benzene	1.0	U		0.23	1.0	1.00000	ug/L	182633		06/05/06 1658	jd n
	1,2-Dichloroethane	1.0	U		0.25	1.0	1.00000	ug/L	182633		06/05/06 1658	jd n
	Trichloroethene	9.0	U		0.13	1.0	1.00000	ug/L	182633		06/05/06 1658	jd n
	1,2-Dichloropropane	1.0	U		0.19	1.0	1.00000	ug/L	182633		06/05/06 1658	jd n
	Dibromomethane	1.0	U		0.21	1.0	1.00000	ug/L	182633		06/05/06 1658	jd n
	Bromodichloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182633		06/05/06 1658	jd n
	cis-1,3-Dichloropropene	1.0	U		0.15	1.0	1.00000	ug/L	182633		06/05/06 1658	jd n
	4-Methyl-2-pentanone (MIBK)	5.0	U		0.92	5.0	1.00000	ug/L	182633		06/05/06 1658	jd n

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: EW-6
 Date Sampled.....: 05/22/2006
 Time Sampled.....: 08:00
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-20
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Toluene	1.0	U		0.18	1.0	1.00000	ug/L	182633		06/05/06 1658	jdj
	trans-1,3-Dichloropropene	1.0	U		0.16	1.0	1.00000	ug/L	182633		06/05/06 1658	jdj
	1,1,2-Trichloroethane	1.0	U		0.24	1.0	1.00000	ug/L	182633		06/05/06 1658	jdj
	Tetrachloroethene	14			0.18	1.0	1.00000	ug/L	182633		06/05/06 1658	jdj
	1,3-Dichloropropane	1.0	U		0.22	1.0	1.00000	ug/L	182633		06/05/06 1658	jdj
	2-Hexanone	5.0	U		0.99	5.0	1.00000	ug/L	182633		06/05/06 1658	jdj
	Dibromochloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182633		06/05/06 1658	jdj
	1,2-Dibromoethane (EDB)	1.0	U		0.33	1.0	1.00000	ug/L	182633		06/05/06 1658	jdj
	Chlorobenzene	1.0	U		0.15	1.0	1.00000	ug/L	182633		06/05/06 1658	jdj
	1,1,1,2-Tetrachloroethane	1.0	U		0.33	1.0	1.00000	ug/L	182633		06/05/06 1658	jdj
	Ethylbenzene	1.0	U		0.21	1.0	1.00000	ug/L	182633		06/05/06 1658	jdj
	m&p-Xylenes	2.0	U		0.36	2.0	1.00000	ug/L	182633		06/05/06 1658	jdj
	o-Xylene	1.0	U		0.19	1.0	1.00000	ug/L	182633		06/05/06 1658	jdj
	Styrene	1.0	U		0.18	1.0	1.00000	ug/L	182633		06/05/06 1658	jdj
	Bromoform	1.0	U		0.32	1.0	1.00000	ug/L	182633		06/05/06 1658	jdj
	Isopropylbenzene	1.0	U		0.20	1.0	1.00000	ug/L	182633		06/05/06 1658	jdj
	Bromobenzene	1.0	U		0.22	1.0	1.00000	ug/L	182633		06/05/06 1658	jdj
	1,1,2,2-Tetrachloroethane	1.0	U		0.34	1.0	1.00000	ug/L	182633		06/05/06 1658	jdj
	1,2,3-Trichloropropane	1.0	U		0.35	1.0	1.00000	ug/L	182633		06/05/06 1658	jdj
	n-Propylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182633		06/05/06 1658	jdj
	2-Chlorotoluene	1.0	U		0.16	1.0	1.00000	ug/L	182633		06/05/06 1658	jdj
	1,3,5-Trimethylbenzene	1.0	U		0.18	1.0	1.00000	ug/L	182633		06/05/06 1658	jdj
	4-Chlorotoluene	1.0	U		0.18	1.0	1.00000	ug/L	182633		06/05/06 1658	jdj
	tert-Butylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182633		06/05/06 1658	jdj
	1,2,4-Trimethylbenzene	1.0	U		0.26	1.0	1.00000	ug/L	182633		06/05/06 1658	jdj
	sec-Butylbenzene	1.0	U		0.19	1.0	1.00000	ug/L	182633		06/05/06 1658	jdj
	1,3-Dichlorobenzene	1.0	U		0.21	1.0	1.00000	ug/L	182633		06/05/06 1658	jdj
	p-Isopropyltoluene	1.0	U		0.29	1.0	1.00000	ug/L	182633		06/05/06 1658	jdj
	1,4-Dichlorobenzene	1.0	U		0.25	1.0	1.00000	ug/L	182633		06/05/06 1658	jdj

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: EW-6
 Date Sampled.....: 05/22/2006
 Time Sampled.....: 08:00
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-20
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	n-Butylbenzene	1.0	U		0.35	1.0	1.00000	ug/L	182633		06/05/06 1658	jdj
	1,2-Dichlorobenzene	1.0	U		0.29	1.0	1.00000	ug/L	182633		06/05/06 1658	jdj
	1,2-Dibromo-3-chloropropane	1.0	U		0.41	1.0	1.00000	ug/L	182633		06/05/06 1658	jdj
	1,2,4-Trichlorobenzene	1.0	U		0.36	1.0	1.00000	ug/L	182633		06/05/06 1658	jdj
	Hexachlorobutadiene	1.0	U		0.36	1.0	1.00000	ug/L	182633		06/05/06 1658	jdj
	Naphthalene	1.0	U		0.37	1.0	1.00000	ug/L	182633		06/05/06 1658	jdj
	1,2,3-Trichlorobenzene	1.0	U		0.43	1.0	1.00000	ug/L	182633		06/05/06 1658	jdj

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: EW-7
 Date Sampled.....: 05/22/2006
 Time Sampled.....: 08:10
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-21
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Dichlorodifluoromethane	1.0	U		0.12	1.0	1.00000	ug/L	182633		06/05/06 1719	jdj
	Chloromethane	1.0	U		0.20	1.0	1.00000	ug/L	182633		06/05/06 1719	jdj
	Vinyl chloride	1.0	U		0.16	1.0	1.00000	ug/L	182633		06/05/06 1719	jdj
	Bromomethane	1.0	U		0.59	1.0	1.00000	ug/L	182633		06/05/06 1719	jdj
	Chloroethane	1.0	U		0.32	1.0	1.00000	ug/L	182633		06/05/06 1719	jdj
	Trichlorofluoromethane	1.0	U		0.14	1.0	1.00000	ug/L	182633		06/05/06 1719	jdj
	1,1-Dichloroethene	1.0	U		0.25	1.0	1.00000	ug/L	182633		06/05/06 1719	jdj
	Carbon disulfide	5.0	U		0.15	5.0	1.00000	ug/L	182633		06/05/06 1719	jdj
	Acetone	5.0	U		1.4	5.0	1.00000	ug/L	182633		06/05/06 1719	jdj
	Methylene chloride	1.0	U		0.24	1.0	1.00000	ug/L	182633		06/05/06 1719	jdj
	trans-1,2-Dichloroethene	1.0	U		0.29	1.0	1.00000	ug/L	182633		06/05/06 1719	jdj
	1,1-Dichloroethane	1.0	U		0.15	1.0	1.00000	ug/L	182633		06/05/06 1719	jdj
	2,2-Dichloropropane	1.0	U		0.17	1.0	1.00000	ug/L	182633		06/05/06 1719	jdj
	cis-1,2-Dichloroethene	6.9	U		0.20	1.0	1.00000	ug/L	182633		06/05/06 1719	jdj
	2-Butanone (MEK)	5.0	U		1.0	5.0	1.00000	ug/L	182633		06/05/06 1719	jdj
	Bromochloromethane	1.0	U		0.27	1.0	1.00000	ug/L	182633		06/05/06 1719	jdj
	Chloroform	1.0	U		0.14	1.0	1.00000	ug/L	182633		06/05/06 1719	jdj
	1,1,1-Trichloroethane	1.0	U		0.17	1.0	1.00000	ug/L	182633		06/05/06 1719	jdj
	1,1-Dichloropropene	1.0	U		0.38	1.0	1.00000	ug/L	182633		06/05/06 1719	jdj
	Carbon tetrachloride	1.0	U		0.34	1.0	1.00000	ug/L	182633		06/05/06 1719	jdj
	Benzene	1.0	U		0.23	1.0	1.00000	ug/L	182633		06/05/06 1719	jdj
	1,2-Dichloroethane	1.0	U		0.25	1.0	1.00000	ug/L	182633		06/05/06 1719	jdj
	Trichloroethene	6.3	U		0.13	1.0	1.00000	ug/L	182633		06/05/06 1719	jdj
	1,2-Dichloropropane	1.0	U		0.19	1.0	1.00000	ug/L	182633		06/05/06 1719	jdj
	Dibromomethane	1.0	U		0.21	1.0	1.00000	ug/L	182633		06/05/06 1719	jdj
	Bromodichloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182633		06/05/06 1719	jdj
	cis-1,3-Dichloropropene	1.0	U		0.15	1.0	1.00000	ug/L	182633		06/05/06 1719	jdj
	4-Methyl-2-pentanone (MIBK)	5.0	U		0.92	5.0	1.00000	ug/L	182633		06/05/06 1719	jdj

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: EW-7
 Date Sampled.....: 05/22/2006
 Time Sampled.....: 08:10
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-21
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Toluene	1.0	U		0.18	1.0	1.00000	ug/L	182633		06/05/06 1719	jd
	trans-1,3-Dichloropropene	1.0	U		0.16	1.0	1.00000	ug/L	182633		06/05/06 1719	jd
	1,1,2-Trichloroethane	1.0	U		0.24	1.0	1.00000	ug/L	182633		06/05/06 1719	jd
	Tetrachloroethene	12			0.18	1.0	1.00000	ug/L	182633		06/05/06 1719	jd
	1,3-Dichloropropane	1.0	U		0.22	1.0	1.00000	ug/L	182633		06/05/06 1719	jd
	2-Hexanone	5.0	U		0.99	5.0	1.00000	ug/L	182633		06/05/06 1719	jd
	Dibromochloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182633		06/05/06 1719	jd
	1,2-Dibromoethane (EDB)	1.0	U		0.33	1.0	1.00000	ug/L	182633		06/05/06 1719	jd
	Chlorobenzene	1.0	U		0.15	1.0	1.00000	ug/L	182633		06/05/06 1719	jd
	1,1,1,2-Tetrachloroethane	1.0	U		0.33	1.0	1.00000	ug/L	182633		06/05/06 1719	jd
	Ethylbenzene	1.0	U		0.21	1.0	1.00000	ug/L	182633		06/05/06 1719	jd
	m&p-Xylenes	2.0	U		0.36	2.0	1.00000	ug/L	182633		06/05/06 1719	jd
	o-Xylene	1.0	U		0.19	1.0	1.00000	ug/L	182633		06/05/06 1719	jd
	Styrene	1.0	U		0.18	1.0	1.00000	ug/L	182633		06/05/06 1719	jd
	Bromoform	1.0	U		0.32	1.0	1.00000	ug/L	182633		06/05/06 1719	jd
	Isopropylbenzene	1.0	U		0.20	1.0	1.00000	ug/L	182633		06/05/06 1719	jd
	Bromobenzene	1.0	U		0.22	1.0	1.00000	ug/L	182633		06/05/06 1719	jd
	1,1,2,2-Tetrachloroethane	1.0	U		0.34	1.0	1.00000	ug/L	182633		06/05/06 1719	jd
	1,2,3-Trichloropropane	1.0	U		0.35	1.0	1.00000	ug/L	182633		06/05/06 1719	jd
	n-Propylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182633		06/05/06 1719	jd
	2-Chlorotoluene	1.0	U		0.16	1.0	1.00000	ug/L	182633		06/05/06 1719	jd
	1,3,5-Trimethylbenzene	1.0	U		0.18	1.0	1.00000	ug/L	182633		06/05/06 1719	jd
	4-Chlorotoluene	1.0	U		0.18	1.0	1.00000	ug/L	182633		06/05/06 1719	jd
	tert-Butylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182633		06/05/06 1719	jd
	1,2,4-Trimethylbenzene	1.0	U		0.26	1.0	1.00000	ug/L	182633		06/05/06 1719	jd
	sec-Butylbenzene	1.0	U		0.19	1.0	1.00000	ug/L	182633		06/05/06 1719	jd
	1,3-Dichlorobenzene	1.0	U		0.21	1.0	1.00000	ug/L	182633		06/05/06 1719	jd
	p-Isopropyltoluene	1.0	U		0.29	1.0	1.00000	ug/L	182633		06/05/06 1719	jd
	1,4-Dichlorobenzene	1.0	U		0.25	1.0	1.00000	ug/L	182633		06/05/06 1719	jd

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

Job Number: 246663		LABORATORY TEST RESULTS						Date: 06/06/2006				
CUSTOMER: Weston Solutions, Inc.			PROJECT: BLACK AND DECKER				ATTN: Tom Cornuet					
Customer Sample ID: EW-7 Date Sampled.....: 05/22/2006 Time Sampled.....: 08:10 Sample Matrix.....: Water			Laboratory Sample ID: 246663-21 Date Received.....: 05/23/2006 Time Received.....: 10:15									
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	NDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	n-Butylbenzene	1.0	U		0.35	1.0	1.00000	ug/L	182633		06/05/06 1719	jdj
	1,2-Dichlorobenzene	1.0	U		0.29	1.0	1.00000	ug/L	182633		06/05/06 1719	jdj
	1,2-Dibromo-3-chloropropane	1.0	U		0.41	1.0	1.00000	ug/L	182633		06/05/06 1719	jdj
	1,2,4-Trichlorobenzene	1.0	U		0.36	1.0	1.00000	ug/L	182633		06/05/06 1719	jdj
	Hexachlorobutadiene	1.0	U		0.36	1.0	1.00000	ug/L	182633		06/05/06 1719	jdj
	Naphthalene	1.0	U		0.37	1.0	1.00000	ug/L	182633		06/05/06 1719	jdj
	1,2,3-Trichlorobenzene	1.0	U		0.43	1.0	1.00000	ug/L	182633		06/05/06 1719	jdj

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: EW-8
 Date Sampled.....: 05/22/2006
 Time Sampled.....: 08:15
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-22
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Dichlorodifluoromethane	1.0	U		0.12	1.0	1.00000	ug/L	182633		06/05/06 1741	jd n
	Chloromethane	1.0	U		0.20	1.0	1.00000	ug/L	182633		06/05/06 1741	jd n
	Vinyl chloride	1.0	U		0.16	1.0	1.00000	ug/L	182633		06/05/06 1741	jd n
	Bromomethane	1.0	U		0.59	1.0	1.00000	ug/L	182633		06/05/06 1741	jd n
	Chloroethane	1.0	U		0.32	1.0	1.00000	ug/L	182633		06/05/06 1741	jd n
	Trichlorofluoromethane	1.0	U		0.14	1.0	1.00000	ug/L	182633		06/05/06 1741	jd n
	1,1-Dichloroethene	1.0	U		0.25	1.0	1.00000	ug/L	182633		06/05/06 1741	jd n
	Carbon disulfide	5.0	U		0.15	5.0	1.00000	ug/L	182633		06/05/06 1741	jd n
	Acetone	5.0	U		1.4	5.0	1.00000	ug/L	182633		06/05/06 1741	jd n
	Methylene chloride	1.0	U		0.24	1.0	1.00000	ug/L	182633		06/05/06 1741	jd n
	trans-1,2-Dichloroethene	1.0	U		0.29	1.0	1.00000	ug/L	182633		06/05/06 1741	jd n
	1,1-Dichloroethane	1.0	U		0.15	1.0	1.00000	ug/L	182633		06/05/06 1741	jd n
	2,2-Dichloropropane	1.0	U		0.17	1.0	1.00000	ug/L	182633		06/05/06 1741	jd n
	cis-1,2-Dichloroethene	20	U		0.20	1.0	1.00000	ug/L	182633		06/05/06 1741	jd n
	2-Butanone (MEK)	5.0	U		1.0	5.0	1.00000	ug/L	182633		06/05/06 1741	jd n
	Bromochloromethane	1.0	U		0.27	1.0	1.00000	ug/L	182633		06/05/06 1741	jd n
	Chloroform	1.0	U		0.14	1.0	1.00000	ug/L	182633		06/05/06 1741	jd n
	1,1,1-Trichloroethane	1.0	U		0.17	1.0	1.00000	ug/L	182633		06/05/06 1741	jd n
	1,1-Dichloropropene	1.0	U		0.38	1.0	1.00000	ug/L	182633		06/05/06 1741	jd n
	Carbon tetrachloride	1.0	U		0.34	1.0	1.00000	ug/L	182633		06/05/06 1741	jd n
	Benzene	1.0	U		0.23	1.0	1.00000	ug/L	182633		06/05/06 1741	jd n
	1,2-Dichloroethane	1.0	U		0.25	1.0	1.00000	ug/L	182633		06/05/06 1741	jd n
	Trichloroethene	11	U		0.13	1.0	1.00000	ug/L	182633		06/05/06 1741	jd n
	1,2-Dichloropropane	1.0	U		0.19	1.0	1.00000	ug/L	182633		06/05/06 1741	jd n
	Dibromomethane	1.0	U		0.21	1.0	1.00000	ug/L	182633		06/05/06 1741	jd n
	Bromodichloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182633		06/05/06 1741	jd n
	cis-1,3-Dichloropropene	1.0	U		0.15	1.0	1.00000	ug/L	182633		06/05/06 1741	jd n
	4-Methyl-2-pentanone (MIBK)	5.0	U		0.92	5.0	1.00000	ug/L	182633		06/05/06 1741	jd n

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: EW-8
 Date Sampled.....: 05/22/2006
 Time Sampled.....: 08:15
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-22
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Toluene	1.0	U		0.18	1.0	1.00000	ug/L	182633		06/05/06 1741	jdj
	trans-1,3-Dichloropropene	1.0	U		0.16	1.0	1.00000	ug/L	182633		06/05/06 1741	jdj
	1,1,2-Trichloroethane	1.0	U		0.24	1.0	1.00000	ug/L	182633		06/05/06 1741	jdj
	Tetrachloroethene	68			0.18	1.0	1.00000	ug/L	182633		06/05/06 1741	jdj
	1,3-Dichloropropane	1.0	U		0.22	1.0	1.00000	ug/L	182633		06/05/06 1741	jdj
	2-Hexanone	5.0	U		0.99	5.0	1.00000	ug/L	182633		06/05/06 1741	jdj
	Dibromochloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182633		06/05/06 1741	jdj
	1,2-Dibromoethane (EDB)	1.0	U		0.33	1.0	1.00000	ug/L	182633		06/05/06 1741	jdj
	Chlorobenzene	1.0	U		0.15	1.0	1.00000	ug/L	182633		06/05/06 1741	jdj
	1,1,1,2-Tetrachloroethane	1.0	U		0.33	1.0	1.00000	ug/L	182633		06/05/06 1741	jdj
	Ethylbenzene	1.0	U		0.21	1.0	1.00000	ug/L	182633		06/05/06 1741	jdj
	m&p-Xylenes	2.0	U		0.36	2.0	1.00000	ug/L	182633		06/05/06 1741	jdj
	o-Xylene	1.0	U		0.19	1.0	1.00000	ug/L	182633		06/05/06 1741	jdj
	Styrene	1.0	U		0.18	1.0	1.00000	ug/L	182633		06/05/06 1741	jdj
	Bromoform	1.0	U		0.32	1.0	1.00000	ug/L	182633		06/05/06 1741	jdj
	Isopropylbenzene	1.0	U		0.20	1.0	1.00000	ug/L	182633		06/05/06 1741	jdj
	Bromobenzene	1.0	U		0.22	1.0	1.00000	ug/L	182633		06/05/06 1741	jdj
	1,1,2,2-Tetrachloroethane	1.0	U		0.34	1.0	1.00000	ug/L	182633		06/05/06 1741	jdj
	1,2,3-Trichloropropane	1.0	U		0.35	1.0	1.00000	ug/L	182633		06/05/06 1741	jdj
	n-Propylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182633		06/05/06 1741	jdj
	2-Chlorotoluene	1.0	U		0.16	1.0	1.00000	ug/L	182633		06/05/06 1741	jdj
	1,3,5-Trimethylbenzene	1.0	U		0.18	1.0	1.00000	ug/L	182633		06/05/06 1741	jdj
	4-Chlorotoluene	1.0	U		0.18	1.0	1.00000	ug/L	182633		06/05/06 1741	jdj
	tert-Butylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182633		06/05/06 1741	jdj
	1,2,4-Trimethylbenzene	1.0	U		0.26	1.0	1.00000	ug/L	182633		06/05/06 1741	jdj
	sec-Butylbenzene	1.0	U		0.19	1.0	1.00000	ug/L	182633		06/05/06 1741	jdj
	1,3-Dichlorobenzene	1.0	U		0.21	1.0	1.00000	ug/L	182633		06/05/06 1741	jdj
	p-Isopropyltoluene	1.0	U		0.29	1.0	1.00000	ug/L	182633		06/05/06 1741	jdj
	1,4-Dichlorobenzene	1.0	U		0.25	1.0	1.00000	ug/L	182633		06/05/06 1741	jdj

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

Job Number: 246663		LABORATORY TEST RESULTS						Date: 06/06/2006				
CUSTOMER: Weston Solutions, Inc.			PROJECT: BLACK AND DECKER				ATTN: Tom Cornuet					
Customer Sample ID: EW-8			Laboratory Sample ID: 246663-22									
Date Sampled.....: 05/22/2006			Date Received.....: 05/23/2006									
Time Sampled.....: 08:15			Time Received.....: 10:15									
Sample Matrix.....: Water												
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	n-Butylbenzene	1.0	U		0.35	1.0	1.00000	ug/L	182633		06/05/06 1741	jdj
	1,2-Dichlorobenzene	1.0	U		0.29	1.0	1.00000	ug/L	182633		06/05/06 1741	jdj
	1,2-Dibromo-3-chloropropane	1.0	U		0.41	1.0	1.00000	ug/L	182633		06/05/06 1741	jdj
	1,2,4-Trichlorobenzene	1.0	U		0.36	1.0	1.00000	ug/L	182633		06/05/06 1741	jdj
	Hexachlorobutadiene	1.0	U		0.36	1.0	1.00000	ug/L	182633		06/05/06 1741	jdj
	Naphthalene	1.0	U		0.37	1.0	1.00000	ug/L	182633		06/05/06 1741	jdj
	1,2,3-Trichlorobenzene	1.0	U		0.43	1.0	1.00000	ug/L	182633		06/05/06 1741	jdj

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: EW-9
 Date Sampled.....: 05/22/2006
 Time Sampled.....: 08:25
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-23
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Dichlorodifluoromethane	1.0	U		0.12	1.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	Chloromethane	1.0	U		0.20	1.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	Vinyl chloride	1.0	U		0.16	1.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	Bromomethane	1.0	U		0.59	1.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	Chloroethane	1.0	U		0.32	1.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	Trichlorofluoromethane	1.0	U		0.14	1.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	1,1-Dichloroethene	1.0	U		0.25	1.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	Carbon disulfide	5.0	U		0.15	5.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	Acetone	5.0	U		1.4	5.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	Methylene chloride	1.0	U		0.24	1.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	trans-1,2-Dichloroethene	1.0	U		0.29	1.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	1,1-Dichloroethane	1.0	U		0.15	1.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	2,2-Dichloropropane	1.0	U		0.17	1.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	cis-1,2-Dichloroethene	1.1	U		0.20	1.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	2-Butanone (MEK)	5.0	U		1.0	5.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	Bromochloromethane	1.0	U		0.27	1.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	Chloroform	1.0	U		0.14	1.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	1,1,1-Trichloroethane	1.0	U		0.17	1.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	1,1-Dichloropropene	1.0	U		0.38	1.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	Carbon tetrachloride	1.0	U		0.34	1.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	Benzene	1.0	U		0.23	1.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	1,2-Dichloroethane	1.0	U		0.25	1.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	Trichloroethene	3.5	U		0.13	1.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	1,2-Dichloropropane	1.0	U		0.19	1.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	Dibromomethane	1.0	U		0.21	1.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	Bromodichloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	cis-1,3-Dichloropropene	1.0	U		0.15	1.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	4-Methyl-2-pentanone (MIBK)	5.0	U		0.92	5.0	1.00000	ug/L	182474		06/02/06 1806	jdj

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: EW-9
 Date Sampled.....: 05/22/2006
 Time Sampled.....: 08:25
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-23
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Toluene	1.0	U		0.18	1.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	trans-1,3-Dichloropropene	1.0	U		0.16	1.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	1,1,2-Trichloroethane	1.0	U		0.24	1.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	Tetrachloroethene	240			1.8	10	10.0000	ug/L	182633	D1	06/05/06 1803	jdj
	1,3-Dichloropropane	1.0	U		0.22	1.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	2-Hexanone	5.0	U		0.99	5.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	Dibromochloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	1,2-Dibromoethane (EDB)	1.0	U		0.33	1.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	Chlorobenzene	1.0	U		0.15	1.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	1,1,1,2-Tetrachloroethane	1.0	U		0.33	1.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	Ethylbenzene	1.0	U		0.21	1.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	m&p-Xylenes	2.0	U		0.36	2.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	o-Xylene	1.0	U		0.19	1.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	Styrene	1.0	U		0.18	1.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	Bromoform	1.0	U		0.32	1.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	Isopropylbenzene	1.0	U		0.20	1.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	Bromobenzene	1.0	U		0.22	1.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	1,1,2,2-Tetrachloroethane	1.0	U		0.34	1.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	1,2,3-Trichloropropane	1.0	U		0.35	1.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	n-Propylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	2-Chlorotoluene	1.0	U		0.16	1.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	1,3,5-Trimethylbenzene	1.0	U		0.18	1.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	4-Chlorotoluene	1.0	U		0.18	1.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	tert-Butylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	1,2,4-Trimethylbenzene	1.0	U		0.26	1.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	sec-Butylbenzene	1.0	U		0.19	1.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	1,3-Dichlorobenzene	1.0	U		0.21	1.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	p-Isopropyltoluene	1.0	U		0.29	1.0	1.00000	ug/L	182474		06/02/06 1806	jdj
	1,4-Dichlorobenzene	1.0	U		0.25	1.0	1.00000	ug/L	182474		06/02/06 1806	jdj

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: EW-9
 Date Sampled.....: 05/22/2006
 Time Sampled.....: 08:25
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-23
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	n-Butylbenzene	1.0	U		0.35	1.0	1.00000	ug/L	182474		06/02/06 1806	jd n
	1,2-Dichlorobenzene	1.0	U		0.29	1.0	1.00000	ug/L	182474		06/02/06 1806	jd n
	1,2-Dibromo-3-chloropropane	1.0	U		0.41	1.0	1.00000	ug/L	182474		06/02/06 1806	jd n
	1,2,4-Trichlorobenzene	1.0	U		0.36	1.0	1.00000	ug/L	182474		06/02/06 1806	jd n
	Hexachlorobutadiene	1.0	U		0.36	1.0	1.00000	ug/L	182474		06/02/06 1806	jd n
	Naphthalene	1.0	U		0.37	1.0	1.00000	ug/L	182474		06/02/06 1806	jd n
	1,2,3-Trichlorobenzene	1.0	U		0.43	1.0	1.00000	ug/L	182474		06/02/06 1806	jd n

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: EW-9 DUP
 Date Sampled.....: 05/22/2006
 Time Sampled.....: 08:25
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-24
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Dichlorodifluoromethane	1.0	U		0.12	1.0	1.00000	ug/L	182474		06/02/06 1827	jd
	Chloromethane	1.0	U		0.20	1.0	1.00000	ug/L	182474		06/02/06 1827	jd
	Vinyl chloride	1.0	U		0.16	1.0	1.00000	ug/L	182474		06/02/06 1827	jd
	Bromomethane	1.0	U		0.59	1.0	1.00000	ug/L	182474		06/02/06 1827	jd
	Chloroethane	1.0	U		0.32	1.0	1.00000	ug/L	182474		06/02/06 1827	jd
	Trichlorofluoromethane	1.0	U		0.14	1.0	1.00000	ug/L	182474		06/02/06 1827	jd
	1,1-Dichloroethene	1.0	U		0.25	1.0	1.00000	ug/L	182474		06/02/06 1827	jd
	Carbon disulfide	5.0	U		0.15	5.0	1.00000	ug/L	182474		06/02/06 1827	jd
	Acetone	5.0	U		1.4	5.0	1.00000	ug/L	182474		06/02/06 1827	jd
	Methylene chloride	1.0	U		0.24	1.0	1.00000	ug/L	182474		06/02/06 1827	jd
	trans-1,2-Dichloroethene	1.0	U		0.29	1.0	1.00000	ug/L	182474		06/02/06 1827	jd
	1,1-Dichloroethane	1.0	U		0.15	1.0	1.00000	ug/L	182474		06/02/06 1827	jd
	2,2-Dichloropropane	1.0	U		0.17	1.0	1.00000	ug/L	182474		06/02/06 1827	jd
	cis-1,2-Dichloroethene	1.0	U		0.20	1.0	1.00000	ug/L	182474		06/02/06 1827	jd
	2-Butanone (MEK)	5.0	U		1.0	5.0	1.00000	ug/L	182474		06/02/06 1827	jd
	Bromochloromethane	1.0	U		0.27	1.0	1.00000	ug/L	182474		06/02/06 1827	jd
	Chloroform	1.0	U		0.14	1.0	1.00000	ug/L	182474		06/02/06 1827	jd
	1,1,1-Trichloroethane	1.0	U		0.17	1.0	1.00000	ug/L	182474		06/02/06 1827	jd
	1,1-Dichloropropene	1.0	U		0.38	1.0	1.00000	ug/L	182474		06/02/06 1827	jd
	Carbon tetrachloride	1.0	U		0.34	1.0	1.00000	ug/L	182474		06/02/06 1827	jd
	Benzene	1.0	U		0.23	1.0	1.00000	ug/L	182474		06/02/06 1827	jd
	1,2-Dichloroethane	1.0	U		0.25	1.0	1.00000	ug/L	182474		06/02/06 1827	jd
	Trichloroethene	2.6	U		0.13	1.0	1.00000	ug/L	182474		06/02/06 1827	jd
	1,2-Dichloropropane	1.0	U		0.19	1.0	1.00000	ug/L	182474		06/02/06 1827	jd
	Dibromomethane	1.0	U		0.21	1.0	1.00000	ug/L	182474		06/02/06 1827	jd
	Bromodichloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182474		06/02/06 1827	jd
	cis-1,3-Dichloropropene	1.0	U		0.15	1.0	1.00000	ug/L	182474		06/02/06 1827	jd
	4-Methyl-2-pentanone (MIBK)	5.0	U		0.92	5.0	1.00000	ug/L	182474		06/02/06 1827	jd

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: EW-9 DUP
 Date Sampled.....: 05/22/2006
 Time Sampled.....: 08:25
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-24
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Toluene	1.0	U		0.18	1.0	1.00000	ug/L	182474		06/02/06 1827	jd
	trans-1,3-Dichloropropene	1.0	U		0.16	1.0	1.00000	ug/L	182474		06/02/06 1827	jd
	1,1,2-Trichloroethane	1.0	U		0.24	1.0	1.00000	ug/L	182474		06/02/06 1827	jd
	Tetrachloroethene	240			1.8	10	10.0000	ug/L	182633	D1	06/05/06 1824	jd
	1,3-Dichloropropane	1.0	U		0.22	1.0	1.00000	ug/L	182474		06/02/06 1827	jd
	2-Hexanone	5.0	U		0.99	5.0	1.00000	ug/L	182474		06/02/06 1827	jd
	Dibromochloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182474		06/02/06 1827	jd
	1,2-Dibromoethane (EDB)	1.0	U		0.33	1.0	1.00000	ug/L	182474		06/02/06 1827	jd
	Chlorobenzene	1.0	U		0.15	1.0	1.00000	ug/L	182474		06/02/06 1827	jd
	1,1,1,2-Tetrachloroethane	1.0	U		0.33	1.0	1.00000	ug/L	182474		06/02/06 1827	jd
	Ethylbenzene	1.0	U		0.21	1.0	1.00000	ug/L	182474		06/02/06 1827	jd
	m&p-Xylenes	2.0	U		0.36	2.0	1.00000	ug/L	182474		06/02/06 1827	jd
	o-Xylene	1.0	U		0.19	1.0	1.00000	ug/L	182474		06/02/06 1827	jd
	Styrene	1.0	U		0.18	1.0	1.00000	ug/L	182474		06/02/06 1827	jd
	Bromoform	1.0	U		0.32	1.0	1.00000	ug/L	182474		06/02/06 1827	jd
	Isopropylbenzene	1.0	U		0.20	1.0	1.00000	ug/L	182474		06/02/06 1827	jd
	Bromobenzene	1.0	U		0.22	1.0	1.00000	ug/L	182474		06/02/06 1827	jd
	1,1,2,2-Tetrachloroethane	1.0	U		0.34	1.0	1.00000	ug/L	182474		06/02/06 1827	jd
	1,2,3-Trichloropropane	1.0	U		0.35	1.0	1.00000	ug/L	182474		06/02/06 1827	jd
	n-Propylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182474		06/02/06 1827	jd
	2-Chlorotoluene	1.0	U		0.16	1.0	1.00000	ug/L	182474		06/02/06 1827	jd
	1,3,5-Trimethylbenzene	1.0	U		0.18	1.0	1.00000	ug/L	182474		06/02/06 1827	jd
	4-Chlorotoluene	1.0	U		0.18	1.0	1.00000	ug/L	182474		06/02/06 1827	jd
	tert-Butylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182474		06/02/06 1827	jd
	1,2,4-Trimethylbenzene	1.0	U		0.26	1.0	1.00000	ug/L	182474		06/02/06 1827	jd
	sec-Butylbenzene	1.0	U		0.19	1.0	1.00000	ug/L	182474		06/02/06 1827	jd
	1,3-Dichlorobenzene	1.0	U		0.21	1.0	1.00000	ug/L	182474		06/02/06 1827	jd
	p-Isopropyltoluene	1.0	U		0.29	1.0	1.00000	ug/L	182474		06/02/06 1827	jd
	1,4-Dichlorobenzene	1.0	U		0.25	1.0	1.00000	ug/L	182474		06/02/06 1827	jd

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: EW-9 DUP
 Date Sampled.....: 05/22/2006
 Time Sampled.....: 08:25
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-24
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	n-Butylbenzene	1.0	U		0.35	1.0	1.00000	ug/L	182474		06/02/06 1827	jdj
	1,2-Dichlorobenzene	1.0	U		0.29	1.0	1.00000	ug/L	182474		06/02/06 1827	jdj
	1,2-Dibromo-3-chloropropane	1.0	U		0.41	1.0	1.00000	ug/L	182474		06/02/06 1827	jdj
	1,2,4-Trichlorobenzene	1.0	U		0.36	1.0	1.00000	ug/L	182474		06/02/06 1827	jdj
	Hexachlorobutadiene	1.0	U		0.36	1.0	1.00000	ug/L	182474		06/02/06 1827	jdj
	Naphthalene	1.0	U		0.37	1.0	1.00000	ug/L	182474		06/02/06 1827	jdj
	1,2,3-Trichlorobenzene	1.0	U		0.43	1.0	1.00000	ug/L	182474		06/02/06 1827	jdj

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: EW-10
 Date Sampled.....: 05/22/2006
 Time Sampled.....: 08:30
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-25
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Dichlorodifluoromethane	1.0	U		0.12	1.0	1.00000	ug/L	182633		06/05/06 1845	jd
	Chloromethane	1.0	U		0.20	1.0	1.00000	ug/L	182633		06/05/06 1845	jd
	Vinyl chloride	1.0	U		0.16	1.0	1.00000	ug/L	182633		06/05/06 1845	jd
	Bromomethane	1.0	U		0.59	1.0	1.00000	ug/L	182633		06/05/06 1845	jd
	Chloroethane	1.0	U		0.32	1.0	1.00000	ug/L	182633		06/05/06 1845	jd
	Trichlorofluoromethane	1.0	U		0.14	1.0	1.00000	ug/L	182633		06/05/06 1845	jd
	1,1-Dichloroethene	1.0	U		0.25	1.0	1.00000	ug/L	182633		06/05/06 1845	jd
	Carbon disulfide	5.0	U		0.15	5.0	1.00000	ug/L	182633		06/05/06 1845	jd
	Acetone	5.0	U		1.4	5.0	1.00000	ug/L	182633		06/05/06 1845	jd
	Methylene chloride	1.0	U		0.24	1.0	1.00000	ug/L	182633		06/05/06 1845	jd
	trans-1,2-Dichloroethene	1.0	U		0.29	1.0	1.00000	ug/L	182633		06/05/06 1845	jd
	1,1-Dichloroethane	1.0	U		0.15	1.0	1.00000	ug/L	182633		06/05/06 1845	jd
	2,2-Dichloropropane	1.0	U		0.17	1.0	1.00000	ug/L	182633		06/05/06 1845	jd
	cis-1,2-Dichloroethene	1.0	U		0.20	1.0	1.00000	ug/L	182633		06/05/06 1845	jd
	2-Butanone (MEK)	5.0	U		1.0	5.0	1.00000	ug/L	182633		06/05/06 1845	jd
	Bromochloromethane	1.0	U		0.27	1.0	1.00000	ug/L	182633		06/05/06 1845	jd
	Chloroform	1.0	U		0.14	1.0	1.00000	ug/L	182633		06/05/06 1845	jd
	1,1,1-Trichloroethane	1.0	U		0.17	1.0	1.00000	ug/L	182633		06/05/06 1845	jd
	1,1-Dichloropropene	1.0	U		0.38	1.0	1.00000	ug/L	182633		06/05/06 1845	jd
	Carbon tetrachloride	1.0	U		0.34	1.0	1.00000	ug/L	182633		06/05/06 1845	jd
	Benzene	1.0	U		0.23	1.0	1.00000	ug/L	182633		06/05/06 1845	jd
	1,2-Dichloroethane	1.0	U		0.25	1.0	1.00000	ug/L	182633		06/05/06 1845	jd
	Trichloroethene	1.0	U		0.13	1.0	1.00000	ug/L	182633		06/05/06 1845	jd
	1,2-Dichloropropane	1.0	U		0.19	1.0	1.00000	ug/L	182633		06/05/06 1845	jd
	Dibromomethane	1.0	U		0.21	1.0	1.00000	ug/L	182633		06/05/06 1845	jd
	Bromodichloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182633		06/05/06 1845	jd
	cis-1,3-Dichloropropene	1.0	U		0.15	1.0	1.00000	ug/L	182633		06/05/06 1845	jd
	4-Methyl-2-pentanone (MIBK)	5.0	U		0.92	5.0	1.00000	ug/L	182633		06/05/06 1845	jd

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: EW-10
 Date Sampled.....: 05/22/2006
 Time Sampled.....: 08:30
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-25
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Toluene	1.0	U		0.18	1.0	1.00000	ug/L	182633		06/05/06 1845	jdj
	trans-1,3-Dichloropropene	1.0	U		0.16	1.0	1.00000	ug/L	182633		06/05/06 1845	jdj
	1,1,2-Trichloroethane	1.0	U		0.24	1.0	1.00000	ug/L	182633		06/05/06 1845	jdj
	Tetrachloroethane	4.6	U		0.18	1.0	1.00000	ug/L	182633		06/05/06 1845	jdj
	1,3-Dichloropropane	1.0	U		0.22	1.0	1.00000	ug/L	182633		06/05/06 1845	jdj
	2-Hexanone	5.0	U		0.99	5.0	1.00000	ug/L	182633		06/05/06 1845	jdj
	Dibromochloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182633		06/05/06 1845	jdj
	1,2-Dibromoethane (EDB)	1.0	U		0.33	1.0	1.00000	ug/L	182633		06/05/06 1845	jdj
	Chlorobenzene	1.0	U		0.15	1.0	1.00000	ug/L	182633		06/05/06 1845	jdj
	1,1,1,2-Tetrachloroethane	1.0	U		0.33	1.0	1.00000	ug/L	182633		06/05/06 1845	jdj
	Ethylbenzene	1.0	U		0.21	1.0	1.00000	ug/L	182633		06/05/06 1845	jdj
	m&p-Xylenes	2.0	U		0.36	2.0	1.00000	ug/L	182633		06/05/06 1845	jdj
	o-Xylene	1.0	U		0.19	1.0	1.00000	ug/L	182633		06/05/06 1845	jdj
	Styrene	1.0	U		0.18	1.0	1.00000	ug/L	182633		06/05/06 1845	jdj
	Bromoform	1.0	U		0.32	1.0	1.00000	ug/L	182633		06/05/06 1845	jdj
	Isopropylbenzene	1.0	U		0.20	1.0	1.00000	ug/L	182633		06/05/06 1845	jdj
	Bromobenzene	1.0	U		0.22	1.0	1.00000	ug/L	182633		06/05/06 1845	jdj
	1,1,2,2-Tetrachloroethane	1.0	U		0.34	1.0	1.00000	ug/L	182633		06/05/06 1845	jdj
	1,2,3-Trichloropropane	1.0	U		0.35	1.0	1.00000	ug/L	182633		06/05/06 1845	jdj
	n-Propylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182633		06/05/06 1845	jdj
	2-Chlorotoluene	1.0	U		0.16	1.0	1.00000	ug/L	182633		06/05/06 1845	jdj
	1,3,5-Trimethylbenzene	1.0	U		0.18	1.0	1.00000	ug/L	182633		06/05/06 1845	jdj
	4-Chlorotoluene	1.0	U		0.18	1.0	1.00000	ug/L	182633		06/05/06 1845	jdj
	tert-Butylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182633		06/05/06 1845	jdj
	1,2,4-Trimethylbenzene	1.0	U		0.26	1.0	1.00000	ug/L	182633		06/05/06 1845	jdj
	sec-Butylbenzene	1.0	U		0.19	1.0	1.00000	ug/L	182633		06/05/06 1845	jdj
	1,3-Dichlorobenzene	1.0	U		0.21	1.0	1.00000	ug/L	182633		06/05/06 1845	jdj
	p-Isopropyltoluene	1.0	U		0.29	1.0	1.00000	ug/L	182633		06/05/06 1845	jdj
	1,4-Dichlorobenzene	1.0	U		0.25	1.0	1.00000	ug/L	182633		06/05/06 1845	jdj

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: EW-10
 Date Sampled.....: 05/22/2006
 Time Sampled.....: 08:30
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-25
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	n-Butylbenzene	1.0	U		0.35	1.0	1.00000	ug/L	182633		06/05/06 1845	jd
	1,2-Dichlorobenzene	1.0	U		0.29	1.0	1.00000	ug/L	182633		06/05/06 1845	jd
	1,2-Dibromo-3-chloropropane	1.0	U		0.41	1.0	1.00000	ug/L	182633		06/05/06 1845	jd
	1,2,4-Trichlorobenzene	1.0	U		0.36	1.0	1.00000	ug/L	182633		06/05/06 1845	jd
	Hexachlorobutadiene	1.0	U		0.36	1.0	1.00000	ug/L	182633		06/05/06 1845	jd
	Naphthalene	1.0	U		0.37	1.0	1.00000	ug/L	182633		06/05/06 1845	jd
	1,2,3-Trichlorobenzene	1.0	U		0.43	1.0	1.00000	ug/L	182633		06/05/06 1845	jd

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: LEISTER-1
 Date Sampled.....: 05/22/2006
 Time Sampled.....: 14:00
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-26
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Dichlorodifluoromethane	1.0	U		0.12	1.0	1.00000	ug/L	182633		06/05/06 1907	jd
	Chloromethane	1.0	U		0.20	1.0	1.00000	ug/L	182633		06/05/06 1907	jd
	Vinyl chloride	1.0	U		0.16	1.0	1.00000	ug/L	182633		06/05/06 1907	jd
	Bromomethane	1.0	U		0.59	1.0	1.00000	ug/L	182633		06/05/06 1907	jd
	Chloroethane	1.0	U		0.32	1.0	1.00000	ug/L	182633		06/05/06 1907	jd
	Trichlorofluoromethane	1.0	U		0.14	1.0	1.00000	ug/L	182633		06/05/06 1907	jd
	1,1-Dichloroethene	1.0	U		0.25	1.0	1.00000	ug/L	182633		06/05/06 1907	jd
	Carbon disulfide	5.0	U		0.15	5.0	1.00000	ug/L	182633		06/05/06 1907	jd
	Acetone	5.0	U		1.4	5.0	1.00000	ug/L	182633		06/05/06 1907	jd
	Methylene chloride	1.0	U		0.24	1.0	1.00000	ug/L	182633		06/05/06 1907	jd
	trans-1,2-Dichloroethene	1.0	U		0.29	1.0	1.00000	ug/L	182633		06/05/06 1907	jd
	1,1-Dichloroethane	1.0	U		0.15	1.0	1.00000	ug/L	182633		06/05/06 1907	jd
	2,2-Dichloropropane	1.0	U		0.17	1.0	1.00000	ug/L	182633		06/05/06 1907	jd
	cis-1,2-Dichloroethene	1.0	U		0.20	1.0	1.00000	ug/L	182633		06/05/06 1907	jd
	2-Butanone (MEK)	5.0	U		1.0	5.0	1.00000	ug/L	182633		06/05/06 1907	jd
	Bromochloromethane	1.0	U		0.27	1.0	1.00000	ug/L	182633		06/05/06 1907	jd
	Chloroform	1.0	U		0.14	1.0	1.00000	ug/L	182633		06/05/06 1907	jd
	1,1,1-Trichloroethane	1.0	U		0.17	1.0	1.00000	ug/L	182633		06/05/06 1907	jd
	1,1-Dichloropropene	1.0	U		0.38	1.0	1.00000	ug/L	182633		06/05/06 1907	jd
	Carbon tetrachloride	1.0	U		0.34	1.0	1.00000	ug/L	182633		06/05/06 1907	jd
	Benzene	1.0	U		0.23	1.0	1.00000	ug/L	182633		06/05/06 1907	jd
	1,2-Dichloroethane	1.0	U		0.25	1.0	1.00000	ug/L	182633		06/05/06 1907	jd
	Trichloroethene	1.0	U		0.13	1.0	1.00000	ug/L	182633		06/05/06 1907	jd
	1,2-Dichloropropane	1.0	U		0.19	1.0	1.00000	ug/L	182633		06/05/06 1907	jd
	Dibromomethane	1.0	U		0.21	1.0	1.00000	ug/L	182633		06/05/06 1907	jd
	Bromodichloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182633		06/05/06 1907	jd
	cis-1,3-Dichloropropene	1.0	U		0.15	1.0	1.00000	ug/L	182633		06/05/06 1907	jd
	4-Methyl-2-pentanone (MIBK)	5.0	U		0.92	5.0	1.00000	ug/L	182633		06/05/06 1907	jd

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: LEISTER-1
 Date Sampled.....: 05/22/2006
 Time Sampled.....: 14:00
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-26
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Toluene	1.0	U		0.18	1.0	1.00000	ug/L	182633		06/05/06 1907	jd
	trans-1,3-Dichloropropene	1.0	U		0.16	1.0	1.00000	ug/L	182633		06/05/06 1907	jd
	1,1,2-Trichloroethane	1.0	U		0.24	1.0	1.00000	ug/L	182633		06/05/06 1907	jd
	Tetrachloroethene	1.0	U		0.18	1.0	1.00000	ug/L	182633		06/05/06 1907	jd
	1,3-Dichloropropane	1.0	U		0.22	1.0	1.00000	ug/L	182633		06/05/06 1907	jd
	2-Hexanone	5.0	U		0.99	5.0	1.00000	ug/L	182633		06/05/06 1907	jd
	Dibromochloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182633		06/05/06 1907	jd
	1,2-Dibromoethane (EDB)	1.0	U		0.33	1.0	1.00000	ug/L	182633		06/05/06 1907	jd
	Chlorobenzene	1.0	U		0.15	1.0	1.00000	ug/L	182633		06/05/06 1907	jd
	1,1,1,2-Tetrachloroethane	1.0	U		0.33	1.0	1.00000	ug/L	182633		06/05/06 1907	jd
	Ethylbenzene	1.0	U		0.21	1.0	1.00000	ug/L	182633		06/05/06 1907	jd
	m&p-Xylenes	2.0	U		0.36	2.0	1.00000	ug/L	182633		06/05/06 1907	jd
	o-Xylene	1.0	U		0.19	1.0	1.00000	ug/L	182633		06/05/06 1907	jd
	Styrene	1.0	U		0.18	1.0	1.00000	ug/L	182633		06/05/06 1907	jd
	Bromoform	1.0	U		0.32	1.0	1.00000	ug/L	182633		06/05/06 1907	jd
	Isopropylbenzene	1.0	U		0.20	1.0	1.00000	ug/L	182633		06/05/06 1907	jd
	Bromobenzene	1.0	U		0.22	1.0	1.00000	ug/L	182633		06/05/06 1907	jd
	1,1,2,2-Tetrachloroethane	1.0	U		0.34	1.0	1.00000	ug/L	182633		06/05/06 1907	jd
	1,2,3-Trichloropropane	1.0	U		0.35	1.0	1.00000	ug/L	182633		06/05/06 1907	jd
	n-Propylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182633		06/05/06 1907	jd
	2-Chlorotoluene	1.0	U		0.16	1.0	1.00000	ug/L	182633		06/05/06 1907	jd
	1,3,5-Trimethylbenzene	1.0	U		0.18	1.0	1.00000	ug/L	182633		06/05/06 1907	jd
	4-Chlorotoluene	1.0	U		0.18	1.0	1.00000	ug/L	182633		06/05/06 1907	jd
	tert-Butylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182633		06/05/06 1907	jd
	1,2,4-Trimethylbenzene	1.0	U		0.26	1.0	1.00000	ug/L	182633		06/05/06 1907	jd
	sec-Butylbenzene	1.0	U		0.19	1.0	1.00000	ug/L	182633		06/05/06 1907	jd
	1,3-Dichlorobenzene	1.0	U		0.21	1.0	1.00000	ug/L	182633		06/05/06 1907	jd
	p-Isopropyltoluene	1.0	U		0.29	1.0	1.00000	ug/L	182633		06/05/06 1907	jd
	1,4-Dichlorobenzene	1.0	U		0.25	1.0	1.00000	ug/L	182633		06/05/06 1907	jd

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

Job Number: 246663		LABORATORY TEST RESULTS						Date: 06/06/2006				
CUSTOMER: Weston Solutions, Inc.			PROJECT: BLACK AND DECKER				ATTN: Tom Cornuet					
Customer Sample ID: LEISTER-1			Laboratory Sample ID: 246663-26									
Date Sampled.....: 05/22/2006			Date Received.....: 05/23/2006									
Time Sampled.....: 14:00			Time Received.....: 10:15									
Sample Matrix.....: Water												
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	n-Butylbenzene	1.0		U	0.35	1.0	1.00000	ug/L	182633		06/05/06 1907	jdj
	1,2-Dichlorobenzene	1.0		U	0.29	1.0	1.00000	ug/L	182633		06/05/06 1907	jdj
	1,2-Dibromo-3-chloropropane	1.0		U	0.41	1.0	1.00000	ug/L	182633		06/05/06 1907	jdj
	1,2,4-Trichlorobenzene	1.0		U	0.36	1.0	1.00000	ug/L	182633		06/05/06 1907	jdj
	Hexachlorobutadiene	1.0		U	0.36	1.0	1.00000	ug/L	182633		06/05/06 1907	jdj
	Naphthalene	1.0		U	0.37	1.0	1.00000	ug/L	182633		06/05/06 1907	jdj
	1,2,3-Trichlorobenzene	1.0		U	0.43	1.0	1.00000	ug/L	182633		06/05/06 1907	jdj

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: LEISTER-DAIRY
 Date Sampled.....: 05/22/2006
 Time Sampled.....: 14:10
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-27
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Dichlorodifluoromethane	1.0	U		0.12	1.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	Chloromethane	1.0	U		0.20	1.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	Vinyl chloride	1.0	U		0.16	1.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	Bromomethane	1.0	U		0.59	1.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	Chloroethane	1.0	U		0.32	1.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	Trichlorofluoromethane	1.0	U		0.14	1.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	1,1-Dichloroethene	1.0	U		0.25	1.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	Carbon disulfide	5.0	U		0.15	5.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	Acetone	5.0	U		1.4	5.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	Methylene chloride	1.0	U		0.24	1.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	trans-1,2-Dichloroethene	1.0	U		0.29	1.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	1,1-Dichloroethane	1.0	U		0.15	1.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	2,2-Dichloropropane	1.0	U		0.17	1.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	cis-1,2-Dichloroethene	1.0	U		0.20	1.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	2-Butanone (MEK)	5.0	U		1.0	5.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	Bromochloromethane	1.0	U		0.27	1.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	Chloroform	1.0	U		0.14	1.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	1,1,1-Trichloroethane	1.0	U		0.17	1.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	1,1-Dichloropropene	1.0	U		0.38	1.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	Carbon tetrachloride	1.0	U		0.34	1.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	Benzene	1.0	U		0.23	1.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	1,2-Dichloroethane	1.0	U		0.25	1.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	Trichloroethene	1.0	U		0.13	1.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	1,2-Dichloropropane	1.0	U		0.19	1.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	Dibromomethane	1.0	U		0.21	1.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	Bromodichloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	cis-1,3-Dichloropropene	1.0	U		0.15	1.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	4-Methyl-2-pentanone (MIBK)	5.0	U		0.92	5.0	1.00000	ug/L	182633		06/05/06 1928	jdj

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: LEISTER-DAIRY
 Date Sampled.....: 05/22/2006
 Time Sampled.....: 14:10
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-27
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Toluene	1.0	U		0.18	1.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	trans-1,3-Dichloropropene	1.0	U		0.16	1.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	1,1,2-Trichloroethane	1.0	U		0.24	1.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	Tetrachloroethene	1.0	U		0.18	1.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	1,3-Dichloropropane	1.0	U		0.22	1.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	2-Hexanone	5.0	U		0.99	5.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	Dibromochloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	1,2-Dibromoethane (EDB)	1.0	U		0.33	1.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	Chlorobenzene	1.0	U		0.15	1.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	1,1,1,2-Tetrachloroethane	1.0	U		0.33	1.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	Ethylbenzene	1.0	U		0.21	1.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	m&p-Xylenes	2.0	U		0.36	2.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	o-Xylene	1.0	U		0.19	1.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	Styrene	1.0	U		0.18	1.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	Bromoform	1.0	U		0.32	1.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	Isopropylbenzene	1.0	U		0.20	1.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	Bromobenzene	1.0	U		0.22	1.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	1,1,2,2-Tetrachloroethane	1.0	U		0.34	1.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	1,2,3-Trichloropropane	1.0	U		0.35	1.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	n-Propylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	2-Chlorotoluene	1.0	U		0.16	1.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	1,3,5-Trimethylbenzene	1.0	U		0.18	1.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	4-Chlorotoluene	1.0	U		0.18	1.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	tert-Butylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	1,2,4-Trimethylbenzene	1.0	U		0.26	1.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	sec-Butylbenzene	1.0	U		0.19	1.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	1,3-Dichlorobenzene	1.0	U		0.21	1.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	p-Isopropyltoluene	1.0	U		0.29	1.0	1.00000	ug/L	182633		06/05/06 1928	jdj
	1,4-Dichlorobenzene	1.0	U		0.25	1.0	1.00000	ug/L	182633		06/05/06 1928	jdj

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: LEISTER-DAIRY
 Date Sampled.....: 05/22/2006
 Time Sampled.....: 14:10
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-27
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	n-Butylbenzene	1.0	U		0.35	1.0	1.00000	ug/L	182633		06/05/06 1928	jd n
	1,2-Dichlorobenzene	1.0	U		0.29	1.0	1.00000	ug/L	182633		06/05/06 1928	jd n
	1,2-Dibromo-3-chloropropane	1.0	U		0.41	1.0	1.00000	ug/L	182633		06/05/06 1928	jd n
	1,2,4-Trichlorobenzene	1.0	U		0.36	1.0	1.00000	ug/L	182633		06/05/06 1928	jd n
	Hexachlorobutadiene	1.0	U		0.36	1.0	1.00000	ug/L	182633		06/05/06 1928	jd n
	Naphthalene	1.0	U		0.37	1.0	1.00000	ug/L	182633		06/05/06 1928	jd n
	1,2,3-Trichlorobenzene	1.0	U		0.43	1.0	1.00000	ug/L	182633		06/05/06 1928	jd n

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: TRIP BLANK
 Date Sampled.....: 05/19/2006
 Time Sampled.....: 08:00
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-28
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Dichlorodifluoromethane	1.0	U		0.12	1.0	1.00000	ug/L	182236		06/01/06 0844	jdj
	Chloromethane	1.0	U		0.20	1.0	1.00000	ug/L	182236		06/01/06 0844	jdj
	Vinyl chloride	1.0	U		0.16	1.0	1.00000	ug/L	182236		06/01/06 0844	jdj
	Bromomethane	1.0	U		0.59	1.0	1.00000	ug/L	182236		06/01/06 0844	jdj
	Chloroethane	1.0	U		0.32	1.0	1.00000	ug/L	182236		06/01/06 0844	jdj
	Trichlorofluoromethane	1.0	U		0.14	1.0	1.00000	ug/L	182236		06/01/06 0844	jdj
	1,1-Dichloroethene	1.0	U		0.25	1.0	1.00000	ug/L	182236		06/01/06 0844	jdj
	Carbon disulfide	5.0	U		0.15	5.0	1.00000	ug/L	182236		06/01/06 0844	jdj
	Acetone	5.0	U		1.4	5.0	1.00000	ug/L	182236		06/01/06 0844	jdj
	Methylene chloride	1.0	U		0.24	1.0	1.00000	ug/L	182236		06/01/06 0844	jdj
	trans-1,2-Dichloroethene	1.0	U		0.29	1.0	1.00000	ug/L	182236		06/01/06 0844	jdj
	1,1-Dichloroethane	1.0	U		0.15	1.0	1.00000	ug/L	182236		06/01/06 0844	jdj
	2,2-Dichloropropane	1.0	U		0.17	1.0	1.00000	ug/L	182236		06/01/06 0844	jdj
	cis-1,2-Dichloroethene	1.0	U		0.20	1.0	1.00000	ug/L	182236		06/01/06 0844	jdj
	2-Butanone (MEK)	5.0	U		1.0	5.0	1.00000	ug/L	182236		06/01/06 0844	jdj
	Bromochloromethane	1.0	U		0.27	1.0	1.00000	ug/L	182236		06/01/06 0844	jdj
	Chloroform	1.0	U		0.14	1.0	1.00000	ug/L	182236		06/01/06 0844	jdj
	1,1,1-Trichloroethane	1.0	U		0.17	1.0	1.00000	ug/L	182236		06/01/06 0844	jdj
	1,1-Dichloropropene	1.0	U		0.38	1.0	1.00000	ug/L	182236		06/01/06 0844	jdj
	Carbon tetrachloride	1.0	U		0.34	1.0	1.00000	ug/L	182236		06/01/06 0844	jdj
	Benzene	1.0	U		0.23	1.0	1.00000	ug/L	182236		06/01/06 0844	jdj
	1,2-Dichloroethane	1.0	U		0.25	1.0	1.00000	ug/L	182236		06/01/06 0844	jdj
	Trichloroethene	1.0	U		0.13	1.0	1.00000	ug/L	182236		06/01/06 0844	jdj
	1,2-Dichloropropane	1.0	U		0.19	1.0	1.00000	ug/L	182236		06/01/06 0844	jdj
	Dibromomethane	1.0	U		0.21	1.0	1.00000	ug/L	182236		06/01/06 0844	jdj
	Bromodichloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182236		06/01/06 0844	jdj
	cis-1,3-Dichloropropene	1.0	U		0.15	1.0	1.00000	ug/L	182236		06/01/06 0844	jdj
	4-Methyl-2-pentanone (MIBK)	5.0	U		0.92	5.0	1.00000	ug/L	182236		06/01/06 0844	jdj

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: TRIP BLANK
 Date Sampled.....: 05/19/2006
 Time Sampled.....: 08:00
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-28
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Toluene	1.0	U		0.18	1.0	1.00000	ug/L	182236		06/01/06 0844	jd
	trans-1,3-Dichloropropene	1.0	U		0.16	1.0	1.00000	ug/L	182236		06/01/06 0844	jd
	1,1,2-Trichloroethane	1.0	U		0.24	1.0	1.00000	ug/L	182236		06/01/06 0844	jd
	Tetrachloroethene	1.0	U		0.18	1.0	1.00000	ug/L	182236		06/01/06 0844	jd
	1,3-Dichloropropane	1.0	U		0.22	1.0	1.00000	ug/L	182236		06/01/06 0844	jd
	2-Hexanone	5.0	U		0.99	5.0	1.00000	ug/L	182236		06/01/06 0844	jd
	Dibromochloromethane	1.0	U		0.22	1.0	1.00000	ug/L	182236		06/01/06 0844	jd
	1,2-Dibromoethane (EDB)	1.0	U		0.33	1.0	1.00000	ug/L	182236		06/01/06 0844	jd
	Chlorobenzene	1.0	U		0.15	1.0	1.00000	ug/L	182236		06/01/06 0844	jd
	1,1,1,2-Tetrachloroethane	1.0	U		0.33	1.0	1.00000	ug/L	182236		06/01/06 0844	jd
	Ethylbenzene	1.0	U		0.21	1.0	1.00000	ug/L	182236		06/01/06 0844	jd
	m&p-Xylenes	2.0	U		0.36	2.0	1.00000	ug/L	182236		06/01/06 0844	jd
	o-Xylene	1.0	U		0.19	1.0	1.00000	ug/L	182236		06/01/06 0844	jd
	Styrene	1.0	U		0.18	1.0	1.00000	ug/L	182236		06/01/06 0844	jd
	Bromoform	1.0	U		0.32	1.0	1.00000	ug/L	182236		06/01/06 0844	jd
	Isopropylbenzene	1.0	U		0.20	1.0	1.00000	ug/L	182236		06/01/06 0844	jd
	Bromobenzene	1.0	U		0.22	1.0	1.00000	ug/L	182236		06/01/06 0844	jd
	1,1,2,2-Tetrachloroethane	1.0	U		0.34	1.0	1.00000	ug/L	182236		06/01/06 0844	jd
	1,2,3-Trichloropropane	1.0	U		0.35	1.0	1.00000	ug/L	182236		06/01/06 0844	jd
	n-Propylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182236		06/01/06 0844	jd
	2-Chlorotoluene	1.0	U		0.16	1.0	1.00000	ug/L	182236		06/01/06 0844	jd
	1,3,5-Trimethylbenzene	1.0	U		0.18	1.0	1.00000	ug/L	182236		06/01/06 0844	jd
	4-Chlorotoluene	1.0	U		0.18	1.0	1.00000	ug/L	182236		06/01/06 0844	jd
	tert-Butylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	182236		06/01/06 0844	jd
	1,2,4-Trimethylbenzene	1.0	U		0.26	1.0	1.00000	ug/L	182236		06/01/06 0844	jd
	sec-Butylbenzene	1.0	U		0.19	1.0	1.00000	ug/L	182236		06/01/06 0844	jd
	1,3-Dichlorobenzene	1.0	U		0.21	1.0	1.00000	ug/L	182236		06/01/06 0844	jd
	p-Isopropyltoluene	1.0	U		0.29	1.0	1.00000	ug/L	182236		06/01/06 0844	jd
	1,4-Dichlorobenzene	1.0	U		0.25	1.0	1.00000	ug/L	182236		06/01/06 0844	jd

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: TRIP BLANK
 Date Sampled.....: 05/19/2006
 Time Sampled.....: 08:00
 Sample Matrix.....: Water

Laboratory Sample ID: 246663-28
 Date Received.....: 05/23/2006
 Time Received.....: 10:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	n-Butylbenzene	1.0	U		0.35	1.0	1.00000	ug/L	182236		06/01/06 0844	jd
	1,2-Dichlorobenzene	1.0	U		0.29	1.0	1.00000	ug/L	182236		06/01/06 0844	jd
	1,2-Dibromo-3-chloropropane	1.0	U		0.41	1.0	1.00000	ug/L	182236		06/01/06 0844	jd
	1,2,4-Trichlorobenzene	1.0	U		0.36	1.0	1.00000	ug/L	182236		06/01/06 0844	jd
	Hexachlorobutadiene	1.0	U		0.36	1.0	1.00000	ug/L	182236		06/01/06 0844	jd
	Naphthalene	1.0	U		0.37	1.0	1.00000	ug/L	182236		06/01/06 0844	jd
	1,2,3-Trichlorobenzene	1.0	U		0.43	1.0	1.00000	ug/L	182236		06/01/06 0844	jd

* In Description = Dry Wgt.

LABORATORY CHRONICLE

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Lab ID:	Client ID:	Date Recvd:	Sample Date:			DILUTION
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT	#(S)	DATE/TIME ANALYZED
5030B	5030 10 mL Purge Prep	1	182234			06/01/2006 0531
EDD	Electronic Data Deliverable	1				
8260B	Volatile Organics	1	182236	182234		06/01/2006 0531 1.00000
Lab ID: 246663-2	Client ID: RFW-1B	Date Recvd: 05/23/2006	Sample Date: 05/19/2006			DILUTION
5030B	5030 10 mL Purge Prep	1	182234			06/01/2006 0552
8260B	Volatile Organics	1	182236	182234		06/01/2006 0552 1.00000
Lab ID: 246663-3	Client ID: RFW-2A	Date Recvd: 05/23/2006	Sample Date: 05/19/2006			DILUTION
5030B	5030 10 mL Purge Prep	1	182234			06/01/2006 0613
8260B	Volatile Organics	1	182236	182234		06/01/2006 0613 1.00000
Lab ID: 246663-4	Client ID: RFW-2B	Date Recvd: 05/23/2006	Sample Date: 05/19/2006			DILUTION
5030B	5030 10 mL Purge Prep	1	182234			06/01/2006 0635
8260B	Volatile Organics	1	182236	182234		06/01/2006 0635 1.00000
Lab ID: 246663-5	Client ID: RFW-3B	Date Recvd: 05/23/2006	Sample Date: 05/19/2006			DILUTION
5030B	5030 10 mL Purge Prep	1	182234			06/01/2006 0657
8260B	Volatile Organics	1	182236	182234		06/01/2006 0657 1.00000
Lab ID: 246663-6	Client ID: RFW-4A	Date Recvd: 05/23/2006	Sample Date: 05/22/2006			DILUTION
5030B	5030 10 mL Purge Prep	1	182286			06/01/2006 1745
5030B	5030 10 mL Purge Prep	2	182286			06/01/2006 1724
8260B	Volatile Organics	1	182289	182286		06/01/2006 1724 1.00000
Lab ID: 246663-7	Client ID: RFW-4B	Date Recvd: 05/23/2006	Sample Date: 05/22/2006			DILUTION
5030B	5030 10 mL Purge Prep	1	182286			06/01/2006 1828
5030B	5030 10 mL Purge Prep	2	182286			06/01/2006 1806
8260B	Volatile Organics	1	182289	182286		06/01/2006 1806 1.00000
Lab ID: 246663-8	Client ID: RFW-6	Date Recvd: 05/23/2006	Sample Date: 05/19/2006			DILUTION
5030B	5030 10 mL Purge Prep	1	182234			06/01/2006 0718
8260B	Volatile Organics	1	182236	182234		06/01/2006 0718 1.00000
Lab ID: 246663-9	Client ID: RFW-7	Date Recvd: 05/23/2006	Sample Date: 05/19/2006			DILUTION
5030B	5030 10 mL Purge Prep	1	182234			06/01/2006 0740
8260B	Volatile Organics	1	182236	182234		06/01/2006 0740 1.00000
Lab ID: 246663-10	Client ID: RFW-9	Date Recvd: 05/23/2006	Sample Date: 05/22/2006			DILUTION
5030B	5030 10 mL Purge Prep	1	182286			06/01/2006 1849
8260B	Volatile Organics	1	182289	182286		06/01/2006 1849 1.00000
Lab ID: 246663-11	Client ID: RFW-11B	Date Recvd: 05/23/2006	Sample Date: 05/22/2006			DILUTION
5030B	5030 10 mL Purge Prep	1	182286			06/01/2006 1911
8260B	Volatile Organics	1	182289	182286		06/01/2006 1911 1.00000

LABORATORY CHRONICLE

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Lab ID:	Client ID:	Date Recvd:	Sample Date:			
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT	#(S)	DATE/TIME ANALYZED
5030B	5030 10 mL Purge Prep	1	182286			06/01/2006 1932
5030B	5030 10 mL Purge Prep	2	182286			06/01/2006 1953
5030B	5030 10 mL Purge Prep	3	182632			06/05/2006 1554
8260B	Volatile Organics	1	182289	182286		06/01/2006 1932
8260B	Volatile Organics	1	182633	182632		06/05/2006 1554
5030B	5030 10 mL Purge Prep	1	182234			06/01/2006 0801
8260B	Volatile Organics	1	182236	182234		06/01/2006 0801
5030B	5030 10 mL Purge Prep	1	182234			06/01/2006 0823
8260B	Volatile Organics	1	182236	182234		06/01/2006 0823
5030B	5030 10 mL Purge Prep	1	182286			06/01/2006 2015
8260B	Volatile Organics	1	182289	182286		06/01/2006 2015
5030B	5030 10 mL Purge Prep	1	182286			06/01/2006 2036
5030B	5030 10 mL Purge Prep	2	182472			06/02/2006 1409
5030B	5030 10 mL Purge Prep	3	182472			06/02/2006 1431
8260B	Volatile Organics	1	182289	182286		06/01/2006 2036
8260B	Volatile Organics	1	182474	182472		06/02/2006 1409
5030B	5030 10 mL Purge Prep	1	182472			06/02/2006 1514
5030B	5030 10 mL Purge Prep	2	182472			06/02/2006 1452
8260B	Volatile Organics	1	182474	182472		06/02/2006 1452
8260B	Volatile Organics	1	182474	182472		06/02/2006 1514
5030B	5030 10 mL Purge Prep	1	182472			06/02/2006 1535
5030B	5030 10 mL Purge Prep	2	182472			06/02/2006 1556
5030B	5030 10 mL Purge Prep	3	182632			06/05/2006 1616
8260B	Volatile Organics	1	182474	182472		06/02/2006 1535
8260B	Volatile Organics	1	182633	182632		06/05/2006 1616
5030B	5030 10 mL Purge Prep	1	182472			06/02/2006 1618
5030B	5030 10 mL Purge Prep	2	182472			06/02/2006 1640
5030B	5030 10 mL Purge Prep	3	182632			06/05/2006 1637
8260B	Volatile Organics	1	182474	182472		06/02/2006 1618
8260B	Volatile Organics	1	182633	182632		06/05/2006 1637
5030B	5030 10 mL Purge Prep	1	182472			06/02/2006 1702

LABORATORY CHRONICLE

Job Number: 246663

Date: 06/06/2006

CUSTOMER: Weston Solutions, Inc.		PROJECT: BLACK AND DECKER		ATTN: Tom Cornuet	
Lab ID: 246663-20	Client ID: EW-6	Date Recvd: 05/23/2006	Sample Date: 05/22/2006		
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT # (S)	DATE/TIME ANALYZED
5030B	5030 10 mL Purge Prep	2	182632		06/05/2006 1658
8260B	Volatile Organics	1	182633	182632	06/05/2006 1658
					1.00000
Lab ID: 246663-21	Client ID: EW-7	Date Recvd: 05/23/2006	Sample Date: 05/22/2006		
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT # (S)	DATE/TIME ANALYZED
5030B	5030 10 mL Purge Prep	1	182472		06/02/2006 1723
5030B	5030 10 mL Purge Prep	2	182632		06/05/2006 1719
8260B	Volatile Organics	1	182633	182632	06/05/2006 1719
					1.00000
Lab ID: 246663-22	Client ID: EW-8	Date Recvd: 05/23/2006	Sample Date: 05/22/2006		
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT # (S)	DATE/TIME ANALYZED
5030B	5030 10 mL Purge Prep	1	182472		06/02/2006 1745
5030B	5030 10 mL Purge Prep	2	182632		06/05/2006 1741
8260B	Volatile Organics	1	182633	182632	06/05/2006 1741
					1.00000
Lab ID: 246663-23	Client ID: EW-9	Date Recvd: 05/23/2006	Sample Date: 05/22/2006		
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT # (S)	DATE/TIME ANALYZED
5030B	5030 10 mL Purge Prep	1	182472		06/02/2006 1806
5030B	5030 10 mL Purge Prep	2	182632		06/05/2006 1803
8260B	Volatile Organics	1	182474	182472	06/02/2006 1806
8260B	Volatile Organics	1	182633	182632	06/05/2006 1803
					10.0000
Lab ID: 246663-24	Client ID: EW-9 DUP	Date Recvd: 05/23/2006	Sample Date: 05/22/2006		
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT # (S)	DATE/TIME ANALYZED
5030B	5030 10 mL Purge Prep	1	182472		06/02/2006 1827
5030B	5030 10 mL Purge Prep	2	182632		06/05/2006 1824
8260B	Volatile Organics	1	182474	182472	06/02/2006 1827
8260B	Volatile Organics	1	182633	182632	06/05/2006 1824
					10.0000
Lab ID: 246663-25	Client ID: EW-10	Date Recvd: 05/23/2006	Sample Date: 05/22/2006		
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT # (S)	DATE/TIME ANALYZED
5030B	5030 10 mL Purge Prep	1	182472		06/02/2006 1849
5030B	5030 10 mL Purge Prep	2	182632		06/05/2006 1845
8260B	Volatile Organics	1	182633	182632	06/05/2006 1845
					1.00000
Lab ID: 246663-26	Client ID: LEISTER-1	Date Recvd: 05/23/2006	Sample Date: 05/22/2006		
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT # (S)	DATE/TIME ANALYZED
5030B	5030 10 mL Purge Prep	1	182472		06/02/2006 1910
5030B	5030 10 mL Purge Prep	2	182632		06/05/2006 1907
8260B	Volatile Organics	1	182633	182632	06/05/2006 1907
					1.00000
Lab ID: 246663-27	Client ID: LEISTER-DAIRY	Date Recvd: 05/23/2006	Sample Date: 05/22/2006		
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT # (S)	DATE/TIME ANALYZED
5030B	5030 10 mL Purge Prep	1	182472		06/02/2006 1931
5030B	5030 10 mL Purge Prep	2	182632		06/05/2006 1928
8260B	Volatile Organics	1	182633	182632	06/05/2006 1928
					1.00000
Lab ID: 246663-28	Client ID: TRIP BLANK	Date Recvd: 05/23/2006	Sample Date: 05/19/2006		
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT # (S)	DATE/TIME ANALYZED
5030B	5030 10 mL Purge Prep	1	182234		06/01/2006 0844
8260B	Volatile Organics	1	182236	182234	06/01/2006 0844
					1.00000

STL Chicago is part of Severn Trent Laboratories, Inc.

SURROGATE RECOVERIES REPORT

Job Number.: 246663

Report Date.: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Method.....: Volatile Organics
Method Code...: 8260B

Test Matrix...: Water
Batch(s).....: 182236

Prep Batch...: 182234

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
LCS			06/01/2006	99	110	111	112
MB			06/01/2006	113	107	117	112
246663- 1		RFW-1A	06/01/2006	107	105	112	112
246663- 2		RFW-1B	06/01/2006	105	105	114	110
246663- 3		RFW-2A	06/01/2006	104	104	111	111
246663- 4		RFW-2B	06/01/2006	106	103	112	110
246663- 5		RFW-3B	06/01/2006	106	102	113	110
246663- 8		RFW-6	06/01/2006	107	104	119	111
246663- 9		RFW-7	06/01/2006	107	103	112	111
246663- 13		RFW-13	06/01/2006	106	102	116	111
246663- 14		RFW-17	06/01/2006	107	103	117	111
246663- 28		TRIP BLANK	06/01/2006	108	104	118	108

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	62 - 127
BRFLBE	4-Bromofluorobenzene (surr)	67 - 132
DBRFLM	Dibromofluoromethane (surr)	77 - 119
TOLD8	Toluene-d8 (surr)	81 - 126

Method.....: Volatile Organics
Method Code...: 8260B

Test Matrix...: Water
Batch(s).....: 182289

Prep Batch...: 182286

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
LCS			06/01/2006	100	114	106	112
MB			06/01/2006	103	105	108	110
246663- 6		RFW-4A	06/01/2006	107	102	113	111
246663- 7		RFW-4B	06/01/2006	110	103	113	110
246663- 10		RFW-9	06/01/2006	109	104	114	111
246663- 11		RFW-11B	06/01/2006	110	103	113	111
246663- 12	D1	RFW-12B	06/01/2006	105	100	116	112
246663- 15		RFW-4B DUP	06/01/2006	109	102	113	111
246663- 16	D1	EW-2	06/01/2006	105	101	114	113

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	62 - 127
BRFLBE	4-Bromofluorobenzene (surr)	67 - 132
DBRFLM	Dibromofluoromethane (surr)	77 - 119
TOLD8	Toluene-d8 (surr)	81 - 126

Method.....: Volatile Organics
Method Code...: 8260B

Test Matrix...: Water
Batch(s).....: 182474

Prep Batch...: 182472

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
LCS			06/02/2006	100	114	106	112
MB			06/02/2006	107	105	110	110
246663- 16		EW-2	06/02/2006	106	103	112	111
246663- 17		EW-3	06/02/2006	109	104	119	112
246663- 17	D1	EW-3	06/02/2006	103	101	119	111
246663- 18		EW-4	06/02/2006	108	104	114	112

STL Chicago is part of Severn Trent Laboratories, Inc.

SURROGATE RECOVERIES REPORT

Job Number.: 246663

Report Date.: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Method.....: Volatile Organics
Method Code....: 8260B

Test Matrix...: Water
Batch(s).....: 182474

Prep Batch...: 182472

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
246663- 19		EW-5	06/02/2006	111	103	124*	110
246663- 23		EW-9	06/02/2006	111	102	118	111
246663- 24		EW-9 DUP	06/02/2006	110	100	119	113

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	62 - 127
BRFLBE	4-Bromofluorobenzene (surr)	67 - 132
DBRFLM	Dibromofluoromethane (surr)	77 - 119
TOLD8	Toluene-d8 (surr)	81 - 126

Method.....: Volatile Organics
Method Code....: 8260B

Test Matrix...: Water
Batch(s).....: 182633

Prep Batch...: 182632

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
LCS			06/05/2006	101	116	106	113
MB			06/05/2006	115	112	114	112
246663- 12		RFW-12B	06/05/2006	102	107	106	113
246663- 18	D1	EW-4	06/05/2006	98	106	107	112
246663- 19	D1	EW-5	06/05/2006	98	107	106	112
246663- 20		EW-6	06/05/2006	105	108	109	111
246663- 21		EW-7	06/05/2006	109	105	115	111
246663- 22		EW-8	06/05/2006	106	107	113	112
246663- 23	D1	EW-9	06/05/2006	102	105	113	112
246663- 24	D1	EW-9 DUP	06/05/2006	101	106	110	111
246663- 25		EW-10	06/05/2006	107	107	115	111
246663- 26		LEISTER-1	06/05/2006	108	104	115	110
246663- 27		LEISTER-DAIRY	06/05/2006	107	108	114	111

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	62 - 127
BRFLBE	4-Bromofluorobenzene (surr)	67 - 132
DBRFLM	Dibromofluoromethane (surr)	77 - 119
TOLD8	Toluene-d8 (surr)	81 - 126

Job Number.: 246663

QUALITY CONTROL RESULTS

Report Date.: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 8260B
 Method Description.: Volatile Organics

Equipment Code....: GCL16
 Batch.....: 182236

Analyst...: jdn

LCS	Laboratory Control Sample	VO6E31DSA	182234-002	06/01/2006 0158
-----	---------------------------	-----------	------------	-----------------

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F
Dichlorodifluoromethane	ug/L	30.096		25.000	1.000	U 120	% 24-171	
Chloromethane	ug/L	29.928		25.000	1.000	U 120	% 31-182	
Vinyl chloride	ug/L	33.246		25.000	1.000	U 133	% 52-134	
Bromomethane	ug/L	38.229		25.000	1.000	U 153	% 31-188	
Chloroethane	ug/L	31.116		25.000	1.000	U 124	% 58-148	
Trichlorofluoromethane	ug/L	30.383		25.000	1.000	U 122	% 54-142	
1,1-Dichloroethene	ug/L	22.884		25.000	1.000	U 92	% 51-136	
Carbon disulfide	ug/L	21.826		25.000	5.000	U 87	% 21-111	
Acetone	ug/L	15.345		25.000	5.000	U 61	% 14-177	
Methylene chloride	ug/L	23.211		25.000	1.000	U 93	% 64-127	
trans-1,2-Dichloroethene	ug/L	22.882		25.000	1.000	U 92	% 62-138	
1,1-Dichloroethane	ug/L	23.404		25.000	1.000	U 94	% 70-124	
2,2-Dichloropropane	ug/L	24.572		25.000	1.000	U 98	% 68-127	
cis-1,2-Dichloroethene	ug/L	24.108		25.000	1.000	U 96	% 76-125	
2-Butanone (MEK)	ug/L	16.078		25.000	5.000	U 64	% 29-139	
Bromochloromethane	ug/L	20.316		25.000	1.000	U 81	% 57-116	
Chloroform	ug/L	23.553		25.000	1.000	U 94	% 75-122	
1,1,1-Trichloroethane	ug/L	24.188		25.000	1.000	U 97	% 70-127	
1,1-Dichloropropene	ug/L	23.963		25.000	1.000	U 96	% 70-125	
Carbon tetrachloride	ug/L	22.862		25.000	1.000	U 91	% 64-132	
Benzene	ug/L	23.580		25.000	1.000	U 94	% 75-122	
1,2-Dichloroethane	ug/L	19.977		25.000	1.000	U 80	% 67-120	
Trichloroethene	ug/L	22.795		25.000	1.000	U 91	% 75-124	
1,2-Dichloropropane	ug/L	22.580		25.000	1.000	U 90	% 76-116	
Dibromomethane	ug/L	20.068		25.000	1.000	U 80	% 68-116	
Bromodichloromethane	ug/L	22.936		25.000	1.000	U 92	% 75-125	
cis-1,3-Dichloropropene	ug/L	20.142		26.000	1.000	U 77	% 72-115	
4-Methyl-2-pentanone (MIBK)	ug/L	16.448		25.000	5.000	U 66	% 39-137	
Toluene	ug/L	25.284		25.000	1.000	U 101	% 77-120	
trans-1,3-Dichloropropene	ug/L	17.482		24.000	1.000	U 73	% 68-119	
1,1,2-Trichloroethane	ug/L	21.239		25.000	1.000	U 85	% 63-127	
Tetrachloroethene	ug/L	25.071		25.000	1.000	U 100	% 70-125	
1,3-Dichloropropane	ug/L	21.518		25.000	1.000	U 86	% 72-118	
2-Hexanone	ug/L	15.506		25.000	5.000	U 62	% 36-144	
Dibromochloromethane	ug/L	20.976		25.000	1.000	U 84	% 73-116	
1,2-Dibromoethane (EDB)	ug/L	19.572		25.000	1.000	U 78	% 62-123	
Chlorobenzene	ug/L	23.822		25.000	1.000	U 95	% 76-116	
1,1,1,2-Tetrachloroethane	ug/L	24.282		25.000	1.000	U 97	% 77-120	
Ethylbenzene	ug/L	27.236		25.000	1.000	U 109	% 75-125	
m&p-Xylenes	ug/L	54.136		50.000	2.000	U 108	% 75-123	
o-Xylene	ug/L	27.577		25.000	1.000	U 110	% 76-121	
Styrene	ug/L	24.255		25.000	1.000	U 97	% 77-128	
Bromoform	ug/L	17.010		25.000	1.000	U 68	% 65-115	
Isopropylbenzene	ug/L	26.214		25.000	1.000	U 105	% 64-119	
Bromobenzene	ug/L	24.611		25.000	1.000	U 98	% 76-118	
1,1,2,2-Tetrachloroethane	ug/L	20.071		25.000	1.000	U 80	% 61-122	
1,2,3-Trichloropropane	ug/L	19.805		25.000	1.000	U 79	% 62-124	
n-Propylbenzene	ug/L	26.122		25.000	1.000	U 104	% 69-132	
2-Chlorotoluene	ug/L	27.695		25.000	1.000	U 111	% 70-127	
1,3,5-Trimethylbenzene	ug/L	26.595		25.000	1.000	U 106	% 70-132	

Job Number.: 246663

QUALITY CONTROL RESULTS

Report Date.: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

LCS	Laboratory Control Sample	V06E31DSA	182234-002		06/01/2006	0158
-----	---------------------------	-----------	------------	--	------------	------

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
4-Chlorotoluene	ug/L	27.057		25.000	1.000	U 108	%	70-126	
tert-Butylbenzene	ug/L	26.917		25.000	1.000	U 108	%	70-133	
1,2,4-Trimethylbenzene	ug/L	25.956		25.000	1.000	U 104	%	71-131	
sec-Butylbenzene	ug/L	26.682		25.000	1.000	U 107	%	70-134	
1,3-Dichlorobenzene	ug/L	24.669		25.000	1.000	U 99	%	71-120	
p-Isopropyltoluene	ug/L	27.671		25.000	1.000	U 111	%	66-130	
1,4-Dichlorobenzene	ug/L	23.382		25.000	1.000	U 94	%	70-118	
n-Butylbenzene	ug/L	25.895		25.000	1.000	U 104	%	64-142	
1,2-Dichlorobenzene	ug/L	24.691		25.000	1.000	U 99	%	72-118	
1,2-Dibromo-3-chloropropane	ug/L	16.599		25.000	1.000	U 66	%	57-119	
1,2,4-Trichlorobenzene	ug/L	24.116		25.000	1.000	U 96	%	60-132	
Hexachlorobutadiene	ug/L	29.204		25.000	1.000	U 117	%	63-145	
Naphthalene	ug/L	19.786		25.000	1.000	U 79	%	57-128	
1,2,3-Trichlorobenzene	ug/L	23.301		25.000	1.000	U 93	%	66-124	

Job Number.: 246663

QUALITY CONTROL RESULTS

Report Date.: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 8260B
 Method Description.: Volatile Organics

Equipment Code....: GCL16
 Batch.....: 182236

Analyst...: jdn

MB	Method Blank	182234-001	06/01/2006	0136
----	--------------	------------	------------	------

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F
Dichlorodifluoromethane	ug/L	1.000	U					
Chloromethane	ug/L	1.000	U					
Vinyl chloride	ug/L	1.000	U					
Bromomethane	ug/L	1.000	U					
Chloroethane	ug/L	1.000	U					
Trichlorofluoromethane	ug/L	1.000	U					
1,1-Dichloroethene	ug/L	1.000	U					
Carbon disulfide	ug/L	5.000	U					
Acetone	ug/L	5.000	U					
Methylene chloride	ug/L	1.000	U					
trans-1,2-Dichloroethene	ug/L	1.000	U					
1,1-Dichloroethane	ug/L	1.000	U					
2,2-Dichloropropane	ug/L	1.000	U					
cis-1,2-Dichloroethene	ug/L	1.000	U					
2-Butanone (MEK)	ug/L	5.000	U					
Bromochloromethane	ug/L	1.000	U					
Chloroform	ug/L	1.000	U					
1,1,1-Trichloroethane	ug/L	1.000	U					
1,1-Dichloropropene	ug/L	1.000	U					
Carbon tetrachloride	ug/L	1.000	U					
Benzene	ug/L	1.000	U					
1,2-Dichloroethane	ug/L	1.000	U					
Trichloroethene	ug/L	1.000	U					
1,2-Dichloropropane	ug/L	1.000	U					
Dibromomethane	ug/L	1.000	U					
Bromodichloromethane	ug/L	1.000	U					
cis-1,3-Dichloropropene	ug/L	1.000	U					
4-Methyl-2-pentanone (MIBK)	ug/L	5.000	U					
Toluene	ug/L	1.000	U					
trans-1,3-Dichloropropene	ug/L	1.000	U					
1,1,2-Trichloroethane	ug/L	1.000	U					
Tetrachloroethene	ug/L	1.000	U					
1,3-Dichloropropane	ug/L	1.000	U					
2-Hexanone	ug/L	5.000	U					
Dibromochloromethane	ug/L	1.000	U					
1,2-Dibromoethane (EDB)	ug/L	1.000	U					
Chlorobenzene	ug/L	1.000	U					
1,1,1,2-Tetrachloroethane	ug/L	1.000	U					
Ethylbenzene	ug/L	1.000	U					
m&p-Xylenes	ug/L	2.000	U					
o-Xylene	ug/L	1.000	U					
Styrene	ug/L	1.000	U					
Bromoform	ug/L	1.000	U					
Isopropylbenzene	ug/L	1.000	U					
Bromobenzene	ug/L	1.000	U					
1,1,2,2-Tetrachloroethane	ug/L	1.000	U					
1,2,3-Trichloropropane	ug/L	1.000	U					
n-Propylbenzene	ug/L	1.000	U					
2-Chlorotoluene	ug/L	1.000	U					
1,3,5-Trimethylbenzene	ug/L	1.000	U					

Job Number.: 246663

QUALITY CONTROL RESULTS

Report Date.: 06/06/2006

CUSTOMER: Weston Solutions, Inc. PROJECT: BLACK AND DECKER ATTN: Tom Cornuet

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
MB	Method Blank		182234-001		06/01/2006	0136

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F
4-Chlorotoluene	ug/L	1.000	U					
tert-Butylbenzene	ug/L	1.000	U					
1,2,4-Trimethylbenzene	ug/L	1.000	U					
sec-Butylbenzene	ug/L	1.000	U					
1,3-Dichlorobenzene	ug/L	1.000	U					
p-Isopropyltoluene	ug/L	1.000	U					
1,4-Dichlorobenzene	ug/L	1.000	U					
n-Butylbenzene	ug/L	1.000	U					
1,2-Dichlorobenzene	ug/L	1.000	U					
1,2-Dibromo-3-chloropropane	ug/L	1.000	U					
1,2,4-Trichlorobenzene	ug/L	1.000	U					
Hexachlorobutadiene	ug/L	1.000	U					
Naphthalene	ug/L	1.000	U					
1,2,3-Trichlorobenzene	ug/L	1.000	U					

Job Number.: 246663

QUALITY CONTROL RESULTS

Report Date.: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL16
Batch.....: 182289

Analyst...: jdn

LCS	Laboratory Control Sample	V06F01DSA	182286-002	06/01/2006 1432
-----	---------------------------	-----------	------------	-----------------

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F
Dichlorodifluoromethane	ug/L	28.947		25.000	1.000	U 116	% 24-171	
Chloromethane	ug/L	27.386		25.000	1.000	U 110	% 31-182	
Vinyl chloride	ug/L	31.106		25.000	1.000	U 124	% 52-134	
Bromomethane	ug/L	37.807		25.000	1.000	U 151	% 31-188	
Chloroethane	ug/L	29.881		25.000	1.000	U 120	% 58-148	
Trichlorofluoromethane	ug/L	30.534		25.000	1.000	U 122	% 54-142	
1,1-Dichloroethene	ug/L	21.314		25.000	1.000	U 85	% 51-136	
Carbon disulfide	ug/L	20.614		25.000	5.000	U 82	% 21-111	
Acetone	ug/L	14.417		25.000	5.000	U 58	% 14-177	
Methylene chloride	ug/L	20.717		25.000	1.000	U 83	% 64-127	
trans-1,2-Dichloroethene	ug/L	21.568		25.000	1.000	U 86	% 62-138	
1,1-Dichloroethane	ug/L	22.009		25.000	1.000	U 88	% 70-124	
2,2-Dichloropropane	ug/L	26.036		25.000	1.000	U 104	% 68-127	
cis-1,2-Dichloroethene	ug/L	22.206		25.000	1.000	U 89	% 76-125	
2-Butanone (MEK)	ug/L	13.326		25.000	5.000	U 53	% 29-139	
Bromochloromethane	ug/L	19.403		25.000	1.000	U 78	% 57-116	
Chloroform	ug/L	22.047		25.000	1.000	U 88	% 75-122	
1,1,1-Trichloroethane	ug/L	23.585		25.000	1.000	U 94	% 70-127	
1,1-Dichloropropene	ug/L	23.075		25.000	1.000	U 92	% 70-125	
Carbon tetrachloride	ug/L	23.948		25.000	1.000	U 96	% 64-132	
Benzene	ug/L	22.831		25.000	1.000	U 91	% 75-122	
1,2-Dichloroethane	ug/L	19.737		25.000	1.000	U 79	% 67-120	
Trichloroethene	ug/L	22.384		25.000	1.000	U 90	% 75-124	
1,2-Dichloropropane	ug/L	21.986		25.000	1.000	U 88	% 76-116	
Dibromomethane	ug/L	19.303		25.000	1.000	U 77	% 68-116	
Bromodichloromethane	ug/L	22.600		25.000	1.000	U 90	% 75-125	
cis-1,3-Dichloropropene	ug/L	20.861		26.000	1.000	U 80	% 72-115	
4-Methyl-2-pentanone (MIBK)	ug/L	16.382		25.000	5.000	U 66	% 39-137	
Toluene	ug/L	24.715		25.000	1.000	U 99	% 77-120	
trans-1,3-Dichloropropene	ug/L	17.770		24.000	1.000	U 74	% 68-119	
1,1,2-Trichloroethane	ug/L	19.765		25.000	1.000	U 79	% 63-127	
Tetrachloroethene	ug/L	26.100		25.000	1.000	U 104	% 70-125	
1,3-Dichloropropane	ug/L	20.893		25.000	1.000	U 84	% 72-118	
2-Hexanone	ug/L	15.340		25.000	5.000	U 61	% 36-144	
Dibromochloromethane	ug/L	21.576		25.000	1.000	U 86	% 73-116	
1,2-Dibromoethane (EDB)	ug/L	19.303		25.000	1.000	U 77	% 62-123	
Chlorobenzene	ug/L	23.646		25.000	1.000	U 95	% 76-116	
1,1,1,2-Tetrachloroethane	ug/L	24.351		25.000	1.000	U 97	% 77-120	
Ethylbenzene	ug/L	27.247		25.000	1.000	U 109	% 75-125	
m&p-Xylenes	ug/L	55.074		50.000	2.000	U 110	% 75-123	
o-Xylene	ug/L	27.338		25.000	1.000	U 109	% 76-121	
Styrene	ug/L	24.122		25.000	1.000	U 96	% 77-128	
Bromoform	ug/L	17.456		25.000	1.000	U 70	% 65-115	
Isopropylbenzene	ug/L	25.122		25.000	1.000	U 100	% 64-119	
Bromobenzene	ug/L	23.499		25.000	1.000	U 94	% 76-118	
1,1,2,2-Tetrachloroethane	ug/L	19.123		25.000	1.000	U 76	% 61-122	
1,2,3-Trichloropropane	ug/L	18.211		25.000	1.000	U 73	% 62-124	
n-Propylbenzene	ug/L	25.658		25.000	1.000	U 103	% 69-132	
2-Chlorotoluene	ug/L	26.451		25.000	1.000	U 106	% 70-127	
1,3,5-Trimethylbenzene	ug/L	25.583		25.000	1.000	U 102	% 70-132	

QUALITY CONTROL RESULTS

Job Number.: 246663

Report Date.: 06/06/2006

CUSTOMER: Weston Solutions, Inc.		PROJECT: BLACK AND DECKER		ATTN: Tom Cornuet	
QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date Time

LCS	Laboratory Control Sample	V06F01DSA	182286-002		06/01/2006 1432
-----	---------------------------	-----------	------------	--	-----------------

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
4-Chlorotoluene	ug/L	25.974		25.000	1.000	U 104	%	70-126	
tert-Butylbenzene	ug/L	25.979		25.000	1.000	U 104	%	70-133	
1,2,4-Trimethylbenzene	ug/L	25.147		25.000	1.000	U 101	%	71-131	
sec-Butylbenzene	ug/L	26.054		25.000	1.000	U 104	%	70-134	
1,3-Dichlorobenzene	ug/L	23.956		25.000	1.000	U 96	%	71-120	
p-Isopropyltoluene	ug/L	27.251		25.000	1.000	U 109	%	66-130	
1,4-Dichlorobenzene	ug/L	22.715		25.000	1.000	U 91	%	70-118	
n-Butylbenzene	ug/L	26.696		25.000	1.000	U 107	%	64-142	
1,2-Dichlorobenzene	ug/L	23.413		25.000	1.000	U 94	%	72-118	
1,2-Dibromo-3-chloropropane	ug/L	15.682		25.000	1.000	U 63	%	57-119	
1,2,4-Trichlorobenzene	ug/L	24.067		25.000	1.000	U 96	%	60-132	
Hexachlorobutadiene	ug/L	29.345		25.000	1.000	U 117	%	63-145	
Naphthalene	ug/L	18.321		25.000	1.000	U 73	%	57-128	
1,2,3-Trichlorobenzene	ug/L	22.351		25.000	1.000	U 89	%	66-124	

Job Number.: 246663

QUALITY CONTROL RESULTS

Report Date.: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL16
Batch.....: 182289

Analyst....: jdn

MB	Method Blank	182286-001	06/01/2006 1411
----	--------------	------------	-----------------

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F
Dichlorodifluoromethane	ug/L	1.000	U					
Chloromethane	ug/L	1.000	U					
Vinyl chloride	ug/L	1.000	U					
Bromomethane	ug/L	1.000	U					
Chloroethane	ug/L	1.000	U					
Trichlorofluoromethane	ug/L	1.000	U					
1,1-Dichloroethene	ug/L	1.000	U					
Carbon disulfide	ug/L	5.000	U					
Acetone	ug/L	5.000	U					
Methylene chloride	ug/L	1.000	U					
trans-1,2-Dichloroethene	ug/L	1.000	U					
1,1-Dichloroethane	ug/L	1.000	U					
2,2-Dichloropropane	ug/L	1.000	U					
cis-1,2-Dichloroethene	ug/L	1.000	U					
2-Butanone (MEK)	ug/L	5.000	U					
Bromochloromethane	ug/L	1.000	U					
Chloroform	ug/L	1.000	U					
1,1,1-Trichloroethane	ug/L	1.000	U					
1,1-Dichloropropene	ug/L	1.000	U					
Carbon tetrachloride	ug/L	1.000	U					
Benzene	ug/L	1.000	U					
1,2-Dichloroethane	ug/L	1.000	U					
Trichloroethene	ug/L	1.000	U					
1,2-Dichloropropane	ug/L	1.000	U					
Dibromomethane	ug/L	1.000	U					
Bromodichloromethane	ug/L	1.000	U					
cis-1,3-Dichloropropene	ug/L	1.000	U					
4-Methyl-2-pentanone (MIBK)	ug/L	5.000	U					
Toluene	ug/L	1.000	U					
trans-1,3-Dichloropropene	ug/L	1.000	U					
1,1,2-Trichloroethane	ug/L	1.000	U					
Tetrachloroethene	ug/L	1.000	U					
1,3-Dichloropropane	ug/L	1.000	U					
2-Hexanone	ug/L	5.000	U					
Dibromochloromethane	ug/L	1.000	U					
1,2-Dibromoethane (EDB)	ug/L	1.000	U					
Chlorobenzene	ug/L	1.000	U					
1,1,1,2-Tetrachloroethane	ug/L	1.000	U					
Ethylbenzene	ug/L	1.000	U					
m&p-Xylenes	ug/L	2.000	U					
o-Xylene	ug/L	1.000	U					
Styrene	ug/L	1.000	U					
Bromoform	ug/L	1.000	U					
Isopropylbenzene	ug/L	1.000	U					
Bromobenzene	ug/L	1.000	U					
1,1,2,2-Tetrachloroethane	ug/L	1.000	U					
1,2,3-Trichloropropane	ug/L	1.000	U					
n-Propylbenzene	ug/L	1.000	U					
2-Chlorotoluene	ug/L	1.000	U					
1,3,5-Trimethylbenzene	ug/L	1.000	U					

Job Number.: 246663

QUALITY CONTROL RESULTS

Report Date.: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
MB	Method Blank		182286-001		06/01/2006	1411

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F
4-Chlorotoluene	ug/L	1.000	U					
tert-Butylbenzene	ug/L	1.000	U					
1,2,4-Trimethylbenzene	ug/L	1.000	U					
sec-Butylbenzene	ug/L	1.000	U					
1,3-Dichlorobenzene	ug/L	1.000	U					
p-Isopropyltoluene	ug/L	1.000	U					
1,4-Dichlorobenzene	ug/L	1.000	U					
n-Butylbenzene	ug/L	1.000	U					
1,2-Dichlorobenzene	ug/L	1.000	U					
1,2-Dibromo-3-chloropropane	ug/L	1.000	U					
1,2,4-Trichlorobenzene	ug/L	1.000	U					
Hexachlorobutadiene	ug/L	1.000	U					
Naphthalene	ug/L	1.000	U					
1,2,3-Trichlorobenzene	ug/L	1.000	U					

Job Number.: 246663

QUALITY CONTROL RESULTS

Report Date.: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 8260B
 Method Description.: Volatile Organics

Equipment Code....: GCL16
 Batch.....: 182474

Analyst...: jdn

LCS	Laboratory Control Sample	VO6F02DSA	182472-002		06/02/2006 1035
-----	---------------------------	-----------	------------	--	-----------------

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F
Dichlorodifluoromethane	ug/L	29.107		25.000	1.000	U 116	% 24-171	
Chloromethane	ug/L	29.168		25.000	1.000	U 117	% 31-182	
Vinyl chloride	ug/L	31.786		25.000	1.000	U 127	% 52-134	
Bromomethane	ug/L	37.929		25.000	1.000	U 152	% 31-188	
Chloroethane	ug/L	30.592		25.000	1.000	U 122	% 58-148	
Trichlorofluoromethane	ug/L	32.110		25.000	1.000	U 128	% 54-142	
1,1-Dichloroethene	ug/L	21.859		25.000	1.000	U 87	% 51-136	
Carbon disulfide	ug/L	20.714		25.000	5.000	U 83	% 21-111	
Acetone	ug/L	14.852		25.000	5.000	U 59	% 14-177	
Methylene chloride	ug/L	21.649		25.000	1.000	U 87	% 64-127	
trans-1,2-Dichloroethene	ug/L	22.055		25.000	1.000	U 88	% 62-138	
1,1-Dichloroethane	ug/L	22.703		25.000	1.000	U 91	% 70-124	
2,2-Dichloropropane	ug/L	26.297		25.000	1.000	U 105	% 68-127	
cis-1,2-Dichloroethene	ug/L	22.638		25.000	1.000	U 91	% 76-125	
2-Butanone (MEK)	ug/L	14.608		25.000	5.000	U 58	% 29-139	
Bromochloromethane	ug/L	19.299		25.000	1.000	U 77	% 57-116	
Chloroform	ug/L	22.764		25.000	1.000	U 91	% 75-122	
1,1,1-Trichloroethane	ug/L	24.405		25.000	1.000	U 98	% 70-127	
1,1-Dichloropropene	ug/L	23.686		25.000	1.000	U 95	% 70-125	
Carbon tetrachloride	ug/L	25.037		25.000	1.000	U 100	% 64-132	
Benzene	ug/L	23.698		25.000	1.000	U 95	% 75-122	
1,2-Dichloroethane	ug/L	21.121		25.000	1.000	U 84	% 67-120	
Trichloroethene	ug/L	23.426		25.000	1.000	U 94	% 75-124	
1,2-Dichloropropane	ug/L	22.725		25.000	1.000	U 91	% 76-116	
Dibromomethane	ug/L	20.313		25.000	1.000	U 81	% 68-116	
Bromodichloromethane	ug/L	23.910		25.000	1.000	U 96	% 75-125	
cis-1,3-Dichloropropene	ug/L	21.583		26.000	1.000	U 83	% 72-115	
4-Methyl-2-pentanone (MIBK)	ug/L	17.456		25.000	5.000	U 70	% 39-137	
Toluene	ug/L	25.559		25.000	1.000	U 102	% 77-120	
trans-1,3-Dichloropropene	ug/L	18.727		24.000	1.000	U 78	% 68-119	
1,1,2-Trichloroethane	ug/L	20.980		25.000	1.000	U 84	% 63-127	
Tetrachloroethene	ug/L	27.340		25.000	1.000	U 109	% 70-125	
1,3-Dichloropropane	ug/L	21.965		25.000	1.000	U 88	% 72-118	
2-Hexanone	ug/L	16.477		25.000	5.000	U 66	% 36-144	
Dibromochloromethane	ug/L	23.290		25.000	1.000	U 93	% 73-116	
1,2-Dibromoethane (EDB)	ug/L	20.260		25.000	1.000	U 81	% 62-123	
Chlorobenzene	ug/L	24.425		25.000	1.000	U 98	% 76-116	
1,1,1,2-Tetrachloroethane	ug/L	25.625		25.000	1.000	U 102	% 77-120	
Ethylbenzene	ug/L	28.028		25.000	1.000	U 112	% 75-125	
m&p-Xylenes	ug/L	56.351		50.000	2.000	U 113	% 75-123	
o-Xylene	ug/L	28.289		25.000	1.000	U 113	% 76-121	
Styrene	ug/L	24.810		25.000	1.000	U 99	% 77-128	
Bromoform	ug/L	18.887		25.000	1.000	U 76	% 65-115	
Isopropylbenzene	ug/L	25.734		25.000	1.000	U 103	% 64-119	
Bromobenzene	ug/L	24.620		25.000	1.000	U 98	% 76-118	
1,1,2,2-Tetrachloroethane	ug/L	20.521		25.000	1.000	U 82	% 61-122	
1,2,3-Trichloropropane	ug/L	18.681		25.000	1.000	U 75	% 62-124	
n-Propylbenzene	ug/L	26.590		25.000	1.000	U 106	% 69-132	
2-Chlorotoluene	ug/L	27.248		25.000	1.000	U 109	% 70-127	
1,3,5-Trimethylbenzene	ug/L	26.869		25.000	1.000	U 107	% 70-132	

Job Number.: 246663

QUALITY CONTROL RESULTS

Report Date.: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
LCS	Laboratory Control Sample	V06F02DSA	182472-002		06/02/2006	1035

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
4-Chlorotoluene	ug/L	27.014		25.000	1.000	U 108	%	70-126	
tert-Butylbenzene	ug/L	26.736		25.000	1.000	U 107	%	70-133	
1,2,4-Trimethylbenzene	ug/L	26.136		25.000	1.000	U 105	%	71-131	
sec-Butylbenzene	ug/L	26.809		25.000	1.000	U 107	%	70-134	
1,3-Dichlorobenzene	ug/L	25.135		25.000	1.000	U 101	%	71-120	
p-Isopropyltoluene	ug/L	28.211		25.000	1.000	U 113	%	66-130	
1,4-Dichlorobenzene	ug/L	23.582		25.000	1.000	U 94	%	70-118	
n-Butylbenzene	ug/L	27.315		25.000	1.000	U 109	%	64-142	
1,2-Dichlorobenzene	ug/L	24.296		25.000	1.000	U 97	%	72-118	
1,2-Dibromo-3-chloropropane	ug/L	17.412		25.000	1.000	U 70	%	57-119	
1,2,4-Trichlorobenzene	ug/L	25.084		25.000	1.000	U 100	%	60-132	
Hexachlorobutadiene	ug/L	30.506		25.000	1.000	U 122	%	63-145	
Naphthalene	ug/L	19.174		25.000	1.000	U 77	%	57-128	
1,2,3-Trichlorobenzene	ug/L	23.866		25.000	1.000	U 95	%	66-124	

Job Number.: 246663

QUALITY CONTROL RESULTS

Report Date.: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 8260B
 Method Description.: Volatile Organics

Equipment Code....: GCL16
 Batch.....: 182474

Analyst...: jdn

NB	Method Blank	182472-001	06/02/2006	1014
----	--------------	------------	------------	------

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F
Dichlorodifluoromethane	ug/L	1.000	U					
Chloromethane	ug/L	1.000	U					
Vinyl chloride	ug/L	1.000	U					
Bromomethane	ug/L	1.000	U					
Chloroethane	ug/L	1.000	U					
Trichlorofluoromethane	ug/L	1.000	U					
1,1-Dichloroethene	ug/L	1.000	U					
Carbon disulfide	ug/L	5.000	U					
Acetone	ug/L	5.000	U					
Methylene chloride	ug/L	1.000	U					
trans-1,2-Dichloroethene	ug/L	1.000	U					
1,1-Dichloroethane	ug/L	1.000	U					
2,2-Dichloropropane	ug/L	1.000	U					
cis-1,2-Dichloroethene	ug/L	1.000	U					
2-Butanone (MEK)	ug/L	5.000	U					
Bromochloromethane	ug/L	1.000	U					
Chloroform	ug/L	1.000	U					
1,1,1-Trichloroethane	ug/L	1.000	U					
1,1-Dichloropropene	ug/L	1.000	U					
Carbon tetrachloride	ug/L	1.000	U					
Benzene	ug/L	1.000	U					
1,2-Dichloroethane	ug/L	1.000	U					
Trichloroethene	ug/L	1.000	U					
1,2-Dichloropropane	ug/L	1.000	U					
Dibromomethane	ug/L	1.000	U					
Bromodichloromethane	ug/L	1.000	U					
cis-1,3-Dichloropropene	ug/L	1.000	U					
4-Methyl-2-pentanone (MIBK)	ug/L	5.000	U					
Toluene	ug/L	1.000	U					
trans-1,3-Dichloropropene	ug/L	1.000	U					
1,1,2-Trichloroethane	ug/L	1.000	U					
Tetrachloroethene	ug/L	1.000	U					
1,3-Dichloropropane	ug/L	1.000	U					
2-Hexanone	ug/L	5.000	U					
Dibromochloromethane	ug/L	1.000	U					
1,2-Dibromoethane (EDB)	ug/L	1.000	U					
Chlorobenzene	ug/L	1.000	U					
1,1,1,2-Tetrachloroethane	ug/L	1.000	U					
Ethylbenzene	ug/L	1.000	U					
m&p-Xylenes	ug/L	2.000	U					
o-Xylene	ug/L	1.000	U					
Styrene	ug/L	1.000	U					
Bromoform	ug/L	1.000	U					
Isopropylbenzene	ug/L	1.000	U					
Bromobenzene	ug/L	1.000	U					
1,1,2,2-Tetrachloroethane	ug/L	1.000	U					
1,2,3-Trichloropropane	ug/L	1.000	U					
n-Propylbenzene	ug/L	1.000	U					
2-Chlorotoluene	ug/L	1.000	U					
1,3,5-Trimethylbenzene	ug/L	1.000	U					

Job Number.: 246663

QUALITY CONTROL RESULTS

Report Date.: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
MB	Method Blank		182472-001		06/02/2006	1014

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F
4-Chlorotoluene	ug/L	1.000	U					
tert-Butylbenzene	ug/L	1.000	U					
1,2,4-Trimethylbenzene	ug/L	1.000	U					
sec-Butylbenzene	ug/L	1.000	U					
1,3-Dichlorobenzene	ug/L	1.000	U					
p-Isopropyltoluene	ug/L	1.000	U					
1,4-Dichlorobenzene	ug/L	1.000	U					
n-Butylbenzene	ug/L	1.000	U					
1,2-Dichlorobenzene	ug/L	1.000	U					
1,2-Dibromo-3-chloropropane	ug/L	1.000	U					
1,2,4-Trichlorobenzene	ug/L	1.000	U					
Hexachlorobutadiene	ug/L	1.000	U					
Naphthalene	ug/L	1.000	U					
1,2,3-Trichlorobenzene	ug/L	1.000	U					

Job Number.: 246663

QUALITY CONTROL RESULTS

Report Date.: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 8260B
 Method Description.: Volatile Organics

Equipment Code....: GCL16
 Batch.....: 182633

Analyst....: jdn

LCS	Laboratory Control Sample	V06F05DSA	182632-002		06/05/2006 0912
-----	---------------------------	-----------	------------	--	-----------------

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Dichlorodifluoromethane	ug/L	27.623		25.000	1.000	U 110	%	24-171	
Chloromethane	ug/L	25.740		25.000	1.000	U 103	%	31-182	
Vinyl chloride	ug/L	29.291		25.000	1.000	U 117	%	52-134	
Bromomethane	ug/L	35.777		25.000	1.000	U 143	%	31-188	
Chloroethane	ug/L	29.337		25.000	1.000	U 117	%	58-148	
Trichlorofluoromethane	ug/L	29.814		25.000	1.000	U 119	%	54-142	
1,1-Dichloroethene	ug/L	20.157		25.000	1.000	U 81	%	51-136	
Carbon disulfide	ug/L	18.845		25.000	5.000	U 75	%	21-111	
Acetone	ug/L	19.288		25.000	5.000	U 77	%	14-177	
Methylene chloride	ug/L	20.441		25.000	1.000	U 82	%	64-127	
trans-1,2-Dichloroethene	ug/L	20.758		25.000	1.000	U 83	%	62-138	
1,1-Dichloroethane	ug/L	21.082		25.000	1.000	U 84	%	70-124	
2,2-Dichloropropane	ug/L	24.279		25.000	1.000	U 97	%	68-127	
cis-1,2-Dichloroethene	ug/L	21.308		25.000	1.000	U 85	%	76-125	
2-Butanone (MEK)	ug/L	16.449		25.000	5.000	U 66	%	29-139	
Bromochloromethane	ug/L	18.692		25.000	1.000	U 75	%	57-116	
Chloroform	ug/L	21.357		25.000	1.000	U 85	%	75-122	
1,1,1-Trichloroethane	ug/L	23.023		25.000	1.000	U 92	%	70-127	
1,1-Dichloropropene	ug/L	22.434		25.000	1.000	U 90	%	70-125	
Carbon tetrachloride	ug/L	23.324		25.000	1.000	U 93	%	64-132	
Benzene	ug/L	22.136		25.000	1.000	U 89	%	75-122	
1,2-Dichloroethane	ug/L	19.657		25.000	1.000	U 79	%	67-120	
Trichloroethene	ug/L	21.942		25.000	1.000	U 88	%	75-124	
1,2-Dichloropropane	ug/L	21.051		25.000	1.000	U 84	%	76-116	
Dibromomethane	ug/L	19.168		25.000	1.000	U 77	%	68-116	
Bromodichloromethane	ug/L	22.678		25.000	1.000	U 91	%	75-125	
cis-1,3-Dichloropropene	ug/L	20.458		26.000	1.000	U 79	%	72-115	
4-Methyl-2-pentanone (MIBK)	ug/L	16.587		25.000	5.000	U 66	%	39-137	
Toluene	ug/L	24.228		25.000	1.000	U 97	%	77-120	
trans-1,3-Dichloropropene	ug/L	17.674		24.000	1.000	U 74	%	68-119	
1,1,2-Trichloroethane	ug/L	19.339		25.000	1.000	U 77	%	63-127	
Tetrachloroethene	ug/L	25.999		25.000	1.000	U 104	%	70-125	
1,3-Dichloropropane	ug/L	20.709		25.000	1.000	U 83	%	72-118	
2-Hexanone	ug/L	16.285		25.000	5.000	U 65	%	36-144	
Dibromochloromethane	ug/L	22.245		25.000	1.000	U 89	%	73-116	
1,2-Dibromoethane (EDB)	ug/L	19.034		25.000	1.000	U 76	%	62-123	
Chlorobenzene	ug/L	23.050		25.000	1.000	U 92	%	76-116	
1,1,1,2-Tetrachloroethane	ug/L	24.049		25.000	1.000	U 96	%	77-120	
Ethylbenzene	ug/L	26.325		25.000	1.000	U 105	%	75-125	
m&p-Xylenes	ug/L	53.078		50.000	2.000	U 106	%	75-123	
o-Xylene	ug/L	26.485		25.000	1.000	U 106	%	76-121	
Styrene	ug/L	23.493		25.000	1.000	U 94	%	77-128	
Bromoform	ug/L	18.400		25.000	1.000	U 74	%	65-115	
Isopropylbenzene	ug/L	23.683		25.000	1.000	U 95	%	64-119	
Bromobenzene	ug/L	22.276		25.000	1.000	U 89	%	76-118	
1,1,2,2-Tetrachloroethane	ug/L	18.677		25.000	1.000	U 75	%	61-122	
1,2,3-Trichloropropane	ug/L	17.943		25.000	1.000	U 72	%	62-124	
n-Propylbenzene	ug/L	24.255		25.000	1.000	U 97	%	69-132	
2-Chlorotoluene	ug/L	25.073		25.000	1.000	U 100	%	70-127	
1,3,5-Trimethylbenzene	ug/L	24.431		25.000	1.000	U 98	%	70-132	

Job Number.: 246663

QUALITY CONTROL RESULTS

Report Date.: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
LCS	Laboratory Control Sample	V06F05DSA	182632-002		06/05/2006	0912

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
4-Chlorotoluene	ug/L	25.070		25.000	1.000	U 100	%	70-126	
tert-Butylbenzene	ug/L	24.800		25.000	1.000	U 99	%	70-133	
1,2,4-Trimethylbenzene	ug/L	24.174		25.000	1.000	U 97	%	71-131	
sec-Butylbenzene	ug/L	24.725		25.000	1.000	U 99	%	70-134	
1,3-Dichlorobenzene	ug/L	23.197		25.000	1.000	U 93	%	71-120	
p-Isopropyltoluene	ug/L	26.218		25.000	1.000	U 105	%	66-130	
1,4-Dichlorobenzene	ug/L	21.831		25.000	1.000	U 87	%	70-118	
n-Butylbenzene	ug/L	25.730		25.000	1.000	U 103	%	64-142	
1,2-Dichlorobenzene	ug/L	22.510		25.000	1.000	U 90	%	72-118	
1,2-Dibromo-3-chloropropane	ug/L	16.147		25.000	1.000	U 65	%	57-119	
1,2,4-Trichlorobenzene	ug/L	24.088		25.000	1.000	U 96	%	60-132	
Hexachlorobutadiene	ug/L	29.349		25.000	1.000	U 117	%	63-145	
Naphthalene	ug/L	17.417		25.000	1.000	U 70	%	57-128	
1,2,3-Trichlorobenzene	ug/L	22.892		25.000	1.000	U 92	%	66-124	

Job Number.: 246663

QUALITY CONTROL RESULTS

Report Date.: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
---------	-------------	------------	--------	-----------------	------	------

Test Method.....: 8260B
 Method Description.: Volatile Organics

Equipment Code....: GCL16
 Batch.....: 182633

Analyst...: jdn

MB	Method Blank	182632-001	06/05/2006	0850
----	--------------	------------	------------	------

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F
Dichlorodifluoromethane	ug/L	1.000	U					
Chloromethane	ug/L	1.000	U					
Vinyl chloride	ug/L	1.000	U					
Bromomethane	ug/L	1.000	U					
Chloroethane	ug/L	1.000	U					
Trichlorofluoromethane	ug/L	1.000	U					
1,1-Dichloroethene	ug/L	1.000	U					
Carbon disulfide	ug/L	5.000	U					
Acetone	ug/L	5.000	U					
Methylene chloride	ug/L	1.000	U					
trans-1,2-Dichloroethene	ug/L	1.000	U					
1,1-Dichloroethane	ug/L	1.000	U					
2,2-Dichloropropane	ug/L	1.000	U					
cis-1,2-Dichloroethene	ug/L	1.000	U					
2-Butanone (MEK)	ug/L	5.000	U					
Bromochloromethane	ug/L	1.000	U					
Chloroform	ug/L	1.000	U					
1,1,1-Trichloroethane	ug/L	1.000	U					
1,1-Dichloropropene	ug/L	1.000	U					
Carbon tetrachloride	ug/L	1.000	U					
Benzene	ug/L	1.000	U					
1,2-Dichloroethane	ug/L	1.000	U					
Trichloroethene	ug/L	1.000	U					
1,2-Dichloropropane	ug/L	1.000	U					
Dibromomethane	ug/L	1.000	U					
Bromodichloromethane	ug/L	1.000	U					
cis-1,3-Dichloropropene	ug/L	1.000	U					
4-Methyl-2-pentanone (MIBK)	ug/L	5.000	U					
Toluene	ug/L	1.000	U					
trans-1,3-Dichloropropene	ug/L	1.000	U					
1,1,2-Trichloroethane	ug/L	1.000	U					
Tetrachloroethene	ug/L	1.000	U					
1,3-Dichloropropane	ug/L	1.000	U					
2-Hexanone	ug/L	5.000	U					
Dibromochloromethane	ug/L	1.000	U					
1,2-Dibromoethane (EDB)	ug/L	1.000	U					
Chlorobenzene	ug/L	1.000	U					
1,1,1,2-Tetrachloroethane	ug/L	1.000	U					
Ethylbenzene	ug/L	1.000	U					
m&p-Xylenes	ug/L	2.000	U					
o-Xylene	ug/L	1.000	U					
Styrene	ug/L	1.000	U					
Bromoform	ug/L	1.000	U					
Isopropylbenzene	ug/L	1.000	U					
Bromobenzene	ug/L	1.000	U					
1,1,2,2-Tetrachloroethane	ug/L	1.000	U					
1,2,3-Trichloropropane	ug/L	1.000	U					
n-Propylbenzene	ug/L	1.000	U					
2-Chlorotoluene	ug/L	1.000	U					
1,3,5-Trimethylbenzene	ug/L	1.000	U					

Job Number.: 246663

QUALITY CONTROL RESULTS

Report Date.: 06/06/2006

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
MB	Method Blank		182632-001		06/05/2006	0850

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	* Limits	F
4-Chlorotoluene	ug/L	1.000	U					
tert-Butylbenzene	ug/L	1.000	U					
1,2,4-Trimethylbenzene	ug/L	1.000	U					
sec-Butylbenzene	ug/L	1.000	U					
1,3-Dichlorobenzene	ug/L	1.000	U					
p-Isopropyltoluene	ug/L	1.000	U					
1,4-Dichlorobenzene	ug/L	1.000	U					
n-Butylbenzene	ug/L	1.000	U					
1,2-Dichlorobenzene	ug/L	1.000	U					
1,2-Dibromo-3-chloropropane	ug/L	1.000	U					
1,2,4-Trichlorobenzene	ug/L	1.000	U					
Hexachlorobutadiene	ug/L	1.000	U					
Naphthalene	ug/L	1.000	U					
1,2,3-Trichlorobenzene	ug/L	1.000	U					

QUALITY ASSURANCE METHODS

REFERENCES AND NOTES

Report Date: 06/06/2006

REPORT COMMENTS

- 1) All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.
- 2) Soil, sediment and sludge sample results are reported on a "dry weight" basis except when analyzed for landfill disposal or incineration parameters. All other solid matrix samples are reported on an "as received" basis unless noted differently.
- 3) Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.
- 4) The test results for the noted analytical method(s) meet the requirements of NELAC. Lab Cert. ID# 100201
- 5) According to 40CFR Part 136.3, pH, Chlorine Residual and Dissolved Oxygen analyses are to be performed immediately after aqueous sample collection. When these parameters are not indicated as field (e.g. pH Field) they were not analyzed immediately, but as soon as possible on laboratory receipt.

Glossary of flags, qualifiers and abbreviations (any number of which may appear in the report)

Inorganic Qualifiers (Q-Column)

- U Analyte was not detected at or above the stated limit.
- < Not detected at or above the reporting limit.
- J Result is less than the RL, but greater than or equal to the method detection limit.
- B Result is less than the CRDL/RL, but greater than or equal to the IDL/MDL.
- S Result was determined by the Method of Standard Additions.
- F AFCEE: Result is less than the RL, but greater than or equal to the method detection limit.

Inorganic Flags (Flag Column)

- ~ ICV,CCV,ICB,CCB,ISA,ISB,CRI,CRA,MRL: Instrument related QC exceed the upper or lower control limits.
- * LCS, LCD, MD: Batch QC exceeds the upper or lower control limits.
- + MSA correlation coefficient is less than 0.995.
- 4 MS, MSD: The analyte present in the original sample is 4 times greater than the matrix spike concentration; therefore, control limits are not applicable.
- E SD: Serial dilution exceeds the control limits.
- H MB, EB1, EB2, EB3: Batch QC is greater than reporting limit or had a negative instrument reading lower than the absolute value of the reporting limit.
- N MS, MSD: Spike recovery exceeds the upper or lower control limits.
- W AS(GFAA) Post-digestion spike was outside 85-115% control limits.

Organic Qualifiers (Q - Column)

- U Analyte was not detected at or above the stated limit.
- ND Compound not detected.
- J Result is an estimated value below the reporting limit or a tentatively identified compound (TIC).
- Q Result was qualitatively confirmed, but not quantified.
- C Pesticide identification was confirmed by GC/MS.
- Y The chromatographic response resembles a typical fuel pattern.
- Z The chromatographic response does not resemble a typical fuel pattern.
- E Result exceeded calibration range, secondary dilution required.
- F AFCEE:Result is an estimated value below the reporting limit or a tentatively identified compound (TIC)

Organic Flags (Flags Column)

- B MB: Batch QC is greater than reporting limit.
- * LCS, LCD, ELC, ELD, CV, MS, MSD, Surrogate: Batch QC exceeds the upper or lower control limits.
- ~ EB1, EB2, EB3, MLE: Batch QC is greater than reporting limit
- A Concentration exceeds the instrument calibration range
- a Concentration is below the method Reporting Limit (RL)
- B Compound was found in the blank and sample.
- D Surrogate or matrix spike recoveries were not obtained because the extract was diluted for analysis; also compounds analyzed at a dilution will be flagged with a D.
- H Alternate peak selection upon analytical review
- I Indicates the presence of an interference, recovery is not calculated.
- M Manually integrated compound.
- P The lower of the two values is reported when the % difference between the results of two GC columns is

QUALITY ASSURANCE METHODS

REFERENCES AND NOTES

Report Date: 06/06/2006

greater than 25%.

Abbreviations

AS	Post Digestion Spike (GFAA Samples - See Note 1 below)
Batch	Designation given to identify a specific extraction, digestion, preparation set, or analysis set
CAP	Capillary Column CCB Continuing Calibration Blank
CCV	Continuing Calibration Verification
CF	Confirmation analysis of original
C1	Confirmation analysis of A1 or D1
C2	Confirmation analysis of A2 or D2
C3	Confirmation analysis of A3 or D3
CRA	Low Level Standard Check - GFAA; Mercury
CRI	Low Level Standard Check - ICP
CV	Calibration Verification Standard
Dil Fac	Dilution Factor - Secondary dilution analysis
D1	Dilution 1
D2	Dilution 2
D3	Dilution 3
DLFac	Detection Limit Factor
DSH	Distilled Standard - High Level
DSL	Distilled Standard - Low Level
DSM	Distilled Standard - Medium Level
EB1	Extraction Blank 1
EB2	Extraction Blank 2
EB3	DI Blank
ELC	Method Extracted LCS
ELD	Method Extracted LCD
ICAL	Initial calibration
ICB	Initial Calibration Blank
ICV	Initial Calibration Verification
IDL	Instrument Detection Limit
ISA	Interference Check Sample A - ICAP
ISB	Interference Check Sample B - ICAP
Job No.	The first six digits of the sample ID which refers to a specific client, project and sample group Lab ID An 8 number unique laboratory identification
LCD	Laboratory Control Standard Duplicate
LCS	Laboratory Control Standard with reagent grade water or a matrix free from the analyte of interest
MB	Method Blank or (PB) Preparation Blank
MD	Method Duplicate
MDL	Method Detection Limit
MLE	Medium Level Extraction Blank
MRL	Method Reporting Limit Standard
MSA	Method of Standard Additions
MS	Matrix Spike
MSD	Matrix Spike Duplicate
ND	Not Detected
PREPF	Preparation factor used by the Laboratory's Information Management System (LIMS)
PDS	Post Digestion Spike (ICAP)
RA	Re-analysis of original
A1	Re-analysis of D1
A2	Re-analysis of D2
A3	Re-analysis of D3
RD	Re-extraction of dilution
RE	Re-extraction of original
RC	Re-extraction Confirmation
RL	Reporting Limit
RPD	Relative Percent Difference of duplicate (unrounded) analyses
RRF	Relative Response Factor
RT	Retention Time

QUALITY ASSURANCE METHODS

REFERENCES AND NOTES

Report Date: 06/06/2006

RTW Retention Time Window Sample ID A 9 digit number unique for each sample, the first six digits are referred as the job number
SCB Seeded Control Blank
SD Serial Dilution (Calculated when sample concentration exceeds 50 times the MDL)
UCB Unseeded Control Blank
SSV Second Source Verification Standard
SLCS Solid Laboratory Control Standard(LCS)
PHC pH Calibration Check LCSP pH Laboratory Control Sample
LCDP pH Laboratory Control Sample Duplicate
MDPH pH Sample Duplicate
MDFP Flashpoint Sample Duplicate
LCFP Flashpoint LCS
G1 Gelex Check Standard Range 0-1
G2 Gelex Check Standard Range 1-10
G3 Gelex Check Standard Range 10-100
G4 Gelex Check Standard Range 100-1000

Note 1: The Post Spike Designation on Batch QC for GFAA is designated with an "S" added to the current abbreviation used. EX. LCS S=LCS Post Spike (GFAA); MSS=MS Post Spike (GFAA)

Note 2: The MD calculates an absolute difference (A) when the sample concentration is less than 5 times the reporting limit. The control limit is represented as +/- the RL.

SEVERN TRENT STL

STL Chicago
2417 Bond Street
University Park, IL 60466
Phone: 708-534-5200
Fax: 708-534-5211

Report To:

Contact: _____
Company: See
Address: Page 1

Phone: _____
Fax: _____
E-Mail: _____

Bill To:

Contact: _____
Company: _____
Address: _____

Phone: _____
Fax: _____
PO#: _____ Quote: _____

Shaded Areas For Internal Use Only 2 of 2

Lab Lot# 246663

Package Sealed Yes No	Samples Sealed Yes No
Received on Ice Yes No	Samples Intact Yes No
Temperature °C of Cooler	
Within Hold Time Yes No	Preserv. Indicated Yes No NA
pH Check OK Yes No NA	Res. Cl. Check OK Yes No NA
Sample Labels and COC Agree Yes No COC not present	

Sampler Name: Greg Florkuski Signature: [Signature] Refrg.#: _____
Project Name: Black & Decker Project Number: _____ #/Cont: 3
Project Location: Hampton, MD Date Required: _____ Volume: Vial
Lab PM: _____ Hard Copy: _____ Preserv: HC

Laboratory ID	MS-MSD	Client Sample ID	Sampling		Matrix	Comp/Grab	C
			Date	Time			
13		RFW-13	5/19/06	1415	W	X	
14		RFW-17	5/19/06	1250		X	
15		RFW-4B Dup.	5/22/06	920		X	
16		EW-2		1330		X	
17		EW-3		1300		X	
18		FW-4		1220		X	
19		EW-5		1210		X	
20		EW-6		0800		X	
21		EW-7		0810		X	
22		EW-8		0815		X	
23		EW-9		0825		X	
24		EW-9 Dup		0825		X	

Additional Analyses / Remarks

RELINQUISHED BY: [Signature] COMPANY: _____ DATE: 5/22/06 TIME: 1600
RECEIVED BY: [Signature] COMPANY: STL DATE: 5/23/06 TIME: 1015

- Matrix Key**
- WW = Wastewater
 - W = Water
 - S = Soil
 - SL = Sludge
 - MS = Miscellaneous
 - OL = Oil
 - A = Air
 - SE = Sediment
 - SO = Solid
 - DS = Drum Solid
 - DL = Drum Liquid
 - L = Leachate
 - WI = Wipe
 - O = _____

- Container Key**
- Plastic
 - VOA Vial
 - Sterile Plastic
 - Amber Glass
 - Widemouth Glass
 - Other

- Preservative Key**
- HCl, Cool to 4°
 - H2SO4, Cool to 4°
 - HNO3, Cool to 4°
 - NaOH, Cool to 4°
 - NaOH/Zn, Cool to 4°
 - Cool to 4°
 - None

COMMENTS

Date Received 5/23/06
Courier: Fx Hand Delivered
Bill of Lading

**SEVERN
TRENT STL**

STL Chicago
2417 Bond Street
University Park, IL 60466
Phone: 708-534-5200
Fax: 708-534-5211

Report To:

Contact: _____
Company: _____
Address: See page 1
Phone: _____
Fax: _____
E-Mail: _____

Bill To:

Contact: _____
Company: _____
Address: _____
Phone: _____
Fax: _____
PO#: _____ Quote: _____

Shaded Areas For Internal Use Only 3 of 3

Lab Lot# 246663

Package Sealed Yes No	Samples Sealed Yes No
Received on Ice Yes No	Samples Intact Yes No
Temperature: C of Cooler	
Within Hold Time Yes No	Preserv Indicated Yes No NA
pH Check OK Yes No NA	Res Cl ₂ Check OK Yes No NA
Sample Labels and COC Agree Yes No COC not present	

Sampler Name: Greg Flaszko
Project Name: Black + Decker
Project Location: Hampstead, MD
Lab PM: _____

Signature: [Signature]
Project Number: _____
Date Required: _____
Hard Copy: _____
Fax: _____

Refr.#	#/Cont	Volume	Preserv
	5	400ml	HCl

Laboratory ID	MS-MSD	Client Sample ID	Sampling		Matrix	Comp/Grab	COC
			Date	Time			
25		EW-10	5/22/06	830	W	X	
26		Leister-1	1	1400	L	X	
27		Leister-Dairy	1	1410	L	X	
28		Trip Blank	5/22/06	800	L	X	

Additional Analyses / Remarks

RELINQUISHED BY: <u>[Signature]</u>	COMPANY: _____	DATE: <u>5/22/06</u>	TIME: <u>1600</u>	RECEIVED BY: <u>[Signature]</u>	COMPANY: <u>STL</u>	DATE: <u>5/23/06</u>	TIME: <u>1015</u>
RELINQUISHED BY: _____	COMPANY: _____	DATE: _____	TIME: _____	RECEIVED BY: _____	COMPANY: _____	DATE: _____	TIME: _____

- | | | | |
|--|---|--|--|
| <p>Matrix Key</p> <p>WW = Wastewater
W = Water
S = Soil
SL = Sludge
MS = Miscellaneous
OL = Oil
A = Air</p> | <p>SE = Sediment</p> <p>SO = Solid
DS = Drum Solid
DL = Drum Liquid
L = Leachate
WI = Wipe
O = _____</p> | <p>Container Key.</p> <p>1. Plastic
2. VOA Vial
3. Sterile Plastic
4. Amber Glass
5. Widemouth Glass
6. Other _____</p> | <p>Preservative Key</p> <p>1. HCl, Cool to 4°
2. H2SO4, Cool to 4°
3. HNO3, Cool to 4°
4. NaOH, Cool to 4°
5. NaOH/Zn, Cool to 4°
6. Cool to 4°
7. None</p> |
|--|---|--|--|

COMMENTS

Date Received 5/23/06

Courier: FX Hand Delivered

Bill of Lading