

Quarterly Groundwater Monitoring Report

Prepared for
Stanley Black & Decker Inc.

Hampstead, Maryland

January 2014

Prepared by

WESTON SOLUTIONS, INC.

West Chester, Pennsylvania 19380-1499

TABLE OF CONTENTS

Section	Page
1. INTRODUCTION.....	1-1
2. SITE CHARACTERISTICS.....	2-1
2.1 HYDRAULIC PROPERTIES	2-1
2.2 EFFLUENT CHARACTERISTICS	2-1
2.3 GROUNDWATER QUALITY DATA	2-1
3. OPERATION AND MAINTENANCE OF THE TREATMENT SYSTEM.....	3-1
4. RECOMMENDATIONS.....	4-1

LIST OF APPENDICES

APPENDIX A - GROUNDWATER TREATMENT SYSTEM PUMPING RECORDS

APPENDIX B - DISCHARGE MONITORING REPORTS

APPENDIX C - GROUNDWATER TREATMENT SYSTEM ANALYTICAL RESULTS

APPENDIX D - GROUNDWATER ANALYTICAL DATA PACKAGE

LIST OF TABLES

Table	Page
Table 2-1 Treatment System Pumping Records – 4th Quarter 2013.....	2-2
Table 2-2 Groundwater Elevation Data – 4th Quarter 2013	2-3
Table 2-3 Effluent Characteristics Summary – 4th Quarter 2013	2-4
Table 2-4 Summary of Groundwater Analytical Results - November 2013	2-5
Table 3-1 Treatment System Maintenance Activities – 4th Quarter 2013	3-2

1. INTRODUCTION

This Groundwater Monitoring Report has been prepared to meet the requirements of Condition IV.G of the Administrative Consent Order between the State of Maryland Department of the Environment (MDE) and Black & Decker (U.S.) Inc. (April 1995) (Consent Order). Specifically, Condition IV.G calls for preparation of a Groundwater Monitoring Report containing the following information for each reporting period:

- The quantities of groundwater pumped, treated, and discharged.
- The calculation of quantities of contaminants removed from groundwater.
- A summary of all sampling analyses.
- An explanation of all operational or other problems encountered, and the manner in which each problem was resolved.
- Copies of all reports submitted to the Department of Natural Resources in conjunction with the Groundwater Appropriations Permit.
- Recommendations for changes to the Interim Groundwater Treatment System.

This document is one of several which are being prepared in response to the Consent Order; each of these documents are to be submitted to the MDE in accordance with the schedule outlined in the Consent Order. This document will become part of the Administrative Record for the site, which is maintained at the Hampstead Public Library.

2. SITE CHARACTERISTICS

2.1 HYDRAULIC PROPERTIES

In accordance with the Consent Order and the Water Appropriation Permit issued to the Black and Decker (U.S.) Inc. Hampstead, Maryland, facility, the following pumping and water level information is included for the period of October through December 2013.

Pumping records showing the total gallons pumped per month of treatment system operation are presented in Table 2-1. The complete groundwater treatment system pumping records are included in Appendix A.

Monthly water levels for wells included in the water level monitoring plan are presented in Table 2-2. For the reporting period of October through December 2013, the extraction wells were pumping at an average combined rate of approximately 181 gallons per minute (gpm).

2.2 EFFLUENT CHARACTERISTICS

Effluent characteristics of the NPDES discharge points are recorded monthly on Discharge Monitoring Reports (DMRs) and are submitted to MDE, Water Management Administration, on a quarterly basis. A summary of the sample results from the DMRs is presented in Table 2-3. DMRs for the period of October through December 2013 are included in Appendix B.

2.3 GROUNDWATER QUALITY DATA

For the reporting period of October through December 2013, approximately 12.93 pounds of total volatile organic compounds (VOCs) were removed from the groundwater by the extraction and treatment system. In general, the total VOCs removed from the groundwater were comprised primarily of trichloroethene (TCE) (75 %) and tetrachloroethene (PCE) (25 %). Analytical results of the groundwater collected from the air stripper for the period of October through December 2013 are included in Appendix C.

A summary of the analytical results from the fourth quarter (November 2013) groundwater sampling round of the extraction and monitor wells is included in Table 2-4. The complete

Table 2-1
Treatment System Pumping Records - 4th Quarter 2013
Stanley Black & Decker
Hampstead, Maryland

Date	Water Pumped (gallons)
October 2012	7,024,572
November 2012	6,600,644
December 2012	6,314,258

Table 2-2
Groundwater Elevation Data - 4th Quarter 2013
Stanley Black & Decker
Hampstead, Maryland

WELL NO.	TOC ELEV.	TOTAL DEPTH	10/10/2013		11/18/2013		12/26/2013	
			DTW	ELEV	DTW	ELEV	DTW	ELEV
EW-1	847.21	55	DRY	NC	DRY	NC	DRY	NC
EW-2	849.21	110	92.94	756.27	93.02	756.19	92.65	756.56
EW-3	846.64	118	84.79	761.85	84.98	761.66	85.25	761.39
EW-4	858.01	97.5	PC	NC	PC	NC	PC	NC
EW-5	864.17	98	90.10	774.07	90.22	773.95	89.40	774.77
EW-6	831.98	115	103.00	728.98	103.00	728.98	103.00	728.98
EW-7	818.38	78	74.50	743.88	74.50	743.88	73.50	744.88
EW-8	811.13	98	95.00	716.13	95.50	715.63	96.00	715.13
EW-9	811.35	141	103.00	708.35	102.80	708.55	103.00	708.35
EW-10	807.74	INA	51.26	756.48	52.13	755.61	53.10	754.64
RFW-1A	864.37	78	50.61	813.76	52.63	811.74	52.48	811.89
RFW-1B	864.23	200	50.64	813.59	52.67	811.56	52.51	811.72
RFW-2A	857.41	35	14.86	842.55	16.40	841.01	16.36	841.05
RFW-2B	857.73	75	15.06	842.67	17.05	840.68	16.94	840.79
RFW-3B	839.21	153	29.75	809.46	36.39	802.82	36.30	802.91
RFW-4A	830.37	62	36.84	793.53	38.18	792.19	38.09	792.28
RFW-4B	830.37	120	36.49	793.88	38.08	792.29	38.01	792.36
RFW-5A	817.50	30	DRY	NC	DRY	NC	DRY	NC
RFW-6	785.04	120	3.99	781.05	4.48	780.56	5.12	779.92
RFW-7	805.14	29	7.51	797.63	6.71	798.43	6.94	798.20
RFW-8	860.07	56	DRY	NC	DRY	NC	DRY	NC
RFW-9	862.02	49	20.21	841.81	27.07	834.95	26.87	835.15
RFW-10	852.06	58	DRY	NC	DRY	NC	DRY	NC
RFW-11A	849.32	72	Damaged	NC	Damaged	NC	Damaged	NC
RFW-11B	849.62	116	62.14	787.48	64.12	785.50	64.42	785.20
RFW-12B	844.87	264	50.83	794.04	51.59	793.28	51.61	793.26
RFW-13	849.11	150	60.72	788.39	63.57	785.54	63.64	785.47
RFW-14B	812.39	281	52.13	760.26	52.59	759.80	760.61	51.78
RFW-16	856.14	41	DRY	NC	DRY	NC	DRY	NC
RFW-17	834.66	60.5	25.98	808.68	27.62	807.04	27.56	807.10
RFW-20	842.49	142	32.88	809.61	35.32	807.17	35.30	807.19
RFW-21	832.65	102	20.02	812.63	22.70	809.95	22.46	810.19
PH-7	805.94	89	25.94	780.00	25.67	780.27	26.39	779.55
PH-9	814.94	98	50.86	764.08	50.80	764.14	51.97	762.97
PH-11	820.68	78	51.09	769.59	50.96	769.72	51.97	768.71
PH-12	828.35	87	51.36	776.99	51.52	776.83	51.41	776.94
B-3	803.02	83	10.59	792.43	10.69	792.33	9.98	793.04
Amoco	842.29	INA	NA	NC	NA	NC	NA	NC
Hamp. Town #22	804.96	INA	0.97	803.99	1.12	803.84	1.43	803.53
Pembroke #1	INA	INA	11.52	NC	11.59	NC	11.63	NC
Pembroke #2	INA	INA	Damaged	NC	Damaged	NC	Damaged	NC
N. Houcks. Rd.	INA	INA	10.14	NC	10.09	NC	10.11	NC
E. Century St.	INA	INA	19.89	NC	19.27	NC	19.28	NC
Lwr. Beckleys. Rd.	INA	INA	56.87	NC	56.73	NC	56.67	NC

NA - Not Available/Not Accessible

NC - Not Calculable

INA - Information not available

PC - Pump Cycles

Table 2-3
Effluent Characteristics Summary - 4th Quarter 2013
Black & Decker
Hampstead, Maryland

Discharge Number	Parameter	Units	Permit Limits	DMR DATE			
				October 2013	November 2013	December 2013	
001	FLOW	average	MGD	NA	0.325	0.159	0.276
		maximum	MGD	NA	1.560	1.030	1.011
	1,1,1-Trichloroethane		ug/l	5	< 1	< 1	< 1
	Tetrachloroethylene		ug/l	5	< 1	< 1	< 1
	Trichloroethylene		ug/l	5	< 1	< 1	< 1
	Total Residual Chlorine		mg/l	< 0.1	< 0.1	< 0.1	< 0.1
	Oil & Grease	maximum	mg/l	15	< 5	< 5	< 5
		monthly average	mg/l	10	< 5	< 5	< 5
	pH	minimum	STD	6.0	6.6	6.7	6.6
		maximum	STD	8.5	7.6	7.5	7.5
	BOD		mg/l	15	< 2	3.0	3.0
TSS	maximum	mg/l	30	7.2	< 1	< 1	
	monthly average	mg/l	20	7.2	< 1	< 1	
101 (Monitoring Point)	FLOW	average	MGD	NA	0.180	0.166	0.157
		maximum	MGD	NA	0.230	0.210	0.245
	Fecal Coliform		MPN/100ml	200	2.0	1.0	1.0
201 (Monitoring Point)	FLOW	average	MGD	NA	NR	NR	0.217
		maximum	MGD	NA	NR	NR	0.257
	1,1,1-Trichloroethane		ug/l	NA	NR	NR	< 1
	Tetrachloroethylene		ug/l	NA	NR	NR	< 1
	Trichloroethylene		ug/l	NA	NR	NR	< 1

DMR - Discharge Monitoring Report

NA - Not Applicable

NR - Not Reported

Table 2-4
Summary of Groundwater Analytical Results - November 2013
Stanley Black & Decker
Hampstead, Maryland

PARAMETER	Units	EW-1	EW-2	EW-3	EW-4	EW-5	EW-6	EW-7	EW-8	EW-9	EW-9 (DUP)	EW-10
Chloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromomethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Acetone	ug/L	NS	5 U	7.6	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Carbon Disulfide	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1-Dichloroethene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1-Dichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethene (total)	ug/L	NS	3.6	1.8	1 U	1 U	1 U	5.7	28	1 U	1 U	1 U
Chloroform	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
2-Butanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Carbon Tetrachloride	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromodichloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloropropane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trichloroethene	ug/L	NS	160	38	500	92	5.8	3.7	8.6	0.7	0.7	1 U
Dibromochloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Benzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromoform	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
2-Hexanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Tetrachloroethene	ug/L	NS	49	1.3	11	3	11	8.8	74	110	110	1.5
1,1,2,2-Tetrachloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Toluene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chlorobenzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Ethylbenzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Styrene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Xylene (total)	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U

Notes: U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.
J = Indicates an estimated value.
NS = Not Sampled

Table 2-4
Summary of Groundwater Analytical Results - November 2013
Stanley Black & Decker
Hampstead, Maryland

PARAMETER	Units	RFW-1A	RFW-1B	RFW-2A	RFW-2B	RFW-3B	RFW-4A	RFW-4A (DUP)	RFW-4B	RFW-5A	RFW-6	RFW-7	RFW-8	RFW-9	RFW-10
Chloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromomethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Vinyl Chloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Methylene Chloride	ug/L	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	NS	2 U	2 U	NS	2 U	NS
Acetone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	7.5	5 U	NS	5 U	NS
Carbon Disulfide	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1-Dichloroethene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	0.7 J	NS
1,1-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloroethene (total)	ug/L	1 U	1 U	1 U	1 U	1.6	0.8 J	0.9 J	3.5	NS	1 U	1 U	NS	5.4	NS
Chloroform	ug/L	1 U	1 U	1 U	1 U	1 U	0.5 J	0.6 J	1.1	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
2-Butanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1,1-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	0.5 J	NS
Carbon Tetrachloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromodichloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloropropane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
cis-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Trichloroethene	ug/L	1 U	1 U	0.6	1 U	1 U	25	25	37	NS	0.4 J	1	NS	6.9	NS
Dibromochloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,1,2-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Benzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Trans-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromoform	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
4-Methyl-2-pentanone	ug/L	5 U	5 U	5 U	1 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
2-Hexanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
Tetrachloroethene	ug/L	1 U	1 U	1 U	1 U	0.9 J	16	17	66	NS	0.8 J	1 U	NS	1.7	NS
1,1,2,2-Tetrachloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Toluene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chlorobenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Ethylbenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Styrene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Xylene (total)	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS

Notes: DUP = Duplicate sample
 NS = Not sampled

U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.
 J = Indicates an estimated value.

Table 2-4
Summary of Groundwater Analytical Results - November 2013
Stanley Black & Decker
Hampstead, Maryland

PARAMETER	Units	RFW-11A	RFW-11B	RFW-12B	RFW-13	RFW-16	RFW-17	Leister Dairy	Leister Res. #1	Leister Res. #2	Trip Blank	RFW-20	RFW-21	Town #22	Town #23	Trip Blank
		USEPA drinking water method 524.2														
Chloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	1 U	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	2 U	2 U	2 U	NS	2 U	ABD	ABD	ABD	2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Acetone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
Carbon Disulfide	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	NA	NA	NA	NA	NA
1,1-Dichloroethene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethene (total)	ug/L	NS	1 U	1.9	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.51	0.5 U	0.5 U
1,2-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene	ug/L	NS	2.5	67	2.5	NS	1 U	ABD	ABD	ABD	1 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U
Dibromochloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Benzene	ug/L	NS	1 U	1 U	1 U	NS	3.5	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
2-Hexanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
Tetrachloroethene	ug/L	NS	1 U	5	14	NS	0.8 J	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.58	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Styrene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Xylene (total)	ug/L	NS	1 U	1 U	1 U	NS	0.5 J	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

Notes: Samples from wells RFW-20 & 21, Town-22&23 are analyzed with the USEPA drinking water method 524.2 at the request of the MDE Source Protection and Appropriation Division.
Samples from all of the other wells are analyzed with USEPA Method 8260.
NS = Not sampled
U = Compound was analyzed but not detected.
ABD = Well has been abandoned

analytical data package is included in Appendix D.

As found in earlier sampling events at the Stanley Black & Decker facility, TCE and PCE were the VOCs detected at the highest concentrations in the groundwater samples. The highest concentration of TCE was detected in the groundwater samples collected from wells RFW-12B and EW-4 and the highest concentration of PCE was detected in the groundwater sample collected from wells RFW-4B and EW-9. The remainder of VOCs present were detected at levels below the Federal Maximum Contaminant Levels (MCL).

3. OPERATION AND MAINTENANCE OF THE TREATMENT SYSTEM

A summary of the maintenance activities which were undertaken with the extraction and treatment system during the reporting period (October through December 2013) is provided in Table 3-1. This table is comprehensive in summarizing significant maintenance events or activities, while not including those activities considered unworthy of note (such as replacement of light bulbs, lubrication of moving parts as appropriate or other routine activities).

Table 3-1
Treatment System Maintenance Activities - 4th Quarter 2013
Stanley Black & Decker
Hampstead, Maryland

Date	Event/Corrective Action
Dec-13	Alarm at the air stripper, High Column Blower failure. Reset the system, the system is back online.
Dec-13	Alarm at the air stripper, High Column Blower failure. Found that there was a broken airline that was causing the High Column Blower failure. The airline was repaired and the system is back online.
Dec-13	EW-7 tripped off. Replaced the relay switch and the well is back online.
Dec-13	Alarm at the stripper, EW-10 was down. There was a bad contactor in the EW-10 pump motor. The contactor was replaced and the well is back online.

4. RECOMMENDATIONS

For the reporting period of October through December 2013, the treatment system continued to create a hydraulic boundary preventing off-site migration of groundwater. The extraction system will continue to operate as currently configured to pump and treat contaminated groundwater. Depth-to-water measurements will continue to be collected on a monthly basis in all site monitor wells to construct a groundwater elevation contour map for the site. The groundwater elevation contour map will be used to verify that the required area of groundwater capture is being maintained. If necessary, pumping rates will be adjusted to maintain groundwater capture due to seasonal fluctuations in groundwater elevations. The treatment system will also continue to operate as currently configured, as data collected have proven that the treatment system is fully effective in removing VOCs from the extracted groundwater.

APPENDIX A
GROUNDWATER TREATMENT SYSTEM PUMPING RECORDS
(OCTOBER – DECEMBER 2013)

ENT ADMINISTRATION, 1800 WASHINGTON BLVD, BALTIMORE, MD 21230

Operated By:
Maryland Environmental Service
259 Najoles Road, Millersville MD

Facility: BTR Capital Group
Address: 627 Hanover Pike, Hampstead Maryland
Additional Op's & cert # - Dorrance Jones 0763, Gary Dickerson 0782, James Elliott 3738

Permit Number: 07-DP-0022
Superintendent: Earle Villarreal Certification # 1017

Month: October
Year: 2013

Date	Appearance	Discharge MGD	pH	Cl2	Final Effluent outfall 001										Outfall 101					Outfall 202			Operator				
					Temperature	TSS	BOD5	SS	TKN	N-N	TP	TN	O&G	eCol	Flow MGD	eCol	Basin	Alum	Hypochlorite	Res Cl2	Temperature	TSS		Flow	Discharge		
1	Clear	0.12700	6.90	0.00	<0.11	<0.13	<0.08	<2	7.20	0.60	1.50	<0.05	2.1	<5	12.4	0.182000	<1	3.0	1.0	1.0	5.0				0.230854	Djones	
2	Clear	0.13600														0.185000		3.0	1.0	1.0	5.0				0.225285	Djones	
3	Clear	0.13300	7.05	0.00												0.172000		3.0	1.0	1.0	5.0				0.228606	Djones	
4	Clear	0.12900														0.184000		3.0	1.0	1.0	5.0				0.223068	Djones	
5	Clear	0.13300														0.176000		3.0	1.0	1.0	5.0				0.211797	Gdickerson	
6	Clear	0.13000														0.162000		3.0	1.0	1.0	5.0				0.228761	Gdickerson	
7	Clear	0.12600														0.200000		2.0	1.0	1.0	5.0				0.246242	Djones	
8	Clear	0.16900	6.85	0.00												0.186000	4.20	0.0	1.0	1.0	5.0				0.227735	Djones	
9	Clear	0.20900														0.181000		0.0	1.0	1.0	5.0				0.224629	Djones	
10	Clear	0.25300	7.00	0.00												0.191000		0.0	1.0	1.0	5.0				0.225335	Djones	
11	Clear	1.51400														0.203000		0.0	1.0	1.0	5.0				0.224719	Djones	
12	Clear	1.28900														0.180000		0.0	1.0	1.0	5.0				0.219834	Djones	
13	Clear	0.55800														0.194000		0.0	1.0	1.0	5.0				0.221347	Djones	
14	Clear	0.32400														0.180000		0.0	1.0	1.0	5.0				0.233736	Jelliott	
15	Clear	0.28400	7.15	0.00												0.177000	<1	0.0	1.0	1.0	5.0				0.230093	Jelliott	
16	Clear	0.26600														0.163000		0.0	1.0	1.0	5.0				0.225443	Jelliott	
17	Clear	0.26500	7.56	0.00												0.170000		0.0	1.0	1.0	5.0				0.211293	Jelliott	
18	Clear	0.31400														0.193000		0.0	1.0	1.0	5.0				0.234306	Gdickerson	
19	Clear	0.25100														0.189000		0.0	1.0	1.0	5.0				0.244830	A.Phillips	
20	Clear	0.29200														0.170000		0.0	1.0	1.0	5.0				0.234400	A.Phillips	
21	Clear	0.20000														0.156000		0.0	1.0	1.0	5.0				0.235181	Djones	
22	Clear	0.21400	6.70	0.00												0.196000	2.00	0.0	1.0	1.0	5.0				0.231297	Djones	
23	Clear	0.18800														0.160000		0.0	1.0	1.0	5.0				0.223438	Djones	
24	Clear	1.56000	6.74	0.00												0.230000		0.0	1.0	1.0	5.0				0.236820	Djones	
25	Clear	0.20800														0.173000		0.0	1.0	1.0	5.0				0.210745	Jelliott	
26	Clear	0.14800														0.168000		0.0	1.0	1.0	5.0				0.218029	Gdickerson	
27	Clear	0.12900														0.179000		0.0	1.0	1.0	5.0				0.214762	Gdickerson	
28	Clear	0.14300														0.181000		2.0	1.0	1.0	5.0				0.248308	Djones	
29	Clear	0.14200	6.60	0.00												0.165000	<1	2.0	1.0	1.0	5.0				0.226115	Djones	
30	Clear	0.12300														0.165000		1.0	1.0	1.0	5.0				0.220170	Djones	
31	Clear	0.12900	6.75	0.00												0.162000		1.0	1.0	1.0	5.0				0.207394	Djones	
Total		10.08600														5.573000										2.004570	
Average		0.32555	6.9	<0.10	0.000	0.000	0.000	0.0	7	0.6	1.5	0.0	2	0.0	12.4	0.179774	2	0.8	1.0	1.0	5.0	#DIV/0!	#DIV/0!	#DIV/0!	0.226599		
Minimum		0.12300	6.6	0.00	0.000	0.000	0.000	0.0	7	0.6	1.5	0.0	2	0.0	12.4	0.156000	0.0	0.0	1.0	1.0	5.0	0.0	0.0	0.0	0.207394		
Maximum		1.56000	7.6	<0.10	0.000	0.000	0.000	0.0	7	0.6	1.5	0.0	2	0.0	12.4	0.230000	4.2	1.0	1.0	1.0	5.0	0.0	0.0	0.0	0.248308	10/14/2013	

COMMENTS:

WATER ADMINISTRATION, 1800 WASHINGTON BLVD, BALTIMORE, MD 21230

Operated By: Facility: BTR Capital Group
 Maryland Environmental Service Address: 627 Hanover Pike, Hampstead Maryland
 259 Najoles Road, Millersville MD Additional Op's & cert # - Dorrance Jones 0763, Gary Dickerson 0782, James Elliott 3738

Permit Number: 07-DP-0022
 Superintendent: Earle Villarreal Certification # 1017

Month: October
 Year: 2013

Date	Appearance	Discharge MGD	pH	Cl2 mg/l	Final Effluent outfall 001										Outfall 101					Outfall 202			Operator					
					TetraChloroethylene ug/l	1,1,1-Trichloroethane ug/l	Trichloroethene ug/l	BOD ₅ mg/l	TSS mg/l	TKN mg/l	N+N mg/l	TP mg/l	TN mg/l	O&G mg/l	eColi mpn	Flow MGD	eColi mpn	Basin Inches	Alum Gpd	Hypochlorite Gpd	Post Cl2 mg/l	TetraChloroethylene ug/l		1,1,1-Trichloroethane ug/l	Trichloroethene ug/l	Discharge mgd		
1	Clear	0.12900																0.186000	0.0	1.0	1.0	5.0				0.239325	Djones	
2	Clear	0.11500																0.183000	0.0	1.0	1.0	5.0				0.216731	Mwhitt	
3	Clear	0.10900																0.167000	0.0	1.0	1.0	5.0				0.225772	Mwhitt	
4	Clear	0.10900																0.195000	2.0	1.0	1.0	5.0				0.232378	Djones	
5	Clear	0.11700	6.90	0.00	<1	<1	<1	3.00	<4	0.66	1.81	<0.05	2.5	<5	7.5		0.163000	<1	2.0	1.0	1.0	5.0	<1	<1	<1	0.230261	Djones	
6	Clear	0.10500																0.163000	2.0	1.0	1.0	5.0				0.210972	Mwhitt	
7	Clear	0.10400	6.78	0.00														0.171000	0.0	1.0	1.0	5.0				0.214288	Mwhitt	
8	Clear	0.14200																0.182000	0.0	1.0	1.0	5.0				0.229470	Mwhitt	
9	Clear	0.12100																0.161000	0.0	1.0	1.0	5.0				0.231937	Jelliott	
10	Clear	0.11200																0.153000	0.0	1.0	1.0	5.0				0.217264	Jelliott	
11	Clear	0.10500																0.163000	0.0	1.0	1.0	5.0				0.211042	Gdickerson	
12	Clear	0.13400	7.46	0.00														0.201000	0.0	1.0	1.0	5.0				0.203547	Gdickerson	
13	Clear	0.14400																0.157000	<1	2.0	1.0	1.0	5.0				0.257065	Djones
14	Clear	0.09200	6.86	0.00														0.160000	2.0	1.0	1.0	5.0				0.187011	Gdickerson	
15	Clear	0.09600																0.174000	2.0	1.0	1.0	5.0				0.235705	Gdickerson	
16	Clear	0.10300																0.145000	2.0	1.0	1.0	5.0				0.222940	APhillips	
17	Clear	0.10000																0.138000	2.0	1.0	1.0	5.0				0.215636	APhillips	
18	Clear	0.18400																0.145000	3.0	1.0	1.0	5.0				0.234117	Djones	
19	Clear	0.14500	6.75	0.00														0.210000	<1	3.0	1.0	1.0	5.0				0.225358	Djones
20	Clear	0.11900																0.146000	3.0	1.0	1.0	5.0				0.214552	Mwhitt	
21	Clear	0.10700	6.85	0.00														0.143000	3.0	1.0	1.0	5.0				0.219485	Djones	
22	Clear	0.10600																0.173000	3.0	1.0	1.0	5.0				0.201603	Djones	
23	Clear	0.13900																0.166000	3.0	1.0	1.0	5.0				0.236988	Mwhitt	
24	Clear	0.11400																0.161000	3.0	1.0	1.0	5.0				0.209305	Mwhitt	
25	Clear	0.09400																0.141000	3.0	1.0	1.0	5.0				0.223523	Djones	
26	Clear	0.10300	6.65	0.00														0.167000	<1	3.0	1.0	1.0	5.0				0.224674	Djones
27	Clear	1.03000																0.157000	0.0	1.0	1.0	5.0				0.214822	Djones	
28	Clear	0.28000	6.90	0.00														0.186000	0.0	1.0	1.0	5.0				0.148055	Djones	
29	Clear	0.21200																0.164000	0.0	1.0	1.0	5.0				0.238665	Djones	
30	Clear	0.20000																0.149000	0.0	1.0	1.0	5.0				0.228153	Djones	
31																												
Total		4.77000																4.970000									6.600644	
Average		0.15900	6.9	<0.10	0.000	0.000	0.000	3.0	0.0	0.7	1.8	0.0	2.5	0.0	###		0.165667	1.0	1.4	1.0	1.0	5.0	0.0	0.0	0.0	0.220021		
Minimum		0.09200	6.7	0.00	0.000	0.000	0.000	3.0	0.0	0.7	1.8	0.0	2.5	0.0	0.0		0.138000	0.0	0.0	1.0	1.0	5.0	0.0	0.0	0.0	0.148055		
Maximum		1.03000	7.5	<0.10	0.000	0.000	0.000	3.0	0.0	0.7	1.8	0.0	2.5	0.0	0.0		0.210000	0.0	3.0	1.0	1.0	5.0	0.0	0.0	0.0	0.257065	MOR 11-20-13	

COMMENTS:

ENT ADMINISTRATION, 1800 WASHINGTON BLVD, BALTIMORE, MD 21230

Operated By:

Facility: BTR Capital Group

Permit Number: 07-DP-0022

Month: December

Maryland Environmental Service

Address: 627 Hanover Pike, Hampstead Maryland

Superintendent: Earle Villarreal Certification # 1017

Year: 2013

259 Najoles Road, Millersville MD

Additional Op's & cert # - Dorrance Jones 0763, Gary Dickerson 0782, James Elliott 3738

Date	Appearance	Final Effluent outfall 001														Outfall 101					Outfall 201			Operator		
		Discharge MGD	pH su	Cl2 mg/l	Turbidity ug/l	LLI-Turbidity ug/l	TSS mg/l	BOD ₅ mg/l	TSS mg/l	TKN mg/l	N+N mg/l	TP mg/l	TN mg/l	O&G mg/l	eColi mpn	Flow MGD	eColi mpn	Basin Inches	Alum Gpd	Hypochloric Gpd	Post Cl2 mg/l	Turbidity ug/l	LLI-Turbidity ug/l		TSS ug/l	Discharge mgd
1	Clear	0.20700													0.132000	0.0	1.0	1.0	5.0					0.223164	Jelliott	
2	Clear	0.17500													0.146000	0.0	1.0	1.0	5.0					0.220686	Gdickerson	
3	Clear	0.17100	7.05	0.00											0.154000	<1	0.0	1.0	1.0	5.0	<1	<1	<1	0.217601	Gdickerson	
4	Clear	0.13100													0.167000	2.0	1.0	1.0	5.0					0.194021	Djones	
5	Clear	0.19300	6.95	0.00											0.151000	2.0	1.0	1.0	5.0					0.244247	Djones	
6	Clear	0.24800													0.193000	2.0	1.0	1.0	5.0					0.199555	Gdickerson	
7	Clear	1.01100													0.166000	0.0	1.0	1.0	5.0					0.222384	Jelliott	
8	Clear	0.21800													0.165000	0.0	1.0	1.0	5.0					0.203240	Jelliott	
9	Clear	0.40800													0.147000	1.0	1.0	1.0	5.0					0.230082	Djones	
10	Clear	0.34900	6.87	0.00	<1	<1	<1	3.00	<4	0.35	1.78	<0.05	2.1	<5	3.1	0.194000	<1	0.0	1.0	1.0	5.0			0.159356	Gdickerson	
11	Clear	0.29700													0.162000	0.0	1.0	1.0	5.0					0.171083	Gdickerson	
12	Clear	0.14500	6.75	0.00											0.168000	0.0	1.0	1.0	5.0					0.247400	Djones	
13	Clear	0.17500													0.165000	0.0	1.0	1.0	5.0					0.190776	Djones	
14	Clear	0.16300													0.134000	0.0	1.0	1.0	5.0					0.173982	Gdickerson	
15	Clear	0.41900													0.158000	0.0	1.0	1.0	5.0					0.189002	Gdickerson	
16	Clear	0.30600													0.157000	0.0	1.0	1.0	5.0					0.193008	Djones	
17	Clear	0.17900	6.70	0.00											0.152000	<1	0.0	1.0	1.0	5.0				0.183774	Djones	
18	Clear	0.16900													0.163000	0.0	1.0	1.0	5.0					0.186485	Djones	
19	Clear	0.15200	6.80	0.00											0.142000	0.0	1.0	1.0	5.0					0.182643	Djones	
20	Clear	0.17200													0.115000	0.0	1.0	1.0	5.0					0.183265	Djones	
21	Clear	0.37700													0.160000	0.0	1.0	1.0	5.0					0.175625	Djones	
22	Clear	0.34400													0.192000	0.0	1.0	1.0	5.0					0.181885	Djones	
23	Clear	0.62400													0.138000	<1	0.0	1.0	1.0	5.0				0.194473	Jelliott	
24	Clear	0.42800	6.97	0.00											0.184000	0.0	1.0	1.0	5.0					0.209746	Jelliott	
25	Clear	0.18700													0.017000	0.0	1.0	1.0	5.0					0.189227	Jelliott	
26	Clear	0.23300	7.52	0.00											0.004000	0.0	1.0	1.0	5.0					0.257071	Jelliott	
27	Clear	0.20700													0.245000	0.0	1.0	1.0	5.0					0.222612	Jelliott	
28	Clear	0.19000													0.189000	0.0	1.0	1.0	5.0					0.212498	Jelliott	
29	Clear	0.33200													0.164000	0.0	1.0	1.0	5.0					0.214366	Jelliott	
30	Clear	0.15300													0.214000	1.00	0.0	1.0	1.0	5.0				0.230769	Djones	
31	Clear	0.18000	6.60	0.00											0.217000	0.0	1.0	1.0	5.0					0.210232	Djones	
Total		8.54300													4.855000									6.314258		
Average		0.27558	6.9	<0.10	0.000	0.000	0.000	3.0	0.0	0.4	1.8	0.0	2.1	0.0	3.1	0.156613	1.0	0.2	1.0	1.0	5.0	0.0	0.0	0.0	0.203686	
Minimum		0.13100	6.6	0.00	0.000	0.000	0.000	3.0	0.0	0.4	1.8	0.0	2.1	0.0	3.1	0.004000	0.0	0.0	1.0	1.0	5.0	0.0	0.0	0.0	0.159356	
Maximum		1.01100	7.5	<0.10	0.000	0.000	0.000	3.0	0.0	0.4	1.8	0.0	2.1	0.0	3.1	0.245000	1.0	2.0	1.0	1.0	5.0	0.0	0.0	0.0	0.257071	MOR 01-3-14

COMMENTS:

**APPENDIX B
DISCHARGE MONITORING REPORTS
(OCTOBER - DECEMBER 2013)**

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name **BTR Hampstead, Inc**

Address **c/o BTR Capital Group Management**

222 Courthouse Ct., Suite 300, Towson MD 21204

Facility **Groundwater Remediation and WWTP**

Location **626 Hanover Pike**

Attn:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

001

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
FROM 13	10	01	TO 13	10	31
(20-21)		(22-23)	(24-25)	(26-27)	
		(28-29)	(30-31)		

State Discharge Permit

07-DP-0022

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING			(4 Card Only) QUALITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		AVERAGE (46-53)	MAXIMUM (54-61)	UNITS	MINIMUM (38-45)	AVERAGE (46-53)	MAXIMUM (54-61)	UNITS				
BOD, 5-DAY (20 DEG. C) 00310 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(19)	0	ONCE/ MONTH	GRAB	
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	15 DAILY MX	MG/L		ONCE/ MONTH	GRAB	
pH	SAMPLE MEASUREMENT	*****	*****	****	6.6	*****	7.6	(12)	0	TWICE/ WEEK	GRAB	
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	DAILY MN	*****	8.5 DAILY MX	SU		TWICE/ WEEK	GRAB	
SOLIDS, TOTAL SUSPENDED 00530 1 0 0	SAMPLE MEASUREMENT	*****	8	Lbs/day	*****	7	7	(19)	0	ONCE/ MONTH	GRAB	
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	Req. Mon MO MAX		*****	20 30DA AVG	30 DAILY MX	MG/L		ONCE/ MONTH	GRAB	
SOLIDS, TOTAL SUSPENDED 00530 1 1 0	SAMPLE MEASUREMENT	*****	606	Lbs/mo	*****	*****	*****	****	0	ONCE/ MONTH	Calculated	
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	Req. Mon MO TOTAL		*****	*****	*****	****		ONCE/ MONTH	Calculated	
SOLIDS, TOTAL SUSPENDED 00530 1 2 0	SAMPLE MEASUREMENT	*****	5,189	Lbs/yr	*****	*****	*****	****	0	ONCE/ MONTH	Calculated	
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	Req. Mon CUM TOTAL		*****	*****	*****	****		ONCE/ MONTH	Calculated	
OIL AND GREASE TOTAL RECOVERABLE 70030 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	(19)	0	ONCE/ MONTH	GRAB	
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	10 30DA AVG	15 DAILY MX	MG/L		ONCE/ MONTH	GRAB	
NITROGEN, TOTAL (AS N) 00600 1 0 0	SAMPLE MEASUREMENT	*****	2	Lbs/day	*****	2	2	(19)	0	ONCE/ MONTH	COMP-8	
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	Req. Mon MO MAX		*****	Req. Mon 30DA AVG	Req. Mon DAILY MX	MG/L		ONCE/ MONTH	COMP-8	
NAME/TITLE-PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN, AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)							TELEPHONE		DATE		
TYPED OR PRINTED								410 729-8350		13	11	22
	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT							AREA CODE	NUMBER	YEAR	MONTH	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments he

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name BTR Hampstead, Inc

Address c/o BTR Captial Group Management

222 Courthouse Ct., Suite 300, Towson MD 21204

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

001

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

Facility Groundwater Remediation and WWTP


Location 626 Hanover Pike

Attn:

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
13	10	01	13	10	31
(20-21)	(22-23)	(24-25)	(26-27)	(28-29)	(30-31)

State Discharge Permit

07-DP-0022

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING			(4 Card Only) QUALITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(38-45) MINIMUM	(48-53) AVERAGE	(54-61) MAXIMUM	UNITS				
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0	SAMPLE SUREMENT	0.3254	1.5600	(03)	*****	*****	*****	****	0	ONCE/ MONTH	Measured	
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT	REPORT	MGD	*****	*****	*****	****		ONCE/ MONTH	Measured	
CHLORINE, TOTAL RESIDUAL 50060 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	<0.1	<0.1	(19)	0	ONCE/ MONTH	GRAB	
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	0.011 30DA AVG	0.019 DAILY MX	MG/L		ONCE/ MONTH	GRAB	
E. COLI, MPN 51040 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	12	*****	(30)	0	ONCE/ MONTH	GRAB	
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	Req Mon GEO MEAN	*****	MPN		ONCE/ MONTH	GRAB	
TRICHLOROETHENE 78391 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(28)	0	ONCE/ MONTH	GRAB	
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5 DAILY MX	UG/L		ONCE/ MONTH	GRAB	
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
NAME/IT	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUES IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION; I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.				SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT			TELEPHONE		DATE		
Nicole Finneyrock Property Manager								410	729-8350	13	11	22
TYPED OR PRINTED					OFFICER OR AUTHORIZED AGENT			AREA CODE	NUMBER	YEAR	MONTH	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name BTR Hampstead, Inc

Address c/o BTR Captial Group Management

222 Courthouse Ct., Suite 300, Towson MD 21204

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

101

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

Facility Groundwater Remediation and WWTP

Location 626 Hanover Pike

Attn:

MONITORING PERIOD						
YEAR	MO	DAY		YEAR	MO	DAY
13	10	01	TO	13	10	31
(20-21) (22-23) (24-25)				(26-27) (28-29) (30-31)		

State Discharge Permit

07-DP-0022

PARAMETER (32-37)		(3 Card Only) (45-53) QUANTITY OR LOADING (54-61)			(4 Card Only) (38-45) QUALITY OR CONCENTRATION (46-53) (54-61)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS				
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0	SAMPLE MEASUREMENT	179,774	230,000	(07)	*****	*****	*****	****	0	ONCE/ WEEK	Measured/ Recorded	
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	****		ONCE/ MONTH	Measured/ Recorded	
E. COLI, MPN 51040 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	2	(30)	0	ONCE/ WEEK	GRAB	
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	200 DAILY/MX	MPN		ONCE/ WEEK	GRAB	
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
NAME/TITLE-PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)							TFI PHONE		DATE		
Nicole Finneyrock Property Manager TYPED OR PRINTED								410	729-8350	13	11	22
	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT							AREA CODE	NUMBER	YEAR	MONTH	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name BTR Hampstead, Inc
 Address c/o BTR Captial Group Management
 222 Courthouse Ct., Suite 300, Towson MD 21204

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16) MD0001881 PERMIT NUMBER
 (17-19) 001 DISCHARGE NUMBER

Form Approved.
 OMB No.
 Approval expires


*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

Facility Groundwater Remediation and WWTP
 Location 626 Hanover Pike
 Attn:

MONITORING PERIOD						
YEAR	MO	DAY	YEAR	MO	DAY	
FROM 13	11	01	TO 13	11	30	
(20-21)		(22-23)		(24-25)		(26-27) (28-29) (30-31)

State Discharge Permit
 07-DP-0022

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING			(4 Card Only) QUALITY OR CONCENTRATION			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)		
		(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM				UNITS	
BOD, 5-DAY (20 DEG. C) 00310 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	3	(19)	0	ONCE/ MONTH	GRAB	
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	15 DAILY MX	MG/L		ONCE/ MONTH	GRAB	
pH 00400 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	6.7	*****	7.5	(12)	0	TWICE/ WEEK	GRAB	
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	8.5 DAILY MX	SU		TWICE/ WEEK	GRAB	
SOLIDS, TOTAL SUSPENDED 00530 1 0 0	SAMPLE MEASUREMENT	*****	0	Lbs/day	*****	0	0	(19)	0	ONCE/ MONTH	GRAB	
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	Req. Mon. MO MAX		*****	20 30DA AVG	30 DAILY MX	MG/L		ONCE/ MONTH	GRAB	
SOLIDS, TOTAL SUSPENDED 00530 1 1 0	SAMPLE MEASUREMENT	*****	0	Lbs/mo	*****	*****	*****	****	0	ONCE/ MONTH	Calculated	
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	Req. Mon. MO TOTAL		*****	*****	*****	****		ONCE/ MONTH	Calculated	
SOLIDS, TOTAL SUSPENDED 00530 1 2 0	SAMPLE MEASUREMENT	*****	5,189	Lbs/yr	*****	*****	*****	****	0	ONCE/ MONTH	Calculated	
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	Req. Mon. CUM TOTAL		*****	*****	*****	****		ONCE/ MONTH	Calculated	
OIL AND GREASE TOTAL RECOVERABLE 70030 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	(19)	0	ONCE/ MONTH	GRAB	
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	10 30DA AVG	15 DAILY MX	MG/L		ONCE/ MONTH	GRAB	
NITROGEN, TOTAL (AS N) 00600 1 0 0	SAMPLE MEASUREMENT	*****	2	Lbs/day	*****	2	2	(19)	0	ONCE/ MONTH	COMP -8	
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	Req. Mon. MO MAX		*****	Req. Mon. 30DA AVG	Req. Mon. DAILY MX	MG/L		ONCE/ MONTH	COMP -8	
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILAR WITH THE INFORMATION SUBMITTED HEREIN: AND BASED ON MY INQUIRY OF THOSE INDIVIDULES IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)				SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT			TFI PHONE	DATE			
Nicole Finneyrock Property Manager TYPED OR PRINTED								410 AREA CODE	729-8350 NUMBER	13 YEAR	12 MONTH	23 DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments he

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name BTR Hampstead, Inc

Address c/o BTR Captial Group Management

222 Courthouse Ct., Suite 300, Towson MD 21204

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

001

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

Facility Groundwater Remediation and WWTP


Location 626 Hanover Pike

Attn.

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
13	11	01	13	11	30
(20-21)	(22-23)	(24-25)	(26-27)	(28-29)	(30-31)

State Discharge Permit

07-DP-0022

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING			(4 Card Only) QUALITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS				
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0	SAMPLE MEASUREMENT	0.1590	1.0300	(03)	*****	*****	*****	****	0	ONCE/ MONTH	Measured	
	PERMIT REQUIREMENT	REPORT	REPORT	MGD	*****	*****	*****	****		ONCE/ MONTH	Measured	
EFFLUENT GROSS VALUE CHLORINE, TOTAL RESIDUAL 50060 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	<0.1	<0.1	(19)	0	ONCE/ MONTH	GRAB	
	PERMIT REQUIREMENT	*****	*****	****	*****	0.011 30DA AVG	0.019 DAILY MX	MG/L		ONCE/ MONTH	GRAB	
E.COLI, MPN 51040 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	8	*****	(30)	0	ONCE/ MONTH	GRAB	
	PERMIT REQUIREMENT	*****	*****	****	*****	Req. Mon. GEO MEAN	*****	MPN		ONCE/ MONTH	GRAB	
TRICHLOROETHENE 78391 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(28)	0	ONCE/ MONTH	GRAB	
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5 DAILY MX	UG/L		ONCE/ MONTH	GRAB	
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
NAME/TI	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN: AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)				SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT			TELEPHONE	DATE			
Nicole Finneyfrock Property Manager								410 AREA CODE	729-8350 NUMBER	13 YEAR	12 MONTH	23 DAY
TYPED OR PRINTED												

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)

Name BTR Hampstead, Inc

Address c/o BTR Captial Group Management

222 Courthouse Ct., Suite 300, Towson MD 21204

Facility Groundwater Remediation and WWTP

Location 626 Hanover Pike

Attn:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881
PERMIT NUMBER

001
DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
13	12	01	13	12	31
FROM				TO	
(20-21)		(22-23)		(24-25)	
				(26-27)	
				(28-29)	
				(30-31)	

State Discharge Permit
07-DP-0022

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING			(4 Card Only) QUALITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE (46-53)	MAXIMUM (54-61)	UNITS	MINIMUM (38-45)	AVERAGE (46-53)	MAXIMUM (54-61)	UNITS			
BOD, 5-DAY (20 DEG. C) 00310 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	3	(19)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	15 DAILY MX	MG/L		ONCE/ MONTH	GRAB
pH 00400 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	6.6	*****	7.5	(12)	0	TWICE/ WEEK	GRAB
	PERMIT REQUIREMENT	*****	*****	****	DAILY MN	*****	8.5 DAILY MX	SU		TWICE/ WEEK	GRAB
SOLIDS, TOTAL SUSPENDED 00530 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	0	Lbs/day	*****	0	0	(19)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	Req. Mon. MO MAX		*****	20 30DA AVG	30 DAILY MX	MG/L		ONCE/ MONTH	GRAB
SOLIDS, TOTAL SUSPENDED 00530 1 1 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	0	Lbs/mo	*****	*****	*****	****	0	ONCE/ MONTH	Calculated
	PERMIT REQUIREMENT	*****	Req. Mon. MO TOTAL		*****	*****	*****	****		ONCE/ MONTH	Calculated
SOLIDS, TOTAL SUSPENDED 00530 1 2 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	5,189	Lbs/yr	*****	*****	*****	****	0	ONCE/ MONTH	Calculated
	PERMIT REQUIREMENT	*****	Req. Mon. CUM TOTAL		*****	*****	*****	****		ONCE/ MONTH	Calculated
OIL AND GREASE TOTAL RECOVERABLE 70030 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	(19)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	10 30DA AVG	15 DAILY MX	MG/L		ONCE/ MONTH	GRAB
NITROGEN, TOTAL (AS N) 00600 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	6	Lbs/day	*****	2	2	(19)	0	ONCE/ MONTH	COMP -8
	PERMIT REQUIREMENT	*****	Req. Mon. MO MAX		*****	Req. Mon. 30DA AVG	Req. Mon. DAILY MX	MG/L		ONCE/ MONTH	COMP -8
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. 8S1001 AND 33 U.S.C. 8S 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)				SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		TFI PHONE		DATE		
Nicole Finneyfrock Property Manager TYPED OR PRINTED					410	729-8350	14	01	27		
COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments he		AREA CODE	NUMBER	YEAR	MONTH	DAY					

PERMITTEE NAME/ADDRESS (Include

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

Facility Name/Location (if different)

DISCHARGE MONITORING REPORT (DMR)

Form Approved.

Name BTR Hampstead, Inc

(2-16)

(17-19)

OMB No.

Address c/o BTR Captial Group Management

MD0001881

001

Approval expires

222 Courthouse Ct., Suite 300, Towson MD 21204

PERMIT NUMBER

DISCHARGE NUMBER

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

Facility Groundwater Remediation and WWTP

MONITORING PERIOD

Location 626 Hanover Pike

YEAR	MO	DAY	YEAR	MO	DAY
13	12	01	13	12	31

State Discharge Permit

Attn:

FROM (20-21) (22-23) (24-25) TO (26-27) (28-29) (30-31)

07-DP-0022

PARAMETER (32-37)		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		(3 Card Only) (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(4 Card Only) (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS			
NITROGEN, TOTAL (AS N) 00600 1 1 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	152	Lbs/mo	*****	*****	*****	*****	0	ONCE/MONTH	Calculated
	PERMIT REQUIREMENT	*****	Req. Mon. MO TOTAL		*****	*****	*****	*****	0	ONCE/MONTH	Calculated
NITROGEN, TOTAL (AS N) 00600 1 2 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	427	Lbs/yr	*****	*****	*****	*****	0	ONCE/MONTH	Calculated
	PERMIT REQUIREMENT	*****	Req. Mon. CUM TOTAL		*****	*****	*****	*****	0	ONCE/MONTH	Calculated
PHOSPHOROUS, TOTAL (AS P) 00665 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	0	Lbs/day	*****	0	0	(19)	0	ONCE/MONTH	COMP -8
	PERMIT REQUIREMENT	*****	Req. Mon. MO MAX		*****	Req. Mon. 30DA AVG	DAILY MX	*****	0	ONCE/MONTH	COMP -8
PHOSPHOROUS, TOTAL (AS P) 00665 1 1 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	0	Lbs/mo	*****	*****	*****	*****	0	ONCE/MONTH	Calculated
	PERMIT REQUIREMENT	*****	Req. Mon. MO TOTAL		*****	*****	*****	*****	0	ONCE/MONTH	Calculated
PHOSPHOROUS, TOTAL (AS P) 00665 1 2 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	0	Lbs/yr	*****	*****	*****	*****	0	ONCE/MONTH	Calculated
	PERMIT REQUIREMENT	*****	Req. Mon. CUM TOTAL		*****	*****	*****	*****	0	ONCE/MONTH	Calculated
TETRACHLOROETHYLE 34475 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(28)	0	ONCE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****		*****	*****	5 DAILY MX	*****	0	ONCE/MONTH	GRAB
1,1,1-TRICHLOROETHANE 34506 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(28)	0	ONCE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****		*****	*****	5 DAILY MX	*****	0	ONCE/MONTH	GRAB

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

Nicole Finneyfrack
Property Manager

TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE

DATE

410

729-8350

14

01

27

AREA CODE

NUMBER

YEAR

MONTH

DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name **BTR Hampstead, Inc**

Address **c/o BTR Captial Group Management**

222 Courthouse Ct. Suite 300 Towson MD 21204

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

001

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

Facility **Groundwater Remediation and WWTP**

Location **626 Hanover Pike.**

Attn:

MONITORING PERIOD						
YEAR	MO	DAY		YEAR	MO	DAY
FROM 13	12	01	TO	13	12	31
(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

State Discharge Permit

07-DP-0022

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING			(4 Card Only) QUALITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		(48-53)	(54-61)	UNITS	(38-45)	(46-53)	(54-61)	UNITS			
		AVERAGE	MAXIMUM		MINIMUM	AVERAGE	MAXIMUM				
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	0.2756	1.0110	(03)	*****	*****	*****	****	0	ONCE/ MONTH	Measured
	PERMIT REQUIREMENT	REPORT	REPORT	MGD	*****	*****	*****	****		ONCE/ MONTH	Measured
CHLORINE, TOTAL RESIDUAL 50060 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	<0.1	<0.1	(19)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	0.011 30DAAVG	0.019 DAILY MX	MG/L		ONCE/ MONTH	GRAB
E.COLI, MPN 51040 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	3	*****	(30)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	Req. Mon. GEO MEAN	*****	MPN		ONCE/ MONTH	GRAB
TRICHLOROETHENE 78391 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(28)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5 DAILY MX	UG/L		ONCE/ MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/IT
Nicole Finneyfrock
Property Manager
TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN, AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)

SIGNATURE OF PRINCIPAL EXECUTIVE
OFFICER OR AUTHORIZED AGENT

TELEPHONE

DATE

410

729-8350

14

01

27

AREA
CODE

NUMBER

YEAR

MONTH

DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name **BTR Hampstead, Inc**

Address **c/o BTR Captial Group Management**

222 Courthouse Ct., Suite 300, Towson MD 21204

Facility **Groundwater Remediation and WWTP**

Location **626 Hanover Pike**

Attn:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-18)

(17-19)

MD0001881

201

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

MONITORING PERIOD

FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY
	13	10	01		13	12	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

State Discharge Permit

07-DP-0022

PARAMETER (32-37)		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		(3 Card Only) (48-53) AVERAGE	(54-61) MAXIMUM	UNITS	(4 Card Only) (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS			
34475 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	(28)	0	One/Quarter	Grab
	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT	REPORT	UG/L		One/Quarter	Grab
1,1,1-TRICHLOROETHANE 34506 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	(28)	0	One/Quarter	Grab
	PREMIT REQUIREMENT	*****	*****	****	*****	REPORT	REPORT	UG/L		One/Quarter	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	216,733	257,071	(07)	*****	*****	*****	****	0	Measured	Record
	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	****		Measured	Record
Total Volatile Organics (VOC) 51415 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	(28)	0	One/Quarter	Grab
	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT	100	UG/L		One/Quarter	Grab
TRICHLOROETHENE 78391 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	(28)	0	One/Quarter	Grab
	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT	REPORT	UG/L		One/Quarter	Grab
	SAMPLE MEASUREMENT										
	PREMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
Nicole Finneyfrock
Property Manager
TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUES IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. 831001 AND 33 U.S.C. 83 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TFI PHONE		DATE		
410	729-8350	14	01	27
AREA CODE	NUMBER	YFAR	MONTH	DAY

COMMENT AND EXPANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name **BTR Hampstead, Inc**

Address **c/o BTR Captial Group Management**

222 Courthouse Ct., Suite 300, Towson MD 21204

Facility **Groundwater Remediation and WWTP**

Location **626 Hanover Pike**

Attn:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

101

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***


NOTE: Read instructions before completing this form

MONITORING PERIOD

FROM			TO		
YEAR	MO	DAY	YEAR	MO	DAY
13	12	01	13	12	31
(20-21) (22-23) (24-25)			(26-27) (28-29) (30-31)		

State Discharge Permit

07-DP-0022

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUALITY OR CONCENTRATION (46-53)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS				
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	156,613	245,000	(07)	*****	*****	*****	****	0	ONCE/ WEEK	Measured/ Recorded	
	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	****		ONCE/ MONTH	Measured/ Recorded	
	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	1	(30)	0	ONCE/ WEEK	GRAB	
E. COLI, MPN 51040 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	200 DAILY MX	MPN		ONCE/ WEEK	GRAB	
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. 851001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)							TFI FPHONE		DATE		
Nicole Finneyfrack Property Manager	 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT							410	729-8350	14	01	27
TYPED OR PRINTED								AREA CODE	NUMBER	YFAR	MONTH	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

APPENDIX C
GROUNDWATER TREATMENT SYSTEM ANALYTICAL RESULTS
(OCTOBER - DECEMBER 2013)

CHERYL GRIFFIN
 MARYLAND ENVIRONMENTAL SERVICE A
 259 NAJILES ROAD
 RE: BLACK & DECKER WWTP
 MILLERSVILLE, MD 21108

Order Number: L4768794
 Project Name: BLACK & DECKER WWTP
 Receive Date: 10-01-2013
 Client Code: MES_A
 Project Location: BLACK & DECKER WWTP

Sample ID L4768794-1 Sample Description FINAL 001 GRAB
 Received Date/Time/Temp 10/01/13 05:00pm 2.7 C Iced (Y/N): Y
 Samp. Date/Time/Temp 10/01/13 10:00am NA C Sampled by Customer

Parameter	Method	Result	RLs	Test Date, Time, Analyst
GENERAL CHEMISTRY				
TOTAL NITRATE/NITRITE (DELAWARE)	EPA 300.0	1.50 mg/l	0.500 mg/l	10/02/13 04:29PM SLD
BIOCHEMICAL OXYGEN DEMAND (DELAWARE)	SM 5210B	ND mg/l	2.00 mg/l	10/02/13 12:30PM SKJ
KJELDAHL NITROGEN (DELAWARE)	EPA 365.4	0.602 mg/l	0.200 mg/l	10/15/13 12:02PM ALW
PHOSPHORUS TOTAL (DELAWARE)	EPA 365.4	ND mg/l	0.0500 mg/l	10/15/13 12:02PM ALW
AMMONIA NITROGEN AS N (DELAWARE)	SM 4500NH3-G	ND mg/l	0.200 mg/l	10/03/13 02:58PM ALW
TOTAL SUSPENDED SOLIDS (DELAWARE)	SM 2540D	7.20 mg/l	4.00 mg/l	10/03/13 12:00AM MS3
HEXANE EXTR.-HEM (OIL+GREASE)	1664A HEM	ND mg/l	5.00 mg/l	10/10/13 02:05PM NMW
GAS CHROMATOGRAPHY MASS SPECTROMETRY; VOLATILES				
1,1,1-TRICHLOROETHANE	EPA 624	ND ug/l	0.130 ug/l*	10/04/13 01:55AM EEW
TRICHLOROETHENE	EPA 624	ND ug/l	0.0800 ug/l*	10/04/13 01:55AM EEW
TETRACHLOROETHENE	EPA 624	ND ug/l	0.110 ug/l*	10/04/13 01:55AM EEW
DIBROMOFLUOROMETHANE	EPA 624	110 %		10/04/13 01:55AM EEW
TOLUENE-D8 (SURR)	EPA 624	101 %		10/04/13 01:55AM EEW
4-BROMOFLUOROBENZENE	EPA 624	103 %		10/04/13 01:55AM EEW

Sample Comments:

L4768794-1 :
 For the BOD 5 test on this day, the batch control sample recovered at 256 mg/l, outside the acceptance range of 168 to 228 mg/l. Reported BOD 5 results may be biased high.

General Notes:

A result of "ND" indicates that the analyte tested was either not detected or the concentration was below the RLs.
 Definitions: NEG=negative; POS=positive; COL=colonies; RLs=laboratory reporting limits; L/A=laboratory accident; TNTC= Too numerous to count; pres=presumptive
 MCL= EPA recommended "maximum contaminant level", PLs = Customer-specific permit limits.
 The test results meet all requirements of NELAC unless otherwise specified.
 The report shall not be reproduced except in full without the written consent of the laboratory.
 Unless otherwise specified, the Environmental and Food Chemistry Testing except field parameters were

Printed 10/15/13 10:59

CHERYL GRIFFIN
MARYLAND ENVIRONMENTAL SERVICE A
259 NAJOLES ROAD
RE: BLACK & DECKER WWTP
MILLERSVILLE, MD 21108

Order Number: L4796103
Project Name: BLACK & DECKER WWTP
Receive Date: 10-14-2013
Client Code: MES_A
Project Location: BLACK & DECKER WWTP

Sample ID Sample Description Samp. Date/Time/Temp Sampled by
L4796103-1 BLACK & DECKER 101 10/08/13 09:02am NA C Customer
Received Date/Time 10/14/13 01:00pm

Parameter	Method	Result	RLs	Test Date, Time, Analyst
ENVIRONMENTAL MICROBIOLOGY				
FECAL COLIFORM-MPN CEL(DELAWARE)	SM 9221E	2.0 MPN/100ml	MPN/100ml	10/08/13 02:25PM SUB

Fecal coliform was analyzed by Chesapeake Environmental Lab, Inc. in Stevensville, MD.

General Notes:

A result of "ND" indicates that the analyte tested was either not detected or the concentration was below the RLs.
Definitions: NEG=negative; POS=positive; COL=colonies; RLs=laboratory reporting limits; L/A=laboratory accident; TNTC= Too numerous to count; pres=presumptive
MCL= EPA recommended "maximum contaminant level", PLs = Customer-specific permit limits.
The test results meet all requirements of NELAC unless otherwise specified.
The report shall not be reproduced except in full without the written consent of the laboratory.
Unless otherwise specified, the Environmental and Food Chemistry Testing except field parameters were performed by QC Inc. located at 1205 Industrial Blvd., Southampton, PA 18966; Pharmaceutical, Dairy and Food Microbiological tests were performed by QC Inc. located at 702 Electronic Drive, Horsham, PA 19044.
The reported results relate only to the samples.
All samples are collected as "grab" samples unless otherwise identified.
A result marked with "DRY" indicates that the result was calculated and reported on a dry weight basis.
The following personnel or their deputies have approved the results of the tests performed by QC Inc.: Nicki Smith (Environmental & Food Chemistry), Amanda Lukaszewski (Pharmaceutical), John Pcsolar (Dairy & Food Microbiology),
QCL Accreditations: Southampton Div: EPA ID PA00018; NELAP ID's: PA 09-00131, NJ PA166, NY 11223
State ID's: CT PH-0768, DE PA-018, MD 206, SC 89021001; FDA Reg. # : 2515238
E. Rutherford Div: State ID: NJ 02015; Vineland Div: State ID: NJ 06005; Reading Div: State ID: PA 06-03543

Regulatory authorities are assessing substantial fines for testing omissions. Please track your sample collections and results on a weekly, monthly, or quarterly basis to ensure compliance. QC's internet program 'LIVE ACCESS' will provide you with real-time access to collection dates and results. Please contact Customer Service for further information on acquiring LIVE ACCESS.



QC Laboratories

Analytical Report

Printed 11/20/13 14:33

CHERYL GRIFFIN
 MARYLAND ENVIRONMENTAL SERVICE A
 259 NAJONES ROAD
 RE: BLACK & DECKER WWTP
 MILLERSVILLE, MD 21108

Order Number: L4800097
 Project Name: BLACK & DECKER WWTP
 Receive Date: 11-05-2013
 Client Code: MES_A
 Project Location: BLACK & DECKER WWTP

Sample ID L4800097-1 Sample Description FINAL 001 GRAB
 Received Date/Time/Temp 11/05/13 05:00pm 3.3 C Iced (Y/N): Y
 Samp. Date/Time/Temp 11/05/13 09:33am NA C Customer

Parameter	Method	Result	RLs	Test Date, Time, Analyst
GENERAL CHEMISTRY				
TOTAL NITRATE/NITRITE (DELAWARE)	EPA 300.0	1.81 mg/l	0.500 mg/l	11/07/13 05:42AM SLD
BIOCHEMICAL OXYGEN DEMAND (DELAWARE)	SM 5210B	3.00 mg/l	2.00 mg/l	11/06/13 12:15PM SKJ
KJELDAHL NITROGEN (DELAWARE)	EPA 351.2	0.655 mg/l	0.200 mg/l	11/13/13 03:45PM ALW
PHOSPHORUS TOTAL (DELAWARE)	EPA 365.4	ND mg/l	0.0500 mg/l	11/13/13 03:45PM ALW
AMMONIA NITROGEN AS N (DELAWARE)	SM 4500NH3-G	ND mg/l	0.200 mg/l	11/07/13 03:24PM ALW
TOTAL SUSPENDED SOLIDS (DELAWARE)	SM 2540D	ND mg/l	4.00 mg/l	11/08/13 12:00AM MS3
HEXANE EXTR.-HEM (OIL+GREASE)	1664A HEM	ND mg/l	5.00 mg/l	11/12/13 10:10AM NMW
GAS CHROMATOGRAPHY MASS SPECTROMETRY; VOLATILES				
1,1,1-TRICHLOROETHANE	EPA 624	ND ug/l	1.00 ug/l	11/18/13 07:10PM JAD
TRICHLOROETHENE	EPA 624	ND ug/l	1.00 ug/l	11/18/13 07:10PM JAD
TETRACHLOROETHENE	EPA 624	ND ug/l	1.00 ug/l	11/18/13 07:10PM JAD
DIBROMOFLUOROMETHANE	EPA 624	129 %		11/18/13 07:10PM JAD
TOLUENE-D8 (SURR)	EPA 624	111 %		11/18/13 07:10PM JAD
4-BROMOFLUOROBENZENE	EPA 624	92 %		11/18/13 07:10PM JAD

Sample Comments:

L4800097-1 :
 For the BOD 5 test on this day, the nutrient blank was 0.53 mg/l, above the acceptance limit of 0.30 mg/l DO depletion. All Batch control samples (GGA) were within acceptance limits.

General Notes:

A result of "ND" indicates that the analyte tested was either not detected or the concentration was below the RLs.
 Definitions: NEG=negative; POS=positive; COL=colonies; RLs=laboratory reporting limits; L/A=laboratory accident; TNTC= Too numerous to count; pres=presumptive
 MCL= EPA recommended "maximum contaminant level", PLs = Customer-specific permit limits.
 The test results meet all requirements of NELAC unless otherwise specified.
 The report shall not be reproduced except in full without the written consent of the laboratory.
 Unless otherwise specified, the Environmental and Food Chemistry Testing except field parameters were

PP 38133

Serial Number: 3220445

QC Laboratories

Analytical Report

Printed 12/02/13 16:42

CHERYL GRIFFIN
MARYLAND ENVIRONMENTAL SERVICE A
259 NAJILES ROAD
RE: BLACK & DECKER WWTP
MILLERSVILLE, MD 21108

Order Number: L4841052
Project Name: BLACK & DECKER WWTP
Receive Date: 11-26-2013
Client Code: MES_A
Project Location: BLACK & DECKER WWTP

Sample ID Sample Description Samp. Date/Time/Temp Sampled by
L4841052-1 BLACK & DECKER 101 11/13/13 09:20am NA C Customer
Received Date/Time 11/26/13 02:45pm

Parameter	Method	Result	RLs	Test Date, Time, Analyst
ENVIRONMENTAL MICROBIOLOGY				
FECAL COLIFORM-MPN CEL(DELAWARE)	SM 9221E	<1.8 MPN/100ml	MPN/100ml	11/13/13 02:18PM SUB

Fecal coliform was analyzed by Chesapeake Environmental Lab, Inc. in Stevensville, MD.

General Notes:

A result of "ND" indicates that the analyte tested was either not detected or the concentration was below the RLs.
Definitions: NEG=negative; POS=positive; COL=colonies; RLs=laboratory reporting limits; L/A=laboratory accident; TNTC= Too numerous to count; pres=presumptive
MCL= EPA recommended "maximum contaminant level", PLs = Customer-specific permit limits.
The test results meet all requirements of NELAC unless otherwise specified.
The report shall not be reproduced except in full without the written consent of the laboratory.
Unless otherwise specified, the Environmental and Food Chemistry Testing except field parameters were performed by QC Inc. located at 1205 Industrial Blvd., Southampton, PA 18966; Pharmaceutical, Dairy and Food Microbiological tests were performed by QC Inc. located at 702 Electronic Drive, Horsham, PA 19044.
The reported results relate only to the samples.
All samples are collected as "grab" samples unless otherwise identified.
A result marked with "DRY" indicates that the result was calculated and reported on a dry weight basis.
The following personnel or their deputies have approved the results of the tests performed by QC Inc.: Nicki Smith (Environmental & Food Chemistry), Amanda Lukaszewski (Pharmaceutical), John Pcsolar (Dairy & Food Microbiology),
QCL Accreditations: Southampton Div: EPA ID PA00018; NELAP ID's: PA 09-00131, NJ PA166, NY 11223
State ID's: CT PH-0768, DE PA-018, MD 206, SC 89021001; FDA Reg. # : 2515238
E. Rutherford Div: State ID: NJ 02015; Vineland Div: State ID: NJ 06005; Reading Div: State ID: PA 06-03543

Regulatory authorities are assessing substantial fines for testing omissions. Please track your sample collections and results on a weekly, monthly, or quarterly basis to ensure compliance. QC's internet program 'LIVE ACCESS' will provide you with real-time access to collection dates and results. Please contact Customer Service for further information on acquiring LIVE ACCESS.



PP 38133

Serial Number: 3241890

QC Laboratories

Analytical Report

Printed 12/30/13 15:19

CHERYL GRIFFIN
 MARYLAND ENVIRONMENTAL SERVICE A
 259 NAJILES ROAD
 RE: BLACK & DECKER WWTP
 MILLERSVILLE, MD 21108

Order Number: L4831042
 Project Name: BLACK & DECKER WWTP
 Receive Date: 12-10-2013
 Client Code: MES_A
 Project Location: BLACK & DECKER WWTP

Sample ID L4831042-1 Sample Description BLACK AND DECK 001 COMP
 Received Date/Time/Temp 12/10/13 04:00pm 2.2 C Iced (Y/N): Y
 Satellite Received Temp 2.2C Iced (Y/N): Y
 Samp. Date/Time/Temp 12/10/13 09:14am NA C Sampled by Customer

Parameter	Method	Result	RLs	Test Date, Time, Analyst
GENERAL CHEMISTRY				
Nitrate/nitrite, total as N (Delaware)	EPA 300.0	1.78 mg/l	0.500 mg/l	12/11/13 02:18AM SLD
Kjeldahl nitrogen, as N (Delaware)	EPA 351.2	0.354 mg/l	0.200 mg/l	12/13/13 12:19PM ALW
Phosphorus total as P (Delaware)	EPA 365.4	ND mg/l	0.0500 mg/l	12/13/13 12:19PM ALW

Sample ID L4831042-2 Sample Description BLACK-AND DECK 001 GRAB
 Received Date/Time/Temp 12/10/13 04:00pm 2.9 C Iced (Y/N): Y
 Samp. Date/Time/Temp 12/10/13 09:16am NA C Sampled by Customer

Parameter	Method	Result	RLs	Test Date, Time, Analyst
GENERAL CHEMISTRY				
Biochemical Oxygen Demand, 5 Day (DE)	SM 5210B	3.00 mg/l	2.00 mg/l	12/11/13 09:00AM SKJ
Total Suspended Solids (Delaware)	SM 2540D	ND mg/l	4.00 mg/l	12/11/13 12:00AM MS3
Hexane Ext. Material-HEM (oil+grease)	1664A HEM	ND mg/l	5.00 mg/l	12/16/13 04:00PM AGM

GAS CHROMATOGRAPHY MASS SPECTROMETRY; VOLATILES

1,1,1-Trichloroethane	EPA 624	ND ug/l	1.00 ug/l	12/17/13 07:53AM JSH
Trichloroethene	EPA 624	ND ug/l	1.00 ug/l	12/17/13 07:53AM JSH
Tetrachloroethene	EPA 624	ND ug/l	1.00 ug/l	12/17/13 07:53AM JSH
Dibromofluoromethane	EPA 624	97 %		12/17/13 07:53AM JSH
Toluene-D8 (Surr)	EPA 624	100 %		12/17/13 07:53AM JSH
4-Bromofluorobenzene	EPA 624	99 %		12/17/13 07:53AM JSH

PP 38133

Serial Number: 3290150

QC Laboratories

Analytical Report

Printed 12/09/13 09:39

CHERYL GRIFFIN
MARYLAND ENVIRONMENTAL SERVICE A
259 NAJOLAS ROAD
RE: BLACK & DECKER WWTP
MILLERSVILLE, MD 21108

Order Number: L4857090
Project Name: BLACK & DECKER WWTP
Receive Date: 12-06-2013
Client Code: MES_A
Project Location: BLACK & DECKER WWTP

Sample ID L4857090-1 Sample Description BLACK & DECKER 101
Received Date/Time 12/06/13 11:00am
Samp. Date/Time/Temp 11/19/13 09:03am NA C
Sampled by Customer

Parameter	Method	Result	RLs	Test Date, Time, Analyst
ENVIRONMENTAL MICROBIOLOGY				
FECAL COLIFORM-MPN CEL(DELAWARE)	SM 9221E	<1.8 MPN/100ml	MPN/100ml	11/19/13 02:05PM SUB

Fecal coliform was analyzed by Chesapeake Environmental Lab, Inc. in Stevensville, MD.

General Notes:

A result of "ND" indicates that the analyte tested was either not detected or the concentration was below the RLs.
Definitions: NEG=negative; POS=positive; COL=colonies; RLs=laboratory reporting limits; L/A=laboratory accident; TNTC= Too numerous to count; pres=presumptive
MCL= EPA recommended "maximum contaminant level", PLs = Customer-specific permit limits.
The test results meet all requirements of NELAC unless otherwise specified.
The report shall not be reproduced except in full without the written consent of the laboratory.
Unless otherwise specified, the Environmental and Food Chemistry Testing except field parameters were performed by QC Inc. located at 1205 Industrial Blvd., Southampton, PA 18966; Pharmaceutical, Dairy and Food Microbiological tests were performed by QC Inc. located at 702 Electronic Drive, Horsham, PA 19044.
The reported results relate only to the samples.
All samples are collected as "grab" samples unless otherwise identified.
A result marked with "DRY" indicates that the result was calculated and reported on a dry weight basis.
The following personnel or their deputies have approved the results of the tests performed by QC Inc.: Nicki Smith (Environmental & Food Chemistry), Amanda Lukaszewski (Pharmaceutical), John Pcsolar (Dairy & Food Microbiology),
QCL Accreditations: Southampton Div: EPA ID PA00018; NELAP ID's: PA 09-00131, NJ PA166, NY 11223
State ID's: CT PH-0768, DE PA-018, MD 206, SC 89021001; FDA Reg. #: 2515238
E. Rutherford Div: State ID: NJ 02015; Vineland Div: State ID: NJ 06005; Reading Div: State ID: PA 06-03543

Regulatory authorities are assessing substantial fines for testing omissions. Please track your sample collections and results on a weekly, monthly, or quarterly basis to ensure compliance. QC's internet program 'LIVE ACCESS' will provide you with real-time access to collection dates and results. Please contact Customer Service for further information on acquiring LIVE ACCESS.



PP 38133

Serial Number: 3250489

QC Laboratories

Analytical Report

Printed 12/17/13 11:33

CHERYL GRIFFIN
 MARYLAND ENVIRONMENTAL SERVICE A
 259 NAJILES ROAD
 RE: BLACK & DECKER WWTP
 MILLERSVILLE, MD 21108

Order Number: L4855267
 Project Name: BLACK & DECKER WWTP
 Receive Date: 12-03-2013
 Client Code: MES_A
 Project Location: BLACK & DECKER WWTP

Sample ID: L4855267-1 Sample Description: BTR-201 Samp. Date/Time/Temp: 12/03/13 08:45am NA C Temp Sampled by: Customer
 Received Date/Time/Temp: 12/03/13 04:40pm 3.1 C Iced (Y/N): Y

Parameter	Method	Result	RLs	Test Date, Time, Analyst
GAS CHROMATOGRAPHY MASS SPECTROMETRY; VOLATILES				
CHLOROMETHANE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
VINYL CHLORIDE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
BROMOMETHANE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
CHLOROETHANE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
TRICHLOROFLUOROMETHANE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
1,1-DICHLOROETHENE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
METHYLENE CHLORIDE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
TRANS-1,2-DICHLOROETHENE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
1,1-DICHLOROETHANE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
CARBON TETRACHLORIDE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
CHLOROFORM	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
1,1,1-TRICHLOROETHANE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
BENZENE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
1,2-DICHLOROETHANE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
TRICHLOROETHENE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
1,2-DICHLOROPROPANE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
BROMODICHLOROMETHANE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
TOLUENE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
TRANS-1,3-DICHLOROPROPENE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
CIS-1,3-DICHLOROPROPENE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
1,1,2-TRICHLOROETHANE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
2-CHLOROETHYL VINYL ETHER	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
DIBROMOCHLOROMETHANE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
TETRACHLOROETHENE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
CHLOROBENZENE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
ETHYL BENZENE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
BROMOFORM	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
1,1,2,2-TETRACHLOROETHANE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
1,3-DICHLOROBENZENE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
1,4-DICHLOROBENZENE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
1,2-DICHLOROBENZENE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
DIBROMOFLUOROMETHANE	EPA 624	99 %		12/13/13 06:50PM JSH
TOLUENE-D8 (SURR)	EPA 624	100 %		12/13/13 06:50PM JSH
4-BROMOFLUOROBENZENE	EPA 624	100 %		12/13/13 06:50PM JSH



PP 38133

Serial Number: 3266765

**APPENDIX D
GROUNDWATER ANALYTICAL DATA PACKAGE
(NOVEMBER 2013)**

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Chicago
2417 Bond Street
University Park, IL 60484
Tel: (708)534-5200

TestAmerica Job ID: 500-67178-1
Client Project/Site: Black and Decker

For:
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, Pennsylvania 19380

Attn: Mr. Tom Cornuet



Authorized for release by:
12/3/2013 11:36:40 AM

Richard Wright, Senior Project Manager
(708)534-5200
richard.wright@testamericainc.com

LINKS

Review your project
results through
Total Access

Have a Question?

 **Ask
The
Expert**

Visit us at:
www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.




Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Detection Summary	4
Method Summary	8
Sample Summary	9
Client Sample Results	10
Definitions	62
QC Association	63
Surrogate Summary	64
QC Sample Results	65
Chronicle	78
Certification Summary	83
Chain of Custody	84
Receipt Checklists	87



Case Narrative

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Job ID: 500-67178-1

Laboratory: TestAmerica Chicago

Narrative

Job Narrative
500-67178-1

Comments

No additional comments.

Receipt

The samples were received on 11/20/2013 9:10 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 4.6° C.

GC/MS VOA

Method(s) 8260B: The MSD (matrix spike duplicate) associated with analytical batch 214294 was analyzed outside of the method specified 12 hour tune time.

No other analytical or quality issues were noted.



Detection Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: EW-2

Lab Sample ID: 500-67178-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	3.6		1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	160		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	49		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: EW-3

Lab Sample ID: 500-67178-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Acetone	7.6		5.0	1.3	ug/L	1		8260B	Total/NA
cis-1,2-Dichloroethene	1.8		1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	38		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	1.3		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: EW-4

Lab Sample ID: 500-67178-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Tetrachloroethene	11		1.0	0.17	ug/L	1		8260B	Total/NA
Trichloroethene - DL	500		10	3.8	ug/L	20		8260B	Total/NA

Client Sample ID: EW-5

Lab Sample ID: 500-67178-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	92		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	3.0		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: EW-6

Lab Sample ID: 500-67178-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	5.8		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	11		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: EW-7

Lab Sample ID: 500-67178-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	5.7		1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	3.7		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	8.8		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: EW-8

Lab Sample ID: 500-67178-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	28		1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	8.6		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	74		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: EW-9

Lab Sample ID: 500-67178-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	0.71		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	110		1.0	0.17	ug/L	1		8260B	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Chicago

Detection Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: EW-9 DUP

Lab Sample ID: 500-67178-9

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	0.69		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	110		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: EW-10

Lab Sample ID: 500-67178-10

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Tetrachloroethene	1.5		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-1A

Lab Sample ID: 500-67178-11

No Detections.

Client Sample ID: RFW-1B

Lab Sample ID: 500-67178-12

No Detections.

Client Sample ID: RFW-2A

Lab Sample ID: 500-67178-13

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	0.58		0.50	0.19	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-2B

Lab Sample ID: 500-67178-14

No Detections.

Client Sample ID: RFW-3B

Lab Sample ID: 500-67178-15

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	1.6		1.0	0.12	ug/L	1		8260B	Total/NA
Tetrachloroethene	0.88	J	1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-4A

Lab Sample ID: 500-67178-16

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	0.84	J	1.0	0.12	ug/L	1		8260B	Total/NA
Chloroform	0.54	J	1.0	0.20	ug/L	1		8260B	Total/NA
Trichloroethene	25		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	16		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-4A DUP

Lab Sample ID: 500-67178-17

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	0.87	J	1.0	0.12	ug/L	1		8260B	Total/NA
Chloroform	0.58	J	1.0	0.20	ug/L	1		8260B	Total/NA
Trichloroethene	25		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	17		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-4B

Lab Sample ID: 500-67178-18

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	3.5		1.0	0.12	ug/L	1		8260B	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Chicago

Detection Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: RFW-4B (Continued)

Lab Sample ID: 500-67178-18

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloroform	1.1		1.0	0.20	ug/L	1		8260B	Total/NA
Trichloroethene	37		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	66		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-6

Lab Sample ID: 500-67178-19

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Acetone	7.5		5.0	1.3	ug/L	1		8260B	Total/NA
Trichloroethene	0.39	J	0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	0.75	J	1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-7

Lab Sample ID: 500-67178-20

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	0.97		0.50	0.19	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-9

Lab Sample ID: 500-67178-21

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,1-Dichloroethene	0.66	J	1.0	0.31	ug/L	1		8260B	Total/NA
cis-1,2-Dichloroethene	5.4		1.0	0.12	ug/L	1		8260B	Total/NA
1,1,1-Trichloroethane	0.51	J	1.0	0.20	ug/L	1		8260B	Total/NA
Trichloroethene	6.9		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	1.7		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-12B

Lab Sample ID: 500-67178-22

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	1.9		1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	67		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	5.0		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-11B

Lab Sample ID: 500-67178-23

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	2.5		0.50	0.19	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-13

Lab Sample ID: 500-67178-24

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	2.5		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	14		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-17

Lab Sample ID: 500-67178-25

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	3.5		0.50	0.074	ug/L	1		8260B	Total/NA
Tetrachloroethene	0.79	J	1.0	0.17	ug/L	1		8260B	Total/NA
o-Xylene	0.47	J	0.50	0.068	ug/L	1		8260B	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Chicago

Detection Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: Trip Blank

Lab Sample ID: 500-67178-26

No Detections.



This Detection Summary does not include radiochemical test results.

TestAmerica Chicago

Method Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Method	Method Description	Protocol	Laboratory
8260B	VOC	SW846	TAL CHI

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CHI = TestAmerica Chicago, 2417 Bond Street, University Park, IL 60484, TEL (708)534-5200



Sample Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
500-67178-1	EW-2	Water	11/19/13 12:00	11/20/13 09:10
500-67178-2	EW-3	Water	11/19/13 10:00	11/20/13 09:10
500-67178-3	EW-4	Water	11/18/13 12:40	11/20/13 09:10
500-67178-4	EW-5	Water	11/18/13 09:30	11/20/13 09:10
500-67178-5	EW-6	Water	11/18/13 11:50	11/20/13 09:10
500-67178-6	EW-7	Water	11/18/13 11:40	11/20/13 09:10
500-67178-7	EW-8	Water	11/18/13 11:30	11/20/13 09:10
500-67178-8	EW-9	Water	11/18/13 11:25	11/20/13 09:10
500-67178-9	EW-9 DUP	Water	11/18/13 11:25	11/20/13 09:10
500-67178-10	EW-10	Water	11/18/13 11:15	11/20/13 09:10
500-67178-11	RFW-1A	Water	11/18/13 10:05	11/20/13 09:10
500-67178-12	RFW-1B	Water	11/18/13 17:30	11/20/13 09:10
500-67178-13	RFW-2A	Water	11/18/13 11:05	11/20/13 09:10
500-67178-14	RFW-2B	Water	11/18/13 11:15	11/20/13 09:10
500-67178-15	RFW-3B	Water	11/18/13 16:35	11/20/13 09:10
500-67178-16	RFW-4A	Water	11/19/13 08:15	11/20/13 09:10
500-67178-17	RFW-4A DUP	Water	11/19/13 08:15	11/20/13 09:10
500-67178-18	RFW-4B	Water	11/19/13 08:40	11/20/13 09:10
500-67178-19	RFW-6	Water	11/18/13 17:25	11/20/13 09:10
500-67178-20	RFW-7	Water	11/18/13 13:15	11/20/13 09:10
500-67178-21	RFW-9	Water	11/18/13 17:10	11/20/13 09:10
500-67178-22	RFW-12B	Water	11/19/13 11:45	11/20/13 09:10
500-67178-23	RFW-11B	Water	11/19/13 09:50	11/20/13 09:10
500-67178-24	RFW-13	Water	11/18/13 14:45	11/20/13 09:10
500-67178-25	RFW-17	Water	11/18/13 15:35	11/20/13 09:10
500-67178-26	Trip Blank	Water	11/18/13 07:00	11/20/13 09:10

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: EW-2

Lab Sample ID: 500-67178-1

Date Collected: 11/19/13 12:00

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			11/30/13 11:40	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/30/13 11:40	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/30/13 11:40	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/30/13 11:40	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/30/13 11:40	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/30/13 11:40	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			11/30/13 11:40	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/30/13 11:40	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/30/13 11:40	1
Acetone	<5.0		5.0	1.3	ug/L			11/30/13 11:40	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/30/13 11:40	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/30/13 11:40	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/30/13 11:40	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/30/13 11:40	1
cis-1,2-Dichloroethene	3.6		1.0	0.12	ug/L			11/30/13 11:40	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/30/13 11:40	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			11/30/13 11:40	1
Chloroform	<1.0		1.0	0.20	ug/L			11/30/13 11:40	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/30/13 11:40	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/30/13 11:40	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			11/30/13 11:40	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 11:40	1
Trichloroethene	160		0.50	0.19	ug/L			11/30/13 11:40	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/30/13 11:40	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/30/13 11:40	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/30/13 11:40	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/30/13 11:40	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/30/13 11:40	1
Toluene	<0.50		0.50	0.11	ug/L			11/30/13 11:40	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/30/13 11:40	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 11:40	1
Tetrachloroethene	49		1.0	0.17	ug/L			11/30/13 11:40	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/30/13 11:40	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/30/13 11:40	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/30/13 11:40	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/30/13 11:40	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/30/13 11:40	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/30/13 11:40	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/30/13 11:40	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/30/13 11:40	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/30/13 11:40	1
Styrene	<1.0		1.0	0.10	ug/L			11/30/13 11:40	1
Bromoform	<1.0		1.0	0.28	ug/L			11/30/13 11:40	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 11:40	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/30/13 11:40	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/30/13 11:40	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			11/30/13 11:40	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 11:40	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/30/13 11:40	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: EW-2

Lab Sample ID: 500-67178-1

Date Collected: 11/19/13 12:00

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			11/30/13 11:40	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			11/30/13 11:40	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 11:40	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 11:40	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			11/30/13 11:40	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 11:40	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			11/30/13 11:40	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 11:40	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 11:40	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			11/30/13 11:40	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			11/30/13 11:40	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			11/30/13 11:40	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			11/30/13 11:40	1
Naphthalene	<1.0		1.0	0.16	ug/L			11/30/13 11:40	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			11/30/13 11:40	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		75 - 125		11/30/13 11:40	1
Toluene-d8 (Surr)	101		75 - 120		11/30/13 11:40	1
4-Bromofluorobenzene (Surr)	94		75 - 120		11/30/13 11:40	1
Dibromofluoromethane	93		75 - 120		11/30/13 11:40	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: EW-3

Lab Sample ID: 500-67178-2

Date Collected: 11/19/13 10:00

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			11/30/13 12:34	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/30/13 12:34	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/30/13 12:34	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/30/13 12:34	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/30/13 12:34	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/30/13 12:34	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			11/30/13 12:34	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/30/13 12:34	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/30/13 12:34	1
Acetone	7.6		5.0	1.3	ug/L			11/30/13 12:34	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/30/13 12:34	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/30/13 12:34	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/30/13 12:34	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/30/13 12:34	1
cis-1,2-Dichloroethene	1.8		1.0	0.12	ug/L			11/30/13 12:34	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/30/13 12:34	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			11/30/13 12:34	1
Chloroform	<1.0		1.0	0.20	ug/L			11/30/13 12:34	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/30/13 12:34	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/30/13 12:34	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			11/30/13 12:34	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 12:34	1
Trichloroethene	38		0.50	0.19	ug/L			11/30/13 12:34	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/30/13 12:34	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/30/13 12:34	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/30/13 12:34	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/30/13 12:34	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/30/13 12:34	1
Toluene	<0.50		0.50	0.11	ug/L			11/30/13 12:34	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/30/13 12:34	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 12:34	1
Tetrachloroethene	1.3		1.0	0.17	ug/L			11/30/13 12:34	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/30/13 12:34	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/30/13 12:34	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/30/13 12:34	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/30/13 12:34	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/30/13 12:34	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/30/13 12:34	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/30/13 12:34	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/30/13 12:34	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/30/13 12:34	1
Styrene	<1.0		1.0	0.10	ug/L			11/30/13 12:34	1
Bromoform	<1.0		1.0	0.28	ug/L			11/30/13 12:34	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 12:34	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/30/13 12:34	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/30/13 12:34	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			11/30/13 12:34	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 12:34	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/30/13 12:34	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: EW-3

Lab Sample ID: 500-67178-2

Date Collected: 11/19/13 10:00

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			11/30/13 12:34	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			11/30/13 12:34	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 12:34	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 12:34	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			11/30/13 12:34	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 12:34	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			11/30/13 12:34	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 12:34	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 12:34	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			11/30/13 12:34	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			11/30/13 12:34	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			11/30/13 12:34	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			11/30/13 12:34	1
Naphthalene	<1.0		1.0	0.16	ug/L			11/30/13 12:34	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			11/30/13 12:34	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		75 - 125		11/30/13 12:34	1
Toluene-d8 (Surr)	100		75 - 120		11/30/13 12:34	1
4-Bromofluorobenzene (Surr)	93		75 - 120		11/30/13 12:34	1
Dibromofluoromethane	93		75 - 120		11/30/13 12:34	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: EW-4

Lab Sample ID: 500-67178-3

Date Collected: 11/18/13 12:40

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			12/02/13 14:42	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			12/02/13 14:42	1
Chloromethane	<1.0		1.0	0.18	ug/L			12/02/13 14:42	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			12/02/13 14:42	1
Bromomethane	<1.0		1.0	0.31	ug/L			12/02/13 14:42	1
Chloroethane	<1.0		1.0	0.34	ug/L			12/02/13 14:42	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			12/02/13 14:42	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			12/02/13 14:42	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			12/02/13 14:42	1
Acetone	<5.0		5.0	1.3	ug/L			12/02/13 14:42	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			12/02/13 14:42	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			12/02/13 14:42	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			12/02/13 14:42	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			12/02/13 14:42	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			12/02/13 14:42	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			12/02/13 14:42	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			12/02/13 14:42	1
Chloroform	<1.0		1.0	0.20	ug/L			12/02/13 14:42	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			12/02/13 14:42	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			12/02/13 14:42	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			12/02/13 14:42	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			12/02/13 14:42	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			12/02/13 14:42	1
Dibromomethane	<1.0		1.0	0.33	ug/L			12/02/13 14:42	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			12/02/13 14:42	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			12/02/13 14:42	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			12/02/13 14:42	1
Toluene	<0.50		0.50	0.11	ug/L			12/02/13 14:42	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			12/02/13 14:42	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			12/02/13 14:42	1
Tetrachloroethene	11		1.0	0.17	ug/L			12/02/13 14:42	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			12/02/13 14:42	1
2-Hexanone	<5.0		5.0	0.56	ug/L			12/02/13 14:42	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			12/02/13 14:42	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			12/02/13 14:42	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			12/02/13 14:42	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			12/02/13 14:42	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			12/02/13 14:42	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			12/02/13 14:42	1
o-Xylene	<0.50		0.50	0.068	ug/L			12/02/13 14:42	1
Styrene	<1.0		1.0	0.10	ug/L			12/02/13 14:42	1
Bromoform	<1.0		1.0	0.28	ug/L			12/02/13 14:42	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			12/02/13 14:42	1
Bromobenzene	<1.0		1.0	0.25	ug/L			12/02/13 14:42	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			12/02/13 14:42	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			12/02/13 14:42	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			12/02/13 14:42	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			12/02/13 14:42	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			12/02/13 14:42	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: EW-4
Date Collected: 11/18/13 12:40
Date Received: 11/20/13 09:10

Lab Sample ID: 500-67178-3
Matrix: Water

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			12/02/13 14:42	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			12/02/13 14:42	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			12/02/13 14:42	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			12/02/13 14:42	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			12/02/13 14:42	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			12/02/13 14:42	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			12/02/13 14:42	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			12/02/13 14:42	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			12/02/13 14:42	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			12/02/13 14:42	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			12/02/13 14:42	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			12/02/13 14:42	1
Naphthalene	<1.0		1.0	0.16	ug/L			12/02/13 14:42	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			12/02/13 14:42	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		75 - 125		12/02/13 14:42	1
Toluene-d8 (Surr)	102		75 - 120		12/02/13 14:42	1
4-Bromofluorobenzene (Surr)	95		75 - 120		12/02/13 14:42	1
Dibromofluoromethane	92		75 - 120		12/02/13 14:42	1

Method: 8260B - VOC - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Trichloroethene	500		10	3.8	ug/L			11/30/13 13:28	20

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		75 - 125		11/30/13 13:28	20
Toluene-d8 (Surr)	104		75 - 120		11/30/13 13:28	20
4-Bromofluorobenzene (Surr)	96		75 - 120		11/30/13 13:28	20
Dibromofluoromethane	91		75 - 120		11/30/13 13:28	20

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: EW-5

Lab Sample ID: 500-67178-4

Date Collected: 11/18/13 09:30

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			11/30/13 13:55	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/30/13 13:55	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/30/13 13:55	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/30/13 13:55	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/30/13 13:55	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/30/13 13:55	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			11/30/13 13:55	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/30/13 13:55	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/30/13 13:55	1
Acetone	<5.0		5.0	1.3	ug/L			11/30/13 13:55	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/30/13 13:55	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/30/13 13:55	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/30/13 13:55	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/30/13 13:55	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			11/30/13 13:55	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/30/13 13:55	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			11/30/13 13:55	1
Chloroform	<1.0		1.0	0.20	ug/L			11/30/13 13:55	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/30/13 13:55	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/30/13 13:55	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			11/30/13 13:55	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 13:55	1
Trichloroethene	92		0.50	0.19	ug/L			11/30/13 13:55	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/30/13 13:55	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/30/13 13:55	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/30/13 13:55	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/30/13 13:55	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/30/13 13:55	1
Toluene	<0.50		0.50	0.11	ug/L			11/30/13 13:55	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/30/13 13:55	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 13:55	1
Tetrachloroethene	3.0		1.0	0.17	ug/L			11/30/13 13:55	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/30/13 13:55	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/30/13 13:55	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/30/13 13:55	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/30/13 13:55	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/30/13 13:55	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/30/13 13:55	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/30/13 13:55	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/30/13 13:55	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/30/13 13:55	1
Styrene	<1.0		1.0	0.10	ug/L			11/30/13 13:55	1
Bromoform	<1.0		1.0	0.28	ug/L			11/30/13 13:55	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 13:55	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/30/13 13:55	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/30/13 13:55	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			11/30/13 13:55	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 13:55	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/30/13 13:55	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: EW-5
Date Collected: 11/18/13 09:30
Date Received: 11/20/13 09:10

Lab Sample ID: 500-67178-4
Matrix: Water

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			11/30/13 13:55	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			11/30/13 13:55	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 13:55	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 13:55	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			11/30/13 13:55	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 13:55	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			11/30/13 13:55	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 13:55	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 13:55	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			11/30/13 13:55	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			11/30/13 13:55	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			11/30/13 13:55	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			11/30/13 13:55	1
Naphthalene	<1.0		1.0	0.16	ug/L			11/30/13 13:55	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			11/30/13 13:55	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		75 - 125		11/30/13 13:55	1
Toluene-d8 (Surr)	102		75 - 120		11/30/13 13:55	1
4-Bromofluorobenzene (Surr)	93		75 - 120		11/30/13 13:55	1
Dibromofluoromethane	93		75 - 120		11/30/13 13:55	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: EW-6

Lab Sample ID: 500-67178-5

Date Collected: 11/18/13 11:50

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			11/30/13 14:23	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/30/13 14:23	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/30/13 14:23	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/30/13 14:23	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/30/13 14:23	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/30/13 14:23	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			11/30/13 14:23	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/30/13 14:23	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/30/13 14:23	1
Acetone	<5.0		5.0	1.3	ug/L			11/30/13 14:23	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/30/13 14:23	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/30/13 14:23	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/30/13 14:23	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/30/13 14:23	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			11/30/13 14:23	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/30/13 14:23	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			11/30/13 14:23	1
Chloroform	<1.0		1.0	0.20	ug/L			11/30/13 14:23	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/30/13 14:23	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/30/13 14:23	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			11/30/13 14:23	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 14:23	1
Trichloroethene	5.8		0.50	0.19	ug/L			11/30/13 14:23	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/30/13 14:23	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/30/13 14:23	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/30/13 14:23	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/30/13 14:23	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/30/13 14:23	1
Toluene	<0.50		0.50	0.11	ug/L			11/30/13 14:23	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/30/13 14:23	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 14:23	1
Tetrachloroethene	11		1.0	0.17	ug/L			11/30/13 14:23	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/30/13 14:23	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/30/13 14:23	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/30/13 14:23	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/30/13 14:23	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/30/13 14:23	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/30/13 14:23	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/30/13 14:23	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/30/13 14:23	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/30/13 14:23	1
Styrene	<1.0		1.0	0.10	ug/L			11/30/13 14:23	1
Bromoform	<1.0		1.0	0.28	ug/L			11/30/13 14:23	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 14:23	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/30/13 14:23	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/30/13 14:23	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			11/30/13 14:23	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 14:23	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/30/13 14:23	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: EW-6

Lab Sample ID: 500-67178-5

Date Collected: 11/18/13 11:50

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			11/30/13 14:23	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			11/30/13 14:23	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 14:23	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 14:23	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			11/30/13 14:23	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 14:23	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			11/30/13 14:23	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 14:23	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 14:23	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			11/30/13 14:23	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			11/30/13 14:23	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			11/30/13 14:23	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			11/30/13 14:23	1
Naphthalene	<1.0		1.0	0.16	ug/L			11/30/13 14:23	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			11/30/13 14:23	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		75 - 125		11/30/13 14:23	1
Toluene-d8 (Surr)	101		75 - 120		11/30/13 14:23	1
4-Bromofluorobenzene (Surr)	95		75 - 120		11/30/13 14:23	1
Dibromofluoromethane	92		75 - 120		11/30/13 14:23	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: EW-7

Lab Sample ID: 500-67178-6

Date Collected: 11/18/13 11:40

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			11/30/13 14:50	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/30/13 14:50	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/30/13 14:50	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/30/13 14:50	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/30/13 14:50	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/30/13 14:50	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			11/30/13 14:50	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/30/13 14:50	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/30/13 14:50	1
Acetone	<5.0		5.0	1.3	ug/L			11/30/13 14:50	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/30/13 14:50	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/30/13 14:50	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/30/13 14:50	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/30/13 14:50	1
cis-1,2-Dichloroethene	5.7		1.0	0.12	ug/L			11/30/13 14:50	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/30/13 14:50	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			11/30/13 14:50	1
Chloroform	<1.0		1.0	0.20	ug/L			11/30/13 14:50	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/30/13 14:50	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/30/13 14:50	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			11/30/13 14:50	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 14:50	1
Trichloroethene	3.7		0.50	0.19	ug/L			11/30/13 14:50	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/30/13 14:50	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/30/13 14:50	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/30/13 14:50	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/30/13 14:50	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/30/13 14:50	1
Toluene	<0.50		0.50	0.11	ug/L			11/30/13 14:50	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/30/13 14:50	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 14:50	1
Tetrachloroethene	8.8		1.0	0.17	ug/L			11/30/13 14:50	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/30/13 14:50	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/30/13 14:50	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/30/13 14:50	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/30/13 14:50	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/30/13 14:50	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/30/13 14:50	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/30/13 14:50	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/30/13 14:50	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/30/13 14:50	1
Styrene	<1.0		1.0	0.10	ug/L			11/30/13 14:50	1
Bromoform	<1.0		1.0	0.28	ug/L			11/30/13 14:50	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 14:50	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/30/13 14:50	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/30/13 14:50	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			11/30/13 14:50	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 14:50	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/30/13 14:50	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: EW-7

Lab Sample ID: 500-67178-6

Date Collected: 11/18/13 11:40

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			11/30/13 14:50	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			11/30/13 14:50	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 14:50	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 14:50	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			11/30/13 14:50	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 14:50	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			11/30/13 14:50	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 14:50	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 14:50	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			11/30/13 14:50	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			11/30/13 14:50	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			11/30/13 14:50	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			11/30/13 14:50	1
Naphthalene	<1.0		1.0	0.16	ug/L			11/30/13 14:50	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			11/30/13 14:50	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		75 - 125		11/30/13 14:50	1
Toluene-d8 (Surr)	102		75 - 120		11/30/13 14:50	1
4-Bromofluorobenzene (Surr)	95		75 - 120		11/30/13 14:50	1
Dibromofluoromethane	91		75 - 120		11/30/13 14:50	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: EW-8

Lab Sample ID: 500-67178-7

Date Collected: 11/18/13 11:30

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			11/30/13 15:17	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/30/13 15:17	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/30/13 15:17	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/30/13 15:17	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/30/13 15:17	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/30/13 15:17	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			11/30/13 15:17	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/30/13 15:17	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/30/13 15:17	1
Acetone	<5.0		5.0	1.3	ug/L			11/30/13 15:17	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/30/13 15:17	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/30/13 15:17	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/30/13 15:17	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/30/13 15:17	1
cis-1,2-Dichloroethene	28		1.0	0.12	ug/L			11/30/13 15:17	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/30/13 15:17	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			11/30/13 15:17	1
Chloroform	<1.0		1.0	0.20	ug/L			11/30/13 15:17	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/30/13 15:17	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/30/13 15:17	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			11/30/13 15:17	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 15:17	1
Trichloroethene	8.6		0.50	0.19	ug/L			11/30/13 15:17	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/30/13 15:17	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/30/13 15:17	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/30/13 15:17	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/30/13 15:17	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/30/13 15:17	1
Toluene	<0.50		0.50	0.11	ug/L			11/30/13 15:17	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/30/13 15:17	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 15:17	1
Tetrachloroethene	74		1.0	0.17	ug/L			11/30/13 15:17	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/30/13 15:17	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/30/13 15:17	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/30/13 15:17	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/30/13 15:17	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/30/13 15:17	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/30/13 15:17	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/30/13 15:17	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/30/13 15:17	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/30/13 15:17	1
Styrene	<1.0		1.0	0.10	ug/L			11/30/13 15:17	1
Bromoform	<1.0		1.0	0.28	ug/L			11/30/13 15:17	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 15:17	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/30/13 15:17	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/30/13 15:17	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			11/30/13 15:17	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 15:17	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/30/13 15:17	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: EW-8

Lab Sample ID: 500-67178-7

Date Collected: 11/18/13 11:30

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			11/30/13 15:17	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			11/30/13 15:17	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 15:17	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 15:17	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			11/30/13 15:17	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 15:17	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			11/30/13 15:17	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 15:17	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 15:17	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			11/30/13 15:17	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			11/30/13 15:17	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			11/30/13 15:17	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			11/30/13 15:17	1
Naphthalene	<1.0		1.0	0.16	ug/L			11/30/13 15:17	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			11/30/13 15:17	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		75 - 125		11/30/13 15:17	1
Toluene-d8 (Surr)	100		75 - 120		11/30/13 15:17	1
4-Bromofluorobenzene (Surr)	94		75 - 120		11/30/13 15:17	1
Dibromofluoromethane	93		75 - 120		11/30/13 15:17	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: EW-9

Lab Sample ID: 500-67178-8

Date Collected: 11/18/13 11:25

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			11/30/13 15:44	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/30/13 15:44	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/30/13 15:44	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/30/13 15:44	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/30/13 15:44	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/30/13 15:44	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			11/30/13 15:44	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/30/13 15:44	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/30/13 15:44	1
Acetone	<5.0		5.0	1.3	ug/L			11/30/13 15:44	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/30/13 15:44	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/30/13 15:44	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/30/13 15:44	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/30/13 15:44	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			11/30/13 15:44	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/30/13 15:44	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			11/30/13 15:44	1
Chloroform	<1.0		1.0	0.20	ug/L			11/30/13 15:44	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/30/13 15:44	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/30/13 15:44	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			11/30/13 15:44	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 15:44	1
Trichloroethene	0.71		0.50	0.19	ug/L			11/30/13 15:44	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/30/13 15:44	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/30/13 15:44	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/30/13 15:44	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/30/13 15:44	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/30/13 15:44	1
Toluene	<0.50		0.50	0.11	ug/L			11/30/13 15:44	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/30/13 15:44	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 15:44	1
Tetrachloroethene	110		1.0	0.17	ug/L			11/30/13 15:44	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/30/13 15:44	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/30/13 15:44	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/30/13 15:44	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/30/13 15:44	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/30/13 15:44	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/30/13 15:44	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/30/13 15:44	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/30/13 15:44	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/30/13 15:44	1
Styrene	<1.0		1.0	0.10	ug/L			11/30/13 15:44	1
Bromoform	<1.0		1.0	0.28	ug/L			11/30/13 15:44	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 15:44	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/30/13 15:44	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/30/13 15:44	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			11/30/13 15:44	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 15:44	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/30/13 15:44	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: EW-9

Lab Sample ID: 500-67178-8

Date Collected: 11/18/13 11:25

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			11/30/13 15:44	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			11/30/13 15:44	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 15:44	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 15:44	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			11/30/13 15:44	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 15:44	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			11/30/13 15:44	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 15:44	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 15:44	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			11/30/13 15:44	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			11/30/13 15:44	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			11/30/13 15:44	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			11/30/13 15:44	1
Naphthalene	<1.0		1.0	0.16	ug/L			11/30/13 15:44	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			11/30/13 15:44	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		75 - 125		11/30/13 15:44	1
Toluene-d8 (Surr)	100		75 - 120		11/30/13 15:44	1
4-Bromofluorobenzene (Surr)	94		75 - 120		11/30/13 15:44	1
Dibromofluoromethane	94		75 - 120		11/30/13 15:44	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: EW-9 DUP

Lab Sample ID: 500-67178-9

Date Collected: 11/18/13 11:25

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			11/30/13 16:11	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/30/13 16:11	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/30/13 16:11	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/30/13 16:11	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/30/13 16:11	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/30/13 16:11	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			11/30/13 16:11	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/30/13 16:11	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/30/13 16:11	1
Acetone	<5.0		5.0	1.3	ug/L			11/30/13 16:11	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/30/13 16:11	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/30/13 16:11	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/30/13 16:11	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/30/13 16:11	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			11/30/13 16:11	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/30/13 16:11	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			11/30/13 16:11	1
Chloroform	<1.0		1.0	0.20	ug/L			11/30/13 16:11	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/30/13 16:11	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/30/13 16:11	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			11/30/13 16:11	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 16:11	1
Trichloroethene	0.69		0.50	0.19	ug/L			11/30/13 16:11	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/30/13 16:11	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/30/13 16:11	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/30/13 16:11	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/30/13 16:11	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/30/13 16:11	1
Toluene	<0.50		0.50	0.11	ug/L			11/30/13 16:11	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/30/13 16:11	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 16:11	1
Tetrachloroethene	110		1.0	0.17	ug/L			11/30/13 16:11	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/30/13 16:11	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/30/13 16:11	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/30/13 16:11	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/30/13 16:11	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/30/13 16:11	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/30/13 16:11	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/30/13 16:11	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/30/13 16:11	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/30/13 16:11	1
Styrene	<1.0		1.0	0.10	ug/L			11/30/13 16:11	1
Bromoform	<1.0		1.0	0.28	ug/L			11/30/13 16:11	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 16:11	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/30/13 16:11	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/30/13 16:11	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			11/30/13 16:11	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 16:11	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/30/13 16:11	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: EW-9 DUP

Lab Sample ID: 500-67178-9

Date Collected: 11/18/13 11:25

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			11/30/13 16:11	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			11/30/13 16:11	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 16:11	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 16:11	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			11/30/13 16:11	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 16:11	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			11/30/13 16:11	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 16:11	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 16:11	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			11/30/13 16:11	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			11/30/13 16:11	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			11/30/13 16:11	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			11/30/13 16:11	1
Naphthalene	<1.0		1.0	0.16	ug/L			11/30/13 16:11	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			11/30/13 16:11	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		75 - 125		11/30/13 16:11	1
Toluene-d8 (Surr)	99		75 - 120		11/30/13 16:11	1
4-Bromofluorobenzene (Surr)	94		75 - 120		11/30/13 16:11	1
Dibromofluoromethane	92		75 - 120		11/30/13 16:11	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: EW-10

Lab Sample ID: 500-67178-10

Date Collected: 11/18/13 11:15

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			11/30/13 16:38	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/30/13 16:38	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/30/13 16:38	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/30/13 16:38	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/30/13 16:38	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/30/13 16:38	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			11/30/13 16:38	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/30/13 16:38	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/30/13 16:38	1
Acetone	<5.0		5.0	1.3	ug/L			11/30/13 16:38	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/30/13 16:38	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/30/13 16:38	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/30/13 16:38	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/30/13 16:38	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			11/30/13 16:38	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/30/13 16:38	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			11/30/13 16:38	1
Chloroform	<1.0		1.0	0.20	ug/L			11/30/13 16:38	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/30/13 16:38	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/30/13 16:38	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			11/30/13 16:38	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 16:38	1
Trichloroethene	<0.50		0.50	0.19	ug/L			11/30/13 16:38	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/30/13 16:38	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/30/13 16:38	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/30/13 16:38	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/30/13 16:38	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/30/13 16:38	1
Toluene	<0.50		0.50	0.11	ug/L			11/30/13 16:38	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/30/13 16:38	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 16:38	1
Tetrachloroethene	1.5		1.0	0.17	ug/L			11/30/13 16:38	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/30/13 16:38	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/30/13 16:38	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/30/13 16:38	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/30/13 16:38	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/30/13 16:38	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/30/13 16:38	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/30/13 16:38	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/30/13 16:38	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/30/13 16:38	1
Styrene	<1.0		1.0	0.10	ug/L			11/30/13 16:38	1
Bromoform	<1.0		1.0	0.28	ug/L			11/30/13 16:38	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 16:38	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/30/13 16:38	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/30/13 16:38	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			11/30/13 16:38	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 16:38	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/30/13 16:38	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: EW-10

Lab Sample ID: 500-67178-10

Date Collected: 11/18/13 11:15

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			11/30/13 16:38	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			11/30/13 16:38	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 16:38	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 16:38	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			11/30/13 16:38	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 16:38	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			11/30/13 16:38	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 16:38	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 16:38	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			11/30/13 16:38	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			11/30/13 16:38	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			11/30/13 16:38	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			11/30/13 16:38	1
Naphthalene	<1.0		1.0	0.16	ug/L			11/30/13 16:38	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			11/30/13 16:38	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		75 - 125		11/30/13 16:38	1
Toluene-d8 (Surr)	100		75 - 120		11/30/13 16:38	1
4-Bromofluorobenzene (Surr)	97		75 - 120		11/30/13 16:38	1
Dibromofluoromethane	94		75 - 120		11/30/13 16:38	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: RFW-1A

Lab Sample ID: 500-67178-11

Date Collected: 11/18/13 10:05

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			11/30/13 17:05	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/30/13 17:05	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/30/13 17:05	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/30/13 17:05	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/30/13 17:05	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/30/13 17:05	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			11/30/13 17:05	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/30/13 17:05	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/30/13 17:05	1
Acetone	<5.0		5.0	1.3	ug/L			11/30/13 17:05	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/30/13 17:05	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/30/13 17:05	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/30/13 17:05	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/30/13 17:05	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			11/30/13 17:05	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/30/13 17:05	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			11/30/13 17:05	1
Chloroform	<1.0		1.0	0.20	ug/L			11/30/13 17:05	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/30/13 17:05	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/30/13 17:05	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			11/30/13 17:05	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 17:05	1
Trichloroethene	<0.50		0.50	0.19	ug/L			11/30/13 17:05	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/30/13 17:05	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/30/13 17:05	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/30/13 17:05	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/30/13 17:05	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/30/13 17:05	1
Toluene	<0.50		0.50	0.11	ug/L			11/30/13 17:05	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/30/13 17:05	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 17:05	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			11/30/13 17:05	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/30/13 17:05	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/30/13 17:05	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/30/13 17:05	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/30/13 17:05	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/30/13 17:05	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/30/13 17:05	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/30/13 17:05	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/30/13 17:05	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/30/13 17:05	1
Styrene	<1.0		1.0	0.10	ug/L			11/30/13 17:05	1
Bromoform	<1.0		1.0	0.28	ug/L			11/30/13 17:05	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 17:05	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/30/13 17:05	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/30/13 17:05	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			11/30/13 17:05	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 17:05	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/30/13 17:05	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: RFW-1A

Lab Sample ID: 500-67178-11

Date Collected: 11/18/13 10:05

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			11/30/13 17:05	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			11/30/13 17:05	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 17:05	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 17:05	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			11/30/13 17:05	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 17:05	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			11/30/13 17:05	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 17:05	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 17:05	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			11/30/13 17:05	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			11/30/13 17:05	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			11/30/13 17:05	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			11/30/13 17:05	1
Naphthalene	<1.0		1.0	0.16	ug/L			11/30/13 17:05	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			11/30/13 17:05	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		75 - 125		11/30/13 17:05	1
Toluene-d8 (Surr)	101		75 - 120		11/30/13 17:05	1
4-Bromofluorobenzene (Surr)	96		75 - 120		11/30/13 17:05	1
Dibromofluoromethane	92		75 - 120		11/30/13 17:05	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: RFW-1B

Lab Sample ID: 500-67178-12

Date Collected: 11/18/13 17:30

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			11/30/13 17:32	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/30/13 17:32	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/30/13 17:32	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/30/13 17:32	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/30/13 17:32	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/30/13 17:32	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			11/30/13 17:32	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/30/13 17:32	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/30/13 17:32	1
Acetone	<5.0		5.0	1.3	ug/L			11/30/13 17:32	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/30/13 17:32	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/30/13 17:32	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/30/13 17:32	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/30/13 17:32	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			11/30/13 17:32	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/30/13 17:32	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			11/30/13 17:32	1
Chloroform	<1.0		1.0	0.20	ug/L			11/30/13 17:32	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/30/13 17:32	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/30/13 17:32	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			11/30/13 17:32	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 17:32	1
Trichloroethene	<0.50		0.50	0.19	ug/L			11/30/13 17:32	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/30/13 17:32	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/30/13 17:32	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/30/13 17:32	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/30/13 17:32	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/30/13 17:32	1
Toluene	<0.50		0.50	0.11	ug/L			11/30/13 17:32	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/30/13 17:32	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 17:32	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			11/30/13 17:32	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/30/13 17:32	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/30/13 17:32	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/30/13 17:32	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/30/13 17:32	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/30/13 17:32	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/30/13 17:32	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/30/13 17:32	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/30/13 17:32	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/30/13 17:32	1
Styrene	<1.0		1.0	0.10	ug/L			11/30/13 17:32	1
Bromoform	<1.0		1.0	0.28	ug/L			11/30/13 17:32	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 17:32	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/30/13 17:32	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/30/13 17:32	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			11/30/13 17:32	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 17:32	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/30/13 17:32	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: RFW-1B

Lab Sample ID: 500-67178-12

Date Collected: 11/18/13 17:30

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			11/30/13 17:32	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			11/30/13 17:32	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 17:32	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 17:32	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			11/30/13 17:32	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 17:32	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			11/30/13 17:32	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 17:32	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 17:32	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			11/30/13 17:32	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			11/30/13 17:32	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			11/30/13 17:32	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			11/30/13 17:32	1
Naphthalene	<1.0		1.0	0.16	ug/L			11/30/13 17:32	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			11/30/13 17:32	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		75 - 125		11/30/13 17:32	1
Toluene-d8 (Surr)	102		75 - 120		11/30/13 17:32	1
4-Bromofluorobenzene (Surr)	94		75 - 120		11/30/13 17:32	1
Dibromofluoromethane	92		75 - 120		11/30/13 17:32	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: RFW-2A

Lab Sample ID: 500-67178-13

Date Collected: 11/18/13 11:05

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			11/30/13 17:59	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/30/13 17:59	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/30/13 17:59	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/30/13 17:59	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/30/13 17:59	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/30/13 17:59	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			11/30/13 17:59	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/30/13 17:59	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/30/13 17:59	1
Acetone	<5.0		5.0	1.3	ug/L			11/30/13 17:59	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/30/13 17:59	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/30/13 17:59	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/30/13 17:59	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/30/13 17:59	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			11/30/13 17:59	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/30/13 17:59	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			11/30/13 17:59	1
Chloroform	<1.0		1.0	0.20	ug/L			11/30/13 17:59	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/30/13 17:59	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/30/13 17:59	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			11/30/13 17:59	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 17:59	1
Trichloroethene	0.58		0.50	0.19	ug/L			11/30/13 17:59	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/30/13 17:59	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/30/13 17:59	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/30/13 17:59	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/30/13 17:59	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/30/13 17:59	1
Toluene	<0.50		0.50	0.11	ug/L			11/30/13 17:59	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/30/13 17:59	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 17:59	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			11/30/13 17:59	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/30/13 17:59	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/30/13 17:59	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/30/13 17:59	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/30/13 17:59	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/30/13 17:59	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/30/13 17:59	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/30/13 17:59	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/30/13 17:59	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/30/13 17:59	1
Styrene	<1.0		1.0	0.10	ug/L			11/30/13 17:59	1
Bromoform	<1.0		1.0	0.28	ug/L			11/30/13 17:59	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 17:59	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/30/13 17:59	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/30/13 17:59	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			11/30/13 17:59	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 17:59	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/30/13 17:59	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: RFW-2A

Lab Sample ID: 500-67178-13

Date Collected: 11/18/13 11:05

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			11/30/13 17:59	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			11/30/13 17:59	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 17:59	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 17:59	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			11/30/13 17:59	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 17:59	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			11/30/13 17:59	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 17:59	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 17:59	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			11/30/13 17:59	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			11/30/13 17:59	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			11/30/13 17:59	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			11/30/13 17:59	1
Naphthalene	<1.0		1.0	0.16	ug/L			11/30/13 17:59	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			11/30/13 17:59	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		75 - 125		11/30/13 17:59	1
Toluene-d8 (Surr)	99		75 - 120		11/30/13 17:59	1
4-Bromofluorobenzene (Surr)	95		75 - 120		11/30/13 17:59	1
Dibromofluoromethane	91		75 - 120		11/30/13 17:59	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: RFW-2B

Lab Sample ID: 500-67178-14

Date Collected: 11/18/13 11:15

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil-Fac
Benzene	<0.50		0.50	0.074	ug/L			11/30/13 18:27	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/30/13 18:27	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/30/13 18:27	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/30/13 18:27	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/30/13 18:27	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/30/13 18:27	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			11/30/13 18:27	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/30/13 18:27	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/30/13 18:27	1
Acetone	<5.0		5.0	1.3	ug/L			11/30/13 18:27	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/30/13 18:27	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/30/13 18:27	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/30/13 18:27	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/30/13 18:27	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			11/30/13 18:27	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/30/13 18:27	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			11/30/13 18:27	1
Chloroform	<1.0		1.0	0.20	ug/L			11/30/13 18:27	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/30/13 18:27	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/30/13 18:27	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			11/30/13 18:27	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 18:27	1
Trichloroethene	<0.50		0.50	0.19	ug/L			11/30/13 18:27	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/30/13 18:27	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/30/13 18:27	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/30/13 18:27	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/30/13 18:27	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/30/13 18:27	1
Toluene	<0.50		0.50	0.11	ug/L			11/30/13 18:27	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/30/13 18:27	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 18:27	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			11/30/13 18:27	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/30/13 18:27	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/30/13 18:27	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/30/13 18:27	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/30/13 18:27	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/30/13 18:27	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/30/13 18:27	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/30/13 18:27	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/30/13 18:27	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/30/13 18:27	1
Styrene	<1.0		1.0	0.10	ug/L			11/30/13 18:27	1
Bromoform	<1.0		1.0	0.28	ug/L			11/30/13 18:27	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 18:27	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/30/13 18:27	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/30/13 18:27	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			11/30/13 18:27	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 18:27	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/30/13 18:27	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: RFW-2B

Lab Sample ID: 500-67178-14

Date Collected: 11/18/13 11:15

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			11/30/13 18:27	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			11/30/13 18:27	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 18:27	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 18:27	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			11/30/13 18:27	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 18:27	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			11/30/13 18:27	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 18:27	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 18:27	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			11/30/13 18:27	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			11/30/13 18:27	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			11/30/13 18:27	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			11/30/13 18:27	1
Naphthalene	<1.0		1.0	0.16	ug/L			11/30/13 18:27	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			11/30/13 18:27	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		75 - 125		11/30/13 18:27	1
Toluene-d8 (Surr)	100		75 - 120		11/30/13 18:27	1
4-Bromofluorobenzene (Surr)	93		75 - 120		11/30/13 18:27	1
Dibromofluoromethane	93		75 - 120		11/30/13 18:27	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: RFW-3B

Lab Sample ID: 500-67178-15

Date Collected: 11/18/13 16:35

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			11/30/13 18:54	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/30/13 18:54	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/30/13 18:54	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/30/13 18:54	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/30/13 18:54	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/30/13 18:54	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			11/30/13 18:54	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/30/13 18:54	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/30/13 18:54	1
Acetone	<5.0		5.0	1.3	ug/L			11/30/13 18:54	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/30/13 18:54	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/30/13 18:54	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/30/13 18:54	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/30/13 18:54	1
cis-1,2-Dichloroethene	1.6		1.0	0.12	ug/L			11/30/13 18:54	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/30/13 18:54	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			11/30/13 18:54	1
Chloroform	<1.0		1.0	0.20	ug/L			11/30/13 18:54	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/30/13 18:54	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/30/13 18:54	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			11/30/13 18:54	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 18:54	1
Trichloroethene	<0.50		0.50	0.19	ug/L			11/30/13 18:54	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/30/13 18:54	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/30/13 18:54	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/30/13 18:54	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/30/13 18:54	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/30/13 18:54	1
Toluene	<0.50		0.50	0.11	ug/L			11/30/13 18:54	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/30/13 18:54	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 18:54	1
Tetrachloroethene	0.88	J	1.0	0.17	ug/L			11/30/13 18:54	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/30/13 18:54	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/30/13 18:54	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/30/13 18:54	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/30/13 18:54	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/30/13 18:54	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/30/13 18:54	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/30/13 18:54	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/30/13 18:54	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/30/13 18:54	1
Styrene	<1.0		1.0	0.10	ug/L			11/30/13 18:54	1
Bromoform	<1.0		1.0	0.28	ug/L			11/30/13 18:54	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 18:54	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/30/13 18:54	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/30/13 18:54	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			11/30/13 18:54	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 18:54	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/30/13 18:54	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: RFW-3B

Lab Sample ID: 500-67178-15

Date Collected: 11/18/13 16:35

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			11/30/13 18:54	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			11/30/13 18:54	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 18:54	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 18:54	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			11/30/13 18:54	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 18:54	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			11/30/13 18:54	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 18:54	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 18:54	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			11/30/13 18:54	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			11/30/13 18:54	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			11/30/13 18:54	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			11/30/13 18:54	1
Naphthalene	<1.0		1.0	0.16	ug/L			11/30/13 18:54	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			11/30/13 18:54	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		75 - 125		11/30/13 18:54	1
Toluene-d8 (Surr)	100		75 - 120		11/30/13 18:54	1
4-Bromofluorobenzene (Surr)	97		75 - 120		11/30/13 18:54	1
Dibromofluoromethane	94		75 - 120		11/30/13 18:54	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: RFW-4A

Lab Sample ID: 500-67178-16

Date Collected: 11/19/13 08:15

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			11/30/13 19:21	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/30/13 19:21	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/30/13 19:21	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/30/13 19:21	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/30/13 19:21	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/30/13 19:21	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			11/30/13 19:21	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/30/13 19:21	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/30/13 19:21	1
Acetone	<5.0		5.0	1.3	ug/L			11/30/13 19:21	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/30/13 19:21	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/30/13 19:21	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/30/13 19:21	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/30/13 19:21	1
cis-1,2-Dichloroethene	0.84	J	1.0	0.12	ug/L			11/30/13 19:21	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/30/13 19:21	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			11/30/13 19:21	1
Chloroform	0.54	J	1.0	0.20	ug/L			11/30/13 19:21	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/30/13 19:21	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/30/13 19:21	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			11/30/13 19:21	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 19:21	1
Trichloroethene	25		0.50	0.19	ug/L			11/30/13 19:21	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/30/13 19:21	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/30/13 19:21	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/30/13 19:21	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/30/13 19:21	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/30/13 19:21	1
Toluene	<0.50		0.50	0.11	ug/L			11/30/13 19:21	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/30/13 19:21	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 19:21	1
Tetrachloroethene	16		1.0	0.17	ug/L			11/30/13 19:21	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/30/13 19:21	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/30/13 19:21	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/30/13 19:21	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/30/13 19:21	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/30/13 19:21	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/30/13 19:21	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/30/13 19:21	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/30/13 19:21	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/30/13 19:21	1
Styrene	<1.0		1.0	0.10	ug/L			11/30/13 19:21	1
Bromoform	<1.0		1.0	0.28	ug/L			11/30/13 19:21	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 19:21	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/30/13 19:21	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/30/13 19:21	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			11/30/13 19:21	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 19:21	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/30/13 19:21	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: RFW-4A

Lab Sample ID: 500-67178-16

Date Collected: 11/19/13 08:15

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			11/30/13 19:21	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			11/30/13 19:21	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 19:21	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 19:21	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			11/30/13 19:21	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 19:21	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			11/30/13 19:21	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 19:21	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 19:21	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			11/30/13 19:21	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			11/30/13 19:21	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			11/30/13 19:21	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			11/30/13 19:21	1
Naphthalene	<1.0		1.0	0.16	ug/L			11/30/13 19:21	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			11/30/13 19:21	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		75 - 125		11/30/13 19:21	1
Toluene-d8 (Surr)	100		75 - 120		11/30/13 19:21	1
4-Bromofluorobenzene (Surr)	95		75 - 120		11/30/13 19:21	1
Dibromofluoromethane	93		75 - 120		11/30/13 19:21	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: RFW-4A DUP

Lab Sample ID: 500-67178-17

Date Collected: 11/19/13 08:15

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			11/30/13 19:48	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/30/13 19:48	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/30/13 19:48	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/30/13 19:48	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/30/13 19:48	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/30/13 19:48	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			11/30/13 19:48	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/30/13 19:48	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/30/13 19:48	1
Acetone	<5.0		5.0	1.3	ug/L			11/30/13 19:48	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/30/13 19:48	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/30/13 19:48	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/30/13 19:48	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/30/13 19:48	1
cis-1,2-Dichloroethene	0.87	J	1.0	0.12	ug/L			11/30/13 19:48	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/30/13 19:48	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			11/30/13 19:48	1
Chloroform	0.58	J	1.0	0.20	ug/L			11/30/13 19:48	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/30/13 19:48	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/30/13 19:48	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			11/30/13 19:48	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 19:48	1
Trichloroethene	25		0.50	0.19	ug/L			11/30/13 19:48	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/30/13 19:48	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/30/13 19:48	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/30/13 19:48	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/30/13 19:48	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/30/13 19:48	1
Toluene	<0.50		0.50	0.11	ug/L			11/30/13 19:48	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/30/13 19:48	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 19:48	1
Tetrachloroethene	17		1.0	0.17	ug/L			11/30/13 19:48	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/30/13 19:48	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/30/13 19:48	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/30/13 19:48	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/30/13 19:48	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/30/13 19:48	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/30/13 19:48	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/30/13 19:48	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/30/13 19:48	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/30/13 19:48	1
Styrene	<1.0		1.0	0.10	ug/L			11/30/13 19:48	1
Bromoform	<1.0		1.0	0.28	ug/L			11/30/13 19:48	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 19:48	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/30/13 19:48	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/30/13 19:48	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			11/30/13 19:48	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 19:48	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/30/13 19:48	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: RFW-4A DUP

Lab Sample ID: 500-67178-17

Date Collected: 11/19/13 08:15

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			11/30/13 19:48	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			11/30/13 19:48	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 19:48	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 19:48	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			11/30/13 19:48	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 19:48	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			11/30/13 19:48	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 19:48	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 19:48	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			11/30/13 19:48	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			11/30/13 19:48	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			11/30/13 19:48	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			11/30/13 19:48	1
Naphthalene	<1.0		1.0	0.16	ug/L			11/30/13 19:48	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			11/30/13 19:48	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		75 - 125					11/30/13 19:48	1
Toluene-d8 (Surr)	100		75 - 120					11/30/13 19:48	1
4-Bromofluorobenzene (Surr)	96		75 - 120					11/30/13 19:48	1
Dibromofluoromethane	93		75 - 120					11/30/13 19:48	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: RFW-4B

Lab Sample ID: 500-67178-18

Date Collected: 11/19/13 08:40

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			11/30/13 20:15	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/30/13 20:15	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/30/13 20:15	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/30/13 20:15	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/30/13 20:15	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/30/13 20:15	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			11/30/13 20:15	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/30/13 20:15	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/30/13 20:15	1
Acetone	<5.0		5.0	1.3	ug/L			11/30/13 20:15	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/30/13 20:15	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/30/13 20:15	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/30/13 20:15	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/30/13 20:15	1
cis-1,2-Dichloroethene	3.5		1.0	0.12	ug/L			11/30/13 20:15	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/30/13 20:15	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			11/30/13 20:15	1
Chloroform	1.1		1.0	0.20	ug/L			11/30/13 20:15	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/30/13 20:15	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/30/13 20:15	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			11/30/13 20:15	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 20:15	1
Trichloroethene	37		0.50	0.19	ug/L			11/30/13 20:15	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/30/13 20:15	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/30/13 20:15	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/30/13 20:15	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/30/13 20:15	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/30/13 20:15	1
Toluene	<0.50		0.50	0.11	ug/L			11/30/13 20:15	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/30/13 20:15	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 20:15	1
Tetrachloroethene	66		1.0	0.17	ug/L			11/30/13 20:15	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/30/13 20:15	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/30/13 20:15	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/30/13 20:15	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/30/13 20:15	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/30/13 20:15	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/30/13 20:15	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/30/13 20:15	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/30/13 20:15	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/30/13 20:15	1
Styrene	<1.0		1.0	0.10	ug/L			11/30/13 20:15	1
Bromoform	<1.0		1.0	0.28	ug/L			11/30/13 20:15	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 20:15	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/30/13 20:15	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/30/13 20:15	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			11/30/13 20:15	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 20:15	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/30/13 20:15	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: RFW-4B

Lab Sample ID: 500-67178-18

Date Collected: 11/19/13 08:40

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			11/30/13 20:15	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			11/30/13 20:15	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 20:15	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 20:15	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			11/30/13 20:15	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 20:15	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			11/30/13 20:15	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 20:15	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 20:15	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			11/30/13 20:15	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			11/30/13 20:15	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			11/30/13 20:15	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			11/30/13 20:15	1
Naphthalene	<1.0		1.0	0.16	ug/L			11/30/13 20:15	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			11/30/13 20:15	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		75 - 125		11/30/13 20:15	1
Toluene-d8 (Surr)	99		75 - 120		11/30/13 20:15	1
4-Bromofluorobenzene (Surr)	94		75 - 120		11/30/13 20:15	1
Dibromofluoromethane	94		75 - 120		11/30/13 20:15	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: RFW-6

Lab Sample ID: 500-67178-19

Date Collected: 11/18/13 17:25

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			12/01/13 10:58	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			12/01/13 10:58	1
Chloromethane	<1.0		1.0	0.18	ug/L			12/01/13 10:58	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			12/01/13 10:58	1
Bromomethane	<1.0		1.0	0.31	ug/L			12/01/13 10:58	1
Chloroethane	<1.0		1.0	0.34	ug/L			12/01/13 10:58	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			12/01/13 10:58	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			12/01/13 10:58	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			12/01/13 10:58	1
Acetone	7.5		5.0	1.3	ug/L			12/01/13 10:58	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			12/01/13 10:58	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			12/01/13 10:58	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			12/01/13 10:58	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			12/01/13 10:58	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			12/01/13 10:58	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			12/01/13 10:58	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			12/01/13 10:58	1
Chloroform	<1.0		1.0	0.20	ug/L			12/01/13 10:58	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			12/01/13 10:58	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			12/01/13 10:58	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			12/01/13 10:58	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			12/01/13 10:58	1
Trichloroethene	0.39	J	0.50	0.19	ug/L			12/01/13 10:58	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			12/01/13 10:58	1
Dibromomethane	<1.0		1.0	0.33	ug/L			12/01/13 10:58	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			12/01/13 10:58	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			12/01/13 10:58	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			12/01/13 10:58	1
Toluene	<0.50		0.50	0.11	ug/L			12/01/13 10:58	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			12/01/13 10:58	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			12/01/13 10:58	1
Tetrachloroethene	0.75	J	1.0	0.17	ug/L			12/01/13 10:58	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			12/01/13 10:58	1
2-Hexanone	<5.0		5.0	0.56	ug/L			12/01/13 10:58	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			12/01/13 10:58	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			12/01/13 10:58	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			12/01/13 10:58	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			12/01/13 10:58	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			12/01/13 10:58	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			12/01/13 10:58	1
o-Xylene	<0.50		0.50	0.068	ug/L			12/01/13 10:58	1
Styrene	<1.0		1.0	0.10	ug/L			12/01/13 10:58	1
Bromoform	<1.0		1.0	0.28	ug/L			12/01/13 10:58	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			12/01/13 10:58	1
Bromobenzene	<1.0		1.0	0.25	ug/L			12/01/13 10:58	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			12/01/13 10:58	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			12/01/13 10:58	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			12/01/13 10:58	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			12/01/13 10:58	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: RFW-6

Lab Sample ID: 500-67178-19

Date Collected: 11/18/13 17:25

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			12/01/13 10:58	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			12/01/13 10:58	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			12/01/13 10:58	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			12/01/13 10:58	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			12/01/13 10:58	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			12/01/13 10:58	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			12/01/13 10:58	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			12/01/13 10:58	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			12/01/13 10:58	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			12/01/13 10:58	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			12/01/13 10:58	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			12/01/13 10:58	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			12/01/13 10:58	1
Naphthalene	<1.0		1.0	0.16	ug/L			12/01/13 10:58	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			12/01/13 10:58	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	96		75 - 125		12/01/13 10:58	1
Toluene-d8 (Surr)	100		75 - 120		12/01/13 10:58	1
4-Bromofluorobenzene (Surr)	92		75 - 120		12/01/13 10:58	1
Dibromofluoromethane	91		75 - 120		12/01/13 10:58	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: RFW-7

Lab Sample ID: 500-67178-20

Date Collected: 11/18/13 13:15

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			12/01/13 12:38	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			12/01/13 12:38	1
Chloromethane	<1.0		1.0	0.18	ug/L			12/01/13 12:38	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			12/01/13 12:38	1
Bromomethane	<1.0		1.0	0.31	ug/L			12/01/13 12:38	1
Chloroethane	<1.0		1.0	0.34	ug/L			12/01/13 12:38	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			12/01/13 12:38	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			12/01/13 12:38	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			12/01/13 12:38	1
Acetone	<5.0		5.0	1.3	ug/L			12/01/13 12:38	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			12/01/13 12:38	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			12/01/13 12:38	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			12/01/13 12:38	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			12/01/13 12:38	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			12/01/13 12:38	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			12/01/13 12:38	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			12/01/13 12:38	1
Chloroform	<1.0		1.0	0.20	ug/L			12/01/13 12:38	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			12/01/13 12:38	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			12/01/13 12:38	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			12/01/13 12:38	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			12/01/13 12:38	1
Trichloroethene	0.97		0.50	0.19	ug/L			12/01/13 12:38	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			12/01/13 12:38	1
Dibromomethane	<1.0		1.0	0.33	ug/L			12/01/13 12:38	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			12/01/13 12:38	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			12/01/13 12:38	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			12/01/13 12:38	1
Toluene	<0.50		0.50	0.11	ug/L			12/01/13 12:38	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			12/01/13 12:38	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			12/01/13 12:38	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			12/01/13 12:38	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			12/01/13 12:38	1
2-Hexanone	<5.0		5.0	0.56	ug/L			12/01/13 12:38	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			12/01/13 12:38	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			12/01/13 12:38	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			12/01/13 12:38	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			12/01/13 12:38	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			12/01/13 12:38	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			12/01/13 12:38	1
o-Xylene	<0.50		0.50	0.068	ug/L			12/01/13 12:38	1
Styrene	<1.0		1.0	0.10	ug/L			12/01/13 12:38	1
Bromoform	<1.0		1.0	0.28	ug/L			12/01/13 12:38	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			12/01/13 12:38	1
Bromobenzene	<1.0		1.0	0.25	ug/L			12/01/13 12:38	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			12/01/13 12:38	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			12/01/13 12:38	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			12/01/13 12:38	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			12/01/13 12:38	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: RFW-7

Lab Sample ID: 500-67178-20

Date Collected: 11/18/13 13:15

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			12/01/13 12:38	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			12/01/13 12:38	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			12/01/13 12:38	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			12/01/13 12:38	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			12/01/13 12:38	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			12/01/13 12:38	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			12/01/13 12:38	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			12/01/13 12:38	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			12/01/13 12:38	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			12/01/13 12:38	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			12/01/13 12:38	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			12/01/13 12:38	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			12/01/13 12:38	1
Naphthalene	<1.0		1.0	0.16	ug/L			12/01/13 12:38	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			12/01/13 12:38	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		75 - 125		12/01/13 12:38	1
Toluene-d8 (Surr)	99		75 - 120		12/01/13 12:38	1
4-Bromofluorobenzene (Surr)	94		75 - 120		12/01/13 12:38	1
Dibromofluoromethane	94		75 - 120		12/01/13 12:38	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: RFW-9

Lab Sample ID: 500-67178-21

Date Collected: 11/18/13 17:10

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			12/01/13 13:06	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			12/01/13 13:06	1
Chloromethane	<1.0		1.0	0.18	ug/L			12/01/13 13:06	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			12/01/13 13:06	1
Bromomethane	<1.0		1.0	0.31	ug/L			12/01/13 13:06	1
Chloroethane	<1.0		1.0	0.34	ug/L			12/01/13 13:06	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			12/01/13 13:06	1
1,1-Dichloroethene	0.66	J	1.0	0.31	ug/L			12/01/13 13:06	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			12/01/13 13:06	1
Acetone	<5.0		5.0	1.3	ug/L			12/01/13 13:06	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			12/01/13 13:06	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			12/01/13 13:06	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			12/01/13 13:06	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			12/01/13 13:06	1
cis-1,2-Dichloroethene	5.4		1.0	0.12	ug/L			12/01/13 13:06	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			12/01/13 13:06	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			12/01/13 13:06	1
Chloroform	<1.0		1.0	0.20	ug/L			12/01/13 13:06	1
1,1,1-Trichloroethane	0.51	J	1.0	0.20	ug/L			12/01/13 13:06	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			12/01/13 13:06	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			12/01/13 13:06	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			12/01/13 13:06	1
Trichloroethene	6.9		0.50	0.19	ug/L			12/01/13 13:06	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			12/01/13 13:06	1
Dibromomethane	<1.0		1.0	0.33	ug/L			12/01/13 13:06	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			12/01/13 13:06	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			12/01/13 13:06	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			12/01/13 13:06	1
Toluene	<0.50		0.50	0.11	ug/L			12/01/13 13:06	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			12/01/13 13:06	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			12/01/13 13:06	1
Tetrachloroethene	1.7		1.0	0.17	ug/L			12/01/13 13:06	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			12/01/13 13:06	1
2-Hexanone	<5.0		5.0	0.56	ug/L			12/01/13 13:06	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			12/01/13 13:06	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			12/01/13 13:06	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			12/01/13 13:06	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			12/01/13 13:06	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			12/01/13 13:06	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			12/01/13 13:06	1
o-Xylene	<0.50		0.50	0.068	ug/L			12/01/13 13:06	1
Styrene	<1.0		1.0	0.10	ug/L			12/01/13 13:06	1
Bromoform	<1.0		1.0	0.28	ug/L			12/01/13 13:06	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			12/01/13 13:06	1
Bromobenzene	<1.0		1.0	0.25	ug/L			12/01/13 13:06	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			12/01/13 13:06	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			12/01/13 13:06	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			12/01/13 13:06	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			12/01/13 13:06	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: RFW-9

Lab Sample ID: 500-67178-21

Date Collected: 11/18/13 17:10

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			12/01/13 13:06	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			12/01/13 13:06	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			12/01/13 13:06	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			12/01/13 13:06	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			12/01/13 13:06	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			12/01/13 13:06	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			12/01/13 13:06	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			12/01/13 13:06	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			12/01/13 13:06	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			12/01/13 13:06	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			12/01/13 13:06	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			12/01/13 13:06	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			12/01/13 13:06	1
Naphthalene	<1.0		1.0	0.16	ug/L			12/01/13 13:06	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			12/01/13 13:06	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		75 - 125		12/01/13 13:06	1
Toluene-d8 (Surr)	100		75 - 120		12/01/13 13:06	1
4-Bromofluorobenzene (Surr)	92		75 - 120		12/01/13 13:06	1
Dibromofluoromethane	94		75 - 120		12/01/13 13:06	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: RFW-12B

Lab Sample ID: 500-67178-22

Date Collected: 11/19/13 11:45

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			12/01/13 13:33	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			12/01/13 13:33	1
Chloromethane	<1.0		1.0	0.18	ug/L			12/01/13 13:33	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			12/01/13 13:33	1
Bromomethane	<1.0		1.0	0.31	ug/L			12/01/13 13:33	1
Chloroethane	<1.0		1.0	0.34	ug/L			12/01/13 13:33	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			12/01/13 13:33	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			12/01/13 13:33	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			12/01/13 13:33	1
Acetone	<5.0		5.0	1.3	ug/L			12/01/13 13:33	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			12/01/13 13:33	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			12/01/13 13:33	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			12/01/13 13:33	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			12/01/13 13:33	1
cis-1,2-Dichloroethene	1.9		1.0	0.12	ug/L			12/01/13 13:33	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			12/01/13 13:33	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			12/01/13 13:33	1
Chloroform	<1.0		1.0	0.20	ug/L			12/01/13 13:33	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			12/01/13 13:33	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			12/01/13 13:33	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			12/01/13 13:33	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			12/01/13 13:33	1
Trichloroethene	67		0.50	0.19	ug/L			12/01/13 13:33	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			12/01/13 13:33	1
Dibromomethane	<1.0		1.0	0.33	ug/L			12/01/13 13:33	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			12/01/13 13:33	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			12/01/13 13:33	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			12/01/13 13:33	1
Toluene	<0.50		0.50	0.11	ug/L			12/01/13 13:33	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			12/01/13 13:33	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			12/01/13 13:33	1
Tetrachloroethene	5.0		1.0	0.17	ug/L			12/01/13 13:33	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			12/01/13 13:33	1
2-Hexanone	<5.0		5.0	0.56	ug/L			12/01/13 13:33	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			12/01/13 13:33	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			12/01/13 13:33	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			12/01/13 13:33	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			12/01/13 13:33	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			12/01/13 13:33	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			12/01/13 13:33	1
o-Xylene	<0.50		0.50	0.068	ug/L			12/01/13 13:33	1
Styrene	<1.0		1.0	0.10	ug/L			12/01/13 13:33	1
Bromoform	<1.0		1.0	0.28	ug/L			12/01/13 13:33	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			12/01/13 13:33	1
Bromobenzene	<1.0		1.0	0.25	ug/L			12/01/13 13:33	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			12/01/13 13:33	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			12/01/13 13:33	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			12/01/13 13:33	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			12/01/13 13:33	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: RFW-12B

Lab Sample ID: 500-67178-22

Date Collected: 11/19/13 11:45

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			12/01/13 13:33	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			12/01/13 13:33	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			12/01/13 13:33	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			12/01/13 13:33	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			12/01/13 13:33	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			12/01/13 13:33	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			12/01/13 13:33	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			12/01/13 13:33	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			12/01/13 13:33	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			12/01/13 13:33	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			12/01/13 13:33	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			12/01/13 13:33	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			12/01/13 13:33	1
Naphthalene	<1.0		1.0	0.16	ug/L			12/01/13 13:33	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			12/01/13 13:33	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		75 - 125		12/01/13 13:33	1
Toluene-d8 (Surr)	99		75 - 120		12/01/13 13:33	1
4-Bromofluorobenzene (Surr)	94		75 - 120		12/01/13 13:33	1
Dibromofluoromethane	94		75 - 120		12/01/13 13:33	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: RFW-11B

Lab Sample ID: 500-67178-23

Date Collected: 11/19/13 09:50

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			12/01/13 14:00	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			12/01/13 14:00	1
Chloromethane	<1.0		1.0	0.18	ug/L			12/01/13 14:00	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			12/01/13 14:00	1
Bromomethane	<1.0		1.0	0.31	ug/L			12/01/13 14:00	1
Chloroethane	<1.0		1.0	0.34	ug/L			12/01/13 14:00	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			12/01/13 14:00	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			12/01/13 14:00	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			12/01/13 14:00	1
Acetone	<5.0		5.0	1.3	ug/L			12/01/13 14:00	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			12/01/13 14:00	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			12/01/13 14:00	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			12/01/13 14:00	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			12/01/13 14:00	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			12/01/13 14:00	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			12/01/13 14:00	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			12/01/13 14:00	1
Chloroform	<1.0		1.0	0.20	ug/L			12/01/13 14:00	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			12/01/13 14:00	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			12/01/13 14:00	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			12/01/13 14:00	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			12/01/13 14:00	1
Trichloroethene	2.5		0.50	0.19	ug/L			12/01/13 14:00	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			12/01/13 14:00	1
Dibromomethane	<1.0		1.0	0.33	ug/L			12/01/13 14:00	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			12/01/13 14:00	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			12/01/13 14:00	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			12/01/13 14:00	1
Toluene	<0.50		0.50	0.11	ug/L			12/01/13 14:00	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			12/01/13 14:00	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			12/01/13 14:00	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			12/01/13 14:00	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			12/01/13 14:00	1
2-Hexanone	<5.0		5.0	0.56	ug/L			12/01/13 14:00	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			12/01/13 14:00	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			12/01/13 14:00	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			12/01/13 14:00	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			12/01/13 14:00	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			12/01/13 14:00	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			12/01/13 14:00	1
o-Xylene	<0.50		0.50	0.068	ug/L			12/01/13 14:00	1
Styrene	<1.0		1.0	0.10	ug/L			12/01/13 14:00	1
Bromoform	<1.0		1.0	0.28	ug/L			12/01/13 14:00	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			12/01/13 14:00	1
Bromobenzene	<1.0		1.0	0.25	ug/L			12/01/13 14:00	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			12/01/13 14:00	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			12/01/13 14:00	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			12/01/13 14:00	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			12/01/13 14:00	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: RFW-11B

Lab Sample ID: 500-67178-23

Date Collected: 11/19/13 09:50

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			12/01/13 14:00	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			12/01/13 14:00	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			12/01/13 14:00	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			12/01/13 14:00	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			12/01/13 14:00	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			12/01/13 14:00	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			12/01/13 14:00	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			12/01/13 14:00	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			12/01/13 14:00	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			12/01/13 14:00	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			12/01/13 14:00	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			12/01/13 14:00	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			12/01/13 14:00	1
Naphthalene	<1.0		1.0	0.16	ug/L			12/01/13 14:00	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			12/01/13 14:00	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		75 - 125		12/01/13 14:00	1
Toluene-d8 (Surr)	100		75 - 120		12/01/13 14:00	1
4-Bromofluorobenzene (Surr)	98		75 - 120		12/01/13 14:00	1
Dibromofluoromethane	92		75 - 120		12/01/13 14:00	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: RFW-13

Lab Sample ID: 500-67178-24

Date Collected: 11/18/13 14:45

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			12/01/13 14:27	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			12/01/13 14:27	1
Chloromethane	<1.0		1.0	0.18	ug/L			12/01/13 14:27	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			12/01/13 14:27	1
Bromomethane	<1.0		1.0	0.31	ug/L			12/01/13 14:27	1
Chloroethane	<1.0		1.0	0.34	ug/L			12/01/13 14:27	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			12/01/13 14:27	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			12/01/13 14:27	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			12/01/13 14:27	1
Acetone	<5.0		5.0	1.3	ug/L			12/01/13 14:27	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			12/01/13 14:27	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			12/01/13 14:27	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			12/01/13 14:27	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			12/01/13 14:27	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			12/01/13 14:27	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			12/01/13 14:27	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			12/01/13 14:27	1
Chloroform	<1.0		1.0	0.20	ug/L			12/01/13 14:27	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			12/01/13 14:27	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			12/01/13 14:27	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			12/01/13 14:27	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			12/01/13 14:27	1
Trichloroethene	2.5		0.50	0.19	ug/L			12/01/13 14:27	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			12/01/13 14:27	1
Dibromomethane	<1.0		1.0	0.33	ug/L			12/01/13 14:27	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			12/01/13 14:27	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			12/01/13 14:27	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			12/01/13 14:27	1
Toluene	<0.50		0.50	0.11	ug/L			12/01/13 14:27	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			12/01/13 14:27	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			12/01/13 14:27	1
Tetrachloroethene	14		1.0	0.17	ug/L			12/01/13 14:27	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			12/01/13 14:27	1
2-Hexanone	<5.0		5.0	0.56	ug/L			12/01/13 14:27	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			12/01/13 14:27	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			12/01/13 14:27	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			12/01/13 14:27	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			12/01/13 14:27	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			12/01/13 14:27	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			12/01/13 14:27	1
o-Xylene	<0.50		0.50	0.068	ug/L			12/01/13 14:27	1
Styrene	<1.0		1.0	0.10	ug/L			12/01/13 14:27	1
Bromoform	<1.0		1.0	0.28	ug/L			12/01/13 14:27	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			12/01/13 14:27	1
Bromobenzene	<1.0		1.0	0.25	ug/L			12/01/13 14:27	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			12/01/13 14:27	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			12/01/13 14:27	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			12/01/13 14:27	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			12/01/13 14:27	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: RFW-13

Lab Sample ID: 500-67178-24

Date Collected: 11/18/13 14:45

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			12/01/13 14:27	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			12/01/13 14:27	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			12/01/13 14:27	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			12/01/13 14:27	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			12/01/13 14:27	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			12/01/13 14:27	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			12/01/13 14:27	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			12/01/13 14:27	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			12/01/13 14:27	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			12/01/13 14:27	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			12/01/13 14:27	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			12/01/13 14:27	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			12/01/13 14:27	1
Naphthalene	<1.0		1.0	0.16	ug/L			12/01/13 14:27	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			12/01/13 14:27	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		75 - 125		12/01/13 14:27	1
Toluene-d8 (Surr)	99		75 - 120		12/01/13 14:27	1
4-Bromofluorobenzene (Surr)	96		75 - 120		12/01/13 14:27	1
Dibromofluoromethane	93		75 - 120		12/01/13 14:27	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: RFW-17

Lab Sample ID: 500-67178-25

Date Collected: 11/18/13 15:35

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	3.5		0.50	0.074	ug/L			12/01/13 14:54	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			12/01/13 14:54	1
Chloromethane	<1.0		1.0	0.18	ug/L			12/01/13 14:54	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			12/01/13 14:54	1
Bromomethane	<1.0		1.0	0.31	ug/L			12/01/13 14:54	1
Chloroethane	<1.0		1.0	0.34	ug/L			12/01/13 14:54	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			12/01/13 14:54	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			12/01/13 14:54	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			12/01/13 14:54	1
Acetone	<5.0		5.0	1.3	ug/L			12/01/13 14:54	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			12/01/13 14:54	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			12/01/13 14:54	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			12/01/13 14:54	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			12/01/13 14:54	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			12/01/13 14:54	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			12/01/13 14:54	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			12/01/13 14:54	1
Chloroform	<1.0		1.0	0.20	ug/L			12/01/13 14:54	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			12/01/13 14:54	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			12/01/13 14:54	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			12/01/13 14:54	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			12/01/13 14:54	1
Trichloroethene	<0.50		0.50	0.19	ug/L			12/01/13 14:54	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			12/01/13 14:54	1
Dibromomethane	<1.0		1.0	0.33	ug/L			12/01/13 14:54	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			12/01/13 14:54	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			12/01/13 14:54	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			12/01/13 14:54	1
Toluene	<0.50		0.50	0.11	ug/L			12/01/13 14:54	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			12/01/13 14:54	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			12/01/13 14:54	1
Tetrachloroethene	0.79	J	1.0	0.17	ug/L			12/01/13 14:54	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			12/01/13 14:54	1
2-Hexanone	<5.0		5.0	0.56	ug/L			12/01/13 14:54	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			12/01/13 14:54	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			12/01/13 14:54	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			12/01/13 14:54	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			12/01/13 14:54	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			12/01/13 14:54	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			12/01/13 14:54	1
o-Xylene	0.47	J	0.50	0.068	ug/L			12/01/13 14:54	1
Styrene	<1.0		1.0	0.10	ug/L			12/01/13 14:54	1
Bromoform	<1.0		1.0	0.28	ug/L			12/01/13 14:54	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			12/01/13 14:54	1
Bromobenzene	<1.0		1.0	0.25	ug/L			12/01/13 14:54	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			12/01/13 14:54	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			12/01/13 14:54	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			12/01/13 14:54	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			12/01/13 14:54	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: RFW-17

Lab Sample ID: 500-67178-25

Date Collected: 11/18/13 15:35

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			12/01/13 14:54	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			12/01/13 14:54	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			12/01/13 14:54	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			12/01/13 14:54	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			12/01/13 14:54	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			12/01/13 14:54	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			12/01/13 14:54	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			12/01/13 14:54	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			12/01/13 14:54	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			12/01/13 14:54	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			12/01/13 14:54	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			12/01/13 14:54	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			12/01/13 14:54	1
Naphthalene	<1.0		1.0	0.16	ug/L			12/01/13 14:54	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			12/01/13 14:54	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		75 - 125		12/01/13 14:54	1
Toluene-d8 (Surr)	100		75 - 120		12/01/13 14:54	1
4-Bromofluorobenzene (Surr)	93		75 - 120		12/01/13 14:54	1
Dibromofluoromethane	95		75 - 120		12/01/13 14:54	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: Trip Blank

Lab Sample ID: 500-67178-26

Date Collected: 11/18/13 07:00

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			12/01/13 15:22	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			12/01/13 15:22	1
Chloromethane	<1.0		1.0	0.18	ug/L			12/01/13 15:22	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			12/01/13 15:22	1
Bromomethane	<1.0		1.0	0.31	ug/L			12/01/13 15:22	1
Chloroethane	<1.0		1.0	0.34	ug/L			12/01/13 15:22	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			12/01/13 15:22	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			12/01/13 15:22	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			12/01/13 15:22	1
Acetone	<5.0		5.0	1.3	ug/L			12/01/13 15:22	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			12/01/13 15:22	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			12/01/13 15:22	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			12/01/13 15:22	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			12/01/13 15:22	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			12/01/13 15:22	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			12/01/13 15:22	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			12/01/13 15:22	1
Chloroform	<1.0		1.0	0.20	ug/L			12/01/13 15:22	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			12/01/13 15:22	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			12/01/13 15:22	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			12/01/13 15:22	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			12/01/13 15:22	1
Trichloroethene	<0.50		0.50	0.19	ug/L			12/01/13 15:22	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			12/01/13 15:22	1
Dibromomethane	<1.0		1.0	0.33	ug/L			12/01/13 15:22	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			12/01/13 15:22	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			12/01/13 15:22	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			12/01/13 15:22	1
Toluene	<0.50		0.50	0.11	ug/L			12/01/13 15:22	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			12/01/13 15:22	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			12/01/13 15:22	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			12/01/13 15:22	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			12/01/13 15:22	1
2-Hexanone	<5.0		5.0	0.56	ug/L			12/01/13 15:22	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			12/01/13 15:22	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			12/01/13 15:22	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			12/01/13 15:22	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			12/01/13 15:22	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			12/01/13 15:22	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			12/01/13 15:22	1
o-Xylene	<0.50		0.50	0.068	ug/L			12/01/13 15:22	1
Styrene	<1.0		1.0	0.10	ug/L			12/01/13 15:22	1
Bromoform	<1.0		1.0	0.28	ug/L			12/01/13 15:22	1
isopropylbenzene	<1.0		1.0	0.14	ug/L			12/01/13 15:22	1
Bromobenzene	<1.0		1.0	0.25	ug/L			12/01/13 15:22	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			12/01/13 15:22	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			12/01/13 15:22	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			12/01/13 15:22	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			12/01/13 15:22	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: Trip Blank

Lab Sample ID: 500-67178-26

Date Collected: 11/18/13 07:00

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			12/01/13 15:22	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			12/01/13 15:22	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			12/01/13 15:22	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			12/01/13 15:22	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			12/01/13 15:22	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			12/01/13 15:22	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			12/01/13 15:22	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			12/01/13 15:22	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			12/01/13 15:22	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			12/01/13 15:22	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			12/01/13 15:22	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			12/01/13 15:22	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			12/01/13 15:22	1
Naphthalene	<1.0		1.0	0.16	ug/L			12/01/13 15:22	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			12/01/13 15:22	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		75 - 125		12/01/13 15:22	1
Toluene-d8 (Surr)	98		75 - 120		12/01/13 15:22	1
4-Bromofluorobenzene (Surr)	97		75 - 120		12/01/13 15:22	1
Dibromofluoromethane	92		75 - 120		12/01/13 15:22	1

Definitions/Glossary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

QC Association Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

GC/MS VOA

Analysis Batch: 214294

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-67178-1	EW-2	Total/NA	Water	8260B	
500-67178-2	EW-3	Total/NA	Water	8260B	
500-67178-3 - DL	EW-4	Total/NA	Water	8260B	
500-67178-4	EW-5	Total/NA	Water	8260B	
500-67178-5	EW-6	Total/NA	Water	8260B	
500-67178-6	EW-7	Total/NA	Water	8260B	
500-67178-7	EW-8	Total/NA	Water	8260B	
500-67178-8	EW-9	Total/NA	Water	8260B	
500-67178-9	EW-9 DUP	Total/NA	Water	8260B	
500-67178-10	EW-10	Total/NA	Water	8260B	
500-67178-11	RFW-1A	Total/NA	Water	8260B	
500-67178-12	RFW-1B	Total/NA	Water	8260B	
500-67178-13	RFW-2A	Total/NA	Water	8260B	
500-67178-14	RFW-2B	Total/NA	Water	8260B	
500-67178-15	RFW-3B	Total/NA	Water	8260B	
500-67178-16	RFW-4A	Total/NA	Water	8260B	
500-67178-17	RFW-4A DUP	Total/NA	Water	8260B	
500-67178-18	RFW-4B	Total/NA	Water	8260B	
500-67178-18 MS	RFW-4B	Total/NA	Water	8260B	
500-67178-18 MSD	RFW-4B	Total/NA	Water	8260B	
LCS 500-214294/4	Lab Control Sample	Total/NA	Water	8260B	
MB 500-214294/6	Method Blank	Total/NA	Water	8260B	

Analysis Batch: 214312

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-67178-19	RFW-6	Total/NA	Water	8260B	
500-67178-20	RFW-7	Total/NA	Water	8260B	
500-67178-21	RFW-9	Total/NA	Water	8260B	
500-67178-22	RFW-12B	Total/NA	Water	8260B	
500-67178-23	RFW-11B	Total/NA	Water	8260B	
500-67178-24	RFW-13	Total/NA	Water	8260B	
500-67178-25	RFW-17	Total/NA	Water	8260B	
500-67178-26	Trip Blank	Total/NA	Water	8260B	
LCS 500-214312/4	Lab Control Sample	Total/NA	Water	8260B	
MB 500-214312/6	Method Blank	Total/NA	Water	8260B	

Analysis Batch: 214384

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-67178-3	EW-4	Total/NA	Water	8260B	
LCS 500-214384/4	Lab Control Sample	Total/NA	Water	8260B	
MB 500-214384/6	Method Blank	Total/NA	Water	8260B	

Surrogate Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Method: 8260B - VOC

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		12DCE (75-125)	TOL (75-120)	BFB (75-120)	DBFM (75-120)
500-67178-1	EW-2	97	101	94	93
500-67178-2	EW-3	101	100	93	93
500-67178-3 - DL	EW-4	99	104	96	91
500-67178-3	EW-4	103	102	95	92
500-67178-4	EW-5	102	102	93	93
500-67178-5	EW-6	99	101	95	92
500-67178-6	EW-7	100	102	95	91
500-67178-7	EW-8	99	100	94	93
500-67178-8	EW-9	102	100	94	94
500-67178-9	EW-9 DUP	101	99	94	92
500-67178-10	EW-10	100	100	97	94
500-67178-11	RFW-1A	103	101	96	92
500-67178-12	RFW-1B	100	102	94	92
500-67178-13	RFW-2A	102	99	95	91
500-67178-14	RFW-2B	102	100	93	93
500-67178-15	RFW-3B	101	100	97	94
500-67178-16	RFW-4A	102	100	95	93
500-67178-17	RFW-4A DUP	103	100	96	93
500-67178-18	RFW-4B	102	99	94	94
500-67178-18 MS	RFW-4B	105	102	97	100
500-67178-18 MSD	RFW-4B	100	101	99	101
500-67178-19	RFW-6	96	100	92	91
500-67178-20	RFW-7	100	99	94	94
500-67178-21	RFW-9	99	100	92	94
500-67178-22	RFW-12B	102	99	94	94
500-67178-23	RFW-11B	102	100	98	92
500-67178-24	RFW-13	100	99	96	93
500-67178-25	RFW-17	101	100	93	95
500-67178-26	Trip Blank	101	98	97	92
LCS 500-214294/4	Lab Control Sample	99	101	96	99
LCS 500-214312/4	Lab Control Sample	97	100	94	99
LCS 500-214384/4	Lab Control Sample	99	100	95	99
MB 500-214294/6	Method Blank	100	100	92	93
MB 500-214312/6	Method Blank	101	100	93	95
MB 500-214384/6	Method Blank	105	98	96	94

Surrogate Legend

12DCE = 1,2-Dichloroethane-d4 (Surr)
TOL = Toluene-d8 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
DBFM = Dibromofluoromethane

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Method: 8260B - VOC

Lab Sample ID: MB 500-214294/6
Matrix: Water
Analysis Batch: 214294

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Benzene	<0.50		0.50	0.074	ug/L			11/30/13 11:13	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/30/13 11:13	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/30/13 11:13	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/30/13 11:13	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/30/13 11:13	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/30/13 11:13	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			11/30/13 11:13	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/30/13 11:13	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/30/13 11:13	1
Acetone	<5.0		5.0	1.3	ug/L			11/30/13 11:13	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/30/13 11:13	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/30/13 11:13	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/30/13 11:13	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/30/13 11:13	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			11/30/13 11:13	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/30/13 11:13	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			11/30/13 11:13	1
Chloroform	<1.0		1.0	0.20	ug/L			11/30/13 11:13	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/30/13 11:13	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/30/13 11:13	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			11/30/13 11:13	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 11:13	1
Trichloroethene	<0.50		0.50	0.19	ug/L			11/30/13 11:13	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/30/13 11:13	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/30/13 11:13	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/30/13 11:13	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/30/13 11:13	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/30/13 11:13	1
Toluene	<0.50		0.50	0.11	ug/L			11/30/13 11:13	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/30/13 11:13	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 11:13	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			11/30/13 11:13	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/30/13 11:13	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/30/13 11:13	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/30/13 11:13	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/30/13 11:13	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/30/13 11:13	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/30/13 11:13	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/30/13 11:13	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/30/13 11:13	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/30/13 11:13	1
Styrene	<1.0		1.0	0.10	ug/L			11/30/13 11:13	1
Bromoform	<1.0		1.0	0.28	ug/L			11/30/13 11:13	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 11:13	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/30/13 11:13	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/30/13 11:13	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			11/30/13 11:13	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 11:13	1

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Method: 8260B - VOC (Continued)

Lab Sample ID: MB 500-214294/6
Matrix: Water
Analysis Batch: 214294

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/30/13 11:13	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			11/30/13 11:13	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			11/30/13 11:13	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 11:13	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 11:13	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			11/30/13 11:13	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 11:13	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			11/30/13 11:13	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 11:13	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 11:13	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			11/30/13 11:13	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			11/30/13 11:13	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			11/30/13 11:13	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			11/30/13 11:13	1
Naphthalene	<1.0		1.0	0.16	ug/L			11/30/13 11:13	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			11/30/13 11:13	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	100		75 - 125		11/30/13 11:13	1
Toluene-d8 (Surr)	100		75 - 120		11/30/13 11:13	1
4-Bromofluorobenzene (Surr)	92		75 - 120		11/30/13 11:13	1
Dibromofluoromethane	93		75 - 120		11/30/13 11:13	1

Lab Sample ID: LCS 500-214294/4
Matrix: Water
Analysis Batch: 214294

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Dichlorodifluoromethane	50.0	35.5		ug/L		71	40 - 140
Chloromethane	50.0	40.3		ug/L		81	50 - 134
Vinyl chloride	50.0	40.0		ug/L		80	62 - 138
Bromomethane	50.0	41.8		ug/L		84	50 - 150
Chloroethane	50.0	43.6		ug/L		87	50 - 150
Trichlorofluoromethane	50.0	48.4		ug/L		97	63 - 134
1,1-Dichloroethene	50.0	45.5		ug/L		91	58 - 122
Carbon disulfide	50.0	45.5		ug/L		91	50 - 120
Acetone	50.0	51.3		ug/L		103	46 - 153
Methylene Chloride	50.0	45.6		ug/L		91	65 - 125
trans-1,2-Dichloroethene	50.0	47.7		ug/L		95	70 - 124
1,1-Dichloroethane	50.0	46.6		ug/L		93	68 - 121
2,2-Dichloropropane	50.0	46.6		ug/L		93	67 - 125
cis-1,2-Dichloroethene	50.0	46.8		ug/L		94	70 - 120
Methyl Ethyl Ketone	50.0	43.8		ug/L		88	54 - 138
Bromochloromethane	50.0	47.6		ug/L		95	67 - 122
Chloroform	50.0	48.0		ug/L		96	70 - 120
1,1,1-Trichloroethane	50.0	48.4		ug/L		97	70 - 123
1,1-Dichloropropene	50.0	46.7		ug/L		93	70 - 120

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Method: 8260B - VOC (Continued)

Lab Sample ID: LCS 500-214294/4
Matrix: Water
Analysis Batch: 214294

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Carbon tetrachloride	50.0	49.4		ug/L		99	70 - 125
1,2-Dichloroethane	50.0	46.0		ug/L		92	69 - 120
Trichloroethene	50.0	48.5		ug/L		97	70 - 120
1,2-Dichloropropane	50.0	45.6		ug/L		91	70 - 120
Dibromomethane	50.0	46.3		ug/L		93	70 - 120
Bromodichloromethane	50.0	48.4		ug/L		97	70 - 120
cis-1,3-Dichloropropene	50.0	47.2		ug/L		94	70 - 120
methyl isobutyl ketone	50.0	43.5		ug/L		87	59 - 135
Toluene	50.0	45.3		ug/L		91	70 - 120
trans-1,3-Dichloropropene	50.0	47.5		ug/L		95	70 - 120
1,1,2-Trichloroethane	50.0	44.7		ug/L		89	69 - 120
Tetrachloroethene	50.0	47.7		ug/L		95	70 - 123
1,3-Dichloropropane	50.0	43.6		ug/L		87	70 - 120
2-Hexanone	50.0	42.5		ug/L		85	55 - 144
Dibromochloromethane	50.0	47.3		ug/L		95	70 - 120
1,2-Dibromoethane	50.0	46.1		ug/L		92	70 - 120
Chlorobenzene	50.0	45.6		ug/L		91	70 - 120
1,1,1,2-Tetrachloroethane	50.0	48.0		ug/L		96	75 - 120
Ethylbenzene	50.0	45.5		ug/L		91	75 - 120
m&p-Xylene	50.0	45.5		ug/L		91	75 - 120
o-Xylene	50.0	46.0		ug/L		92	70 - 120
Styrene	50.0	47.9		ug/L		96	75 - 120
Bromoform	50.0	43.7		ug/L		87	70 - 125
Isopropylbenzene	50.0	46.2		ug/L		92	70 - 120
Bromobenzene	50.0	45.3		ug/L		91	70 - 120
1,1,1,2,2-Tetrachloroethane	50.0	44.1		ug/L		88	70 - 128
1,2,3-Trichloropropane	50.0	41.7		ug/L		83	70 - 120
N-Propylbenzene	50.0	46.1		ug/L		92	70 - 120
2-Chlorotoluene	50.0	45.5		ug/L		91	70 - 120
1,3,5-Trimethylbenzene	50.0	46.6		ug/L		93	75 - 123
4-Chlorotoluene	50.0	45.9		ug/L		92	70 - 120
tert-Butylbenzene	50.0	46.7		ug/L		93	70 - 120
1,2,4-Trimethylbenzene	50.0	46.3		ug/L		93	75 - 121
sec-Butylbenzene	50.0	46.9		ug/L		94	70 - 120
1,3-Dichlorobenzene	50.0	46.0		ug/L		92	70 - 120
p-Isopropyltoluene	50.0	46.9		ug/L		94	70 - 120
1,4-Dichlorobenzene	50.0	45.3		ug/L		91	75 - 120
n-Butylbenzene	50.0	46.6		ug/L		93	75 - 120
1,2-Dichlorobenzene	50.0	44.9		ug/L		90	75 - 120
1,2-Dibromo-3-Chloropropane	50.0	41.8		ug/L		84	60 - 121
1,2,4-Trichlorobenzene	50.0	42.7		ug/L		85	65 - 121
Hexachlorobutadiene	50.0	43.9		ug/L		88	65 - 135
Naphthalene	50.0	40.8		ug/L		82	55 - 132
1,2,3-Trichlorobenzene	50.0	41.9		ug/L		84	56 - 137

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	99		75 - 125
Toluene-d8 (Surr)	101		75 - 120

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Method: 8260B - VOC (Continued)

Lab Sample ID: LCS 500-214294/4
Matrix: Water
Analysis Batch: 214294

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	96		75 - 120
Dibromofluoromethane	99		75 - 120

Lab Sample ID: 500-67178-18 MS
Matrix: Water
Analysis Batch: 214294

Client Sample ID: RFW-4B
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	<0.50		50.0	43.1		ug/L		86	70 - 120
Dichlorodifluoromethane	<1.0		50.0	32.1		ug/L		64	40 - 140
Chloromethane	<1.0		50.0	38.8		ug/L		78	50 - 134
Vinyl chloride	<0.50		50.0	40.2		ug/L		80	62 - 138
Bromomethane	<1.0		50.0	39.6		ug/L		79	50 - 150
Chloroethane	<1.0		50.0	40.6		ug/L		81	50 - 150
Trichlorofluoromethane	<1.0		50.0	44.2		ug/L		88	63 - 134
1,1-Dichloroethene	<1.0		50.0	41.4		ug/L		83	58 - 122
Carbon disulfide	<5.0		50.0	38.7		ug/L		77	50 - 120
Acetone	<5.0		50.0	40.6		ug/L		81	46 - 153
Methylene Chloride	<5.0		50.0	43.3		ug/L		87	65 - 125
trans-1,2-Dichloroethene	<1.0		50.0	43.4		ug/L		87	70 - 124
1,1-Dichloroethane	<1.0		50.0	43.9		ug/L		88	68 - 121
2,2-Dichloropropane	<1.0		50.0	42.8		ug/L		86	67 - 125
cis-1,2-Dichloroethene	3.5		50.0	48.0		ug/L		89	70 - 120
Methyl Ethyl Ketone	<5.0		50.0	37.6		ug/L		75	54 - 138
Bromochloromethane	<1.0		50.0	47.4		ug/L		95	67 - 122
Chloroform	1.1		50.0	46.5		ug/L		91	70 - 120
1,1,1-Trichloroethane	<1.0		50.0	45.6		ug/L		91	70 - 123
1,1-Dichloropropene	<1.0		50.0	42.6		ug/L		85	70 - 120
Carbon tetrachloride	<1.0		50.0	44.1		ug/L		88	70 - 125
1,2-Dichloroethane	<1.0		50.0	44.8		ug/L		90	69 - 120
Trichloroethene	37		50.0	82.0		ug/L		89	70 - 120
1,2-Dichloropropane	<1.0		50.0	44.1		ug/L		88	70 - 120
Dibromomethane	<1.0		50.0	45.1		ug/L		90	70 - 120
Bromodichloromethane	<1.0		50.0	45.7		ug/L		91	70 - 120
cis-1,3-Dichloropropene	<1.0		50.0	44.9		ug/L		90	70 - 120
methyl isobutyl ketone	<5.0		50.0	41.2		ug/L		82	59 - 135
Toluene	<0.50		50.0	42.5		ug/L		85	70 - 120
trans-1,3-Dichloropropene	<1.0		50.0	44.6		ug/L		89	70 - 120
1,1,2-Trichloroethane	<1.0		50.0	44.8		ug/L		90	69 - 120
Tetrachloroethene	66		50.0	112		ug/L		92	70 - 123
1,3-Dichloropropane	<1.0		50.0	43.3		ug/L		87	70 - 120
2-Hexanone	<5.0		50.0	40.2		ug/L		80	55 - 144
Dibromochloromethane	<1.0		50.0	46.3		ug/L		93	70 - 120
1,2-Dibromoethane	<1.0		50.0	45.2		ug/L		90	70 - 120
Chlorobenzene	<1.0		50.0	42.8		ug/L		86	70 - 120
1,1,1,2-Tetrachloroethane	<1.0		50.0	46.2		ug/L		92	75 - 120
Ethylbenzene	<0.50		50.0	43.0		ug/L		86	75 - 120
m&p-Xylene	<1.0		50.0	42.5		ug/L		85	75 - 120

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Method: 8260B - VOC (Continued)

Lab Sample ID: 500-67178-18 MS

Client Sample ID: RFW-4B

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 214294

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
o-Xylene	<0.50		50.0	43.5		ug/L		87	70 - 120
Styrene	<1.0		50.0	44.6		ug/L		89	75 - 120
Bromoform	<1.0		50.0	39.7		ug/L		79	70 - 125
Isopropylbenzene	<1.0		50.0	44.1		ug/L		88	70 - 120
Bromobenzene	<1.0		50.0	44.7		ug/L		89	70 - 120
1,1,2,2-Tetrachloroethane	<1.0		50.0	43.8		ug/L		88	70 - 128
1,2,3-Trichloropropane	<1.0		50.0	42.6		ug/L		85	70 - 120
N-Propylbenzene	<1.0		50.0	44.0		ug/L		88	70 - 120
2-Chlorotoluene	<1.0		50.0	43.8		ug/L		88	70 - 120
1,3,5-Trimethylbenzene	<1.0		50.0	44.5		ug/L		89	75 - 123
4-Chlorotoluene	<1.0		50.0	43.6		ug/L		87	70 - 120
tert-Butylbenzene	<1.0		50.0	44.4		ug/L		89	70 - 120
1,2,4-Trimethylbenzene	<1.0		50.0	44.3		ug/L		89	75 - 121
sec-Butylbenzene	<1.0		50.0	44.6		ug/L		89	70 - 120
1,3-Dichlorobenzene	<1.0		50.0	43.1		ug/L		86	70 - 120
p-Isopropyltoluene	<1.0		50.0	43.7		ug/L		87	70 - 120
1,4-Dichlorobenzene	<1.0		50.0	42.8		ug/L		86	75 - 120
n-Butylbenzene	<1.0		50.0	42.9		ug/L		86	75 - 120
1,2-Dichlorobenzene	<1.0		50.0	43.9		ug/L		88	75 - 120
1,2-Dibromo-3-Chloropropane	<2.0		50.0	41.7		ug/L		83	60 - 121
1,2,4-Trichlorobenzene	<1.0		50.0	40.0		ug/L		80	65 - 121
Hexachlorobutadiene	<1.0		50.0	41.4		ug/L		83	65 - 135
Naphthalene	<1.0		50.0	42.6		ug/L		85	55 - 132
1,2,3-Trichlorobenzene	<1.0		50.0	42.8		ug/L		86	56 - 137

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	105		75 - 125
Toluene-d8 (Surr)	102		75 - 120
4-Bromofluorobenzene (Surr)	97		75 - 120
Dibromofluoromethane	100		75 - 120

Lab Sample ID: 500-67178-18 MSD

Client Sample ID: RFW-4B

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 214294

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Benzene	<0.50		50.0	46.3		ug/L		93	70 - 120	7	20
Dichlorodifluoromethane	<1.0		50.0	35.1		ug/L		70	40 - 140	9	20
Chloromethane	<1.0		50.0	39.0		ug/L		78	50 - 134	1	20
Vinyl chloride	<0.50		50.0	39.7		ug/L		79	62 - 138	1	20
Bromomethane	<1.0		50.0	43.7		ug/L		87	50 - 150	10	20
Chloroethane	<1.0		50.0	44.5		ug/L		89	50 - 150	9	20
Trichlorofluoromethane	<1.0		50.0	47.4		ug/L		95	63 - 134	7	20
1,1-Dichloroethene	<1.0		50.0	45.1		ug/L		90	58 - 122	8	20
Carbon disulfide	<5.0		50.0	43.6		ug/L		87	50 - 120	12	20
Acetone	<5.0		50.0	42.4		ug/L		85	46 - 153	4	20
Methylene Chloride	<5.0		50.0	47.2		ug/L		94	65 - 125	8	20
trans-1,2-Dichloroethene	<1.0		50.0	47.2		ug/L		94	70 - 124	9	20

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Method: 8260B - VOC (Continued)

Lab Sample ID: 500-67178-18 MSD

Matrix: Water

Analysis Batch: 214294

Client Sample ID: RFW-4B

Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec.	RPD	RPD	
	Result	Qualifier	Added	Result	Qualifier			Limits		Limit	
1,1-Dichloroethane	<1.0		50.0	46.6		ug/L		93	68 - 121	6	20
2,2-Dichloropropane	<1.0		50.0	46.2		ug/L		92	67 - 125	8	20
cis-1,2-Dichloroethene	3.5		50.0	51.3		ug/L		96	70 - 120	7	20
Methyl Ethyl Ketone	<5.0		50.0	40.1		ug/L		80	54 - 138	6	20
Bromochloromethane	<1.0		50.0	49.2		ug/L		98	67 - 122	4	20
Chloroform	1.1		50.0	50.1		ug/L		98	70 - 120	7	20
1,1,1-Trichloroethane	<1.0		50.0	48.9		ug/L		98	70 - 123	7	20
1,1-Dichloropropene	<1.0		50.0	45.9		ug/L		92	70 - 120	7	20
Carbon tetrachloride	<1.0		50.0	49.3		ug/L		99	70 - 125	11	20
1,2-Dichloroethane	<1.0		50.0	47.4		ug/L		95	69 - 120	6	20
Trichloroethene	37		50.0	83.7		ug/L		93	70 - 120	2	20
1,2-Dichloropropane	<1.0		50.0	46.9		ug/L		94	70 - 120	6	20
Dibromomethane	<1.0		50.0	48.3		ug/L		97	70 - 120	7	20
Bromodichloromethane	<1.0		50.0	49.4		ug/L		99	70 - 120	8	20
cis-1,3-Dichloropropene	<1.0		50.0	49.0		ug/L		98	70 - 120	9	20
methyl isobutyl ketone	<5.0		50.0	42.5		ug/L		85	59 - 135	3	20
Toluene	<0.50		50.0	46.3		ug/L		93	70 - 120	9	20
trans-1,3-Dichloropropene	<1.0		50.0	48.4		ug/L		97	70 - 120	8	20
1,1,2-Trichloroethane	<1.0		50.0	47.7		ug/L		95	69 - 120	6	20
Tetrachloroethene	66		50.0	112		ug/L		91	70 - 123	0	20
1,3-Dichloropropane	<1.0		50.0	46.9		ug/L		94	70 - 120	8	20
2-Hexanone	<5.0		50.0	42.6		ug/L		85	55 - 144	6	20
Dibromochloromethane	<1.0		50.0	49.9		ug/L		100	70 - 120	7	20
1,2-Dibromoethane	<1.0		50.0	49.0		ug/L		98	70 - 120	8	20
Chlorobenzene	<1.0		50.0	46.6		ug/L		93	70 - 120	9	20
1,1,1,2-Tetrachloroethane	<1.0		50.0	49.5		ug/L		99	75 - 120	7	20
Ethylbenzene	<0.50		50.0	46.6		ug/L		93	75 - 120	8	20
m&p-Xylene	<1.0		50.0	46.2		ug/L		92	75 - 120	8	20
o-Xylene	<0.50		50.0	47.0		ug/L		94	70 - 120	8	20
Styrene	<1.0		50.0	48.8		ug/L		98	75 - 120	9	20
Bromoform	<1.0		50.0	42.4		ug/L		85	70 - 125	7	20
Isopropylbenzene	<1.0		50.0	48.7		ug/L		97	70 - 120	10	20
Bromobenzene	<1.0		50.0	49.2		ug/L		98	70 - 120	10	20
1,1,2,2-Tetrachloroethane	<1.0		50.0	45.9		ug/L		92	70 - 128	5	20
1,2,3-Trichloropropane	<1.0		50.0	45.3		ug/L		91	70 - 120	6	20
N-Propylbenzene	<1.0		50.0	48.6		ug/L		97	70 - 120	10	20
2-Chlorotoluene	<1.0		50.0	48.1		ug/L		96	70 - 120	9	20
1,3,5-Trimethylbenzene	<1.0		50.0	48.9		ug/L		98	75 - 123	9	20
4-Chlorotoluene	<1.0		50.0	48.1		ug/L		96	70 - 120	10	20
tert-Butylbenzene	<1.0		50.0	48.3		ug/L		97	70 - 120	8	20
1,2,4-Trimethylbenzene	<1.0		50.0	48.6		ug/L		97	75 - 121	9	20
sec-Butylbenzene	<1.0		50.0	48.8		ug/L		98	70 - 120	9	20
1,3-Dichlorobenzene	<1.0		50.0	47.7		ug/L		95	70 - 120	10	20
p-Isopropyltoluene	<1.0		50.0	47.7		ug/L		95	70 - 120	9	20
1,4-Dichlorobenzene	<1.0		50.0	46.8		ug/L		94	75 - 120	9	20
n-Butylbenzene	<1.0		50.0	46.8		ug/L		94	75 - 120	9	20
1,2-Dichlorobenzene	<1.0		50.0	47.3		ug/L		95	75 - 120	8	20
1,2-Dibromo-3-Chloropropane	<2.0		50.0	41.9		ug/L		84	60 - 121	0	20

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Method: 8260B - VOC (Continued)

Lab Sample ID: 500-67178-18 MSD

Matrix: Water

Analysis Batch: 214294

Client Sample ID: RFW-4B

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,2,4-Trichlorobenzene	<1.0		50.0	40.9		ug/L		82	65 - 121	2	20
Hexachlorobutadiene	<1.0		50.0	43.5		ug/L		87	65 - 135	5	20
Naphthalene	<1.0		50.0	42.9		ug/L		86	55 - 132	1	20
1,2,3-Trichlorobenzene	<1.0		50.0	41.3		ug/L		83	56 - 137	3	20

Surrogate	MSD %Recovery	MSD Qualifier	MSD Limits
1,2-Dichloroethane-d4 (Surr)	100		75 - 125
Toluene-d8 (Surr)	101		75 - 120
4-Bromofluorobenzene (Surr)	99		75 - 120
Dibromofluoromethane	101		75 - 120

Lab Sample ID: MB 500-214312/6

Matrix: Water

Analysis Batch: 214312

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			12/01/13 10:22	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			12/01/13 10:22	1
Chloromethane	<1.0		1.0	0.18	ug/L			12/01/13 10:22	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			12/01/13 10:22	1
Bromomethane	<1.0		1.0	0.31	ug/L			12/01/13 10:22	1
Chloroethane	<1.0		1.0	0.34	ug/L			12/01/13 10:22	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			12/01/13 10:22	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			12/01/13 10:22	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			12/01/13 10:22	1
Acetone	<5.0		5.0	1.3	ug/L			12/01/13 10:22	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			12/01/13 10:22	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			12/01/13 10:22	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			12/01/13 10:22	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			12/01/13 10:22	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			12/01/13 10:22	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			12/01/13 10:22	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			12/01/13 10:22	1
Chloroform	<1.0		1.0	0.20	ug/L			12/01/13 10:22	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			12/01/13 10:22	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			12/01/13 10:22	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			12/01/13 10:22	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			12/01/13 10:22	1
Trichloroethene	<0.50		0.50	0.19	ug/L			12/01/13 10:22	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			12/01/13 10:22	1
Dibromomethane	<1.0		1.0	0.33	ug/L			12/01/13 10:22	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			12/01/13 10:22	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			12/01/13 10:22	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			12/01/13 10:22	1
Toluene	<0.50		0.50	0.11	ug/L			12/01/13 10:22	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			12/01/13 10:22	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			12/01/13 10:22	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			12/01/13 10:22	1

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Method: 8260B - VOC (Continued)

Lab Sample ID: MB 500-214312/6
Matrix: Water
Analysis Batch: 214312

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			12/01/13 10:22	1
2-Hexanone	<5.0		5.0	0.56	ug/L			12/01/13 10:22	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			12/01/13 10:22	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			12/01/13 10:22	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			12/01/13 10:22	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			12/01/13 10:22	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			12/01/13 10:22	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			12/01/13 10:22	1
o-Xylene	<0.50		0.50	0.068	ug/L			12/01/13 10:22	1
Styrene	<1.0		1.0	0.10	ug/L			12/01/13 10:22	1
Bromoform	<1.0		1.0	0.28	ug/L			12/01/13 10:22	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			12/01/13 10:22	1
Bromobenzene	<1.0		1.0	0.25	ug/L			12/01/13 10:22	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			12/01/13 10:22	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			12/01/13 10:22	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			12/01/13 10:22	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			12/01/13 10:22	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			12/01/13 10:22	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			12/01/13 10:22	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			12/01/13 10:22	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			12/01/13 10:22	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			12/01/13 10:22	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			12/01/13 10:22	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			12/01/13 10:22	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			12/01/13 10:22	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			12/01/13 10:22	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			12/01/13 10:22	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			12/01/13 10:22	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			12/01/13 10:22	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			12/01/13 10:22	1
Naphthalene	<1.0		1.0	0.16	ug/L			12/01/13 10:22	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			12/01/13 10:22	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	101		75 - 125		12/01/13 10:22	1
Toluene-d8 (Surr)	100		75 - 120		12/01/13 10:22	1
4-Bromofluorobenzene (Surr)	93		75 - 120		12/01/13 10:22	1
Dibromofluoromethane	95		75 - 120		12/01/13 10:22	1

Lab Sample ID: LCS 500-214312/4
Matrix: Water
Analysis Batch: 214312

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Dichlorodifluoromethane	50.0	35.8		ug/L		72	40 - 140
Chloromethane	50.0	42.2		ug/L		84	50 - 134
Vinyl chloride	50.0	42.5		ug/L		85	62 - 138

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Method: 8260B - VOC (Continued)

Lab Sample ID: LCS 500-214312/4

Matrix: Water

Analysis Batch: 214312

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Bromomethane	50.0	43.9		ug/L		88	50 - 150
Chloroethane	50.0	39.5		ug/L		79	50 - 150
Trichlorofluoromethane	50.0	47.7		ug/L		95	63 - 134
1,1-Dichloroethane	50.0	45.0		ug/L		90	58 - 122
Carbon disulfide	50.0	43.5		ug/L		87	50 - 120
Acetone	50.0	50.1		ug/L		100	46 - 153
Methylene Chloride	50.0	46.7		ug/L		93	65 - 125
trans-1,2-Dichloroethene	50.0	47.8		ug/L		96	70 - 124
1,1-Dichloroethane	50.0	47.5		ug/L		95	68 - 121
2,2-Dichloropropane	50.0	49.5		ug/L		99	67 - 125
cis-1,2-Dichloroethene	50.0	47.9		ug/L		96	70 - 120
Methyl Ethyl Ketone	50.0	45.9		ug/L		92	54 - 138
Bromochloromethane	50.0	49.4		ug/L		99	67 - 122
Chloroform	50.0	48.5		ug/L		97	70 - 120
1,1,1-Trichloroethane	50.0	49.7		ug/L		99	70 - 123
1,1-Dichloropropene	50.0	47.6		ug/L		95	70 - 120
Carbon tetrachloride	50.0	50.2		ug/L		100	70 - 125
1,2-Dichloroethane	50.0	46.2		ug/L		92	69 - 120
Trichloroethene	50.0	47.8		ug/L		96	70 - 120
1,2-Dichloropropane	50.0	46.2		ug/L		92	70 - 120
Dibromomethane	50.0	48.1		ug/L		96	70 - 120
Bromodichloromethane	50.0	49.6		ug/L		99	70 - 120
cis-1,3-Dichloropropene	50.0	47.3		ug/L		95	70 - 120
methyl isobutyl ketone	50.0	43.1		ug/L		86	59 - 135
Toluene	50.0	44.9		ug/L		90	70 - 120
trans-1,3-Dichloropropene	50.0	46.9		ug/L		94	70 - 120
1,1,2-Trichloroethane	50.0	45.0		ug/L		90	69 - 120
Tetrachloroethene	50.0	46.9		ug/L		94	70 - 123
1,3-Dichloropropane	50.0	44.4		ug/L		89	70 - 120
2-Hexanone	50.0	44.2		ug/L		88	55 - 144
Dibromochloromethane	50.0	47.9		ug/L		96	70 - 120
1,2-Dibromoethane	50.0	46.8		ug/L		94	70 - 120
Chlorobenzene	50.0	45.5		ug/L		91	70 - 120
1,1,1,2-Tetrachloroethane	50.0	46.4		ug/L		93	75 - 120
Ethylbenzene	50.0	45.8		ug/L		92	75 - 120
m&p-Xylene	50.0	45.6		ug/L		91	75 - 120
o-Xylene	50.0	45.9		ug/L		92	70 - 120
Styrene	50.0	47.1		ug/L		94	75 - 120
Bromoform	50.0	41.9		ug/L		84	70 - 125
Isopropylbenzene	50.0	46.6		ug/L		93	70 - 120
Bromobenzene	50.0	45.5		ug/L		91	70 - 120
1,1,2,2-Tetrachloroethane	50.0	44.1		ug/L		88	70 - 128
1,2,3-Trichloropropane	50.0	42.8		ug/L		86	70 - 120
N-Propylbenzene	50.0	46.8		ug/L		94	70 - 120
2-Chlorotoluene	50.0	46.1		ug/L		92	70 - 120
1,3,5-Trimethylbenzene	50.0	47.1		ug/L		94	75 - 123
4-Chlorotoluene	50.0	46.2		ug/L		92	70 - 120
tert-Butylbenzene	50.0	46.6		ug/L		93	70 - 120

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Method: 8260B - VOC (Continued)

Lab Sample ID: LCS 500-214312/4
Matrix: Water
Analysis Batch: 214312

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,2,4-Trimethylbenzene	50.0	46.6		ug/L		93	75 - 121
sec-Butylbenzene	50.0	47.3		ug/L		95	70 - 120
1,3-Dichlorobenzene	50.0	46.1		ug/L		92	70 - 120
p-Isopropyltoluene	50.0	47.0		ug/L		94	70 - 120
1,4-Dichlorobenzene	50.0	45.2		ug/L		90	75 - 120
n-Butylbenzene	50.0	46.9		ug/L		94	75 - 120
1,2-Dichlorobenzene	50.0	45.2		ug/L		90	75 - 120
1,2-Dibromo-3-Chloropropane	50.0	39.3		ug/L		79	60 - 121
1,2,4-Trichlorobenzene	50.0	43.0		ug/L		86	65 - 121
Hexachlorobutadiene	50.0	43.4		ug/L		87	65 - 135
Naphthalene	50.0	41.8		ug/L		84	55 - 132
1,2,3-Trichlorobenzene	50.0	43.6		ug/L		87	56 - 137

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	97		75 - 125
Toluene-d8 (Surr)	100		75 - 120
4-Bromofluorobenzene (Surr)	94		75 - 120
Dibromofluoromethane	99		75 - 120

Lab Sample ID: MB 500-214384/6
Matrix: Water
Analysis Batch: 214384

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			12/02/13 11:32	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			12/02/13 11:32	1
Chloromethane	<1.0		1.0	0.18	ug/L			12/02/13 11:32	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			12/02/13 11:32	1
Bromomethane	<1.0		1.0	0.31	ug/L			12/02/13 11:32	1
Chloroethane	<1.0		1.0	0.34	ug/L			12/02/13 11:32	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			12/02/13 11:32	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			12/02/13 11:32	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			12/02/13 11:32	1
Acetone	<5.0		5.0	1.3	ug/L			12/02/13 11:32	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			12/02/13 11:32	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			12/02/13 11:32	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			12/02/13 11:32	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			12/02/13 11:32	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			12/02/13 11:32	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			12/02/13 11:32	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			12/02/13 11:32	1
Chloroform	<1.0		1.0	0.20	ug/L			12/02/13 11:32	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			12/02/13 11:32	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			12/02/13 11:32	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			12/02/13 11:32	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			12/02/13 11:32	1
Trichloroethene	<0.50		0.50	0.19	ug/L			12/02/13 11:32	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			12/02/13 11:32	1

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Method: 8260B - VOC (Continued)

Lab Sample ID: MB 500-214384/6
Matrix: Water
Analysis Batch: 214384

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Dibromomethane	<1.0		1.0	0.33	ug/L			12/02/13 11:32	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			12/02/13 11:32	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			12/02/13 11:32	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			12/02/13 11:32	1
Toluene	<0.50		0.50	0.11	ug/L			12/02/13 11:32	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			12/02/13 11:32	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			12/02/13 11:32	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			12/02/13 11:32	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			12/02/13 11:32	1
2-Hexanone	<5.0		5.0	0.56	ug/L			12/02/13 11:32	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			12/02/13 11:32	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			12/02/13 11:32	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			12/02/13 11:32	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			12/02/13 11:32	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			12/02/13 11:32	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			12/02/13 11:32	1
o-Xylene	<0.50		0.50	0.068	ug/L			12/02/13 11:32	1
Styrene	<1.0		1.0	0.10	ug/L			12/02/13 11:32	1
Bromoform	<1.0		1.0	0.28	ug/L			12/02/13 11:32	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			12/02/13 11:32	1
Bromobenzene	<1.0		1.0	0.25	ug/L			12/02/13 11:32	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			12/02/13 11:32	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			12/02/13 11:32	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			12/02/13 11:32	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			12/02/13 11:32	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			12/02/13 11:32	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			12/02/13 11:32	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			12/02/13 11:32	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			12/02/13 11:32	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			12/02/13 11:32	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			12/02/13 11:32	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			12/02/13 11:32	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			12/02/13 11:32	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			12/02/13 11:32	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			12/02/13 11:32	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			12/02/13 11:32	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			12/02/13 11:32	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			12/02/13 11:32	1
Naphthalene	<1.0		1.0	0.16	ug/L			12/02/13 11:32	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			12/02/13 11:32	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	105		75 - 125		12/02/13 11:32	1
Toluene-d8 (Surr)	98		75 - 120		12/02/13 11:32	1
4-Bromofluorobenzene (Surr)	96		75 - 120		12/02/13 11:32	1
Dibromofluoromethane	94		75 - 120		12/02/13 11:32	1

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Method: 8260B - VOC (Continued)

Lab Sample ID: LCS 500-214384/4

Matrix: Water

Analysis Batch: 214384

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	50.0	47.8		ug/L		96	70 - 120
Dichlorodifluoromethane	50.0	50.5		ug/L		101	40 - 140
Chloromethane	50.0	52.8		ug/L		106	50 - 134
Vinyl chloride	50.0	51.1		ug/L		102	62 - 138
Bromomethane	50.0	50.5		ug/L		101	50 - 150
Chloroethane	50.0	49.0		ug/L		98	50 - 150
Trichlorofluoromethane	50.0	54.4		ug/L		109	63 - 134
1,1-Dichloroethene	50.0	49.8		ug/L		100	58 - 122
Carbon disulfide	50.0	51.0		ug/L		102	50 - 120
Acetone	50.0	46.9		ug/L		94	46 - 153
Methylene Chloride	50.0	49.3		ug/L		99	65 - 125
trans-1,2-Dichloroethene	50.0	50.3		ug/L		101	70 - 124
1,1-Dichloroethane	50.0	48.7		ug/L		97	68 - 121
2,2-Dichloropropane	50.0	49.4		ug/L		99	67 - 125
cis-1,2-Dichloroethene	50.0	48.6		ug/L		97	70 - 120
Methyl Ethyl Ketone	50.0	45.1		ug/L		90	54 - 138
Bromochloromethane	50.0	49.3		ug/L		99	67 - 122
Chloroform	50.0	49.8		ug/L		100	70 - 120
1,1,1-Trichloroethane	50.0	50.5		ug/L		101	70 - 123
1,1-Dichloropropene	50.0	48.7		ug/L		97	70 - 120
Carbon tetrachloride	50.0	51.5		ug/L		103	70 - 125
1,2-Dichloroethane	50.0	47.5		ug/L		95	69 - 120
Trichloroethene	50.0	49.4		ug/L		99	70 - 120
1,2-Dichloropropane	50.0	47.1		ug/L		94	70 - 120
Dibromomethane	50.0	49.1		ug/L		98	70 - 120
Bromodichloromethane	50.0	50.9		ug/L		102	70 - 120
cis-1,3-Dichloropropene	50.0	50.4		ug/L		101	70 - 120
methyl isobutyl ketone	50.0	45.2		ug/L		90	59 - 135
Toluene	50.0	46.3		ug/L		93	70 - 120
trans-1,3-Dichloropropene	50.0	50.6		ug/L		101	70 - 120
1,1,2-Trichloroethane	50.0	49.2		ug/L		98	69 - 120
Tetrachloroethene	50.0	49.1		ug/L		98	70 - 123
1,3-Dichloropropane	50.0	47.1		ug/L		94	70 - 120
2-Hexanone	50.0	45.5		ug/L		91	55 - 144
Dibromochloromethane	50.0	51.7		ug/L		103	70 - 120
1,2-Dibromoethane	50.0	49.9		ug/L		100	70 - 120
Chlorobenzene	50.0	47.4		ug/L		95	70 - 120
1,1,1,2-Tetrachloroethane	50.0	51.1		ug/L		102	75 - 120
Ethylbenzene	50.0	47.5		ug/L		95	75 - 120
m&p-Xylene	50.0	46.9		ug/L		94	75 - 120
o-Xylene	50.0	47.9		ug/L		96	70 - 120
Styrene	50.0	49.9		ug/L		100	75 - 120
Bromoform	50.0	47.3		ug/L		95	70 - 125
Isopropylbenzene	50.0	47.5		ug/L		95	70 - 120
Bromobenzene	50.0	47.5		ug/L		95	70 - 120
1,1,2,2-Tetrachloroethane	50.0	47.9		ug/L		96	70 - 128
1,2,3-Trichloropropane	50.0	46.7		ug/L		93	70 - 120
N-Propylbenzene	50.0	47.6		ug/L		95	70 - 120

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Method: 8260B - VOC (Continued)

Lab Sample ID: LCS 500-214384/4
Matrix: Water
Analysis Batch: 214384

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
2-Chlorotoluene	50.0	47.3		ug/L		95	70 - 120
1,3,5-Trimethylbenzene	50.0	47.9		ug/L		96	75 - 123
4-Chlorotoluene	50.0	47.2		ug/L		94	70 - 120
tert-Butylbenzene	50.0	48.1		ug/L		96	70 - 120
1,2,4-Trimethylbenzene	50.0	47.6		ug/L		95	75 - 121
sec-Butylbenzene	50.0	48.1		ug/L		96	70 - 120
1,3-Dichlorobenzene	50.0	47.0		ug/L		94	70 - 120
p-Isopropyltoluene	50.0	47.5		ug/L		95	70 - 120
1,4-Dichlorobenzene	50.0	46.6		ug/L		93	75 - 120
n-Butylbenzene	50.0	46.9		ug/L		94	75 - 120
1,2-Dichlorobenzene	50.0	47.3		ug/L		95	75 - 120
1,2-Dibromo-3-Chloropropane	50.0	43.9		ug/L		88	60 - 121
1,2,4-Trichlorobenzene	50.0	44.1		ug/L		88	65 - 121
Hexachlorobutadiene	50.0	44.4		ug/L		89	65 - 135
Naphthalene	50.0	44.8		ug/L		90	55 - 132
1,2,3-Trichlorobenzene	50.0	44.5		ug/L		89	56 - 137

Surrogate	LCS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	99		75 - 125
Toluene-d8 (Surr)	100		75 - 120
4-Bromofluorobenzene (Surr)	95		75 - 120
Dibromofluoromethane	99		75 - 120

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: EW-2

Lab Sample ID: 500-67178-1

Date Collected: 11/19/13 12:00

Matrix: Water

Date Received: 11/20/13 09:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	214294	11/30/13 11:40	JLH	TAL CHI

Client Sample ID: EW-3

Lab Sample ID: 500-67178-2

Date Collected: 11/19/13 10:00

Matrix: Water

Date Received: 11/20/13 09:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	214294	11/30/13 12:34	JLH	TAL CHI

Client Sample ID: EW-4

Lab Sample ID: 500-67178-3

Date Collected: 11/18/13 12:40

Matrix: Water

Date Received: 11/20/13 09:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B	DL	20	214294	11/30/13 13:28	JLH	TAL CHI
Total/NA	Analysis	8260B		1	214384	12/02/13 14:42	EMA	TAL CHI

Client Sample ID: EW-5

Lab Sample ID: 500-67178-4

Date Collected: 11/18/13 09:30

Matrix: Water

Date Received: 11/20/13 09:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	214294	11/30/13 13:55	JLH	TAL CHI

Client Sample ID: EW-6

Lab Sample ID: 500-67178-5

Date Collected: 11/18/13 11:50

Matrix: Water

Date Received: 11/20/13 09:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	214294	11/30/13 14:23	JLH	TAL CHI

Client Sample ID: EW-7

Lab Sample ID: 500-67178-6

Date Collected: 11/18/13 11:40

Matrix: Water

Date Received: 11/20/13 09:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	214294	11/30/13 14:50	JLH	TAL CHI

TestAmerica Chicago



Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: EW-8
Date Collected: 11/18/13 11:30
Date Received: 11/20/13 09:10

Lab Sample ID: 500-67178-7
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	214294	11/30/13 15:17	JLH	TAL CHI

Client Sample ID: EW-9
Date Collected: 11/18/13 11:25
Date Received: 11/20/13 09:10

Lab Sample ID: 500-67178-8
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	214294	11/30/13 15:44	JLH	TAL CHI

Client Sample ID: EW-9 DUP
Date Collected: 11/18/13 11:25
Date Received: 11/20/13 09:10

Lab Sample ID: 500-67178-9
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	214294	11/30/13 16:11	JLH	TAL CHI

Client Sample ID: EW-10
Date Collected: 11/18/13 11:15
Date Received: 11/20/13 09:10

Lab Sample ID: 500-67178-10
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	214294	11/30/13 16:38	JLH	TAL CHI

Client Sample ID: RFW-1A
Date Collected: 11/18/13 10:05
Date Received: 11/20/13 09:10

Lab Sample ID: 500-67178-11
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	214294	11/30/13 17:05	JLH	TAL CHI

Client Sample ID: RFW-1B
Date Collected: 11/18/13 17:30
Date Received: 11/20/13 09:10

Lab Sample ID: 500-67178-12
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	214294	11/30/13 17:32	JLH	TAL CHI

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: RFW-2A

Lab Sample ID: 500-67178-13

Date Collected: 11/18/13 11:05

Matrix: Water

Date Received: 11/20/13 09:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	214294	11/30/13 17:59	JLH	TAL CHI

Client Sample ID: RFW-2B

Lab Sample ID: 500-67178-14

Date Collected: 11/18/13 11:15

Matrix: Water

Date Received: 11/20/13 09:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	214294	11/30/13 18:27	JLH	TAL CHI

Client Sample ID: RFW-3B

Lab Sample ID: 500-67178-15

Date Collected: 11/18/13 16:35

Matrix: Water

Date Received: 11/20/13 09:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	214294	11/30/13 18:54	JLH	TAL CHI

Client Sample ID: RFW-4A

Lab Sample ID: 500-67178-16

Date Collected: 11/19/13 08:15

Matrix: Water

Date Received: 11/20/13 09:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	214294	11/30/13 19:21	JLH	TAL CHI

Client Sample ID: RFW-4A DUP

Lab Sample ID: 500-67178-17

Date Collected: 11/19/13 08:15

Matrix: Water

Date Received: 11/20/13 09:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	214294	11/30/13 19:48	JLH	TAL CHI

Client Sample ID: RFW-4B

Lab Sample ID: 500-67178-18

Date Collected: 11/19/13 08:40

Matrix: Water

Date Received: 11/20/13 09:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	214294	11/30/13 20:15	JLH	TAL CHI

TestAmerica Chicago

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: RFW-6
Date Collected: 11/18/13 17:25
Date Received: 11/20/13 09:10

Lab Sample ID: 500-67178-19
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	214312	12/01/13 10:58	BBS	TAL CHI

Client Sample ID: RFW-7
Date Collected: 11/18/13 13:15
Date Received: 11/20/13 09:10

Lab Sample ID: 500-67178-20
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	214312	12/01/13 12:38	BBS	TAL CHI

Client Sample ID: RFW-9
Date Collected: 11/18/13 17:10
Date Received: 11/20/13 09:10

Lab Sample ID: 500-67178-21
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	214312	12/01/13 13:06	BBS	TAL CHI

Client Sample ID: RFW-12B
Date Collected: 11/19/13 11:45
Date Received: 11/20/13 09:10

Lab Sample ID: 500-67178-22
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	214312	12/01/13 13:33	BBS	TAL CHI

Client Sample ID: RFW-11B
Date Collected: 11/19/13 09:50
Date Received: 11/20/13 09:10

Lab Sample ID: 500-67178-23
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	214312	12/01/13 14:00	BBS	TAL CHI

Client Sample ID: RFW-13
Date Collected: 11/18/13 14:45
Date Received: 11/20/13 09:10

Lab Sample ID: 500-67178-24
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	214312	12/01/13 14:27	BBS	TAL CHI

TestAmerica Chicago

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: RFW-17

Lab Sample ID: 500-67178-25

Date Collected: 11/18/13 15:35

Matrix: Water

Date Received: 11/20/13 09:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	214312	12/01/13 14:54	BBS	TAL CHI

Client Sample ID: Trip Blank

Lab Sample ID: 500-67178-26

Date Collected: 11/18/13 07:00

Matrix: Water

Date Received: 11/20/13 09:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	214312	12/01/13 15:22	BBS	TAL CHI

Laboratory References:

TAL CHI = TestAmerica Chicago, 2417 Bond Street, University Park, IL 60484, TEL (708)534-5200

TestAmerica Chicago

Certification Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Laboratory: TestAmerica Chicago

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Alabama	State Program	4	40461	04-30-14
California	NELAP	9	01132CA	04-30-14
Georgia	State Program	4	N/A	04-30-14
Hawaii	State Program	9	N/A	04-30-14
Illinois	NELAP	5	100201	04-30-14
Indiana	State Program	5	C-IL-02	04-30-14
Iowa	State Program	7	82	05-01-14
Kansas	NELAP	7	E-10161	10-31-14
Kentucky	State Program	4	90023	12-31-13
Kentucky (UST)	State Program	4	66	04-30-14
Louisiana	NELAP	6	30720	06-30-14
Massachusetts	State Program	1	M-IL035	06-30-14
Mississippi	State Program	4	N/A	04-30-14
North Carolina DENR	State Program	4	291	12-31-13 *
North Dakota	State Program	8	R-194	04-30-14
Oklahoma	State Program	6	8908	08-31-14
South Carolina	State Program	4	77001	04-30-14
Texas	NELAP	6	T104704252-09-TX	02-28-14
USDA	Federal		P330-12-00038	02-06-15
Wisconsin	State Program	5	999580010	08-31-14
Wyoming	State Program	8	8TMS-Q	04-30-14

* Expired certification is currently pending renewal and is considered valid.

TestAmerica Chicago

TestAmerica

THE LEADER IN ENVIRONMENTAL

2417 Bond Street, University Park, IL 6046
Phone: 708.534.5200 Fax: 708.534.5



500-67178 COC

Report To _____ (optional)
Contact: _____
Company: _____
Address: _____
Address: _____
Phone: _____
Fax: _____
E-Mail: _____

Bill To _____ (optional)
Contact: _____
Company: _____
Address: _____
Address: _____
Phone: _____
Fax: _____
PO#/Reference# _____

Chain of Custody Record

Lab Job #: 500-67178
Chain of Custody Number: _____
Page 1 of 3
Temperature °C of Cooler: 4/6

Client		Client Project #		Preservative		Parameter		Matrix		Preservative Key 1. HCL, Cool to 4° 2. H2SO4, Cool to 4° 3. HNO3, Cool to 4° 4. NaOH, Cool to 4° 5. NaOH/Zn, Cool to 4° 6. NaHSO4 7. Cool to 4° 8. None 9. Other
Weston		02501.004.004.0001		HCl		V		O		
Project Name		Lab Project #		Date		Time		# of Containers		
Black & Decker		Hampstead, MD		11/19/13		1200		3		
Lab ID	MISMSQ	Sample ID	Date	Time	# of Containers	Matrix	Comments			
1		EW-2	11/19/13	1200	3	W				
2		EW-3	11/19/13	1000						
3		EW-4	11/18/13	1240			✓			
4		EW-5		430			✓			
5		EW-6		1150			✓			
6		EW-7		1140			✓			
7		EW-8		1130			✓			
8		EW-9		1125			✓			
9		EW-9 Dup		1125			✓			
10		EW-10		1115			✓			

Turnaround Time Required (Business Days)

Requested Date/Time: 1 Day 2 Days 5 Days 7 Days 10 Days 15 Days Other

Sample Disposal

Return to Client Disposal by Lab Archive for _____ Months (A fee may be assessed if samples are retained longer than 1 month)

Relinquished By: <u>[Signature]</u>	Company: <u>Weston</u>	Date: <u>11/19/13</u>	Time: <u>1600</u>	Received By: <u>[Signature]</u>	Company: <u>TA-CERT</u>	Date: <u>11/20/13</u>	Time: <u>0910</u>
Relinquished By: _____	Company: _____	Date: _____	Time: _____	Received By: _____	Company: _____	Date: _____	Time: _____
Relinquished By: _____	Company: _____	Date: _____	Time: _____	Received By: _____	Company: _____	Date: _____	Time: _____

Lab Courier: _____
Shipped: FedEx
Hand Delivered: _____

Matrix Key
WW - Wastewater SE - Sediment
W - Water SO - Soil
S - Soil L - Leachate
SL - Sludge WI - Wipe
MS - Miscellaneous DW - Drinking Water
OL - Oil O - Other
A - Air

Client Comments

Lab Comments:

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

2417 Bond Street, University Park, IL 60484
 Phone: 708.534.5200 Fax: 708.534.5211

Report To _____ (optional)
 Contact: _____
 Company: _____
 Address: _____
 Address: _____
 Phone: _____
 Fax: _____
 E-Mail: _____

Bill To _____ (optional)
 Contact: _____
 Company: _____
 Address: _____
 Address: _____
 Phone: _____
 Fax: _____
 PO#/Reference# _____

Chain of Custody Record

Lab Job #: 500-67178
 Chain of Custody Number: _____
 Page 2 of 3
 Temperature °C of Cooler: 4.6

Client		Client Project #		Preservative		Parameter		Matrix		Preservative Key 1. HCL, Cool to 4° 2. H2SO4, Cool to 4° 3. HNO3, Cool to 4° 4. NaOH, Cool to 4° 5. NaOH/Zn, Cool to 4° 6. NaHSO4 7. Cool to 4° 8. None 9. Other
Project Name		Lab Project #		HCL		V		O		
Project Location/State		Lab PM		A						
Sampler										
Lab ID	MS/MSD	Sample ID	Date	Time	# of Containers	Matrix				Comments
11		RFW-1A	11/18/13	1605	3	W	✓			
12		RFW-1B		1730			✓			
13		RFW-2A		1105			✓			
14		RFW-2B		1115			✓			
15		RFW-3B		1635			✓			
16		RFW-4A	11/19/13	815			✓			
17		RFW-4A Dup		815			✓			
18		RFW-4B		840			✓			
19		RFW-6	11/18/13	1725			✓			
20		RFW-7		1315			✓			

Turnaround Time Required (Business Days)
 ___ 1 Day ___ 2 Days ___ 5 Days ___ 7 Days ___ 10 Days ___ 16 Days ___ Other

Requested Due Date _____

Sample Disposal
 Return to Client Disposal by Lab Archive for ___ Months (A fee may be assessed if samples are retained longer than 1 month)

Relinquished By: <u>[Signature]</u>	Company: <u>Weston</u>	Date: <u>11/19/13</u>	Time: <u>1600</u>	Received By: <u>[Signature]</u>	Company: <u>TA-CST</u>	Date: <u>11/20/13</u>	Time: <u>0910</u>
Relinquished By: _____	Company: _____	Date: _____	Time: _____	Received By: _____	Company: _____	Date: _____	Time: _____
Relinquished By: _____	Company: _____	Date: _____	Time: _____	Received By: _____	Company: _____	Date: _____	Time: _____

Lab Courier: _____
 Shipped: FedEx
 Hand Delivered: _____

Matrix Key
 WW - Wastewater SE - Sediment
 W - Water SO - Soil
 S - Soil L - Leachate
 SL - Sludge WI - Wipe
 MS - Miscellaneous DW - Drinking Water
 OL - Oil O - Other
 A - Air

Client Comments: _____

Lab Comments: _____

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

2417 Bond Street, University Park, IL 60484
 Phone: 708.534.5200 Fax: 708.534.5211

Report To _____ (optional)
 Contact: _____
 Company: _____
 Address: _____
 Address: _____
 Phone: _____
 Fax: _____
 E-Mail: _____

Bill To _____ (optional)
 Contact: _____
 Company: _____
 Address: _____
 Address: _____
 Phone: _____
 Fax: _____
 PO#/Reference# _____

Chain of Custody Record

Lab Job #: 500-67178
 Chain of Custody Number: _____
 Page 3 of 3
 Temperature °C of Cooler: 4/6

Client		Client Project #		Preservative		Parameter															
Weston				HCl																	
Project Name		Black + Becker																			
Project Location/State		Lab Project #																			
Sampler		Lab PM																			
Lab ID	MS/MSD	Sample ID	Sampling		# of Containers	Matrix														Comments	
			Date	Time																	
21		RFW-9	11/18/13	1710	3	W	✓														
22		RFW-10 B	11/19/13	1145	1		✓														
23		RFW-11B	11/19/13	950	1		✓														
24		RFW-13	11/18/13	1445	1		✓														
25		RFW-17	11/18/13	1535	1		✓														
26		Trip Blank	11/18/13	700	2		✓														

- Preservative Key
1. HCL, Cool to 4°
 2. H2SO4, Cool to 4°
 3. HNO3, Cool to 4°
 4. NaOH, Cool to 4°
 5. NaOH/Zn, Cool to 4°
 6. NaHSO4
 7. Cool to 4°
 8. None
 9. Other

Turnaround Time Required (Business Days)
 1 Day 2 Days 5 Days 7 Days 10 Days 15 Days Other

Requested Date _____

Sample Disposal
 Return to Client Disposal by Lab Archive for _____ Months (A fee may be assessed if samples are retained longer than 1 month)

Relinquished By: <u>[Signature]</u>	Company: <u>Weston</u>	Date: <u>11/19/13</u>	Time: <u>16:00</u>	Received By: <u>[Signature]</u>	Company: <u>TA-CRT</u>	Date: <u>11/20/13</u>	Time: <u>0910</u>
Relinquished By:	Company:	Date:	Time:	Received By:	Company:	Date:	Time:
Relinquished By:	Company:	Date:	Time:	Received By:	Company:	Date:	Time:

Lab Courier: _____
 Shipped: Fed-X
 Hand Delivered: _____

- Matrix Key
- WW - Wastewater
 - W - Water
 - S - Soil
 - SL - Sludge
 - MS - Miscellaneous
 - OL - Oil
 - A - Air
 - SE - Sediment
 - SO - Soil
 - L - Leachate
 - WI - Wipe
 - DW - Drinking Water
 - O - Other

Client Comments: _____

Lab Comments: _____



Login Sample Receipt Checklist

Client: Weston Solutions, Inc.

Job Number: 500-67178-1

Login Number: 67178

List Source: TestAmerica Chicago

List Number: 1

Creator: Scott, Sherri L

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	4.6
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Savannah
5102 LaRoche Avenue
Savannah, GA 31404
Tel: (912)354-7858

TestAmerica Job ID: 680-96379-1
Client Project/Site: Black & Decker

For:
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, Pennsylvania 19380

Attn: Greg Flasinski

Authorized for release by:
11/27/2013 3:04:32 PM

Lisa Harvey, Project Manager II
(912)354-7858 e.3221
lisa.harvey@testamericainc.com

LINKS

Review your project
results through
Total Access

Have a Question?

? Ask
The
Expert

Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters. exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Case Narrative

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-96379-1

Job ID: 680-96379-1

Laboratory: TestAmerica Savannah

Narrative

CASE NARRATIVE
Client: Weston Solutions, Inc.
Project: Black & Decker
Report Number: 680-96379-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The samples were received on 11/20/2013; the samples arrived in good condition, properly preserved and on ice. The temperature of the coolers at receipt was 3.6 C.

VOLATILE ORGANIC COMPOUNDS (GC-MS)

Samples RFW-20 (680-96379-1), RFW-21 (680-96379-2), HAMP-22 (680-96379-3), HAMP-23 (680-96379-4) and Trip Blank (680-96379-5) were analyzed for Volatile organic Compounds (GC-MS) in accordance with EPA Method 524.2. The samples were analyzed on 11/24/2013.

Method(s) 524.2: A full list spike was utilized for this method. Due to the large number of spiked analytes, there is a high probability that one or more analytes will recover outside acceptance limits. The laboratory's SOP allows for 4 analytes to recover outside criteria for this method when a full list spike is utilized. The MS associated with batch 304831 had 1 analytes outside control limits; The laboratory control sample (LCS) and laboratory control sample duplicate (LCSD) met acceptance criteria for these analytes. Therefore, re-analysis was not performed. These results have been reported and qualified.




Sample Summary

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-96379-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
680-96379-1	RFW-20	Water	11/18/13 17:45	11/20/13 09:43
680-96379-2	RFW-21	Water	11/18/13 08:15	11/20/13 09:43
680-96379-3	HAMP-22	Water	11/19/13 10:20	11/20/13 09:43
680-96379-4	HAMP-23	Water	11/19/13 10:25	11/20/13 09:43
680-96379-5	Trip Blank	Water	11/18/13 07:00	11/20/13 09:43



Method Summary

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-96379-1

Method	Method Description	Protocol	Laboratory
524.2	Volatile Organic Compounds (GC/MS)	EPA-DW	TAL SAV

Protocol References:

EPA-DW = "Methods For The Determination Of Organic Compounds In Drinking Water", EPA/600/4-88/039, December 1988 And Its Supplements.

Laboratory References:

TAL SAV = TestAmerica Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858



Definitions/Glossary

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-96379-1

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-96379-1

Client Sample ID: RFW-20

Lab Sample ID: 680-96379-1

Date Collected: 11/18/13 17:45

Matrix: Water

Date Received: 11/20/13 09:43

Method: 524.2 - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	<10		10	5.0	ug/L			11/24/13 21:55	1
Benzene	<0.50		0.50	0.18	ug/L			11/24/13 21:55	1
Bromobenzene	<0.50		0.50	0.42	ug/L			11/24/13 21:55	1
Bromoform	<0.50		0.50	0.39	ug/L			11/24/13 21:55	1
Bromomethane	<1.0		1.0	0.45	ug/L			11/24/13 21:55	1
Carbon tetrachloride	<0.50		0.50	0.22	ug/L			11/24/13 21:55	1
Chlorobenzene	<0.50		0.50	0.27	ug/L			11/24/13 21:55	1
Chlorobromomethane	<0.50		0.50	0.30	ug/L			11/24/13 21:55	1
Chlorodibromomethane	<0.50		0.50	0.43	ug/L			11/24/13 21:55	1
Chloroethane	<1.0		1.0	0.33	ug/L			11/24/13 21:55	1
Chloroform	<0.50		0.50	0.29	ug/L			11/24/13 21:55	1
Chloromethane	<0.50		0.50	0.32	ug/L			11/24/13 21:55	1
2-Chlorotoluene	<0.50		0.50	0.17	ug/L			11/24/13 21:55	1
4-Chlorotoluene	<0.50		0.50	0.16	ug/L			11/24/13 21:55	1
cis-1,2-Dichloroethene	<0.50		0.50	0.37	ug/L			11/24/13 21:55	1
cis-1,3-Dichloropropene	<0.50		0.50	0.32	ug/L			11/24/13 21:55	1
1,2-Dibromo-3-Chloropropane	<0.50		0.50	0.30	ug/L			11/24/13 21:55	1
Dibromomethane	<0.50		0.50	0.38	ug/L			11/24/13 21:55	1
1,2-Dichlorobenzene	<0.50		0.50	0.17	ug/L			11/24/13 21:55	1
1,3-Dichlorobenzene	<0.50		0.50	0.14	ug/L			11/24/13 21:55	1
1,4-Dichlorobenzene	<0.50		0.50	0.18	ug/L			11/24/13 21:55	1
Dichlorobromomethane	<0.50		0.50	0.10	ug/L			11/24/13 21:55	1
Dichlorodifluoromethane	<0.50		0.50	0.34	ug/L			11/24/13 21:55	1
1,1-Dichloroethane	<0.50		0.50	0.39	ug/L			11/24/13 21:55	1
1,2-Dichloroethane	<0.50		0.50	0.17	ug/L			11/24/13 21:55	1
1,1-Dichloroethene	<0.50		0.50	0.32	ug/L			11/24/13 21:55	1
1,2-Dichloropropane	<0.50		0.50	0.45	ug/L			11/24/13 21:55	1
1,3-Dichloropropane	<0.50		0.50	0.43	ug/L			11/24/13 21:55	1
2,2-Dichloropropane	<0.50		0.50	0.31	ug/L			11/24/13 21:55	1
1,1-Dichloropropene	<0.50		0.50	0.19	ug/L			11/24/13 21:55	1
1,3-Dichloropropene, Total	<0.50		0.50	0.32	ug/L			11/24/13 21:55	1
Diisopropyl ether	<0.50		0.50	0.28	ug/L			11/24/13 21:55	1
Ethylbenzene	<0.50		0.50	0.12	ug/L			11/24/13 21:55	1
Ethylene Dibromide	<0.50		0.50	0.20	ug/L			11/24/13 21:55	1
Freon 113	<0.50		0.50	0.15	ug/L			11/24/13 21:55	1
Hexachlorobutadiene	<0.50		0.50	0.26	ug/L			11/24/13 21:55	1
2-Hexanone	<10		10	5.0	ug/L			11/24/13 21:55	1
Isopropylbenzene	<0.50		0.50	0.15	ug/L			11/24/13 21:55	1
4-Isopropyltoluene	<0.50		0.50	0.21	ug/L			11/24/13 21:55	1
Methylene Chloride	<0.50		0.50	0.36	ug/L			11/24/13 21:55	1
2-Butanone (MEK)	<10		10	5.0	ug/L			11/24/13 21:55	1
4-Methyl-2-pentanone (MIBK)	<10		10	5.0	ug/L			11/24/13 21:55	1
m-Xylene & p-Xylene	<0.50		0.50	0.42	ug/L			11/24/13 21:55	1
Naphthalene	<1.0		1.0	0.43	ug/L			11/24/13 21:55	1
n-Butylbenzene	<0.50		0.50	0.17	ug/L			11/24/13 21:55	1
N-Propylbenzene	<0.50		0.50	0.17	ug/L			11/24/13 21:55	1
o-Xylene	<0.50		0.50	0.27	ug/L			11/24/13 21:55	1
sec-Butylbenzene	<0.50		0.50	0.14	ug/L			11/24/13 21:55	1
Styrene	<0.50		0.50	0.28	ug/L			11/24/13 21:55	1

TestAmerica Savannah

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-96379-1

Client Sample ID: RFW-20

Lab Sample ID: 680-96379-1

Date Collected: 11/18/13 17:45

Matrix: Water

Date Received: 11/20/13 09:43

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tert-amyl methyl ether	<0.50		0.50	0.20	ug/L			11/24/13 21:55	1
tert-Butyl alcohol	<2.0		2.0	1.6	ug/L			11/24/13 21:55	1
tert-Butylbenzene	<0.50		0.50	0.14	ug/L			11/24/13 21:55	1
Tert-butyl ethyl ether	<0.50		0.50	0.26	ug/L			11/24/13 21:55	1
1,1,1,2-Tetrachloroethane	<0.50		0.50	0.16	ug/L			11/24/13 21:55	1
1,1,2,2-Tetrachloroethane	<0.50		0.50	0.18	ug/L			11/24/13 21:55	1
Tetrachloroethene	<0.50		0.50	0.30	ug/L			11/24/13 21:55	1
Toluene	<0.50		0.50	0.23	ug/L			11/24/13 21:55	1
trans-1,2-Dichloroethene	<0.50		0.50	0.24	ug/L			11/24/13 21:55	1
trans-1,3-Dichloropropene	<0.50		0.50	0.48	ug/L			11/24/13 21:55	1
1,2,3-Trichlorobenzene	<0.50		0.50	0.14	ug/L			11/24/13 21:55	1
1,2,4-Trichlorobenzene	<0.50		0.50	0.18	ug/L			11/24/13 21:55	1
1,1,1-Trichloroethane	<0.50		0.50	0.27	ug/L			11/24/13 21:55	1
1,1,2-Trichloroethane	<0.50		0.50	0.22	ug/L			11/24/13 21:55	1
Trichloroethene	0.54		0.50	0.37	ug/L			11/24/13 21:55	1
Trichlorofluoromethane	<0.50		0.50	0.23	ug/L			11/24/13 21:55	1
1,2,3-Trichloropropane	<0.50		0.50	0.18	ug/L			11/24/13 21:55	1
Trihalomethanes, Total	<0.50		0.50	0.10	ug/L			11/24/13 21:55	1
1,2,4-Trimethylbenzene	<0.50		0.50	0.17	ug/L			11/24/13 21:55	1
1,3,5-Trimethylbenzene	<0.50		0.50	0.16	ug/L			11/24/13 21:55	1
Vinyl chloride	<0.50		0.50	0.33	ug/L			11/24/13 21:55	1
Xylenes, Total	<0.50		0.50	0.27	ug/L			11/24/13 21:55	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	94		70 - 130		11/24/13 21:55	1
1,2-Dichlorobenzene-d4	84		70 - 130		11/24/13 21:55	1

Client Sample ID: RFW-21

Lab Sample ID: 680-96379-2

Date Collected: 11/18/13 08:15

Matrix: Water

Date Received: 11/20/13 09:43

Method: 524.2 - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	<10		10	5.0	ug/L			11/24/13 22:18	1
Benzene	<0.50		0.50	0.18	ug/L			11/24/13 22:18	1
Bromobenzene	<0.50		0.50	0.42	ug/L			11/24/13 22:18	1
Bromoform	<0.50		0.50	0.39	ug/L			11/24/13 22:18	1
Bromomethane	<1.0		1.0	0.45	ug/L			11/24/13 22:18	1
Carbon tetrachloride	<0.50		0.50	0.22	ug/L			11/24/13 22:18	1
Chlorobenzene	<0.50		0.50	0.27	ug/L			11/24/13 22:18	1
Chlorobromomethane	<0.50		0.50	0.30	ug/L			11/24/13 22:18	1
Chlorodibromomethane	<0.50		0.50	0.43	ug/L			11/24/13 22:18	1
Chloroethane	<1.0		1.0	0.33	ug/L			11/24/13 22:18	1
Chloroform	<0.50		0.50	0.29	ug/L			11/24/13 22:18	1
Chloromethane	<0.50		0.50	0.32	ug/L			11/24/13 22:18	1
2-Chlorotoluene	<0.50		0.50	0.17	ug/L			11/24/13 22:18	1
4-Chlorotoluene	<0.50		0.50	0.16	ug/L			11/24/13 22:18	1
cis-1,2-Dichloroethene	<0.50		0.50	0.37	ug/L			11/24/13 22:18	1
cis-1,3-Dichloropropene	<0.50		0.50	0.32	ug/L			11/24/13 22:18	1
1,2-Dibromo-3-Chloropropane	<0.50		0.50	0.30	ug/L			11/24/13 22:18	1

TestAmerica Savannah

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-96379-1

Client Sample ID: RFW-21

Lab Sample ID: 680-96379-2

Date Collected: 11/18/13 08:15

Matrix: Water

Date Received: 11/20/13 09:43

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dibromomethane	<0.50		0.50	0.38	ug/L			11/24/13 22:18	1
1,2-Dichlorobenzene	<0.50		0.50	0.17	ug/L			11/24/13 22:18	1
1,3-Dichlorobenzene	<0.50		0.50	0.14	ug/L			11/24/13 22:18	1
1,4-Dichlorobenzene	<0.50		0.50	0.18	ug/L			11/24/13 22:18	1
Dichlorobromomethane	<0.50		0.50	0.10	ug/L			11/24/13 22:18	1
Dichlorodifluoromethane	<0.50		0.50	0.34	ug/L			11/24/13 22:18	1
1,1-Dichloroethane	<0.50		0.50	0.39	ug/L			11/24/13 22:18	1
1,2-Dichloroethane	<0.50		0.50	0.17	ug/L			11/24/13 22:18	1
1,1-Dichloroethene	<0.50		0.50	0.32	ug/L			11/24/13 22:18	1
1,2-Dichloropropane	<0.50		0.50	0.45	ug/L			11/24/13 22:18	1
1,3-Dichloropropane	<0.50		0.50	0.43	ug/L			11/24/13 22:18	1
2,2-Dichloropropane	<0.50		0.50	0.31	ug/L			11/24/13 22:18	1
1,1-Dichloropropene	<0.50		0.50	0.19	ug/L			11/24/13 22:18	1
1,3-Dichloropropene, Total	<0.50		0.50	0.32	ug/L			11/24/13 22:18	1
Diisopropyl ether	<0.50		0.50	0.28	ug/L			11/24/13 22:18	1
Ethylbenzene	<0.50		0.50	0.12	ug/L			11/24/13 22:18	1
Ethylene Dibromide	<0.50		0.50	0.20	ug/L			11/24/13 22:18	1
Freon 113	<0.50		0.50	0.15	ug/L			11/24/13 22:18	1
Hexachlorobutadiene	<0.50		0.50	0.26	ug/L			11/24/13 22:18	1
2-Hexanone	<10	10	10	5.0	ug/L			11/24/13 22:18	1
Isopropylbenzene	<0.50		0.50	0.15	ug/L			11/24/13 22:18	1
4-Isopropyltoluene	<0.50		0.50	0.21	ug/L			11/24/13 22:18	1
Methylene Chloride	<0.50		0.50	0.36	ug/L			11/24/13 22:18	1
2-Butanone (MEK)	<10	10	10	5.0	ug/L			11/24/13 22:18	1
4-Methyl-2-pentanone (MIBK)	<10	10	10	5.0	ug/L			11/24/13 22:18	1
m-Xylene & p-Xylene	<0.50		0.50	0.42	ug/L			11/24/13 22:18	1
Naphthalene	<1.0	1.0	1.0	0.43	ug/L			11/24/13 22:18	1
n-Butylbenzene	<0.50		0.50	0.17	ug/L			11/24/13 22:18	1
N-Propylbenzene	<0.50		0.50	0.17	ug/L			11/24/13 22:18	1
o-Xylene	<0.50		0.50	0.27	ug/L			11/24/13 22:18	1
sec-Butylbenzene	<0.50		0.50	0.14	ug/L			11/24/13 22:18	1
Styrene	<0.50		0.50	0.28	ug/L			11/24/13 22:18	1
Tert-amyl methyl ether	<0.50		0.50	0.20	ug/L			11/24/13 22:18	1
tert-Butyl alcohol	<2.0	2.0	2.0	1.6	ug/L			11/24/13 22:18	1
tert-Butylbenzene	<0.50		0.50	0.14	ug/L			11/24/13 22:18	1
Tert-butyl ethyl ether	<0.50		0.50	0.26	ug/L			11/24/13 22:18	1
1,1,1,2-Tetrachloroethane	<0.50		0.50	0.16	ug/L			11/24/13 22:18	1
1,1,2,2-Tetrachloroethane	<0.50		0.50	0.18	ug/L			11/24/13 22:18	1
Tetrachloroethene	<0.50		0.50	0.30	ug/L			11/24/13 22:18	1
Toluene	<0.50		0.50	0.23	ug/L			11/24/13 22:18	1
trans-1,2-Dichloroethene	<0.50		0.50	0.24	ug/L			11/24/13 22:18	1
trans-1,3-Dichloropropene	<0.50		0.50	0.48	ug/L			11/24/13 22:18	1
1,2,3-Trichlorobenzene	<0.50		0.50	0.14	ug/L			11/24/13 22:18	1
1,2,4-Trichlorobenzene	<0.50		0.50	0.18	ug/L			11/24/13 22:18	1
1,1,1-Trichloroethane	<0.50		0.50	0.27	ug/L			11/24/13 22:18	1
1,1,2-Trichloroethane	<0.50		0.50	0.22	ug/L			11/24/13 22:18	1
Trichloroethene	<0.50		0.50	0.37	ug/L			11/24/13 22:18	1
Trichlorofluoromethane	<0.50		0.50	0.23	ug/L			11/24/13 22:18	1
1,2,3-Trichloropropane	<0.50		0.50	0.18	ug/L			11/24/13 22:18	1

TestAmerica Savannah

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-96379-1

Client Sample ID: RFW-21

Lab Sample ID: 680-96379-2

Date Collected: 11/18/13 08:15

Matrix: Water

Date Received: 11/20/13 09:43

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Trihalomethanes, Total	<0.50		0.50	0.10	ug/L			11/24/13 22:18	1
1,2,4-Trimethylbenzene	<0.50		0.50	0.17	ug/L			11/24/13 22:18	1
1,3,5-Trimethylbenzene	<0.50		0.50	0.16	ug/L			11/24/13 22:18	1
Vinyl chloride	<0.50		0.50	0.33	ug/L			11/24/13 22:18	1
Xylenes, Total	<0.50		0.50	0.27	ug/L			11/24/13 22:18	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	90		70 - 130		11/24/13 22:18	1
1,2-Dichlorobenzene-d4	84		70 - 130		11/24/13 22:18	1

Client Sample ID: HAMP-22

Lab Sample ID: 680-96379-3

Date Collected: 11/19/13 10:20

Matrix: Water

Date Received: 11/20/13 09:43

Method: 524.2 - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	<10		10	5.0	ug/L			11/24/13 22:41	1
Benzene	<0.50		0.50	0.18	ug/L			11/24/13 22:41	1
Bromobenzene	<0.50		0.50	0.42	ug/L			11/24/13 22:41	1
Bromoform	<0.50		0.50	0.39	ug/L			11/24/13 22:41	1
Bromomethane	<1.0		1.0	0.45	ug/L			11/24/13 22:41	1
Carbon tetrachloride	<0.50		0.50	0.22	ug/L			11/24/13 22:41	1
Chlorobenzene	<0.50		0.50	0.27	ug/L			11/24/13 22:41	1
Chlorobromomethane	<0.50		0.50	0.30	ug/L			11/24/13 22:41	1
Chlorodibromomethane	<0.50		0.50	0.43	ug/L			11/24/13 22:41	1
Chloroethane	<1.0		1.0	0.33	ug/L			11/24/13 22:41	1
Chloroform	<0.50		0.50	0.29	ug/L			11/24/13 22:41	1
Chloromethane	<0.50		0.50	0.32	ug/L			11/24/13 22:41	1
2-Chlorotoluene	<0.50		0.50	0.17	ug/L			11/24/13 22:41	1
4-Chlorotoluene	<0.50		0.50	0.16	ug/L			11/24/13 22:41	1
cis-1,2-Dichloroethene	<0.50		0.50	0.37	ug/L			11/24/13 22:41	1
cis-1,3-Dichloropropene	<0.50		0.50	0.32	ug/L			11/24/13 22:41	1
1,2-Dibromo-3-Chloropropane	<0.50		0.50	0.30	ug/L			11/24/13 22:41	1
Dibromomethane	<0.50		0.50	0.38	ug/L			11/24/13 22:41	1
1,2-Dichlorobenzene	<0.50		0.50	0.17	ug/L			11/24/13 22:41	1
1,3-Dichlorobenzene	<0.50		0.50	0.14	ug/L			11/24/13 22:41	1
1,4-Dichlorobenzene	<0.50		0.50	0.18	ug/L			11/24/13 22:41	1
Dichlorobromomethane	<0.50		0.50	0.10	ug/L			11/24/13 22:41	1
Dichlorodifluoromethane	<0.50		0.50	0.34	ug/L			11/24/13 22:41	1
1,1-Dichloroethane	<0.50		0.50	0.39	ug/L			11/24/13 22:41	1
1,2-Dichloroethane	<0.50		0.50	0.17	ug/L			11/24/13 22:41	1
1,1-Dichloroethene	<0.50		0.50	0.32	ug/L			11/24/13 22:41	1
1,2-Dichloropropane	<0.50		0.50	0.45	ug/L			11/24/13 22:41	1
1,3-Dichloropropane	<0.50		0.50	0.43	ug/L			11/24/13 22:41	1
2,2-Dichloropropane	<0.50		0.50	0.31	ug/L			11/24/13 22:41	1
1,1-Dichloropropene	<0.50		0.50	0.19	ug/L			11/24/13 22:41	1
1,3-Dichloropropene, Total	<0.50		0.50	0.32	ug/L			11/24/13 22:41	1
Diisopropyl ether	<0.50		0.50	0.28	ug/L			11/24/13 22:41	1
Ethylbenzene	<0.50		0.50	0.12	ug/L			11/24/13 22:41	1
Ethylene Dibromide	<0.50		0.50	0.20	ug/L			11/24/13 22:41	1

TestAmerica Savannah

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-96379-1

Client Sample ID: HAMP-22

Lab Sample ID: 680-96379-3

Date Collected: 11/19/13 10:20

Matrix: Water

Date Received: 11/20/13 09:43

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Freon 113	<0.50		0.50	0.15	ug/L			11/24/13 22:41	1
Hexachlorobutadiene	<0.50		0.50	0.26	ug/L			11/24/13 22:41	1
2-Hexanone	<10		10	5.0	ug/L			11/24/13 22:41	1
Isopropylbenzene	<0.50		0.50	0.15	ug/L			11/24/13 22:41	1
4-Isopropyltoluene	<0.50		0.50	0.21	ug/L			11/24/13 22:41	1
Methylene Chloride	<0.50		0.50	0.36	ug/L			11/24/13 22:41	1
2-Butanone (MEK)	<10		10	5.0	ug/L			11/24/13 22:41	1
4-Methyl-2-pentanone (MIBK)	<10		10	5.0	ug/L			11/24/13 22:41	1
m-Xylene & p-Xylene	<0.50		0.50	0.42	ug/L			11/24/13 22:41	1
Naphthalene	<1.0		1.0	0.43	ug/L			11/24/13 22:41	1
n-Butylbenzene	<0.50		0.50	0.17	ug/L			11/24/13 22:41	1
N-Propylbenzene	<0.50		0.50	0.17	ug/L			11/24/13 22:41	1
o-Xylene	<0.50		0.50	0.27	ug/L			11/24/13 22:41	1
sec-Butylbenzene	<0.50		0.50	0.14	ug/L			11/24/13 22:41	1
Styrene	<0.50		0.50	0.28	ug/L			11/24/13 22:41	1
Tert-amyl methyl ether	<0.50		0.50	0.20	ug/L			11/24/13 22:41	1
tert-Butyl alcohol	<2.0		2.0	1.6	ug/L			11/24/13 22:41	1
tert-Butylbenzene	<0.50		0.50	0.14	ug/L			11/24/13 22:41	1
Tert-butyl ethyl ether	<0.50		0.50	0.26	ug/L			11/24/13 22:41	1
1,1,1,2-Tetrachloroethane	<0.50		0.50	0.16	ug/L			11/24/13 22:41	1
1,1,2,2-Tetrachloroethane	<0.50		0.50	0.18	ug/L			11/24/13 22:41	1
Tetrachloroethene	0.56		0.50	0.30	ug/L			11/24/13 22:41	1
Toluene	<0.50		0.50	0.23	ug/L			11/24/13 22:41	1
trans-1,2-Dichloroethene	<0.50		0.50	0.24	ug/L			11/24/13 22:41	1
trans-1,3-Dichloropropene	<0.50		0.50	0.48	ug/L			11/24/13 22:41	1
1,2,3-Trichlorobenzene	<0.50		0.50	0.14	ug/L			11/24/13 22:41	1
1,2,4-Trichlorobenzene	<0.50		0.50	0.18	ug/L			11/24/13 22:41	1
1,1,1-Trichloroethane	<0.50		0.50	0.27	ug/L			11/24/13 22:41	1
1,1,2-Trichloroethane	<0.50		0.50	0.22	ug/L			11/24/13 22:41	1
Trichloroethene	<0.50		0.50	0.37	ug/L			11/24/13 22:41	1
Trichlorofluoromethane	<0.50		0.50	0.23	ug/L			11/24/13 22:41	1
1,2,3-Trichloropropane	<0.50		0.50	0.18	ug/L			11/24/13 22:41	1
Trihalomethanes, Total	<0.50		0.50	0.10	ug/L			11/24/13 22:41	1
1,2,4-Trimethylbenzene	<0.50		0.50	0.17	ug/L			11/24/13 22:41	1
1,3,5-Trimethylbenzene	<0.50		0.50	0.16	ug/L			11/24/13 22:41	1
Vinyl chloride	<0.50		0.50	0.33	ug/L			11/24/13 22:41	1
Xylenes, Total	<0.50		0.50	0.27	ug/L			11/24/13 22:41	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	91		70 - 130		11/24/13 22:41	1
1,2-Dichlorobenzene-d4	87		70 - 130		11/24/13 22:41	1

Client Sample ID: HAMP-23

Lab Sample ID: 680-96379-4

Date Collected: 11/19/13 10:25

Matrix: Water

Date Received: 11/20/13 09:43

Method: 524.2 - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	<10		10	5.0	ug/L			11/24/13 23:04	1
Benzene	<0.50		0.50	0.18	ug/L			11/24/13 23:04	1

TestAmerica Savannah

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-96379-1

Client Sample ID: HAMP-23

Lab Sample ID: 680-96379-4

Date Collected: 11/19/13 10:25

Matrix: Water

Date Received: 11/20/13 09:43

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Bromobenzene	<0.50		0.50	0.42	ug/L			11/24/13 23:04	1
Bromoform	<0.50		0.50	0.39	ug/L			11/24/13 23:04	1
Bromomethane	<1.0		1.0	0.45	ug/L			11/24/13 23:04	1
Carbon tetrachloride	<0.50		0.50	0.22	ug/L			11/24/13 23:04	1
Chlorobenzene	<0.50		0.50	0.27	ug/L			11/24/13 23:04	1
Chlorobromomethane	<0.50		0.50	0.30	ug/L			11/24/13 23:04	1
Chlorodibromomethane	<0.50		0.50	0.43	ug/L			11/24/13 23:04	1
Chloroethane	<1.0		1.0	0.33	ug/L			11/24/13 23:04	1
Chloroform	<0.50		0.50	0.29	ug/L			11/24/13 23:04	1
Chloromethane	<0.50		0.50	0.32	ug/L			11/24/13 23:04	1
2-Chlorotoluene	<0.50		0.50	0.17	ug/L			11/24/13 23:04	1
4-Chlorotoluene	<0.50		0.50	0.16	ug/L			11/24/13 23:04	1
cis-1,2-Dichloroethene	<0.50		0.50	0.37	ug/L			11/24/13 23:04	1
cis-1,3-Dichloropropene	<0.50		0.50	0.32	ug/L			11/24/13 23:04	1
1,2-Dibromo-3-Chloropropane	<0.50		0.50	0.30	ug/L			11/24/13 23:04	1
Dibromomethane	<0.50		0.50	0.38	ug/L			11/24/13 23:04	1
1,2-Dichlorobenzene	<0.50		0.50	0.17	ug/L			11/24/13 23:04	1
1,3-Dichlorobenzene	<0.50		0.50	0.14	ug/L			11/24/13 23:04	1
1,4-Dichlorobenzene	<0.50		0.50	0.18	ug/L			11/24/13 23:04	1
Dichlorobromomethane	<0.50		0.50	0.10	ug/L			11/24/13 23:04	1
Dichlorodifluoromethane	<0.50		0.50	0.34	ug/L			11/24/13 23:04	1
1,1-Dichloroethane	<0.50		0.50	0.39	ug/L			11/24/13 23:04	1
1,2-Dichloroethane	<0.50		0.50	0.17	ug/L			11/24/13 23:04	1
1,1-Dichloroethene	<0.50		0.50	0.32	ug/L			11/24/13 23:04	1
1,2-Dichloropropane	<0.50		0.50	0.45	ug/L			11/24/13 23:04	1
1,3-Dichloropropane	<0.50		0.50	0.43	ug/L			11/24/13 23:04	1
2,2-Dichloropropane	<0.50		0.50	0.31	ug/L			11/24/13 23:04	1
1,1-Dichloropropene	<0.50		0.50	0.19	ug/L			11/24/13 23:04	1
1,3-Dichloropropene, Total	<0.50		0.50	0.32	ug/L			11/24/13 23:04	1
Diisopropyl ether	<0.50		0.50	0.28	ug/L			11/24/13 23:04	1
Ethylbenzene	<0.50		0.50	0.12	ug/L			11/24/13 23:04	1
Ethylene Dibromide	<0.50		0.50	0.20	ug/L			11/24/13 23:04	1
Freon 113	<0.50		0.50	0.15	ug/L			11/24/13 23:04	1
Hexachlorobutadiene	<0.50		0.50	0.26	ug/L			11/24/13 23:04	1
2-Hexanone	<10		10	5.0	ug/L			11/24/13 23:04	1
Isopropylbenzene	<0.50		0.50	0.15	ug/L			11/24/13 23:04	1
4-Isopropyltoluene	<0.50		0.50	0.21	ug/L			11/24/13 23:04	1
Methylene Chloride	<0.50		0.50	0.36	ug/L			11/24/13 23:04	1
2-Butanone (MEK)	<10		10	5.0	ug/L			11/24/13 23:04	1
4-Methyl-2-pentanone (MIBK)	<10		10	5.0	ug/L			11/24/13 23:04	1
m-Xylene & p-Xylene	<0.50		0.50	0.42	ug/L			11/24/13 23:04	1
Naphthalene	<1.0		1.0	0.43	ug/L			11/24/13 23:04	1
n-Butylbenzene	<0.50		0.50	0.17	ug/L			11/24/13 23:04	1
N-Propylbenzene	<0.50		0.50	0.17	ug/L			11/24/13 23:04	1
o-Xylene	<0.50		0.50	0.27	ug/L			11/24/13 23:04	1
sec-Butylbenzene	<0.50		0.50	0.14	ug/L			11/24/13 23:04	1
Styrene	<0.50		0.50	0.28	ug/L			11/24/13 23:04	1
Tert-amyl methyl ether	<0.50		0.50	0.20	ug/L			11/24/13 23:04	1
tert-Butyl alcohol	<2.0		2.0	1.6	ug/L			11/24/13 23:04	1

TestAmerica Savannah

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-96379-1

Client Sample ID: HAMP-23

Lab Sample ID: 680-96379-4

Date Collected: 11/19/13 10:25

Matrix: Water

Date Received: 11/20/13 09:43

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<0.50		0.50	0.14	ug/L			11/24/13 23:04	1
Tert-butyl ethyl ether	<0.50		0.50	0.26	ug/L			11/24/13 23:04	1
1,1,1,2-Tetrachloroethane	<0.50		0.50	0.16	ug/L			11/24/13 23:04	1
1,1,2,2-Tetrachloroethane	<0.50		0.50	0.18	ug/L			11/24/13 23:04	1
Tetrachloroethene	<0.50		0.50	0.30	ug/L			11/24/13 23:04	1
Toluene	<0.50		0.50	0.23	ug/L			11/24/13 23:04	1
trans-1,2-Dichloroethene	<0.50		0.50	0.24	ug/L			11/24/13 23:04	1
trans-1,3-Dichloropropene	<0.50		0.50	0.48	ug/L			11/24/13 23:04	1
1,2,3-Trichlorobenzene	<0.50		0.50	0.14	ug/L			11/24/13 23:04	1
1,2,4-Trichlorobenzene	<0.50		0.50	0.18	ug/L			11/24/13 23:04	1
1,1,1-Trichloroethane	<0.50		0.50	0.27	ug/L			11/24/13 23:04	1
1,1,2-Trichloroethane	<0.50		0.50	0.22	ug/L			11/24/13 23:04	1
Trichloroethene	<0.50		0.50	0.37	ug/L			11/24/13 23:04	1
Trichlorofluoromethane	<0.50		0.50	0.23	ug/L			11/24/13 23:04	1
1,2,3-Trichloropropane	<0.50		0.50	0.18	ug/L			11/24/13 23:04	1
Trihalomethanes, Total	<0.50		0.50	0.10	ug/L			11/24/13 23:04	1
1,2,4-Trimethylbenzene	<0.50		0.50	0.17	ug/L			11/24/13 23:04	1
1,3,5-Trimethylbenzene	<0.50		0.50	0.16	ug/L			11/24/13 23:04	1
Vinyl chloride	<0.50		0.50	0.33	ug/L			11/24/13 23:04	1
Xylenes, Total	<0.50		0.50	0.27	ug/L			11/24/13 23:04	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	92		70 - 130		11/24/13 23:04	1
1,2-Dichlorobenzene-d4	84		70 - 130		11/24/13 23:04	1

Client Sample ID: Trip Blank

Lab Sample ID: 680-96379-5

Date Collected: 11/18/13 07:00

Matrix: Water

Date Received: 11/20/13 09:43

Method: 524.2 - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	<10		10	5.0	ug/L			11/24/13 16:32	1
Benzene	<0.50		0.50	0.18	ug/L			11/24/13 16:32	1
Bromobenzene	<0.50		0.50	0.42	ug/L			11/24/13 16:32	1
Bromoform	<0.50		0.50	0.39	ug/L			11/24/13 16:32	1
Bromomethane	<1.0		1.0	0.45	ug/L			11/24/13 16:32	1
Carbon tetrachloride	<0.50		0.50	0.22	ug/L			11/24/13 16:32	1
Chlorobenzene	<0.50		0.50	0.27	ug/L			11/24/13 16:32	1
Chlorobromomethane	<0.50		0.50	0.30	ug/L			11/24/13 16:32	1
Chlorodibromomethane	<0.50		0.50	0.43	ug/L			11/24/13 16:32	1
Chloroethane	<1.0		1.0	0.33	ug/L			11/24/13 16:32	1
Chloroform	<0.50		0.50	0.29	ug/L			11/24/13 16:32	1
Chloromethane	<0.50		0.50	0.32	ug/L			11/24/13 16:32	1
2-Chlorotoluene	<0.50		0.50	0.17	ug/L			11/24/13 16:32	1
4-Chlorotoluene	<0.50		0.50	0.16	ug/L			11/24/13 16:32	1
cis-1,2-Dichloroethene	<0.50		0.50	0.37	ug/L			11/24/13 16:32	1
cis-1,3-Dichloropropene	<0.50		0.50	0.32	ug/L			11/24/13 16:32	1
1,2-Dibromo-3-Chloropropane	<0.50		0.50	0.30	ug/L			11/24/13 16:32	1
Dibromomethane	<0.50		0.50	0.38	ug/L			11/24/13 16:32	1
1,2-Dichlorobenzene	<0.50		0.50	0.17	ug/L			11/24/13 16:32	1

TestAmerica Savannah

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-96379-1

Client Sample ID: Trip Blank

Lab Sample ID: 680-96379-5

Date Collected: 11/18/13 07:00

Matrix: Water

Date Received: 11/20/13 09:43

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3-Dichlorobenzene	<0.50		0.50	0.14	ug/L			11/24/13 16:32	1
1,4-Dichlorobenzene	<0.50		0.50	0.18	ug/L			11/24/13 16:32	1
Dichlorobromomethane	<0.50		0.50	0.10	ug/L			11/24/13 16:32	1
Dichlorodifluoromethane	<0.50		0.50	0.34	ug/L			11/24/13 16:32	1
1,1-Dichloroethane	<0.50		0.50	0.39	ug/L			11/24/13 16:32	1
1,2-Dichloroethane	<0.50		0.50	0.17	ug/L			11/24/13 16:32	1
1,1-Dichloroethene	<0.50		0.50	0.32	ug/L			11/24/13 16:32	1
1,2-Dichloropropane	<0.50		0.50	0.45	ug/L			11/24/13 16:32	1
1,3-Dichloropropane	<0.50		0.50	0.43	ug/L			11/24/13 16:32	1
2,2-Dichloropropane	<0.50		0.50	0.31	ug/L			11/24/13 16:32	1
1,1-Dichloropropene	<0.50		0.50	0.19	ug/L			11/24/13 16:32	1
1,3-Dichloropropene, Total	<0.50		0.50	0.32	ug/L			11/24/13 16:32	1
Diisopropyl ether	<0.50		0.50	0.28	ug/L			11/24/13 16:32	1
Ethylbenzene	<0.50		0.50	0.12	ug/L			11/24/13 16:32	1
Ethylene Dibromide	<0.50		0.50	0.20	ug/L			11/24/13 16:32	1
Freon 113	<0.50		0.50	0.15	ug/L			11/24/13 16:32	1
Hexachlorobutadiene	<0.50		0.50	0.26	ug/L			11/24/13 16:32	1
2-Hexanone	<10		10	5.0	ug/L			11/24/13 16:32	1
Isopropylbenzene	<0.50		0.50	0.15	ug/L			11/24/13 16:32	1
4-Isopropyltoluene	<0.50		0.50	0.21	ug/L			11/24/13 16:32	1
Methylene Chloride	<0.50		0.50	0.36	ug/L			11/24/13 16:32	1
2-Butanone (MEK)	<10		10	5.0	ug/L			11/24/13 16:32	1
4-Methyl-2-pentanone (MIBK)	<10		10	5.0	ug/L			11/24/13 16:32	1
m-Xylene & p-Xylene	<0.50		0.50	0.42	ug/L			11/24/13 16:32	1
Naphthalene	<1.0		1.0	0.43	ug/L			11/24/13 16:32	1
n-Butylbenzene	<0.50		0.50	0.17	ug/L			11/24/13 16:32	1
N-Propylbenzene	<0.50		0.50	0.17	ug/L			11/24/13 16:32	1
o-Xylene	<0.50		0.50	0.27	ug/L			11/24/13 16:32	1
sec-Butylbenzene	<0.50		0.50	0.14	ug/L			11/24/13 16:32	1
Styrene	<0.50		0.50	0.28	ug/L			11/24/13 16:32	1
Tert-amyl methyl ether	<0.50		0.50	0.20	ug/L			11/24/13 16:32	1
tert-Butyl alcohol	<2.0		2.0	1.6	ug/L			11/24/13 16:32	1
tert-Butylbenzene	<0.50		0.50	0.14	ug/L			11/24/13 16:32	1
Tert-butyl ethyl ether	<0.50		0.50	0.26	ug/L			11/24/13 16:32	1
1,1,1,2-Tetrachloroethane	<0.50		0.50	0.16	ug/L			11/24/13 16:32	1
1,1,2,2-Tetrachloroethane	<0.50		0.50	0.18	ug/L			11/24/13 16:32	1
Tetrachloroethene	<0.50		0.50	0.30	ug/L			11/24/13 16:32	1
Toluene	<0.50		0.50	0.23	ug/L			11/24/13 16:32	1
trans-1,2-Dichloroethene	<0.50		0.50	0.24	ug/L			11/24/13 16:32	1
trans-1,3-Dichloropropene	<0.50		0.50	0.48	ug/L			11/24/13 16:32	1
1,2,3-Trichlorobenzene	<0.50		0.50	0.14	ug/L			11/24/13 16:32	1
1,2,4-Trichlorobenzene	<0.50		0.50	0.18	ug/L			11/24/13 16:32	1
1,1,1-Trichloroethane	<0.50		0.50	0.27	ug/L			11/24/13 16:32	1
1,1,2-Trichloroethane	<0.50		0.50	0.22	ug/L			11/24/13 16:32	1
Trichloroethene	<0.50		0.50	0.37	ug/L			11/24/13 16:32	1
Trichlorofluoromethane	<0.50		0.50	0.23	ug/L			11/24/13 16:32	1
1,2,3-Trichloropropane	<0.50		0.50	0.18	ug/L			11/24/13 16:32	1
Trihalomethanes, Total	<0.50		0.50	0.10	ug/L			11/24/13 16:32	1
1,2,4-Trimethylbenzene	<0.50		0.50	0.17	ug/L			11/24/13 16:32	1

TestAmerica Savannah

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-96379-1

Client Sample ID: Trip Blank

Lab Sample ID: 680-96379-5

Date Collected: 11/18/13 07:00

Matrix: Water

Date Received: 11/20/13 09:43

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<0.50		0.50	0.16	ug/L			11/24/13 16:32	1
Vinyl chloride	<0.50		0.50	0.33	ug/L			11/24/13 16:32	1
Xylenes, Total	<0.50		0.50	0.27	ug/L			11/24/13 16:32	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	89		70 - 130		11/24/13 16:32	1
1,2-Dichlorobenzene-d4	84		70 - 130		11/24/13 16:32	1

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-96379-1

Method: 524.2 - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 680-304831/8

Matrix: Water

Analysis Batch: 304831

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Acetone	<10		10	5.0	ug/L			11/24/13 16:09	1
Benzene	<0.50		0.50	0.18	ug/L			11/24/13 16:09	1
Bromobenzene	<0.50		0.50	0.42	ug/L			11/24/13 16:09	1
Bromoform	<0.50		0.50	0.39	ug/L			11/24/13 16:09	1
Bromomethane	<1.0		1.0	0.45	ug/L			11/24/13 16:09	1
Carbon tetrachloride	<0.50		0.50	0.22	ug/L			11/24/13 16:09	1
Chlorobenzene	<0.50		0.50	0.27	ug/L			11/24/13 16:09	1
Chlorobromomethane	<0.50		0.50	0.30	ug/L			11/24/13 16:09	1
Chlorodibromomethane	<0.50		0.50	0.43	ug/L			11/24/13 16:09	1
Chloroethane	<1.0		1.0	0.33	ug/L			11/24/13 16:09	1
Chloroform	<0.50		0.50	0.29	ug/L			11/24/13 16:09	1
Chloromethane	<0.50		0.50	0.32	ug/L			11/24/13 16:09	1
2-Chlorotoluene	<0.50		0.50	0.17	ug/L			11/24/13 16:09	1
4-Chlorotoluene	<0.50		0.50	0.16	ug/L			11/24/13 16:09	1
cis-1,2-Dichloroethene	<0.50		0.50	0.37	ug/L			11/24/13 16:09	1
cis-1,3-Dichloropropene	<0.50		0.50	0.32	ug/L			11/24/13 16:09	1
1,2-Dibromo-3-Chloropropane	<0.50		0.50	0.30	ug/L			11/24/13 16:09	1
Dibromomethane	<0.50		0.50	0.38	ug/L			11/24/13 16:09	1
1,2-Dichlorobenzene	<0.50		0.50	0.17	ug/L			11/24/13 16:09	1
1,3-Dichlorobenzene	<0.50		0.50	0.14	ug/L			11/24/13 16:09	1
1,4-Dichlorobenzene	<0.50		0.50	0.18	ug/L			11/24/13 16:09	1
Dichlorobromomethane	<0.50		0.50	0.10	ug/L			11/24/13 16:09	1
Dichlorodifluoromethane	<0.50		0.50	0.34	ug/L			11/24/13 16:09	1
1,1-Dichloroethane	<0.50		0.50	0.39	ug/L			11/24/13 16:09	1
1,2-Dichloroethane	<0.50		0.50	0.17	ug/L			11/24/13 16:09	1
1,1-Dichloroethene	<0.50		0.50	0.32	ug/L			11/24/13 16:09	1
1,2-Dichloropropane	<0.50		0.50	0.45	ug/L			11/24/13 16:09	1
1,3-Dichloropropane	<0.50		0.50	0.43	ug/L			11/24/13 16:09	1
2,2-Dichloropropane	<0.50		0.50	0.31	ug/L			11/24/13 16:09	1
1,1-Dichloropropene	<0.50		0.50	0.19	ug/L			11/24/13 16:09	1
1,3-Dichloropropene, Total	<0.50		0.50	0.32	ug/L			11/24/13 16:09	1
Diisopropyl ether	<0.50		0.50	0.28	ug/L			11/24/13 16:09	1
Ethylbenzene	<0.50		0.50	0.12	ug/L			11/24/13 16:09	1
Ethylene Dibromide	<0.50		0.50	0.20	ug/L			11/24/13 16:09	1
Freon 113	<0.50		0.50	0.15	ug/L			11/24/13 16:09	1
Hexachlorobutadiene	<0.50		0.50	0.26	ug/L			11/24/13 16:09	1
2-Hexanone	<10		10	5.0	ug/L			11/24/13 16:09	1
Isopropylbenzene	<0.50		0.50	0.15	ug/L			11/24/13 16:09	1
4-Isopropyltoluene	<0.50		0.50	0.21	ug/L			11/24/13 16:09	1
Methylene Chloride	<0.50		0.50	0.36	ug/L			11/24/13 16:09	1
2-Butanone (MEK)	<10		10	5.0	ug/L			11/24/13 16:09	1
4-Methyl-2-pentanone (MIBK)	<10		10	5.0	ug/L			11/24/13 16:09	1
m-Xylene & p-Xylene	<0.50		0.50	0.42	ug/L			11/24/13 16:09	1
Naphthalene	<1.0		1.0	0.43	ug/L			11/24/13 16:09	1
n-Butylbenzene	<0.50		0.50	0.17	ug/L			11/24/13 16:09	1
N-Propylbenzene	<0.50		0.50	0.17	ug/L			11/24/13 16:09	1
o-Xylene	<0.50		0.50	0.27	ug/L			11/24/13 16:09	1
sec-Butylbenzene	<0.50		0.50	0.14	ug/L			11/24/13 16:09	1

TestAmerica Savannah

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-96379-1

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 680-304831/8
Matrix: Water
Analysis Batch: 304831

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Styrene	<0.50		0.50	0.28	ug/L			11/24/13 16:09	1
Tert-amyl methyl ether	<0.50		0.50	0.20	ug/L			11/24/13 16:09	1
tert-Butyl alcohol	<2.0		2.0	1.6	ug/L			11/24/13 16:09	1
tert-Butylbenzene	<0.50		0.50	0.14	ug/L			11/24/13 16:09	1
Tert-butyl ethyl ether	<0.50		0.50	0.26	ug/L			11/24/13 16:09	1
1,1,1,2-Tetrachloroethane	<0.50		0.50	0.16	ug/L			11/24/13 16:09	1
1,1,2,2-Tetrachloroethane	<0.50		0.50	0.18	ug/L			11/24/13 16:09	1
Tetrachloroethene	<0.50		0.50	0.30	ug/L			11/24/13 16:09	1
Toluene	<0.50		0.50	0.23	ug/L			11/24/13 16:09	1
trans-1,2-Dichloroethene	<0.50		0.50	0.24	ug/L			11/24/13 16:09	1
trans-1,3-Dichloropropene	<0.50		0.50	0.48	ug/L			11/24/13 16:09	1
1,2,3-Trichlorobenzene	<0.50		0.50	0.14	ug/L			11/24/13 16:09	1
1,2,4-Trichlorobenzene	<0.50		0.50	0.18	ug/L			11/24/13 16:09	1
1,1,1-Trichloroethane	<0.50		0.50	0.27	ug/L			11/24/13 16:09	1
1,1,2-Trichloroethane	<0.50		0.50	0.22	ug/L			11/24/13 16:09	1
Trichloroethene	<0.50		0.50	0.37	ug/L			11/24/13 16:09	1
Trichlorofluoromethane	<0.50		0.50	0.23	ug/L			11/24/13 16:09	1
1,2,3-Trichloropropane	<0.50		0.50	0.18	ug/L			11/24/13 16:09	1
Trihalomethanes, Total	<0.50		0.50	0.10	ug/L			11/24/13 16:09	1
1,2,4-Trimethylbenzene	<0.50		0.50	0.17	ug/L			11/24/13 16:09	1
1,3,5-Trimethylbenzene	<0.50		0.50	0.16	ug/L			11/24/13 16:09	1
Vinyl chloride	<0.50		0.50	0.33	ug/L			11/24/13 16:09	1
Xylenes, Total	<0.50		0.50	0.27	ug/L			11/24/13 16:09	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
4-Bromofluorobenzene	93		70 - 130		11/24/13 16:09	1
1,2-Dichlorobenzene-d4	85		70 - 130		11/24/13 16:09	1

Lab Sample ID: LCS 680-304831/3
Matrix: Water
Analysis Batch: 304831

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS LCS		Unit	D	%Rec	%Rec. Limits
		Result	Qualifier				
Acetone	40.0	38.3		ug/L		96	70 - 130
Benzene	20.0	21.4		ug/L		107	70 - 130
Bromobenzene	20.0	21.8		ug/L		109	70 - 130
Bromoform	20.0	23.1		ug/L		116	70 - 130
Bromomethane	20.0	17.1		ug/L		85	70 - 130
Carbon tetrachloride	20.0	20.4		ug/L		102	70 - 130
Chlorobenzene	20.0	21.6		ug/L		108	70 - 130
Chlorobromomethane	20.0	19.3		ug/L		96	70 - 130
Chlorodibromomethane	20.0	22.3		ug/L		111	70 - 130
Chloroethane	20.0	19.5		ug/L		98	70 - 130
Chloroform	20.0	20.9		ug/L		104	70 - 130
Chloromethane	20.0	17.1		ug/L		85	70 - 130
2-Chlorotoluene	20.0	22.2		ug/L		111	70 - 130
4-Chlorotoluene	20.0	23.2		ug/L		116	70 - 130
cis-1,2-Dichloroethene	20.0	21.6		ug/L		108	70 - 130

TestAmerica Savannah

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-96379-1

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 680-304831/3

Matrix: Water

Analysis Batch: 304831

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
cis-1,3-Dichloropropene	20.0	21.9		ug/L		109	70 - 130
1,2-Dibromo-3-Chloropropane	20.0	20.2		ug/L		101	70 - 130
Dibromomethane	20.0	20.8		ug/L		104	70 - 130
1,2-Dichlorobenzene	20.0	21.6		ug/L		108	70 - 130
1,3-Dichlorobenzene	20.0	22.6		ug/L		113	70 - 130
1,4-Dichlorobenzene	20.0	22.5		ug/L		112	70 - 130
Dichlorobromomethane	20.0	21.3		ug/L		106	70 - 130
Dichlorodifluoromethane	20.0	15.8		ug/L		79	70 - 130
1,1-Dichloroethane	20.0	21.1		ug/L		106	70 - 130
1,2-Dichloroethane	20.0	19.6		ug/L		98	70 - 130
1,1-Dichloroethene	20.0	20.8		ug/L		104	70 - 130
1,2-Dichloropropane	20.0	22.1		ug/L		111	70 - 130
1,3-Dichloropropane	20.0	21.8		ug/L		109	70 - 130
2,2-Dichloropropane	20.0	23.1		ug/L		115	70 - 130
1,1-Dichloropropene	20.0	21.0		ug/L		105	70 - 130
1,3-Dichloropropene, Total	40.0	46.0		ug/L		115	70 - 130
Diisopropyl ether	16.0	16.8		ug/L		105	70 - 130
Ethylbenzene	20.0	21.5		ug/L		107	70 - 130
Ethylene Dibromide	20.0	21.0		ug/L		105	70 - 130
Freon 113	16.0	13.6		ug/L		85	70 - 130
Hexachlorobutadiene	20.0	22.4		ug/L		112	70 - 130
2-Hexanone	40.0	48.7		ug/L		122	70 - 130
Isopropylbenzene	20.0	21.8		ug/L		109	70 - 130
4-Isopropyltoluene	20.0	22.3		ug/L		111	70 - 130
Methylene Chloride	20.0	19.6		ug/L		98	70 - 130
2-Butanone (MEK)	40.0	49.7		ug/L		124	70 - 130
4-Methyl-2-pentanone (MIBK)	40.0	44.6		ug/L		111	70 - 130
m-Xylene & p-Xylene	40.0	43.4		ug/L		108	70 - 130
Naphthalene	20.0	22.2		ug/L		111	70 - 130
n-Butylbenzene	20.0	22.0		ug/L		110	70 - 130
N-Propylbenzene	20.0	21.4		ug/L		107	70 - 130
o-Xylene	20.0	22.7		ug/L		113	70 - 130
sec-Butylbenzene	20.0	21.8		ug/L		109	70 - 130
Styrene	20.0	21.7		ug/L		108	70 - 130
Tert-amyl methyl ether	16.0	15.3		ug/L		96	70 - 130
tert-Butyl alcohol	80.0	90.9		ug/L		114	70 - 130
tert-Butylbenzene	20.0	21.4		ug/L		107	70 - 130
Tert-butyl ethyl ether	16.0	17.8		ug/L		111	70 - 130
1,1,1,2-Tetrachloroethane	20.0	23.3		ug/L		117	70 - 130
1,1,1,2,2-Tetrachloroethane	20.0	22.4		ug/L		112	70 - 130
Tetrachloroethene	20.0	21.8		ug/L		109	70 - 130
Toluene	20.0	21.5		ug/L		108	70 - 130
trans-1,2-Dichloroethene	20.0	21.4		ug/L		107	70 - 130
trans-1,3-Dichloropropene	20.0	24.1		ug/L		121	70 - 130
1,2,3-Trichlorobenzene	20.0	21.1		ug/L		105	70 - 130
1,2,4-Trichlorobenzene	20.0	19.9		ug/L		99	70 - 130
1,1,1-Trichloroethane	20.0	20.7		ug/L		103	70 - 130
1,1,2-Trichloroethane	20.0	21.8		ug/L		109	70 - 130

TestAmerica Savannah

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-96379-1

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 680-304831/3

Matrix: Water

Analysis Batch: 304831

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Trichloroethene	20.0	20.9		ug/L		104	70 - 130
Trichlorofluoromethane	20.0	19.7		ug/L		98	70 - 130
1,2,3-Trichloropropane	20.0	20.6		ug/L		103	70 - 130
Trihalomethanes, Total	80.0	87.6		ug/L		110	70 - 130
1,2,4-Trimethylbenzene	20.0	21.6		ug/L		108	70 - 130
1,3,5-Trimethylbenzene	20.0	23.5		ug/L		118	70 - 130
Vinyl chloride	20.0	18.4		ug/L		92	70 - 130
Xylenes, Total	60.0	66.1		ug/L		110	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene	99		70 - 130
1,2-Dichlorobenzene-d4	101		70 - 130

Lab Sample ID: LCSD 680-304831/4

Matrix: Water

Analysis Batch: 304831

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Acetone	40.0	44.7		ug/L		112	70 - 130	15	30
Benzene	20.0	21.4		ug/L		107	70 - 130	0	30
Bromobenzene	20.0	22.2		ug/L		111	70 - 130	2	30
Bromoform	20.0	23.3		ug/L		116	70 - 130	1	30
Bromomethane	20.0	15.8		ug/L		79	70 - 130	8	30
Carbon tetrachloride	20.0	20.0		ug/L		100	70 - 130	2	30
Chlorobenzene	20.0	21.7		ug/L		108	70 - 130	0	30
Chlorobromomethane	20.0	19.3		ug/L		97	70 - 130	0	30
Chlorodibromomethane	20.0	21.4		ug/L		107	70 - 130	4	30
Chloroethane	20.0	19.8		ug/L		99	70 - 130	1	30
Chloroform	20.0	20.5		ug/L		102	70 - 130	2	30
Chloromethane	20.0	16.7		ug/L		84	70 - 130	2	30
2-Chlorotoluene	20.0	22.1		ug/L		111	70 - 130	0	30
4-Chlorotoluene	20.0	22.6		ug/L		113	70 - 130	3	30
cis-1,2-Dichloroethene	20.0	20.7		ug/L		104	70 - 130	4	30
cis-1,3-Dichloropropene	20.0	21.2		ug/L		106	70 - 130	3	30
1,2-Dibromo-3-Chloropropane	20.0	20.5		ug/L		103	70 - 130	2	30
Dibromomethane	20.0	20.5		ug/L		102	70 - 130	2	30
1,2-Dichlorobenzene	20.0	21.3		ug/L		107	70 - 130	1	30
1,3-Dichlorobenzene	20.0	22.0		ug/L		110	70 - 130	3	30
1,4-Dichlorobenzene	20.0	21.8		ug/L		109	70 - 130	3	30
Dichlorobromomethane	20.0	20.9		ug/L		105	70 - 130	2	30
Dichlorodifluoromethane	20.0	15.2		ug/L		76	70 - 130	4	30
1,1-Dichloroethane	20.0	20.6		ug/L		103	70 - 130	2	30
1,2-Dichloroethane	20.0	18.6		ug/L		93	70 - 130	5	30
1,1-Dichloroethene	20.0	21.3		ug/L		107	70 - 130	3	30
1,2-Dichloropropane	20.0	21.7		ug/L		109	70 - 130	2	30
1,3-Dichloropropane	20.0	21.7		ug/L		109	70 - 130	0	30
2,2-Dichloropropane	20.0	22.1		ug/L		111	70 - 130	4	30
1,1-Dichloropropene	20.0	20.5		ug/L		102	70 - 130	3	30

TestAmerica Savannah

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-96379-1

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 680-304831/4
Matrix: Water
Analysis Batch: 304831

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,3-Dichloropropene, Total	40.0	45.1		ug/L		113	70 - 130	2	30
Diisopropyl ether	16.0	16.6		ug/L		104	70 - 130	1	30
Ethylbenzene	20.0	21.1		ug/L		106	70 - 130	2	30
Ethylene Dibromide	20.0	21.0		ug/L		105	70 - 130	0	30
Freon 113	16.0	12.7		ug/L		79	70 - 130	7	30
Hexachlorobutadiene	20.0	22.7		ug/L		114	70 - 130	2	30
2-Hexanone	40.0	50.2		ug/L		126	70 - 130	3	30
Isopropylbenzene	20.0	21.0		ug/L		105	70 - 130	4	30
4-Isopropyltoluene	20.0	21.6		ug/L		108	70 - 130	3	30
Methylene Chloride	20.0	19.4		ug/L		97	70 - 130	1	30
2-Butanone (MEK)	40.0	46.4		ug/L		116	70 - 130	7	30
4-Methyl-2-pentanone (MIBK)	40.0	43.3		ug/L		108	70 - 130	3	30
m-Xylene & p-Xylene	40.0	42.0		ug/L		105	70 - 130	3	30
Naphthalene	20.0	21.8		ug/L		109	70 - 130	2	30
n-Butylbenzene	20.0	21.3		ug/L		106	70 - 130	3	30
N-Propylbenzene	20.0	21.4		ug/L		107	70 - 130	0	30
o-Xylene	20.0	22.9		ug/L		114	70 - 130	1	30
sec-Butylbenzene	20.0	21.2		ug/L		106	70 - 130	3	30
Styrene	20.0	21.4		ug/L		107	70 - 130	1	30
Tert-amyl methyl ether	16.0	15.9		ug/L		99	70 - 130	4	30
tert-Butyl alcohol	80.0	83.3		ug/L		104	70 - 130	9	30
tert-Butylbenzene	20.0	21.2		ug/L		106	70 - 130	1	30
Tert-butyl ethyl ether	16.0	17.5		ug/L		109	70 - 130	2	30
1,1,1,2-Tetrachloroethane	20.0	22.0		ug/L		110	70 - 130	6	30
1,1,2,2-Tetrachloroethane	20.0	22.0		ug/L		110	70 - 130	2	30
Tetrachloroethene	20.0	21.2		ug/L		106	70 - 130	3	30
Toluene	20.0	20.8		ug/L		104	70 - 130	3	30
trans-1,2-Dichloroethene	20.0	22.3		ug/L		111	70 - 130	4	30
trans-1,3-Dichloropropene	20.0	23.8		ug/L		119	70 - 130	1	30
1,2,3-Trichlorobenzene	20.0	21.3		ug/L		107	70 - 130	1	30
1,2,4-Trichlorobenzene	20.0	20.1		ug/L		100	70 - 130	1	30
1,1,1-Trichloroethane	20.0	20.2		ug/L		101	70 - 130	2	30
1,1,2-Trichloroethane	20.0	21.3		ug/L		107	70 - 130	2	30
Trichloroethene	20.0	20.7		ug/L		103	70 - 130	1	30
Trichlorofluoromethane	20.0	19.1		ug/L		95	70 - 130	3	30
1,2,3-Trichloropropane	20.0	20.5		ug/L		103	70 - 130	0	30
Trihalomethanes, Total	80.0	86.1		ug/L		108	70 - 130	2	30
1,2,4-Trimethylbenzene	20.0	21.3		ug/L		107	70 - 130	1	30
1,3,5-Trimethylbenzene	20.0	22.9		ug/L		115	70 - 130	3	30
Vinyl chloride	20.0	17.3		ug/L		86	70 - 130	6	30
Xylenes, Total	60.0	64.9		ug/L		108	70 - 130	2	30

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene	99		70 - 130
1,2-Dichlorobenzene-d4	98		70 - 130

QC Association Summary

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-96379-1

GC/MS VOA

Analysis Batch: 304831

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-96379-1	RFW-20	Total/NA	Water	524.2	
680-96379-2	RFW-21	Total/NA	Water	524.2	
680-96379-3	HAMP-22	Total/NA	Water	524.2	
680-96379-4	HAMP-23	Total/NA	Water	524.2	
680-96379-5	Trip Blank	Total/NA	Water	524.2	
LCS 680-304831/3	Lab Control Sample	Total/NA	Water	524.2	
LCSD 680-304831/4	Lab Control Sample Dup	Total/NA	Water	524.2	
MB 680-304831/8	Method Blank	Total/NA	Water	524.2	



Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-96379-1

Client Sample ID: RFW-20

Date Collected: 11/18/13 17:45

Date Received: 11/20/13 09:43

Lab Sample ID: 680-96379-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	524.2		1	304831	11/24/13 21:55	WJC	TAL SAV

Client Sample ID: RFW-21

Date Collected: 11/18/13 08:15

Date Received: 11/20/13 09:43

Lab Sample ID: 680-96379-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	524.2		1	304831	11/24/13 22:18	WJC	TAL SAV

Client Sample ID: HAMP-22

Date Collected: 11/19/13 10:20

Date Received: 11/20/13 09:43

Lab Sample ID: 680-96379-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	524.2		1	304831	11/24/13 22:41	WJC	TAL SAV

Client Sample ID: HAMP-23

Date Collected: 11/19/13 10:25

Date Received: 11/20/13 09:43

Lab Sample ID: 680-96379-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	524.2		1	304831	11/24/13 23:04	WJC	TAL SAV

Client Sample ID: Trip Blank

Date Collected: 11/18/13 07:00

Date Received: 11/20/13 09:43

Lab Sample ID: 680-96379-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	524.2		1	304831	11/24/13 16:32	WJC	TAL SAV

Laboratory References:

TAL SAV = TestAmerica Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

2417 Bond Street, University Park, IL 60484
 Phone: 708.534.5200 Fax: 708.534.5211


Report To (optional)
 Contact: _____
 Company: _____
 Address: _____
 Address: _____
 Phone: _____
 Fax: _____
 E-Mail: _____

Bill To (optional)
 Contact: _____
 Company: _____
 Address: _____
 Address: _____
 Phone: _____
 Fax: _____
 PO#/Reference# _____

Chain of Custody Record

Lab Job #: _____
 Chain of Custody Number: _____
 Page _____ of _____
 Temperature °C of Cooler: _____

Client Weston		Client Project # 02501-004 005-0001		Preservative HCl														Preservative Key 1. HCL, Cool to 4° 2. H2SO4, Cool to 4° 3. HNO3, Cool to 4° 4. NaOH, Cool to 4° 5. NaOH/Zn, Cool to 4° 6. NaHSO4 7. Cool to 4° 8. None 9. Other		
Project Name Black + Decker		Project Location/State Hampstead MD		Lab Project #		Parameter V O A														
Sampler Greg Flaszki		Lab PM																		
Lab ID	MS/MSD	Sample ID	Sampling		# of Containers	Matrix													Comments	
			Date	Time																
		REW-20	11/18/13	1745		W														
		REW-21	+	815		 														
		HAMP-22	11/19/13	1020		 														
		HAMP-23	+	1025		 														
		Trip Blank	11/18/13	700	2	 														



Turnaround Time Required (Business Days)
 1 Day 2 Days 5 Days 7 Days 10 Days 15 Days Other

Requested Due Date: _____

Sample Disposal
 Return to Client Disposal by Lab Archive for _____ Months (A fee may be assessed if samples are retained longer than 1 month)

Retrieved By [Signature]	Company Weston	Date 11/19/13	Time 1600	Received By [Signature]	Company TASAV	Date 11/20/13	Time 0913
Retrieved By	Company	Date	Time	Received By	Company	Date	Time
Retrieved By	Company	Date	Time	Received By	Company	Date	Time

Lab Courier: _____
 Shipped: _____
 Hand Delivered: _____

- Matrix Key
- WW - Wastewater
 - W - Water
 - S - Soil
 - SL - Sludge
 - MS - Miscellaneous
 - OL - Oil
 - A - Air
 - SE - Sediment
 - SO - Soil
 - L - Leachate
 - WI - Wipe
 - DW - Drinking Water
 - O - Other

Client Comments: _____

Lab Comments:
680-96379
3.6°C

Page 22 of 24

Login Sample Receipt Checklist

Client: Weston Solutions, Inc.

Job Number: 680-96379-1

Login Number: 96379

List Source: TestAmerica Savannah

List Number: 1

Creator: Banda, Christy S

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	