

Quarterly Groundwater Monitoring Report

Prepared for
Black & Decker (U.S.) Inc.

Hampstead, Maryland

April 2013

Prepared by

WESTON SOLUTIONS, INC.
West Chester, Pennsylvania 19380-1499

TABLE OF CONTENTS

Section	Page
1. INTRODUCTION.....	1-1
2. SITE CHARACTERISTICS.....	2-1
2.1 HYDRAULIC PROPERTIES	2-1
2.2 EFFLUENT CHARACTERISTICS	2-1
2.3 GROUNDWATER QUALITY DATA	2-1
3. OPERATION AND MAINTENANCE OF THE TREATMENT SYSTEM.....	3-1
4. RECOMMENDATIONS.....	4-1

LIST OF APPENDICES

APPENDIX A - GROUNDWATER TREATMENT SYSTEM PUMPING RECORDS

APPENDIX B - DISCHARGE MONITORING REPORTS

APPENDIX C - GROUNDWATER TREATMENT SYSTEM ANALYTICAL RESULTS

APPENDIX D - GROUNDWATER ANALYTICAL DATA PACKAGE

LIST OF TABLES

Table	Page
Table 2-1 Treatment System Pumping Records – 1st Quarter 2013	2-2
Table 2-2 Groundwater Elevation Data – 1st Quarter 2013	2-3
Table 2-3 Effluent Characteristics Summary – 1st Quarter 2013	2-4
Table 2-4 Summary of Groundwater Analytical Results - February 2013.....	2-5
Table 3-1 Treatment System Maintenance Activities – 1st Quarter 2013.....	3-2

1. INTRODUCTION

This Groundwater Monitoring Report has been prepared to meet the requirements of Condition IV.G of the Administrative Consent Order between the State of Maryland Department of the Environment (MDE) and Black & Decker (U.S.) Inc. (April 1995) (Consent Order). Specifically, Condition IV.G calls for preparation of a Groundwater Monitoring Report containing the following information for each reporting period:

- The quantities of groundwater pumped, treated, and discharged.
- The calculation of quantities of contaminants removed from groundwater.
- A summary of all sampling analyses.
- An explanation of all operational or other problems encountered, and the manner in which each problem was resolved.
- Copies of all reports submitted to the Department of Natural Resources in conjunction with the Groundwater Appropriations Permit.
- Recommendations for changes to the Interim Groundwater Treatment System.

This document is one of several which are being prepared in response to the Consent Order; each of these documents are to be submitted to the MDE in accordance with the schedule outlined in the Consent Order. This document will become part of the Administrative Record for the site, which is maintained at the Hampstead Public Library.

2. SITE CHARACTERISTICS

2.1 HYDRAULIC PROPERTIES

In accordance with the Consent Order and the Water Appropriation Permit issued to the Black and Decker (U.S.) Inc. Hampstead, Maryland, facility, the following pumping and water level information is included for the period of January through March 2013.

Pumping records showing the total gallons pumped per month of treatment system operation are presented in Table 2-1. The complete groundwater treatment system pumping records are included in Appendix A.

Monthly water levels for wells included in the water level monitoring plan are presented in Table 2-2. For the reporting period of January through March 2013, the extraction wells were pumping at an average combined rate of approximately 174 gallons per minute (gpm).

2.2 EFFLUENT CHARACTERISTICS

Effluent characteristics of the NPDES discharge points are recorded monthly on Discharge Monitoring Reports (DMRs) and are submitted to MDE, Water Management Administration, on a quarterly basis. A summary of the sample results from the DMRs is presented in Table 2-3. DMRs for the period of January through March 2013 are included in Appendix B.

2.3 GROUNDWATER QUALITY DATA

For the reporting period of January through March 2013, approximately 13.26 pounds of total volatile organic compounds (VOCs) were removed from the groundwater by the extraction and treatment system. In general, the total VOCs removed from the groundwater were comprised primarily of trichloroethene (TCE) (83.3%) and tetrachloroethene (PCE) (16.7%) Analytical results of the groundwater collected from the air stripper for the period of January through March 2013 are included in Appendix C.

A summary of the analytical results from the first quarter (February 2013) groundwater sampling round of the extraction and monitor wells is included in Table 2-4. The complete

Table 2-1
Treatment System Pumping Records - 1st Quarter 2013
Black & Decker
Hampstead, Maryland

Date	Water Pumped (gallons)
January 2013	6,456,215
February 2013	6,709,473
March 2013	7,486,802

Table 2-2
Groundwater Elevation Data - 1st Quarter 2013
Black & Decker
Hampstead, Maryland

WELL NO.	TOC ELEV.	TOTAL DEPTH	1/18/2013		2/21/2013		4/10/2013	
			DTW	ELEV	DTW	ELEV	DTW	ELEV
EW-1	847.21	55	DRY	NC	DRY	NC	DRY	NC
EW-2	849.21	110	92.40	756.81	92.63	756.58	92.27	756.94
EW-3	846.64	118	84.50	762.14	84.91	761.73	84.46	762.18
EW-4	858.01	97.5	PC	NC	PC	NC	PC	NC
EW-5	864.17	98	88.71	775.46	89.91	774.26	88.84	775.33
EW-6	831.98	115	103.00	728.98	102.87	729.11	102.46	729.52
EW-7	818.38	78	73.00	745.38	73.00	745.38	73.00	745.38
EW-8	811.13	98	96.00	715.13	95.87	715.26	95.18	715.95
EW-9	811.35	141	103.00	708.35	103.00	708.35	103.50	707.85
EW-10	807.74	INA	49.63	758.11	47.50	760.24	50.77	756.97
RFW-1A	864.37	78	49.61	814.76	49.32	815.05	49.43	814.94
RFW-1B	864.23	200	49.69	814.54	49.40	814.83	49.46	814.77
RFW-2A	857.41	35	12.68	844.73	12.72	844.69	12.74	844.67
RFW-2B	857.73	75	13.20	844.53	13.30	844.43	13.10	844.63
RFW-3B	839.21	153	32.13	807.08	31.57	807.64	32.64	806.57
RFW-4A	830.37	62	36.13	794.24	35.88	794.49	36.22	794.15
RFW-4B	830.37	120	36.04	794.33	35.76	794.61	36.18	794.19
RFW-5A	817.50	30	DRY	NC	DRY	NC	DRY	NC
RFW-6	785.04	120	4.73	780.31	3.39	781.65	4.83	780.21
RFW-7	805.14	29	6.18	798.96	5.29	799.85	7.11	798.03
RFW-8	860.07	56	DRY	NC	DRY	NC	DRY	NC
RFW-9	862.02	49	24.71	837.31	24.67	837.35	25.26	836.76
RFW-10	852.06	58	DRY	NC	DRY	NC	DRY	NC
RFW-11A	849.32	72	Damaged	NC	Damaged	NC	Damaged	NC
RFW-11B	849.62	116	64.10	785.52	63.36	786.26	64.26	785.36
RFW-12B	844.87	264	50.38	794.49	50.46	794.41	51.04	793.83
RFW-13	849.11	150	62.73	786.38	63.80	785.31	62.88	786.23
RFW-14B	812.39	281	53.12	759.27	54.09	758.30	54.26	758.13
RFW-16	856.14	41	DRY	NC	DRY	NC	DRY	NC
RFW-17	834.66	60.5	27.43	807.23	27.61	807.05	26.99	807.67
RFW-20	842.49	142	33.20	809.29	33.22	809.27	33.41	809.08
RFW-21	832.65	102	20.19	812.46	20.28	812.37	20.26	812.39
PH-7	805.94	89	24.01	781.93	23.66	782.28	24.32	781.62
PH-9	814.94	98	50.07	764.87	49.87	765.07	50.19	764.75
PH-11	820.68	78	48.88	771.80	48.63	772.05	49.13	771.55
PH-12	828.35	87	51.06	777.29	51.11	777.24	52.08	776.27
B-3	803.02	83	9.83	793.19	10.16	792.86	10.22	792.80
Amoco	842.29	INA	NA	NC	NA	NC	NA	NC
Hamp. Town #22	804.96	INA	1.68	803.28	2.15	802.81	2.68	802.28
Pembroke #1	INA	INA	10.59	NC	10.86	NC	11.27	NC
Pembroke #2	INA	INA	Damaged	NC	Damaged	NC	Damaged	NC
N. Houcks. Rd.	INA	INA	9.98	NC	11.01	NC	1071.00	NC
E. Century St.	INA	INA	19.23	NC	19.21	NC	19.27	NC
Lwr. Beckleys. Rd.	INA	INA	53.68	NC	54.83	NC	54.91	NC

NA - Not Available/Not Accessible
NC - Not Calculable
INA - Information not available
PC - Pump Cycles

**Table 2-3
Effluent Characteristics Summary - 1st Quarter 2013
Black & Decker
Hampstead, Maryland**

Discharge Number	Parameter	Units	Permit Limits	DMR DATE		
				January 2013	February 2013	March 2013
001	FLOW average	MGD	NA	0.188	0.277	0.257
	FLOW maximum	MGD	NA	1.106	0.632	0.800
	1,1,1-Trichloroethane	ug/l	5	< 1	< 1	< 1
	Tetrachloroethylene	ug/l	5	< 1	< 1	< 1
	Trichloroethylene	ug/l	5	< 1	< 1	< 1
	Total Residual Chlorine	mg/l	< 0.1	< 0.1	< 0.1	< 0.1
	Oil & Grease maximum	mg/l	15	< 5	< 5	< 5
	Oil & Grease monthly average	mg/l	10	< 5	< 5	< 5
	pH minimum	STD	6.0	6.7	7.20	6.90
	pH maximum	STD	8.5	8.1	8.20	7.90
	BOD	mg/l	15	< 2	7.0	5.0
TSS maximum	mg/l	30	< 4	13.0	4.0	
	TSS monthly average	mg/l	20	< 4	13.0	4.0
101 (Monitoring Point)	FLOW average	MGD	NA	0.168	0.202	0.195
	FLOW maximum	MGD	NA	0.271	0.240	0.285
	Fecal Coliform	MPN/100ml	200	1.0	5.0	1.0
201 (Monitoring Point)	FLOW average	MGD	NA	NR	NR	0.229
	FLOW maximum	MGD	NA	NR	NR	0.337
	1,1,1-Trichloroethane	ug/l	NA	NR	NR	< 1
	Tetrachloroethylene	ug/l	NA	NR	NR	< 1
	Trichloroethylene	ug/l	NA	NR	NR	< 1

DMR - Discharge Monitoring Report

NA - Not Applicable

NR - Not Reported

Table 2-4
Summary of Groundwater Analytical Results - February 2013
Stanley Black & Decker
Hampstead, Maryland

PARAMETER	Units	EW-1	EW-2	EW-3	EW-4	EW-5	EW-6	EW-7	EW-8	EW-9	EW-9 (DUP)	EW-10
Chloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromomethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Acetone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Carbon Disulfide	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1-Dichloroethene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1-Dichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	0.9 J	1 U	1 U	1 U
1,2-Dichloroethene (total)	ug/L	NS	4.5	1.9	1 U	1 U	1 U	6	25	1 U	1 U	1 U
Chloroform	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
2-Butanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Carbon Tetrachloride	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromodichloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloropropane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trichloroethene	ug/L	NS	200	44	890	110	6	4.4	8.3	0.6	0.7	1 U
Dibromochloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Benzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromoform	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
2-Hexanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Tetrachloroethene	ug/L	NS	51	1.5	17	3.3	11	10	71	88	95	0.6 J
1,1,2,2-Tetrachloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Toluene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chlorobenzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Ethylbenzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Styrene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Xylene (total)	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U

Notes: U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.
 J = Indicates an estimated value.
 NS = Not Sampled

Table 2-4
 Summary of Groundwater Analytical Results - February 2013
 Stanley Black & Decker
 Hampstead, Maryland

PARAMETER	Units	RFW-1A	RFW-1B	RFW-2A	RFW-2B	RFW-3B	RFW-4A	RFW-4A (DUP)	RFW-4B	RFW-5A	RFW-6	RFW-7	RFW-8	RFW-9	RFW-10
Chloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromomethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Vinyl Chloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Methylene Chloride	ug/L	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	NS	2 U	2 U	NS	2 U	NS
Acetone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
Carbon Disulfide	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1-Dichloroethene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	0.8 J	NS
1,1-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	0.6 J	NS
1,2-Dichloroethene (total)	ug/L	1 U	1 U	1 U	1 U	1.9	0.8 J	0.8 J	4.1	NS	1 U	1 U	NS	11	NS
Chloroform	ug/L	1 U	1 U	1 U	1 U	1 U	0.6 J	0.6 J	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
2-Butanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1,1-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Carbon Tetrachloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromodichloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloropropane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
cis-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Trichloroethene	ug/L	1 U	1 U	0.4 J	0.7	1 U	26	26	12	NS	0.7	1.9	NS	8.3	NS
Dibromochloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,1,2-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Benzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Trans-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromoform	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
4-Methyl-2-pentanone	ug/L	5 U	5 U	5 U	1 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
2-Hexanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
Tetrachloroethene	ug/L	1 U	1 U	1 U	1 U	0.3 J	19	18	32	NS	1.1	1 U	NS	4.2	NS
1,1,2,2-Tetrachloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Toluene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chlorobenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Ethylbenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Styrene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Xylene (total)	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS

Notes: DUP = Duplicate sample
 NS = Not sampled

U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.
 J = Indicates an estimated value.

Table 2-4
Summary of Groundwater Analytical Results - February 2013
Stanley Black & Decker
Hampstead, Maryland

PARAMETER	Units	RFW-11A	RFW-11B	RFW-12B	RFW-13	RFW-16	RFW-17	Leister Dairy	Leister Res. #1	Leister Res. #2	Trip Blank	RFW-20	RFW-21	Town #22	Town #23	Trip Blank
		USEPA drinking water method 524.2														
Chloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	1 U	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	2 U	2 U	2 U	NS	2 U	ABD	ABD	ABD	2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Acetone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
Carbon Disulfide	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	NA	NA	NA	NA	NA
1,1-Dichloroethene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethene (total)	ug/L	NS	1 U	1.8	0.8 J	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.32 J	0.5 U	0.5 U
1,2-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene	ug/L	NS	2.4	76	2.6	NS	1 U	ABD	ABD	ABD	1 U	0.4	0.5 U	0.5 U	0.5 U	0.5 U
Dibromochloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Benzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
2-Hexanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
Tetrachloroethene	ug/L	NS	1 U	5.3	15	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.43 J	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Styrene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Xylene (total)	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

Notes: Samples from wells RFW-20 & 21, Town-22&23 are analyzed with the USEPA drinking water method 524.2 at the request of the MDE Source Protection and Appropriation Division.
 Samples from all of the other wells are analyzed with USEPA Method 8260.

NS = Not sampled

U = Compound was analyzed but not detected.

ABD = Well has been abandoned

analytical data package is included in Appendix D.

As found in earlier sampling events at the Black & Decker facility, TCE and PCE were the VOCs detected at the highest concentrations in the groundwater samples. The highest concentration of TCE was detected in the groundwater samples collected from wells EW-2 and EW-4 and the highest concentration of PCE was detected in the groundwater sample collected from well EW-9. The remainder of VOCs present were detected at levels below the Federal Maximum Contaminant Levels (MCL).

3. OPERATION AND MAINTENANCE OF THE TREATMENT SYSTEM

A summary of the maintenance activities which were undertaken with the extraction and treatment system during the reporting period (January through March 2013) is provided in Table 3-1. This table is comprehensive in summarizing significant maintenance events or activities, while not including those activities considered unworthy of note (such as replacement of light bulbs, lubrication of moving parts as appropriate or other routine activities).

Table 3-1
Treatment System Maintenance Activities - 1st Quarter 2013
Black & Decker
Hampstead, Maryland

Date	Event/Corrective Action
Jan-13	Alarm at air stripper, EW-10 was found to have a bad relay in the Warwick control, the relay was replaced. The well is back online.
Jan-13	The pitless adapter in EW-7 is leaking. The pitless adapter was replaced the well is back online.
Jan-13	EW-10 tripped off due to control wires that shorted out. These wires were replaced and the well is back online.
Jan-13	Alarm at stripper, due to a low hydro tank, it was found that the pressure switch on the hydro tank was frozen. The switch was thawed and the hydro tank was back online.
Feb-13	Alarm at stripper, due to a low hydro tank, it was found that the pressure switch on the hydro tank was frozen. The hydro tank was filled by hand using the transfer pumps. The switch was thawed and the hydro tank was back online.

4. RECOMMENDATIONS

For the reporting period of January through March 2013, the treatment system continued to create a hydraulic boundary preventing off-site migration of groundwater. The extraction system will continue to operate as currently configured to pump and treat contaminated groundwater. Depth-to-water measurements will continue to be collected on a monthly basis in all site monitor wells to construct a groundwater elevation contour map for the site. The groundwater elevation contour map will be used to verify that the required area of groundwater capture is being maintained. If necessary, pumping rates will be adjusted to maintain groundwater capture due to seasonal fluctuations in groundwater elevations. The treatment system will also continue to operate as currently configured, as data collected have proven that the treatment system is fully effective in removing VOCs from the extracted groundwater.

APPENDIX A
GROUNDWATER TREATMENT SYSTEM PUMPING RECORDS
(JANUARY – MARCH 2013)

MARYLAND DEPARTMENT of the ENVIRONMENT, WATER MANAGEMENT ADMINISTRATION, 1800 WASHINGTON BLVD, BALTIMORE, MD 21230

Superintendent: Earle Villarreal Certification # 1017

Black & Decker WTP

PWSID # 106 0004 County: Carroll

Month: January

Operated by Maryland Environmental Service

Address: BTR CAPITAL GROUP, Hampstead, MD 21073
625 Hanover Pike, Hampstead, Carroll County, Maryland

Year: 2013

GENERAL (DOMESTIC WATER)				CHEMICAL							MONITORING			DISTRIBUTION			RAW WATER		Comments	
Date	Day	Weather	Flow meter reading 0	MGD Total FQIR	pH P.O.E	Free Cl2	Na2CO3 Level	Na2CO3 (gpd)	NaOCl Level	NaOCl (gpd)	VOC'S (ppb)	Bacti Pos/Neg	pH su	TRC mg/l	DISTRIBUTION LOCATION	Operator Initials	pH su	TOTAL RAW WATER WELL (mgd)		
1	Tue	Cloudy	0	0.0031	7.7	1.00	21.00	1.00	53.00	0.00						DJ		0.220999		
2	Wed	Clear	0	0.0004	8.4	1.14	40.00	1.00	53.00	0.00			7.80	0.98	Loading Dock	DJ		0.245947		
3	Thur	Clear	0	0.0064	8.4	1.77	37.00	3.00	53.00	0.00						DJ	4.83	0.242737		
4	Fri	Cloudy	0	0.0030	8.6	1.68	36.00	1.00	53.00	0.00			8.2	1.47	Admin 2nd Fl	DJ		0.216450		
5	Sat	Clear	0	0.0049	8.2	1.39	35.00	1.00	53.00	0.00						MW		0.249353		
6	Sun	Clear	0	0.0015	8.2	1.09	34.00	1.00	53.00	0.00						MW		0.222047		
7	Mon	Cloudy	0	0.0039	7.3	1.35	33.00	1.00	53.00	0.00						DJ		0.249010		
8	Tue	Clear	0	0.0047	7.8	1.56	32.00	1.00	53.00	0.00		Neg	7.5	1.28	Admin 1st Fl	DJ		0.233776	Nitrate 4.0	
9	Wed	Rain	0	0.0048	7.9	1.48	30.00	2.00	53.00	0.00			7.9	1.43	Loading Dock	DJ		0.227151		
10	Thur	Clear	0	0.0035	7.5	1.39	29.00	1.00	53.00	0.00						DJ	5.40	0.228795		
11	Fri	Rain	0	0.0046	7.7	1.26	28.00	1.00	53.00	0.00			7.7	1.19	Admin 2nd Fl	DJ		0.236451		
12	Sat	Cloudy	0	0.0031	7.7	1.19	27.00	1.00	53.00	0.00						DJ		0.219196		
13	Sun	Fog	0	0.0011	7.9	1.25	26.00	1.00	53.00	0.00						DJ		0.229371		
14	Mon	Cloudy	0	0.0041	7.3	1.50	25.00	1.00	53.00	0.00			7.2	1.05	Admin 1st Fl	GD		0.249700		
15	Tue	Cloudy	0	0.0022	7.2	1.27	24.00	1.00	53.00	0.00						GD		0.212118		
16	Wed	Rain	0	0.0081	8.0	1.16	22.00	2.00	53.00	0.00			7.6	1.09	Loading Dock	AP		0.245591		
17	Thur	Cloudy	0	0.0050	7.6	1.15	21.00	1.00	53.00	0.00						DJ	5.65	0.245012		
18	Fri	Clear	0	0.0052	7.5	1.12	19.00	2.00	53.00	0.00						DJ		0.227582		
19	Sat	Clear	0	0.0014	7.2	1.14	18.00	1.00	53.00	0.00						AP		0.143388		
20	Sun	Clear	0	0.0025	7.1	1.28	17.00	1.00	53.00	0.00						AP		0.215084		
21	Mon	Cloudy	0	0.0014	7.7	1.95	16.00	1.00	53.00	0.00			7.7	1.00	Loading Dock	PP		0.198005		
22	Tue	Clear	0	0.0057	7.6	1.63	15.00	1.00	53.00	0.00						DJ		0.189375		
23	Wed	Clear	0	0.0062	7.7	1.70	36.00	3.00	53.00	0.00			7.6	1.56	Admin 2nd Fl	DJ		0.184840		
24	Thur	Clear	0	0.0023	7.7	1.49	35.00	1.00	53.00	0.00						JE		0.142997		
25	Fri	Snow	0	0.0062	7.5	1.41	33.00	2.00	53.00	0.00			7.4	1.27	Admin 1st Fl	DJ	5.36	0.157025		
26	Sat	Clear	0	0.0046	7.8	1.58	32.00	1.00	53.00	0.00						PP		0.171114		
27	Sun	Clear	0	0.0212	7.7	1.48	30.00	2.00	53.00	0.00						PP		0.153353	Busted Pipe	
28	Mon	Rain	0	0.0284	7.4	1.03	15.00	15.00	53.00	0.00			7.4	0.96	Loading Dock	DJ		0.146994	Busted Pipe	
29	Tue	Clear	0	0.0061	7.3	1.29	33.00	2.00	53.00	0.00						DJ		0.165910		
30	Wed	Cloudy	0	0.0045	7.5	1.30	32.00	1.00	53.00	0.00			7.5	1.17	Admin 1st Fl	DJ	5.30	0.197489		
31	Thur	Clear	0	0.0029	7.7	1.14	31.00	1.00	53.00	0.00						DJ		0.189355		
Total				0.1630	238.3	42.17	862.0	55.00	1643.0	0.00	0.0	0.0	91	14					6.456215	
Average				0.0053	7.69	1.36	27.81	1.77	53.00	0.00	0.0	0.0	7.61	1.20					0.208265	
Minimum				0.0004	7.10	1.00	15.00	1.00	53.00	0.00	0.0	0.0	7.17	0.96					0.142997	Central MOR
Maximum				0.0284	8.59	1.95	40.00	15.00	53.00	0.00	0.0	0.0	8.22	1.56					0.249700	02/02/12

Superintendent: Earlé Villarreal Certification # 1017

Black & Decker WTP

PWSID # 106 0004 County: Carroll

Month: February

Operated by Maryland Environmental Service

Address: BTR CAPITAL GROUP, Hampstead, MD 21073
625 Hanover Pike, Hampstead, Carroll County, Maryland

[Signature]
Year: 2013

GENERAL			(DOMESTIC WATER)		CHEMICAL						MONITORING			DISTRIBUTION		RAW WATER		Comments		
Date	Day	Weather	Flow meter reading 0	MGD Total/FQIR	pH P.O.E	Free Cl2	Na2CO3 Level	Na2CO3 (gpd)	NaOCL Level	NaOCL (gpd)	VOC'S (ppb)	Bacti Pos/Neg	pH su	TRC mg/l	DISTRIBUTION LOCATION	Operator Initials	pH su		TOTAL RAW WATER WELL (mgd)	
1	Fri	Clear	0	0.0062	7.2	1.14	30.00	1.00	53.00	0.00						GD		0.251746		
2	Sat	Cloudy	0	0.0038	7.7	1.07	28.00	2.00	53.00	0.00						DJ		0.238971		
3	Sun	Cloudy	0	0.0017	7.9	1.53	27.00	1.00	53.00	0.00						DJ		0.220240		
4	Mon	Clear	0	0.0024	7.5	1.41	26.00	1.00	53.00	0.00			7.2	1.19	Admin 2nd FI	GD		0.250288		
5	Tue	Cloudy	0	0.0068	7.4	1.34	24.00	2.00	53.00	0.00						JE		0.248751		
6	Wed	Cloudy	0	0.0050	7.7	1.22	23.00	1.00	53.00	0.00						DJ		0.240730		
7	Thur	Cloudy	0	0.0021	8.0	1.76	22.00	1.00	53.00	0.00			7.5	1.27	Loading Dock	DJ	5.35	0.220282		
8	Fri	Cloudy	0	0.0052	7.3	2.15	21.00	1.00	53.00	0.00			7.4	1.18	Admin 1st FI	GD		0.238357		
9	Sat	Clear	0	0.0046	7.7	2.18	40.00	1.00	53.00	0.00						JD		0.261550		
10	Sun	Clear	0	0.0011	7.7	2.18	39.00	1.00	53.00	0.00						JD		0.220009		
11	Mon	Fog	0	0.0016	8.1	2.14	37.00	2.00	53.00	0.00			8.0	1.63	Admin 2nd FI	DJ		0.238222		
12	Tue	Clear	0	0.0067	7.5	1.96	36.00	1.00	53.00	0.00						DJ		0.255782		
13	Wed	Cloudy	0	0.0056	7.8	1.75	34.00	2.00	53.00	0.00			7.8	1.52	Loading Dock	DJ	5.29	0.235742		
14	Thur	Clear	0	0.0019	7.3	1.65	33.00	1.00	53.00	0.00						DJ		0.215860		
15	Fri	Clear	0	0.0048	7.6	1.95	32.00	1.00	53.00	0.00			7.3	1.65	Admin 2nd FI	DJ		0.249672		
16	Sat	Clear	0	0.0045	7.6	1.73	31.00	1.00	53.00	0.00						GD		0.250791		
17	Sun	Clear	0	0.0013	7.5	1.70	30.00	1.00	53.00	0.00						GD		0.234608		
18	Mon	Clear	0	0.0012	7.6	1.86	29.00	1.00	53.00	0.00			7.4	1.56	Loading Dock	JE		0.234557		
19	Tue	Snow	0	0.0049	7.6	2.01	27.00	2.00	53.00	0.00						JE		0.236205		
20	Wed	Clear	0	0.0069	7.7	1.96	26.00	1.00	53.00	0.00			7.7	1.84	Admin 1st FI	GD		0.257766		
21	Thur	Clear	0	0.0071	7.5	1.74	24.00	2.00	53.00	0.00						GD		0.251830		
22	Fri	Cloudy	0	0.0017	7.2	1.71	23.00	1.00	53.00	0.00			7.1	1.65	Admin 2nd FI	GD		0.215092		
23	Sat	Rain	0	0.0053	7.9	1.82	21.00	2.00	53.00	0.00						PP		0.265954		
24	Sun	Clear	0	0.0013	7.6	1.69	20.00	1.00	53.00	0.00						PP		0.239056		
25	Mon	Clear	0	0.0015	7.2	1.67	19.00	1.00	53.00	0.00			7.2	1.52	Loading Dock	GD		0.221976		
26	Tue	Cloudy	0	0.0048	7.1	1.45	18.00	1.00	53.00	0.00						GD		0.243210		
27	Wed	Clear	0	0.0048	7.2	1.51	17.00	1.00	53.00	0.00			7.2	1.33	Admin 1st FI	GD		0.242799		
28	Thur	Clear	0	0.0048	7.1	1.25	39.00	1.00	53.00	0.00						GD		0.229427		
29																				
30																				
31																				
Total				0.1096	211.1	47.53	776.0	35.00	1484.0	0.00	0.0	0.0	82	16				6.709473		
Average				0.0039	7.54	1.70	27.71	1.25	53.00	0.00	0.0	0.0	7.44	1.49				0.239624		
Minimum				0.0011	7.10	1.07	17.00	1.00	53.00	0.00	0.0	0.0	7.07	1.18				0.215092	Central MOR	
Maximum				0.0071	8.12	2.18	40.00	2.00	53.00	0.00	0.0	0.0	8.02	1.84				0.265954	02/02/12	

MARYLAND DEPARTMENT of the ENVIRONMENT, WATER MANAGEMENT ADMINISTRATION, 1800 WASHINGTON BLVD, BALTIMORE, MD 21230

Operated By:
Maryland Environmental Service
259 Najoles Road, Millersville MD

Facility: BTR Capital Group
Address: 626 Hanover Pike, Hampstead Maryland
Additional Op's & cert # - Dorance Jones 0763, Gary Dickerson 0782

Permit Number: 02-DP-0022
Superintendent: Earle Villarreal

Certification # 1017

Month: MARCH
Year: 2013

Date	Appearance	Discharge MGD	pH su	Final Effluent outfall 001							Outfall 101					Outfall 201			Operator			
				Cl2 mg/l	Tetrachloroethylene ug/l	1,1,1-Trichloroethane ug/l	Trichloroethene ug/l	BOD ₅ mg/l	TSS mg/l	O&G mg/l	Flow MGD	Fecal mpn	Basin Inches	Alum Gpd	Hypochlorite Gpd	Post Cl2 mg/l	Tetrachloroethylene ug/l	1,1,1-Trichloroethane ug/l		Trichloroethene ug/l	Discharge mgd	
1	Clear	0.23200										0.213000		0.0	5.0	1.0	5.0				0.246250	Jelliott
2	Clear	0.19600										0.204000		0.0	5.0	1.0	5.0				0.243180	Jelliott
3	Clear	0.17900										0.204000		0.0	5.0	1.0	5.0				0.233001	Jelliott
4	Clear	0.16700										0.220000		0.0	5.0	1.0	5.0				0.248525	Gdickerson
5	Clear	0.14400	7.20	0.00								0.132000	< 1.8	0.0	5.0	1.0	5.0				0.243190	Gdickerson
6	Clear	0.10800										0.285000		0.0	5.0	1.0	5.0				0.135061	Djones
7	Clear	0.53600	7.93	0.00								0.220000		0.0	5.0	1.0	5.0				0.336805	Gdickerson
8	Clear	0.42000										0.227000		0.0	5.0	1.0	5.0				0.245316	Gdickerson
9	Clear	0.23600										0.189000		0.0	5.0	1.0	5.0				0.245398	Aphillips
10	Clear	0.17800										0.200000		0.0	5.0	1.0	5.0				0.221428	Aphillips
11	Clear	0.17800	7.10	0.00								0.219000		0.0	5.0	1.0	5.0				0.265838	Djones
12	Clear	0.42000			< 0.11	< 0.16	< 0.08	5.0	4.2	< 5.0		0.002000	< 1.8	0.0	5.0	1.0	5.0				0.245779	Djones
13	Clear	0.80000	6.90	0.00								0.214000		0.0	5.0	1.0	5.0				0.239271	Djones
14	Clear	0.29700										0.234000		0.0	5.0	1.0	5.0				0.219852	Djones
15	Clear	0.29700										0.002200		0.0	5.0	1.0	5.0				0.260730	Djones
16	Clear	0.26300										0.198000		0.0	5.0	1.0	5.0				0.240458	MWhitt
17	Clear	0.24100										0.200000		0.0	5.0	1.0	5.0				0.231820	MWhitt
18	Clear	0.21200	7.05	0.00								0.231000		0.0	5.0	1.0	5.0				0.262310	Djones
19	Clear	0.33800										0.206000	< 1.8	0.0	2.0	1.0	5.0				0.240146	Djones
20	Clear	0.27500										0.201000		0.0	2.0	1.0	5.0				0.244336	Djones
21	Clear	0.20100	6.95	0.00								0.193000		0.0	2.0	1.0	5.0				0.220930	Djones
22	Clear	0.20100										0.169000		0.0	1.0	1.0	5.0				0.246880	Djones
23	Clear	0.20300										0.189000		0.0	1.0	1.0	5.0				0.251355	Djones
24	Clear	0.17800										0.189000		0.0	1.0	1.0	5.0				0.232186	Djones
25	Clear	0.21100										0.205000		0.0	1.0	1.0	5.0				0.248621	Gdickerson
26	Clear	0.30100										0.195000	< 1.8	0.0	1.0	1.0	5.0				0.247839	Gdickerson
27	Clear	0.23600										0.215000		0.0	1.0	1.0	5.0				0.234620	Djones
28	Clear	0.29500	7.30	0.00								0.224000		0.0	1.0	1.0	5.0				0.247090	Djones
29	Clear	0.12900										0.229000		0.0	1.0	1.0	5.0				0.243672	Djones
30	Clear	0.16100										0.194000		0.0	1.0	1.0	5.0				0.244196	Aphillips
31	Clear	0.14700										0.229000		0.0	1.0	1.0	5.0				0.220719	Aphillips
Total		7.98000										6.032200									7.486802	
Average		0.25742	7.2	<0.10	0	0	0	5	4	0		0.194587	1	0.0	3.4	1.0	5.0	#DIV/0!	#DIV/0!	#####	0.241510	
Minimum		0.10800	6.9	0.00	0	0	0	5	4	0		0.002000	1	0.0	1.0	1.0	5.0	0	0	0	0.135061	
Maximum		0.80000	7.9	<0.10	0	0	0	5	4	0		0.285000	1	0.0	5.0	1.0	5.0	0	0	0	0.336805	MOR 5-11-09

COMMENTS:

**APPENDIX B
DISCHARGE MONITORING REPORTS
(JANUARY - MARCH 2013)**

ERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name AG/GFI Hampstead, Inc

Address 626 Hanover Pike

Hampstead, MD 21074

Facility Black and Decker WWTP

Location 626 Hanover Pike

City:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

001

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

MONITORING PERIOD						
YEAR	MO	DAY	YEAR	MO	DAY	
FROM 13	01	01	TO 13	01	31	
(20-21)	(22-23)	(24-25)	(26-27)	(28-29)	(30-31)	

State Discharge Permit

02-DP-0022

PARAMETER (32-37)	SAMPLE MEASUREMENT	QUANTITY OR LOADING (3 Card Only) (46-53)			QUALITY OR CONCENTRATION (4 Card Only) (38-45)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM				UNITS
30D, 5-DAY (20 DEG. C)		*****	*****	****	*****	*****	0	(19)	0	ONCE/MONTH	GRAB
00310 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT			****						ONCE/MONTH	GRAB
5H		*****	*****	****	6.7	*****	8.1	(12)	0	TWICE/WEEK	GRAB
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT			****						TWICE/WEEK	GRAB
SOLIDS, TOTAL SUSPENDED		*****	*****	****	*****	0	0	(19)	0	ONCE/MONTH	GRAB
00530 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT			****						ONCE/MONTH	GRAB
FLOW, IN CONDUIT OR THRU TREATMENT PLANT		188,484	1,106,000	(07)	*****	*****	*****	****	0	Measured	RECORD
50050 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT	REPORT	GPD				****		Measured	RECORD
CHLORINE, TOTAL RESIDUAL		*****	*****	****	*****	<0.1	<0.1	(19)	0	ONCE/MONTH	GRAB
50060 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT			****						ONCE/MONTH	GRAB
TETRACHLOROETHYLENE		*****	*****	****	*****	*****	0	(28)	0	ONCE/MONTH	GRAB
34475 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT			****						ONCE/MONTH	GRAB
1,1,1-TRICHLOROETHANE		*****	*****	****	*****	*****	0	(28)	0	ONCE/MONTH	GRAB
34506 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT			****						ONCE/MONTH	GRAB

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN, AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. §§1001 AND 33 U.S.C. §§ 1316. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)	TPI PHONE		DATE		
		James M. Harkins MES Director TYPED OR PRINTED	410	729-8350	13	02
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		AREA CODE	NUMBER	YEAR	MONTH	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

ERMITTEE NAME/ADDRESS (Include

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

Facility Name/Location if different)

DISCHARGE MONITORING REPORT (DMR)

Form Approved.

Name AG/GFI Hampstead, Inc

(2-16)

(17-19)

OMB No.

Address 626 Hanover Pike

MD0001881

001

Approval expires

Hampstead, MD 21074

PERMIT NUMBER

DISCHARGE NUMBER

*** NO DISCHARGE [] ***

Facility Black and Decker WWTP

MONITORING PERIOD

NOTE: Read instructions before completing this form

Location 626 Hanover Pike

YEAR	MO	DAY	TO	YEAR	MO	DAY
13	01	01		13	01	31

State Discharge Permit

02-DP-0022

Att:

FROM (20-21) (22-23) (24-25) TO (26-27) (28-29) (30-31)

PARAMETER (32-37)	SAMPLE MEASUREMENT	(3 Card Only) QUANTITY OR LOADING			(4 Card Only) QUALITY OR CONCENTRATION				NO. EX (82-83)	FREQUENCY OF ANALYSIS (84-88)	SAMPLE TYPE (89-90)
		(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS			
TRICHLOROETHENE	MEASUREMENT	*****	*****	****	*****	*****	0	(28)	0	ONCE/MONTH	GRAB
79141 1 0 0	PERMIT REQUIREMENT	*****	*****	****	*****	*****	DAILY MX	UG/L		ONCE/MONTH	GRAB
EFFLUENT GROSS VALUE	MEASUREMENT	*****	*****	****	*****	0	0	(19)	0	ONCE/MONTH	GRAB
OIL AND GREASE TOTAL RECOVERABLE	PERMIT REQUIREMENT	*****	*****	****	*****	10	5	MGL		ONCE/MONTH	GRAB
70030 1 0 0	MEASUREMENT					30DA AVG	DAILY MX				
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT										
	MEASUREMENT										
	PERMIT REQUIREMENT										
	MEASUREMENT										
	PERMIT REQUIREMENT										
	MEASUREMENT										
	PERMIT REQUIREMENT										
	MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
James M. Harkins
MES Director
TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN, AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. 861001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)

[Signature]
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TFI PHONE		DATE		
410	729-8350	13	02	20
AREA CODE	NUMBER	YEAR	MONTH	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

Form Approved.

OMB No.

Approval expires

Name AG/GFI Hampstead, Inc.
 Address 626 Hanover Pike
 Hampstead, MD 21074

(2-16)	(17-19)
MD0001881	101
PERMIT NUMBER	DISCHARGE NUMBER

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form


Facility Black and Decker WWTP
 Location 626 Hanover Pike
 Attn:

MONITORING PERIOD						
YEAR	MO	DAY		YEAR	MO	DAY
FROM 13	01	01	TO	13	01	31
(20-21)		(22-23)	(24-25)	(26-27)		(28-29) (30-31)

State Discharge Permit

02-DP-0022

PARAMETER (32-37)		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		(3 Card Only) (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(4 Card Only) (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS			
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	SAMPLE MEASUREMENT	168,387	271,000	(07)	*****	*****	*****	****	0	ONCE/MONTH	GRAB
50050 1 0 0	PERMIT REQUIREMENT	REPORT	REPORT	GPD				****		ONCE/MONTH	GRAB
EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	1	(30)	0	ONCE/WEEK	GRAB
COLIFORM, FECAL GENERAL	PERMIT REQUIREMENT			****			200	MPN		ONCE/WEEK	GRAB
74055 1 0 0	PERMIT REQUIREMENT						DAILY/MX				
EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)	TFI PHONE		DATE		
		James M. Harkins MES Director		410	729-8350	13
TYPED OR PRINTED	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE	NUMBER	YEAR	MONTH	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name AG/GFI Hampstead, Inc

Address 626 Hanover Pike

Hampstead, MD 21074

Facility Black and Decker WWTP

Location 626 Hanover Pike

Attn:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

001

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

MONITORING PERIOD

YEAR	MO	DAY	YEAR	MO	DAY
13	02	01	13	02	28
FROM (20-21) (22-23) (24-25)			TO (26-27) (28-29) (30-31)		

State Discharge Permit

02-DP-0022

PARAMETER (32-37)	SAMPLE MEASUREMENT	(3 Card Only) QUANTITY OR LOADING			(4 Card Only) QUALITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE (46-53)	MAXIMUM (54-61)	UNITS	MINIMUM (38-45)	AVERAGE (46-53)	MAXIMUM (54-61)	UNITS			
BOD, 5-DAY (20 DEG. C) 00310 1 0 0	MEASUREMENT	*****	*****	****	*****	*****	7	(19)	0	ONCE/ MONTH	GRAB
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	15 DAILY:MX	MG/L		ONCE/ MONTH	GRAB
pH	MEASUREMENT	*****	*****	****	7.2	*****	8.2	(12)	0	TWICE/ WEEK	GRAB
00400 1 0 0	PERMIT REQUIREMENT	*****	*****	****	6.0 DAILY:MN	*****	8.5 DAILY:MX	SU		TWICE/ WEEK	GRAB
EFFLUENT GROSS VALUE	MEASUREMENT	*****	*****	****	*****	13	13	(19)	0	ONCE/ MONTH	GRAB
SOLIDS, TOTAL SUSPENDED 00530 1 0 0	PERMIT REQUIREMENT	*****	*****	****	*****	20 30DA:AVG	30 DAILY:MX	MG/L		ONCE/ MONTH	GRAB
EFFLUENT GROSS VALUE	MEASUREMENT	276,571	632,000	(07)	*****	*****	*****	*****	0	Measured	RECORD
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	*****		Measured	RECORD
EFFLUENT GROSS VALUE	MEASUREMENT	*****	*****	****	*****	<0.1	<0.1	(19)	0	ONCE/ MONTH	GRAB
CHLORINE, TOTAL RESIDUAL 50060 1 0 0	PERMIT REQUIREMENT	*****	*****	****	*****	0.011 30DA:AVG	0.019 DAILY:MX	MG/L		ONCE/ MONTH	GRAB
EFFLUENT GROSS VALUE	MEASUREMENT	*****	*****	****	*****	*****	0	(28)	0	ONCE/ MONTH	GRAB
TETRACHLOROETHYLENE 34475 1 0 0	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5 DAILY:MX	UG/L		ONCE/ MONTH	GRAB
EFFLUENT GROSS VALUE	MEASUREMENT	*****	*****	****	*****	*****	0	(28)	0	ONCE/ MONTH	GRAB
1,1,1-TRICHLOROETHANE 34506 1 0 0	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5 DAILY:MX	UG/L		ONCE/ MONTH	GRAB
EFFLUENT GROSS VALUE	MEASUREMENT	*****	*****	****	*****	*****	*****	*****		*****	*****

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS 1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)	TFI PHONE		DATE		
James M. Harkins MES Director		410	729-8350	13	03	18
TYPED OR PRINTED						

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name AG/GFI Hampstead, Inc
 Address 626 Hanover Pike
Hampstead, MD 21074

Facility Black and Decker WWTP

Location 626 Hanover Pike

Attn: _____

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

001

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

MONITORING PERIOD

YEAR	MO	DAY	TO	YEAR	MO	DAY
13	02	01		13	02	28
(20-21)		(22-23)	(24-25)	(26-27)		(28-29) (30-31)

State Discharge Permit

02-DP-0022

PARAMETER (32-37)		(3 Card Only) (46-53)			(4 Card Only) (38-45)			UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM					
TRICHLOROETHENE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(28)	0	ONCE/ MONTH	GRAB	
79141 1 0 0	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5	UG/L		ONCE/ MONTH	GRAB	
EFFLUENT GROSS VALUE							DAILY MX					
OIL AND GREASE TOTAL RECOVERABLE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	(19)	0	ONCE/ MONTH	GRAB	
70030 1 0 0	PERMIT REQUIREMENT	*****	*****	****	*****	10	15	MG/L		ONCE/ MONTH	GRAB	
EFFLUENT GROSS VALUE						30DA AVG	DAILY MX					
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)							TFL PHONE		DATE		
James M. Harkins								410	729-8350	13	03	18
MES Director												
TYPED OR PRINTED	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT							AREA CODE	NUMBER	YEAR	MONTH	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name AG/GFI Hampstead, Inc.

Address 626 Hanover Pike

Hampstead, MD 21074

Facility Black and Decker WWTP

Location 626 Hanover Pike

Attn:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

101

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

MONITORING PERIOD

FROM			TO		
YEAR	MO	DAY	YEAR	MO	DAY
13	02	01	13	02	28
(20-21) (22-23) (24-25)			(26-27) (28-29) (30-31)		

State Discharge Permit

02-DP-0022

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING			(4 Card Only) QUALITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		AVERAGE (46-53)	MAXIMUM (54-61)	UNITS	MINIMUM (38-45)	AVERAGE (46-53)	MAXIMUM (54-61)	UNITS				
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	201,857	240,000	(07)	*****	*****	*****	****	0	ONCE/ MONTH	GRAB	
	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	****		ONCE/ MONTH	GRAB	
COLIFORM, FECAL GENERAL 74055 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	5	(30)	0	ONCE/ WEEK	GRAB	
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	200 DAILY, MX	MPN		ONCE/ WEEK	GRAB	
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 16 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.							TELEPHONE		DATE		
James M. Harkins MES Director								410	729-8350	13	03	18
TYPED OR PRINTED								AREA CODE	NUMBER	YFAR	MONTH	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name AG/GFI Hampstead, Inc
 Address 626 Hanover Pike
Hampstead, MD 21074

Facility Black and Decker WWTP
 Location 626 Hanover Pike
 Attn: _____

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16) (17-19)
MD0001881 001
PERMIT NUMBER **DISCHARGE NUMBER**

Form Approved.
 OMB No.
 Approval expires

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
13	03	01	13	03	31
(20-21)	(22-23)	(24-25)	(26-27)	(28-29)	(30-31)


*** NO DISCHARGE ***
 NOTE: Read instructions before completing this form

State Discharge Permit
 02-DP-0022

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING			(4 Card Only) QUALITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS			
BOD, 5-DAY (20 DEG. C) 00310 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	5	(19)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	15 DAILY MX	MG/L		ONCE/ MONTH	GRAB
	SAMPLE MEASUREMENT	*****	*****	****	6.9	*****	7.9	(12)	0	TWICE/ WEEK	GRAB
pH 00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	6.0	*****	8.5 DAILY MX	SU		TWICE/ WEEK	GRAB
	SAMPLE MEASUREMENT	*****	*****	****	*****	4	4	(19)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	20 30DA AVG	30 DAILY MX	MG/L		ONCE/ MONTH	GRAB
SOLIDS, TOTAL SUSPENDED 00530 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	257,419	800,000	(07)	*****	*****	*****	****	0	Measured	RECORD
	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	****		Measured	RECORD
	SAMPLE MEASUREMENT	*****	*****	****	*****	<0.1	<0.1	(19)	0	ONCE/ MONTH	GRAB
CHLORINE, TOTAL RESIDUAL 50060 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	0.011 30DA AVG	0.019 DAILY MX	MG/L		ONCE/ MONTH	GRAB
	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(28)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5 DAILY MX	UG/L		ONCE/ MONTH	GRAB
TETRACHLOROETHYLENE 34475 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(28)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5 DAILY MX	UG/L		ONCE/ MONTH	GRAB
	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(28)	0	ONCE/ MONTH	GRAB
1,1,1-TRICHLOROETHANE 34506 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5 DAILY MX	UG/L		ONCE/ MONTH	GRAB
	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	5 DAILY MX	UG/L		ONCE/ MONTH	GRAB

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
James M. Harkins
MES Director
 TYPED OR PRINTED

CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319 (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)


 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE DATE
 410 729-8350 13 04 18
 AREA CODE NUMBER YEAR MONTH DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

Facility Name/Location if different)

DISCHARGE MONITORING REPORT (DMR)

Form Approved.

Name AG/GFI Hampstead, Inc

(2-16)

(17-19)

Address 626 Hanover Pike

MD0001881

001

Hampstead, MD 21074

PERMIT NUMBER

DISCHARGE NUMBER

OMB No.

Approval expires

Facility Black and Decker WWTP

MONITORING PERIOD

Location 626 Hanover Pike

YEAR	MO	DAY	YEAR	MO	DAY
13	03	01	13	03	31
(20-21) (22-23) (24-25)			(26-27) (28-29) (30-31)		


*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

Attn:

State Discharge Permit

02-DP-0022

PARAMETER (32-37)		(3 Card Only) (46-53)			QUANTITY OR LOADING (54-61)			(4 Card Only) (36-45)			QUALITY OR CONCENTRATION (46-53) (54-61)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS				
TRICHLOROETHENE 79141 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	****	*****	*****	*****	0	(28)	0	ONCE/ MONTH	GRAB	
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	****	*****	*****	*****	5 DAILY MX	UG/L		ONCE/ MONTH	GRAB	
OIL AND GREASE TOTAL RECOVERABLE 70030 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	****	*****	*****	0	0	(19)	0	ONCE/ MONTH	GRAB	
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	****	*****	*****	10 30DA AVG	15 DAILY MX	MG/L		ONCE/ MONTH	GRAB	
	SAMPLE MEASUREMENT															
	PERMIT REQUIREMENT															
	SAMPLE MEASUREMENT															
	PERMIT REQUIREMENT															
	SAMPLE MEASUREMENT															
	PERMIT REQUIREMENT															
	SAMPLE MEASUREMENT															
	PERMIT REQUIREMENT															
	SAMPLE MEASUREMENT															
	PERMIT REQUIREMENT															
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. 851001 AND 33 U.S.C. 851319 (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)										TPI PHONE		DATE		
James M. Harkins MES Director		 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT										410	729-8350	13	04	18
TYPED OR PRINTED												AREA CODE	NUMBER	YEAR	MONTH	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)

Name AG/GFI Hampstead, Inc.
 Address 626 Hanover Pike
Hampstead, MD 21074

Facility Black and Decker WWTP
 Location 626 Hanover Pike
 Attn: _____

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16) MD0001881 (17-19) 101
PERMIT NUMBER **DISCHARGE NUMBER**

Form Approved.
 OMB No.
 Approval expires

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
13	03	01	13	03	31
(20-21)	(22-23)	(24-25)	(26-27)	(28-29)	(30-31)

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

State Discharge Permit
 02-DP-0022

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING			(4 Card Only) QUALITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(38-45) MINIMUM	(46-53) AVERAGE	(54-51) MAXIMUM	UNITS			
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	194,587	285,000	(07)	*****	*****	*****	****	0	ONCE/MONTH	GRAB
	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	****		ONCE/MONTH	GRAB
COLIFORM, FECAL GENERAL 74055 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	1	(30)	0	ONCE/WEEK	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	200 DAILY MX	MPN		ONCE/WEEK	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER James M. Harkins MES Director TYPED OR PRINTED	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN, AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)	TELEPHONE		DATE		
		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	410	729-8350	13	04
COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)		AREA CODE	NUMBER	YEAR	MONTH	DAY

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)

Name AG/GFI Hampstead, Inc.
 Address 626 Hanover Pike
 Hampstead, MD 21074

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16) MD0001881 (17-19) 201
 PERMIT NUMBER DISCHARGE NUMBER

Form Approved.
 OMB No.
 Approval expires

Facility Black and Decker WWTP
 Location 626 Hanover Pike
 Attn:

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
FROM 13	01	01	TO 13	03	31
(20-21)	(22-23)	(24-25)	(26-27)	(28-29)	(30-31)

*** NO DISCHARGE ***
 NOTE: Read instructions before completing this form

State Discharge Permit
 02-DP-0022

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING			(4 Card Only) QUALITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS			
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	228,901	336,805	(07)	*****	*****	*****	****	0	Measured	Record
	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	****		Measured	Record
TETRACHLOROETHYLENE 34475 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	(28)	0	One/Quarter	Grab
	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT	REPORT	UG/L		One/Quarter	Grab
1,1,1-TRICHLOROETHANE 34506 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	(28)	0	One/Quarter	Grab
	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT	REPORT	UG/L		One/Quarter	Grab
TRICHLOROETHENE 79141 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	(28)	0	One/Quarter	Grab
	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT	REPORT	UG/L		One/Quarter	Grab
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. §§1001 AND 33 U.S.C. §§ 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)				SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		AREA CODE	NUMBER	YEAR	MONTH	DAY
James M. Harkins MES Director TYPED OR PRINTED							410	729-8350	13	04	18

COMMENT AND EXPANATION OF ANY VIOLATIONS (Reference all attachments here)

Quarterly DMR

APPENDIX C
GROUNDWATER TREATMENT SYSTEM ANALYTICAL RESULTS
(JANUARY - MARCH 2013)

Account No:AL0341, MARYLAND ENVIRONMENTAL SERVICE A
Project No: AL0341 BLK DECK WWTP, BLACK & DECKER WWTP

P.O. No:

Inv. No: MES_AL0341
PWSID No:

Sample Number Sample Description
L4426344-1 FINAL 001 GRAB
Received Date/Time/Temp 01/03/13 04:50pm 1.7 C Iced (Y/N): Y
Samp. Date/Time/Temp Sampled by
01/03/13 09:00am NA C Customer

Parameter	Method	Result	RLs	Test Date, Time, Analyst
GENERAL CHEMISTRY				
BIOCHEMICAL OXYGEN DEMAND (DELAWARE)	SM 5210B	ND mg/l	2.00 mg/l	01/04/13 11:05AM SKJ
TOTAL SUSPENDED SOLIDS (DELAWARE)	SM 2540D	ND mg/l	4.00 mg/l	01/04/13 12:00AM MS3
HEXANE EXTR.-HEM (OIL+GREASE)	1664A HEM	ND mg/l	5.00 mg/l	01/14/13 01:19PM RHB
GAS CHROMATOGRAPHY MASS SPECTROMETRY; VOLATILES				
1,1,1-TRICHLOROETHANE	EPA 624	ND ug/l	1.00 ug/l*	01/07/13 10:24PM EEW
TRICHLOROETHENE	EPA 624	ND ug/l	1.00 ug/l*	01/07/13 10:24PM EEW
TETRACHLOROETHENE	EPA 624	ND ug/l	1.00 ug/l*	01/07/13 10:24PM EEW
DIBROMOFLUOROMETHANE	EPA 624	126 %		01/07/13 10:24PM EEW
TOLUENE-D8 (SURRE)	EPA 624	107 %		01/07/13 10:24PM EEW
4-BROMOFLUOROBENZENE	EPA 624	106 %		01/07/13 10:24PM EEW

Notes:

A result of "ND" indicates that the analyte tested was either not detected or the concentration was below the RLs.
Definitions: NEG=negative; POS=positive; COL=colonies; RLs=laboratory reporting limits; LJA=laboratory accident; TNTC= Too numerous to count; pres=presumptive
MCL= EPA recommended "maximum contaminant level", PLs = Customer-specific permit limits.
The test results meet all requirements of NELAC unless otherwise specified.
The report shall not be reproduced except in full without the written consent of the laboratory.
Unless otherwise specified, the Environmental and Food Chemistry Testing except field parameters were performed by QC Inc. located at 1205 Industrial Blvd., Southampton, PA 18966; Pharmaceutical, Dairy and Food Microbiological tests were performed by QC Inc. located at 702 Electronic Drive, Horsham, PA 19044.
The reported results relate only to the samples.
All samples are collected as "grab" samples unless otherwise identified.
A result marked with "DRY" indicates that the result was calculated and reported on a dry weight basis.
The following personnel or their deputies have approved the results of the tests performed by QC Inc.: Nicki Smith (Environmental & Food Chemistry), Amanda Lukaszewski (Pharmaceutical), Kim Billington (Dairy & Food Microbiology),
QCL Accreditations: Southampton Div: EPA ID PA00018; NELAP ID's: PA 09-00131, NJ PA166, NY 11223
State ID's: CT PH-0768, DE PA-018, MD 206, SC 89021001; FDA Reg. # : 2515238
E. Rutherford Div: State ID: NJ 02015; Vineland Div: State ID: NJ 06005; Reading Div: State ID: PA 06-03543

Regulatory authorities are assessing substantial fines for testing omissions. Please track your sample collections and results on a weekly, monthly, or quarterly basis to ensure compliance. QC's internet program 'LIVE ACCESS' will provide you with real-time access to collection dates and results. Please contact Customer Service for further information on acquiring LIVE ACCESS.
* - The "RLs" represents a reporting/quantitation limit. When an "*" is present in the column identified as the "RLs", it is being reported as a Method Detection Limit (MDL).



Account No:AL0341, MARYLAND ENVIRONMENTAL SERVICE A
Project No: AL0341 BLK DECK WWTP, BLACK & DECKER WWTP

P.O. No:

Inv. No: MES_AL0341
PWSID No:

Sample Number	Sample Description	Samp. Date/Time/Temp	Sampled by	
L4459076-1	BLACK & DECKER 001 Received Date/Time 01/15/13 10:30am	01/03/13 09:15am	NA C Customer	
Parameter	Method	Result	RLs	Test Date, Time, Analyst
ENVIRONMENTAL MICROBIOLOGY				
FECAL COLIFORM-MPN CEL(DELAWARE)	SM 9221E	<1.8 MPN/100ml	MPN/100ml	01/03/13 01:50PM SUB

L4459076-1 :

Fecal coliform was analyzed by Chesapeake Environmental Lab, Inc. in Stevensville, MD.

Notes:

A result of "ND" indicates that the analyte tested was either not detected or the concentration was below the RLs.
Definitions: NEG=negative; POS=positive; COL=colonies; RLs=laboratory reporting limits; L/A=laboratory accident; TNTC= Too numerous to count; pres=presumptive
MCL= EPA recommended "maximum contaminant level", PLs = Customer-specific permit limits.
The test results meet all requirements of NELAC unless otherwise specified.
The report shall not be reproduced except in full without the written consent of the laboratory.
Unless otherwise specified, the Environmental and Food Chemistry Testing except field parameters were performed by QC Inc. located at 1205 Industrial Blvd., Southampton, PA 18966; Pharmaceutical, Dairy and Food Microbiological tests were performed by QC Inc. located at 702 Electronic Drive, Horsham, PA 19044.
The reported results relate only to the samples.
All samples are collected as "grab" samples unless otherwise identified.
A result marked with "DRY" indicates that the result was calculated and reported on a dry weight basis.
The following personnel or their deputies have approved the results of the tests performed by QC Inc.: Nicki Smith (Environmental & Food Chemistry), Amanda Lukaszewski (Pharmaceutical), Kim Billington (Dairy & Food Microbiology);
QCL Accreditations: Southampton Div: EPA ID PA00018; NELAP ID's: PA 09-00131, NJ PA166, NY 11223
State ID's: CT PH-0768, DE PA-018, MD 206, SC 89021001; FDA Reg. # : 2515238
E. Rutherford Div: State ID: NJ 02015; Vineland Div: State ID: NJ 06005; Reading Div: State ID: PA 06-03543

Regulatory authorities are assessing substantial fines for testing omissions. Please track your sample collections and results on a weekly, monthly, or quarterly basis to ensure compliance. QC's internet program 'LIVE ACCESS' will provide you with real-time access to collection dates and results. Please contact Customer Service for further information on acquiring LIVE ACCESS.



Account No:AL0341, MARYLAND ENVIRONMENTAL SERVICE A
Project No: AL0341 BLK DECK WWTP, BLACK & DECKER WWTP

P.O. No:

Inv. No: MES_AL0341
PWSID No:

Sample ID Sample Description Samp. Date/Time/Temp Sampled by
L4467899-1 BLACK & DECKER 101 01/15/13 09:00am NA C Customer
Received Date/Time 01/24/13 11:45am

Parameter	Method	Result	RLs	Test Date, Time, Analyst
-----------	--------	--------	-----	--------------------------

ENVIRONMENTAL MICROBIOLOGY

FECAL COLIFORM-MPN CEL(DELAWARE)	SM 9221E	<1.8 MPN/100ml	MPN/100ml	01/15/13 02:23PM SUB
-------------------------------------	----------	----------------	-----------	----------------------

L4467899-1 :

Fecal coliform was analyzed by Chesapeake Environmental Lab, Inc. in Stevensville, MD.

Notes:

A result of "ND" indicates that the analyte tested was either not detected or the concentration was below the RLs.
Definitions: NEG=negative; POS=positive; COL=colonies; RLs=laboratory reporting limits; L/A=laboratory accident; TNTC= Too numerous to count; pres=presumptive
MCL= EPA recommended "maximum contaminant level", PLs = Customer-specific permit limits.
The test results meet all requirements of NELAC unless otherwise specified.
The report shall not be reproduced except in full without the written consent of the laboratory.
Unless otherwise specified, the Environmental and Food Chemistry Testing except field parameters were performed by QC Inc. located at 1205 Industrial Blvd., Southampton, PA 18966; Pharmaceutical, Dairy and Food Microbiological tests were performed by QC Inc. located at 702 Electronic Drive, Horsham, PA 19044.
The reported results relate only to the samples.
All samples are collected as "grab" samples unless otherwise identified.
A result marked with "DRY" indicates that the result was calculated and reported on a dry weight basis.
The following personnel or their deputies have approved the results of the tests performed by QC Inc.: Nicki Smith (Environmental & Food Chemistry), Amanda Lukaszewski (Pharmaceutical), Kim Billington (Dairy & Food Microbiology),
QCL Accreditations: Southampton Div: EPA ID PA00018; NELAP ID's: PA 09-00131, NJ PA166, NY 11223
State ID's: CT PH-0768, DE PA-018, MD 206, SC 89021001; FDA Reg. # : 2515238
E. Rutherford Div: State ID: NJ 02015; Vineland Div: State ID: NJ 06005; Reading Div: State ID: PA 06-03543

Regulatory authorities are assessing substantial fines for testing omissions. Please track your sample collections and results on a weekly, monthly, or quarterly basis to ensure compliance. QC's internet program 'LIVE ACCESS' will provide you with real-time access to collection dates and results. Please contact Customer Service for further information on acquiring LIVE ACCESS.



Account No:AL0341, MARYLAND ENVIRONMENTAL SERVICE A
Project No: AL0341 BLK DECK WWTP, BLACK & DECKER WWTP

P.O. No:

Inv. No: MES_AL0341
PWSID No:

Sample ID	Sample Description	Received Date/Time/Temp	02/20/13 05:00pm 2.2 C	Iced (Y/N): Y	Samp. Date/Time/Temp	02/20/13 09:05am NA C	Sampled by	Customer
Parameter	Method	Result	RLs	Test Date, Time, Analyst				
GENERAL CHEMISTRY								
BIOCHEMICAL OXYGEN DEMAND (DELAWARE)	SM 5210B	7.00 mg/l	2.00 mg/l	02/21/13 09:35AM	SKJ			
TOTAL SUSPENDED SOLIDS (DELAWARE)	SM 2540D	13.0 mg/l	5.00 mg/l	02/25/13 12:00AM	MS3			
HEXANE EXTR.-HEM (OIL+GREASE)	1664A HEM	ND mg/l	5.00 mg/l	03/01/13 01:00PM	RHB			
GAS CHROMATOGRAPHY MASS SPECTROMETRY; VOLATILES								
1,1,1-TRICHLOROETHANE	EPA 624	ND ug/l	0.130 ug/l*	03/05/13 02:10AM	EEW			
TRICHLOROETHENE	EPA 624	ND ug/l	0.0800 ug/l*	03/05/13 02:10AM	EEW			
TETRACHLOROETHENE	EPA 624	ND ug/l	0.110 ug/l*	03/05/13 02:10AM	EEW			
DIBROMOFLUOROMETHANE	EPA 624	108 %		03/05/13 02:10AM	EEW			
TOLUENE-D8 (SURR)	EPA 624	104 %		03/05/13 02:10AM	EEW			
4-BROMOFLUOROBENZENE	EPA 624	102 %		03/05/13 02:10AM	EEW			

L4461216-1:

For the BOD 5 test on this day, the nutrient blank was 0.55 mg/l DO depletion, above the acceptance limit of 0.40 mg/l. Batch control sample (GGA) recoveries met the criteria of 168 to 228 mg/l. Impact of the elevated blank control on sample results is negligible.

All method 624 vials were received with headspace. Consult with your regulatory agency for further guidance on the use of this data.

Notes:

A result of "ND" indicates that the analyte tested was either not detected or the concentration was below the RLs.

Definitions: NEG=negative; POS=positive; COL=colonies; RLs=laboratory reporting limits; LA=laboratory accident; TNTC= Too numerous to count; pres=presumptive

MCL= EPA recommended "maximum contaminant level", PLs = Customer-specific permit limits.

The test results meet all requirements of NELAC unless otherwise specified.

The report shall not be reproduced except in full without the written consent of the laboratory.

Unless otherwise specified, the Environmental and Food Chemistry Testing except field parameters were performed by QC Inc. located at 1205 Industrial Blvd., Southampton, PA 18966; Pharmaceutical, Dairy and Food Microbiological tests were performed by QC Inc. located at 702 Electronic Drive, Horsham, PA 19044.

The reported results relate only to the samples.

All samples are collected as "grab" samples unless otherwise identified.

A result marked with "DRY" indicates that the result was calculated and reported on a dry weight basis.

The following personnel or their deputies have approved the results of the tests performed by QC Inc.: Nicki Smith (Environmental & Food Chemistry), Amanda Lukaszewski (Pharmaceutical), Kim Billington (Dairy & Food Microbiology),

QCL Accreditations: Southampton Div: EPA ID PA00018; NELAP ID's: PA 09-00131, NJ PA166, NY 11223

State ID's: CT PH-0768, DE PA-018, MD 206, SC 89021001; FDA Reg. #: 2515238

E. Rutherford Div: State ID: NJ 02015; Vineland Div: State ID: NJ 06005; Reading Div: State ID: PA 06-03543

Regulatory authorities are assessing substantial fines for testing omissions. Please track your sample collections and results on a weekly, monthly, or quarterly basis to ensure compliance. QC's internet program 'LIVE ACCESS' will provide you with real-time access to collection dates and results. Please contact Customer Service for further information on acquiring LIVE ACCESS.

* - The "RLs" represents a reporting/quantitation limit. When an "*" is present in the column identified as the "RLs", it is being reported as a Method Detection Limit (MDL).



Account No:AL0341, MARYLAND ENVIRONMENTAL SERVICE A
Project No: AL0341 BLK DECK WWTP, BLACK & DECKER WWTP

P.O. No:

Inv. No: MES_AL0341
PWSID No:

Sample ID Sample Description Samp. Date/Time/Temp Sampled by
L4500151-1 BLACK & DECKER 001 02/12/13 09:05am NA C Customer
Received Date/Time 02/25/13 01:45pm

Parameter Method Result RLS Test Date, Time, Analyst

ENVIRONMENTAL MICROBIOLOGY

FECAL COLIFORM-MPN Method: SM 9221E Result: 4.5 MPN/100ml RLS: MPN/100ml Test Date, Time, Analyst: 02/12/13 02:20PM SUB
CEL(DELAWARE)

L4500151-1 :

Fecal coliform was analyzed by Chesapeake Environmental Lab, Inc. in Stevensville, MD.

Notes:

- A result of "ND" indicates that the analyte tested was either not detected or the concentration was below the RLS.
- Definitions: NEG=negative; POS=positive; COL=colonies; RLS=laboratory reporting limits; L/A=laboratory accident; TNTC= Too numerous to count; pres=presumptive
- MCL= EPA recommended "maximum contaminant level", PLs = Customer-specific permit limits.
- The test results meet all requirements of NELAC unless otherwise specified.
- The report shall not be reproduced except in full without the written consent of the laboratory.
- Unless otherwise specified, the Environmental and Food Chemistry Testing except field parameters were performed by QC Inc. located at 1205 Industrial Blvd., Southampton, PA 18966; Pharmaceutical, Dairy and Food Microbiological tests were performed by QC Inc. located at 702 Electronic Drive, Horsham, PA 19044.
- The reported results relate only to the samples.
- All samples are collected as "grab" samples unless otherwise identified.
- A result marked with "DRY" indicates that the result was calculated and reported on a dry weight basis.
- The following personnel or their deputies have approved the results of the tests performed by QC Inc.: Nicki Smith (Environmental & Food Chemistry), Amanda Lukaszewski (Pharmaceutical), Kim Billington (Dairy & Food Microbiology),
- QCL Accreditations: Southampton Div: EPA ID PA00018; NELAP ID's: PA 09-00131, NJ PA166, NY 11223
- State ID's: CT PH-0768, DE PA-018, MD 206, SC 89021001; FDA Reg. # : 2515238
- E. Rutherford Div: State ID: NJ 02015; Vineland Div: State ID: NJ 06005; Reading Div: State ID: PA 06-03543

Regulatory authorities are assessing substantial fines for testing omissions. Please track your sample collections and results on a weekly, monthly, or quarterly basis to ensure compliance. QC's internet program 'LIVE ACCESS' will provide you with real-time access to collection dates and results. Please contact Customer Service for further information on acquiring LIVE ACCESS.



Account No:AL0341, MARYLAND ENVIRONMENTAL SERVICE A
Project No: AL0341 BLK DECK WWTP, BLACK & DECKER WWTP

P.O. No:

Inv. No: MES_AL0341
PWSID No:

Sample ID Sample Description Samp. Date/Time/Temp Sampled by
L4497416-1 BLACK & DECKER 101 02/05/13 09:08am NA C Customer
Received Date/Time 02/19/13 11:00am

Parameter	Method	Result	RLs	Test Date, Time, Analyst
ENVIRONMENTAL MICROBIOLOGY				
FECAL COLIFORM-MPN CEL(DELAWARE)	SM 9221E	<1.8 MPN/100ml	MPN/100ml	02/05/13 02:12PM SUB

L4497416-1 :

Fecal coliform was analyzed by Chesapeake Environmental Lab, Inc. in Stevensville, MD.

Notes:

A result of "ND" indicates that the analyte tested was either not detected or the concentration was below the RLs.

Definitions: NEG=negative; POS=positive; COL=colonies; RLs=laboratory reporting limits; L/A=laboratory accident; TNTC= Too numerous to count; pres=presumptive

MCL= EPA recommended "maximum contaminant level"; PLs = Customer-specific permit limits.

The test results meet all requirements of NELAC unless otherwise specified.

The report shall not be reproduced except in full without the written consent of the laboratory.

Unless otherwise specified, the Environmental and Food Chemistry Testing except field parameters were performed by QC Inc. located at 1205 Industrial Blvd., Southampton, PA, 18966; Pharmaceutical, Dairy and Food Microbiological tests were performed by QC Inc. located at 702 Electronic Drive, Horsham, PA 19044.

The reported results relate only to the samples.

All samples are collected as "grab" samples unless otherwise identified.

A result marked with "DRY" indicates that the result was calculated and reported on a dry weight basis.

The following personnel or their deputies have approved the results of the tests performed by QC Inc.: Nicki

Smith (Environmental & Food Chemistry), Amanda Lukaszewski (Pharmaceutical), Kim Billington (Dairy & Food Microbiology),

QCL Accreditations: Southampton Div: EPA ID PA00018; NELAP ID's: PA 09-00131, NJ PA166, NY 11223

State ID's: CT PH-0768, DE PA-018, MD 206, SC 89021001; FDA Reg. #: 2515238

E. Rutherford Div: State ID: NJ 02015; Vineland Div: State ID: NJ 06005; Reading Div: State ID: PA 06-03543

Regulatory authorities are assessing substantial fines for testing omissions. Please track your sample collections and results

on a weekly, monthly, or quarterly basis to ensure compliance. QC's internet program 'LIVE ACCESS' will provide you with

real-time access to collection dates and results. Please contact Customer Service for further information on acquiring LIVE ACCESS.



Account No:AL0341, MARYLAND ENVIRONMENTAL SERVICE A
Project No: AL0341 BLK DECK WWTP, BLACK & DECKER WWTP

P.O. No:

Inv. No: MES_AL0341
PWSID No:

Sample ID Sample Description Samp. Date/Time/Temp Sampled by
L4492967-1 FINAL 001 GRAB 03/12/13 09:08am NA C Customer
Received Date/Time/Temp 03/12/13 04:45pm 1.9 C Iced (Y/N): Y

Parameter	Method	Result	RLs	Test Date, Time, Analyst
-----------	--------	--------	-----	--------------------------

GENERAL CHEMISTRY

BIOCHEMICAL OXYGEN DEMAND (DELAWARE)	SM 5210B	5 mg/l	2.00 mg/l	03/13/13 07:35AM SKJ
TOTAL SUSPENDED SOLIDS (DELAWARE)	SM 2540D	4.20 mg/l	4.00 mg/l	03/18/13 12:00AM MS3
HEXANE EXTR.-HEM (OIL+GREASE)	1664A HEM	ND mg/l	5.00 mg/l	03/20/13 12:45PM RHB

GAS CHROMATOGRAPHY MASS SPECTROMETRY; VOLATILES

1,2-DICHLOROETHANE	EPA 624	ND ug/l	0.160 ug/l*	03/21/13 05:25AM EEW
TRICHLOROETHENE	EPA 624	ND ug/l	0.0800 ug/l*	03/21/13 05:25AM EEW
TETRACHLOROETHENE	EPA 624	ND ug/l	0.110 ug/l*	03/21/13 05:25AM EEW
DIBROMOFLUOROMETHANE	EPA 624	99 %		03/21/13 05:25AM EEW
TOLUENE-D8 (SURR)	EPA 624	99 %		03/21/13 05:25AM EEW
4-BROMOFLUOROBENZENE	EPA 624	94 %		03/21/13 05:25AM EEW

L4492967-1:

For the BOD test on this day, the batch control sample fell outside the acceptance range of 168 to 228 on 3 batches at 234 mg/l, 263 mg/l and 274 mg/l. Reported BOD results may be biased high.

For the BOD 5 test for this day, the batch control sample recovered at 230 mg/l, outside the acceptance range of 168 to 228 mg/l. The nutrient blank was 0.93 mg/l, above the acceptance limit of 0.40 mg/l. BOD 5 results may be biased high.

Notes:

A result of "ND" indicates that the analyte tested was either not detected or the concentration was below the RLs.

Definitions: NEG=negative; POS=positive; COL=colonies; RLs=laboratory reporting limits; L/A=laboratory accident; TNTC= Too numerous to count; pres=presumptive

MCL= EPA recommended "maximum contaminant level", PLs = Customer-specific permit limits.

The test results meet all requirements of NELAC unless otherwise specified.

The report shall not be reproduced except in full without the written consent of the laboratory.

Unless otherwise specified, the Environmental and Food Chemistry Testing except field parameters were performed by QC Inc. located at 1205 Industrial Blvd., Southampton, PA 18966; Pharmaceutical, Dairy and Food Microbiological tests were performed by QC Inc. located at 702 Electronic Drive, Horsham, PA 19044.

The reported results relate only to the samples.

All samples are collected as "grab" samples unless otherwise identified.

A result marked with "DRY" indicates that the result was calculated and reported on a dry weight basis.

The following personnel or their deputies have approved the results of the tests performed by QC Inc.: Nicki Smith (Environmental & Food Chemistry), Amanda Lukaszewski (Pharmaceutical), John Pcsolar (Dairy & Food Microbiology),

QCL Accreditations: Southampton Div: EPA ID PA00018; NELAP ID's: PA 09-00131, NJ PA166, NY 11223

State ID's: CT PH-0768, DE PA-018, MD 206, SC 89021001; FDA Reg. #: 2515238

E. Rutherford Div: State ID: NJ 02015; Vineland Div: State ID: NJ 06005; Reading Div: State ID: PA 06-03543

Regulatory authorities are assessing substantial fines for testing omissions. Please track your sample collections and results on a weekly, monthly, or quarterly basis to ensure compliance. QC's internet program 'LIVE ACCESS' will provide you with real-time access to collection dates and results. Please contact Customer Service for further information on acquiring LIVE ACCESS.

* - The "RLs" represents a reporting/quantitation limit. When an "" is present in the column identified as the "RLs", it is being reported as a Method Detection Limit (MDL).

Account No:AL0341, MARYLAND ENVIRONMENTAL SERVICE A
Project No: AL0341 BLK DECK WWTP, BLACK & DECKER WWTP

P.O. No:

Inv. No: MES_AL0341
PWSID No:

Sample ID Sample Description Samp. Date/Time/Temp Sampled by
L4528193-1 BLACK & DECKER FINAL 101 03/05/13 09:02am NA C Customer
Received Date/Time 03/15/13 02:00pm

Parameter Method Result RLS Test Date, Time, Analyst

ENVIRONMENTAL MICROBIOLOGY

FECAL COLIFORM-MPN SM 9221E <1.8 MPN/100ml MPN/100ml 03/05/13 02:20PM SUB
CEL(DELAWARE)

L4528193-1 :

Fecal coliform was analyzed by Chesapeake Environmental Lab, Inc. in Stevensville, MD.

Notes:

A result of "ND" indicates that the analyte tested was either not detected or the concentration was below the RLS.

Definitions: NEG=negative; POS=positive; COL=colonies; RLS=laboratory reporting limits; L/A=laboratory accident; TNTC= Too numerous to count; pres=presumptive

MCL= EPA recommended "maximum contaminant level", PLs = Customer-specific permit limits.

The test results meet all requirements of NELAC unless otherwise specified.

The report shall not be reproduced except in full without the written consent of the laboratory.

Unless otherwise specified, the Environmental and Food Chemistry Testing except field parameters were performed by QC Inc. located at 1205 Industrial Blvd., Southampton, PA 18966; Pharmaceutical, Dairy and Food Microbiological tests were performed by QC Inc. located at 702-Electronic Drive, Horsham, PA 19044.

The reported results relate only to the samples.

All samples are collected as "grab" samples unless otherwise identified.

A result marked with "DRY" indicates that the result was calculated and reported on a dry weight basis.

The following personnel or their deputies have approved the results of the tests performed by QC Inc.: Nicki

Smith (Environmental & Food Chemistry), Amanda Lukaszewski (Pharmaceutical), John Pcsolar (Dairy & Food Microbiology),

QCL Accreditations: Southampton Div: EPA ID PA00018; NELAP ID's: PA 09-00131, NJ PA166, NY 11223

State ID's: CT PH-0768, DE PA-018, MD 206, SC 89021001; FDA Reg. # : 2515238

E. Rutherford Div: State ID: NJ 02015; Vineland Div: State ID: NJ 06005; Reading Div: State ID: PA 06-03543

Regulatory authorities are assessing substantial fines for testing omissions. Please track your sample collections and results on a weekly, monthly, or quarterly basis to ensure compliance. QC's internet program 'LIVE ACCESS' will provide you with real-time access to collection dates and results. Please contact Customer Service for further information on acquiring LIVE ACCESS.



Account No:AL0341, MARYLAND ENVIRONMENTAL SERVICE A
Project No: AL0341 BLK DECK WWTP, BLACK & DECKER WWTP

P.O. No:

Inv. No: MES_AL0341
PWSID No:

Sample Number Sample Description
L4454345-1 FINAL 201
Received Date/Time/Temp 01/08/13 05:00pm 3.1 C Iced (Y/N): Y
Samp. Date/Time/Temp Sampled by
01/08/13 09:25am NA C Customer

Parameter	Method	Result	RLs	Test Date, Time, Analyst
GAS CHROMATOGRAPHY MASS SPECTROMETRY; VOLATILES				
CHLOROMETHANE	EPA 8260B	ND ug/l	1.00 ug/l	01/11/13 09:09PM JSH
VINYL CHLORIDE	EPA 8260B	ND ug/l	1.00 ug/l	01/11/13 09:09PM JSH
BROMOMETHANE	EPA 8260B	ND ug/l	1.00 ug/l	01/11/13 09:09PM JSH
CHLOROETHANE	EPA 8260B	ND ug/l	1.00 ug/l	01/11/13 09:09PM JSH
TRICHLOROFLUOROMETHANE	EPA 8260B	ND ug/l	1.00 ug/l	01/11/13 09:09PM JSH
IODOMETHANE	EPA 8260B	ND ug/l	1.00 ug/l	01/11/13 09:09PM JSH
ACRYLONITRILE	EPA 8260B	ND ug/l	5.00 ug/l	01/11/13 09:09PM JSH
1,1-DICHLOROETHENE	EPA 8260B	ND ug/l	1.00 ug/l	01/11/13 09:09PM JSH
ACETONE	EPA 8260B	ND ug/l	5.00 ug/l	01/11/13 09:09PM JSH
CARBON DISULFIDE	EPA 8260B	ND ug/l	1.00 ug/l	01/11/13 09:09PM JSH
METHYLENE CHLORIDE	EPA 8260B	ND ug/l	1.00 ug/l	01/11/13 09:09PM JSH
TRANS-1,2-DICHLOROETHENE	EPA 8260B	ND ug/l	1.00 ug/l	01/11/13 09:09PM JSH
METHYL TERTIARY BUTYL ETHER	EPA 8260B	ND ug/l	1.00 ug/l	01/11/13 09:09PM JSH
1,1-DICHLOROETHANE	EPA 8260B	ND ug/l	1.00 ug/l	01/11/13 09:09PM JSH
VINYL ACETATE	EPA 8260B	ND ug/l	1.00 ug/l	01/11/13 09:09PM JSH
2-BUTANONE	EPA 8260B	ND ug/l	5.00 ug/l	01/11/13 09:09PM JSH
BROMOCHLOROMETHANE	EPA 8260B	ND ug/l	1.00 ug/l	01/11/13 09:09PM JSH
CIS-1,2-DICHLOROETHENE	EPA 8260B	ND ug/l	1.00 ug/l	01/11/13 09:09PM JSH
CHLOROFORM	EPA 8260B	ND ug/l	1.00 ug/l	01/11/13 09:09PM JSH
1,1,1-TRICHLOROETHANE	EPA 8260B	ND ug/l	1.00 ug/l	01/11/13 09:09PM JSH
CARBON TETRACHLORIDE	EPA 8260B	ND ug/l	1.00 ug/l	01/11/13 09:09PM JSH
BENZENE	EPA 8260B	ND ug/l	1.00 ug/l	01/11/13 09:09PM JSH
1,2-DICHLOROETHANE	EPA 8260B	ND ug/l	1.00 ug/l	01/11/13 09:09PM JSH
TRICHLOROETHENE	EPA 8260B	ND ug/l	1.00 ug/l	01/11/13 09:09PM JSH
1,2-DICHLOROPROPANE	EPA 8260B	ND ug/l	1.00 ug/l	01/11/13 09:09PM JSH
DIBROMOMETHANE	EPA 8260B	ND ug/l	1.00 ug/l	01/11/13 09:09PM JSH
BROMODICHLOROMETHANE	EPA 8260B	ND ug/l	1.00 ug/l	01/11/13 09:09PM JSH
4-METHYL-2-PENTANONE	EPA 8260B	ND ug/l	5.00 ug/l	01/11/13 09:09PM JSH
CIS-1,3-DICHLOROPROPENE	EPA 8260B	ND ug/l	1.00 ug/l	01/11/13 09:09PM JSH
TOLUENE	EPA 8260B	ND ug/l	1.00 ug/l	01/11/13 09:09PM JSH
TRANS-1,3-DICHLOROPROPENE	EPA 8260B	ND ug/l	1.00 ug/l	01/11/13 09:09PM JSH
1,1,2-TRICHLOROETHANE	EPA 8260B	ND ug/l	1.00 ug/l	01/11/13 09:09PM JSH
2-HEXANONE	EPA 8260B	ND ug/l	5.00 ug/l	01/11/13 09:09PM JSH
TETRACHLOROETHENE	EPA 8260B	ND ug/l	1.00 ug/l	01/11/13 09:09PM JSH
DIBROMOCHLOROMETHANE	EPA 8260B	ND ug/l	1.00 ug/l	01/11/13 09:09PM JSH
1,2-DIBROMOETHANE	EPA 8260B	ND ug/l	1.00 ug/l	01/11/13 09:09PM JSH
CHLOROBENZENE	EPA 8260B	ND ug/l	1.00 ug/l	01/11/13 09:09PM JSH
ETHYL BENZENE	EPA 8260B	ND ug/l	1.00 ug/l	01/11/13 09:09PM JSH
M&P-XYLENES	EPA 8260B	ND ug/l	1.00 ug/l	01/11/13 09:09PM JSH
O-XYLENE	EPA 8260B	ND ug/l	1.00 ug/l	01/11/13 09:09PM JSH
STYRENE	EPA 8260B	ND ug/l	1.00 ug/l	01/11/13 09:09PM JSH
BROMOFORM	EPA 8260B	ND ug/l	1.00 ug/l	01/11/13 09:09PM JSH
1,1,1,2-TETRACHLOROETHANE	EPA 8260B	ND ug/l	1.00 ug/l	01/11/13 09:09PM JSH
1,1,2,2-TETRACHLOROETHANE	EPA 8260B	ND ug/l	1.00 ug/l	01/11/13 09:09PM JSH
TRANS-1,4-DICHLORO-2-BUTENE	EPA 8260B	ND ug/l	1.00 ug/l	01/11/13 09:09PM JSH
1,4-DICHLOROBENZENE	EPA 8260B	ND ug/l	1.00 ug/l	01/11/13 09:09PM JSH
1,2-DICHLOROBENZENE	EPA 8260B	ND ug/l	1.00 ug/l	01/11/13 09:09PM JSH
1,2,3-TRICHLOROPROPANE	EPA 8260B	ND ug/l	1.00 ug/l	01/11/13 09:09PM JSH
1,2-DIBROMO-3-CHLOROPROPANE	EPA 8260B	ND ug/l	1.00 ug/l	01/11/13 09:09PM JSH

Account No:AL0341, MARYLAND ENVIRONMENTAL SERVICE A
Project No: AL0341 BLK DECK WWTP, BLACK & DECKER WWTP

P.O. No:

Inv. No: MES_AL0341
PWSID No:

Sample Number Sample Description
L4454345-1 FINAL 201
Received Date/Time/Temp 01/08/13 05:00pm 3.1 C Iced (Y/N): Y
Samp. Date/Time/Temp Sampled by
01/08/13 09:25am NA C Customer

Parameter	Method	Result	RLs	Test Date, Time, Analyst
GAS CHROMATOGRAPHY MASS SPECTROMETRY; VOLATILES continued				
XYLENES (TOTAL)	EPA 8260B	ND ug/l	1.00 ug/l	01/11/13 09:09PM JSH
DIBROMOFLUOROMETHANE	EPA 8260B	105 %		01/11/13 09:09PM JSH
TOLUENE-D8 (SURR)	EPA 8260B	100 %		01/11/13 09:09PM JSH
4-BROMOFLUOROBENZENE	EPA 8260B	101 %		01/11/13 09:09PM JSH

Notes:

A result of "ND" indicates that the analyte tested was either not detected or the concentration was below the RLs.
Definitions: NEG=negative; POS=positive; COL=colonies; RLs=laboratory reporting limits; L/A=laboratory accident; TNTC= Too numerous to count; pres=presumptive
MCL= EPA recommended "maximum contaminant level", PLs = Customer-specific permit limits.
The test results meet all requirements of NELAC unless otherwise specified.
The report shall not be reproduced except in full without the written consent of the laboratory.
Unless otherwise specified, the Environmental and Food Chemistry Testing except field parameters were performed by QC Inc. located at 1205 Industrial Blvd., Southampton, PA 18966; Pharmaceutical, Dairy and Food Microbiological tests were performed by QC Inc. located at 702 Electronic Drive, Horsham, PA 19044.
The reported results relate only to the samples.
All samples are collected as "grab" samples unless otherwise identified.
A result marked with "DRY" indicates that the result was calculated and reported on a dry weight basis.
The following personnel or their deputies have approved the results of the tests performed by QC Inc.: Nicki Smith (Environmental & Food Chemistry), Amanda Lukaszewski (Pharmaceutical), Kim Billington (Dairy & Food Microbiology),
QCL Accreditations: Southampton Div: EPA ID PA00018; NELAP ID's: PA 09-00131, NJ PA166, NY 11223
State ID's: CT PH-0768, DE PA-018, MD 206, SC 89021001; FDA Reg. # : 2515238
E. Rutherford Div: State ID: NJ 02015; Vineland Div: State ID: NJ 06005; Reading Div: State ID: PA 06-03543

Regulatory authorities are assessing substantial fines for testing omissions. Please track your sample collections and results on a weekly, monthly, or quarterly basis to ensure compliance. QC's internet program 'LIVE ACCESS' will provide you with real-time access to collection dates and results. Please contact Customer Service for further information on acquiring LIVE ACCESS.



APPENDIX D
GROUNDWATER ANALYTICAL DATA PACKAGE
(FEBRUARY 2013)

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Chicago
2417 Bond Street
University Park, IL 60484
Tel: (708)534-5200

TestAmerica Job ID: 500-54778-1
Client Project/Site: Black and Decker

For:
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, Pennsylvania 19380

Attn: Mr. Tom Cornuet



Authorized for release by:
3/5/2013 3:00:03 PM

Richard Wright
Project Manager II
richard.wright@testamericainc.com

LINKS

Review your project
results through
Total Access

Have a Question?

Ask
The
Expert

Visit us at:
www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Detection Summary	4
Method Summary	7
Sample Summary	8
Client Sample Results	9
Definitions	61
QC Association	62
Surrogate Summary	63
QC Sample Results	64
Chronicle	83
Certification Summary	88
Chain of Custody	89
Receipt Checklists	92



Case Narrative

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Job ID: 500-54778-1

Laboratory: TestAmerica Chicago

Narrative

Job Narrative
500-54778-1

Comments

No additional comments.

Receipt

The samples were received on 2/23/2013 9:45 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 2.1° C. Except: Sample EW-8 has two vials with bubbles present.

GC/MS VOA

Method(s) 8260B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for batch 178545 were outside control limits for Bromomethane. The associated laboratory control sample (LCS) recovery met acceptance criteria.

Method(s) 8260B: The matrix spike / matrix spike duplicate (MS/MSD) precision for batches 178545 and 178664 were outside control limits for Bromomethane.

Method(s) 8260B: The following sample(s) was diluted to bring the concentration of target analytes within the calibration range: EW-4 (500-54778-19). Elevated reporting limits (RLs) are provided.

Method(s) 8260B: The following sample(s) submitted for volatiles analysis was received with insufficient preservation (pH >2): RFW-11B (500-54778-12), RFW-17 (500-54778-15).

Method(s) 8260B: The MSD (Matrix Spike Duplicate) for batch 178664 was analyzed 1 minute outside of the method specified 12 hour tune time.

No other analytical or quality issues were noted.

Detection Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: RFW-1A

Lab Sample ID: 500-54778-1

No Detections

Client Sample ID: RFW-1B

Lab Sample ID: 500-54778-2

No Detections

Client Sample ID: RFW-2A

Lab Sample ID: 500-54778-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	0.39	J	0.50	0.19	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-2B

Lab Sample ID: 500-54778-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	0.66		0.50	0.19	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-3B

Lab Sample ID: 500-54778-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	1.9		1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	0.33	J	0.50	0.19	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-4A

Lab Sample ID: 500-54778-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	0.84	J	1.0	0.12	ug/L	1		8260B	Total/NA
Chloroform	0.59	J	1.0	0.20	ug/L	1		8260B	Total/NA
Trichloroethene	26		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	19		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-4A Dup

Lab Sample ID: 500-54778-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	0.78	J	1.0	0.12	ug/L	1		8260B	Total/NA
Chloroform	0.63	J	1.0	0.20	ug/L	1		8260B	Total/NA
Trichloroethene	26		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	18		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-4B

Lab Sample ID: 500-54778-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	4.1		1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	12		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	32		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-6

Lab Sample ID: 500-54778-9

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	0.68		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	1.1		1.0	0.17	ug/L	1		8260B	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Chicago

Detection Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: RFW-7

Lab Sample ID: 500-54778-10

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	1.9		0.50	0.19	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-9

Lab Sample ID: 500-54778-11

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,1-Dichloroethene	0.80	J	1.0	0.31	ug/L	1		8260B	Total/NA
1,1-Dichloroethane	0.59	J	1.0	0.19	ug/L	1		8260B	Total/NA
cis-1,2-Dichloroethene	11		1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	8.3		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	4.2		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-11B

Lab Sample ID: 500-54778-12

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	2.4		0.50	0.19	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-12B

Lab Sample ID: 500-54778-13

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	1.8		1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	76		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	5.3		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-13

Lab Sample ID: 500-54778-14

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	0.82	J	1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	2.6		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	15		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-17

Lab Sample ID: 500-54778-15

No Detections

Client Sample ID: Trip Blank

Lab Sample ID: 500-54778-16

No Detections

Client Sample ID: EW-2

Lab Sample ID: 500-54778-17

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	4.5		1.0	0.12	ug/L	1		8260B	Total/NA
Tetrachloroethene	51		1.0	0.17	ug/L	1		8260B	Total/NA
Trichloroethene - DL	200		5.0	1.9	ug/L	10		8260B	Total/NA

Client Sample ID: EW-3

Lab Sample ID: 500-54778-18

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	1.9		1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	44		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	1.5		1.0	0.17	ug/L	1		8260B	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Chicago

Detection Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: EW-4

Lab Sample ID: 500-54778-19

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Tetrachloroethene	17		2.0	0.34	ug/L	2		8260B	Total/NA
Trichloroethene - DL	890		10	3.8	ug/L	20		8260B	Total/NA

Client Sample ID: EW-5

Lab Sample ID: 500-54778-20

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	110		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	3.3		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: EW-6

Lab Sample ID: 500-54778-21

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	6.0		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	11		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: EW-7

Lab Sample ID: 500-54778-22

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	6.0		1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	4.4		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	10		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: EW-8

Lab Sample ID: 500-54778-23

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,1-Dichloroethane	0.85	J	1.0	0.19	ug/L	1		8260B	Total/NA
cis-1,2-Dichloroethene	25		1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	8.3		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	71		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: EW-9

Lab Sample ID: 500-54778-24

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	0.62		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	88		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: EW-9 Dup

Lab Sample ID: 500-54778-25

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	0.73		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	95		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: EW-10

Lab Sample ID: 500-54778-26

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Tetrachloroethene	0.60	J	1.0	0.17	ug/L	1		8260B	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Chicago

Method Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Method	Method Description	Protocol	Laboratory
8260B	VOC	SW846	TAL CHI

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CHI = TestAmerica Chicago, 2417 Bond Street, University Park, IL 60484, TEL (708)534-5200

5

13

Sample Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
500-54778-1	RFW-1A	Water	02/21/13 10:50	02/23/13 09:45
500-54778-2	RFW-1B	Water	02/21/13 17:10	02/23/13 09:45
500-54778-3	RFW-2A	Water	02/21/13 09:45	02/23/13 09:45
500-54778-4	RFW-2B	Water	02/21/13 09:55	02/23/13 09:45
500-54778-5	RFW-3B	Water	02/21/13 16:00	02/23/13 09:45
500-54778-6	RFW-4A	Water	02/22/13 08:15	02/23/13 09:45
500-54778-7	RFW-4A Dup	Water	02/22/13 08:15	02/23/13 09:45
500-54778-8	RFW-4B	Water	02/22/13 08:45	02/23/13 09:45
500-54778-9	RFW-6	Water	02/21/13 13:00	02/23/13 09:45
500-54778-10	RFW-7	Water	02/21/13 11:45	02/23/13 09:45
500-54778-11	RFW-9	Water	02/21/13 16:45	02/23/13 09:45
500-54778-12	RFW-11B	Water	02/22/13 11:00	02/23/13 09:45
500-54778-13	RFW-12B	Water	02/22/13 12:30	02/23/13 09:45
500-54778-14	RFW-13	Water	02/21/13 14:30	02/23/13 09:45
500-54778-15	RFW-17	Water	02/21/13 15:10	02/23/13 09:45
500-54778-16	Trip Blank	Water	02/21/13 07:00	02/23/13 09:45
500-54778-17	EW-2	Water	02/22/13 12:45	02/23/13 09:45
500-54778-18	EW-3	Water	02/22/13 09:50	02/23/13 09:45
500-54778-19	EW-4	Water	02/22/13 13:00	02/23/13 09:45
500-54778-20	EW-5	Water	02/21/13 10:00	02/23/13 09:45
500-54778-21	EW-6	Water	02/21/13 12:00	02/23/13 09:45
500-54778-22	EW-7	Water	02/21/13 11:50	02/23/13 09:45
500-54778-23	EW-8	Water	02/21/13 11:45	02/23/13 09:45
500-54778-24	EW-9	Water	02/21/13 11:40	02/23/13 09:45
500-54778-25	EW-9 Dup	Water	02/21/13 11:40	02/23/13 09:45
500-54778-26	EW-10	Water	02/21/13 11:30	02/23/13 09:45

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: RFW-1A

Lab Sample ID: 500-54778-1

Date Collected: 02/21/13 10:50

Matrix: Water

Date Received: 02/23/13 09:45

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			02/27/13 13:51	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			02/27/13 13:51	1
Chloromethane	<1.0		1.0	0.18	ug/L			02/27/13 13:51	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			02/27/13 13:51	1
Bromomethane	<1.0		1.0	0.31	ug/L			02/27/13 13:51	1
Chloroethane	<1.0		1.0	0.34	ug/L			02/27/13 13:51	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			02/27/13 13:51	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			02/27/13 13:51	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			02/27/13 13:51	1
Acetone	<5.0		5.0	1.3	ug/L			02/27/13 13:51	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			02/27/13 13:51	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			02/27/13 13:51	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			02/27/13 13:51	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			02/27/13 13:51	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			02/27/13 13:51	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			02/27/13 13:51	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			02/27/13 13:51	1
Chloroform	<1.0		1.0	0.20	ug/L			02/27/13 13:51	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			02/27/13 13:51	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			02/27/13 13:51	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			02/27/13 13:51	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			02/27/13 13:51	1
Trichloroethene	<0.50		0.50	0.19	ug/L			02/27/13 13:51	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			02/27/13 13:51	1
Dibromomethane	<1.0		1.0	0.33	ug/L			02/27/13 13:51	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			02/27/13 13:51	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			02/27/13 13:51	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			02/27/13 13:51	1
Toluene	<0.50		0.50	0.11	ug/L			02/27/13 13:51	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			02/27/13 13:51	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			02/27/13 13:51	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			02/27/13 13:51	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			02/27/13 13:51	1
2-Hexanone	<5.0		5.0	0.56	ug/L			02/27/13 13:51	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			02/27/13 13:51	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			02/27/13 13:51	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			02/27/13 13:51	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			02/27/13 13:51	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			02/27/13 13:51	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			02/27/13 13:51	1
o-Xylene	<0.50		0.50	0.068	ug/L			02/27/13 13:51	1
Styrene	<1.0		1.0	0.10	ug/L			02/27/13 13:51	1
Bromoform	<1.0		1.0	0.28	ug/L			02/27/13 13:51	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			02/27/13 13:51	1
Bromobenzene	<1.0		1.0	0.25	ug/L			02/27/13 13:51	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			02/27/13 13:51	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			02/27/13 13:51	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			02/27/13 13:51	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/27/13 13:51	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: RFW-1A

Lab Sample ID: 500-54778-1

Date Collected: 02/21/13 10:50

Matrix: Water

Date Received: 02/23/13 09:45

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			02/27/13 13:51	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			02/27/13 13:51	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			02/27/13 13:51	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			02/27/13 13:51	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			02/27/13 13:51	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/27/13 13:51	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			02/27/13 13:51	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/27/13 13:51	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			02/27/13 13:51	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			02/27/13 13:51	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			02/27/13 13:51	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			02/27/13 13:51	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			02/27/13 13:51	1
Naphthalene	<1.0		1.0	0.16	ug/L			02/27/13 13:51	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			02/27/13 13:51	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		75 - 125					02/27/13 13:51	1
Toluene-d8 (Surr)	104		75 - 120					02/27/13 13:51	1
4-Bromofluorobenzene (Surr)	101		75 - 120					02/27/13 13:51	1
Dibromofluoromethane	103		75 - 120					02/27/13 13:51	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: RFW-1B

Lab Sample ID: 500-54778-2

Date Collected: 02/21/13 17:10

Matrix: Water

Date Received: 02/23/13 09:45

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			02/27/13 14:18	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			02/27/13 14:18	1
Chloromethane	<1.0		1.0	0.18	ug/L			02/27/13 14:18	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			02/27/13 14:18	1
Bromomethane	<1.0		1.0	0.31	ug/L			02/27/13 14:18	1
Chloroethane	<1.0		1.0	0.34	ug/L			02/27/13 14:18	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			02/27/13 14:18	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			02/27/13 14:18	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			02/27/13 14:18	1
Acetone	<5.0		5.0	1.3	ug/L			02/27/13 14:18	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			02/27/13 14:18	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			02/27/13 14:18	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			02/27/13 14:18	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			02/27/13 14:18	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			02/27/13 14:18	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			02/27/13 14:18	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			02/27/13 14:18	1
Chloroform	<1.0		1.0	0.20	ug/L			02/27/13 14:18	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			02/27/13 14:18	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			02/27/13 14:18	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			02/27/13 14:18	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			02/27/13 14:18	1
Trichloroethene	<0.50		0.50	0.19	ug/L			02/27/13 14:18	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			02/27/13 14:18	1
Dibromomethane	<1.0		1.0	0.33	ug/L			02/27/13 14:18	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			02/27/13 14:18	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			02/27/13 14:18	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			02/27/13 14:18	1
Toluene	<0.50		0.50	0.11	ug/L			02/27/13 14:18	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			02/27/13 14:18	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			02/27/13 14:18	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			02/27/13 14:18	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			02/27/13 14:18	1
2-Hexanone	<5.0		5.0	0.56	ug/L			02/27/13 14:18	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			02/27/13 14:18	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			02/27/13 14:18	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			02/27/13 14:18	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			02/27/13 14:18	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			02/27/13 14:18	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			02/27/13 14:18	1
o-Xylene	<0.50		0.50	0.068	ug/L			02/27/13 14:18	1
Styrene	<1.0		1.0	0.10	ug/L			02/27/13 14:18	1
Bromoform	<1.0		1.0	0.28	ug/L			02/27/13 14:18	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			02/27/13 14:18	1
Bromobenzene	<1.0		1.0	0.25	ug/L			02/27/13 14:18	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			02/27/13 14:18	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			02/27/13 14:18	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			02/27/13 14:18	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/27/13 14:18	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: RFW-1B

Lab Sample ID: 500-54778-2

Date Collected: 02/21/13 17:10

Matrix: Water

Date Received: 02/23/13 09:45

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			02/27/13 14:18	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			02/27/13 14:18	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			02/27/13 14:18	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			02/27/13 14:18	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			02/27/13 14:18	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/27/13 14:18	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			02/27/13 14:18	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/27/13 14:18	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			02/27/13 14:18	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			02/27/13 14:18	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			02/27/13 14:18	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			02/27/13 14:18	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			02/27/13 14:18	1
Naphthalene	<1.0		1.0	0.16	ug/L			02/27/13 14:18	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			02/27/13 14:18	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	113		75 - 125		02/27/13 14:18	1
Toluene-d8 (Surr)	95		75 - 120		02/27/13 14:18	1
4-Bromofluorobenzene (Surr)	91		75 - 120		02/27/13 14:18	1
Dibromofluoromethane	113		75 - 120		02/27/13 14:18	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: RFW-2A

Lab Sample ID: 500-54778-3

Date Collected: 02/21/13 09:45

Matrix: Water

Date Received: 02/23/13 09:45

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			02/26/13 15:35	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			02/26/13 15:35	1
Chloromethane	<1.0		1.0	0.18	ug/L			02/26/13 15:35	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			02/26/13 15:35	1
Bromomethane	<1.0		1.0	0.31	ug/L			02/26/13 15:35	1
Chloroethane	<1.0		1.0	0.34	ug/L			02/26/13 15:35	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			02/26/13 15:35	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			02/26/13 15:35	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			02/26/13 15:35	1
Acetone	<5.0		5.0	1.3	ug/L			02/26/13 15:35	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			02/26/13 15:35	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			02/26/13 15:35	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			02/26/13 15:35	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			02/26/13 15:35	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			02/26/13 15:35	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			02/26/13 15:35	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			02/26/13 15:35	1
Chloroform	<1.0		1.0	0.20	ug/L			02/26/13 15:35	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			02/26/13 15:35	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			02/26/13 15:35	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			02/26/13 15:35	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			02/26/13 15:35	1
Trichloroethene	0.39	J	0.50	0.19	ug/L			02/26/13 15:35	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			02/26/13 15:35	1
Dibromomethane	<1.0		1.0	0.33	ug/L			02/26/13 15:35	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			02/26/13 15:35	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			02/26/13 15:35	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			02/26/13 15:35	1
Toluene	<0.50		0.50	0.11	ug/L			02/26/13 15:35	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			02/26/13 15:35	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			02/26/13 15:35	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			02/26/13 15:35	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			02/26/13 15:35	1
2-Hexanone	<5.0		5.0	0.56	ug/L			02/26/13 15:35	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			02/26/13 15:35	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			02/26/13 15:35	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			02/26/13 15:35	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			02/26/13 15:35	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			02/26/13 15:35	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			02/26/13 15:35	1
o-Xylene	<0.50		0.50	0.068	ug/L			02/26/13 15:35	1
Styrene	<1.0		1.0	0.10	ug/L			02/26/13 15:35	1
Bromoform	<1.0		1.0	0.28	ug/L			02/26/13 15:35	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			02/26/13 15:35	1
Bromobenzene	<1.0		1.0	0.25	ug/L			02/26/13 15:35	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			02/26/13 15:35	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			02/26/13 15:35	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			02/26/13 15:35	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/26/13 15:35	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: RFW-2A

Lab Sample ID: 500-54778-3

Date Collected: 02/21/13 09:45

Matrix: Water

Date Received: 02/23/13 09:45

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			02/26/13 15:35	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			02/26/13 15:35	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			02/26/13 15:35	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			02/26/13 15:35	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			02/26/13 15:35	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/26/13 15:35	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			02/26/13 15:35	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/26/13 15:35	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			02/26/13 15:35	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			02/26/13 15:35	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			02/26/13 15:35	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			02/26/13 15:35	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			02/26/13 15:35	1
Naphthalene	<1.0		1.0	0.16	ug/L			02/26/13 15:35	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			02/26/13 15:35	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	93		75 - 125					02/26/13 15:35	1
Toluene-d8 (Surr)	101		75 - 120					02/26/13 15:35	1
4-Bromofluorobenzene (Surr)	99		75 - 120					02/26/13 15:35	1
Dibromofluoromethane	96		75 - 120					02/26/13 15:35	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: RFW-2B

Lab Sample ID: 500-54778-4

Date Collected: 02/21/13 09:55

Matrix: Water

Date Received: 02/23/13 09:45

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			02/26/13 16:01	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			02/26/13 16:01	1
Chloromethane	<1.0		1.0	0.18	ug/L			02/26/13 16:01	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			02/26/13 16:01	1
Bromomethane	<1.0		1.0	0.31	ug/L			02/26/13 16:01	1
Chloroethane	<1.0		1.0	0.34	ug/L			02/26/13 16:01	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			02/26/13 16:01	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			02/26/13 16:01	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			02/26/13 16:01	1
Acetone	<5.0		5.0	1.3	ug/L			02/26/13 16:01	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			02/26/13 16:01	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			02/26/13 16:01	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			02/26/13 16:01	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			02/26/13 16:01	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			02/26/13 16:01	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			02/26/13 16:01	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			02/26/13 16:01	1
Chloroform	<1.0		1.0	0.20	ug/L			02/26/13 16:01	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			02/26/13 16:01	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			02/26/13 16:01	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			02/26/13 16:01	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			02/26/13 16:01	1
Trichloroethene	0.66		0.50	0.19	ug/L			02/26/13 16:01	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			02/26/13 16:01	1
Dibromomethane	<1.0		1.0	0.33	ug/L			02/26/13 16:01	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			02/26/13 16:01	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			02/26/13 16:01	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			02/26/13 16:01	1
Toluene	<0.50		0.50	0.11	ug/L			02/26/13 16:01	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			02/26/13 16:01	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			02/26/13 16:01	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			02/26/13 16:01	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			02/26/13 16:01	1
2-Hexanone	<5.0		5.0	0.56	ug/L			02/26/13 16:01	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			02/26/13 16:01	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			02/26/13 16:01	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			02/26/13 16:01	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			02/26/13 16:01	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			02/26/13 16:01	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			02/26/13 16:01	1
o-Xylene	<0.50		0.50	0.068	ug/L			02/26/13 16:01	1
Styrene	<1.0		1.0	0.10	ug/L			02/26/13 16:01	1
Bromoform	<1.0		1.0	0.28	ug/L			02/26/13 16:01	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			02/26/13 16:01	1
Bromobenzene	<1.0		1.0	0.25	ug/L			02/26/13 16:01	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			02/26/13 16:01	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			02/26/13 16:01	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			02/26/13 16:01	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/26/13 16:01	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: RFW-2B

Lab Sample ID: 500-54778-4

Date Collected: 02/21/13 09:55

Matrix: Water

Date Received: 02/23/13 09:45

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			02/26/13 16:01	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			02/26/13 16:01	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			02/26/13 16:01	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			02/26/13 16:01	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			02/26/13 16:01	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/26/13 16:01	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			02/26/13 16:01	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/26/13 16:01	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			02/26/13 16:01	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			02/26/13 16:01	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			02/26/13 16:01	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			02/26/13 16:01	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			02/26/13 16:01	1
Naphthalene	<1.0		1.0	0.16	ug/L			02/26/13 16:01	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			02/26/13 16:01	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	95		75 - 125		02/26/13 16:01	1
Toluene-d8 (Surr)	104		75 - 120		02/26/13 16:01	1
4-Bromofluorobenzene (Surr)	100		75 - 120		02/26/13 16:01	1
Dibromofluoromethane	100		75 - 120		02/26/13 16:01	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: RFW-3B

Lab Sample ID: 500-54778-5

Date Collected: 02/21/13 16:00

Matrix: Water

Date Received: 02/23/13 09:45

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			02/26/13 16:27	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			02/26/13 16:27	1
Chloromethane	<1.0		1.0	0.18	ug/L			02/26/13 16:27	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			02/26/13 16:27	1
Bromomethane	<1.0		1.0	0.31	ug/L			02/26/13 16:27	1
Chloroethane	<1.0		1.0	0.34	ug/L			02/26/13 16:27	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			02/26/13 16:27	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			02/26/13 16:27	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			02/26/13 16:27	1
Acetone	<5.0		5.0	1.3	ug/L			02/26/13 16:27	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			02/26/13 16:27	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			02/26/13 16:27	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			02/26/13 16:27	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			02/26/13 16:27	1
cis-1,2-Dichloroethene	1.9		1.0	0.12	ug/L			02/26/13 16:27	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			02/26/13 16:27	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			02/26/13 16:27	1
Chloroform	<1.0		1.0	0.20	ug/L			02/26/13 16:27	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			02/26/13 16:27	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			02/26/13 16:27	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			02/26/13 16:27	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			02/26/13 16:27	1
Trichloroethene	0.33	J	0.50	0.19	ug/L			02/26/13 16:27	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			02/26/13 16:27	1
Dibromomethane	<1.0		1.0	0.33	ug/L			02/26/13 16:27	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			02/26/13 16:27	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			02/26/13 16:27	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			02/26/13 16:27	1
Toluene	<0.50		0.50	0.11	ug/L			02/26/13 16:27	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			02/26/13 16:27	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			02/26/13 16:27	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			02/26/13 16:27	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			02/26/13 16:27	1
2-Hexanone	<5.0		5.0	0.56	ug/L			02/26/13 16:27	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			02/26/13 16:27	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			02/26/13 16:27	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			02/26/13 16:27	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			02/26/13 16:27	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			02/26/13 16:27	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			02/26/13 16:27	1
o-Xylene	<0.50		0.50	0.068	ug/L			02/26/13 16:27	1
Styrene	<1.0		1.0	0.10	ug/L			02/26/13 16:27	1
Bromoform	<1.0		1.0	0.28	ug/L			02/26/13 16:27	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			02/26/13 16:27	1
Bromobenzene	<1.0		1.0	0.25	ug/L			02/26/13 16:27	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			02/26/13 16:27	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			02/26/13 16:27	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			02/26/13 16:27	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/26/13 16:27	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: RFW-3B

Lab Sample ID: 500-54778-5

Date Collected: 02/21/13 16:00

Matrix: Water

Date Received: 02/23/13 09:45

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			02/26/13 16:27	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			02/26/13 16:27	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			02/26/13 16:27	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			02/26/13 16:27	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			02/26/13 16:27	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/26/13 16:27	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			02/26/13 16:27	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/26/13 16:27	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			02/26/13 16:27	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			02/26/13 16:27	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			02/26/13 16:27	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			02/26/13 16:27	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			02/26/13 16:27	1
Naphthalene	<1.0		1.0	0.16	ug/L			02/26/13 16:27	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			02/26/13 16:27	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		75 - 125		02/26/13 16:27	1
Toluene-d8 (Surr)	107		75 - 120		02/26/13 16:27	1
4-Bromofluorobenzene (Surr)	100		75 - 120		02/26/13 16:27	1
Dibromofluoromethane	102		75 - 120		02/26/13 16:27	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: RFW-4A

Lab Sample ID: 500-54778-6

Date Collected: 02/22/13 08:15

Matrix: Water

Date Received: 02/23/13 09:45

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			02/26/13 16:53	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			02/26/13 16:53	1
Chloromethane	<1.0		1.0	0.18	ug/L			02/26/13 16:53	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			02/26/13 16:53	1
Bromomethane	<1.0		1.0	0.31	ug/L			02/26/13 16:53	1
Chloroethane	<1.0		1.0	0.34	ug/L			02/26/13 16:53	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			02/26/13 16:53	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			02/26/13 16:53	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			02/26/13 16:53	1
Acetone	<5.0		5.0	1.3	ug/L			02/26/13 16:53	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			02/26/13 16:53	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			02/26/13 16:53	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			02/26/13 16:53	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			02/26/13 16:53	1
cis-1,2-Dichloroethene	0.84	J	1.0	0.12	ug/L			02/26/13 16:53	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			02/26/13 16:53	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			02/26/13 16:53	1
Chloroform	0.59	J	1.0	0.20	ug/L			02/26/13 16:53	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			02/26/13 16:53	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			02/26/13 16:53	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			02/26/13 16:53	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			02/26/13 16:53	1
Trichloroethene	26		0.50	0.19	ug/L			02/26/13 16:53	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			02/26/13 16:53	1
Dibromomethane	<1.0		1.0	0.33	ug/L			02/26/13 16:53	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			02/26/13 16:53	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			02/26/13 16:53	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			02/26/13 16:53	1
Toluene	<0.50		0.50	0.11	ug/L			02/26/13 16:53	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			02/26/13 16:53	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			02/26/13 16:53	1
Tetrachloroethene	19		1.0	0.17	ug/L			02/26/13 16:53	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			02/26/13 16:53	1
2-Hexanone	<5.0		5.0	0.56	ug/L			02/26/13 16:53	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			02/26/13 16:53	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			02/26/13 16:53	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			02/26/13 16:53	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			02/26/13 16:53	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			02/26/13 16:53	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			02/26/13 16:53	1
o-Xylene	<0.50		0.50	0.068	ug/L			02/26/13 16:53	1
Styrene	<1.0		1.0	0.10	ug/L			02/26/13 16:53	1
Bromoform	<1.0		1.0	0.28	ug/L			02/26/13 16:53	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			02/26/13 16:53	1
Bromobenzene	<1.0		1.0	0.25	ug/L			02/26/13 16:53	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			02/26/13 16:53	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			02/26/13 16:53	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			02/26/13 16:53	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/26/13 16:53	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: RFW-4A

Lab Sample ID: 500-54778-6

Date Collected: 02/22/13 08:15

Matrix: Water

Date Received: 02/23/13 09:45

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			02/26/13 16:53	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			02/26/13 16:53	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			02/26/13 16:53	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			02/26/13 16:53	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			02/26/13 16:53	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/26/13 16:53	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			02/26/13 16:53	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/26/13 16:53	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			02/26/13 16:53	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			02/26/13 16:53	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			02/26/13 16:53	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			02/26/13 16:53	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			02/26/13 16:53	1
Naphthalene	<1.0		1.0	0.16	ug/L			02/26/13 16:53	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			02/26/13 16:53	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	93		75 - 125		02/26/13 16:53	1
Toluene-d8 (Surr)	100		75 - 120		02/26/13 16:53	1
4-Bromofluorobenzene (Surr)	95		75 - 120		02/26/13 16:53	1
Dibromofluoromethane	94		75 - 120		02/26/13 16:53	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: RFW-4A Dup

Lab Sample ID: 500-54778-7

Date Collected: 02/22/13 08:15

Matrix: Water

Date Received: 02/23/13 09:45

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			02/26/13 17:19	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			02/26/13 17:19	1
Chloromethane	<1.0		1.0	0.18	ug/L			02/26/13 17:19	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			02/26/13 17:19	1
Bromomethane	<1.0		1.0	0.31	ug/L			02/26/13 17:19	1
Chloroethane	<1.0		1.0	0.34	ug/L			02/26/13 17:19	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			02/26/13 17:19	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			02/26/13 17:19	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			02/26/13 17:19	1
Acetone	<5.0		5.0	1.3	ug/L			02/26/13 17:19	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			02/26/13 17:19	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			02/26/13 17:19	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			02/26/13 17:19	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			02/26/13 17:19	1
cis-1,2-Dichloroethene	0.78	J	1.0	0.12	ug/L			02/26/13 17:19	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			02/26/13 17:19	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			02/26/13 17:19	1
Chloroform	0.63	J	1.0	0.20	ug/L			02/26/13 17:19	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			02/26/13 17:19	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			02/26/13 17:19	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			02/26/13 17:19	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			02/26/13 17:19	1
Trichloroethene	26		0.50	0.19	ug/L			02/26/13 17:19	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			02/26/13 17:19	1
Dibromomethane	<1.0		1.0	0.33	ug/L			02/26/13 17:19	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			02/26/13 17:19	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			02/26/13 17:19	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			02/26/13 17:19	1
Toluene	<0.50		0.50	0.11	ug/L			02/26/13 17:19	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			02/26/13 17:19	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			02/26/13 17:19	1
Tetrachloroethene	18		1.0	0.17	ug/L			02/26/13 17:19	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			02/26/13 17:19	1
2-Hexanone	<5.0		5.0	0.56	ug/L			02/26/13 17:19	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			02/26/13 17:19	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			02/26/13 17:19	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			02/26/13 17:19	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			02/26/13 17:19	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			02/26/13 17:19	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			02/26/13 17:19	1
o-Xylene	<0.50		0.50	0.068	ug/L			02/26/13 17:19	1
Styrene	<1.0		1.0	0.10	ug/L			02/26/13 17:19	1
Bromoform	<1.0		1.0	0.28	ug/L			02/26/13 17:19	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			02/26/13 17:19	1
Bromobenzene	<1.0		1.0	0.25	ug/L			02/26/13 17:19	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			02/26/13 17:19	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			02/26/13 17:19	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			02/26/13 17:19	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/26/13 17:19	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: RFW-4A Dup

Lab Sample ID: 500-54778-7

Date Collected: 02/22/13 08:15

Matrix: Water

Date Received: 02/23/13 09:45

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			02/26/13 17:19	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			02/26/13 17:19	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			02/26/13 17:19	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			02/26/13 17:19	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			02/26/13 17:19	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/26/13 17:19	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			02/26/13 17:19	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/26/13 17:19	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			02/26/13 17:19	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			02/26/13 17:19	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			02/26/13 17:19	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			02/26/13 17:19	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			02/26/13 17:19	1
Naphthalene	<1.0		1.0	0.16	ug/L			02/26/13 17:19	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			02/26/13 17:19	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	91		75 - 125		02/26/13 17:19	1
Toluene-d8 (Surr)	99		75 - 120		02/26/13 17:19	1
4-Bromofluorobenzene (Surr)	94		75 - 120		02/26/13 17:19	1
Dibromofluoromethane	93		75 - 120		02/26/13 17:19	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: RFW-4B

Lab Sample ID: 500-54778-8

Date Collected: 02/22/13 08:45

Matrix: Water

Date Received: 02/23/13 09:45

Method: 8260B - VOC									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			02/26/13 17:45	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			02/26/13 17:45	1
Chloromethane	<1.0		1.0	0.18	ug/L			02/26/13 17:45	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			02/26/13 17:45	1
Bromomethane	<1.0		1.0	0.31	ug/L			02/26/13 17:45	1
Chloroethane	<1.0		1.0	0.34	ug/L			02/26/13 17:45	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			02/26/13 17:45	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			02/26/13 17:45	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			02/26/13 17:45	1
Acetone	<5.0		5.0	1.3	ug/L			02/26/13 17:45	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			02/26/13 17:45	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			02/26/13 17:45	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			02/26/13 17:45	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			02/26/13 17:45	1
cis-1,2-Dichloroethene	4.1		1.0	0.12	ug/L			02/26/13 17:45	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			02/26/13 17:45	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			02/26/13 17:45	1
Chloroform	<1.0		1.0	0.20	ug/L			02/26/13 17:45	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			02/26/13 17:45	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			02/26/13 17:45	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			02/26/13 17:45	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			02/26/13 17:45	1
Trichloroethene	12		0.50	0.19	ug/L			02/26/13 17:45	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			02/26/13 17:45	1
Dibromomethane	<1.0		1.0	0.33	ug/L			02/26/13 17:45	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			02/26/13 17:45	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			02/26/13 17:45	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			02/26/13 17:45	1
Toluene	<0.50		0.50	0.11	ug/L			02/26/13 17:45	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			02/26/13 17:45	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			02/26/13 17:45	1
Tetrachloroethene	32		1.0	0.17	ug/L			02/26/13 17:45	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			02/26/13 17:45	1
2-Hexanone	<5.0		5.0	0.56	ug/L			02/26/13 17:45	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			02/26/13 17:45	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			02/26/13 17:45	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			02/26/13 17:45	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			02/26/13 17:45	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			02/26/13 17:45	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			02/26/13 17:45	1
o-Xylene	<0.50		0.50	0.068	ug/L			02/26/13 17:45	1
Styrene	<1.0		1.0	0.10	ug/L			02/26/13 17:45	1
Bromoform	<1.0		1.0	0.28	ug/L			02/26/13 17:45	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			02/26/13 17:45	1
Bromobenzene	<1.0		1.0	0.25	ug/L			02/26/13 17:45	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			02/26/13 17:45	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			02/26/13 17:45	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			02/26/13 17:45	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/26/13 17:45	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: RFW-4B

Lab Sample ID: 500-54778-8

Date Collected: 02/22/13 08:45

Matrix: Water

Date Received: 02/23/13 09:45

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			02/26/13 17:45	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			02/26/13 17:45	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			02/26/13 17:45	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			02/26/13 17:45	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			02/26/13 17:45	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/26/13 17:45	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			02/26/13 17:45	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/26/13 17:45	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			02/26/13 17:45	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			02/26/13 17:45	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			02/26/13 17:45	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			02/26/13 17:45	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			02/26/13 17:45	1
Naphthalene	<1.0		1.0	0.16	ug/L			02/26/13 17:45	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			02/26/13 17:45	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		75 - 125		02/26/13 17:45	1
Toluene-d8 (Surr)	105		75 - 120		02/26/13 17:45	1
4-Bromofluorobenzene (Surr)	99		75 - 120		02/26/13 17:45	1
Dibromofluoromethane	100		75 - 120		02/26/13 17:45	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: RFW-6

Lab Sample ID: 500-54778-9

Date Collected: 02/21/13 13:00

Matrix: Water

Date Received: 02/23/13 09:45

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			02/26/13 18:11	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			02/26/13 18:11	1
Chloromethane	<1.0		1.0	0.18	ug/L			02/26/13 18:11	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			02/26/13 18:11	1
Bromomethane	<1.0		1.0	0.31	ug/L			02/26/13 18:11	1
Chloroethane	<1.0		1.0	0.34	ug/L			02/26/13 18:11	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			02/26/13 18:11	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			02/26/13 18:11	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			02/26/13 18:11	1
Acetone	<5.0		5.0	1.3	ug/L			02/26/13 18:11	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			02/26/13 18:11	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			02/26/13 18:11	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			02/26/13 18:11	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			02/26/13 18:11	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			02/26/13 18:11	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			02/26/13 18:11	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			02/26/13 18:11	1
Chloroform	<1.0		1.0	0.20	ug/L			02/26/13 18:11	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			02/26/13 18:11	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			02/26/13 18:11	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			02/26/13 18:11	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			02/26/13 18:11	1
Trichloroethene	0.68		0.50	0.19	ug/L			02/26/13 18:11	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			02/26/13 18:11	1
Dibromomethane	<1.0		1.0	0.33	ug/L			02/26/13 18:11	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			02/26/13 18:11	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			02/26/13 18:11	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			02/26/13 18:11	1
Toluene	<0.50		0.50	0.11	ug/L			02/26/13 18:11	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			02/26/13 18:11	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			02/26/13 18:11	1
Tetrachloroethene	1.1		1.0	0.17	ug/L			02/26/13 18:11	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			02/26/13 18:11	1
2-Hexanone	<5.0		5.0	0.56	ug/L			02/26/13 18:11	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			02/26/13 18:11	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			02/26/13 18:11	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			02/26/13 18:11	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			02/26/13 18:11	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			02/26/13 18:11	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			02/26/13 18:11	1
o-Xylene	<0.50		0.50	0.068	ug/L			02/26/13 18:11	1
Styrene	<1.0		1.0	0.10	ug/L			02/26/13 18:11	1
Bromoform	<1.0		1.0	0.28	ug/L			02/26/13 18:11	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			02/26/13 18:11	1
Bromobenzene	<1.0		1.0	0.25	ug/L			02/26/13 18:11	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			02/26/13 18:11	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			02/26/13 18:11	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			02/26/13 18:11	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/26/13 18:11	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: RFW-6

Lab Sample ID: 500-54778-9

Date Collected: 02/21/13 13:00

Matrix: Water

Date Received: 02/23/13 09:45

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			02/26/13 18:11	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			02/26/13 18:11	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			02/26/13 18:11	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			02/26/13 18:11	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			02/26/13 18:11	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/26/13 18:11	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			02/26/13 18:11	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/26/13 18:11	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			02/26/13 18:11	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			02/26/13 18:11	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			02/26/13 18:11	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			02/26/13 18:11	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			02/26/13 18:11	1
Naphthalene	<1.0		1.0	0.16	ug/L			02/26/13 18:11	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			02/26/13 18:11	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	93		75 - 125		02/26/13 18:11	1
Toluene-d8 (Surr)	101		75 - 120		02/26/13 18:11	1
4-Bromofluorobenzene (Surr)	96		75 - 120		02/26/13 18:11	1
Dibromofluoromethane	96		75 - 120		02/26/13 18:11	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: RFW-7

Lab Sample ID: 500-54778-10

Date Collected: 02/21/13 11:45

Matrix: Water

Date Received: 02/23/13 09:45

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			02/27/13 14:44	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			02/27/13 14:44	1
Chloromethane	<1.0		1.0	0.18	ug/L			02/27/13 14:44	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			02/27/13 14:44	1
Bromomethane	<1.0		1.0	0.31	ug/L			02/27/13 14:44	1
Chloroethane	<1.0		1.0	0.34	ug/L			02/27/13 14:44	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			02/27/13 14:44	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			02/27/13 14:44	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			02/27/13 14:44	1
Acetone	<5.0		5.0	1.3	ug/L			02/27/13 14:44	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			02/27/13 14:44	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			02/27/13 14:44	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			02/27/13 14:44	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			02/27/13 14:44	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			02/27/13 14:44	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			02/27/13 14:44	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			02/27/13 14:44	1
Chloroform	<1.0		1.0	0.20	ug/L			02/27/13 14:44	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			02/27/13 14:44	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			02/27/13 14:44	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			02/27/13 14:44	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			02/27/13 14:44	1
Trichloroethene	1.9		0.50	0.19	ug/L			02/27/13 14:44	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			02/27/13 14:44	1
Dibromomethane	<1.0		1.0	0.33	ug/L			02/27/13 14:44	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			02/27/13 14:44	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			02/27/13 14:44	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			02/27/13 14:44	1
Toluene	<0.50		0.50	0.11	ug/L			02/27/13 14:44	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			02/27/13 14:44	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			02/27/13 14:44	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			02/27/13 14:44	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			02/27/13 14:44	1
2-Hexanone	<5.0		5.0	0.56	ug/L			02/27/13 14:44	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			02/27/13 14:44	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			02/27/13 14:44	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			02/27/13 14:44	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			02/27/13 14:44	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			02/27/13 14:44	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			02/27/13 14:44	1
o-Xylene	<0.50		0.50	0.068	ug/L			02/27/13 14:44	1
Styrene	<1.0		1.0	0.10	ug/L			02/27/13 14:44	1
Bromoform	<1.0		1.0	0.28	ug/L			02/27/13 14:44	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			02/27/13 14:44	1
Bromobenzene	<1.0		1.0	0.25	ug/L			02/27/13 14:44	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			02/27/13 14:44	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			02/27/13 14:44	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			02/27/13 14:44	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/27/13 14:44	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: RFW-7

Lab Sample ID: 500-54778-10

Date Collected: 02/21/13 11:45

Matrix: Water

Date Received: 02/23/13 09:45

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			02/27/13 14:44	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			02/27/13 14:44	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			02/27/13 14:44	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			02/27/13 14:44	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			02/27/13 14:44	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/27/13 14:44	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			02/27/13 14:44	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/27/13 14:44	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			02/27/13 14:44	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			02/27/13 14:44	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			02/27/13 14:44	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			02/27/13 14:44	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			02/27/13 14:44	1
Naphthalene	<1.0		1.0	0.16	ug/L			02/27/13 14:44	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			02/27/13 14:44	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		75 - 125		02/27/13 14:44	1
Toluene-d8 (Surr)	97		75 - 120		02/27/13 14:44	1
4-Bromofluorobenzene (Surr)	96		75 - 120		02/27/13 14:44	1
Dibromofluoromethane	94		75 - 120		02/27/13 14:44	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: RFW-9

Lab Sample ID: 500-54778-11

Date Collected: 02/21/13 16:45

Matrix: Water

Date Received: 02/23/13 09:45

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			02/27/13 15:10	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			02/27/13 15:10	1
Chloromethane	<1.0		1.0	0.18	ug/L			02/27/13 15:10	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			02/27/13 15:10	1
Bromomethane	<1.0		1.0	0.31	ug/L			02/27/13 15:10	1
Chloroethane	<1.0		1.0	0.34	ug/L			02/27/13 15:10	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			02/27/13 15:10	1
1,1-Dichloroethene	0.80	J	1.0	0.31	ug/L			02/27/13 15:10	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			02/27/13 15:10	1
Acetone	<5.0		5.0	1.3	ug/L			02/27/13 15:10	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			02/27/13 15:10	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			02/27/13 15:10	1
1,1-Dichloroethane	0.59	J	1.0	0.19	ug/L			02/27/13 15:10	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			02/27/13 15:10	1
cis-1,2-Dichloroethene	11		1.0	0.12	ug/L			02/27/13 15:10	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			02/27/13 15:10	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			02/27/13 15:10	1
Chloroform	<1.0		1.0	0.20	ug/L			02/27/13 15:10	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			02/27/13 15:10	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			02/27/13 15:10	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			02/27/13 15:10	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			02/27/13 15:10	1
Trichloroethene	8.3		0.50	0.19	ug/L			02/27/13 15:10	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			02/27/13 15:10	1
Dibromomethane	<1.0		1.0	0.33	ug/L			02/27/13 15:10	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			02/27/13 15:10	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			02/27/13 15:10	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			02/27/13 15:10	1
Toluene	<0.50		0.50	0.11	ug/L			02/27/13 15:10	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			02/27/13 15:10	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			02/27/13 15:10	1
Tetrachloroethene	4.2		1.0	0.17	ug/L			02/27/13 15:10	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			02/27/13 15:10	1
2-Hexanone	<5.0		5.0	0.56	ug/L			02/27/13 15:10	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			02/27/13 15:10	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			02/27/13 15:10	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			02/27/13 15:10	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			02/27/13 15:10	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			02/27/13 15:10	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			02/27/13 15:10	1
o-Xylene	<0.50		0.50	0.068	ug/L			02/27/13 15:10	1
Styrene	<1.0		1.0	0.10	ug/L			02/27/13 15:10	1
Bromoform	<1.0		1.0	0.28	ug/L			02/27/13 15:10	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			02/27/13 15:10	1
Bromobenzene	<1.0		1.0	0.25	ug/L			02/27/13 15:10	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			02/27/13 15:10	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			02/27/13 15:10	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			02/27/13 15:10	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/27/13 15:10	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: RFW-9

Lab Sample ID: 500-54778-11

Date Collected: 02/21/13 16:45

Matrix: Water

Date Received: 02/23/13 09:45

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			02/27/13 15:10	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			02/27/13 15:10	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			02/27/13 15:10	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			02/27/13 15:10	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			02/27/13 15:10	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/27/13 15:10	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			02/27/13 15:10	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/27/13 15:10	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			02/27/13 15:10	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			02/27/13 15:10	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			02/27/13 15:10	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			02/27/13 15:10	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			02/27/13 15:10	1
Naphthalene	<1.0		1.0	0.16	ug/L			02/27/13 15:10	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			02/27/13 15:10	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		75 - 125		02/27/13 15:10	1
Toluene-d8 (Surr)	103		75 - 120		02/27/13 15:10	1
4-Bromofluorobenzene (Surr)	100		75 - 120		02/27/13 15:10	1
Dibromofluoromethane	99		75 - 120		02/27/13 15:10	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: RFW-11B

Lab Sample ID: 500-54778-12

Date Collected: 02/22/13 11:00

Matrix: Water

Date Received: 02/23/13 09:45

Method: 8260B - VOC									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			02/27/13 15:37	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			02/27/13 15:37	1
Chloromethane	<1.0		1.0	0.18	ug/L			02/27/13 15:37	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			02/27/13 15:37	1
Bromomethane	<1.0		1.0	0.31	ug/L			02/27/13 15:37	1
Chloroethane	<1.0		1.0	0.34	ug/L			02/27/13 15:37	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			02/27/13 15:37	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			02/27/13 15:37	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			02/27/13 15:37	1
Acetone	<5.0		5.0	1.3	ug/L			02/27/13 15:37	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			02/27/13 15:37	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			02/27/13 15:37	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			02/27/13 15:37	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			02/27/13 15:37	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			02/27/13 15:37	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			02/27/13 15:37	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			02/27/13 15:37	1
Chloroform	<1.0		1.0	0.20	ug/L			02/27/13 15:37	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			02/27/13 15:37	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			02/27/13 15:37	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			02/27/13 15:37	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			02/27/13 15:37	1
Trichloroethene	2.4		0.50	0.19	ug/L			02/27/13 15:37	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			02/27/13 15:37	1
Dibromomethane	<1.0		1.0	0.33	ug/L			02/27/13 15:37	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			02/27/13 15:37	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			02/27/13 15:37	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			02/27/13 15:37	1
Toluene	<0.50		0.50	0.11	ug/L			02/27/13 15:37	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			02/27/13 15:37	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			02/27/13 15:37	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			02/27/13 15:37	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			02/27/13 15:37	1
2-Hexanone	<5.0		5.0	0.56	ug/L			02/27/13 15:37	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			02/27/13 15:37	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			02/27/13 15:37	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			02/27/13 15:37	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			02/27/13 15:37	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			02/27/13 15:37	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			02/27/13 15:37	1
o-Xylene	<0.50		0.50	0.068	ug/L			02/27/13 15:37	1
Styrene	<1.0		1.0	0.10	ug/L			02/27/13 15:37	1
Bromoform	<1.0		1.0	0.28	ug/L			02/27/13 15:37	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			02/27/13 15:37	1
Bromobenzene	<1.0		1.0	0.25	ug/L			02/27/13 15:37	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			02/27/13 15:37	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			02/27/13 15:37	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			02/27/13 15:37	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/27/13 15:37	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: RFW-11B

Lab Sample ID: 500-54778-12

Date Collected: 02/22/13 11:00

Matrix: Water

Date Received: 02/23/13 09:45

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			02/27/13 15:37	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			02/27/13 15:37	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			02/27/13 15:37	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			02/27/13 15:37	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			02/27/13 15:37	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/27/13 15:37	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			02/27/13 15:37	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/27/13 15:37	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			02/27/13 15:37	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			02/27/13 15:37	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			02/27/13 15:37	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			02/27/13 15:37	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			02/27/13 15:37	1
Naphthalene	<1.0		1.0	0.16	ug/L			02/27/13 15:37	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			02/27/13 15:37	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		75 - 125		02/27/13 15:37	1
Toluene-d8 (Surr)	106		75 - 120		02/27/13 15:37	1
4-Bromofluorobenzene (Surr)	103		75 - 120		02/27/13 15:37	1
Dibromofluoromethane	102		75 - 120		02/27/13 15:37	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: RFW-12B

Lab Sample ID: 500-54778-13

Date Collected: 02/22/13 12:30

Matrix: Water

Date Received: 02/23/13 09:45

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			02/27/13 16:03	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			02/27/13 16:03	1
Chloromethane	<1.0		1.0	0.18	ug/L			02/27/13 16:03	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			02/27/13 16:03	1
Bromomethane	<1.0		1.0	0.31	ug/L			02/27/13 16:03	1
Chloroethane	<1.0		1.0	0.34	ug/L			02/27/13 16:03	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			02/27/13 16:03	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			02/27/13 16:03	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			02/27/13 16:03	1
Acetone	<5.0		5.0	1.3	ug/L			02/27/13 16:03	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			02/27/13 16:03	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			02/27/13 16:03	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			02/27/13 16:03	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			02/27/13 16:03	1
cis-1,2-Dichloroethene	1.8		1.0	0.12	ug/L			02/27/13 16:03	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			02/27/13 16:03	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			02/27/13 16:03	1
Chloroform	<1.0		1.0	0.20	ug/L			02/27/13 16:03	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			02/27/13 16:03	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			02/27/13 16:03	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			02/27/13 16:03	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			02/27/13 16:03	1
Trichloroethene	76		0.50	0.19	ug/L			02/27/13 16:03	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			02/27/13 16:03	1
Dibromomethane	<1.0		1.0	0.33	ug/L			02/27/13 16:03	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			02/27/13 16:03	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			02/27/13 16:03	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			02/27/13 16:03	1
Toluene	<0.50		0.50	0.11	ug/L			02/27/13 16:03	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			02/27/13 16:03	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			02/27/13 16:03	1
Tetrachloroethene	5.3		1.0	0.17	ug/L			02/27/13 16:03	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			02/27/13 16:03	1
2-Hexanone	<5.0		5.0	0.56	ug/L			02/27/13 16:03	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			02/27/13 16:03	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			02/27/13 16:03	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			02/27/13 16:03	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			02/27/13 16:03	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			02/27/13 16:03	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			02/27/13 16:03	1
o-Xylene	<0.50		0.50	0.068	ug/L			02/27/13 16:03	1
Styrene	<1.0		1.0	0.10	ug/L			02/27/13 16:03	1
Bromoform	<1.0		1.0	0.28	ug/L			02/27/13 16:03	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			02/27/13 16:03	1
Bromobenzene	<1.0		1.0	0.25	ug/L			02/27/13 16:03	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			02/27/13 16:03	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			02/27/13 16:03	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			02/27/13 16:03	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/27/13 16:03	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: RFW-12B

Lab Sample ID: 500-54778-13

Date Collected: 02/22/13 12:30

Matrix: Water

Date Received: 02/23/13 09:45

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			02/27/13 16:03	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			02/27/13 16:03	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			02/27/13 16:03	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			02/27/13 16:03	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			02/27/13 16:03	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/27/13 16:03	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			02/27/13 16:03	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/27/13 16:03	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			02/27/13 16:03	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			02/27/13 16:03	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			02/27/13 16:03	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			02/27/13 16:03	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			02/27/13 16:03	1
Naphthalene	<1.0		1.0	0.16	ug/L			02/27/13 16:03	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			02/27/13 16:03	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		75 - 125		02/27/13 16:03	1
Toluene-d8 (Surr)	103		75 - 120		02/27/13 16:03	1
4-Bromofluorobenzene (Surr)	98		75 - 120		02/27/13 16:03	1
Dibromofluoromethane	97		75 - 120		02/27/13 16:03	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: RFW-13

Lab Sample ID: 500-54778-14

Date Collected: 02/21/13 14:30

Matrix: Water

Date Received: 02/23/13 09:45

Method: 8260B - VOC									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			02/27/13 16:29	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			02/27/13 16:29	1
Chloromethane	<1.0		1.0	0.18	ug/L			02/27/13 16:29	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			02/27/13 16:29	1
Bromomethane	<1.0		1.0	0.31	ug/L			02/27/13 16:29	1
Chloroethane	<1.0		1.0	0.34	ug/L			02/27/13 16:29	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			02/27/13 16:29	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			02/27/13 16:29	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			02/27/13 16:29	1
Acetone	<5.0		5.0	1.3	ug/L			02/27/13 16:29	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			02/27/13 16:29	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			02/27/13 16:29	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			02/27/13 16:29	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			02/27/13 16:29	1
cis-1,2-Dichloroethene	0.82	J	1.0	0.12	ug/L			02/27/13 16:29	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			02/27/13 16:29	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			02/27/13 16:29	1
Chloroform	<1.0		1.0	0.20	ug/L			02/27/13 16:29	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			02/27/13 16:29	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			02/27/13 16:29	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			02/27/13 16:29	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			02/27/13 16:29	1
Trichloroethene	2.6		0.50	0.19	ug/L			02/27/13 16:29	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			02/27/13 16:29	1
Dibromomethane	<1.0		1.0	0.33	ug/L			02/27/13 16:29	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			02/27/13 16:29	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			02/27/13 16:29	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			02/27/13 16:29	1
Toluene	<0.50		0.50	0.11	ug/L			02/27/13 16:29	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			02/27/13 16:29	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			02/27/13 16:29	1
Tetrachloroethene	15		1.0	0.17	ug/L			02/27/13 16:29	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			02/27/13 16:29	1
2-Hexanone	<5.0		5.0	0.56	ug/L			02/27/13 16:29	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			02/27/13 16:29	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			02/27/13 16:29	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			02/27/13 16:29	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			02/27/13 16:29	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			02/27/13 16:29	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			02/27/13 16:29	1
o-Xylene	<0.50		0.50	0.068	ug/L			02/27/13 16:29	1
Styrene	<1.0		1.0	0.10	ug/L			02/27/13 16:29	1
Bromoform	<1.0		1.0	0.28	ug/L			02/27/13 16:29	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			02/27/13 16:29	1
Bromobenzene	<1.0		1.0	0.25	ug/L			02/27/13 16:29	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			02/27/13 16:29	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			02/27/13 16:29	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			02/27/13 16:29	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/27/13 16:29	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: RFW-13

Lab Sample ID: 500-54778-14

Date Collected: 02/21/13 14:30

Matrix: Water

Date Received: 02/23/13 09:45

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			02/27/13 16:29	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			02/27/13 16:29	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			02/27/13 16:29	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			02/27/13 16:29	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			02/27/13 16:29	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/27/13 16:29	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			02/27/13 16:29	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/27/13 16:29	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			02/27/13 16:29	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			02/27/13 16:29	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			02/27/13 16:29	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			02/27/13 16:29	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			02/27/13 16:29	1
Naphthalene	<1.0		1.0	0.16	ug/L			02/27/13 16:29	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			02/27/13 16:29	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		75 - 125		02/27/13 16:29	1
Toluene-d8 (Surr)	106		75 - 120		02/27/13 16:29	1
4-Bromofluorobenzene (Surr)	104		75 - 120		02/27/13 16:29	1
Dibromofluoromethane	102		75 - 120		02/27/13 16:29	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: RFW-17

Lab Sample ID: 500-54778-15

Date Collected: 02/21/13 15:10

Matrix: Water

Date Received: 02/23/13 09:45

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			02/27/13 16:55	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			02/27/13 16:55	1
Chloromethane	<1.0		1.0	0.18	ug/L			02/27/13 16:55	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			02/27/13 16:55	1
Bromomethane	<1.0		1.0	0.31	ug/L			02/27/13 16:55	1
Chloroethane	<1.0		1.0	0.34	ug/L			02/27/13 16:55	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			02/27/13 16:55	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			02/27/13 16:55	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			02/27/13 16:55	1
Acetone	<5.0		5.0	1.3	ug/L			02/27/13 16:55	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			02/27/13 16:55	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			02/27/13 16:55	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			02/27/13 16:55	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			02/27/13 16:55	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			02/27/13 16:55	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			02/27/13 16:55	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			02/27/13 16:55	1
Chloroform	<1.0		1.0	0.20	ug/L			02/27/13 16:55	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			02/27/13 16:55	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			02/27/13 16:55	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			02/27/13 16:55	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			02/27/13 16:55	1
Trichloroethene	<0.50		0.50	0.19	ug/L			02/27/13 16:55	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			02/27/13 16:55	1
Dibromomethane	<1.0		1.0	0.33	ug/L			02/27/13 16:55	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			02/27/13 16:55	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			02/27/13 16:55	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			02/27/13 16:55	1
Toluene	<0.50		0.50	0.11	ug/L			02/27/13 16:55	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			02/27/13 16:55	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			02/27/13 16:55	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			02/27/13 16:55	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			02/27/13 16:55	1
2-Hexanone	<5.0		5.0	0.56	ug/L			02/27/13 16:55	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			02/27/13 16:55	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			02/27/13 16:55	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			02/27/13 16:55	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			02/27/13 16:55	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			02/27/13 16:55	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			02/27/13 16:55	1
o-Xylene	<0.50		0.50	0.068	ug/L			02/27/13 16:55	1
Styrene	<1.0		1.0	0.10	ug/L			02/27/13 16:55	1
Bromoform	<1.0		1.0	0.28	ug/L			02/27/13 16:55	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			02/27/13 16:55	1
Bromobenzene	<1.0		1.0	0.25	ug/L			02/27/13 16:55	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			02/27/13 16:55	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			02/27/13 16:55	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			02/27/13 16:55	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/27/13 16:55	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: RFW-17

Lab Sample ID: 500-54778-15

Date Collected: 02/21/13 15:10

Matrix: Water

Date Received: 02/23/13 09:45

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			02/27/13 16:55	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			02/27/13 16:55	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			02/27/13 16:55	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			02/27/13 16:55	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			02/27/13 16:55	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/27/13 16:55	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			02/27/13 16:55	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/27/13 16:55	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			02/27/13 16:55	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			02/27/13 16:55	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			02/27/13 16:55	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			02/27/13 16:55	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			02/27/13 16:55	1
Naphthalene	<1.0		1.0	0.16	ug/L			02/27/13 16:55	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			02/27/13 16:55	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	93		75 - 125		02/27/13 16:55	1
Toluene-d8 (Surr)	94		75 - 120		02/27/13 16:55	1
4-Bromofluorobenzene (Surr)	91		75 - 120		02/27/13 16:55	1
Dibromofluoromethane	90		75 - 120		02/27/13 16:55	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: Trip Blank

Lab Sample ID: 500-54778-16

Date Collected: 02/21/13 07:00

Matrix: Water

Date Received: 02/23/13 09:45

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			02/27/13 12:04	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			02/27/13 12:04	1
Chloromethane	<1.0		1.0	0.18	ug/L			02/27/13 12:04	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			02/27/13 12:04	1
Bromomethane	<1.0		1.0	0.31	ug/L			02/27/13 12:04	1
Chloroethane	<1.0		1.0	0.34	ug/L			02/27/13 12:04	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			02/27/13 12:04	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			02/27/13 12:04	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			02/27/13 12:04	1
Acetone	<5.0		5.0	1.3	ug/L			02/27/13 12:04	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			02/27/13 12:04	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			02/27/13 12:04	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			02/27/13 12:04	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			02/27/13 12:04	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			02/27/13 12:04	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			02/27/13 12:04	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			02/27/13 12:04	1
Chloroform	<1.0		1.0	0.20	ug/L			02/27/13 12:04	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			02/27/13 12:04	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			02/27/13 12:04	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			02/27/13 12:04	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			02/27/13 12:04	1
Trichloroethene	<0.50		0.50	0.19	ug/L			02/27/13 12:04	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			02/27/13 12:04	1
Dibromomethane	<1.0		1.0	0.33	ug/L			02/27/13 12:04	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			02/27/13 12:04	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			02/27/13 12:04	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			02/27/13 12:04	1
Toluene	<0.50		0.50	0.11	ug/L			02/27/13 12:04	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			02/27/13 12:04	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			02/27/13 12:04	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			02/27/13 12:04	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			02/27/13 12:04	1
2-Hexanone	<5.0		5.0	0.56	ug/L			02/27/13 12:04	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			02/27/13 12:04	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			02/27/13 12:04	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			02/27/13 12:04	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			02/27/13 12:04	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			02/27/13 12:04	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			02/27/13 12:04	1
o-Xylene	<0.50		0.50	0.068	ug/L			02/27/13 12:04	1
Styrene	<1.0		1.0	0.10	ug/L			02/27/13 12:04	1
Bromoform	<1.0		1.0	0.28	ug/L			02/27/13 12:04	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			02/27/13 12:04	1
Bromobenzene	<1.0		1.0	0.25	ug/L			02/27/13 12:04	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			02/27/13 12:04	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			02/27/13 12:04	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			02/27/13 12:04	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/27/13 12:04	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: Trip Blank

Lab Sample ID: 500-54778-16

Date Collected: 02/21/13 07:00

Matrix: Water

Date Received: 02/23/13 09:45

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			02/27/13 12:04	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			02/27/13 12:04	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			02/27/13 12:04	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			02/27/13 12:04	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			02/27/13 12:04	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/27/13 12:04	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			02/27/13 12:04	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/27/13 12:04	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			02/27/13 12:04	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			02/27/13 12:04	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			02/27/13 12:04	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			02/27/13 12:04	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			02/27/13 12:04	1
Naphthalene	<1.0		1.0	0.16	ug/L			02/27/13 12:04	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			02/27/13 12:04	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		75 - 125		02/27/13 12:04	1
Toluene-d8 (Surr)	108		75 - 120		02/27/13 12:04	1
4-Bromofluorobenzene (Surr)	102		75 - 120		02/27/13 12:04	1
Dibromofluoromethane	100		75 - 120		02/27/13 12:04	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: EW-2

Lab Sample ID: 500-54778-17

Date Collected: 02/22/13 12:45

Matrix: Water

Date Received: 02/23/13 09:45

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			02/27/13 17:22	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			02/27/13 17:22	1
Chloromethane	<1.0		1.0	0.18	ug/L			02/27/13 17:22	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			02/27/13 17:22	1
Bromomethane	<1.0		1.0	0.31	ug/L			02/27/13 17:22	1
Chloroethane	<1.0		1.0	0.34	ug/L			02/27/13 17:22	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			02/27/13 17:22	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			02/27/13 17:22	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			02/27/13 17:22	1
Acetone	<5.0		5.0	1.3	ug/L			02/27/13 17:22	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			02/27/13 17:22	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			02/27/13 17:22	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			02/27/13 17:22	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			02/27/13 17:22	1
cis-1,2-Dichloroethene	4.5		1.0	0.12	ug/L			02/27/13 17:22	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			02/27/13 17:22	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			02/27/13 17:22	1
Chloroform	<1.0		1.0	0.20	ug/L			02/27/13 17:22	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			02/27/13 17:22	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			02/27/13 17:22	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			02/27/13 17:22	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			02/27/13 17:22	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			02/27/13 17:22	1
Dibromomethane	<1.0		1.0	0.33	ug/L			02/27/13 17:22	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			02/27/13 17:22	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			02/27/13 17:22	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			02/27/13 17:22	1
Toluene	<0.50		0.50	0.11	ug/L			02/27/13 17:22	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			02/27/13 17:22	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			02/27/13 17:22	1
Tetrachloroethene	51		1.0	0.17	ug/L			02/27/13 17:22	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			02/27/13 17:22	1
2-Hexanone	<5.0		5.0	0.56	ug/L			02/27/13 17:22	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			02/27/13 17:22	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			02/27/13 17:22	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			02/27/13 17:22	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			02/27/13 17:22	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			02/27/13 17:22	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			02/27/13 17:22	1
o-Xylene	<0.50		0.50	0.068	ug/L			02/27/13 17:22	1
Styrene	<1.0		1.0	0.10	ug/L			02/27/13 17:22	1
Bromoform	<1.0		1.0	0.28	ug/L			02/27/13 17:22	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			02/27/13 17:22	1
Bromobenzene	<1.0		1.0	0.25	ug/L			02/27/13 17:22	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			02/27/13 17:22	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			02/27/13 17:22	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			02/27/13 17:22	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/27/13 17:22	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			02/27/13 17:22	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: EW-2

Lab Sample ID: 500-54778-17

Date Collected: 02/22/13 12:45

Matrix: Water

Date Received: 02/23/13 09:45

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			02/27/13 17:22	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			02/27/13 17:22	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			02/27/13 17:22	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			02/27/13 17:22	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/27/13 17:22	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			02/27/13 17:22	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/27/13 17:22	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			02/27/13 17:22	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			02/27/13 17:22	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			02/27/13 17:22	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			02/27/13 17:22	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			02/27/13 17:22	1
Naphthalene	<1.0		1.0	0.16	ug/L			02/27/13 17:22	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			02/27/13 17:22	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		75 - 125		02/27/13 17:22	1
Toluene-d8 (Surr)	100		75 - 120		02/27/13 17:22	1
4-Bromofluorobenzene (Surr)	96		75 - 120		02/27/13 17:22	1
Dibromofluoromethane	97		75 - 120		02/27/13 17:22	1

Method: 8260B - VOC - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Trichloroethene	200		5.0	1.9	ug/L			02/27/13 17:48	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		75 - 125		02/27/13 17:48	10
Toluene-d8 (Surr)	97		75 - 120		02/27/13 17:48	10
4-Bromofluorobenzene (Surr)	93		75 - 120		02/27/13 17:48	10
Dibromofluoromethane	95		75 - 120		02/27/13 17:48	10

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: EW-3

Lab Sample ID: 500-54778-18

Date Collected: 02/22/13 09:50

Matrix: Water

Date Received: 02/23/13 09:45

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			02/27/13 18:14	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			02/27/13 18:14	1
Chloromethane	<1.0		1.0	0.18	ug/L			02/27/13 18:14	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			02/27/13 18:14	1
Bromomethane	<1.0		1.0	0.31	ug/L			02/27/13 18:14	1
Chloroethane	<1.0		1.0	0.34	ug/L			02/27/13 18:14	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			02/27/13 18:14	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			02/27/13 18:14	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			02/27/13 18:14	1
Acetone	<5.0		5.0	1.3	ug/L			02/27/13 18:14	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			02/27/13 18:14	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			02/27/13 18:14	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			02/27/13 18:14	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			02/27/13 18:14	1
cis-1,2-Dichloroethene	1.9		1.0	0.12	ug/L			02/27/13 18:14	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			02/27/13 18:14	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			02/27/13 18:14	1
Chloroform	<1.0		1.0	0.20	ug/L			02/27/13 18:14	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			02/27/13 18:14	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			02/27/13 18:14	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			02/27/13 18:14	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			02/27/13 18:14	1
Trichloroethene	44		0.50	0.19	ug/L			02/27/13 18:14	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			02/27/13 18:14	1
Dibromomethane	<1.0		1.0	0.33	ug/L			02/27/13 18:14	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			02/27/13 18:14	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			02/27/13 18:14	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			02/27/13 18:14	1
Toluene	<0.50		0.50	0.11	ug/L			02/27/13 18:14	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			02/27/13 18:14	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			02/27/13 18:14	1
Tetrachloroethene	1.5		1.0	0.17	ug/L			02/27/13 18:14	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			02/27/13 18:14	1
2-Hexanone	<5.0		5.0	0.56	ug/L			02/27/13 18:14	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			02/27/13 18:14	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			02/27/13 18:14	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			02/27/13 18:14	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			02/27/13 18:14	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			02/27/13 18:14	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			02/27/13 18:14	1
o-Xylene	<0.50		0.50	0.068	ug/L			02/27/13 18:14	1
Styrene	<1.0		1.0	0.10	ug/L			02/27/13 18:14	1
Bromoform	<1.0		1.0	0.28	ug/L			02/27/13 18:14	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			02/27/13 18:14	1
Bromobenzene	<1.0		1.0	0.25	ug/L			02/27/13 18:14	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			02/27/13 18:14	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			02/27/13 18:14	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			02/27/13 18:14	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/27/13 18:14	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: EW-3

Lab Sample ID: 500-54778-18

Date Collected: 02/22/13 09:50

Matrix: Water

Date Received: 02/23/13 09:45

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			02/27/13 18:14	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			02/27/13 18:14	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			02/27/13 18:14	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			02/27/13 18:14	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			02/27/13 18:14	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/27/13 18:14	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			02/27/13 18:14	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/27/13 18:14	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			02/27/13 18:14	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			02/27/13 18:14	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			02/27/13 18:14	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			02/27/13 18:14	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			02/27/13 18:14	1
Naphthalene	<1.0		1.0	0.16	ug/L			02/27/13 18:14	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			02/27/13 18:14	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		75 - 125		02/27/13 18:14	1
Toluene-d8 (Surr)	102		75 - 120		02/27/13 18:14	1
4-Bromofluorobenzene (Surr)	99		75 - 120		02/27/13 18:14	1
Dibromofluoromethane	99		75 - 120		02/27/13 18:14	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: EW-4

Lab Sample ID: 500-54778-19

Date Collected: 02/22/13 13:00

Matrix: Water

Date Received: 02/23/13 09:45

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<1.0		1.0	0.15	ug/L			02/28/13 13:56	2
Dichlorodifluoromethane	<2.0		2.0	0.40	ug/L			02/28/13 13:56	2
Chloromethane	<2.0		2.0	0.36	ug/L			02/28/13 13:56	2
Vinyl chloride	<1.0		1.0	0.20	ug/L			02/28/13 13:56	2
Bromomethane	<2.0		2.0	0.62	ug/L			02/28/13 13:56	2
Chloroethane	<2.0		2.0	0.68	ug/L			02/28/13 13:56	2
Trichlorofluoromethane	<2.0		2.0	0.38	ug/L			02/28/13 13:56	2
1,1-Dichloroethene	<2.0		2.0	0.62	ug/L			02/28/13 13:56	2
Carbon disulfide	<10		10	0.86	ug/L			02/28/13 13:56	2
Acetone	<10		10	2.6	ug/L			02/28/13 13:56	2
Methylene Chloride	<10		10	1.4	ug/L			02/28/13 13:56	2
trans-1,2-Dichloroethene	<2.0		2.0	0.50	ug/L			02/28/13 13:56	2
1,1-Dichloroethane	<2.0		2.0	0.38	ug/L			02/28/13 13:56	2
2,2-Dichloropropane	<2.0		2.0	0.64	ug/L			02/28/13 13:56	2
cis-1,2-Dichloroethene	<2.0		2.0	0.24	ug/L			02/28/13 13:56	2
Methyl Ethyl Ketone	<10		10	2.9	ug/L			02/28/13 13:56	2
Bromochloromethane	<2.0		2.0	0.80	ug/L			02/28/13 13:56	2
Chloroform	<2.0		2.0	0.40	ug/L			02/28/13 13:56	2
1,1,1-Trichloroethane	<2.0		2.0	0.40	ug/L			02/28/13 13:56	2
1,1-Dichloropropene	<2.0		2.0	0.68	ug/L			02/28/13 13:56	2
Carbon tetrachloride	<2.0		2.0	0.52	ug/L			02/28/13 13:56	2
1,2-Dichloroethane	<2.0		2.0	0.56	ug/L			02/28/13 13:56	2
1,2-Dichloropropane	<2.0		2.0	0.40	ug/L			02/28/13 13:56	2
Dibromomethane	<2.0		2.0	0.66	ug/L			02/28/13 13:56	2
Bromodichloromethane	<2.0		2.0	0.34	ug/L			02/28/13 13:56	2
cis-1,3-Dichloropropene	<2.0		2.0	0.36	ug/L			02/28/13 13:56	2
methyl isobutyl ketone	<10		10	0.66	ug/L			02/28/13 13:56	2
Toluene	<1.0		1.0	0.22	ug/L			02/28/13 13:56	2
trans-1,3-Dichloropropene	<2.0		2.0	0.42	ug/L			02/28/13 13:56	2
1,1,2-Trichloroethane	<2.0		2.0	0.56	ug/L			02/28/13 13:56	2
Tetrachloroethene	17		2.0	0.34	ug/L			02/28/13 13:56	2
1,3-Dichloropropane	<2.0		2.0	0.26	ug/L			02/28/13 13:56	2
2-Hexanone	<10		10	1.1	ug/L			02/28/13 13:56	2
Dibromochloromethane	<2.0		2.0	0.64	ug/L			02/28/13 13:56	2
1,2-Dibromoethane	<2.0		2.0	0.72	ug/L			02/28/13 13:56	2
Chlorobenzene	<2.0		2.0	0.28	ug/L			02/28/13 13:56	2
1,1,1,2-Tetrachloroethane	<2.0		2.0	0.50	ug/L			02/28/13 13:56	2
Ethylbenzene	<1.0		1.0	0.26	ug/L			02/28/13 13:56	2
m&p-Xylene	<2.0		2.0	0.52	ug/L			02/28/13 13:56	2
o-Xylene	<1.0		1.0	0.14	ug/L			02/28/13 13:56	2
Styrene	<2.0		2.0	0.20	ug/L			02/28/13 13:56	2
Bromoform	<2.0		2.0	0.56	ug/L			02/28/13 13:56	2
Isopropylbenzene	<2.0		2.0	0.28	ug/L			02/28/13 13:56	2
Bromobenzene	<2.0		2.0	0.50	ug/L			02/28/13 13:56	2
1,1,2,2-Tetrachloroethane	<2.0		2.0	0.46	ug/L			02/28/13 13:56	2
1,2,3-Trichloropropane	<2.0		2.0	0.90	ug/L			02/28/13 13:56	2
N-Propylbenzene	<2.0		2.0	0.26	ug/L			02/28/13 13:56	2
2-Chlorotoluene	<2.0		2.0	0.42	ug/L			02/28/13 13:56	2
1,3,5-Trimethylbenzene	<2.0		2.0	0.36	ug/L			02/28/13 13:56	2

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: EW-4

Lab Sample ID: 500-54778-19

Date Collected: 02/22/13 13:00

Matrix: Water

Date Received: 02/23/13 09:45

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
4-Chlorotoluene	<2.0		2.0	0.40	ug/L			02/28/13 13:56	2
tert-Butylbenzene	<2.0		2.0	0.28	ug/L			02/28/13 13:56	2
1,2,4-Trimethylbenzene	<2.0		2.0	0.28	ug/L			02/28/13 13:56	2
sec-Butylbenzene	<2.0		2.0	0.30	ug/L			02/28/13 13:56	2
1,3-Dichlorobenzene	<2.0		2.0	0.30	ug/L			02/28/13 13:56	2
p-Isopropyltoluene	<2.0		2.0	0.34	ug/L			02/28/13 13:56	2
1,4-Dichlorobenzene	<2.0		2.0	0.30	ug/L			02/28/13 13:56	2
n-Butylbenzene	<2.0		2.0	0.26	ug/L			02/28/13 13:56	2
1,2-Dichlorobenzene	<2.0		2.0	0.54	ug/L			02/28/13 13:56	2
1,2-Dibromo-3-Chloropropane	<4.0		4.0	1.7	ug/L			02/28/13 13:56	2
1,2,4-Trichlorobenzene	<2.0		2.0	0.62	ug/L			02/28/13 13:56	2
Hexachlorobutadiene	<2.0		2.0	0.52	ug/L			02/28/13 13:56	2
Naphthalene	<2.0		2.0	0.32	ug/L			02/28/13 13:56	2
1,2,3-Trichlorobenzene	<2.0		2.0	0.48	ug/L			02/28/13 13:56	2

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	96		75 - 125		02/28/13 13:56	2
Toluene-d8 (Surr)	98		75 - 120		02/28/13 13:56	2
4-Bromofluorobenzene (Surr)	95		75 - 120		02/28/13 13:56	2
Dibromofluoromethane	95		75 - 120		02/28/13 13:56	2

Method: 8260B - VOC - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Trichloroethene	890		10	3.8	ug/L			02/28/13 14:22	20

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		75 - 125		02/28/13 14:22	20
Toluene-d8 (Surr)	104		75 - 120		02/28/13 14:22	20
4-Bromofluorobenzene (Surr)	99		75 - 120		02/28/13 14:22	20
Dibromofluoromethane	101		75 - 120		02/28/13 14:22	20

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: EW-5

Lab Sample ID: 500-54778-20

Date Collected: 02/21/13 10:00

Matrix: Water

Date Received: 02/23/13 09:45

Method: 8260B - VOC									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			02/27/13 19:33	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			02/27/13 19:33	1
Chloromethane	<1.0		1.0	0.18	ug/L			02/27/13 19:33	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			02/27/13 19:33	1
Bromomethane	<1.0		1.0	0.31	ug/L			02/27/13 19:33	1
Chloroethane	<1.0		1.0	0.34	ug/L			02/27/13 19:33	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			02/27/13 19:33	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			02/27/13 19:33	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			02/27/13 19:33	1
Acetone	<5.0		5.0	1.3	ug/L			02/27/13 19:33	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			02/27/13 19:33	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			02/27/13 19:33	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			02/27/13 19:33	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			02/27/13 19:33	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			02/27/13 19:33	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			02/27/13 19:33	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			02/27/13 19:33	1
Chloroform	<1.0		1.0	0.20	ug/L			02/27/13 19:33	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			02/27/13 19:33	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			02/27/13 19:33	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			02/27/13 19:33	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			02/27/13 19:33	1
Trichloroethene	110		0.50	0.19	ug/L			02/27/13 19:33	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			02/27/13 19:33	1
Dibromomethane	<1.0		1.0	0.33	ug/L			02/27/13 19:33	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			02/27/13 19:33	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			02/27/13 19:33	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			02/27/13 19:33	1
Toluene	<0.50		0.50	0.11	ug/L			02/27/13 19:33	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			02/27/13 19:33	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			02/27/13 19:33	1
Tetrachloroethene	3.3		1.0	0.17	ug/L			02/27/13 19:33	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			02/27/13 19:33	1
2-Hexanone	<5.0		5.0	0.56	ug/L			02/27/13 19:33	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			02/27/13 19:33	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			02/27/13 19:33	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			02/27/13 19:33	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			02/27/13 19:33	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			02/27/13 19:33	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			02/27/13 19:33	1
o-Xylene	<0.50		0.50	0.068	ug/L			02/27/13 19:33	1
Styrene	<1.0		1.0	0.10	ug/L			02/27/13 19:33	1
Bromoform	<1.0		1.0	0.28	ug/L			02/27/13 19:33	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			02/27/13 19:33	1
Bromobenzene	<1.0		1.0	0.25	ug/L			02/27/13 19:33	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			02/27/13 19:33	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			02/27/13 19:33	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			02/27/13 19:33	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/27/13 19:33	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: EW-5

Lab Sample ID: 500-54778-20

Date Collected: 02/21/13 10:00

Matrix: Water

Date Received: 02/23/13 09:45

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			02/27/13 19:33	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			02/27/13 19:33	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			02/27/13 19:33	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			02/27/13 19:33	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			02/27/13 19:33	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/27/13 19:33	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			02/27/13 19:33	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/27/13 19:33	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			02/27/13 19:33	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			02/27/13 19:33	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			02/27/13 19:33	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			02/27/13 19:33	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			02/27/13 19:33	1
Naphthalene	<1.0		1.0	0.16	ug/L			02/27/13 19:33	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			02/27/13 19:33	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		75 - 125		02/27/13 19:33	1
Toluene-d8 (Surr)	98		75 - 120		02/27/13 19:33	1
4-Bromofluorobenzene (Surr)	94		75 - 120		02/27/13 19:33	1
Dibromofluoromethane	96		75 - 120		02/27/13 19:33	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: EW-6

Lab Sample ID: 500-54778-21

Date Collected: 02/21/13 12:00

Matrix: Water

Date Received: 02/23/13 09:45

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			02/27/13 20:25	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			02/27/13 20:25	1
Chloromethane	<1.0		1.0	0.18	ug/L			02/27/13 20:25	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			02/27/13 20:25	1
Bromomethane	<1.0		1.0	0.31	ug/L			02/27/13 20:25	1
Chloroethane	<1.0		1.0	0.34	ug/L			02/27/13 20:25	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			02/27/13 20:25	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			02/27/13 20:25	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			02/27/13 20:25	1
Acetone	<5.0		5.0	1.3	ug/L			02/27/13 20:25	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			02/27/13 20:25	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			02/27/13 20:25	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			02/27/13 20:25	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			02/27/13 20:25	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			02/27/13 20:25	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			02/27/13 20:25	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			02/27/13 20:25	1
Chloroform	<1.0		1.0	0.20	ug/L			02/27/13 20:25	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			02/27/13 20:25	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			02/27/13 20:25	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			02/27/13 20:25	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			02/27/13 20:25	1
Trichloroethene	6.0		0.50	0.19	ug/L			02/27/13 20:25	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			02/27/13 20:25	1
Dibromomethane	<1.0		1.0	0.33	ug/L			02/27/13 20:25	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			02/27/13 20:25	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			02/27/13 20:25	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			02/27/13 20:25	1
Toluene	<0.50		0.50	0.11	ug/L			02/27/13 20:25	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			02/27/13 20:25	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			02/27/13 20:25	1
Tetrachloroethene	11		1.0	0.17	ug/L			02/27/13 20:25	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			02/27/13 20:25	1
2-Hexanone	<5.0		5.0	0.56	ug/L			02/27/13 20:25	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			02/27/13 20:25	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			02/27/13 20:25	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			02/27/13 20:25	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			02/27/13 20:25	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			02/27/13 20:25	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			02/27/13 20:25	1
o-Xylene	<0.50		0.50	0.068	ug/L			02/27/13 20:25	1
Styrene	<1.0		1.0	0.10	ug/L			02/27/13 20:25	1
Bromoform	<1.0		1.0	0.28	ug/L			02/27/13 20:25	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			02/27/13 20:25	1
Bromobenzene	<1.0		1.0	0.25	ug/L			02/27/13 20:25	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			02/27/13 20:25	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			02/27/13 20:25	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			02/27/13 20:25	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/27/13 20:25	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: EW-6

Lab Sample ID: 500-54778-21

Date Collected: 02/21/13 12:00

Matrix: Water

Date Received: 02/23/13 09:45

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			02/27/13 20:25	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			02/27/13 20:25	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			02/27/13 20:25	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			02/27/13 20:25	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			02/27/13 20:25	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/27/13 20:25	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			02/27/13 20:25	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/27/13 20:25	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			02/27/13 20:25	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			02/27/13 20:25	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			02/27/13 20:25	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			02/27/13 20:25	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			02/27/13 20:25	1
Naphthalene	<1.0		1.0	0.16	ug/L			02/27/13 20:25	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			02/27/13 20:25	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	93		75 - 125		02/27/13 20:25	1
Toluene-d8 (Surr)	96		75 - 120		02/27/13 20:25	1
4-Bromofluorobenzene (Surr)	93		75 - 120		02/27/13 20:25	1
Dibromofluoromethane	91		75 - 120		02/27/13 20:25	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: EW-7

Lab Sample ID: 500-54778-22

Date Collected: 02/21/13 11:50

Matrix: Water

Date Received: 02/23/13 09:45

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			02/28/13 14:48	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			02/28/13 14:48	1
Chloromethane	<1.0		1.0	0.18	ug/L			02/28/13 14:48	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			02/28/13 14:48	1
Bromomethane	<1.0		1.0	0.31	ug/L			02/28/13 14:48	1
Chloroethane	<1.0		1.0	0.34	ug/L			02/28/13 14:48	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			02/28/13 14:48	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			02/28/13 14:48	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			02/28/13 14:48	1
Acetone	<5.0		5.0	1.3	ug/L			02/28/13 14:48	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			02/28/13 14:48	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			02/28/13 14:48	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			02/28/13 14:48	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			02/28/13 14:48	1
cis-1,2-Dichloroethene	6.0		1.0	0.12	ug/L			02/28/13 14:48	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			02/28/13 14:48	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			02/28/13 14:48	1
Chloroform	<1.0		1.0	0.20	ug/L			02/28/13 14:48	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			02/28/13 14:48	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			02/28/13 14:48	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			02/28/13 14:48	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			02/28/13 14:48	1
Trichloroethene	4.4		0.50	0.19	ug/L			02/28/13 14:48	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			02/28/13 14:48	1
Dibromomethane	<1.0		1.0	0.33	ug/L			02/28/13 14:48	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			02/28/13 14:48	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			02/28/13 14:48	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			02/28/13 14:48	1
Toluene	<0.50		0.50	0.11	ug/L			02/28/13 14:48	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			02/28/13 14:48	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			02/28/13 14:48	1
Tetrachloroethene	10		1.0	0.17	ug/L			02/28/13 14:48	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			02/28/13 14:48	1
2-Hexanone	<5.0		5.0	0.56	ug/L			02/28/13 14:48	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			02/28/13 14:48	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			02/28/13 14:48	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			02/28/13 14:48	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			02/28/13 14:48	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			02/28/13 14:48	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			02/28/13 14:48	1
o-Xylene	<0.50		0.50	0.068	ug/L			02/28/13 14:48	1
Styrene	<1.0		1.0	0.10	ug/L			02/28/13 14:48	1
Bromoform	<1.0		1.0	0.28	ug/L			02/28/13 14:48	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			02/28/13 14:48	1
Bromobenzene	<1.0		1.0	0.25	ug/L			02/28/13 14:48	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			02/28/13 14:48	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			02/28/13 14:48	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			02/28/13 14:48	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/28/13 14:48	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: EW-7

Lab Sample ID: 500-54778-22

Date Collected: 02/21/13 11:50

Matrix: Water

Date Received: 02/23/13 09:45

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			02/28/13 14:48	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			02/28/13 14:48	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			02/28/13 14:48	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			02/28/13 14:48	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			02/28/13 14:48	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/28/13 14:48	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			02/28/13 14:48	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/28/13 14:48	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			02/28/13 14:48	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			02/28/13 14:48	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			02/28/13 14:48	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			02/28/13 14:48	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			02/28/13 14:48	1
Naphthalene	<1.0		1.0	0.16	ug/L			02/28/13 14:48	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			02/28/13 14:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		75 - 125		02/28/13 14:48	1
Toluene-d8 (Surr)	108		75 - 120		02/28/13 14:48	1
4-Bromofluorobenzene (Surr)	105		75 - 120		02/28/13 14:48	1
Dibromofluoromethane	102		75 - 120		02/28/13 14:48	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: EW-8

Lab Sample ID: 500-54778-23

Date Collected: 02/21/13 11:45

Matrix: Water

Date Received: 02/23/13 09:45

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			02/28/13 15:15	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			02/28/13 15:15	1
Chloromethane	<1.0		1.0	0.18	ug/L			02/28/13 15:15	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			02/28/13 15:15	1
Bromomethane	<1.0		1.0	0.31	ug/L			02/28/13 15:15	1
Chloroethane	<1.0		1.0	0.34	ug/L			02/28/13 15:15	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			02/28/13 15:15	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			02/28/13 15:15	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			02/28/13 15:15	1
Acetone	<5.0		5.0	1.3	ug/L			02/28/13 15:15	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			02/28/13 15:15	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			02/28/13 15:15	1
1,1-Dichloroethane	0.85	J	1.0	0.19	ug/L			02/28/13 15:15	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			02/28/13 15:15	1
cis-1,2-Dichloroethene	25		1.0	0.12	ug/L			02/28/13 15:15	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			02/28/13 15:15	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			02/28/13 15:15	1
Chloroform	<1.0		1.0	0.20	ug/L			02/28/13 15:15	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			02/28/13 15:15	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			02/28/13 15:15	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			02/28/13 15:15	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			02/28/13 15:15	1
Trichloroethene	8.3		0.50	0.19	ug/L			02/28/13 15:15	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			02/28/13 15:15	1
Dibromomethane	<1.0		1.0	0.33	ug/L			02/28/13 15:15	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			02/28/13 15:15	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			02/28/13 15:15	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			02/28/13 15:15	1
Toluene	<0.50		0.50	0.11	ug/L			02/28/13 15:15	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			02/28/13 15:15	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			02/28/13 15:15	1
Tetrachloroethene	71		1.0	0.17	ug/L			02/28/13 15:15	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			02/28/13 15:15	1
2-Hexanone	<5.0		5.0	0.56	ug/L			02/28/13 15:15	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			02/28/13 15:15	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			02/28/13 15:15	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			02/28/13 15:15	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			02/28/13 15:15	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			02/28/13 15:15	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			02/28/13 15:15	1
o-Xylene	<0.50		0.50	0.068	ug/L			02/28/13 15:15	1
Styrene	<1.0		1.0	0.10	ug/L			02/28/13 15:15	1
Bromoform	<1.0		1.0	0.28	ug/L			02/28/13 15:15	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			02/28/13 15:15	1
Bromobenzene	<1.0		1.0	0.25	ug/L			02/28/13 15:15	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			02/28/13 15:15	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			02/28/13 15:15	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			02/28/13 15:15	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/28/13 15:15	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: EW-8

Lab Sample ID: 500-54778-23

Date Collected: 02/21/13 11:45

Matrix: Water

Date Received: 02/23/13 09:45

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			02/28/13 15:15	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			02/28/13 15:15	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			02/28/13 15:15	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			02/28/13 15:15	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			02/28/13 15:15	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/28/13 15:15	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			02/28/13 15:15	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/28/13 15:15	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			02/28/13 15:15	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			02/28/13 15:15	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			02/28/13 15:15	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			02/28/13 15:15	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			02/28/13 15:15	1
Naphthalene	<1.0		1.0	0.16	ug/L			02/28/13 15:15	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			02/28/13 15:15	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		75 - 125		02/28/13 15:15	1
Toluene-d8 (Surr)	98		75 - 120		02/28/13 15:15	1
4-Bromofluorobenzene (Surr)	97		75 - 120		02/28/13 15:15	1
Dibromofluoromethane	94		75 - 120		02/28/13 15:15	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: EW-9

Lab Sample ID: 500-54778-24

Date Collected: 02/21/13 11:40

Matrix: Water

Date Received: 02/23/13 09:45

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			02/28/13 15:41	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			02/28/13 15:41	1
Chloromethane	<1.0		1.0	0.18	ug/L			02/28/13 15:41	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			02/28/13 15:41	1
Bromomethane	<1.0		1.0	0.31	ug/L			02/28/13 15:41	1
Chloroethane	<1.0		1.0	0.34	ug/L			02/28/13 15:41	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			02/28/13 15:41	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			02/28/13 15:41	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			02/28/13 15:41	1
Acetone	<5.0		5.0	1.3	ug/L			02/28/13 15:41	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			02/28/13 15:41	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			02/28/13 15:41	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			02/28/13 15:41	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			02/28/13 15:41	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			02/28/13 15:41	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			02/28/13 15:41	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			02/28/13 15:41	1
Chloroform	<1.0		1.0	0.20	ug/L			02/28/13 15:41	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			02/28/13 15:41	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			02/28/13 15:41	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			02/28/13 15:41	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			02/28/13 15:41	1
Trichloroethene	0.62		0.50	0.19	ug/L			02/28/13 15:41	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			02/28/13 15:41	1
Dibromomethane	<1.0		1.0	0.33	ug/L			02/28/13 15:41	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			02/28/13 15:41	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			02/28/13 15:41	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			02/28/13 15:41	1
Toluene	<0.50		0.50	0.11	ug/L			02/28/13 15:41	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			02/28/13 15:41	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			02/28/13 15:41	1
Tetrachloroethene	88		1.0	0.17	ug/L			02/28/13 15:41	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			02/28/13 15:41	1
2-Hexanone	<5.0		5.0	0.56	ug/L			02/28/13 15:41	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			02/28/13 15:41	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			02/28/13 15:41	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			02/28/13 15:41	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			02/28/13 15:41	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			02/28/13 15:41	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			02/28/13 15:41	1
o-Xylene	<0.50		0.50	0.068	ug/L			02/28/13 15:41	1
Styrene	<1.0		1.0	0.10	ug/L			02/28/13 15:41	1
Bromoform	<1.0		1.0	0.28	ug/L			02/28/13 15:41	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			02/28/13 15:41	1
Bromobenzene	<1.0		1.0	0.25	ug/L			02/28/13 15:41	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			02/28/13 15:41	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			02/28/13 15:41	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			02/28/13 15:41	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/28/13 15:41	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: EW-9

Lab Sample ID: 500-54778-24

Date Collected: 02/21/13 11:40

Matrix: Water

Date Received: 02/23/13 09:45

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			02/28/13 15:41	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			02/28/13 15:41	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			02/28/13 15:41	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			02/28/13 15:41	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			02/28/13 15:41	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/28/13 15:41	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			02/28/13 15:41	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/28/13 15:41	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			02/28/13 15:41	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			02/28/13 15:41	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			02/28/13 15:41	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			02/28/13 15:41	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			02/28/13 15:41	1
Naphthalene	<1.0		1.0	0.16	ug/L			02/28/13 15:41	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			02/28/13 15:41	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	89		75 - 125		02/28/13 15:41	1
Toluene-d8 (Surr)	92		75 - 120		02/28/13 15:41	1
4-Bromofluorobenzene (Surr)	89		75 - 120		02/28/13 15:41	1
Dibromofluoromethane	88		75 - 120		02/28/13 15:41	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: EW-9 Dup

Lab Sample ID: 500-54778-25

Date Collected: 02/21/13 11:40

Matrix: Water

Date Received: 02/23/13 09:45

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			02/28/13 16:07	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			02/28/13 16:07	1
Chloromethane	<1.0		1.0	0.18	ug/L			02/28/13 16:07	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			02/28/13 16:07	1
Bromomethane	<1.0		1.0	0.31	ug/L			02/28/13 16:07	1
Chloroethane	<1.0		1.0	0.34	ug/L			02/28/13 16:07	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			02/28/13 16:07	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			02/28/13 16:07	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			02/28/13 16:07	1
Acetone	<5.0		5.0	1.3	ug/L			02/28/13 16:07	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			02/28/13 16:07	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			02/28/13 16:07	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			02/28/13 16:07	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			02/28/13 16:07	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			02/28/13 16:07	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			02/28/13 16:07	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			02/28/13 16:07	1
Chloroform	<1.0		1.0	0.20	ug/L			02/28/13 16:07	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			02/28/13 16:07	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			02/28/13 16:07	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			02/28/13 16:07	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			02/28/13 16:07	1
Trichloroethene	0.73		0.50	0.19	ug/L			02/28/13 16:07	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			02/28/13 16:07	1
Dibromomethane	<1.0		1.0	0.33	ug/L			02/28/13 16:07	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			02/28/13 16:07	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			02/28/13 16:07	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			02/28/13 16:07	1
Toluene	<0.50		0.50	0.11	ug/L			02/28/13 16:07	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			02/28/13 16:07	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			02/28/13 16:07	1
Tetrachloroethene	95		1.0	0.17	ug/L			02/28/13 16:07	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			02/28/13 16:07	1
2-Hexanone	<5.0		5.0	0.56	ug/L			02/28/13 16:07	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			02/28/13 16:07	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			02/28/13 16:07	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			02/28/13 16:07	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			02/28/13 16:07	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			02/28/13 16:07	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			02/28/13 16:07	1
o-Xylene	<0.50		0.50	0.068	ug/L			02/28/13 16:07	1
Styrene	<1.0		1.0	0.10	ug/L			02/28/13 16:07	1
Bromoform	<1.0		1.0	0.28	ug/L			02/28/13 16:07	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			02/28/13 16:07	1
Bromobenzene	<1.0		1.0	0.25	ug/L			02/28/13 16:07	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			02/28/13 16:07	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			02/28/13 16:07	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			02/28/13 16:07	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/28/13 16:07	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: EW-9 Dup

Lab Sample ID: 500-54778-25

Date Collected: 02/21/13 11:40

Matrix: Water

Date Received: 02/23/13 09:45

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			02/28/13 16:07	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			02/28/13 16:07	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			02/28/13 16:07	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			02/28/13 16:07	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			02/28/13 16:07	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/28/13 16:07	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			02/28/13 16:07	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/28/13 16:07	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			02/28/13 16:07	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			02/28/13 16:07	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			02/28/13 16:07	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			02/28/13 16:07	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			02/28/13 16:07	1
Naphthalene	<1.0		1.0	0.16	ug/L			02/28/13 16:07	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			02/28/13 16:07	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		75 - 125		02/28/13 16:07	1
Toluene-d8 (Surr)	102		75 - 120		02/28/13 16:07	1
4-Bromofluorobenzene (Surr)	95		75 - 120		02/28/13 16:07	1
Dibromofluoromethane	100		75 - 120		02/28/13 16:07	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: EW-10

Lab Sample ID: 500-54778-26

Date Collected: 02/21/13 11:30

Matrix: Water

Date Received: 02/23/13 09:45

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			02/28/13 16:34	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			02/28/13 16:34	1
Chloromethane	<1.0		1.0	0.18	ug/L			02/28/13 16:34	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			02/28/13 16:34	1
Bromomethane	<1.0		1.0	0.31	ug/L			02/28/13 16:34	1
Chloroethane	<1.0		1.0	0.34	ug/L			02/28/13 16:34	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			02/28/13 16:34	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			02/28/13 16:34	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			02/28/13 16:34	1
Acetone	<5.0		5.0	1.3	ug/L			02/28/13 16:34	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			02/28/13 16:34	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			02/28/13 16:34	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			02/28/13 16:34	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			02/28/13 16:34	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			02/28/13 16:34	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			02/28/13 16:34	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			02/28/13 16:34	1
Chloroform	<1.0		1.0	0.20	ug/L			02/28/13 16:34	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			02/28/13 16:34	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			02/28/13 16:34	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			02/28/13 16:34	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			02/28/13 16:34	1
Trichloroethene	<0.50		0.50	0.19	ug/L			02/28/13 16:34	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			02/28/13 16:34	1
Dibromomethane	<1.0		1.0	0.33	ug/L			02/28/13 16:34	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			02/28/13 16:34	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			02/28/13 16:34	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			02/28/13 16:34	1
Toluene	<0.50		0.50	0.11	ug/L			02/28/13 16:34	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			02/28/13 16:34	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			02/28/13 16:34	1
Tetrachloroethene	0.60	J	1.0	0.17	ug/L			02/28/13 16:34	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			02/28/13 16:34	1
2-Hexanone	<5.0		5.0	0.56	ug/L			02/28/13 16:34	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			02/28/13 16:34	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			02/28/13 16:34	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			02/28/13 16:34	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			02/28/13 16:34	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			02/28/13 16:34	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			02/28/13 16:34	1
o-Xylene	<0.50		0.50	0.068	ug/L			02/28/13 16:34	1
Styrene	<1.0		1.0	0.10	ug/L			02/28/13 16:34	1
Bromoform	<1.0		1.0	0.28	ug/L			02/28/13 16:34	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			02/28/13 16:34	1
Bromobenzene	<1.0		1.0	0.25	ug/L			02/28/13 16:34	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			02/28/13 16:34	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			02/28/13 16:34	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			02/28/13 16:34	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/28/13 16:34	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: EW-10

Lab Sample ID: 500-54778-26

Date Collected: 02/21/13 11:30

Matrix: Water

Date Received: 02/23/13 09:45

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			02/28/13 16:34	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			02/28/13 16:34	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			02/28/13 16:34	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			02/28/13 16:34	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			02/28/13 16:34	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/28/13 16:34	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			02/28/13 16:34	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/28/13 16:34	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			02/28/13 16:34	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			02/28/13 16:34	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			02/28/13 16:34	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			02/28/13 16:34	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			02/28/13 16:34	1
Naphthalene	<1.0		1.0	0.16	ug/L			02/28/13 16:34	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			02/28/13 16:34	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	94		75 - 125					02/28/13 16:34	1
Toluene-d8 (Surr)	97		75 - 120					02/28/13 16:34	1
4-Bromofluorobenzene (Surr)	90		75 - 120					02/28/13 16:34	1
Dibromofluoromethane	94		75 - 120					02/28/13 16:34	1

Definitions/Glossary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
F	RPD of the MS and MSD exceeds the control limits
F	MS or MSD exceeds the control limits

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

QC Association Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

GC/MS VOA

Analysis Batch: 178545

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-54778-3	RFW-2A	Total/NA	Water	8260B	
500-54778-4	RFW-2B	Total/NA	Water	8260B	
500-54778-5	RFW-3B	Total/NA	Water	8260B	
500-54778-6	RFW-4A	Total/NA	Water	8260B	
500-54778-7	RFW-4A Dup	Total/NA	Water	8260B	
500-54778-8	RFW-4B	Total/NA	Water	8260B	
500-54778-9	RFW-6	Total/NA	Water	8260B	
500-54778-9 MS	RFW-6	Total/NA	Water	8260B	
500-54778-9 MSD	RFW-6	Total/NA	Water	8260B	
LCS 500-178545/4	Lab Control Sample	Total/NA	Water	8260B	
MB 500-178545/6	Method Blank	Total/NA	Water	8260B	

Analysis Batch: 178664

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-54778-1	RFW-1A	Total/NA	Water	8260B	
500-54778-2	RFW-1B	Total/NA	Water	8260B	
500-54778-10	RFW-7	Total/NA	Water	8260B	
500-54778-11	RFW-9	Total/NA	Water	8260B	
500-54778-12	RFW-11B	Total/NA	Water	8260B	
500-54778-13	RFW-12B	Total/NA	Water	8260B	
500-54778-14	RFW-13	Total/NA	Water	8260B	
500-54778-15	RFW-17	Total/NA	Water	8260B	
500-54778-16	Trip Blank	Total/NA	Water	8260B	
500-54778-17	EW-2	Total/NA	Water	8260B	
500-54778-17 - DL	EW-2	Total/NA	Water	8260B	
500-54778-18	EW-3	Total/NA	Water	8260B	
500-54778-20	EW-5	Total/NA	Water	8260B	
500-54778-21	EW-6	Total/NA	Water	8260B	
500-54778-21 MS	EW-6	Total/NA	Water	8260B	
500-54778-21 MSD	EW-6	Total/NA	Water	8260B	
LCS 500-178664/4	Lab Control Sample	Total/NA	Water	8260B	
MB 500-178664/6	Method Blank	Total/NA	Water	8260B	

Analysis Batch: 178766

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-54778-19	EW-4	Total/NA	Water	8260B	
500-54778-19 - DL	EW-4	Total/NA	Water	8260B	
500-54778-22	EW-7	Total/NA	Water	8260B	
500-54778-23	EW-8	Total/NA	Water	8260B	
500-54778-24	EW-9	Total/NA	Water	8260B	
500-54778-25	EW-9 Dup	Total/NA	Water	8260B	
500-54778-26	EW-10	Total/NA	Water	8260B	
500-54778-26 MS	EW-10	Total/NA	Water	8260B	
500-54778-26 MSD	EW-10	Total/NA	Water	8260B	
LCS 500-178766/4	Lab Control Sample	Total/NA	Water	8260B	
MB 500-178766/6	Method Blank	Total/NA	Water	8260B	

TestAmerica Chicago

Surrogate Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Method: 8260B - VOC

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		12DCE (75-125)	TOL (75-120)	BFB (75-120)	DBFM (75-120)
500-54778-1	RFW-1A	102	104	101	103
500-54778-2	RFW-1B	113	95	91	113
500-54778-3	RFW-2A	93	101	99	96
500-54778-4	RFW-2B	95	104	100	100
500-54778-5	RFW-3B	98	107	100	102
500-54778-6	RFW-4A	93	100	95	94
500-54778-7	RFW-4A Dup	91	99	94	93
500-54778-8	RFW-4B	98	105	99	100
500-54778-9	RFW-6	93	101	96	96
500-54778-9 MS	RFW-6	94	100	98	95
500-54778-9 MSD	RFW-6	92	100	97	95
500-54778-10	RFW-7	99	97	96	94
500-54778-11	RFW-9	100	103	100	99
500-54778-12	RFW-11B	104	106	103	102
500-54778-13	RFW-12B	101	103	98	97
500-54778-14	RFW-13	103	106	104	102
500-54778-15	RFW-17	93	94	91	90
500-54778-16	Trip Blank	101	108	102	100
500-54778-17	EW-2	99	100	96	97
500-54778-17 - DL	EW-2	98	97	93	95
500-54778-18	EW-3	101	102	99	99
500-54778-19	EW-4	96	98	95	95
500-54778-19 - DL	EW-4	100	104	99	101
500-54778-20	EW-5	97	98	94	96
500-54778-21	EW-6	93	96	93	91
500-54778-21 MS	EW-6	96	98	95	97
500-54778-21 MSD	EW-6	99	103	101	102
500-54778-22	EW-7	105	108	105	102
500-54778-23	EW-8	97	98	97	94
500-54778-24	EW-9	89	92	89	88
500-54778-25	EW-9 Dup	99	102	95	100
500-54778-26	EW-10	94	97	90	94
500-54778-26 MS	EW-10	98	101	100	98
500-54778-26 MSD	EW-10	97	102	101	101
LCS 500-178545/4	Lab Control Sample	96	102	103	97
LCS 500-178664/4	Lab Control Sample	86	94	93	89
LCS 500-178766/4	Lab Control Sample	91	94	94	90
MB 500-178545/6	Method Blank	96	100	99	96
MB 500-178664/6	Method Blank	91	97	96	93
MB 500-178766/6	Method Blank	99	101	99	96

Surrogate Legend

- 12DCE = 1,2-Dichloroethane-d4 (Surr)
- TOL = Toluene-d8 (Surr)
- BFB = 4-Bromofluorobenzene (Surr)
- DBFM = Dibromofluoromethane

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Method: 8260B - VOC

Lab Sample ID: MB 500-178545/6
Matrix: Water
Analysis Batch: 178545

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Benzene	<0.50		0.50	0.074	ug/L			02/26/13 11:31	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			02/26/13 11:31	1
Chloromethane	<1.0		1.0	0.18	ug/L			02/26/13 11:31	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			02/26/13 11:31	1
Bromomethane	<1.0		1.0	0.31	ug/L			02/26/13 11:31	1
Chloroethane	<1.0		1.0	0.34	ug/L			02/26/13 11:31	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			02/26/13 11:31	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			02/26/13 11:31	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			02/26/13 11:31	1
Acetone	<5.0		5.0	1.3	ug/L			02/26/13 11:31	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			02/26/13 11:31	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			02/26/13 11:31	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			02/26/13 11:31	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			02/26/13 11:31	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			02/26/13 11:31	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			02/26/13 11:31	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			02/26/13 11:31	1
Chloroform	<1.0		1.0	0.20	ug/L			02/26/13 11:31	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			02/26/13 11:31	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			02/26/13 11:31	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			02/26/13 11:31	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			02/26/13 11:31	1
Trichloroethene	<0.50		0.50	0.19	ug/L			02/26/13 11:31	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			02/26/13 11:31	1
Dibromomethane	<1.0		1.0	0.33	ug/L			02/26/13 11:31	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			02/26/13 11:31	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			02/26/13 11:31	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			02/26/13 11:31	1
Toluene	<0.50		0.50	0.11	ug/L			02/26/13 11:31	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			02/26/13 11:31	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			02/26/13 11:31	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			02/26/13 11:31	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			02/26/13 11:31	1
2-Hexanone	<5.0		5.0	0.56	ug/L			02/26/13 11:31	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			02/26/13 11:31	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			02/26/13 11:31	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			02/26/13 11:31	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			02/26/13 11:31	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			02/26/13 11:31	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			02/26/13 11:31	1
o-Xylene	<0.50		0.50	0.068	ug/L			02/26/13 11:31	1
Styrene	<1.0		1.0	0.10	ug/L			02/26/13 11:31	1
Bromoform	<1.0		1.0	0.28	ug/L			02/26/13 11:31	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			02/26/13 11:31	1
Bromobenzene	<1.0		1.0	0.25	ug/L			02/26/13 11:31	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			02/26/13 11:31	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			02/26/13 11:31	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			02/26/13 11:31	1

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Method: 8260B - VOC (Continued)

Lab Sample ID: MB 500-178545/6
Matrix: Water
Analysis Batch: 178545

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/26/13 11:31	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			02/26/13 11:31	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			02/26/13 11:31	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			02/26/13 11:31	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			02/26/13 11:31	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			02/26/13 11:31	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/26/13 11:31	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			02/26/13 11:31	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/26/13 11:31	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			02/26/13 11:31	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			02/26/13 11:31	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			02/26/13 11:31	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			02/26/13 11:31	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			02/26/13 11:31	1
Naphthalene	<1.0		1.0	0.16	ug/L			02/26/13 11:31	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			02/26/13 11:31	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	96		75 - 125		02/26/13 11:31	1
Toluene-d8 (Surr)	100		75 - 120		02/26/13 11:31	1
4-Bromofluorobenzene (Surr)	99		75 - 120		02/26/13 11:31	1
Dibromofluoromethane	96		75 - 120		02/26/13 11:31	1

Lab Sample ID: LCS 500-178545/4
Matrix: Water
Analysis Batch: 178545

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS LCS		Unit	D	%Rec	%Rec. Limits
		Result	Qualifier				
Benzene	50.0	41.2		ug/L		82	70 - 120
Dichlorodifluoromethane	50.0	36.7		ug/L		73	40 - 140
Chloromethane	50.0	36.8		ug/L		74	50 - 134
Vinyl chloride	50.0	45.1		ug/L		90	62 - 138
Bromomethane	50.0	40.3		ug/L		81	50 - 150
Chloroethane	50.0	40.8		ug/L		82	50 - 150
Trichlorofluoromethane	50.0	42.1		ug/L		84	63 - 134
1,1-Dichloroethane	50.0	41.1		ug/L		82	58 - 122
Carbon disulfide	50.0	38.9		ug/L		78	50 - 120
Acetone	50.0	47.0		ug/L		94	46 - 153
Methylene Chloride	50.0	40.0		ug/L		80	65 - 125
trans-1,2-Dichloroethene	50.0	41.8		ug/L		84	70 - 124
1,1-Dichloroethane	50.0	42.0		ug/L		84	68 - 121
2,2-Dichloropropane	50.0	48.7		ug/L		97	67 - 125
cis-1,2-Dichloroethene	50.0	41.4		ug/L		83	70 - 120
Methyl Ethyl Ketone	50.0	41.2		ug/L		82	54 - 138
Bromochloromethane	50.0	41.1		ug/L		82	67 - 122
Chloroform	50.0	41.4		ug/L		83	70 - 120
1,1,1-Trichloroethane	50.0	44.4		ug/L		89	70 - 123
1,1-Dichloropropene	50.0	41.3		ug/L		83	70 - 120

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Method: 8260B - VOC (Continued)

Lab Sample ID: LCS 500-178545/4

Matrix: Water

Analysis Batch: 178545

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike	LCS	LCS	Unit	D	%Rec	%Rec.
	Added	Result	Qualifier				
Carbon tetrachloride	50.0	44.9		ug/L		90	70 - 125
1,2-Dichloroethane	50.0	38.4		ug/L		77	69 - 120
Trichloroethene	50.0	42.3		ug/L		85	70 - 120
1,2-Dichloropropane	50.0	42.6		ug/L		85	70 - 120
Dibromomethane	50.0	38.4		ug/L		77	70 - 120
Bromodichloromethane	50.0	40.4		ug/L		81	70 - 120
cis-1,3-Dichloropropene	53.8	47.7		ug/L		89	70 - 120
methyl isobutyl ketone	50.0	39.5		ug/L		79	59 - 135
Toluene	50.0	41.4		ug/L		83	70 - 120
trans-1,3-Dichloropropene	48.6	44.1		ug/L		91	70 - 120
1,1,2-Trichloroethane	50.0	39.2		ug/L		78	69 - 120
Tetrachloroethene	50.0	42.3		ug/L		85	70 - 123
1,3-Dichloropropane	50.0	40.0		ug/L		80	70 - 120
2-Hexanone	50.0	44.0		ug/L		88	55 - 144
Dibromochloromethane	50.0	41.7		ug/L		83	70 - 120
1,2-Dibromoethane	50.0	40.6		ug/L		81	70 - 120
Chlorobenzene	50.0	39.9		ug/L		80	70 - 120
1,1,1,2-Tetrachloroethane	50.0	44.1		ug/L		88	75 - 120
Ethylbenzene	50.0	42.5		ug/L		85	75 - 120
m&p-Xylene	100	83.2		ug/L		83	75 - 120
o-Xylene	50.0	39.5		ug/L		79	70 - 120
Styrene	50.0	43.0		ug/L		86	75 - 120
Bromoform	50.0	46.2		ug/L		92	70 - 125
Isopropylbenzene	50.0	40.7		ug/L		81	70 - 120
Bromobenzene	50.0	41.8		ug/L		84	70 - 120
1,1,2,2-Tetrachloroethane	50.0	40.1		ug/L		80	70 - 128
1,2,3-Trichloropropane	50.0	39.4		ug/L		79	70 - 120
N-Propylbenzene	50.0	40.1		ug/L		80	70 - 120
2-Chlorotoluene	50.0	39.4		ug/L		79	70 - 120
1,3,5-Trimethylbenzene	50.0	44.7		ug/L		89	75 - 123
4-Chlorotoluene	50.0	39.9		ug/L		80	70 - 120
tert-Butylbenzene	50.0	40.8		ug/L		82	70 - 120
1,2,4-Trimethylbenzene	50.0	43.7		ug/L		87	75 - 121
sec-Butylbenzene	50.0	40.8		ug/L		82	70 - 120
1,3-Dichlorobenzene	50.0	39.1		ug/L		78	70 - 120
p-Isopropyltoluene	50.0	40.5		ug/L		81	70 - 120
1,4-Dichlorobenzene	50.0	41.5		ug/L		83	75 - 120
n-Butylbenzene	50.0	43.7		ug/L		87	75 - 120
1,2-Dichlorobenzene	50.0	38.7		ug/L		77	75 - 120
1,2-Dibromo-3-Chloropropane	50.0	40.1		ug/L		80	60 - 121
1,2,4-Trichlorobenzene	50.0	40.6		ug/L		81	65 - 121
Hexachlorobutadiene	50.0	44.8		ug/L		90	70 - 135
Naphthalene	50.0	40.9		ug/L		82	55 - 132
1,2,3-Trichlorobenzene	50.0	41.1		ug/L		82	56 - 137

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	96		75 - 125
Toluene-d8 (Surr)	102		75 - 120

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Method: 8260B - VOC (Continued)

Lab Sample ID: LCS 500-178545/4
Matrix: Water
Analysis Batch: 178545

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	103		75 - 120
Dibromofluoromethane	97		75 - 120

Lab Sample ID: 500-54778-9 MS
Matrix: Water
Analysis Batch: 178545

Client Sample ID: RFW-6
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	<0.50		50.0	50.7		ug/L		101	70 - 120
Dichlorodifluoromethane	<1.0		50.0	43.4		ug/L		87	40 - 140
Chloromethane	<1.0		50.0	39.6		ug/L		79	50 - 134
Vinyl chloride	<0.50		50.0	49.1		ug/L		98	62 - 138
Bromomethane	<1.0		50.0	11.5	F	ug/L		23	50 - 150
Chloroethane	<1.0		50.0	48.4		ug/L		97	50 - 150
Trichlorofluoromethane	<1.0		50.0	49.6		ug/L		99	63 - 134
1,1-Dichloroethane	<1.0		50.0	51.0		ug/L		102	58 - 122
Carbon disulfide	<5.0		50.0	49.0		ug/L		98	50 - 120
Acetone	<5.0		50.0	43.7		ug/L		87	46 - 153
Methylene Chloride	<5.0		50.0	47.8		ug/L		96	65 - 125
trans-1,2-Dichloroethene	<1.0		50.0	52.2		ug/L		104	70 - 124
1,1-Dichloroethane	<1.0		50.0	50.6		ug/L		101	68 - 121
2,2-Dichloropropane	<1.0		50.0	57.1		ug/L		114	67 - 125
cis-1,2-Dichloroethene	<1.0		50.0	51.4		ug/L		103	70 - 120
Methyl Ethyl Ketone	<5.0		50.0	42.2		ug/L		84	54 - 138
Bromochloromethane	<1.0		50.0	48.7		ug/L		97	67 - 122
Chloroform	<1.0		50.0	50.6		ug/L		101	70 - 120
1,1,1-Trichloroethane	<1.0		50.0	54.7		ug/L		109	70 - 123
1,1-Dichloropropene	<1.0		50.0	51.0		ug/L		102	70 - 120
Carbon tetrachloride	<1.0		50.0	55.5		ug/L		111	70 - 125
1,2-Dichloroethane	<1.0		50.0	47.0		ug/L		94	69 - 120
Trichloroethene	0.68		50.0	52.5		ug/L		104	70 - 120
1,2-Dichloropropane	<1.0		50.0	51.5		ug/L		103	70 - 120
Dibromomethane	<1.0		50.0	46.7		ug/L		93	70 - 120
Bromodichloromethane	<1.0		50.0	48.2		ug/L		96	70 - 120
cis-1,3-Dichloropropene	<1.0		53.8	54.7		ug/L		102	70 - 120
methyl isobutyl ketone	<5.0		50.0	46.0		ug/L		92	59 - 135
Toluene	<0.50		50.0	50.4		ug/L		101	70 - 120
trans-1,3-Dichloropropene	<1.0		48.6	50.7		ug/L		104	70 - 120
1,1,2-Trichloroethane	<1.0		50.0	46.2		ug/L		92	69 - 120
Tetrachloroethene	1.1		50.0	55.2		ug/L		108	70 - 123
1,3-Dichloropropane	<1.0		50.0	49.6		ug/L		99	70 - 120
2-Hexanone	<5.0		50.0	47.1		ug/L		94	55 - 144
Dibromochloromethane	<1.0		50.0	50.3		ug/L		101	70 - 120
1,2-Dibromoethane	<1.0		50.0	49.1		ug/L		98	70 - 120
Chlorobenzene	<1.0		50.0	49.1		ug/L		98	70 - 120
1,1,1,2-Tetrachloroethane	<1.0		50.0	52.4		ug/L		105	75 - 120
Ethylbenzene	<0.50		50.0	52.9		ug/L		106	75 - 120
m&p-Xylene	<1.0		100	103		ug/L		103	75 - 120

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Method: 8260B - VOC (Continued)

Lab Sample ID: 500-54778-9 MS

Matrix: Water

Analysis Batch: 178545

Client Sample ID: RFW-6

Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec.
	Result	Qualifier		Added	Result				
o-Xylene	<0.50		50.0	49.2		ug/L		98	70 - 120
Styrene	<1.0		50.0	52.4		ug/L		105	75 - 120
Bromoform	<1.0		50.0	54.1		ug/L		108	70 - 125
Isopropylbenzene	<1.0		50.0	53.1		ug/L		106	70 - 120
Bromobenzene	<1.0		50.0	53.2		ug/L		106	70 - 120
1,1,2,2-Tetrachloroethane	<1.0		50.0	49.9		ug/L		100	70 - 128
1,2,3-Trichloropropane	<1.0		50.0	49.7		ug/L		99	70 - 120
N-Propylbenzene	<1.0		50.0	51.4		ug/L		103	70 - 120
2-Chlorotoluene	<1.0		50.0	50.1		ug/L		100	70 - 120
1,3,5-Trimethylbenzene	<1.0		50.0	57.4		ug/L		115	75 - 123
4-Chlorotoluene	<1.0		50.0	50.9		ug/L		102	70 - 120
tert-Butylbenzene	<1.0		50.0	53.3		ug/L		107	70 - 120
1,2,4-Trimethylbenzene	<1.0		50.0	54.8		ug/L		110	75 - 121
sec-Butylbenzene	<1.0		50.0	53.1		ug/L		106	70 - 120
1,3-Dichlorobenzene	<1.0		50.0	48.6		ug/L		97	70 - 120
p-Isopropyltoluene	<1.0		50.0	51.9		ug/L		104	70 - 120
1,4-Dichlorobenzene	<1.0		50.0	52.0		ug/L		104	75 - 120
n-Butylbenzene	<1.0		50.0	54.9		ug/L		110	75 - 120
1,2-Dichlorobenzene	<1.0		50.0	49.3		ug/L		99	75 - 120
1,2-Dibromo-3-Chloropropane	<2.0		50.0	46.9		ug/L		94	60 - 121
1,2,4-Trichlorobenzene	<1.0		50.0	47.3		ug/L		95	65 - 121
Hexachlorobutadiene	<1.0		50.0	56.2		ug/L		112	70 - 135
Naphthalene	<1.0		50.0	50.3		ug/L		101	55 - 132
1,2,3-Trichlorobenzene	<1.0		50.0	48.5		ug/L		97	56 - 137

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	94		75 - 125
Toluene-d8 (Surr)	100		75 - 120
4-Bromofluorobenzene (Surr)	98		75 - 120
Dibromofluoromethane	95		75 - 120

Lab Sample ID: 500-54778-9 MSD

Matrix: Water

Analysis Batch: 178545

Client Sample ID: RFW-6

Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec.	RPD	Limit
	Result	Qualifier		Added	Result						
Benzene	<0.50		50.0	45.3		ug/L		91	70 - 120	11	20
Dichlorodifluoromethane	<1.0		50.0	39.9		ug/L		80	40 - 140	8	20
Chloromethane	<1.0		50.0	38.3		ug/L		77	50 - 134	4	20
Vinyl chloride	<0.50		50.0	46.2		ug/L		92	62 - 138	6	20
Bromomethane	<1.0		50.0	18.9	F	ug/L		38	50 - 150	49	20
Chloroethane	<1.0		50.0	44.2		ug/L		88	50 - 150	9	20
Trichlorofluoromethane	<1.0		50.0	46.0		ug/L		92	63 - 134	8	20
1,1-Dichloroethane	<1.0		50.0	46.1		ug/L		92	58 - 122	10	20
Carbon disulfide	<5.0		50.0	44.4		ug/L		89	50 - 120	10	20
Acetone	<5.0		50.0	36.4		ug/L		73	46 - 153	18	20
Methylene Chloride	<5.0		50.0	42.9		ug/L		86	65 - 125	11	20
trans-1,2-Dichloroethane	<1.0		50.0	47.9		ug/L		96	70 - 124	9	20

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Method: 8260B - VOC (Continued)

Lab Sample ID: 500-54778-9 MSD

Client Sample ID: RFW-6

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 178545

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec.	RPD	RPD
	Result	Qualifier	Added	Result	Qualifier				Limits		Limit
1,1-Dichloroethane	<1.0		50.0	46.3		ug/L		93	68 - 121	9	20
2,2-Dichloropropane	<1.0		50.0	53.3		ug/L		107	67 - 125	7	20
cis-1,2-Dichloroethene	<1.0		50.0	46.5		ug/L		93	70 - 120	10	20
Methyl Ethyl Ketone	<5.0		50.0	37.3		ug/L		75	54 - 138	12	20
Bromochloromethane	<1.0		50.0	46.9		ug/L		94	67 - 122	4	20
Chloroform	<1.0		50.0	45.3		ug/L		91	70 - 120	11	20
1,1,1-Trichloroethane	<1.0		50.0	50.3		ug/L		101	70 - 123	8	20
1,1-Dichloropropene	<1.0		50.0	46.9		ug/L		94	70 - 120	8	20
Carbon tetrachloride	<1.0		50.0	50.8		ug/L		102	70 - 125	9	20
1,2-Dichloroethane	<1.0		50.0	41.4		ug/L		83	69 - 120	13	20
Trichloroethene	0.68		50.0	47.3		ug/L		93	70 - 120	10	20
1,2-Dichloropropane	<1.0		50.0	45.3		ug/L		91	70 - 120	13	20
Dibromomethane	<1.0		50.0	41.5		ug/L		83	70 - 120	12	20
Bromodichloromethane	<1.0		50.0	42.6		ug/L		85	70 - 120	12	20
cis-1,3-Dichloropropene	<1.0		53.8	48.0		ug/L		89	70 - 120	13	20
methyl isobutyl ketone	<5.0		50.0	38.4		ug/L		77	59 - 135	18	20
Toluene	<0.50		50.0	45.0		ug/L		90	70 - 120	11	20
trans-1,3-Dichloropropene	<1.0		48.6	45.1		ug/L		93	70 - 120	12	20
1,1,2-Trichloroethane	<1.0		50.0	40.4		ug/L		81	69 - 120	13	20
Tetrachloroethene	1.1		50.0	50.3		ug/L		98	70 - 123	9	20
1,3-Dichloropropane	<1.0		50.0	43.9		ug/L		88	70 - 120	12	20
2-Hexanone	<5.0		50.0	39.0		ug/L		78	55 - 144	19	20
Dibromochloromethane	<1.0		50.0	44.1		ug/L		88	70 - 120	13	20
1,2-Dibromoethane	<1.0		50.0	43.0		ug/L		86	70 - 120	13	20
Chlorobenzene	<1.0		50.0	44.4		ug/L		89	70 - 120	10	20
1,1,1,2-Tetrachloroethane	<1.0		50.0	47.9		ug/L		96	75 - 120	9	20
Ethylbenzene	<0.50		50.0	47.6		ug/L		95	75 - 120	11	20
m&p-Xylene	<1.0		100	93.1		ug/L		93	75 - 120	10	20
o-Xylene	<0.50		50.0	44.1		ug/L		88	70 - 120	11	20
Styrene	<1.0		50.0	46.9		ug/L		94	75 - 120	11	20
Bromoform	<1.0		50.0	48.0		ug/L		96	70 - 125	12	20
Isopropylbenzene	<1.0		50.0	47.7		ug/L		95	70 - 120	11	20
Bromobenzene	<1.0		50.0	46.9		ug/L		94	70 - 120	13	20
1,1,2,2-Tetrachloroethane	<1.0		50.0	43.7		ug/L		87	70 - 128	13	20
1,2,3-Trichloropropane	<1.0		50.0	43.1		ug/L		86	70 - 120	14	20
N-Propylbenzene	<1.0		50.0	46.6		ug/L		93	70 - 120	10	20
2-Chlorotoluene	<1.0		50.0	44.4		ug/L		89	70 - 120	12	20
1,3,5-Trimethylbenzene	<1.0		50.0	51.7		ug/L		103	75 - 123	10	20
4-Chlorotoluene	<1.0		50.0	45.6		ug/L		91	70 - 120	11	20
tert-Butylbenzene	<1.0		50.0	48.1		ug/L		96	70 - 120	10	20
1,2,4-Trimethylbenzene	<1.0		50.0	49.2		ug/L		98	75 - 121	11	20
sec-Butylbenzene	<1.0		50.0	47.9		ug/L		96	70 - 120	10	20
1,3-Dichlorobenzene	<1.0		50.0	43.8		ug/L		88	70 - 120	10	20
p-Isopropyltoluene	<1.0		50.0	47.1		ug/L		94	70 - 120	10	20
1,4-Dichlorobenzene	<1.0		50.0	46.1		ug/L		92	75 - 120	12	20
n-Butylbenzene	<1.0		50.0	49.3		ug/L		99	75 - 120	11	20
1,2-Dichlorobenzene	<1.0		50.0	44.0		ug/L		88	75 - 120	11	20
1,2-Dibromo-3-Chloropropane	<2.0		50.0	41.9		ug/L		84	60 - 121	11	20

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Method: 8260B - VOC (Continued)

Lab Sample ID: 500-54778-9 MSD

Matrix: Water

Analysis Batch: 178545

Client Sample ID: RFW-6

Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec.	RPD	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier				Limits			
1,2,4-Trichlorobenzene	<1.0		50.0	43.2		ug/L		86	65 - 121	9	20	
Hexachlorobutadiene	<1.0		50.0	51.5		ug/L		103	70 - 135	9	20	
Naphthalene	<1.0		50.0	46.4		ug/L		93	55 - 132	8	20	
1,2,3-Trichlorobenzene	<1.0		50.0	46.2		ug/L		92	56 - 137	5	20	

Surrogate	MSD	MSD	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	92		75 - 125
Toluene-d8 (Surr)	100		75 - 120
4-Bromofluorobenzene (Surr)	97		75 - 120
Dibromofluoromethane	95		75 - 120

Lab Sample ID: MB 500-178664/6

Matrix: Water

Analysis Batch: 178664

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Benzene	<0.50		0.50	0.074	ug/L			02/27/13 11:38	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			02/27/13 11:38	1
Chloromethane	<1.0		1.0	0.18	ug/L			02/27/13 11:38	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			02/27/13 11:38	1
Bromomethane	<1.0		1.0	0.31	ug/L			02/27/13 11:38	1
Chloroethane	<1.0		1.0	0.34	ug/L			02/27/13 11:38	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			02/27/13 11:38	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			02/27/13 11:38	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			02/27/13 11:38	1
Acetone	<5.0		5.0	1.3	ug/L			02/27/13 11:38	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			02/27/13 11:38	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			02/27/13 11:38	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			02/27/13 11:38	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			02/27/13 11:38	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			02/27/13 11:38	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			02/27/13 11:38	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			02/27/13 11:38	1
Chloroform	<1.0		1.0	0.20	ug/L			02/27/13 11:38	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			02/27/13 11:38	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			02/27/13 11:38	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			02/27/13 11:38	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			02/27/13 11:38	1
Trichloroethene	<0.50		0.50	0.19	ug/L			02/27/13 11:38	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			02/27/13 11:38	1
Dibromomethane	<1.0		1.0	0.33	ug/L			02/27/13 11:38	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			02/27/13 11:38	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			02/27/13 11:38	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			02/27/13 11:38	1
Toluene	<0.50		0.50	0.11	ug/L			02/27/13 11:38	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			02/27/13 11:38	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			02/27/13 11:38	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			02/27/13 11:38	1

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Method: 8260B - VOC (Continued)

Lab Sample ID: MB 500-178664/6

Matrix: Water

Analysis Batch: 178664

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			02/27/13 11:38	1
2-Hexanone	<5.0		5.0	0.56	ug/L			02/27/13 11:38	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			02/27/13 11:38	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			02/27/13 11:38	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			02/27/13 11:38	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			02/27/13 11:38	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			02/27/13 11:38	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			02/27/13 11:38	1
o-Xylene	<0.50		0.50	0.068	ug/L			02/27/13 11:38	1
Styrene	<1.0		1.0	0.10	ug/L			02/27/13 11:38	1
Bromoform	<1.0		1.0	0.28	ug/L			02/27/13 11:38	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			02/27/13 11:38	1
Bromobenzene	<1.0		1.0	0.25	ug/L			02/27/13 11:38	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			02/27/13 11:38	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			02/27/13 11:38	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			02/27/13 11:38	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/27/13 11:38	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			02/27/13 11:38	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			02/27/13 11:38	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			02/27/13 11:38	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			02/27/13 11:38	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			02/27/13 11:38	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/27/13 11:38	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			02/27/13 11:38	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/27/13 11:38	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			02/27/13 11:38	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			02/27/13 11:38	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			02/27/13 11:38	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			02/27/13 11:38	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			02/27/13 11:38	1
Naphthalene	<1.0		1.0	0.16	ug/L			02/27/13 11:38	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			02/27/13 11:38	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	91		75 - 125		02/27/13 11:38	1
Toluene-d8 (Surr)	97		75 - 120		02/27/13 11:38	1
4-Bromofluorobenzene (Surr)	96		75 - 120		02/27/13 11:38	1
Dibromofluoromethane	93		75 - 120		02/27/13 11:38	1

Lab Sample ID: LCS 500-178664/4

Matrix: Water

Analysis Batch: 178664

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Dichlorodifluoromethane	50.0	38.3		ug/L		77	40 - 140
Chloromethane	50.0	37.9		ug/L		76	50 - 134
Vinyl chloride	50.0	46.6		ug/L		93	62 - 138

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Method: 8260B - VOC (Continued)

Lab Sample ID: LCS 500-178664/4
Matrix: Water
Analysis Batch: 178664

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec. Limits
		Result	Qualifier				
Bromomethane	50.0	26.5		ug/L		53	50 - 150
Chloroethane	50.0	44.1		ug/L		88	50 - 150
Trichlorofluoromethane	50.0	44.9		ug/L		90	63 - 134
1,1-Dichloroethene	50.0	40.4		ug/L		81	58 - 122
Carbon disulfide	50.0	38.8		ug/L		78	50 - 120
Acetone	50.0	59.8		ug/L		120	46 - 153
Methylene Chloride	50.0	41.5		ug/L		83	65 - 125
trans-1,2-Dichloroethene	50.0	42.9		ug/L		86	70 - 124
1,1-Dichloroethane	50.0	42.2		ug/L		84	68 - 121
2,2-Dichloropropane	50.0	48.9		ug/L		98	67 - 125
cis-1,2-Dichloroethene	50.0	41.6		ug/L		83	70 - 120
Methyl Ethyl Ketone	50.0	39.6		ug/L		79	54 - 138
Bromochloromethane	50.0	41.8		ug/L		84	67 - 122
Chloroform	50.0	42.3		ug/L		85	70 - 120
1,1,1-Trichloroethane	50.0	45.1		ug/L		90	70 - 123
1,1-Dichloropropene	50.0	41.7		ug/L		83	70 - 120
Carbon tetrachloride	50.0	46.5		ug/L		93	70 - 125
1,2-Dichloroethane	50.0	37.7		ug/L		75	69 - 120
Trichloroethene	50.0	42.3		ug/L		85	70 - 120
1,2-Dichloropropane	50.0	41.7		ug/L		83	70 - 120
Dibromomethane	50.0	37.0		ug/L		74	70 - 120
Bromodichloromethane	50.0	39.6		ug/L		79	70 - 120
cis-1,3-Dichloropropene	53.8	45.7		ug/L		85	70 - 120
methyl isobutyl ketone	50.0	36.4		ug/L		73	59 - 135
Toluene	50.0	41.3		ug/L		83	70 - 120
trans-1,3-Dichloropropene	48.6	43.6		ug/L		90	70 - 120
1,1,2-Trichloroethane	50.0	36.9		ug/L		74	69 - 120
Tetrachloroethene	50.0	44.0		ug/L		88	70 - 123
1,3-Dichloropropane	50.0	38.8		ug/L		78	70 - 120
2-Hexanone	50.0	43.3		ug/L		87	55 - 144
Dibromochloromethane	50.0	40.4		ug/L		81	70 - 120
1,2-Dibromoethane	50.0	38.8		ug/L		78	70 - 120
Chlorobenzene	50.0	40.6		ug/L		81	70 - 120
1,1,1,2-Tetrachloroethane	50.0	43.4		ug/L		87	75 - 120
Ethylbenzene	50.0	43.1		ug/L		86	75 - 120
m&p-Xylene	100	84.3		ug/L		84	75 - 120
o-Xylene	50.0	40.5		ug/L		81	70 - 120
Styrene	50.0	42.5		ug/L		85	75 - 120
Bromoform	50.0	44.6		ug/L		89	70 - 125
Isopropylbenzene	50.0	41.6		ug/L		83	70 - 120
Bromobenzene	50.0	41.7		ug/L		83	70 - 120
1,1,2,2-Tetrachloroethane	50.0	38.2		ug/L		76	70 - 128
1,2,3-Trichloropropane	50.0	36.9		ug/L		74	70 - 120
N-Propylbenzene	50.0	41.2		ug/L		82	70 - 120
2-Chlorotoluene	50.0	40.3		ug/L		81	70 - 120
1,3,5-Trimethylbenzene	50.0	45.2		ug/L		90	75 - 123
4-Chlorotoluene	50.0	40.6		ug/L		81	70 - 120
tert-Butylbenzene	50.0	41.1		ug/L		82	70 - 120

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Method: 8260B - VOC (Continued)

Lab Sample ID: LCS 500-178664/4

Matrix: Water

Analysis Batch: 178664

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,2,4-Trimethylbenzene	50.0	44.0		ug/L		88	75 - 121
sec-Butylbenzene	50.0	41.9		ug/L		84	70 - 120
1,3-Dichlorobenzene	50.0	39.4		ug/L		79	70 - 120
p-Isopropyltoluene	50.0	41.6		ug/L		83	70 - 120
1,4-Dichlorobenzene	50.0	42.4		ug/L		85	75 - 120
n-Butylbenzene	50.0	45.0		ug/L		90	75 - 120
1,2-Dichlorobenzene	50.0	38.8		ug/L		78	75 - 120
1,2-Dibromo-3-Chloropropane	50.0	38.8		ug/L		78	60 - 121
1,2,4-Trichlorobenzene	50.0	40.4		ug/L		81	65 - 121
Hexachlorobutadiene	50.0	46.0		ug/L		92	70 - 135
Naphthalene	50.0	38.8		ug/L		78	55 - 132
1,2,3-Trichlorobenzene	50.0	41.3		ug/L		83	56 - 137

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	86		75 - 125
Toluene-d8 (Surr)	94		75 - 120
4-Bromofluorobenzene (Surr)	93		75 - 120
Dibromofluoromethane	89		75 - 120

Lab Sample ID: 500-54778-21 MS

Matrix: Water

Analysis Batch: 178664

Client Sample ID: EW-6

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	<0.50		50.0	44.0		ug/L		88	70 - 120
Dichlorodifluoromethane	<1.0		50.0	40.3		ug/L		81	40 - 140
Chloromethane	<1.0		50.0	39.8		ug/L		80	50 - 134
Vinyl chloride	<0.50		50.0	47.4		ug/L		95	62 - 138
Bromomethane	<1.0		50.0	27.2		ug/L		54	50 - 150
Chloroethane	<1.0		50.0	45.6		ug/L		91	50 - 150
Trichlorofluoromethane	<1.0		50.0	46.4		ug/L		93	63 - 134
1,1-Dichloroethene	<1.0		50.0	43.3		ug/L		87	58 - 122
Carbon disulfide	<5.0		50.0	40.3		ug/L		81	50 - 120
Acetone	<5.0		50.0	46.0		ug/L		92	46 - 153
Methylene Chloride	<5.0		50.0	42.0		ug/L		84	65 - 125
trans-1,2-Dichloroethene	<1.0		50.0	45.3		ug/L		91	70 - 124
1,1-Dichloroethane	<1.0		50.0	44.7		ug/L		89	68 - 121
2,2-Dichloropropane	<1.0		50.0	47.8		ug/L		96	67 - 125
cis-1,2-Dichloroethene	<1.0		50.0	44.6		ug/L		89	70 - 120
Methyl Ethyl Ketone	<5.0		50.0	40.5		ug/L		81	54 - 138
Bromochloromethane	<1.0		50.0	44.6		ug/L		89	67 - 122
Chloroform	<1.0		50.0	44.7		ug/L		89	70 - 120
1,1,1-Trichloroethane	<1.0		50.0	47.5		ug/L		95	70 - 123
1,1-Dichloropropene	<1.0		50.0	44.1		ug/L		88	70 - 120
Carbon tetrachloride	<1.0		50.0	46.9		ug/L		94	70 - 125
1,2-Dichloroethane	<1.0		50.0	42.5		ug/L		85	69 - 120
Trichloroethene	6.0		50.0	49.9		ug/L		88	70 - 120
1,2-Dichloropropane	<1.0		50.0	45.1		ug/L		90	70 - 120

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Method: 8260B - VOC (Continued)

Lab Sample ID: 500-54778-21 MS

Matrix: Water

Analysis Batch: 178664

Client Sample ID: EW-6

Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec.
	Result	Qualifier	Added	Result	Qualifier				
Dibromomethane	<1.0		50.0	42.6		ug/L		85	70 - 120
Bromodichloromethane	<1.0		50.0	42.3		ug/L		85	70 - 120
cis-1,3-Dichloropropene	<1.0		53.8	47.8		ug/L		89	70 - 120
methyl isobutyl ketone	<5.0		50.0	43.3		ug/L		87	59 - 135
Toluene	<0.50		50.0	43.8		ug/L		88	70 - 120
trans-1,3-Dichloropropene	<1.0		48.6	45.4		ug/L		93	70 - 120
1,1,2-Trichloroethane	<1.0		50.0	42.4		ug/L		85	69 - 120
Tetrachloroethene	11		50.0	54.0		ug/L		87	70 - 123
1,3-Dichloropropane	<1.0		50.0	44.4		ug/L		89	70 - 120
2-Hexanone	<5.0		50.0	44.3		ug/L		89	55 - 144
Dibromochloromethane	<1.0		50.0	45.0		ug/L		90	70 - 120
1,2-Dibromoethane	<1.0		50.0	44.5		ug/L		89	70 - 120
Chlorobenzene	<1.0		50.0	41.7		ug/L		83	70 - 120
1,1,1,2-Tetrachloroethane	<1.0		50.0	45.2		ug/L		90	75 - 120
Ethylbenzene	<0.50		50.0	44.3		ug/L		89	75 - 120
m&p-Xylene	<1.0		100	85.6		ug/L		86	75 - 120
o-Xylene	<0.50		50.0	41.3		ug/L		83	70 - 120
Styrene	<1.0		50.0	44.0		ug/L		88	75 - 120
Bromoform	<1.0		50.0	48.8		ug/L		98	70 - 125
Isopropylbenzene	<1.0		50.0	43.3		ug/L		87	70 - 120
Bromobenzene	<1.0		50.0	44.6		ug/L		89	70 - 120
1,1,2,2-Tetrachloroethane	<1.0		50.0	45.6		ug/L		91	70 - 128
1,2,3-Trichloropropane	<1.0		50.0	43.8		ug/L		88	70 - 120
N-Propylbenzene	<1.0		50.0	41.6		ug/L		83	70 - 120
2-Chlorotoluene	<1.0		50.0	41.1		ug/L		82	70 - 120
1,3,5-Trimethylbenzene	<1.0		50.0	46.8		ug/L		94	75 - 123
4-Chlorotoluene	<1.0		50.0	41.9		ug/L		84	70 - 120
tert-Butylbenzene	<1.0		50.0	43.2		ug/L		86	70 - 120
1,2,4-Trimethylbenzene	<1.0		50.0	44.9		ug/L		90	75 - 121
sec-Butylbenzene	<1.0		50.0	43.1		ug/L		86	70 - 120
1,3-Dichlorobenzene	<1.0		50.0	39.9		ug/L		80	70 - 120
p-Isopropyltoluene	<1.0		50.0	41.4		ug/L		83	70 - 120
1,4-Dichlorobenzene	<1.0		50.0	43.2		ug/L		86	75 - 120
n-Butylbenzene	<1.0		50.0	43.6		ug/L		87	75 - 120
1,2-Dichlorobenzene	<1.0		50.0	41.8		ug/L		84	75 - 120
1,2-Dibromo-3-Chloropropane	<2.0		50.0	42.0		ug/L		84	60 - 121
1,2,4-Trichlorobenzene	<1.0		50.0	40.9		ug/L		82	65 - 121
Hexachlorobutadiene	<1.0		50.0	44.9		ug/L		90	70 - 135
Naphthalene	<1.0		50.0	47.4		ug/L		95	55 - 132
1,2,3-Trichlorobenzene	<1.0		50.0	44.4		ug/L		89	56 - 137

Surrogate	MS MS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	96		75 - 125
Toluene-d8 (Surr)	98		75 - 120
4-Bromofluorobenzene (Surr)	95		75 - 120
Dibromofluoromethane	97		75 - 120

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Method: 8260B - VOC (Continued)

Lab Sample ID: 500-54778-21 MSD

Client Sample ID: EW-6

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 178664

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec.	RPD	RPD
	Result	Qualifier	Added	Result	Qualifier				Limits		Limit
Benzene	<0.50		50.0	44.9		ug/L		90	70 - 120	2	20
Dichlorodifluoromethane	<1.0		50.0	43.7		ug/L		87	40 - 140	8	20
Chloromethane	<1.0		50.0	43.5		ug/L		87	50 - 134	9	20
Vinyl chloride	<0.50		50.0	52.4		ug/L		105	62 - 138	10	20
Bromomethane	<1.0		50.0	36.8	F	ug/L		74	50 - 150	30	20
Chloroethane	<1.0		50.0	50.8		ug/L		102	50 - 150	11	20
Trichlorofluoromethane	<1.0		50.0	50.3		ug/L		101	63 - 134	8	20
1,1-Dichloroethene	<1.0		50.0	44.9		ug/L		90	58 - 122	4	20
Carbon disulfide	<5.0		50.0	42.5		ug/L		85	50 - 120	5	20
Acetone	<5.0		50.0	45.2		ug/L		90	46 - 153	2	20
Methylene Chloride	<5.0		50.0	44.9		ug/L		90	65 - 125	7	20
trans-1,2-Dichloroethene	<1.0		50.0	46.9		ug/L		94	70 - 124	3	20
1,1-Dichloroethane	<1.0		50.0	46.3		ug/L		93	68 - 121	4	20
2,2-Dichloropropane	<1.0		50.0	51.4		ug/L		103	67 - 125	7	20
cis-1,2-Dichloroethene	<1.0		50.0	46.2		ug/L		92	70 - 120	3	20
Methyl Ethyl Ketone	<5.0		50.0	41.5		ug/L		83	54 - 138	2	20
Bromochloromethane	<1.0		50.0	48.6		ug/L		97	67 - 122	9	20
Chloroform	<1.0		50.0	46.8		ug/L		94	70 - 120	5	20
1,1,1-Trichloroethane	<1.0		50.0	49.3		ug/L		99	70 - 123	4	20
1,1-Dichloropropene	<1.0		50.0	45.7		ug/L		91	70 - 120	4	20
Carbon tetrachloride	<1.0		50.0	48.2		ug/L		96	70 - 125	3	20
1,2-Dichloroethane	<1.0		50.0	42.8		ug/L		86	69 - 120	1	20
Trichloroethene	6.0		50.0	51.7		ug/L		91	70 - 120	4	20
1,2-Dichloropropane	<1.0		50.0	46.7		ug/L		93	70 - 120	3	20
Dibromomethane	<1.0		50.0	43.8		ug/L		88	70 - 120	3	20
Bromodichloromethane	<1.0		50.0	43.7		ug/L		87	70 - 120	3	20
cis-1,3-Dichloropropene	<1.0		53.8	50.0		ug/L		93	70 - 120	4	20
methyl isobutyl ketone	<5.0		50.0	44.0		ug/L		88	59 - 135	2	20
Toluene	<0.50		50.0	44.9		ug/L		90	70 - 120	3	20
trans-1,3-Dichloropropene	<1.0		48.6	47.3		ug/L		97	70 - 120	4	20
1,1,2-Trichloroethane	<1.0		50.0	43.8		ug/L		88	69 - 120	3	20
Tetrachloroethene	11		50.0	57.5		ug/L		94	70 - 123	6	20
1,3-Dichloropropane	<1.0		50.0	45.1		ug/L		90	70 - 120	2	20
2-Hexanone	<5.0		50.0	45.0		ug/L		90	55 - 144	2	20
Dibromochloromethane	<1.0		50.0	46.0		ug/L		92	70 - 120	2	20
1,2-Dibromoethane	<1.0		50.0	45.0		ug/L		90	70 - 120	1	20
Chlorobenzene	<1.0		50.0	43.1		ug/L		86	70 - 120	3	20
1,1,1,2-Tetrachloroethane	<1.0		50.0	47.5		ug/L		95	75 - 120	5	20
Ethylbenzene	<0.50		50.0	46.1		ug/L		92	75 - 120	4	20
m&p-Xylene	<1.0		100	90.1		ug/L		90	75 - 120	5	20
o-Xylene	<0.50		50.0	43.6		ug/L		87	70 - 120	6	20
Styrene	<1.0		50.0	46.1		ug/L		92	75 - 120	5	20
Bromoform	<1.0		50.0	50.4		ug/L		101	70 - 125	3	20
Isopropylbenzene	<1.0		50.0	45.3		ug/L		91	70 - 120	5	20
Bromobenzene	<1.0		50.0	47.0		ug/L		94	70 - 120	5	20
1,1,1,2,2-Tetrachloroethane	<1.0		50.0	47.5		ug/L		95	70 - 128	4	20
1,2,3-Trichloropropane	<1.0		50.0	44.4		ug/L		89	70 - 120	1	20
N-Propylbenzene	<1.0		50.0	44.4		ug/L		89	70 - 120	6	20

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Method: 8260B - VOC (Continued)

Lab Sample ID: 500-54778-21 MSD

Matrix: Water

Analysis Batch: 178664

Client Sample ID: EW-6

Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec.	RPD	RPD
	Result	Qualifier	Added	Result	Qualifier				Limits		Limit
2-Chlorotoluene	<1.0		50.0	43.3		ug/L		87	70 - 120	5	20
1,3,5-Trimethylbenzene	<1.0		50.0	49.3		ug/L		99	75 - 123	5	20
4-Chlorotoluene	<1.0		50.0	44.6		ug/L		89	70 - 120	6	20
tert-Butylbenzene	<1.0		50.0	45.2		ug/L		90	70 - 120	5	20
1,2,4-Trimethylbenzene	<1.0		50.0	47.8		ug/L		96	75 - 121	6	20
sec-Butylbenzene	<1.0		50.0	45.3		ug/L		91	70 - 120	5	20
1,3-Dichlorobenzene	<1.0		50.0	43.1		ug/L		86	70 - 120	8	20
p-Isopropyltoluene	<1.0		50.0	44.4		ug/L		89	70 - 120	7	20
1,4-Dichlorobenzene	<1.0		50.0	46.1		ug/L		92	75 - 120	6	20
n-Butylbenzene	<1.0		50.0	47.5		ug/L		95	75 - 120	9	20
1,2-Dichlorobenzene	<1.0		50.0	44.2		ug/L		88	75 - 120	5	20
1,2-Dibromo-3-Chloropropane	<2.0		50.0	43.6		ug/L		87	60 - 121	4	20
1,2,4-Trichlorobenzene	<1.0		50.0	45.2		ug/L		90	65 - 121	10	20
Hexachlorobutadiene	<1.0		50.0	49.2		ug/L		98	70 - 135	9	20
Naphthalene	<1.0		50.0	50.7		ug/L		101	55 - 132	7	20
1,2,3-Trichlorobenzene	<1.0		50.0	48.8		ug/L		98	56 - 137	10	20

Surrogate	MSD	MSD	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	99		75 - 125
Toluene-d8 (Surr)	103		75 - 120
4-Bromofluorobenzene (Surr)	101		75 - 120
Dibromofluoromethane	102		75 - 120

Lab Sample ID: MB 500-178766/6

Matrix: Water

Analysis Batch: 178766

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Benzene	<0.50		0.50	0.074	ug/L			02/28/13 12:11	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			02/28/13 12:11	1
Chloromethane	<1.0		1.0	0.18	ug/L			02/28/13 12:11	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			02/28/13 12:11	1
Bromomethane	<1.0		1.0	0.31	ug/L			02/28/13 12:11	1
Chloroethane	<1.0		1.0	0.34	ug/L			02/28/13 12:11	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			02/28/13 12:11	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			02/28/13 12:11	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			02/28/13 12:11	1
Acetone	<5.0		5.0	1.3	ug/L			02/28/13 12:11	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			02/28/13 12:11	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			02/28/13 12:11	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			02/28/13 12:11	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			02/28/13 12:11	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			02/28/13 12:11	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			02/28/13 12:11	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			02/28/13 12:11	1
Chloroform	<1.0		1.0	0.20	ug/L			02/28/13 12:11	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			02/28/13 12:11	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			02/28/13 12:11	1

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Method: 8260B - VOC (Continued)

Lab Sample ID: MB 500-178766/6
Matrix: Water
Analysis Batch: 178766

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			02/28/13 12:11	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			02/28/13 12:11	1
Trichloroethene	<0.50		0.50	0.19	ug/L			02/28/13 12:11	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			02/28/13 12:11	1
Dibromomethane	<1.0		1.0	0.33	ug/L			02/28/13 12:11	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			02/28/13 12:11	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			02/28/13 12:11	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			02/28/13 12:11	1
Toluene	<0.50		0.50	0.11	ug/L			02/28/13 12:11	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			02/28/13 12:11	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			02/28/13 12:11	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			02/28/13 12:11	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			02/28/13 12:11	1
2-Hexanone	<5.0		5.0	0.56	ug/L			02/28/13 12:11	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			02/28/13 12:11	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			02/28/13 12:11	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			02/28/13 12:11	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			02/28/13 12:11	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			02/28/13 12:11	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			02/28/13 12:11	1
o-Xylene	<0.50		0.50	0.068	ug/L			02/28/13 12:11	1
Styrene	<1.0		1.0	0.10	ug/L			02/28/13 12:11	1
Bromoform	<1.0		1.0	0.28	ug/L			02/28/13 12:11	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			02/28/13 12:11	1
Bromobenzene	<1.0		1.0	0.25	ug/L			02/28/13 12:11	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			02/28/13 12:11	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			02/28/13 12:11	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			02/28/13 12:11	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/28/13 12:11	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			02/28/13 12:11	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			02/28/13 12:11	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			02/28/13 12:11	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			02/28/13 12:11	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			02/28/13 12:11	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/28/13 12:11	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			02/28/13 12:11	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			02/28/13 12:11	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			02/28/13 12:11	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			02/28/13 12:11	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			02/28/13 12:11	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			02/28/13 12:11	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			02/28/13 12:11	1
Naphthalene	<1.0		1.0	0.16	ug/L			02/28/13 12:11	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			02/28/13 12:11	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	99		75 - 125		02/28/13 12:11	1
Toluene-d8 (Surr)	101		75 - 120		02/28/13 12:11	1

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Method: 8260B - VOC (Continued)

Lab Sample ID: MB 500-178766/6
Matrix: Water
Analysis Batch: 178766

Client Sample ID: Method Blank
Prep Type: Total/NA

Surrogate	MB MB		Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	99		75 - 120
Dibromofluoromethane	96		75 - 120

Prepared	Analyzed	Dil Fac
	02/28/13 12:11	1
	02/28/13 12:11	1

Lab Sample ID: LCS 500-178766/4
Matrix: Water
Analysis Batch: 178766

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec.
							Limits
Benzene	50.0	42.1		ug/L		84	70 - 120
Dichlorodifluoromethane	50.0	33.1		ug/L		66	40 - 140
Chloromethane	50.0	35.8		ug/L		72	50 - 134
Vinyl chloride	50.0	43.5		ug/L		87	62 - 138
Bromomethane	50.0	30.0		ug/L		60	50 - 150
Chloroethane	50.0	41.6		ug/L		83	50 - 150
Trichlorofluoromethane	50.0	42.4		ug/L		85	63 - 134
1,1-Dichloroethene	50.0	43.4		ug/L		87	58 - 122
Carbon disulfide	50.0	41.8		ug/L		84	50 - 120
Acetone	50.0	44.5		ug/L		89	46 - 153
Methylene Chloride	50.0	39.8		ug/L		80	65 - 125
trans-1,2-Dichloroethene	50.0	44.5		ug/L		89	70 - 124
1,1-Dichloroethane	50.0	43.1		ug/L		86	68 - 121
2,2-Dichloropropane	50.0	49.9		ug/L		100	67 - 125
cis-1,2-Dichloroethene	50.0	42.5		ug/L		85	70 - 120
Methyl Ethyl Ketone	50.0	43.7		ug/L		87	54 - 138
Bromochloromethane	50.0	41.7		ug/L		83	67 - 122
Chloroform	50.0	42.8		ug/L		86	70 - 120
1,1,1-Trichloroethane	50.0	46.3		ug/L		93	70 - 123
1,1-Dichloropropene	50.0	42.8		ug/L		86	70 - 120
Carbon tetrachloride	50.0	46.9		ug/L		94	70 - 125
1,2-Dichloroethane	50.0	40.6		ug/L		81	69 - 120
Trichloroethene	50.0	44.0		ug/L		88	70 - 120
1,2-Dichloropropane	50.0	43.8		ug/L		88	70 - 120
Dibromomethane	50.0	41.9		ug/L		84	70 - 120
Bromodichloromethane	50.0	42.1		ug/L		84	70 - 120
cis-1,3-Dichloropropene	53.8	49.1		ug/L		91	70 - 120
methyl isobutyl ketone	50.0	45.7		ug/L		91	59 - 135
Toluene	50.0	42.1		ug/L		84	70 - 120
trans-1,3-Dichloropropene	48.6	46.9		ug/L		96	70 - 120
1,1,2-Trichloroethane	50.0	41.3		ug/L		83	69 - 120
Tetrachloroethene	50.0	45.0		ug/L		90	70 - 123
1,3-Dichloropropane	50.0	44.1		ug/L		88	70 - 120
2-Hexanone	50.0	46.8		ug/L		94	55 - 144
Dibromochloromethane	50.0	45.1		ug/L		90	70 - 120
1,2-Dibromoethane	50.0	45.1		ug/L		90	70 - 120
Chlorobenzene	50.0	40.6		ug/L		81	70 - 120
1,1,1,2-Tetrachloroethane	50.0	45.5		ug/L		91	75 - 120
Ethylbenzene	50.0	43.6		ug/L		87	75 - 120
m&p-Xylene	100	85.5		ug/L		86	75 - 120

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Method: 8260B - VOC (Continued)

Lab Sample ID: LCS 500-178766/4

Client Sample ID: Lab Control Sample

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 178766

Analyte	Spike Added	LCS		Unit	D	%Rec	%Rec. Limits
		Result	Qualifier				
o-Xylene	50.0	40.6		ug/L		81	70 - 120
Styrene	50.0	44.0		ug/L		88	75 - 120
Bromoform	50.0	50.9		ug/L		102	70 - 125
Isopropylbenzene	50.0	41.1		ug/L		82	70 - 120
Bromobenzene	50.0	43.3		ug/L		87	70 - 120
1,1,2,2-Tetrachloroethane	50.0	45.1		ug/L		90	70 - 128
1,2,3-Trichloropropane	50.0	43.4		ug/L		87	70 - 120
N-Propylbenzene	50.0	40.6		ug/L		81	70 - 120
2-Chlorotoluene	50.0	39.8		ug/L		80	70 - 120
1,3,5-Trimethylbenzene	50.0	44.7		ug/L		89	75 - 123
4-Chlorotoluene	50.0	40.6		ug/L		81	70 - 120
tert-Butylbenzene	50.0	41.1		ug/L		82	70 - 120
1,2,4-Trimethylbenzene	50.0	43.2		ug/L		86	75 - 121
sec-Butylbenzene	50.0	41.3		ug/L		83	70 - 120
1,3-Dichlorobenzene	50.0	39.7		ug/L		79	70 - 120
p-Isopropyltoluene	50.0	40.7		ug/L		81	70 - 120
1,4-Dichlorobenzene	50.0	42.4		ug/L		85	75 - 120
n-Butylbenzene	50.0	44.4		ug/L		89	75 - 120
1,2-Dichlorobenzene	50.0	40.1		ug/L		80	75 - 120
1,2-Dibromo-3-Chloropropane	50.0	45.0		ug/L		90	60 - 121
1,2,4-Trichlorobenzene	50.0	41.4		ug/L		83	65 - 121
Hexachlorobutadiene	50.0	44.8		ug/L		90	70 - 135
Naphthalene	50.0	46.4		ug/L		93	55 - 132
1,2,3-Trichlorobenzene	50.0	42.6		ug/L		85	56 - 137

Surrogate	LCS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	91		75 - 125
Toluene-d8 (Surr)	94		75 - 120
4-Bromofluorobenzene (Surr)	94		75 - 120
Dibromofluoromethane	90		75 - 120

Lab Sample ID: 500-54778-26 MS

Client Sample ID: EW-10

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 178766

Analyte	Sample Result	Sample Qualifier	Spike Added	MS		Unit	D	%Rec	%Rec. Limits
				Result	Qualifier				
Benzene	<0.50		50.0	48.6		ug/L		97	70 - 120
Dichlorodifluoromethane	<1.0		50.0	33.5		ug/L		67	40 - 140
Chloromethane	<1.0		50.0	36.1		ug/L		72	50 - 134
Vinyl chloride	<0.50		50.0	44.2		ug/L		88	62 - 138
Bromomethane	<1.0		50.0	30.6		ug/L		61	50 - 150
Chloroethane	<1.0		50.0	42.8		ug/L		86	50 - 150
Trichlorofluoromethane	<1.0		50.0	43.6		ug/L		87	63 - 134
1,1-Dichloroethene	<1.0		50.0	48.5		ug/L		97	58 - 122
Carbon disulfide	<5.0		50.0	46.3		ug/L		93	50 - 120
Acetone	<5.0		50.0	45.9		ug/L		92	46 - 153
Methylene Chloride	<5.0		50.0	47.0		ug/L		94	65 - 125
trans-1,2-Dichloroethene	<1.0		50.0	49.9		ug/L		100	70 - 124

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Method: 8260B - VOC (Continued)

Lab Sample ID: 500-54778-26 MS

Matrix: Water

Analysis Batch: 178766

Client Sample ID: EW-10

Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec. Limits
	Result	Qualifier	Added	Result	Qualifier				
1,1-Dichloroethane	<1.0		50.0	49.0		ug/L		98	68 - 121
2,2-Dichloropropane	<1.0		50.0	54.0		ug/L		108	67 - 125
cis-1,2-Dichloroethene	<1.0		50.0	48.9		ug/L		98	70 - 120
Methyl Ethyl Ketone	<5.0		50.0	46.4		ug/L		93	54 - 138
Bromochloromethane	<1.0		50.0	48.7		ug/L		97	67 - 122
Chloroform	<1.0		50.0	48.7		ug/L		97	70 - 120
1,1,1-Trichloroethane	<1.0		50.0	51.2		ug/L		102	70 - 123
1,1-Dichloropropene	<1.0		50.0	48.0		ug/L		96	70 - 120
Carbon tetrachloride	<1.0		50.0	51.3		ug/L		103	70 - 125
1,2-Dichloroethane	<1.0		50.0	47.0		ug/L		94	69 - 120
Trichloroethene	<0.50		50.0	48.9		ug/L		98	70 - 120
1,2-Dichloropropane	<1.0		50.0	49.4		ug/L		99	70 - 120
Dibromomethane	<1.0		50.0	47.0		ug/L		94	70 - 120
Bromodichloromethane	<1.0		50.0	47.1		ug/L		94	70 - 120
cis-1,3-Dichloropropene	<1.0		53.8	53.6		ug/L		100	70 - 120
methyl isobutyl ketone	<5.0		50.0	48.9		ug/L		98	59 - 135
Toluene	<0.50		50.0	47.9		ug/L		96	70 - 120
trans-1,3-Dichloropropene	<1.0		48.6	51.3		ug/L		106	70 - 120
1,1,2-Trichloroethane	<1.0		50.0	47.8		ug/L		96	69 - 120
Tetrachloroethene	0.60	J	50.0	49.2		ug/L		97	70 - 123
1,3-Dichloropropane	<1.0		50.0	48.5		ug/L		97	70 - 120
2-Hexanone	<5.0		50.0	48.8		ug/L		98	55 - 144
Dibromochloromethane	<1.0		50.0	48.9		ug/L		98	70 - 120
1,2-Dibromoethane	<1.0		50.0	48.4		ug/L		97	70 - 120
Chlorobenzene	<1.0		50.0	46.6		ug/L		93	70 - 120
1,1,1,2-Tetrachloroethane	<1.0		50.0	51.6		ug/L		103	75 - 120
Ethylbenzene	<0.50		50.0	49.0		ug/L		98	75 - 120
m&p-Xylene	<1.0		100	96.2		ug/L		96	75 - 120
o-Xylene	<0.50		50.0	46.6		ug/L		93	70 - 120
Styrene	<1.0		50.0	50.0		ug/L		100	75 - 120
Bromoform	<1.0		50.0	54.6		ug/L		109	70 - 125
Isopropylbenzene	<1.0		50.0	47.1		ug/L		94	70 - 120
Bromobenzene	<1.0		50.0	48.7		ug/L		97	70 - 120
1,1,2,2-Tetrachloroethane	<1.0		50.0	49.4		ug/L		99	70 - 128
1,2,3-Trichloropropane	<1.0		50.0	48.5		ug/L		97	70 - 120
N-Propylbenzene	<1.0		50.0	46.3		ug/L		93	70 - 120
2-Chlorotoluene	<1.0		50.0	46.0		ug/L		92	70 - 120
1,3,5-Trimethylbenzene	<1.0		50.0	52.2		ug/L		104	75 - 123
4-Chlorotoluene	<1.0		50.0	46.6		ug/L		93	70 - 120
tert-Butylbenzene	<1.0		50.0	47.4		ug/L		95	70 - 120
1,2,4-Trimethylbenzene	<1.0		50.0	51.0		ug/L		102	75 - 121
sec-Butylbenzene	<1.0		50.0	47.4		ug/L		95	70 - 120
1,3-Dichlorobenzene	<1.0		50.0	45.5		ug/L		91	70 - 120
p-Isopropyltoluene	<1.0		50.0	47.0		ug/L		94	70 - 120
1,4-Dichlorobenzene	<1.0		50.0	49.1		ug/L		98	75 - 120
n-Butylbenzene	<1.0		50.0	50.0		ug/L		100	75 - 120
1,2-Dichlorobenzene	<1.0		50.0	46.9		ug/L		94	75 - 120
1,2-Dibromo-3-Chloropropane	<2.0		50.0	47.8		ug/L		96	60 - 121

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Method: 8260B - VOC (Continued)

Lab Sample ID: 500-54778-26 MS

Client Sample ID: EW-10

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 178766

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,2,4-Trichlorobenzene	<1.0		50.0	47.7		ug/L		95	65 - 121
Hexachlorobutadiene	<1.0		50.0	52.3		ug/L		105	70 - 135
Naphthalene	<1.0		50.0	50.4		ug/L		101	55 - 132
1,2,3-Trichlorobenzene	<1.0		50.0	50.6		ug/L		101	56 - 137
Surrogate									
	<i>MS</i>	<i>MS</i>							
	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>						
1,2-Dichloroethane-d4 (Surr)	98		75 - 125						
Toluene-d8 (Surr)	101		75 - 120						
4-Bromofluorobenzene (Surr)	100		75 - 120						
Dibromofluoromethane	98		75 - 120						

Lab Sample ID: 500-54778-26 MSD

Client Sample ID: EW-10

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 178766

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	<0.50		50.0	47.1		ug/L		94	70 - 120	3	20
Dichlorodifluoromethane	<1.0		50.0	34.9		ug/L		70	40 - 140	4	20
Chloromethane	<1.0		50.0	38.7		ug/L		77	50 - 134	7	20
Vinyl chloride	<0.50		50.0	46.5		ug/L		93	62 - 138	5	20
Bromomethane	<1.0		50.0	34.0		ug/L		68	50 - 150	10	20
Chloroethane	<1.0		50.0	43.5		ug/L		87	50 - 150	2	20
Trichlorofluoromethane	<1.0		50.0	43.9		ug/L		88	63 - 134	1	20
1,1-Dichloroethane	<1.0		50.0	49.4		ug/L		99	58 - 122	2	20
Carbon disulfide	<5.0		50.0	47.2		ug/L		94	50 - 120	2	20
Acetone	<5.0		50.0	45.7		ug/L		91	46 - 153	0	20
Methylene Chloride	<5.0		50.0	47.7		ug/L		95	65 - 125	1	20
trans-1,2-Dichloroethene	<1.0		50.0	50.7		ug/L		101	70 - 124	2	20
1,1-Dichloroethane	<1.0		50.0	50.0		ug/L		100	68 - 121	2	20
2,2-Dichloropropane	<1.0		50.0	55.5		ug/L		111	67 - 125	3	20
cis-1,2-Dichloroethene	<1.0		50.0	49.3		ug/L		99	70 - 120	1	20
Methyl Ethyl Ketone	<5.0		50.0	47.1		ug/L		94	54 - 138	2	20
Bromochloromethane	<1.0		50.0	50.6		ug/L		101	67 - 122	4	20
Chloroform	<1.0		50.0	49.7		ug/L		99	70 - 120	2	20
1,1,1-Trichloroethane	<1.0		50.0	52.0		ug/L		104	70 - 123	2	20
1,1-Dichloropropene	<1.0		50.0	48.6		ug/L		97	70 - 120	1	20
Carbon tetrachloride	<1.0		50.0	50.7		ug/L		101	70 - 125	1	20
1,2-Dichloroethane	<1.0		50.0	45.5		ug/L		91	69 - 120	3	20
Trichloroethene	<0.50		50.0	48.1		ug/L		96	70 - 120	2	20
1,2-Dichloropropane	<1.0		50.0	48.3		ug/L		97	70 - 120	2	20
Dibromomethane	<1.0		50.0	45.0		ug/L		90	70 - 120	4	20
Bromodichloromethane	<1.0		50.0	46.2		ug/L		92	70 - 120	2	20
cis-1,3-Dichloropropene	<1.0		53.8	53.1		ug/L		99	70 - 120	1	20
methyl isobutyl ketone	<5.0		50.0	47.2		ug/L		94	59 - 135	4	20
Toluene	<0.50		50.0	47.0		ug/L		94	70 - 120	2	20
trans-1,3-Dichloropropene	<1.0		48.6	49.1		ug/L		101	70 - 120	4	20
1,1,2-Trichloroethane	<1.0		50.0	45.4		ug/L		91	69 - 120	5	20
Tetrachloroethene	0.60	J	50.0	49.2		ug/L		97	70 - 123	0	20

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Method: 8260B - VOC (Continued)

Lab Sample ID: 500-54778-26 MSD

Matrix: Water

Analysis Batch: 178766

Client Sample ID: EW-10

Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec.	RPD	RPD
	Result	Qualifier	Added	Result	Qualifier				Limits		Limit
1,3-Dichloropropane	<1.0		50.0	47.6		ug/L		95	70 - 120	2	20
2-Hexanone	<5.0		50.0	49.7		ug/L		99	55 - 144	2	20
Dibromochloromethane	<1.0		50.0	48.9		ug/L		98	70 - 120	0	20
1,2-Dibromoethane	<1.0		50.0	47.1		ug/L		94	70 - 120	3	20
Chlorobenzene	<1.0		50.0	46.5		ug/L		93	70 - 120	0	20
1,1,1,2-Tetrachloroethane	<1.0		50.0	51.0		ug/L		102	75 - 120	1	20
Ethylbenzene	<0.50		50.0	48.8		ug/L		98	75 - 120	0	20
m&p-Xylene	<1.0		100	94.4		ug/L		94	75 - 120	2	20
o-Xylene	<0.50		50.0	46.1		ug/L		92	70 - 120	1	20
Styrene	<1.0		50.0	50.3		ug/L		101	75 - 120	1	20
Bromoform	<1.0		50.0	54.6		ug/L		109	70 - 125	0	20
Isopropylbenzene	<1.0		50.0	47.8		ug/L		96	70 - 120	2	20
Bromobenzene	<1.0		50.0	49.9		ug/L		100	70 - 120	2	20
1,1,1,2-Tetrachloroethane	<1.0		50.0	50.1		ug/L		100	70 - 128	1	20
1,2,3-Trichloropropane	<1.0		50.0	48.5		ug/L		97	70 - 120	0	20
N-Propylbenzene	<1.0		50.0	46.6		ug/L		93	70 - 120	1	20
2-Chlorotoluene	<1.0		50.0	46.4		ug/L		93	70 - 120	1	20
1,3,5-Trimethylbenzene	<1.0		50.0	52.1		ug/L		104	75 - 123	0	20
4-Chlorotoluene	<1.0		50.0	47.0		ug/L		94	70 - 120	1	20
tert-Butylbenzene	<1.0		50.0	48.1		ug/L		96	70 - 120	2	20
1,2,4-Trimethylbenzene	<1.0		50.0	51.3		ug/L		103	75 - 121	1	20
sec-Butylbenzene	<1.0		50.0	48.0		ug/L		96	70 - 120	1	20
1,3-Dichlorobenzene	<1.0		50.0	46.6		ug/L		93	70 - 120	2	20
p-Isopropyltoluene	<1.0		50.0	46.9		ug/L		94	70 - 120	0	20
1,4-Dichlorobenzene	<1.0		50.0	49.1		ug/L		98	75 - 120	0	20
n-Butylbenzene	<1.0		50.0	50.0		ug/L		100	75 - 120	0	20
1,2-Dichlorobenzene	<1.0		50.0	46.8		ug/L		94	75 - 120	0	20
1,2-Dibromo-3-Chloropropane	<2.0		50.0	51.8		ug/L		104	60 - 121	8	20
1,2,4-Trichlorobenzene	<1.0		50.0	49.1		ug/L		98	65 - 121	3	20
Hexachlorobutadiene	<1.0		50.0	52.0		ug/L		104	70 - 135	1	20
Naphthalene	<1.0		50.0	53.5		ug/L		107	55 - 132	6	20
1,2,3-Trichlorobenzene	<1.0		50.0	51.5		ug/L		103	56 - 137	2	20

Surrogate	MSD	MSD	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	97		75 - 125
Toluene-d8 (Surr)	102		75 - 120
4-Bromofluorobenzene (Surr)	101		75 - 120
Dibromofluoromethane	101		75 - 120

TestAmerica Chicago

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: RFW-1A

Lab Sample ID: 500-54778-1

Date Collected: 02/21/13 10:50

Matrix: Water

Date Received: 02/23/13 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	178664	02/27/13 13:51	BBS	TAL CHI

Client Sample ID: RFW-1B

Lab Sample ID: 500-54778-2

Date Collected: 02/21/13 17:10

Matrix: Water

Date Received: 02/23/13 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	178664	02/27/13 14:18	BBS	TAL CHI

Client Sample ID: RFW-2A

Lab Sample ID: 500-54778-3

Date Collected: 02/21/13 09:45

Matrix: Water

Date Received: 02/23/13 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	178545	02/26/13 15:35	BBS	TAL CHI

Client Sample ID: RFW-2B

Lab Sample ID: 500-54778-4

Date Collected: 02/21/13 09:55

Matrix: Water

Date Received: 02/23/13 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	178545	02/26/13 16:01	BBS	TAL CHI

Client Sample ID: RFW-3B

Lab Sample ID: 500-54778-5

Date Collected: 02/21/13 16:00

Matrix: Water

Date Received: 02/23/13 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	178545	02/26/13 16:27	BBS	TAL CHI

Client Sample ID: RFW-4A

Lab Sample ID: 500-54778-6

Date Collected: 02/22/13 08:15

Matrix: Water

Date Received: 02/23/13 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	178545	02/26/13 16:53	BBS	TAL CHI

TestAmerica Chicago

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: RFW-4A Dup

Lab Sample ID: 500-54778-7

Date Collected: 02/22/13 08:15

Matrix: Water

Date Received: 02/23/13 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	178545	02/26/13 17:19	BBS	TAL CHI

Client Sample ID: RFW-4B

Lab Sample ID: 500-54778-8

Date Collected: 02/22/13 08:45

Matrix: Water

Date Received: 02/23/13 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	178545	02/26/13 17:45	BBS	TAL CHI

Client Sample ID: RFW-6

Lab Sample ID: 500-54778-9

Date Collected: 02/21/13 13:00

Matrix: Water

Date Received: 02/23/13 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	178545	02/26/13 18:11	BBS	TAL CHI

Client Sample ID: RFW-7

Lab Sample ID: 500-54778-10

Date Collected: 02/21/13 11:45

Matrix: Water

Date Received: 02/23/13 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	178664	02/27/13 14:44	BBS	TAL CHI

Client Sample ID: RFW-9

Lab Sample ID: 500-54778-11

Date Collected: 02/21/13 16:45

Matrix: Water

Date Received: 02/23/13 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	178664	02/27/13 15:10	BBS	TAL CHI

Client Sample ID: RFW-11B

Lab Sample ID: 500-54778-12

Date Collected: 02/22/13 11:00

Matrix: Water

Date Received: 02/23/13 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	178664	02/27/13 15:37	BBS	TAL CHI

TestAmerica Chicago

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: RFW-12B

Lab Sample ID: 500-54778-13

Date Collected: 02/22/13 12:30

Matrix: Water

Date Received: 02/23/13 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	178664	02/27/13 16:03	BBS	TAL CHI

Client Sample ID: RFW-13

Lab Sample ID: 500-54778-14

Date Collected: 02/21/13 14:30

Matrix: Water

Date Received: 02/23/13 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	178664	02/27/13 16:29	BBS	TAL CHI

Client Sample ID: RFW-17

Lab Sample ID: 500-54778-15

Date Collected: 02/21/13 15:10

Matrix: Water

Date Received: 02/23/13 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	178664	02/27/13 16:55	BBS	TAL CHI

Client Sample ID: Trip Blank

Lab Sample ID: 500-54778-16

Date Collected: 02/21/13 07:00

Matrix: Water

Date Received: 02/23/13 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	178664	02/27/13 12:04	BBS	TAL CHI

Client Sample ID: EW-2

Lab Sample ID: 500-54778-17

Date Collected: 02/22/13 12:45

Matrix: Water

Date Received: 02/23/13 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	178664	02/27/13 17:22	BBS	TAL CHI
Total/NA	Analysis	8260B	DL	10	178664	02/27/13 17:48	BBS	TAL CHI

Client Sample ID: EW-3

Lab Sample ID: 500-54778-18

Date Collected: 02/22/13 09:50

Matrix: Water

Date Received: 02/23/13 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	178664	02/27/13 18:14	BBS	TAL CHI

TestAmerica Chicago

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: EW-4

Lab Sample ID: 500-54778-19

Date Collected: 02/22/13 13:00

Matrix: Water

Date Received: 02/23/13 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		2	178766	02/28/13 13:56	BBS	TAL CHI
Total/NA	Analysis	8260B	DL	20	178766	02/28/13 14:22	BBS	TAL CHI

Client Sample ID: EW-5

Lab Sample ID: 500-54778-20

Date Collected: 02/21/13 10:00

Matrix: Water

Date Received: 02/23/13 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	178664	02/27/13 19:33	BBS	TAL CHI

Client Sample ID: EW-6

Lab Sample ID: 500-54778-21

Date Collected: 02/21/13 12:00

Matrix: Water

Date Received: 02/23/13 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	178664	02/27/13 20:25	BBS	TAL CHI

Client Sample ID: EW-7

Lab Sample ID: 500-54778-22

Date Collected: 02/21/13 11:50

Matrix: Water

Date Received: 02/23/13 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	178766	02/28/13 14:48	BBS	TAL CHI

Client Sample ID: EW-8

Lab Sample ID: 500-54778-23

Date Collected: 02/21/13 11:45

Matrix: Water

Date Received: 02/23/13 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	178766	02/28/13 15:15	BBS	TAL CHI

Client Sample ID: EW-9

Lab Sample ID: 500-54778-24

Date Collected: 02/21/13 11:40

Matrix: Water

Date Received: 02/23/13 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	178766	02/28/13 15:41	BBS	TAL CHI

TestAmerica Chicago

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Client Sample ID: EW-9 Dup

Lab Sample ID: 500-54778-25

Date Collected: 02/21/13 11:40

Matrix: Water

Date Received: 02/23/13 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	178766	02/28/13 16:07	BBS	TAL CHI

Client Sample ID: EW-10

Lab Sample ID: 500-54778-26

Date Collected: 02/21/13 11:30

Matrix: Water

Date Received: 02/23/13 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	178766	02/28/13 16:34	BBS	TAL CHI

Laboratory References:

TAL CHI = TestAmerica Chicago, 2417 Bond Street, University Park, IL 60484, TEL (708)534-5200

Certification Summary

Client: Weston Solutions, Inc.
 Project/Site: Black and Decker

TestAmerica Job ID: 500-54778-1

Laboratory: TestAmerica Chicago

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Alabama	State Program	4	40461	04-30-13
California	NELAP	9	01132CA	04-30-13
Georgia	State Program	4	N/A	04-30-13
Georgia	State Program	4	939	04-30-13
Hawaii	State Program	9	N/A	04-30-13
Illinois	NELAP	5	100201	04-30-13
Indiana	State Program	5	C-IL-02	04-30-13
Iowa	State Program	7	82	05-01-14
Kansas	NELAP	7	E-10161	10-31-13
Kentucky	State Program	4	90023	12-31-13
Kentucky (UST)	State Program	4	66	04-11-13
Louisiana	NELAP	6	30720	06-30-13
Massachusetts	State Program	1	M-IL035	06-30-13
Mississippi	State Program	4	N/A	04-30-13
North Carolina DENR	State Program	4	291	12-31-13
North Dakota	State Program	8	R-194	04-30-13
Oklahoma	State Program	6	8908	08-31-13
South Carolina	State Program	4	77001	04-30-13
Texas	NELAP	6	T104704252-09-TX	02-28-14
USDA	Federal		P330-12-00038	02-06-15
Virginia	NELAP	3	460142	06-14-13
Wisconsin	State Program	5	999580010	08-31-13
Wyoming	State Program	8	8TMS-Q	04-30-13



TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

2417 Bond Street, University Park, IL 60484
 Phone: 708.534.5200 Fax: 708.534.5211

Report To _____ (optional)
 Contact: _____
 Company: _____
 Address: _____
 Address: _____
 Phone: _____
 Fax: _____
 E-Mail: _____

Bill To _____ (optional)
 Contact: _____
 Company: _____
 Address: _____
 Address: _____
 Phone: _____
 Fax: _____
 PO#/Reference# _____

Chain of Custody Record

Lab Job #: 500-54778
 Chain of Custody Number: _____
 Page 1 of 3
 Temperature °C of Cooler: 2.1

Western Solutions

Client		Client Project #		Preservative		Parameter		Matrix		Preservative Key 1. HCL, Cool to 4° 2. H2SO4, Cool to 4° 3. HNO3, Cool to 4° 4. NaOH, Cool to 4° 5. NaOH/Zn, Cool to 4° 6. NaHSO4 7. Cool to 4° 8. None 9. Other
Project Name		Project Location/State		Lab Project #		Sampler		Lab #		
Lab ID	MS/MSD	Sample ID	Date	Time	# of Containers	Matrix	Matrix	Matrix		
1		RFW-1A	2/21/13	1050	3	W	✓			
2		RFW-1B		1710			✓			
3		RFW-2A		945			✓			
4		RFW-2B		955			✓			
5		RFW-3B		1600			✓			
6		RFW-4A	2/22/13	815			✓			
7		RFW-4A Dup		815			✓			
8		RFW-4B		845			✓			
9		RFW-6	2/21/13	1300			✓			
10		RFW-7		1145			✓			

Turnaround Time Required (Business Days)
 ___ Day ___ 2 Days ___ 5 Days ___ 7 Days ___ 10 Days ___ 15 Days ___ Other
 Requested Due Date: _____

Sample Disposal
 Return to Client Disposal by Lab Archive for ___ Months (A fee may be assessed if samples are retained longer than 1 month)

Requested By: <i>[Signature]</i>	Company: <i>Western</i>	Date: <i>2/22/13</i>	Time: <i>1630</i>	Received By: <i>[Signature]</i>	Company: <i>Fed Ex</i>	Date: <i>2/23/13</i>	Time: <i>0945</i>
Requested By: _____	Company: _____	Date: _____	Time: _____	Received By: _____	Company: <i>TA</i>	Date: _____	Time: _____
Requested By: _____	Company: _____	Date: _____	Time: _____	Received By: _____	Company: _____	Date: _____	Time: _____

Lab Courier: _____
 Shipped: FX
 Hand Delivered: _____

Matrix Key
 WW - Wastewater SE - Sediment
 W - Water SO - Soil
 S - Soil L - Leachate
 SL - Sludge WL - Wipe
 MS - Miscellaneous DW - Drinking Water
 OL - Oil O - Other
 A - Air

Client Comments:

Lab Comments:

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

2417 Bond Street, University Park, IL 60484
 Phone: 708.534.5200 Fax: 708.534.5211

Report To _____ (optional)
 Contact: _____
 Company: _____
 Address: _____
 Address: _____
 Phone: _____
 Fax: _____
 E-Mail: _____

Bill To _____ (optional)
 Contact: _____
 Company: _____
 Address: _____
 Address: _____
 Phone: _____
 Fax: _____
 PO#/Reference#: _____

Chain of Custody Record

Lab Job #: 500-54778
 Chain of Custody Number: _____
 Page 2 of 3
 Temperature °C of Cooler: _____

Client		Client Project #		Preservative		Parameter		Matrix		Comments
Western				HCL		VOA				
Project Name		Lab Project #		Date		Time		# of Containers		Matrix
Black + Decker				2/21/13		1645		3		
Project Location/State		Sampler		Date		Time		# of Containers		Matrix
		Greg Florsuski		2/22/13		1230		1		
Lab ID		Sample ID		Date		Time		# of Containers		Matrix
11		RFW-9		2/21/13		1645		3		
12		RFW-11B		2/22/13		1100		1		
13		RFW-12B		2/22/13		1230		1		
14		RFW-13		2/21/13		1430		1		
15		RFW-17		2/21/13		1510		1		
16		Trip Blank		2/21/13		700		1		

- Preservative Key
1. HCL, Cool to 4°
 2. H2SO4, Cool to 4°
 3. HNO3, Cool to 4°
 4. NaOH, Cool to 4°
 5. NaOH/Zn, Cool to 4°
 6. NaHSO4
 7. Cool to 4°
 8. None
 9. Other

Turnaround Time Required (Business Days)
 1 Day 2 Days 5 Days 7 Days 10 Days 15 Days Other

Requested Due Date: _____

Sample Disposal: Return to Client Disposal by Lab Archive for _____ Months (A fee may be assessed if samples are retained longer than 1 month)

Relinquished By: <u>[Signature]</u>	Company: Western	Date: 2/22/13	Time: 1630	Received By: <u>[Signature]</u>	Company: TA	Date: 2/23/13	Time: 0945
Relinquished By: _____	Company: _____	Date: _____	Time: _____	Received By: _____	Company: _____	Date: _____	Time: _____

Lab Courier: _____
 Shipped: FX
 Hand Delivered: _____

- Matrix Key
- | | |
|--------------------|---------------------|
| WW - Wastewater | SE - Sediment |
| W - Water | SO - Soil |
| S - Soil | L - Leachate |
| SL - Sludge | WI - Wipe |
| MS - Miscellaneous | DW - Drinking Water |
| OL - Oil | O - Other |
| A - Air | |

Client Comments: _____

Lab Comments: _____

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

2417 Bond Street, University Park, IL 60484
 Phone: 708.534.5200 Fax: 708.534.5211

Report To _____ (optional)
 Contact: _____
 Company: _____
 Address: _____
 Address: _____
 Phone: _____
 Fax: _____
 E-Mail: _____

Bill To _____ (optional)
 Contact: _____
 Company: _____
 Address: _____
 Address: _____
 Phone: _____
 Fax: _____
 PO#/Reference#: _____

Chain of Custody Record

Lab Job #: 500-54778

Chain of Custody Number: _____

Page 3 of 3

Temperature °C of Cooler: _____

Client		Client Project #		Preservative		Parameter		Matrix		Preservative Key
Project Name <u>Black + Decker</u>		Lab Project #		<u>HCl</u>		<u>VOA</u>				
Project Location/State		Lab Project #								1. HCL, Cool to 4° 2. H2SO4, Cool to 4° 3. HNO3, Cool to 4° 4. NaOH, Cool to 4° 5. NaOH/Zn, Cool to 4° 6. NaHSO4 7. Cool to 4° 8. None 9. Other
Sampler		Lab PM								
Lab ID	MS/MSD	Sample ID	Sampling		# of Containers	Matrix	Comments			
			Date	Time						
17		EW-2	2/22/13	1245	3	W	✓			
18		EW-3		950			✓			
19		EW-4		1300			✓			
20		EW-5	2/24/13	1000			✓			
21		EW-6		1200			✓			
22		EW-7		11500			✓			
23		EW-8		1145			✓			
24		EW-9		1140			✓			
25		EW-9 Dup		1140			✓			
26		EW-10		1130			✓			

Turnaround Time Required (Business Days)
 1 Day 2 Days 5 Days 7 Days 10 Days 15 Days Other _____

Sample Disposal
 Return to Client Disposal by Lab Archive for _____ Months (A fee may be assessed if samples are retained longer than 1 month)

Relinquished By <u>[Signature]</u>	Company	Date <u>2/22/13</u>	Time <u>1630</u>	Received By <u>FedEx</u>	Company	Date	Time
Relinquished By	Company	Date	Time	Received By <u>[Signature]</u>	Company <u>TA</u>	Date <u>2/23/13</u>	Time <u>0945</u>
Relinquished By	Company	Date	Time	Received By	Company	Date	Time

Lab Courier: _____
 Shipped: FX
 Hand Delivered: _____

Matrix Key
 WW - Wastewater SE - Sediment
 W - Water SO - Soil
 S - Soil L - Leachate
 SL - Sludge WI - Wipe
 MS - Miscellaneous DW - Drinking Water
 OL - Oil O - Other
 A - Air

Client Comments

Lab Comments:

Login Sample Receipt Checklist

Client: Weston Solutions, Inc.

Job Number: 500-54778-1

Login Number: 54778

List Source: TestAmerica Chicago

List Number: 1

Creator: Lunt, Jeff T

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	2.1
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	False	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ ($1/4"$).	False	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Savannah
5102 LaRoche Avenue
Savannah, GA 31404
Tel: (912)354-7858

TestAmerica Job ID: 680-87771-1
Client Project/Site: Black & Decker - Hampstead, MD

For:
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, Pennsylvania 19380

Attn: Greg Flasinski



Authorized for release by:
3/1/2013 3:35:57 PM

Lisa Harvey
Project Manager II
lisa.harvey@testamericainc.com

LINKS

Review your project
results through

Total Access

Have a Question?

Ask
The
Expert

Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

1

4

5

6

7

8

9

10

11

12

Case Narrative

Client: Weston Solutions, Inc.
Project/Site: Black & Decker - Hampstead, MD

TestAmerica Job ID: 680-87771-1

Job ID: 680-87771-1

Laboratory: TestAmerica Savannah

Narrative

CASE NARRATIVE

Client: Weston Solutions, Inc.

Project: Black & Decker - Hampstead, MD

Report Number: 680-87771-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The samples were received on 02/23/2013; the samples arrived in good condition, properly preserved and on ice. The temperature of the coolers at receipt was 5.0 C.

VOLATILE ORGANIC COMPOUNDS (GC-MS)

Samples RFW-20 (680-87771-1), RFW-21 (680-87771-2), HAMP-22 (680-87771-3), HAMP-23 (680-87771-4) and Trip Blank (680-87771-5) were analyzed for Volatile organic Compounds (GC-MS) in accordance with EPA Method 524.2. The samples were analyzed on 02/27/2013.

Sample Summary

Client: Weston Solutions, Inc.
Project/Site: Black & Decker - Hampstead, MD

TestAmerica Job ID: 680-87771-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
680-87771-1	RFW-20	Water	02/21/13 17:10	02/23/13 09:40
680-87771-2	RFW-21	Water	02/21/13 07:50	02/23/13 09:40
680-87771-3	HAMP-22	Water	02/22/13 09:20	02/23/13 09:40
680-87771-4	HAMP-23	Water	02/22/13 09:25	02/23/13 09:40
680-87771-5	Trip Blank	Water	02/21/13 09:00	02/23/13 09:40



Method Summary

Client: Weston Solutions, Inc.
Project/Site: Black & Decker - Hampstead, MD

TestAmerica Job ID: 680-87771-1

Method	Method Description	Protocol	Laboratory
524.2	Volatile Organic Compounds (GC/MS)	EPA-DW	TAL SAV

Protocol References:

EPA-DW = "Methods For The Determination Of Organic Compounds In Drinking Water", EPA/600/4-88/039, December 1988 And Its Supplements.

Laboratory References:

TAL SAV = TestAmerica Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858



Definitions/Glossary

Client: Weston Solutions, Inc.
Project/Site: Black & Decker - Hampstead, MD

TestAmerica Job ID: 680-87771-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Client Sample Results

Client: Weston Solutions, Inc.
 Project/Site: Black & Decker - Hampstead, MD

TestAmerica Job ID: 680-87771-1

Client Sample ID: RFW-20

Lab Sample ID: 680-87771-1

Date Collected: 02/21/13 17:10

Matrix: Water

Date Received: 02/23/13 09:40

Method: 524.2 - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	<10		10	5.0	ug/L			02/27/13 15:18	1
Benzene	<0.50		0.50	0.18	ug/L			02/27/13 15:18	1
Bromobenzene	<0.50		0.50	0.42	ug/L			02/27/13 15:18	1
Bromoform	<0.50		0.50	0.39	ug/L			02/27/13 15:18	1
Bromomethane	<1.0		1.0	0.45	ug/L			02/27/13 15:18	1
Carbon tetrachloride	<0.50		0.50	0.22	ug/L			02/27/13 15:18	1
Chlorobenzene	<0.50		0.50	0.27	ug/L			02/27/13 15:18	1
Chlorobromomethane	<0.50		0.50	0.30	ug/L			02/27/13 15:18	1
Chlorodibromomethane	<0.50		0.50	0.43	ug/L			02/27/13 15:18	1
Chloroethane	<1.0		1.0	0.33	ug/L			02/27/13 15:18	1
Chloroform	<0.50		0.50	0.29	ug/L			02/27/13 15:18	1
Chloromethane	<0.50		0.50	0.32	ug/L			02/27/13 15:18	1
2-Chlorotoluene	<0.50		0.50	0.17	ug/L			02/27/13 15:18	1
4-Chlorotoluene	<0.50		0.50	0.16	ug/L			02/27/13 15:18	1
cis-1,2-Dichloroethene	<0.50		0.50	0.37	ug/L			02/27/13 15:18	1
cis-1,3-Dichloropropene	<0.50		0.50	0.32	ug/L			02/27/13 15:18	1
1,2-Dibromo-3-Chloropropane	<0.50		0.50	0.30	ug/L			02/27/13 15:18	1
Dibromomethane	<0.50		0.50	0.38	ug/L			02/27/13 15:18	1
1,2-Dichlorobenzene	<0.50		0.50	0.17	ug/L			02/27/13 15:18	1
1,3-Dichlorobenzene	<0.50		0.50	0.14	ug/L			02/27/13 15:18	1
1,4-Dichlorobenzene	<0.50		0.50	0.18	ug/L			02/27/13 15:18	1
Dichlorobromomethane	<0.50		0.50	0.10	ug/L			02/27/13 15:18	1
Dichlorodifluoromethane	<0.50		0.50	0.34	ug/L			02/27/13 15:18	1
1,1-Dichloroethane	<0.50		0.50	0.39	ug/L			02/27/13 15:18	1
1,2-Dichloroethane	<0.50		0.50	0.17	ug/L			02/27/13 15:18	1
1,1-Dichloroethene	<0.50		0.50	0.32	ug/L			02/27/13 15:18	1
1,2-Dichloropropane	<0.50		0.50	0.45	ug/L			02/27/13 15:18	1
1,3-Dichloropropane	<0.50		0.50	0.43	ug/L			02/27/13 15:18	1
2,2-Dichloropropane	<0.50		0.50	0.31	ug/L			02/27/13 15:18	1
1,1-Dichloropropene	<0.50		0.50	0.19	ug/L			02/27/13 15:18	1
1,3-Dichloropropene, Total	<0.50		0.50	0.32	ug/L			02/27/13 15:18	1
Diisopropyl ether	<0.50		0.50	0.28	ug/L			02/27/13 15:18	1
Ethylbenzene	<0.50		0.50	0.12	ug/L			02/27/13 15:18	1
Ethylene Dibromide	<0.50		0.50	0.20	ug/L			02/27/13 15:18	1
Freon 113	<0.50		0.50	0.15	ug/L			02/27/13 15:18	1
Hexachlorobutadiene	<0.50		0.50	0.26	ug/L			02/27/13 15:18	1
2-Hexanone	<10		10	5.0	ug/L			02/27/13 15:18	1
Isopropylbenzene	<0.50		0.50	0.15	ug/L			02/27/13 15:18	1
4-Isopropyltoluene	<0.50		0.50	0.21	ug/L			02/27/13 15:18	1
Methylene Chloride	<0.50		0.50	0.36	ug/L			02/27/13 15:18	1
2-Butanone (MEK)	<10		10	5.0	ug/L			02/27/13 15:18	1
4-Methyl-2-pentanone (MIBK)	<10		10	5.0	ug/L			02/27/13 15:18	1
m-Xylene & p-Xylene	<0.50		0.50	0.42	ug/L			02/27/13 15:18	1
Naphthalene	<1.0		1.0	0.43	ug/L			02/27/13 15:18	1
n-Butylbenzene	<0.50		0.50	0.17	ug/L			02/27/13 15:18	1
N-Propylbenzene	<0.50		0.50	0.17	ug/L			02/27/13 15:18	1
o-Xylene	<0.50		0.50	0.27	ug/L			02/27/13 15:18	1
sec-Butylbenzene	<0.50		0.50	0.14	ug/L			02/27/13 15:18	1
Styrene	<0.50		0.50	0.28	ug/L			02/27/13 15:18	1

TestAmerica Savannah

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker - Hampstead, MD

TestAmerica Job ID: 680-87771-1

Client Sample ID: RFW-20

Lab Sample ID: 680-87771-1

Date Collected: 02/21/13 17:10

Matrix: Water

Date Received: 02/23/13 09:40

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tert-amyl methyl ether	<0.50		0.50	0.20	ug/L			02/27/13 15:18	1
tert-Butyl alcohol	<2.0		2.0	1.6	ug/L			02/27/13 15:18	1
tert-Butylbenzene	<0.50		0.50	0.14	ug/L			02/27/13 15:18	1
Tert-butyl ethyl ether	<0.50		0.50	0.26	ug/L			02/27/13 15:18	1
1,1,1,2-Tetrachloroethane	<0.50		0.50	0.16	ug/L			02/27/13 15:18	1
1,1,2,2-Tetrachloroethane	<0.50		0.50	0.18	ug/L			02/27/13 15:18	1
Tetrachloroethene	<0.50		0.50	0.30	ug/L			02/27/13 15:18	1
Toluene	<0.50		0.50	0.23	ug/L			02/27/13 15:18	1
trans-1,2-Dichloroethene	<0.50		0.50	0.24	ug/L			02/27/13 15:18	1
trans-1,3-Dichloropropene	<0.50		0.50	0.48	ug/L			02/27/13 15:18	1
1,2,3-Trichlorobenzene	<0.50		0.50	0.14	ug/L			02/27/13 15:18	1
1,2,4-Trichlorobenzene	<0.50		0.50	0.18	ug/L			02/27/13 15:18	1
1,1,1-Trichloroethane	<0.50		0.50	0.27	ug/L			02/27/13 15:18	1
1,1,2-Trichloroethane	<0.50		0.50	0.22	ug/L			02/27/13 15:18	1
Trichloroethene	0.43	J	0.50	0.37	ug/L			02/27/13 15:18	1
Trichlorofluoromethane	<0.50		0.50	0.23	ug/L			02/27/13 15:18	1
1,2,3-Trichloropropane	<0.50		0.50	0.18	ug/L			02/27/13 15:18	1
Trihalomethanes, Total	<0.50		0.50	0.10	ug/L			02/27/13 15:18	1
1,2,4-Trimethylbenzene	<0.50		0.50	0.17	ug/L			02/27/13 15:18	1
1,3,5-Trimethylbenzene	<0.50		0.50	0.16	ug/L			02/27/13 15:18	1
Vinyl chloride	<0.50		0.50	0.33	ug/L			02/27/13 15:18	1
Xylenes, Total	<0.50		0.50	0.27	ug/L			02/27/13 15:18	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	92		70 - 130		02/27/13 15:18	1
1,2-Dichlorobenzene-d4	88		70 - 130		02/27/13 15:18	1

Client Sample ID: RFW-21

Lab Sample ID: 680-87771-2

Date Collected: 02/21/13 07:50

Matrix: Water

Date Received: 02/23/13 09:40

Method: 524.2 - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	<10		10	5.0	ug/L			02/27/13 15:40	1
Benzene	<0.50		0.50	0.18	ug/L			02/27/13 15:40	1
Bromobenzene	<0.50		0.50	0.42	ug/L			02/27/13 15:40	1
Bromoform	<0.50		0.50	0.39	ug/L			02/27/13 15:40	1
Bromomethane	<1.0		1.0	0.45	ug/L			02/27/13 15:40	1
Carbon tetrachloride	<0.50		0.50	0.22	ug/L			02/27/13 15:40	1
Chlorobenzene	<0.50		0.50	0.27	ug/L			02/27/13 15:40	1
Chlorobromomethane	<0.50		0.50	0.30	ug/L			02/27/13 15:40	1
Chlorodibromomethane	<0.50		0.50	0.43	ug/L			02/27/13 15:40	1
Chloroethane	<1.0		1.0	0.33	ug/L			02/27/13 15:40	1
Chloroform	<0.50		0.50	0.29	ug/L			02/27/13 15:40	1
Chloromethane	<0.50		0.50	0.32	ug/L			02/27/13 15:40	1
2-Chlorotoluene	<0.50		0.50	0.17	ug/L			02/27/13 15:40	1
4-Chlorotoluene	<0.50		0.50	0.16	ug/L			02/27/13 15:40	1
cis-1,2-Dichloroethene	<0.50		0.50	0.37	ug/L			02/27/13 15:40	1
cis-1,3-Dichloropropene	<0.50		0.50	0.32	ug/L			02/27/13 15:40	1
1,2-Dibromo-3-Chloropropane	<0.50		0.50	0.30	ug/L			02/27/13 15:40	1

TestAmerica Savannah

Client Sample Results

Client: Weston Solutions, Inc.
 Project/Site: Black & Decker - Hampstead, MD

TestAmerica Job ID: 680-87771-1

Client Sample ID: RFW-21

Lab Sample ID: 680-87771-2

Date Collected: 02/21/13 07:50

Matrix: Water

Date Received: 02/23/13 09:40

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dibromomethane	<0.50		0.50	0.38	ug/L			02/27/13 15:40	1
1,2-Dichlorobenzene	<0.50		0.50	0.17	ug/L			02/27/13 15:40	1
1,3-Dichlorobenzene	<0.50		0.50	0.14	ug/L			02/27/13 15:40	1
1,4-Dichlorobenzene	<0.50		0.50	0.18	ug/L			02/27/13 15:40	1
Dichlorobromomethane	<0.50		0.50	0.10	ug/L			02/27/13 15:40	1
Dichlorodifluoromethane	<0.50		0.50	0.34	ug/L			02/27/13 15:40	1
1,1-Dichloroethane	<0.50		0.50	0.39	ug/L			02/27/13 15:40	1
1,2-Dichloroethane	<0.50		0.50	0.17	ug/L			02/27/13 15:40	1
1,1-Dichloroethene	<0.50		0.50	0.32	ug/L			02/27/13 15:40	1
1,2-Dichloropropane	<0.50		0.50	0.45	ug/L			02/27/13 15:40	1
1,3-Dichloropropane	<0.50		0.50	0.43	ug/L			02/27/13 15:40	1
2,2-Dichloropropane	<0.50		0.50	0.31	ug/L			02/27/13 15:40	1
1,1-Dichloropropene	<0.50		0.50	0.19	ug/L			02/27/13 15:40	1
1,3-Dichloropropene, Total	<0.50		0.50	0.32	ug/L			02/27/13 15:40	1
Diisopropyl ether	<0.50		0.50	0.28	ug/L			02/27/13 15:40	1
Ethylbenzene	<0.50		0.50	0.12	ug/L			02/27/13 15:40	1
Ethylene Dibromide	<0.50		0.50	0.20	ug/L			02/27/13 15:40	1
Freon 113	<0.50		0.50	0.15	ug/L			02/27/13 15:40	1
Hexachlorobutadiene	<0.50		0.50	0.26	ug/L			02/27/13 15:40	1
2-Hexanone	<10		10	5.0	ug/L			02/27/13 15:40	1
Isopropylbenzene	<0.50		0.50	0.15	ug/L			02/27/13 15:40	1
4-Isopropyltoluene	<0.50		0.50	0.21	ug/L			02/27/13 15:40	1
Methylene Chloride	<0.50		0.50	0.36	ug/L			02/27/13 15:40	1
2-Butanone (MEK)	<10		10	5.0	ug/L			02/27/13 15:40	1
4-Methyl-2-pentanone (MIBK)	<10		10	5.0	ug/L			02/27/13 15:40	1
m-Xylene & p-Xylene	<0.50		0.50	0.42	ug/L			02/27/13 15:40	1
Naphthalene	<1.0		1.0	0.43	ug/L			02/27/13 15:40	1
n-Butylbenzene	<0.50		0.50	0.17	ug/L			02/27/13 15:40	1
N-Propylbenzene	<0.50		0.50	0.17	ug/L			02/27/13 15:40	1
o-Xylene	<0.50		0.50	0.27	ug/L			02/27/13 15:40	1
sec-Butylbenzene	<0.50		0.50	0.14	ug/L			02/27/13 15:40	1
Styrene	<0.50		0.50	0.28	ug/L			02/27/13 15:40	1
Tert-amyl methyl ether	<0.50		0.50	0.20	ug/L			02/27/13 15:40	1
tert-Butyl alcohol	<2.0		2.0	1.6	ug/L			02/27/13 15:40	1
tert-Butylbenzene	<0.50		0.50	0.14	ug/L			02/27/13 15:40	1
Tert-butyl ethyl ether	<0.50		0.50	0.26	ug/L			02/27/13 15:40	1
1,1,1,2-Tetrachloroethane	<0.50		0.50	0.16	ug/L			02/27/13 15:40	1
1,1,2,2-Tetrachloroethane	<0.50		0.50	0.18	ug/L			02/27/13 15:40	1
Tetrachloroethene	<0.50		0.50	0.30	ug/L			02/27/13 15:40	1
Toluene	<0.50		0.50	0.23	ug/L			02/27/13 15:40	1
trans-1,2-Dichloroethene	<0.50		0.50	0.24	ug/L			02/27/13 15:40	1
trans-1,3-Dichloropropene	<0.50		0.50	0.48	ug/L			02/27/13 15:40	1
1,2,3-Trichlorobenzene	<0.50		0.50	0.14	ug/L			02/27/13 15:40	1
1,2,4-Trichlorobenzene	<0.50		0.50	0.18	ug/L			02/27/13 15:40	1
1,1,1-Trichloroethane	<0.50		0.50	0.27	ug/L			02/27/13 15:40	1
1,1,2-Trichloroethane	<0.50		0.50	0.22	ug/L			02/27/13 15:40	1
Trichloroethene	<0.50		0.50	0.37	ug/L			02/27/13 15:40	1
Trichlorofluoromethane	<0.50		0.50	0.23	ug/L			02/27/13 15:40	1
1,2,3-Trichloropropane	<0.50		0.50	0.18	ug/L			02/27/13 15:40	1

TestAmerica Savannah

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker - Hampstead, MD

TestAmerica Job ID: 680-87771-1

Client Sample ID: RFW-21

Lab Sample ID: 680-87771-2

Date Collected: 02/21/13 07:50

Matrix: Water

Date Received: 02/23/13 09:40

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Trihalomethanes, Total	<0.50		0.50	0.10	ug/L			02/27/13 15:40	1
1,2,4-Trimethylbenzene	<0.50		0.50	0.17	ug/L			02/27/13 15:40	1
1,3,5-Trimethylbenzene	<0.50		0.50	0.16	ug/L			02/27/13 15:40	1
Vinyl chloride	<0.50		0.50	0.33	ug/L			02/27/13 15:40	1
Xylenes, Total	<0.50		0.50	0.27	ug/L			02/27/13 15:40	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	90		70 - 130		02/27/13 15:40	1
1,2-Dichlorobenzene-d4	86		70 - 130		02/27/13 15:40	1

Client Sample ID: HAMP-22

Lab Sample ID: 680-87771-3

Date Collected: 02/22/13 09:20

Matrix: Water

Date Received: 02/23/13 09:40

Method: 524.2 - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	<10		10	5.0	ug/L			02/27/13 16:02	1
Benzene	<0.50		0.50	0.18	ug/L			02/27/13 16:02	1
Bromobenzene	<0.50		0.50	0.42	ug/L			02/27/13 16:02	1
Bromoform	<0.50		0.50	0.39	ug/L			02/27/13 16:02	1
Bromomethane	<1.0		1.0	0.45	ug/L			02/27/13 16:02	1
Carbon tetrachloride	<0.50		0.50	0.22	ug/L			02/27/13 16:02	1
Chlorobenzene	<0.50		0.50	0.27	ug/L			02/27/13 16:02	1
Chlorobromomethane	<0.50		0.50	0.30	ug/L			02/27/13 16:02	1
Chlorodibromomethane	<0.50		0.50	0.43	ug/L			02/27/13 16:02	1
Chloroethane	<1.0		1.0	0.33	ug/L			02/27/13 16:02	1
Chloroform	0.32	J	0.50	0.29	ug/L			02/27/13 16:02	1
Chloromethane	<0.50		0.50	0.32	ug/L			02/27/13 16:02	1
2-Chlorotoluene	<0.50		0.50	0.17	ug/L			02/27/13 16:02	1
4-Chlorotoluene	<0.50		0.50	0.16	ug/L			02/27/13 16:02	1
cis-1,2-Dichloroethene	<0.50		0.50	0.37	ug/L			02/27/13 16:02	1
cis-1,3-Dichloropropene	<0.50		0.50	0.32	ug/L			02/27/13 16:02	1
1,2-Dibromo-3-Chloropropane	<0.50		0.50	0.30	ug/L			02/27/13 16:02	1
Dibromomethane	<0.50		0.50	0.38	ug/L			02/27/13 16:02	1
1,2-Dichlorobenzene	<0.50		0.50	0.17	ug/L			02/27/13 16:02	1
1,3-Dichlorobenzene	<0.50		0.50	0.14	ug/L			02/27/13 16:02	1
1,4-Dichlorobenzene	<0.50		0.50	0.18	ug/L			02/27/13 16:02	1
Dichlorobromomethane	<0.50		0.50	0.10	ug/L			02/27/13 16:02	1
Dichlorodifluoromethane	<0.50		0.50	0.34	ug/L			02/27/13 16:02	1
1,1-Dichloroethane	<0.50		0.50	0.39	ug/L			02/27/13 16:02	1
1,2-Dichloroethane	<0.50		0.50	0.17	ug/L			02/27/13 16:02	1
1,1-Dichloroethene	<0.50		0.50	0.32	ug/L			02/27/13 16:02	1
1,2-Dichloropropane	<0.50		0.50	0.45	ug/L			02/27/13 16:02	1
1,3-Dichloropropane	<0.50		0.50	0.43	ug/L			02/27/13 16:02	1
2,2-Dichloropropane	<0.50		0.50	0.31	ug/L			02/27/13 16:02	1
1,1-Dichloropropene	<0.50		0.50	0.19	ug/L			02/27/13 16:02	1
1,3-Dichloropropene, Total	<0.50		0.50	0.32	ug/L			02/27/13 16:02	1
Diisopropyl ether	<0.50		0.50	0.28	ug/L			02/27/13 16:02	1
Ethylbenzene	<0.50		0.50	0.12	ug/L			02/27/13 16:02	1
Ethylene Dibromide	<0.50		0.50	0.20	ug/L			02/27/13 16:02	1

TestAmerica Savannah

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker - Hampstead, MD

TestAmerica Job ID: 680-87771-1

Client Sample ID: HAMP-22

Lab Sample ID: 680-87771-3

Date Collected: 02/22/13 09:20

Matrix: Water

Date Received: 02/23/13 09:40

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Freon 113	<0.50		0.50	0.15	ug/L			02/27/13 16:02	1
Hexachlorobutadiene	<0.50		0.50	0.26	ug/L			02/27/13 16:02	1
2-Hexanone	<10		10	5.0	ug/L			02/27/13 16:02	1
Isopropylbenzene	<0.50		0.50	0.15	ug/L			02/27/13 16:02	1
4-Isopropyltoluene	<0.50		0.50	0.21	ug/L			02/27/13 16:02	1
Methylene Chloride	<0.50		0.50	0.36	ug/L			02/27/13 16:02	1
2-Butanone (MEK)	<10		10	5.0	ug/L			02/27/13 16:02	1
4-Methyl-2-pentanone (MIBK)	<10		10	5.0	ug/L			02/27/13 16:02	1
m-Xylene & p-Xylene	<0.50		0.50	0.42	ug/L			02/27/13 16:02	1
Naphthalene	<1.0		1.0	0.43	ug/L			02/27/13 16:02	1
n-Butylbenzene	<0.50		0.50	0.17	ug/L			02/27/13 16:02	1
N-Propylbenzene	<0.50		0.50	0.17	ug/L			02/27/13 16:02	1
o-Xylene	<0.50		0.50	0.27	ug/L			02/27/13 16:02	1
sec-Butylbenzene	<0.50		0.50	0.14	ug/L			02/27/13 16:02	1
Styrene	<0.50		0.50	0.28	ug/L			02/27/13 16:02	1
Tert-amyl methyl ether	<0.50		0.50	0.20	ug/L			02/27/13 16:02	1
tert-Butyl alcohol	<2.0		2.0	1.6	ug/L			02/27/13 16:02	1
tert-Butylbenzene	<0.50		0.50	0.14	ug/L			02/27/13 16:02	1
Tert-butyl ethyl ether	<0.50		0.50	0.26	ug/L			02/27/13 16:02	1
1,1,1,2-Tetrachloroethane	<0.50		0.50	0.16	ug/L			02/27/13 16:02	1
1,1,2,2-Tetrachloroethane	<0.50		0.50	0.18	ug/L			02/27/13 16:02	1
Tetrachloroethene	0.43	J	0.50	0.30	ug/L			02/27/13 16:02	1
Toluene	<0.50		0.50	0.23	ug/L			02/27/13 16:02	1
trans-1,2-Dichloroethene	<0.50		0.50	0.24	ug/L			02/27/13 16:02	1
trans-1,3-Dichloropropene	<0.50		0.50	0.48	ug/L			02/27/13 16:02	1
1,2,3-Trichlorobenzene	<0.50		0.50	0.14	ug/L			02/27/13 16:02	1
1,2,4-Trichlorobenzene	<0.50		0.50	0.18	ug/L			02/27/13 16:02	1
1,1,1-Trichloroethane	<0.50		0.50	0.27	ug/L			02/27/13 16:02	1
1,1,2-Trichloroethane	<0.50		0.50	0.22	ug/L			02/27/13 16:02	1
Trichloroethene	<0.50		0.50	0.37	ug/L			02/27/13 16:02	1
Trichlorofluoromethane	<0.50		0.50	0.23	ug/L			02/27/13 16:02	1
1,2,3-Trichloropropane	<0.50		0.50	0.18	ug/L			02/27/13 16:02	1
Trihalomethanes, Total	0.32	J	0.50	0.10	ug/L			02/27/13 16:02	1
1,2,4-Trimethylbenzene	<0.50		0.50	0.17	ug/L			02/27/13 16:02	1
1,3,5-Trimethylbenzene	<0.50		0.50	0.16	ug/L			02/27/13 16:02	1
Vinyl chloride	<0.50		0.50	0.33	ug/L			02/27/13 16:02	1
Xylenes, Total	<0.50		0.50	0.27	ug/L			02/27/13 16:02	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	88		70 - 130					02/27/13 16:02	1
1,2-Dichlorobenzene-d4	81		70 - 130					02/27/13 16:02	1

Client Sample ID: HAMP-23

Lab Sample ID: 680-87771-4

Date Collected: 02/22/13 09:25

Matrix: Water

Date Received: 02/23/13 09:40

Method: 524.2 - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	<10		10	5.0	ug/L			02/27/13 16:25	1
Benzene	<0.50		0.50	0.18	ug/L			02/27/13 16:25	1

TestAmerica Savannah

Client Sample Results

Client: Weston Solutions, Inc.
 Project/Site: Black & Decker - Hampstead, MD

TestAmerica Job ID: 680-87771-1

Client Sample ID: HAMP-23

Lab Sample ID: 680-87771-4

Date Collected: 02/22/13 09:25

Matrix: Water

Date Received: 02/23/13 09:40

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Bromobenzene	<0.50		0.50	0.42	ug/L			02/27/13 16:25	1
Bromoform	<0.50		0.50	0.39	ug/L			02/27/13 16:25	1
Bromomethane	<1.0		1.0	0.45	ug/L			02/27/13 16:25	1
Carbon tetrachloride	<0.50		0.50	0.22	ug/L			02/27/13 16:25	1
Chlorobenzene	<0.50		0.50	0.27	ug/L			02/27/13 16:25	1
Chlorobromomethane	<0.50		0.50	0.30	ug/L			02/27/13 16:25	1
Chlorodibromomethane	<0.50		0.50	0.43	ug/L			02/27/13 16:25	1
Chloroethane	<1.0		1.0	0.33	ug/L			02/27/13 16:25	1
Chloroform	<0.50		0.50	0.29	ug/L			02/27/13 16:25	1
Chloromethane	<0.50		0.50	0.32	ug/L			02/27/13 16:25	1
2-Chlorotoluene	<0.50		0.50	0.17	ug/L			02/27/13 16:25	1
4-Chlorotoluene	<0.50		0.50	0.16	ug/L			02/27/13 16:25	1
cis-1,2-Dichloroethene	<0.50		0.50	0.37	ug/L			02/27/13 16:25	1
cis-1,3-Dichloropropene	<0.50		0.50	0.32	ug/L			02/27/13 16:25	1
1,2-Dibromo-3-Chloropropane	<0.50		0.50	0.30	ug/L			02/27/13 16:25	1
Dibromomethane	<0.50		0.50	0.38	ug/L			02/27/13 16:25	1
1,2-Dichlorobenzene	<0.50		0.50	0.17	ug/L			02/27/13 16:25	1
1,3-Dichlorobenzene	<0.50		0.50	0.14	ug/L			02/27/13 16:25	1
1,4-Dichlorobenzene	<0.50		0.50	0.18	ug/L			02/27/13 16:25	1
Dichlorobromomethane	<0.50		0.50	0.10	ug/L			02/27/13 16:25	1
Dichlorodifluoromethane	<0.50		0.50	0.34	ug/L			02/27/13 16:25	1
1,1-Dichloroethane	<0.50		0.50	0.39	ug/L			02/27/13 16:25	1
1,2-Dichloroethane	<0.50		0.50	0.17	ug/L			02/27/13 16:25	1
1,1-Dichloroethene	<0.50		0.50	0.32	ug/L			02/27/13 16:25	1
1,1-Dichloropropane	<0.50		0.50	0.45	ug/L			02/27/13 16:25	1
1,2-Dichloropropane	<0.50		0.50	0.43	ug/L			02/27/13 16:25	1
2,2-Dichloropropane	<0.50		0.50	0.31	ug/L			02/27/13 16:25	1
1,1-Dichloropropene	<0.50		0.50	0.19	ug/L			02/27/13 16:25	1
1,3-Dichloropropene, Total	<0.50		0.50	0.32	ug/L			02/27/13 16:25	1
Diisopropyl ether	<0.50		0.50	0.28	ug/L			02/27/13 16:25	1
Ethylbenzene	<0.50		0.50	0.12	ug/L			02/27/13 16:25	1
Ethylene Dibromide	<0.50		0.50	0.20	ug/L			02/27/13 16:25	1
Freon 113	<0.50		0.50	0.15	ug/L			02/27/13 16:25	1
Hexachlorobutadiene	<0.50		0.50	0.26	ug/L			02/27/13 16:25	1
2-Hexanone	<10		10	5.0	ug/L			02/27/13 16:25	1
Isopropylbenzene	<0.50		0.50	0.15	ug/L			02/27/13 16:25	1
4-Isopropyltoluene	<0.50		0.50	0.21	ug/L			02/27/13 16:25	1
Methylene Chloride	<0.50		0.50	0.36	ug/L			02/27/13 16:25	1
2-Butanone (MEK)	<10		10	5.0	ug/L			02/27/13 16:25	1
4-Methyl-2-pentanone (MIBK)	<10		10	5.0	ug/L			02/27/13 16:25	1
m-Xylene & p-Xylene	<0.50		0.50	0.42	ug/L			02/27/13 16:25	1
Naphthalene	<1.0		1.0	0.43	ug/L			02/27/13 16:25	1
n-Butylbenzene	<0.50		0.50	0.17	ug/L			02/27/13 16:25	1
N-Propylbenzene	<0.50		0.50	0.17	ug/L			02/27/13 16:25	1
o-Xylene	<0.50		0.50	0.27	ug/L			02/27/13 16:25	1
sec-Butylbenzene	<0.50		0.50	0.14	ug/L			02/27/13 16:25	1
Styrene	<0.50		0.50	0.28	ug/L			02/27/13 16:25	1
Tert-amyl methyl ether	<0.50		0.50	0.20	ug/L			02/27/13 16:25	1
tert-Butyl alcohol	<2.0		2.0	1.6	ug/L			02/27/13 16:25	1

TestAmerica Savannah

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker - Hampstead, MD

TestAmerica Job ID: 680-87771-1

Client Sample ID: HAMP-23

Lab Sample ID: 680-87771-4

Date Collected: 02/22/13 09:25

Matrix: Water

Date Received: 02/23/13 09:40

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<0.50		0.50	0.14	ug/L			02/27/13 16:25	1
Tert-butyl ethyl ether	<0.50		0.50	0.26	ug/L			02/27/13 16:25	1
1,1,1,2-Tetrachloroethane	<0.50		0.50	0.16	ug/L			02/27/13 16:25	1
1,1,2,2-Tetrachloroethane	<0.50		0.50	0.18	ug/L			02/27/13 16:25	1
Tetrachloroethene	<0.50		0.50	0.30	ug/L			02/27/13 16:25	1
Toluene	<0.50		0.50	0.23	ug/L			02/27/13 16:25	1
trans-1,2-Dichloroethene	<0.50		0.50	0.24	ug/L			02/27/13 16:25	1
trans-1,3-Dichloropropene	<0.50		0.50	0.48	ug/L			02/27/13 16:25	1
1,2,3-Trichlorobenzene	<0.50		0.50	0.14	ug/L			02/27/13 16:25	1
1,2,4-Trichlorobenzene	<0.50		0.50	0.18	ug/L			02/27/13 16:25	1
1,1,1-Trichloroethane	<0.50		0.50	0.27	ug/L			02/27/13 16:25	1
1,1,2-Trichloroethane	<0.50		0.50	0.22	ug/L			02/27/13 16:25	1
Trichloroethene	<0.50		0.50	0.37	ug/L			02/27/13 16:25	1
Trichlorofluoromethane	<0.50		0.50	0.23	ug/L			02/27/13 16:25	1
1,2,3-Trichloropropane	<0.50		0.50	0.18	ug/L			02/27/13 16:25	1
Trihalomethanes, Total	<0.50		0.50	0.10	ug/L			02/27/13 16:25	1
1,2,4-Trimethylbenzene	<0.50		0.50	0.17	ug/L			02/27/13 16:25	1
1,3,5-Trimethylbenzene	<0.50		0.50	0.16	ug/L			02/27/13 16:25	1
Vinyl chloride	<0.50		0.50	0.33	ug/L			02/27/13 16:25	1
Xylenes, Total	<0.50		0.50	0.27	ug/L			02/27/13 16:25	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	92		70 - 130		02/27/13 16:25	1
1,2-Dichlorobenzene-d4	88		70 - 130		02/27/13 16:25	1

Client Sample ID: Trip Blank

Lab Sample ID: 680-87771-5

Date Collected: 02/21/13 09:00

Matrix: Water

Date Received: 02/23/13 09:40

Method: 524.2 - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	<10		10	5.0	ug/L			02/27/13 13:28	1
Benzene	<0.50		0.50	0.18	ug/L			02/27/13 13:28	1
Bromobenzene	<0.50		0.50	0.42	ug/L			02/27/13 13:28	1
Bromoform	<0.50		0.50	0.39	ug/L			02/27/13 13:28	1
Bromomethane	<1.0		1.0	0.45	ug/L			02/27/13 13:28	1
Carbon tetrachloride	<0.50		0.50	0.22	ug/L			02/27/13 13:28	1
Chlorobenzene	<0.50		0.50	0.27	ug/L			02/27/13 13:28	1
Chlorobromomethane	<0.50		0.50	0.30	ug/L			02/27/13 13:28	1
Chlorodibromomethane	<0.50		0.50	0.43	ug/L			02/27/13 13:28	1
Chloroethane	<1.0		1.0	0.33	ug/L			02/27/13 13:28	1
Chloroform	<0.50		0.50	0.29	ug/L			02/27/13 13:28	1
Chloromethane	<0.50		0.50	0.32	ug/L			02/27/13 13:28	1
2-Chlorotoluene	<0.50		0.50	0.17	ug/L			02/27/13 13:28	1
4-Chlorotoluene	<0.50		0.50	0.16	ug/L			02/27/13 13:28	1
cis-1,2-Dichloroethene	<0.50		0.50	0.37	ug/L			02/27/13 13:28	1
cis-1,3-Dichloropropene	<0.50		0.50	0.32	ug/L			02/27/13 13:28	1
1,2-Dibromo-3-Chloropropane	<0.50		0.50	0.30	ug/L			02/27/13 13:28	1
Dibromomethane	<0.50		0.50	0.38	ug/L			02/27/13 13:28	1
1,2-Dichlorobenzene	<0.50		0.50	0.17	ug/L			02/27/13 13:28	1

TestAmerica Savannah

Client Sample Results

Client: Weston Solutions, Inc.
 Project/Site: Black & Decker - Hampstead, MD

TestAmerica Job ID: 680-87771-1

Client Sample ID: Trip Blank

Lab Sample ID: 680-87771-5

Date Collected: 02/21/13 09:00

Matrix: Water

Date Received: 02/23/13 09:40

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3-Dichlorobenzene	<0.50		0.50	0.14	ug/L			02/27/13 13:28	1
1,4-Dichlorobenzene	<0.50		0.50	0.18	ug/L			02/27/13 13:28	1
Dichlorobromomethane	<0.50		0.50	0.10	ug/L			02/27/13 13:28	1
Dichlorodifluoromethane	<0.50		0.50	0.34	ug/L			02/27/13 13:28	1
1,1-Dichloroethane	<0.50		0.50	0.39	ug/L			02/27/13 13:28	1
1,2-Dichloroethane	<0.50		0.50	0.17	ug/L			02/27/13 13:28	1
1,1-Dichloroethene	<0.50		0.50	0.32	ug/L			02/27/13 13:28	1
1,2-Dichloropropane	<0.50		0.50	0.45	ug/L			02/27/13 13:28	1
1,3-Dichloropropane	<0.50		0.50	0.43	ug/L			02/27/13 13:28	1
2,2-Dichloropropane	<0.50		0.50	0.31	ug/L			02/27/13 13:28	1
1,1-Dichloropropene	<0.50		0.50	0.19	ug/L			02/27/13 13:28	1
1,3-Dichloropropene, Total	<0.50		0.50	0.32	ug/L			02/27/13 13:28	1
Diisopropyl ether	<0.50		0.50	0.28	ug/L			02/27/13 13:28	1
Ethylbenzene	<0.50		0.50	0.12	ug/L			02/27/13 13:28	1
Ethylene Dibromide	<0.50		0.50	0.20	ug/L			02/27/13 13:28	1
Freon 113	<0.50		0.50	0.15	ug/L			02/27/13 13:28	1
Hexachlorobutadiene	<0.50		0.50	0.26	ug/L			02/27/13 13:28	1
2-Hexanone	<10		10	5.0	ug/L			02/27/13 13:28	1
Isopropylbenzene	<0.50		0.50	0.15	ug/L			02/27/13 13:28	1
4-Isopropyltoluene	<0.50		0.50	0.21	ug/L			02/27/13 13:28	1
Methylene Chloride	<0.50		0.50	0.36	ug/L			02/27/13 13:28	1
2-Butanone (MEK)	<10		10	5.0	ug/L			02/27/13 13:28	1
4-Methyl-2-pentanone (MIBK)	<10		10	5.0	ug/L			02/27/13 13:28	1
m-Xylene & p-Xylene	<0.50		0.50	0.42	ug/L			02/27/13 13:28	1
Naphthalene	<1.0		1.0	0.43	ug/L			02/27/13 13:28	1
n-Butylbenzene	<0.50		0.50	0.17	ug/L			02/27/13 13:28	1
N-Propylbenzene	<0.50		0.50	0.17	ug/L			02/27/13 13:28	1
o-Xylene	<0.50		0.50	0.27	ug/L			02/27/13 13:28	1
sec-Butylbenzene	<0.50		0.50	0.14	ug/L			02/27/13 13:28	1
Styrene	<0.50		0.50	0.28	ug/L			02/27/13 13:28	1
Tert-amyl methyl ether	<0.50		0.50	0.20	ug/L			02/27/13 13:28	1
tert-Butyl alcohol	<2.0		2.0	1.6	ug/L			02/27/13 13:28	1
tert-Butylbenzene	<0.50		0.50	0.14	ug/L			02/27/13 13:28	1
Tert-butyl ethyl ether	<0.50		0.50	0.26	ug/L			02/27/13 13:28	1
1,1,1,2-Tetrachloroethane	<0.50		0.50	0.16	ug/L			02/27/13 13:28	1
1,1,2,2-Tetrachloroethane	<0.50		0.50	0.18	ug/L			02/27/13 13:28	1
Tetrachloroethene	<0.50		0.50	0.30	ug/L			02/27/13 13:28	1
Toluene	<0.50		0.50	0.23	ug/L			02/27/13 13:28	1
trans-1,2-Dichloroethene	<0.50		0.50	0.24	ug/L			02/27/13 13:28	1
trans-1,3-Dichloropropene	<0.50		0.50	0.48	ug/L			02/27/13 13:28	1
1,2,3-Trichlorobenzene	<0.50		0.50	0.14	ug/L			02/27/13 13:28	1
1,2,4-Trichlorobenzene	<0.50		0.50	0.18	ug/L			02/27/13 13:28	1
1,1,1-Trichloroethane	<0.50		0.50	0.27	ug/L			02/27/13 13:28	1
1,1,2-Trichloroethane	<0.50		0.50	0.22	ug/L			02/27/13 13:28	1
Trichloroethene	<0.50		0.50	0.37	ug/L			02/27/13 13:28	1
Trichlorofluoromethane	<0.50		0.50	0.23	ug/L			02/27/13 13:28	1
1,2,3-Trichloropropane	<0.50		0.50	0.18	ug/L			02/27/13 13:28	1
Trihalomethanes, Total	<0.50		0.50	0.10	ug/L			02/27/13 13:28	1
1,2,4-Trimethylbenzene	<0.50		0.50	0.17	ug/L			02/27/13 13:28	1

TestAmerica Savannah

Client Sample Results

Client: Weston Solutions, Inc.
 Project/Site: Black & Decker - Hampstead, MD

TestAmerica Job ID: 680-87771-1

Client Sample ID: Trip Blank

Lab Sample ID: 680-87771-5

Date Collected: 02/21/13 09:00

Matrix: Water

Date Received: 02/23/13 09:40

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<0.50		0.50	0.16	ug/L			02/27/13 13:28	1
Vinyl chloride	<0.50		0.50	0.33	ug/L			02/27/13 13:28	1
Xylenes, Total	<0.50		0.50	0.27	ug/L			02/27/13 13:28	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	91		70 - 130					02/27/13 13:28	1
1,2-Dichlorobenzene-d4	81		70 - 130					02/27/13 13:28	1



QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker - Hampstead, MD

TestAmerica Job ID: 680-87771-1

Method: 524.2 - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 680-267654/6
Matrix: Water
Analysis Batch: 267654

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Acetone	<10		10	5.0	ug/L			02/27/13 13:06	1
Benzene	<0.50		0.50	0.18	ug/L			02/27/13 13:06	1
Bromobenzene	<0.50		0.50	0.42	ug/L			02/27/13 13:06	1
Bromoform	<0.50		0.50	0.39	ug/L			02/27/13 13:06	1
Bromomethane	<1.0		1.0	0.45	ug/L			02/27/13 13:06	1
Carbon tetrachloride	<0.50		0.50	0.22	ug/L			02/27/13 13:06	1
Chlorobenzene	<0.50		0.50	0.27	ug/L			02/27/13 13:06	1
Chlorobromomethane	<0.50		0.50	0.30	ug/L			02/27/13 13:06	1
Chlorodibromomethane	<0.50		0.50	0.43	ug/L			02/27/13 13:06	1
Chloroethane	<1.0		1.0	0.33	ug/L			02/27/13 13:06	1
Chloroform	<0.50		0.50	0.29	ug/L			02/27/13 13:06	1
Chloromethane	<0.50		0.50	0.32	ug/L			02/27/13 13:06	1
2-Chlorotoluene	<0.50		0.50	0.17	ug/L			02/27/13 13:06	1
4-Chlorotoluene	<0.50		0.50	0.16	ug/L			02/27/13 13:06	1
cis-1,2-Dichloroethene	<0.50		0.50	0.37	ug/L			02/27/13 13:06	1
cis-1,3-Dichloropropene	<0.50		0.50	0.32	ug/L			02/27/13 13:06	1
1,2-Dibromo-3-Chloropropane	<0.50		0.50	0.30	ug/L			02/27/13 13:06	1
Dibromomethane	<0.50		0.50	0.38	ug/L			02/27/13 13:06	1
1,2-Dichlorobenzene	<0.50		0.50	0.17	ug/L			02/27/13 13:06	1
1,3-Dichlorobenzene	<0.50		0.50	0.14	ug/L			02/27/13 13:06	1
1,4-Dichlorobenzene	<0.50		0.50	0.18	ug/L			02/27/13 13:06	1
Dichlorobromomethane	<0.50		0.50	0.10	ug/L			02/27/13 13:06	1
Dichlorodifluoromethane	<0.50		0.50	0.34	ug/L			02/27/13 13:06	1
1,1-Dichloroethane	<0.50		0.50	0.39	ug/L			02/27/13 13:06	1
1,2-Dichloroethane	<0.50		0.50	0.17	ug/L			02/27/13 13:06	1
1,1-Dichloroethene	<0.50		0.50	0.32	ug/L			02/27/13 13:06	1
1,2-Dichloropropane	<0.50		0.50	0.45	ug/L			02/27/13 13:06	1
1,3-Dichloropropane	<0.50		0.50	0.43	ug/L			02/27/13 13:06	1
2,2-Dichloropropane	<0.50		0.50	0.31	ug/L			02/27/13 13:06	1
1,1-Dichloropropene	<0.50		0.50	0.19	ug/L			02/27/13 13:06	1
1,3-Dichloropropene, Total	<0.50		0.50	0.32	ug/L			02/27/13 13:06	1
Diisopropyl ether	<0.50		0.50	0.28	ug/L			02/27/13 13:06	1
Ethylbenzene	<0.50		0.50	0.12	ug/L			02/27/13 13:06	1
Ethylene Dibromide	<0.50		0.50	0.20	ug/L			02/27/13 13:06	1
Freon 113	<0.50		0.50	0.15	ug/L			02/27/13 13:06	1
Hexachlorobutadiene	<0.50		0.50	0.26	ug/L			02/27/13 13:06	1
2-Hexanone	<10		10	5.0	ug/L			02/27/13 13:06	1
Isopropylbenzene	<0.50		0.50	0.15	ug/L			02/27/13 13:06	1
4-Isopropyltoluene	<0.50		0.50	0.21	ug/L			02/27/13 13:06	1
Methylene Chloride	<0.50		0.50	0.36	ug/L			02/27/13 13:06	1
2-Butanone (MEK)	<10		10	5.0	ug/L			02/27/13 13:06	1
4-Methyl-2-pentanone (MIBK)	<10		10	5.0	ug/L			02/27/13 13:06	1
m-Xylene & p-Xylene	<0.50		0.50	0.42	ug/L			02/27/13 13:06	1
Naphthalene	<1.0		1.0	0.43	ug/L			02/27/13 13:06	1
n-Butylbenzene	<0.50		0.50	0.17	ug/L			02/27/13 13:06	1
N-Propylbenzene	<0.50		0.50	0.17	ug/L			02/27/13 13:06	1
o-Xylene	<0.50		0.50	0.27	ug/L			02/27/13 13:06	1
sec-Butylbenzene	<0.50		0.50	0.14	ug/L			02/27/13 13:06	1

TestAmerica Savannah

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker - Hampstead, MD

TestAmerica Job ID: 680-87771-1

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 680-267654/6

Client Sample ID: Method Blank

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 267654

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Styrene	<0.50		0.50	0.28	ug/L			02/27/13 13:06	1
Tert-amyl methyl ether	<0.50		0.50	0.20	ug/L			02/27/13 13:06	1
tert-Butyl alcohol	<2.0		2.0	1.6	ug/L			02/27/13 13:06	1
tert-Butylbenzene	<0.50		0.50	0.14	ug/L			02/27/13 13:06	1
Tert-butyl ethyl ether	<0.50		0.50	0.26	ug/L			02/27/13 13:06	1
1,1,1,2-Tetrachloroethane	<0.50		0.50	0.16	ug/L			02/27/13 13:06	1
1,1,2,2-Tetrachloroethane	<0.50		0.50	0.18	ug/L			02/27/13 13:06	1
Tetrachloroethene	<0.50		0.50	0.30	ug/L			02/27/13 13:06	1
Toluene	<0.50		0.50	0.23	ug/L			02/27/13 13:06	1
trans-1,2-Dichloroethene	<0.50		0.50	0.24	ug/L			02/27/13 13:06	1
trans-1,3-Dichloropropene	<0.50		0.50	0.48	ug/L			02/27/13 13:06	1
1,2,3-Trichlorobenzene	<0.50		0.50	0.14	ug/L			02/27/13 13:06	1
1,2,4-Trichlorobenzene	<0.50		0.50	0.18	ug/L			02/27/13 13:06	1
1,1,1-Trichloroethane	<0.50		0.50	0.27	ug/L			02/27/13 13:06	1
1,1,2-Trichloroethane	<0.50		0.50	0.22	ug/L			02/27/13 13:06	1
Trichloroethene	<0.50		0.50	0.37	ug/L			02/27/13 13:06	1
Trichlorofluoromethane	<0.50		0.50	0.23	ug/L			02/27/13 13:06	1
1,2,3-Trichloropropane	<0.50		0.50	0.18	ug/L			02/27/13 13:06	1
Trihalomethanes, Total	<0.50		0.50	0.10	ug/L			02/27/13 13:06	1
1,2,4-Trimethylbenzene	<0.50		0.50	0.17	ug/L			02/27/13 13:06	1
1,3,5-Trimethylbenzene	<0.50		0.50	0.16	ug/L			02/27/13 13:06	1
Vinyl chloride	<0.50		0.50	0.33	ug/L			02/27/13 13:06	1
Xylenes, Total	<0.50		0.50	0.27	ug/L			02/27/13 13:06	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
4-Bromofluorobenzene	88		70 - 130		02/27/13 13:06	1
1,2-Dichlorobenzene-d4	79		70 - 130		02/27/13 13:06	1

Lab Sample ID: LCS 680-267654/3

Client Sample ID: Lab Control Sample

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 267654

Analyte	Spike Added	LCS LCS		Unit	D	%Rec	%Rec. Limits
		Result	Qualifier				
Acetone	40.0	43.3		ug/L		108	70 - 130
Benzene	20.0	20.0		ug/L		100	70 - 130
Bromobenzene	20.0	20.2		ug/L		101	70 - 130
Bromoform	20.0	20.2		ug/L		101	70 - 130
Bromomethane	20.0	16.2		ug/L		81	70 - 130
Carbon tetrachloride	20.0	19.8		ug/L		99	70 - 130
Chlorobenzene	20.0	19.9		ug/L		100	70 - 130
Chlorobromomethane	20.0	20.0		ug/L		100	70 - 130
Chlorodibromomethane	20.0	20.4		ug/L		102	70 - 130
Chloroethane	20.0	18.7		ug/L		94	70 - 130
Chloroform	20.0	20.1		ug/L		100	70 - 130
Chloromethane	20.0	18.2		ug/L		91	70 - 130
2-Chlorotoluene	20.0	20.9		ug/L		105	70 - 130
4-Chlorotoluene	20.0	21.5		ug/L		108	70 - 130
cis-1,2-Dichloroethene	20.0	21.6		ug/L		108	70 - 130

TestAmerica Savannah

QC Sample Results

Client: Weston Solutions, Inc.
 Project/Site: Black & Decker - Hampstead, MD

TestAmerica Job ID: 680-87771-1

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 680-267654/3

Client Sample ID: Lab Control Sample

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 267654

Analyte	Spike Added	LCS		Unit	D	%Rec	%Rec. Limits
		Result	Qualifier				
cis-1,3-Dichloropropene	20.0	20.4		ug/L		102	70 - 130
1,2-Dibromo-3-Chloropropane	20.0	22.6		ug/L		113	70 - 130
Dibromomethane	20.0	19.5		ug/L		98	70 - 130
1,2-Dichlorobenzene	20.0	20.3		ug/L		102	70 - 130
1,3-Dichlorobenzene	20.0	21.4		ug/L		107	70 - 130
1,4-Dichlorobenzene	20.0	21.7		ug/L		108	70 - 130
Dichlorobromomethane	20.0	19.8		ug/L		99	70 - 130
Dichlorodifluoromethane	20.0	17.6		ug/L		88	70 - 130
1,1-Dichloroethane	20.0	20.3		ug/L		101	70 - 130
1,2-Dichloroethane	20.0	19.7		ug/L		99	70 - 130
1,1-Dichloroethene	20.0	17.3		ug/L		86	70 - 130
1,2-Dichloropropane	20.0	19.6		ug/L		98	70 - 130
1,3-Dichloropropane	20.0	20.6		ug/L		103	70 - 130
2,2-Dichloropropane	20.0	22.2		ug/L		111	70 - 130
1,1-Dichloropropene	20.0	19.4		ug/L		97	70 - 130
1,3-Dichloropropene, Total	40.0	41.7		ug/L		104	70 - 130
Diisopropyl ether	16.0	17.0		ug/L		106	70 - 130
Ethylbenzene	20.0	21.4		ug/L		107	70 - 130
Ethylene Dibromide	20.0	20.4		ug/L		102	70 - 130
Freon 113	16.0	16.0		ug/L		100	70 - 130
Hexachlorobutadiene	20.0	18.5		ug/L		92	70 - 130
2-Hexanone	40.0	43.8		ug/L		109	70 - 130
Isopropylbenzene	20.0	23.6		ug/L		118	70 - 130
4-Isopropyltoluene	20.0	20.2		ug/L		101	70 - 130
Methylene Chloride	20.0	20.2		ug/L		101	70 - 130
2-Butanone (MEK)	40.0	42.0		ug/L		105	70 - 130
4-Methyl-2-pentanone (MIBK)	40.0	39.2		ug/L		98	70 - 130
m-Xylene & p-Xylene	40.0	41.9		ug/L		105	70 - 130
Naphthalene	20.0	20.9		ug/L		104	70 - 130
n-Butylbenzene	20.0	19.2		ug/L		96	70 - 130
N-Propylbenzene	20.0	21.0		ug/L		105	70 - 130
o-Xylene	20.0	21.2		ug/L		106	70 - 130
sec-Butylbenzene	20.0	21.8		ug/L		109	70 - 130
Styrene	20.0	22.6		ug/L		113	70 - 130
Tert-amyl methyl ether	16.0	18.0		ug/L		112	70 - 130
tert-Butyl alcohol	80.0	89.4		ug/L		112	70 - 130
tert-Butylbenzene	20.0	22.0		ug/L		110	70 - 130
Tert-butyl ethyl ether	16.0	17.4		ug/L		109	70 - 130
1,1,1,2-Tetrachloroethane	20.0	20.3		ug/L		101	70 - 130
1,1,1,2,2-Tetrachloroethane	20.0	20.6		ug/L		103	70 - 130
Tetrachloroethene	20.0	19.5		ug/L		98	70 - 130
Toluene	20.0	20.6		ug/L		103	70 - 130
trans-1,2-Dichloroethene	20.0	19.6		ug/L		98	70 - 130
trans-1,3-Dichloropropene	20.0	21.3		ug/L		106	70 - 130
1,2,3-Trichlorobenzene	20.0	21.2		ug/L		106	70 - 130
1,2,4-Trichlorobenzene	20.0	21.3		ug/L		106	70 - 130
1,1,1-Trichloroethane	20.0	20.6		ug/L		103	70 - 130
1,1,2-Trichloroethane	20.0	20.2		ug/L		101	70 - 130

TestAmerica Savannah

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker - Hampstead, MD

TestAmerica Job ID: 680-87771-1

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 680-267654/3

Matrix: Water

Analysis Batch: 267654

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike	LCS	LCS	Unit	D	%Rec	%Rec.	Limits
	Added	Result	Qualifier					
Trichloroethene	20.0	20.0		ug/L		100	70 - 130	
Trichlorofluoromethane	20.0	20.0		ug/L		100	70 - 130	
1,2,3-Trichloropropane	20.0	20.2		ug/L		101	70 - 130	
Trihalomethanes, Total	80.0	80.5		ug/L		101	70 - 130	
1,2,4-Trimethylbenzene	20.0	19.1		ug/L		96	70 - 130	
1,3,5-Trimethylbenzene	20.0	21.6		ug/L		108	70 - 130	
Vinyl chloride	20.0	20.1		ug/L		100	70 - 130	
Xylenes, Total	60.0	63.1		ug/L		105	70 - 130	

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene	115		70 - 130
1,2-Dichlorobenzene-d4	119		70 - 130

Lab Sample ID: LCSD 680-267654/4

Matrix: Water

Analysis Batch: 267654

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike	LCSD	LCSD	Unit	D	%Rec	%Rec.	RPD	RPD
	Added	Result	Qualifier						
Acetone	40.0	42.1		ug/L		105	70 - 130	3	30
Benzene	20.0	19.6		ug/L		98	70 - 130	2	30
Bromobenzene	20.0	19.5		ug/L		98	70 - 130	3	30
Bromoform	20.0	19.8		ug/L		99	70 - 130	2	30
Bromomethane	20.0	19.1		ug/L		95	70 - 130	17	30
Carbon tetrachloride	20.0	19.8		ug/L		99	70 - 130	0	30
Chlorobenzene	20.0	19.8		ug/L		99	70 - 130	1	30
Chlorobromomethane	20.0	20.1		ug/L		101	70 - 130	1	30
Chlorodibromomethane	20.0	20.8		ug/L		104	70 - 130	2	30
Chloroethane	20.0	21.5		ug/L		108	70 - 130	14	30
Chloroform	20.0	19.5		ug/L		98	70 - 130	3	30
Chloromethane	20.0	19.0		ug/L		95	70 - 130	4	30
2-Chlorotoluene	20.0	20.6		ug/L		103	70 - 130	2	30
4-Chlorotoluene	20.0	21.3		ug/L		106	70 - 130	1	30
cis-1,2-Dichloroethene	20.0	21.1		ug/L		105	70 - 130	2	30
cis-1,3-Dichloropropene	20.0	20.4		ug/L		102	70 - 130	0	30
1,2-Dibromo-3-Chloropropane	20.0	22.4		ug/L		112	70 - 130	1	30
Dibromomethane	20.0	19.7		ug/L		99	70 - 130	1	30
1,2-Dichlorobenzene	20.0	20.7		ug/L		104	70 - 130	2	30
1,3-Dichlorobenzene	20.0	21.2		ug/L		106	70 - 130	1	30
1,4-Dichlorobenzene	20.0	21.3		ug/L		106	70 - 130	2	30
Dichlorobromomethane	20.0	19.7		ug/L		98	70 - 130	1	30
Dichlorodifluoromethane	20.0	16.4		ug/L		82	70 - 130	7	30
1,1-Dichloroethane	20.0	19.9		ug/L		99	70 - 130	2	30
1,2-Dichloroethane	20.0	19.4		ug/L		97	70 - 130	1	30
1,1-Dichloroethene	20.0	18.2		ug/L		91	70 - 130	5	30
1,2-Dichloropropane	20.0	19.8		ug/L		99	70 - 130	1	30
1,3-Dichloropropane	20.0	21.0		ug/L		105	70 - 130	2	30
2,2-Dichloropropane	20.0	21.7		ug/L		108	70 - 130	2	30
1,1-Dichloropropene	20.0	19.4		ug/L		97	70 - 130	0	30

TestAmerica Savannah

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker - Hampstead, MD

TestAmerica Job ID: 680-87771-1

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 680-267654/4

Client Sample ID: Lab Control Sample Dup

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 267654

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	Limits	RPD	Limit
1,3-Dichloropropene, Total	40.0	41.3		ug/L		103	70 - 130	1	30
Diisopropyl ether	16.0	17.0		ug/L		106	70 - 130	0	30
Ethylbenzene	20.0	21.3		ug/L		106	70 - 130	1	30
Ethylene Dibromide	20.0	20.7		ug/L		104	70 - 130	2	30
Freon 113	16.0	17.3		ug/L		108	70 - 130	8	30
Hexachlorobutadiene	20.0	18.4		ug/L		92	70 - 130	0	30
2-Hexanone	40.0	43.5		ug/L		109	70 - 130	1	30
Isopropylbenzene	20.0	23.4		ug/L		117	70 - 130	1	30
4-Isopropyltoluene	20.0	19.9		ug/L		99	70 - 130	2	30
Methylene Chloride	20.0	19.5		ug/L		98	70 - 130	3	30
2-Butanone (MEK)	40.0	40.6		ug/L		101	70 - 130	3	30
4-Methyl-2-pentanone (MIBK)	40.0	39.2		ug/L		98	70 - 130	0	30
m-Xylene & p-Xylene	40.0	41.5		ug/L		104	70 - 130	1	30
Naphthalene	20.0	20.6		ug/L		103	70 - 130	1	30
n-Butylbenzene	20.0	18.9		ug/L		95	70 - 130	1	30
N-Propylbenzene	20.0	20.4		ug/L		102	70 - 130	3	30
o-Xylene	20.0	20.5		ug/L		102	70 - 130	4	30
sec-Butylbenzene	20.0	21.5		ug/L		108	70 - 130	1	30
Styrene	20.0	22.5		ug/L		113	70 - 130	0	30
Tert-amyl methyl ether	16.0	17.9		ug/L		112	70 - 130	1	30
tert-Butyl alcohol	80.0	91.9		ug/L		115	70 - 130	3	30
tert-Butylbenzene	20.0	21.5		ug/L		108	70 - 130	2	30
Tert-butyl ethyl ether	16.0	17.7		ug/L		111	70 - 130	2	30
1,1,1,2-Tetrachloroethane	20.0	20.1		ug/L		101	70 - 130	1	30
1,1,2,2-Tetrachloroethane	20.0	20.5		ug/L		103	70 - 130	0	30
Tetrachloroethene	20.0	20.2		ug/L		101	70 - 130	3	30
Toluene	20.0	20.3		ug/L		102	70 - 130	1	30
trans-1,2-Dichloroethene	20.0	19.5		ug/L		97	70 - 130	1	30
trans-1,3-Dichloropropene	20.0	20.9		ug/L		105	70 - 130	2	30
1,2,3-Trichlorobenzene	20.0	21.5		ug/L		107	70 - 130	1	30
1,2,4-Trichlorobenzene	20.0	20.5		ug/L		103	70 - 130	3	30
1,1,1-Trichloroethane	20.0	20.2		ug/L		101	70 - 130	2	30
1,1,2-Trichloroethane	20.0	19.8		ug/L		99	70 - 130	2	30
Trichloroethene	20.0	19.8		ug/L		99	70 - 130	1	30
Trichlorofluoromethane	20.0	18.9		ug/L		95	70 - 130	6	30
1,2,3-Trichloropropane	20.0	20.1		ug/L		101	70 - 130	0	30
Trihalomethanes, Total	80.0	79.8		ug/L		100	70 - 130	1	30
1,2,4-Trimethylbenzene	20.0	19.3		ug/L		96	70 - 130	1	30
1,3,5-Trimethylbenzene	20.0	21.5		ug/L		107	70 - 130	1	30
Vinyl chloride	20.0	19.7		ug/L		99	70 - 130	2	30
Xylenes, Total	60.0	62.0		ug/L		103	70 - 130	2	30

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene	110		70 - 130
1,2-Dichlorobenzene-d4	114		70 - 130

TestAmerica Savannah

QC Association Summary

Client: Weston Solutions, Inc.
Project/Site: Black & Decker - Hampstead, MD

TestAmerica Job ID: 680-87771-1

GC/MS VOA

Analysis Batch: 267654

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-87771-1	RFW-20	Total/NA	Water	524.2	1
680-87771-2	RFW-21	Total/NA	Water	524.2	2
680-87771-3	HAMP-22	Total/NA	Water	524.2	3
680-87771-4	HAMP-23	Total/NA	Water	524.2	4
680-87771-5	Trip Blank	Total/NA	Water	524.2	5
LCS 680-267654/3	Lab Control Sample	Total/NA	Water	524.2	6
LCSD 680-267654/4	Lab Control Sample Dup	Total/NA	Water	524.2	7
MB 680-267654/6	Method Blank	Total/NA	Water	524.2	8

TestAmerica Savannah

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Black & Decker - Hampstead, MD

TestAmerica Job ID: 680-87771-1

Client Sample ID: RFW-20

Lab Sample ID: 680-87771-1

Date Collected: 02/21/13 17:10

Matrix: Water

Date Received: 02/23/13 09:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	524.2		1	267654	02/27/13 15:18	AGM	TAL SAV

Client Sample ID: RFW-21

Lab Sample ID: 680-87771-2

Date Collected: 02/21/13 07:50

Matrix: Water

Date Received: 02/23/13 09:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	524.2		1	267654	02/27/13 15:40	AGM	TAL SAV

Client Sample ID: HAMP-22

Lab Sample ID: 680-87771-3

Date Collected: 02/22/13 09:20

Matrix: Water

Date Received: 02/23/13 09:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	524.2		1	267654	02/27/13 16:02	AGM	TAL SAV

Client Sample ID: HAMP-23

Lab Sample ID: 680-87771-4

Date Collected: 02/22/13 09:25

Matrix: Water

Date Received: 02/23/13 09:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	524.2		1	267654	02/27/13 16:25	AGM	TAL SAV

Client Sample ID: Trip Blank

Lab Sample ID: 680-87771-5

Date Collected: 02/21/13 09:00

Matrix: Water

Date Received: 02/23/13 09:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	524.2		1	267654	02/27/13 13:28	AGM	TAL SAV

Laboratory References:

TAL SAV = TestAmerica Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

2417 Bond Street, University Park, IL 60484
 Phone: 708.534.5200 Fax: 708.534.5211

Report To _____ (optional)
 Contact: _____
 Company: _____
 Address: _____
 Address: _____
 Phone: _____
 Fax: _____
 E-Mail: _____

Bill To _____ (optional)
 Contact: _____
 Company: _____
 Address: _____
 Address: _____
 Phone: _____
 Fax: _____
 PO#/Reference# _____

Chain of Custody Record

Lab Job #: _____
 Chain of Custody Number: _____
 Page 1 of 1
 Temperature °C of Cooler: _____

Client		Client Project #		Preservative												Preservative Key		
Wester		02501.004.004		HCL												1. HCL, Cool to 4° 2. H2SO4, Cool to 4° 3. HNO3, Cool to 4° 4. NaOH, Cool to 4° 5. NaOH/Zn, Cool to 4° 6. NaHSO4 7. Cool to 4° 8. None 9. Other		
Project Name		Lab Project #		Parameter												Comments		
Stack + Decks		Lisa Harvey		HCL														
Project Location/State		Lab Project #		Sampler														
Hempstead MD				Lisa Harvey														
Lab ID	MS/MSD	Sample ID		Sampling		# of Containers	Matrix											
		Date	Time															
		RFW-20		2/21/13	1710	3	W											
		RFW-21		2/21/13	750	3	L											
		HAMP-22		2/22/13	900	3	L											
		HAMP-23		2/22/13	925	3	L											
		Trp Black		2/21/13	900	2	L											

Page 22 of 24

Turnaround Time Required (Business Days) 1 Day 2 Days 5 Days 7 Days 10 Days 15 Days Other
 Requested Due Date _____

Sample Disposal: Return to Client Disposal by Lab Archive for _____ Months (A fee may be assessed if samples are retained longer than 1 month)

Relinquished By: <u>[Signature]</u> Company: <u>Wester</u> Date: <u>2/22/13</u> Time: <u>1030</u>	Received By: <u>[Signature]</u> Company: <u>Red Ex</u> Date: _____ Time: _____	Lab Courier: _____ Shipped: _____ Hand Delivered: _____
Relinquished By: _____ Company: _____ Date: _____ Time: _____	Received By: _____ Company: _____ Date: _____ Time: _____	
Relinquished By: _____ Company: _____ Date: _____ Time: _____	Received By: <u>[Signature]</u> Company: <u>DAW</u> Date: <u>2/23/13</u> Time: <u>0940</u>	

- Matrix Key
- WW - Wastewater
 - W - Water
 - S - Soil
 - SL - Sludge
 - MS - Miscellaneous
 - OL - Oil
 - A - Air
 - SE - Sediment
 - SO - Soil
 - L - Leachate
 - WI - Wipe
 - DW - Drinking Water
 - O - Other

Client Comments: _____

Lab Comments: 5.0°C
680-87771



Login Sample Receipt Checklist

Client: Weston Solutions, Inc.

Job Number: 680-87771-1

Login Number: 87771

List Source: TestAmerica Savannah

List Number: 1

Creator: Conner, Keaton

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $< 6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Certification Summary

Client: Weston Solutions, Inc.
 Project/Site: Black & Decker - Hampstead, MD

TestAmerica Job ID: 680-87771-1

Laboratory: TestAmerica Savannah

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
A2LA	DoD ELAP		0399-01	03-31-13
A2LA	ISO/IEC 17025		399.01	03-31-13
Alabama	State Program	4	41450	06-30-13
Alaska (UST)	State Program	10	UST-104	06-19-13
California	NELAP	9	3217CA	07-31-13
Colorado	State Program	8	N/A	12-31-13
Connecticut	State Program	1	PH-0161	03-31-13
Florida	NELAP	4	E87052	06-30-13
GA Dept. of Agriculture	State Program	4	N/A	12-31-13
Georgia	State Program	4	N/A	06-30-13
Georgia	State Program	4	803	06-30-13
Guam	State Program	9	09-005r	04-17-13
Hawaii	State Program	9	N/A	06-30-13
Illinois	NELAP	5	200022	11-30-12
Indiana	State Program	5	N/A	06-30-13
Iowa	State Program	7	353	07-01-13
Kentucky	State Program	4	90084	12-31-12
Kentucky (UST)	State Program	4	18	03-31-13
Louisiana	NELAP	6	30690	06-30-13
Louisiana	NELAP	6	LA100015	12-31-13
Maine	State Program	1	GA00006	08-16-14
Maryland	State Program	3	250	12-31-13
Massachusetts	State Program	1	M-GA006	06-30-13
Michigan	State Program	5	9925	06-30-13
Mississippi	State Program	4	N/A	06-30-13
Montana	State Program	8	CERT0081	01-01-14
Nebraska	State Program	7	TestAmerica-Savannah	06-30-13
New Jersey	NELAP	2	GA769	06-30-13
New Mexico	State Program	6	N/A	06-30-13
New York	NELAP	2	10842	04-01-13
North Carolina DENR	State Program	4	269	12-31-13
North Carolina DHHS	State Program	4	13701	07-31-13
Oklahoma	State Program	6	9984	08-31-13
Pennsylvania	NELAP	3	68-00474	06-30-13
Puerto Rico	State Program	2	GA00006	01-01-14
South Carolina	State Program	4	98001	06-30-13
Tennessee	State Program	4	TN02961	06-30-13
Texas	NELAP	6	T104704185-08-TX	11-30-13
USDA	Federal		SAV 3-04	04-07-14
Virginia	NELAP	3	460161	06-14-13
Washington	State Program	10	C1794	06-10-13
West Virginia	State Program	3	9950C	12-31-13
West Virginia DEP	State Program	3	94	06-30-13
Wisconsin	State Program	5	999819810	08-31-13
Wyoming	State Program	8	8TMS-Q	06-30-13

