

Quarterly Groundwater Monitoring Report

Prepared for
Black & Decker (U.S.) Inc.

Hampstead, Maryland

April 2014

Prepared by

WESTON SOLUTIONS, INC.

West Chester, Pennsylvania 19380-1499

TABLE OF CONTENTS

| Section | Page |
|---|------|
| 1. INTRODUCTION..... | 1-1 |
| 2. SITE CHARACTERISTICS..... | 2-1 |
| 2.1 HYDRAULIC PROPERTIES | 2-1 |
| 2.2 EFFLUENT CHARACTERISTICS | 2-1 |
| 2.3 GROUNDWATER QUALITY DATA | 2-1 |
| 3. OPERATION AND MAINTENANCE OF THE TREATMENT SYSTEM..... | 3-1 |
| 4. RECOMMENDATIONS..... | 4-1 |

LIST OF APPENDICES

APPENDIX A - GROUNDWATER TREATMENT SYSTEM PUMPING RECORDS

APPENDIX B - DISCHARGE MONITORING REPORTS

APPENDIX C - GROUNDWATER TREATMENT SYSTEM ANALYTICAL RESULTS

APPENDIX D - GROUNDWATER ANALYTICAL DATA PACKAGE

LIST OF TABLES

| Table | Page |
|---|-------------|
| Table 2-1 Treatment System Pumping Records – 1st Quarter 2014..... | 2-2 |
| Table 2-2 Groundwater Elevation Data – 1st Quarter 2014 | 2-3 |
| Table 2-3 Effluent Characteristics Summary – 1st Quarter 2014 | 2-4 |
| Table 2-4 Summary of Groundwater Analytical Results - February 2014..... | 2-5 |
| Table 3-1 Treatment System Maintenance Activities – 1st Quarter 2014..... | 3-2 |

1. INTRODUCTION

This Groundwater Monitoring Report has been prepared to meet the requirements of Condition IV.G of the Administrative Consent Order between the State of Maryland Department of the Environment (MDE) and Black & Decker (U.S.) Inc. (April 1995) (Consent Order). Specifically, Condition IV.G calls for preparation of a Groundwater Monitoring Report containing the following information for each reporting period:

- The quantities of groundwater pumped, treated, and discharged.
- The calculation of quantities of contaminants removed from groundwater.
- A summary of all sampling analyses.
- An explanation of all operational or other problems encountered, and the manner in which each problem was resolved.
- Copies of all reports submitted to the Department of Natural Resources in conjunction with the Groundwater Appropriations Permit.
- Recommendations for changes to the Interim Groundwater Treatment System.

This document is one of several which are being prepared in response to the Consent Order; each of these documents are to be submitted to the MDE in accordance with the schedule outlined in the Consent Order. This document will become part of the Administrative Record for the site, which is maintained at the Hampstead Public Library.

2. SITE CHARACTERISTICS

2.1 HYDRAULIC PROPERTIES

In accordance with the Consent Order and the Water Appropriation Permit issued to the Black and Decker (U.S.) Inc. Hampstead, Maryland, facility, the following pumping and water level information is included for the period of January through March 2014.

Pumping records showing the total gallons pumped per month of treatment system operation are presented in Table 2-1. The complete groundwater treatment system pumping records are included in Appendix A.

Monthly water levels for wells included in the water level monitoring plan are presented in Table 2-2. For the reporting period of January through March 2014, the extraction wells were pumping at an average combined rate of approximately 166 gallons per minute (gpm).

2.2 EFFLUENT CHARACTERISTICS

Effluent characteristics of the NPDES discharge points are recorded monthly on Discharge Monitoring Reports (DMRs) and are submitted to MDE, Water Management Administration, on a quarterly basis. A summary of the sample results from the DMRs is presented in Table 2-3. DMRs for the period of January through March 2014 are included in Appendix B.

2.3 GROUNDWATER QUALITY DATA

For the reporting period of January through March 2014, approximately 10.16 pounds of total volatile organic compounds (VOCs) were removed from the groundwater by the extraction and treatment system. In general, the total VOCs removed from the groundwater were comprised primarily of trichloroethene (TCE) (77.7%) and tetrachloroethene (PCE) (22.3%) Analytical results of the groundwater collected from the air stripper for the period of January through March 2014 are included in Appendix C.

A summary of the analytical results from the first quarter (February 2014) groundwater sampling round of the extraction and monitor wells is included in Table 2-4. The complete

Table 2-1
Treatment System Pumping Records - 1st Quarter 2014
Black & Decker
Hampstead, Maryland

| Date | Water Pumped (gallons) |
|----------------------|-------------------------------|
| January 2014 | 5,895,800 |
| February 2014 | 5,316,166 |
| March 2014 | 6,772,689 |

Table 2-2
Groundwater Elevation Data - 1st Quarter 2014
Black & Decker
Hampstead, Maryland

| WELL NO. | TOC ELEV. | TOTAL DEPTH | 1/21/2014 | | 2/25/2014 | | 3/20/2014 | |
|--------------------|-----------|-------------|-----------|--------|-----------|--------|-----------|--------|
| | | | DTW | ELEV | DTW | ELEV | DTW | ELEV |
| EW-1 | 847.21 | 55 | DRY | NC | DRY | NC | DRY | NC |
| EW-2 | 849.21 | 110 | 92.47 | 756.74 | 92.38 | 756.83 | 92.36 | 756.85 |
| EW-3 | 846.64 | 118 | 85.50 | 761.14 | 85.46 | 761.18 | 85.50 | 761.14 |
| EW-4 | 858.01 | 97.5 | PC | NC | PC | NC | PC | NC |
| EW-5 | 864.17 | 98 | 89.53 | 774.64 | 89.49 | 774.68 | 89.27 | 774.90 |
| EW-6 | 831.98 | 115 | 103.00 | 728.98 | 103.00 | 728.98 | 103.00 | 728.98 |
| EW-7 | 818.38 | 78 | 73.50 | 744.88 | 73.50 | 744.88 | 73.50 | 744.88 |
| EW-8 | 811.13 | 98 | 96.00 | 715.13 | 96.00 | 715.13 | 96.00 | 715.13 |
| EW-9 | 811.35 | 141 | 103.00 | 708.35 | 103.00 | 708.35 | 103.00 | 708.35 |
| EW-10 | 807.74 | INA | 54.17 | 753.57 | 20.49* | 807.74 | 52.71 | 755.03 |
| RFW-1A | 864.37 | 78 | 53.47 | 810.90 | 53.28 | 811.09 | 53.26 | 811.11 |
| RFW-1B | 864.23 | 200 | 53.49 | 810.74 | 53.31 | 810.92 | 53.28 | 810.95 |
| RFW-2A | 857.41 | 35 | 17.34 | 840.07 | 11.94 | 845.47 | 12.01 | 845.40 |
| RFW-2B | 857.73 | 75 | 17.96 | 839.77 | 12.58 | 845.15 | 12.60 | 845.13 |
| RFW-3B | 839.21 | 153 | 36.21 | 803.00 | 32.08 | 807.13 | 33.13 | 806.08 |
| RFW-4A | 830.37 | 62 | 38.48 | 791.89 | 35.63 | 794.74 | 35.60 | 794.77 |
| RFW-4B | 830.37 | 120 | 38.40 | 791.97 | 35.48 | 794.89 | 35.49 | 794.88 |
| RFW-5A | 817.50 | 30 | DRY | NC | DRY | NC | DRY | NC |
| RFW-6 | 785.04 | 120 | 4.89 | 780.15 | 2.86 | 782.18 | 3.71 | 781.33 |
| RFW-7 | 805.14 | 29 | 7.14 | 798.00 | 6.98 | 798.16 | 7.01 | 798.13 |
| RFW-8 | 860.07 | 56 | DRY | NC | DRY | NC | DRY | NC |
| RFW-9 | 862.02 | 49 | 28.01 | 834.01 | 24.54 | 837.48 | 24.83 | 837.19 |
| RFW-10 | 852.06 | 58 | DRY | NC | DRY | NC | DRY | NC |
| RFW-11A | 849.32 | 72 | Damaged | NC | Damaged | NC | Damaged | NC |
| RFW-11B | 849.62 | 116 | 65.39 | 784.23 | 60.33 | 789.29 | 60.26 | 789.36 |
| RFW-12B | 844.87 | 264 | 55.08 | 789.79 | 54.68 | 790.19 | 55.10 | 789.77 |
| RFW-13 | 849.11 | 150 | 57.94 | 791.17 | 63.87 | 785.24 | 63.91 | 785.20 |
| RFW-14B | 812.39 | 281 | 52.49 | 759.90 | 53.05 | 759.34 | 53.24 | 759.15 |
| RFW-16 | 856.14 | 41 | DRY | NC | DRY | NC | DRY | NC |
| RFW-17 | 834.66 | 60.5 | 28.04 | 806.62 | 28.24 | 806.42 | 27.94 | 806.72 |
| RFW-20 | 842.49 | 142 | 35.29 | 807.20 | 32.98 | 809.51 | 33.04 | 809.45 |
| RFW-21 | 832.65 | 102 | 22.28 | 810.37 | 22.33 | 810.32 | 23.10 | 809.55 |
| PH-7 | 805.94 | 89 | 35.23 | 770.71 | 21.49 | 784.45 | 34.13 | 771.81 |
| PH-9 | 814.94 | 98 | 52.01 | 762.93 | 51.87 | 763.07 | 51.87 | 763.07 |
| PH-11 | 820.68 | 78 | 51.36 | 769.32 | 51.29 | 769.39 | 51.28 | 769.40 |
| PH-12 | 828.35 | 87 | 52.43 | 775.92 | 52.24 | 776.11 | 52.36 | 775.99 |
| B-3 | 803.02 | 83 | 8.96 | 794.06 | 9.54 | 793.48 | 9.78 | 793.24 |
| Amoco | 842.29 | INA | NA | NC | NA | NC | NA | NC |
| Hamp. Town #22 | 804.96 | INA | 2.29 | 802.67 | 2.23 | 802.73 | 1.89 | 803.07 |
| Pembroke #1 | INA | INA | 10.46 | NC | 10.98 | NC | 10.25 | NC |
| Pembroke #2 | INA | INA | Damaged | NC | Damaged | NC | Damaged | NC |
| N. Houcks. Rd. | INA | INA | 10.36 | NC | 10.86 | NC | 10.76 | NC |
| E. Century St. | INA | INA | 19.26 | NC | 19.20 | NC | 19.24 | NC |
| Lwr. Beckleys. Rd. | INA | INA | 53.47 | NC | 53.51 | NC | 53.77 | NC |

NA - Not Available/Not Accessible

NC - Not Calculable

* EW-10 down for repairs

PC - Pump Cycles

**Table 2-3
Effluent Characteristics Summary - 1st Quarter 2014
Black & Decker
Hampstead, Maryland**

| Discharge Number | Parameter | Units | Permit Limits | DMR DATE | | | |
|---------------------------|-------------------------|-----------------|---------------|--------------|---------------|------------|-------|
| | | | | January 2014 | February 2014 | March 2014 | |
| 001 | FLOW | average | MGD | NA | 0.216 | 0.256 | 0.236 |
| | | maximum | MGD | NA | 0.929 | 0.507 | 1.373 |
| | 1,1,1-Trichloroethane | | ug/l | 5 | < 1 | < 1 | < 1 |
| | Tetrachloroethylene | | ug/l | 5 | < 1 | < 1 | < 1 |
| | Trichloroethylene | | ug/l | 5 | < 1 | < 1 | < 1 |
| | Total Residual Chlorine | | mg/l | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| | Oil & Grease | maximum | mg/l | 15 | < 5 | < 5 | < 5 |
| | | monthly average | mg/l | 10 | < 5 | < 5 | < 5 |
| | pH | minimum | STD | 6.0 | 6.6 | 6.7 | 7.7 |
| | | maximum | STD | 8.5 | 7.1 | 8.3 | 8.4 |
| BOD | | mg/l | 15 | 3.0 | 4.0 | 9.0 | |
| TSS | maximum | mg/l | 30 | < 4 | 6.0 | 9.0 | |
| | monthly average | mg/l | 20 | < 4 | 6.0 | 9.0 | |
| 101 (Monitoring Point) | FLOW | average | MGD | NA | 0.198 | 0.179 | 0.163 |
| | | maximum | MGD | NA | 0.297 | 0.264 | 0.202 |
| | Fecal Coliform | | MPN/100ml | 200 | 1.0 | 1.0 | 1.0 |
| 201 (Monitoring Point) | FLOW | average | MGD | NA | NR | NR | 0.200 |
| | | maximum | MGD | NA | NR | NR | 0.300 |
| | 1,1,1-Trichloroethane | | ug/l | NA | NR | NR | < 1 |
| | Tetrachloroethylene | | ug/l | NA | NR | NR | < 1 |
| | Trichloroethylene | | ug/l | NA | NR | NR | < 1 |

DMR - Discharge Monitoring Report

NA - Not Applicable

NR - Not Reported

Table 2-4
Summary of Groundwater Analytical Results - February 2014
Stanley Black & Decker
Hampstead, Maryland

| PARAMETER | Units | RFW-11A | RFW-11B | RFW-12B | RFW-13 | RFW-16 | RFW-17 | Leister Dairy | Leister Res. #1 | Leister Res. #2 | Trip Blank | RFW-20 | RFW-21 | Town #22 | Town #23 | Trip Blank |
|----------------------------|-------|-----------------------------------|---------|---------|--------|--------|--------|---------------|-----------------|-----------------|------------|--------|--------|----------|----------|------------|
| | | USEPA drinking water method 524.2 | | | | | | | | | | | | | | |
| Chloromethane | ug/L | NS | 1 U | 1 U | 1 U | NS | 1 U | ABD | ABD | ABD | 1 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| Bromomethane | ug/L | NS | 1 U | 1 U | 1 U | NS | 1 U | ABD | ABD | ABD | 1 U | 1 U | 1 U | 1 U | 1 U | 1 U |
| Vinyl Chloride | ug/L | NS | 1 U | 1 U | 1 U | NS | 1 U | ABD | ABD | ABD | 1 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| Chloroethane | ug/L | NS | 1 U | 1 U | 1 U | NS | 1 U | ABD | ABD | ABD | 1 U | 1 U | 1 U | 1 U | 1 U | 1 U |
| Methylene Chloride | ug/L | NS | 2 U | 2 U | 2 U | NS | 2 U | ABD | ABD | ABD | 2 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| Acetone | ug/L | NS | 5 U | 5 U | 5 U | NS | 5 U | ABD | ABD | ABD | 5 U | 25 | 10 U | 10 U | 10 U | 10 U |
| Carbon Disulfide | ug/L | NS | 5 U | 5 U | 5 U | NS | 5 U | ABD | ABD | ABD | 5 U | NA | NA | NA | NA | NA |
| 1,1-Dichloroethene | ug/L | NS | 1 U | 1 U | 1 U | NS | 1 U | ABD | ABD | ABD | 1 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| 1,1-Dichloroethane | ug/L | NS | 1 U | 1 U | 1 U | NS | 1 U | ABD | ABD | ABD | 1 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| 1,2-Dichloroethene (total) | ug/L | NS | 1 U | 1.2 | 0.7 J | NS | 1 U | ABD | ABD | ABD | 1 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| Chloroform | ug/L | NS | 1 U | 1 U | 1 U | NS | 1 U | ABD | ABD | ABD | 1 U | 0.5 U | 0.5 U | 0.38 J | 0.5 U | 0.5 U |
| 1,2-Dichloroethane | ug/L | NS | 1 U | 1 U | 1 U | NS | 1 U | ABD | ABD | ABD | 1 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| 2-Butanone | ug/L | NS | 5 U | 5 U | 5 U | NS | 5 U | ABD | ABD | ABD | 5 U | 5.5 J | 10 U | 10 U | 10 U | 10 U |
| 1,1,1-Trichloroethane | ug/L | NS | 1 U | 1 U | 1 U | NS | 1 U | ABD | ABD | ABD | 1 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| Carbon Tetrachloride | ug/L | NS | 1 U | 1 U | 1 U | NS | 1 U | ABD | ABD | ABD | 1 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| Bromodichloromethane | ug/L | NS | 1 U | 1 U | 1 U | NS | 1 U | ABD | ABD | ABD | 1 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| 1,2-Dichloropropane | ug/L | NS | 1 U | 1 U | 1 U | NS | 1 U | ABD | ABD | ABD | 1 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| cis-1,3-Dichloropropene | ug/L | NS | 1 U | 1 U | 1 U | NS | 1 U | ABD | ABD | ABD | 1 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| Trichloroethene | ug/L | NS | 3 | 60 | 2.3 | NS | 1 U | ABD | ABD | ABD | 1 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| Dibromochloromethane | ug/L | NS | 1 U | 1 U | 1 U | NS | 1 U | ABD | ABD | ABD | 1 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| 1,1,2-Trichloroethane | ug/L | NS | 1 U | 1 U | 1 U | NS | 1 U | ABD | ABD | ABD | 1 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| Benzene | ug/L | NS | 1 U | 1 U | 1 U | NS | 1 U | ABD | ABD | ABD | 1 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| Trans-1,3-Dichloropropene | ug/L | NS | 1 U | 1 U | 1 U | NS | 1 U | ABD | ABD | ABD | 1 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| Bromoform | ug/L | NS | 1 U | 1 U | 1 U | NS | 1 U | ABD | ABD | ABD | 1 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| 4-Methyl-2-pentanone | ug/L | NS | 5 U | 5 U | 5 U | NS | 5 U | ABD | ABD | ABD | 5 U | 10 U | 10 U | 10 U | 10 U | 10 U |
| 2-Hexanone | ug/L | NS | 5 U | 5 U | 5 U | NS | 5 U | ABD | ABD | ABD | 5 U | 10 U | 10 U | 10 U | 10 U | 10 U |
| Tetrachloroethene | ug/L | NS | 1 U | 4.9 | 15 | NS | 1 U | ABD | ABD | ABD | 1 U | 0.5 U | 0.5 U | 0.58 | 0.5 U | 0.5 U |
| 1,1,2,2-Tetrachloroethane | ug/L | NS | 1 U | 1 U | 1 U | NS | 1 U | ABD | ABD | ABD | 1 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| Toluene | ug/L | NS | 1 U | 1 U | 1 U | NS | 0.4 J | ABD | ABD | ABD | 1 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| Chlorobenzene | ug/L | NS | 1 U | 1 U | 1 U | NS | 1 U | ABD | ABD | ABD | 1 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| Ethylbenzene | ug/L | NS | 1 U | 1 U | 1 U | NS | 1 U | ABD | ABD | ABD | 1 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| Styrene | ug/L | NS | 1 U | 1 U | 1 U | NS | 1 U | ABD | ABD | ABD | 1 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U |
| Xylene (total) | ug/L | NS | 1 U | 1 U | 1 U | NS | 1 U | ABD | ABD | ABD | 1 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U | 0.5 U |

Notes: Samples from wells RFW-20 & 21, Town-22&23 are analyzed with the USEPA drinking water method 524.2 at the request of the MDE Source Protection and Appropriation Division.
 Samples from all of the other wells are analyzed with USEPA Method 8260.
 NS = Not sampled
 U = Compound was analyzed but not detected.
 ABD = Well has been abandoned

analytical data package is included in Appendix D.

As found in earlier sampling events at the Black & Decker facility, TCE and PCE were the VOCs detected at the highest concentrations in the groundwater samples. The highest concentration of TCE was detected in the groundwater samples collected from wells EW-2 and EW-4 and the highest concentration of PCE was detected in the groundwater sample collected from well EW-9. The remainder of VOCs present were detected at levels below the Federal Maximum Contaminant Levels (MCL).

3. OPERATION AND MAINTENANCE OF THE TREATMENT SYSTEM

A summary of the maintenance activities which were undertaken with the extraction and treatment system during the reporting period (January through March 2014) is provided in Table 3-1. This table is comprehensive in summarizing significant maintenance events or activities, while not including those activities considered unworthy of note (such as replacement of light bulbs, lubrication of moving parts as appropriate or other routine activities).

Table 3-1
Treatment System Maintenance Activities - 1st Quarter 2014
Black & Decker
Hampstead, Maryland

| Date | Event/Corrective Action |
|--------|---|
| Jan-14 | Alarm at air stripper, EW-5 tripped off due to bad heating elements. The heating elements were replaced the well is back online. |
| Jan-14 | Alarm at air stripper due to a frozen high column sensor, the sensor was thawed and the system is back online. Wells EW-5 and EW-10 are being run on manual mode due to a control problem. |
| Jan-14 | Wet well supply flow alarm, The lead valve did not open fast enough, switched to the # 2 valve. |
| Jan-14 | EW-5 and EW-10 back in auto mode. |
| Jan-14 | Had to shut down the air stripper for about 6 hours to repair leaks in the air main. System back up and running. |
| Jan-14 | EW-10 is off due to a control problem. |
| Jan-14 | The control sensor that controls the column level froze and broke the pipe. The USP are running in manual and the rest of the air stripper is still running in auto, the pipes were repaired. |
| Feb-14 | The air stripper is down for 16 hours due to a town wide power outage caused by a winter storm. The system is back on line. |
| Mar-14 | EW-10 is back online, EW-2 is off due to a pump motor problem. A new pump motor is ordered. |

4. RECOMMENDATIONS

For the reporting period of January through March 2014, the treatment system continued to create a hydraulic boundary preventing off-site migration of groundwater. The extraction system will continue to operate as currently configured to pump and treat contaminated groundwater. Depth-to-water measurements will continue to be collected on a monthly basis in all site monitor wells to construct a groundwater elevation contour map for the site. The groundwater elevation contour map will be used to verify that the required area of groundwater capture is being maintained. If necessary, pumping rates will be adjusted to maintain groundwater capture due to seasonal fluctuations in groundwater elevations. The treatment system will also continue to operate as currently configured, as data collected have proven that the treatment system is fully effective in removing VOCs from the extracted groundwater.

APPENDIX A
GROUNDWATER TREATMENT SYSTEM PUMPING RECORDS
(JANUARY – MARCH 2014)

ENT ADMINISTRATION, 1800 WASHINGTON BLVD, BALTIMORE, MD 21230

Operated By: Facility: BTR Capital Group Permit Number: 07-DP-0022 Month: January
 Maryland Environmental Service Address: 627 Hanover Pike, Hampstead Maryland Superintendent: Earle Villarreal Certification # 1017 Year: 2014
 259 Najoles Road, Millersville MD Additional Op's & cert # - Dorrance Jones 0763, Gary Dickerson 0782, James Elliott 3738, Martin Whitt 0666, Anthony Phillips 3001, Dave Coale 1662, Jamaal Downs2755

| Date | Appearance | Discharge MGD | pH su | Cl2 mg/l | Final Effluent outfall 001 | | | | | | | | | | | Outfall 101 | | | | | Outfall 201 | | | Operator | | | | |
|---------|------------|---------------|-------|----------|----------------------------|----------------------------|----------------------|-----------------------|----------|----------|----------|---------|---------|----------|-----------|-------------|-----------|--------------|----------|------------------|---------------|----------------|----------------------------|----------|----------------------|---------------|-------------|--|
| | | | | | Turbidity ug/l | 1,1,1-Trichloroethane ug/l | Trichloroethane ug/l | BOD ₅ mg/l | TSS mg/l | TKN mg/l | N+N mg/l | TP mg/l | TN mg/l | O&G mg/l | eColi mpn | Flow MGD | eColi mpn | Basin Inches | Alum Gpd | Hypochlorite Gpd | Post Cl2 mg/l | Turbidity ug/l | 1,1,1-Trichloroethane ug/l | | Trichloroethane ug/l | Discharge mgd | | |
| 1 | Clear | 0.19100 | | | | | | | | | | | | | | | 0.168000 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.202132 | Jelliott | |
| 2 | Clear | 0.17400 | 6.58 | 0.00 | | | | | | | | | | | | | 0.200000 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.213961 | Djones | |
| 3 | Clear | 0.28500 | | | | | | | | | | | | | | | 0.231000 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.235913 | Djones | |
| 4 | Clear | 0.19700 | | | | | | | | | | | | | | | 0.192000 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.205812 | Gdickerson | |
| 5 | Clear | 0.19800 | | | | | | | | | | | | | | | 0.175000 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.212133 | Gdickerson | |
| 6 | Clear | 0.60300 | 6.60 | 0.00 | | | | | | | | | | | | | 0.187000 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.225952 | Djones | |
| 7 | Clear | 0.22700 | | | | | | | | | | | | | | | 0.238000 | <1 | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.107323 | Jelliott | |
| 8 | Clear | 0.07800 | | | | | | | | | | | | | | | 0.186000 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.168433 | Djones | |
| 9 | Clear | 0.09900 | 6.90 | 0.00 | | | | | | | | | | | | | 0.179000 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.136964 | Djones | |
| 10 | Clear | 0.09300 | | | | | | | | | | | | | | | 0.228000 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.114448 | Djones | |
| 11 | Clear | 0.92900 | | | | | | | | | | | | | | | 0.188000 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.163410 | Mwhitt | |
| 12 | Clear | 0.79100 | | | | | | | | | | | | | | | 0.181000 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.166830 | Mwhitt | |
| 13 | Clear | 0.14600 | 6.70 | 0.00 | | | | | | | | | | | | | 0.205000 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.177557 | Djones | |
| 14 | Clear | 0.17300 | | | <1 | <1 | <1 | 3.00 | <4 | 0.74 | 2.33 | <0.05 | 3.1 | <5 | 13.7 | | 0.187000 | <1 | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.177559 | Djones | |
| 15 | Clear | 0.29600 | | | | | | | | | | | | | | | 0.202000 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.209762 | Djones | |
| 16 | Clear | 0.19000 | 6.63 | 0.00 | | | | | | | | | | | | | 0.197800 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.217438 | Gdickerson | |
| 17 | Clear | 0.17400 | | | | | | | | | | | | | | | 0.208000 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.256478 | Djones | |
| 18 | Clear | 0.20000 | | | | | | | | | | | | | | | 0.191000 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.235332 | Jelliott | |
| 19 | Clear | 0.14700 | | | | | | | | | | | | | | | 0.201000 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.219938 | Jelliott | |
| 20 | Clear | 0.14200 | | | | | | | | | | | | | | | 0.297000 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.203531 | APhillips | |
| 21 | Clear | 0.20800 | | | | | | | | | | | | | | | 0.165000 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.242033 | Decoale | |
| 22 | Clear | 0.20900 | 6.87 | 0.00 | | | | | | | | | | | | | 0.203000 | <1 | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.159392 | Jdowns | |
| 23 | Clear | 0.02600 | | | | | | | | | | | | | | | 0.207000 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.064554 | Djones | |
| 24 | Clear | 0.07500 | 7.03 | 0.00 | | | | | | | | | | | | | 0.201000 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.204146 | Jelliott | |
| 25 | Clear | 0.15100 | | | | | | | | | | | | | | | 0.191000 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.209515 | APhillips | |
| 26 | Clear | 0.12900 | | | | | | | | | | | | | | | 0.180000 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.196194 | APhillips | |
| 27 | Clear | 0.13200 | | | | | | | | | | | | | | | 0.224000 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.210123 | Djones | |
| 28 | Clear | 0.11800 | 6.72 | 0.00 | <1 | <1 | <1 | | | | | | | | | | 0.187000 | <1 | 0.0 | 1.0 | 1.0 | 5.0 | <1 | <1 | <1 | 0.192173 | Djones | |
| 29 | Clear | 0.12000 | | | | | | | | | | | | | | | 0.178000 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.175681 | Djones | |
| 30 | Clear | 0.10000 | 7.10 | 0.00 | | | | | | | | | | | | | 0.178000 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.177920 | Djones | |
| 31 | Clear | 0.10800 | | | | | | | | | | | | | | | 0.171000 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.213163 | Djones | |
| Total | | 6.70900 | | | | | | | | | | | | | | | 6.126800 | | | | | | | | | | 5.895800 | |
| Average | | 0.21642 | 6.8 | <0.10 | 0 | 0 | 0 | 3 | 0 | 1 | 2 | 0 | 3 | 0 | 14 | | 0.197639 | 1.0 | 0.0 | 1.0 | 1.0 | 5.0 | 0.0 | 0.0 | 0.0 | 0.190187 | | |
| Minimum | | 0.02600 | 6.6 | 0.00 | 0 | 0 | 0 | 3 | 0 | 0 | 2 | 0 | 3 | 0 | 14 | | 0.165000 | 0.0 | 0.0 | 1.0 | 1.0 | 5.0 | 0.0 | 0.0 | 0.0 | 0.064554 | | |
| Maximum | | 0.92900 | 7.1 | <0.10 | 0 | 0 | 0 | 3 | 0 | 1 | 2 | 0 | 3 | 0 | 14 | | 0.297000 | 0.0 | 0.0 | 1.0 | 1.0 | 5.0 | 0.0 | 0.0 | 0.0 | 0.256478 | MOR 01-3-14 | |

COMMENTS:

ENT ADMINISTRATION, 1800 WASHINGTON BLVD, BALTIMORE, MD 21230

Operated By:

Facility: BTR Capital Group

Permit Number: 07-DP-0022

Month: February

Maryland Environmental Service

Address: 627 Hanover Pike, Hampstead Maryland

Superintendent: Earle Villarreal

Certification # 1017

Year: 2014

259 Najoles Road, Millersville MD

Additional Op's & cert # - Dorrance Jones 0763, James Elliott 3738, Anthony Phillips 3001, Martin Whitt 0666

| Date | Appearance | Final Effluent outfall 001 | | | | | | | | | | | | | | Outfall 101 | | | | | Outfall 201 | | | Operator | | |
|---------|------------|----------------------------|-------|----------|-----------------------------|----------------------------|----------------------|-----------------------|----------|----------|----------|---------|---------|----------|-----------|-------------|-----------|--------------|----------|------------------|---------------|-----------------------------|----------------------------|----------|----------------------|---------------|
| | | Discharge MGD | pH su | Cl2 mg/l | Total Ammonia Nitrogen ug/l | 1,1,1-Trichloroethane ug/l | Trichloroethene ug/l | BOD ₅ mg/l | TSS mg/l | TKN mg/l | N+N mg/l | TP mg/l | TN mg/l | O&G mg/l | eColi mpn | Flow MGD | eColi mpn | Basin Inches | Alum Gpd | Hypochlorite Gpd | Post Cl2 mg/l | Total Ammonia Nitrogen ug/l | 1,1,1-Trichloroethane ug/l | | Trichloroethene ug/l | Discharge mgd |
| 1 | Clear | 0.12200 | | | | | | | | | | | | | 0.152000 | | 0" | 1.0 | 1.0 | 5.0 | | | | 0.187461 | Djones | |
| 2 | Clear | 0.13400 | | | | | | | | | | | | | 0.158000 | | 0" | 1.0 | 1.0 | 5.0 | | | | 0.180124 | Djones | |
| 3 | Clear | 0.49600 | | | | | | | | | | | | | 0.203000 | | 0" | 1.0 | 1.0 | 5.0 | | | | 0.182879 | Jelliott | |
| 4 | Clear | 0.37800 | 7.79 | 0.00 | | | | | | | | | | | 0.009150 | <1 | 0" | 1.0 | 1.0 | 5.0 | | | | 0.212061 | Jelliott | |
| 5 | Clear | 0.29200 | | | | | | | | | | | | | 0.009150 | | 0" | 1.0 | 1.0 | 5.0 | | | | 0.114692 | Jelliott | |
| 6 | Clear | 0.25200 | 6.90 | 0.00 | | | | | | | | | | | 0.234000 | | 0" | 1.0 | 1.0 | 5.0 | | | | 0.114925 | Djones | |
| 7 | Clear | 0.20700 | | | | | | | | | | | | | 0.207000 | | 0" | 1.0 | 1.0 | 5.0 | | | | 0.200320 | Djones | |
| 8 | Clear | 0.22100 | | | | | | | | | | | | | 0.188000 | | 0" | 1.0 | 1.0 | 5.0 | | | | 0.185707 | APhillips | |
| 9 | Clear | 0.14500 | | | | | | | | | | | | | 0.186000 | | 0" | 1.0 | 1.0 | 5.0 | | | | 0.192228 | APhillips | |
| 10 | Clear | 0.17600 | | | | | | | | | | | | | 0.204000 | | 0" | 1.1 | 1.0 | 5.0 | | | | 0.209417 | Djones | |
| 11 | Clear | 0.16200 | 6.82 | 0.00 | <1 | <1 | <1 | 4.00 | 6.00 | 1.44 | 2.68 | 0.12 | 4.1 | <5 | 17.8 | 0.186000 | <1 | 0" | 1.0 | 1.0 | 5.0 | <1 | <1 | <1 | 0.201351 | Djones |
| 12 | Clear | 0.13600 | 6.70 | 0.00 | | | | | | | | | | | 0.105000 | | 0" | 1.0 | 1.0 | 5.0 | | | | 0.192838 | Djones | |
| 13 | Clear | 0.08400 | | | | | | | | | | | | | 0.264000 | | 0" | 1.0 | 1.0 | 5.0 | | | | 0.089603 | Jelliott | |
| 14 | Clear | 0.49800 | | | | | | | | | | | | | 0.198000 | | 0" | 1.0 | 1.0 | 5.0 | | | | 0.299766 | Djones | |
| 15 | Clear | 0.49800 | | | | | | | | | | | | | 0.201000 | | 0" | 1.0 | 1.0 | 5.0 | | | | 0.184518 | Jelliott | |
| 16 | Clear | 0.21800 | | | | | | | | | | | | | 0.210000 | | 0" | 1.0 | 1.0 | 5.0 | | | | 0.190054 | Jelliott | |
| 17 | Clear | 0.19700 | | | | | | | | | | | | | 0.180000 | | 0" | 1.0 | 1.0 | 5.0 | | | | 0.214546 | Mwhitt | |
| 18 | Clear | 0.17800 | 6.87 | 0.00 | | | | | | | | | | | 0.184000 | | 0" | 1.0 | 1.0 | 5.0 | | | | 0.185903 | Mwhitt | |
| 19 | Clear | 0.22600 | | | | | | | | | | | | | 0.181000 | <1 | 0" | 1.0 | 1.0 | 5.0 | | | | 0.213246 | Jelliott | |
| 20 | Clear | 0.46400 | | | | | | | | | | | | | 0.151000 | | 0" | 1.0 | 1.0 | 5.0 | | | | 0.187990 | Jelliott | |
| 21 | Clear | 0.35800 | 7.08 | 0.00 | | | | | | | | | | | 0.222000 | | 0" | 1.0 | 1.0 | 5.0 | | | | 0.168058 | Jelliott | |
| 22 | Clear | 0.50700 | | | | | | | | | | | | | 0.179000 | | 0" | 1.0 | 1.0 | 5.0 | | | | 0.229978 | Djones | |
| 23 | Clear | 0.29700 | | | | | | | | | | | | | 0.196000 | | 0" | 1.0 | 1.0 | 5.0 | | | | 0.189872 | Djones | |
| 24 | Clear | 0.31900 | | | | | | | | | | | | | 0.185000 | | 0" | 1.0 | 1.0 | 5.0 | | | | 0.196935 | Mwhitt | |
| 25 | Clear | 0.15000 | | | | | | | | | | | | | 0.229000 | <1 | 0" | 1.0 | 1.0 | 5.0 | | | | 0.192789 | APhillips | |
| 26 | Clear | 0.16100 | | | | | | | | | | | | | 0.178000 | | 0" | 1.0 | 1.0 | 5.0 | | | | 0.206670 | Djones | |
| 27 | Clear | 0.15600 | 8.31 | 0.00 | | | | | | | | | | | 0.199000 | | 0" | 1.0 | 1.0 | 5.0 | | | | 0.196710 | Djones | |
| 28 | Clear | 0.13200 | 8.11 | 0.00 | | | | | | | | | | | 0.204000 | | 0" | 1.0 | 1.0 | 5.0 | | | | 0.195525 | Djones | |
| 29 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 31 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Total | | 7.16400 | | | | | | | | | | | | | 5.002300 | | | | | | | | | | 5.316166 | |
| Average | | 0.25586 | 7.3 | <0.10 | 0 | 0 | 0 | 4.0 | 6.0 | 1.4 | 2.7 | 0 | 4 | 0.0 | 18 | 0.178654 | 1.0 | #DIV/0! | 1.0 | 1.0 | 5.0 | 0.0 | 0.0 | 0.0 | 0.189863 | |
| Minimum | | 0.08400 | 6.7 | 0.00 | 0 | 0 | 0 | 4.0 | 6.0 | 1.4 | 2.7 | 0 | 4 | 0.0 | 18 | 0.009150 | 0.0 | 0.0 | 1.0 | 1.0 | 5.0 | 0.0 | 0.0 | 0.0 | 0.089603 | |
| Maximum | | 0.50700 | 8.3 | <0.10 | 0 | 0 | 0 | 4.0 | 6.0 | 1.4 | 2.7 | 0 | 4 | 0.0 | 18 | 0.264000 | 0.0 | 0.0 | 1.1 | 1.0 | 5.0 | 0.0 | 0.0 | 0.0 | 0.299766 | MOR 01-3-14 |

COMMENTS:

ENT ADMINISTRATION, 1800 WASHINGTON BLVD, BALTIMORE, MD 21230

Operated By:

Facility: BTR Capital Group

Permit Number: 07-DP-0022

Month: March

Maryland Environmental Service

Address: 627 Hanover Pike, Hampstead Maryland

Superintendent: Earle Villarreal Certification # 1017

Year: 2014

259 Najoles Road, Millersville MD

Additional Op's & cert # - Dorrance Jones 0763, James Elliott 3738, Anthony Phillips 3001

| Date | Appearance | Discharge MGD | pH | Cl2 mg/l | Final Effluent outfall 001 | | | | | | | | | | Outfall 101 | | | | | Outfall 201 | | | Operator | | | | |
|---------|------------|---------------|------|----------|----------------------------|-----------------------|-----------------|------------------|------|------|------|------|-----|-----|-------------|----------|-----------|--------------|----------|------------------|---------------|-----------------------|----------|----------------------------|----------------------|---------------|--|
| | | | | | Trans-Monochloro | 1,1,1-Trichloroethane | Trichloroethane | BOD ₅ | TSS | TKN | N+N | TP | TN | O&G | eColi | Flow MGD | eColi mpn | Basin Inches | Alum Gpd | Hydrochloric Gpd | Post Cl2 mg/l | Trans-Monochloro ug/l | | 1,1,1-Trichloroethane ug/l | Trichloroethane ug/l | Discharge mgd | |
| 1 | Clear | 0.14000 | | | | | | | | | | | | | | 0.170000 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.190629 | James Elliott | |
| 2 | Clear | 0.13000 | | | | | | | | | | | | | | 0.177000 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.189269 | James Elliott | |
| 3 | Clear | 0.27000 | | | | | | | | | | | | | | 0.191000 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.208528 | Mwhitt | |
| 4 | Clear | 0.15500 | 8.33 | 0.00 | | | | | | | | | | | | 0.202000 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.200538 | Djones | |
| 5 | Clear | 0.12700 | | | | | | | | | | | | | | 0.181000 | <1 | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.200207 | Djones | |
| 6 | Clear | 0.16000 | 8.41 | 0.00 | | | | | | | | | | | | 0.180000 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.195054 | Djones | |
| 7 | Clear | 0.12700 | | | | | | | | | | | | | | 0.185000 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.191470 | Djones | |
| 8 | Clear | 0.14600 | | | | | | | | | | | | | | 0.168000 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.193947 | APhillips | |
| 9 | Clear | 0.16000 | | | | | | | | | | | | | | 0.183000 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.182625 | APhillips | |
| 10 | Clear | 0.15600 | | | | | | | | | | | | | | 0.168000 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.189861 | James Elliott | |
| 11 | Clear | 0.13800 | 8.27 | 0.00 | <1 | <1 | <1 | 9.00 | 9.20 | 2.36 | 3.04 | 0.15 | 5.4 | <5 | 1.0 | 0.166000 | <1 | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.211933 | Djones | |
| 12 | Clear | 0.12100 | | | | | | | | | | | | | | 0.187000 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.187033 | Djones | |
| 13 | Clear | 0.43400 | 8.35 | 0.00 | | | | | | | | | | | | 0.183000 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.199163 | Djones | |
| 14 | Clear | 0.13500 | | | | | | | | | | | | | | 0.158000 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.184259 | Djones | |
| 15 | Clear | 0.17000 | | | | | | | | | | | | | | 0.154000 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.239805 | Djones | |
| 16 | Clear | 0.16700 | | | | | | | | | | | | | | 0.153000 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.235765 | Djones | |
| 17 | Clear | 0.20700 | | | | | | | | | | | | | | 0.156000 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.243390 | James Elliott | |
| 18 | Clear | 0.19800 | 7.74 | 0.00 | | | | | | | | | | | | 0.131000 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.226859 | James Elliott | |
| 19 | Clear | 0.18500 | | | | | | | | | | | | | | 0.143000 | <1 | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.244270 | Djones | |
| 20 | Clear | 0.30900 | 7.75 | 0.00 | | | | | | | | | | | | 0.150000 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.220721 | James Elliott | |
| 21 | Clear | 0.14300 | | | | | | | | | | | | | | 0.138000 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.231935 | James Elliott | |
| 22 | Clear | 0.14700 | | | | | | | | | | | | | | 0.141000 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.251574 | James Elliott | |
| 23 | Clear | 0.12800 | | | | | | | | | | | | | | 0.130000 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.237348 | James Elliott | |
| 24 | Clear | 0.11800 | 8.16 | 0.00 | | | | | | | | | | | | 0.132000 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.243977 | Djones | |
| 25 | Clear | 0.12400 | | | | | | | | | | | | | | 0.173000 | <1 | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.235396 | Djones | |
| 26 | Clear | 0.22400 | | | | | | | | | | | | | | 0.176000 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.240917 | Djones | |
| 27 | Clear | 0.11600 | 8.28 | 0.00 | | | | | | | | | | | | 0.146000 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.243626 | Djones | |
| 28 | Clear | 0.12400 | | | | | | | | | | | | | | 0.169000 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.211938 | Djones | |
| 29 | Clear | 0.25800 | | | | | | | | | | | | | | 0.146000 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.253579 | APhillips | |
| 30 | Clear | 0.93900 | | | | | | | | | | | | | | 0.148000 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.232652 | APhillips | |
| 31 | Clear | 1.37300 | 7.77 | 0.00 | | | | | | | | | | | | 0.159000 | | 0.0 | 1.0 | 1.0 | 5.0 | | | | 0.254421 | Djones | |
| Total | | 7.32900 | | | | | | | | | | | | | | 5.044000 | | | | | | | | | | 6.772689 | |
| Average | | 0.23642 | 8.1 | <0.10 | 0.000 | 0.000 | 0.000 | 9 | 9 | 2 | 3 | 0 | 5 | 0 | 1 | 0.162710 | 1.0 | 0.0 | 1.0 | 1.0 | 5.0 | #DIV/0! | #DIV/0! | #DIV/0! | 0.218474 | | |
| Minimum | | 0.11600 | 7.7 | 0.00 | 0.000 | 0.000 | 0.000 | 9 | 9 | 2 | 3 | 0 | 5 | 0 | 1 | 0.130000 | 0.0 | 0.0 | 1.0 | 1.0 | 5.0 | 0.0 | 0.0 | 0.0 | 0.182625 | | |
| Maximum | | 1.37300 | 8.4 | <0.10 | 0.000 | 0.000 | 0.000 | 9 | 9 | 2 | 3 | 0 | 5 | 0 | 1 | 0.202000 | 0.0 | 0.0 | 1.0 | 1.0 | 5.0 | 0.0 | 0.0 | 0.0 | 0.254421 | MOR 01-3-14 | |

COMMENTS:

**APPENDIX B
DISCHARGE MONITORING REPORTS
(JANUARY - MARCH 2014)**

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name BTR Hampstead, Inc

Address c/o BTR Captial Group Management

222 Courthouse Ct., Suite 300, Towson MD 21204

Facility Groundwater Remediation and WWTP

Location 626 Hanover Pike

Attn: _____

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

001

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

MONITORING PERIOD

| YEAR | MO | DAY | YEAR | MO | DAY |
|------|----|-----|------|----|-----|
| 14 | 01 | 01 | 14 | 01 | 31 |

FROM

TO

(20-21) (22-23) (24-25)

(26-27) (28-29) (30-31)


State Discharge Permit

07-DP-0022

| PARAMETER (32-37) | | (3 Card Only) (46-53) | | | (4 Card Only) (38-45) | | | | NO. EX (62-63) | FREQUENCY OF ANALYSIS (64-68) | SAMPLE TYPE (69-70) |
|--|-----------------------|--------------------------|------------------------|---------|--------------------------|-----------------------|-----------------------|-------|----------------------|-------------------------------------|---------------------------|
| | | AVERAGE | MAXIMUM | UNITS | MINIMUM | AVERAGE | MAXIMUM | UNITS | | | |
| BOD, 5-DAY (20 DEG. C) 00310 1 0 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | ***** | **** | ***** | ***** | 3 | (19) | 0 | ONCE/ MONTH | GRAB |
| | PERMIT REQUIREMENT | ***** | ***** | **** | ***** | ***** | 15 DAILY MX | MG/L | | ONCE/ MONTH | GRAB |
| pH 00400 1 0 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | ***** | **** | 6.6 | ***** | 7.1 | (12) | 0 | TWICE/ WEEK | GRAB |
| | PERMIT REQUIREMENT | ***** | ***** | **** | DAILY MN | ***** | 8.5 DAILY MX | SU | | TWICE/ WEEK | GRAB |
| SOLIDS, TOTAL SUSPENDED 00530 1 0 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | 0 | Lbs/day | ***** | 0 | 0 | (19) | 0 | ONCE/ MONTH | GRAB |
| | PERMIT REQUIREMENT | ***** | Req. Mon. MO MAX | | ***** | 20 30DA AVG | 30 DAILY MX | MG/L | | ONCE/ MONTH | GRAB |
| SOLIDS, TOTAL SUSPENDED 00530 1 1 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | 0 | Lbs/mo | ***** | ***** | ***** | **** | 0 | ONCE/ MONTH | Calculated |
| | PERMIT REQUIREMENT | ***** | Req. Mon. MO TOTAL | | ***** | ***** | ***** | **** | | ONCE/ MONTH | Calculated |
| SOLIDS, TOTAL SUSPENDED 00530 1 2 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | 0 | Lbs/yr | ***** | ***** | ***** | **** | 0 | ONCE/ MONTH | Calculated |
| | PERMIT REQUIREMENT | ***** | Req. Mon. CUM TOTAL | | ***** | ***** | ***** | **** | | ONCE/ MONTH | Calculated |
| OIL AND GREASE TOTAL RECOVERABLE 70030 1 0 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | ***** | **** | ***** | 0 | 0 | (19) | 0 | ONCE/ MONTH | GRAB |
| | PERMIT REQUIREMENT | ***** | ***** | **** | ***** | 10 30DA AVG | 15 DAILY MX | MG/L | | ONCE/ MONTH | GRAB |
| NITROGEN, TOTAL (AS N) 00600 1 0 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | 4 | Lbs/day | ***** | 3 | 3 | (19) | 0 | ONCE/ MONTH | COMP -8 |
| | PERMIT REQUIREMENT | ***** | Req. Mon. MO MAX | | ***** | Req. Mon. 30DA AVG | Req. Mon. DAILY MX | MG/L | | ONCE/ MONTH | COMP -8 |

| | | | | | | |
|---|--|------------------|--------------------|------------|-------------|-----------|
| NAME/TITLE PRINCIPAL EXECUTIVE OFFICER Nicole Finneyrock Property Manager TYPED OR PRINTED | I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUES IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. 551001 AND 33 U.S.C. 551319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.) | TELEPHONE | | DATE | | |
| | | 410 AREA CODE | 729-8350 NUMBER | 14 YEAR | 02 MONTH | 21 DAY |

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT



COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments he

PERMITTEE NAME/ADDRESS (Include

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

Facility Name/Location if different)

DISCHARGE MONITORING REPORT (DMR)

Form Approved.

Name BTR Hampstead, Inc

(2-16)

(17-19)

OMB No.

Address c/o BTR Captial Group Management

MD0001881

001

Approval expires

222 Courthouse Ct., Suite 300, Towson MD 21204

PERMIT NUMBER

DISCHARGE NUMBER

*** NO DISCHARGE [] ***

NOTE: Read instructions before completing this form

Facility Groundwater Remediation and WWTP

Location 626 Hanover Pike

Attn:

| MONITORING PERIOD | | | | | | |
|-------------------------|----|-----|----|-------------------------|----|-----|
| YEAR | MO | DAY | | YEAR | MO | DAY |
| 14 | 01 | 01 | TO | 14 | 01 | 31 |
| (20-21) (22-23) (24-25) | | | | (26-27) (28-29) (30-31) | | |

State Discharge Permit

07-DP-0022

| PARAMETER (32-37) | | QUANTITY OR LOADING (3 Card Only) (48-53) (54-61) | | | QUALITY OR CONCENTRATION (4 Card Only) (38-45) (46-53) (54-61) | | | NO. EX (62-63) | FREQUENCY OF ANALYSIS (64-68) | SAMPLE TYPE (69-70) |
|---|--------------------|---|---------------------|---------|--|--------------------|------------|----------------|-------------------------------|---------------------|
| | | AVERAGE | MAXIMUM | UNITS | MINIMUM | AVERAGE | MAXIMUM | | | |
| NITROGEN, TOTAL (AS N) 00600 1 1 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | 172 | Lbs/mo | ***** | ***** | ***** | 0 | ONCE/MONTH | Calculated |
| | PERMIT REQUIREMENT | ***** | Req. Mon. MO TOTAL | | ***** | ***** | ***** | | ONCE/MONTH | Calculated |
| NITROGEN, TOTAL (AS N) 00600 1 2 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | 172 | Lbs/yr | ***** | ***** | ***** | 0 | ONCE/MONTH | Calculated |
| | PERMIT REQUIREMENT | ***** | Req. Mon. CUM TOTAL | | ***** | ***** | ***** | | ONCE/MONTH | Calculated |
| PHOSPHOROUS, TOTAL (AS P) 00665 1 0 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | 0 | Lbs/day | ***** | 0 | 0 | (19) | ONCE/MONTH | COMP -8 |
| | PERMIT REQUIREMENT | ***** | Req. Mon. MO MAX | | ***** | Req. Mon. 30DA AVG | DAILY MX | MG/L | ONCE/MONTH | COMP -8 |
| PHOSPHOROUS, TOTAL (AS P) 00665 1 1 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | 0 | Lbs/mo | ***** | ***** | ***** | 0 | ONCE/MONTH | Calculated |
| | PERMIT REQUIREMENT | ***** | Req. Mon. MO TOTAL | | ***** | ***** | ***** | | ONCE/MONTH | Calculated |
| PHOSPHOROUS, TOTAL (AS P) 00665 1 2 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | 0 | Lbs/yr | ***** | ***** | ***** | 0 | ONCE/MONTH | Calculated |
| | PERMIT REQUIREMENT | ***** | Req. Mon. CUM TOTAL | | ***** | ***** | ***** | | ONCE/MONTH | Calculated |
| TETRACHLOROETHYLE 34475 1 0 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | ***** | **** | ***** | ***** | 0 | (28) | ONCE/MONTH | GRAB |
| | PERMIT REQUIREMENT | ***** | ***** | **** | ***** | ***** | 5 DAILY MX | UG/L | ONCE/MONTH | GRAB |
| 1,1,1-TRICHLOROETHANE 34506 1 0 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | ***** | **** | ***** | ***** | 0 | (28) | ONCE/MONTH | GRAB |
| | PERMIT REQUIREMENT | ***** | ***** | **** | ***** | ***** | 5 DAILY MX | UG/L | ONCE/MONTH | GRAB |

| | | | | | | |
|--|--|------------------|--------------------|------------|-------------|-----------|
| NAME/TITLE PRINCIPAL EXECUTIVE OFFICER Nicole Finneyfrack Property Manager TYPED OR PRINTED | I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILAR WITH THE INFORMATION SUBMITTED HEREIN, AND BASED ON MY INQUIRY OF THOSE INDIVIDUES IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.) | TELEPHONE | | DATE | | |
| | | 410 AREA CODE | 729-8350 NUMBER | 14 YEAR | 02 MONTH | 21 DAY |

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name BTR Hampstead, Inc

Address c/o BTR Captial Group Management

222 Courthouse Ct., Suite 300, Towson MD 21204

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

001

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

Facility Groundwater Remediation and WWTP

Location 626 Hanover Pike

Attn:

| MONITORING PERIOD | | | | | |
|-------------------|----|---------|------|---------|-----|
| YEAR | MO | DAY | YEAR | MO | DAY |
| 14 | 01 | 01 | 14 | 01 | 31 |
| (20-21) | | (22-23) | | (24-25) | |
| | | (26-27) | | (28-29) | |
| | | | | (30-31) | |

State Discharge Permit

07-DP-0022

| PARAMETER (32-37) | | (3 Card Only) (46-53) | | | QUANTITY OR LOADING (54-61) | | | UNITS | (4 Card Only) (38-45) | | | QUALITY OR CONCENTRATION (46-53) | | UNITS | NO. EX (62-63) | FREQUENCY OF ANALYSIS (64-68) | SAMPLE TYPE (69-70) |
|--|-----------------------|--------------------------|---------|--|--------------------------------|---------|---------|-------|--------------------------|-----------------------|-------------------|-------------------------------------|---|----------------|----------------------|-------------------------------------|---------------------------|
| | | AVERAGE | MAXIMUM | | MINIMUM | AVERAGE | MAXIMUM | | | | | | | | | | |
| FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | 0.2164 | 0.9290 | | (03) | | | | ***** | ***** | ***** | | 0 | ONCE/ MONTH | Measured | | |
| | PERMIT REQUIREMENT | REPORT | REPORT | | MGD | | | | ***** | ***** | ***** | | | ONCE/ MONTH | Measured | | |
| CHLORINE, TOTAL RESIDUAL 50060 1 0 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | ***** | | **** | | | | ***** | <0.1 | <0.1 | (19) | 0 | ONCE/ MONTH | GRAB | | |
| | PERMIT REQUIREMENT | ***** | ***** | | **** | | | | ***** | 0.011 30DA AVG | 0.019 DAILY MX | MG/L | | ONCE/ MONTH | GRAB | | |
| E. COLI, MPN 51040 1 0 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | ***** | | **** | | | | ***** | 14 | ***** | (30) | 0 | ONCE/ MONTH | GRAB | | |
| | PERMIT REQUIREMENT | ***** | ***** | | **** | | | | ***** | Req. Mon. GEO MEAN | ***** | MPN | | ONCE/ MONTH | GRAB | | |
| TRICHLOROETHENE 78391 1 0 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | ***** | | **** | | | | ***** | ***** | 0 | (28) | 0 | ONCE/ MONTH | GRAB | | |
| | PERMIT REQUIREMENT | ***** | ***** | | **** | | | | ***** | ***** | 5 DAILY MX | UG/L | | ONCE/ MONTH | GRAB | | |
| | SAMPLE MEASUREMENT | | | | | | | | | | | | | | | | |
| | PERMIT REQUIREMENT | | | | | | | | | | | | | | | | |
| | SAMPLE MEASUREMENT | | | | | | | | | | | | | | | | |
| | PERMIT REQUIREMENT | | | | | | | | | | | | | | | | |
| | SAMPLE MEASUREMENT | | | | | | | | | | | | | | | | |
| | PERMIT REQUIREMENT | | | | | | | | | | | | | | | | |

| | | | | | | |
|---|---|--------------|----------|------|-------|-----|
| NAME/TI Nicole Finneyfrack Property Manager TYPED OR PRINTED | I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUES IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.) | TELEPHONE | | DATE | | |
| | | 410 | 729-8350 | 14 | 02 | 21 |
| | SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT | AREA CODE | NUMBER | YEAR | MONTH | DAY |

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name BTR Hampstead, Inc

Address c/o BTR Captial Group Management

222 Courthouse Ct., Suite 300, Towson MD 21204

Facility Groundwater Remediation and WWTP

Location 626 Hanover Pike

Attn:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

101

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

| MONITORING PERIOD | | | | | | | |
|-------------------|----|---------|----|---------|----|-------------------------|--|
| YEAR | MO | DAY | TO | YEAR | MO | DAY | |
| 14 | 01 | 01 | TO | 14 | 01 | 31 | |
| (20-21) | | (22-23) | | (24-25) | | (26-27) (28-29) (30-31) | |

State Discharge Permit

07-DP-0022

| PARAMETER (32-37) | | (3 Card Only) (46-53) | | | QUANTITY OR LOADING (54-61) | | | (4 Card Only) (38-45) | | | QUALITY OR CONCENTRATION (46-53) (54-61) | | | NO. EX (62-63) | FREQUENCY OF ANALYSIS (64-68) | SAMPLE TYPE (69-70) |
|--|-----------------------|--------------------------|---------|-------|--------------------------------|---------|---------|--------------------------|---------|-----------------|---|-------|---------------|-------------------|-------------------------------------|---------------------------|
| | | AVERAGE | MAXIMUM | UNITS | MINIMUM | AVERAGE | MAXIMUM | UNITS | MINIMUM | AVERAGE | MAXIMUM | UNITS | | | | |
| FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | 197,639 | 297,000 | (07) | | | | ***** | ***** | ***** | | | 0 | ONCE/ WEEK | Measured/ Recorded | |
| | PERMIT REQUIREMENT | REPORT | REPORT | GPD | | | | ***** | ***** | ***** | | | | ONCE/ MONTH | Measured/ Recorded | |
| E. COLI, MPN 51040 1 0 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | ***** | **** | | | | ***** | ***** | 1 | (30) | 0 | ONCE/ WEEK | GRAB | | |
| | PERMIT REQUIREMENT | ***** | ***** | **** | | | | ***** | ***** | 200 DAILY MX | MPN | | ONCE/ WEEK | GRAB | | |
| | SAMPLE MEASUREMENT | | | | | | | | | | | | | | | |
| | PERMIT REQUIREMENT | | | | | | | | | | | | | | | |
| | SAMPLE MEASUREMENT | | | | | | | | | | | | | | | |
| | PERMIT REQUIREMENT | | | | | | | | | | | | | | | |
| | SAMPLE MEASUREMENT | | | | | | | | | | | | | | | |
| | PERMIT REQUIREMENT | | | | | | | | | | | | | | | |
| | SAMPLE MEASUREMENT | | | | | | | | | | | | | | | |
| | PERMIT REQUIREMENT | | | | | | | | | | | | | | | |

| | | | | | | |
|--|--|-----------|----------|------|-------|-----|
| NAME/TITLE PRINCIPAL EXECUTIVE OFFICER Nicole Finneyfrock Property Manager TYPED OR PRINTED | I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.) | TELEPHONE | | DATE | | |
| | | 410 | 729-8350 | 14 | 02 | 21 |
| SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT | | AREA CODE | NUMBER | YEAR | MONTH | DAY |

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name BTR Hampstead, Inc

Address c/o BTR Captial Group Management

222 Courthouse Ct., Suite 300, Towson MD 21204

Facility Groundwater Remediation and WWTP

Location 626 Hanover Pike

Attn:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

001

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

| MONITORING PERIOD | | | | | | |
|-------------------|---------|---------|----|---------|---------|---------|
| YEAR | MO | DAY | | YEAR | MO | DAY |
| FROM 14 | 02 | 01 | TO | 14 | 02 | 28 |
| (20-21) | (22-23) | (24-25) | | (26-27) | (28-29) | (30-31) |

State Discharge Permit

07-DP-0022

| PARAMETER (32-37) | | (3 Card Only) (46-53) QUANTITY OR LOADING | | | (4 Card Only) (38-45) QUALITY OR CONCENTRATION | | | | NO. EX (62-63) | FREQUENCY OF ANALYSIS (64-68) | SAMPLE TYPE (69-70) |
|--|-----------------------|--|------------------------|---------|---|-----------------------|-----------------------|-------|----------------------|-------------------------------------|---------------------------|
| | | AVERAGE | MAXIMUM | UNITS | MINIMUM | AVERAGE | MAXIMUM | UNITS | | | |
| BOD, 5-DAY (20 DEG. C) 00310 1 0 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | ***** | **** | ***** | ***** | 4 | (19) | 0 | ONCE/ MONTH | GRAB |
| | PERMIT REQUIREMENT | ***** | ***** | **** | ***** | ***** | 15 DAILY MX | MG/L | | ONCE/ MONTH | GRAB |
| pH 00400 1 0 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | ***** | **** | 6.7 | ***** | 8.3 | (12) | 0 | TWICE/ WEEK | GRAB |
| | PERMIT REQUIREMENT | ***** | ***** | **** | DAILY MN | ***** | 8.5 DAILY MX | SU | | TWICE/ WEEK | GRAB |
| SOLIDS, TOTAL SUSPENDED 00530 1 0 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | 8 | Lbs/day | ***** | 6 | 6 | (19) | 0 | ONCE/ MONTH | GRAB |
| | PERMIT REQUIREMENT | ***** | Req. Mon. MO MAX | | ***** | 20 30DA AVG | 30 DAILY MX | MG/L | | ONCE/ MONTH | GRAB |
| SOLIDS, TOTAL SUSPENDED 00530 1 1 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | 358 | Lbs/mo | ***** | ***** | ***** | **** | 0 | ONCE/ MONTH | Calculated |
| | PERMIT REQUIREMENT | ***** | Req. Mon. MO TOTAL | | ***** | ***** | ***** | **** | | ONCE/ MONTH | Calculated |
| SOLIDS, TOTAL SUSPENDED 00530 1 2 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | 358 | Lbs/yr | ***** | ***** | ***** | **** | 0 | ONCE/ MONTH | Calculated |
| | PERMIT REQUIREMENT | ***** | Req. Mon. CUM TOTAL | | ***** | ***** | ***** | **** | | ONCE/ MONTH | Calculated |
| OIL AND GREASE TOTAL RECOVERABLE 70030 1 0 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | ***** | **** | ***** | 0 | 0 | (19) | 0 | ONCE/ MONTH | GRAB |
| | PERMIT REQUIREMENT | ***** | ***** | **** | ***** | 10 30DA AVG | 15 DAILY MX | MG/L | | ONCE/ MONTH | GRAB |
| NITROGEN, TOTAL (AS N) 00600 1 0 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | 6 | Lbs/day | ***** | 4 | 4 | (19) | 0 | ONCE/ MONTH | COMP -8 |
| | PERMIT REQUIREMENT | ***** | Req. Mon. MO MAX | | ***** | Req. Mon. 30DA AVG | Req. Mon. DAILY MX | MG/L | | ONCE/ MONTH | COMP -8 |

| | | | | | | |
|---|---|--|--------|----------|-------|-----|
| NAME/TITLE PRINCIPAL EXECUTIVE OFFICER Nicole Finneyrock Property Manager TYPED OR PRINTED | I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUES IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.) | TFI PHONE | | DATE | | |
| | | SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT | 410 | 729-8350 | 14 | 03 |
| | | AREA CODE | NUMBER | YEAR | MONTH | DAY |

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments he

PERMITTEE NAME/ADDRESS (Include

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

Facility Name/Location if different)

DISCHARGE MONITORING REPORT (DMR)

Form Approved.

Name BTR Hampstead, Inc

(2-16)

(17-19)

OMB No.

Address c/o BTR Captial Group Management

MD0001881

001

Approval expires

222 Courthouse Ct., Suite 300, Towson MD 21204

PERMIT NUMBER

DISCHARGE NUMBER

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

Facility Groundwater Remediation and WWTP

MONITORING PERIOD

Location 626 Hanover Pike

| YEAR | MO | DAY | YEAR | MO | DAY |
|------|----|-----|------|----|-----|
| 14 | 02 | 01 | 14 | 02 | 28 |

State Discharge Permit

Attn:

FROM

07-DP-0022

(20-21) (22-23) (24-25) (26-27) (28-29) (30-31)

| PARAMETER (32-37) | | QUANTITY OR LOADING (46-53) | | | QUALITY OR CONCENTRATION (38-45) | | | | NO. EX (62-63) | FREQUENCY OF ANALYSIS (64-68) | SAMPLE TYPE (69-70) |
|--|---|--------------------------------|------------------------|---------|--|-----------------------|--------------------|-------|-------------------|-------------------------------------|---------------------------|
| | | AVERAGE (46-53) | MAXIMUM (54-61) | UNITS | MINIMUM (38-45) | AVERAGE (46-53) | MAXIMUM (54-61) | UNITS | | | |
| NITROGEN, TOTAL (AS N) 00600 1 1 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | 246 | Lbs/mo | ***** | ***** | ***** | **** | 0 | ONCE/ MONTH | Calculated |
| | PERMIT REQUIREMENT | ***** | Req. Mon. MO TOTAL | | ***** | ***** | ***** | **** | | ONCE/ MONTH | Calculated |
| NITROGEN, TOTAL (AS N) 00600 1 2 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | 418 | Lbs/yr | ***** | ***** | ***** | **** | 0 | ONCE/ MONTH | Calculated |
| | PERMIT REQUIREMENT | ***** | Req. Mon. CUM TOTAL | | ***** | ***** | ***** | **** | | ONCE/ MONTH | Calculated |
| PHOSPHOROUS, TOTAL (AS P) 00665 1 0 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | 0 | Lbs/day | ***** | 0 | 0 | (19) | 0 | ONCE/ MONTH | COMP -8 |
| | PERMIT REQUIREMENT | ***** | Req. Mon. MO MAX | | ***** | Req. Mon. 30DA AVG | DAILY MX | MG/L | | ONCE/ MONTH | COMP -8 |
| PHOSPHOROUS, TOTAL (AS P) 00665 1 1 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | 7 | Lbs/mo | ***** | ***** | ***** | **** | 0 | ONCE/ MONTH | Calculated |
| | PERMIT REQUIREMENT | ***** | Req. Mon. MO TOTAL | | ***** | ***** | ***** | **** | | ONCE/ MONTH | Calculated |
| PHOSPHOROUS, TOTAL (AS P) 00665 1 2 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | 7 | Lbs/yr | ***** | ***** | ***** | **** | 0 | ONCE/ MONTH | Calculated |
| | PERMIT REQUIREMENT | ***** | Req. Mon. CUM TOTAL | | ***** | ***** | ***** | **** | | ONCE/ MONTH | Calculated |
| TETRACHLOROETHYLE 34475 1 0 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | ***** | **** | ***** | ***** | 0 | (28) | 0 | ONCE/ MONTH | GRAB |
| | PERMIT REQUIREMENT | ***** | ***** | **** | ***** | ***** | 5 DAILY MX | UG/L | | ONCE/ MONTH | GRAB |
| 1,1,1-TRICHLOROETHANE 34506 1 0 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | ***** | **** | ***** | ***** | 0 | (28) | 0 | ONCE/ MONTH | GRAB |
| | PERMIT REQUIREMENT | ***** | ***** | **** | ***** | ***** | 5 DAILY MX | UG/L | | ONCE/ MONTH | GRAB |
| NAME/TITLE PRINCIPAL EXECUTIVE OFFICER | I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUES IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.) | | | | TFI PPHONE | | | DATE | | | |
| Nicole Finneyrock Property Manager TYPED OR PRINTED | | | | | SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT | | | 410 | 729-8350 | 14 | 03 |
| | | | | | AREA CODE | NUMBER | YEAR | MONTH | DAY | | |

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name BTR Hampstead, Inc

Address c/o BTR Captial Group Management

222 Courthouse Ct. Suite 300. Towson MD 21204

Facility Groundwater Remediation and WWTP

Location 626 Hanover Pike

Attn: _____

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

001

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

| MONITORING PERIOD | | | | | | |
|-------------------|---------|---------|----|---------|---------|---------|
| YEAR | MO | DAY | TO | YEAR | MO | DAY |
| FROM 14 | 02 | 01 | | 14 | 02 | 28 |
| (20-21) | (22-23) | (24-25) | | (26-27) | (28-29) | (30-31) |

State Discharge Permit

07-DP-0022

| PARAMETER (32-37) | | (3 Card Only) QUANTITY OR LOADING | | | (4 Card Only) QUALITY OR CONCENTRATION | | | | NO. EX (62-63) | FREQUENCY OF ANALYSIS (64-68) | SAMPLE TYPE (69-70) |
|--|-----------------------|--------------------------------------|--------------------|-------|---|-----------------------|--------------------|-------|----------------------|-------------------------------------|---------------------------|
| | | (46-53) AVERAGE | (54-61) MAXIMUM | UNITS | (38-45) MINIMUM | (46-53) AVERAGE | (54-61) MAXIMUM | UNITS | | | |
| | | | | | | | | | | | |
| FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 | SAMPLE SUREMENT | 0.2559 | 0.5070 | (03) | ***** | ***** | ***** | **** | 0 | ONCE/ MONTH | Measured |
| EFFLUENT GROSS VALUE | PERMIT REQUIREMENT | REPORT | REPORT | MGD | ***** | ***** | ***** | **** | | ONCE/ MONTH | Measured |
| CHLORINE, TOTAL RESIDUAL 50060 1 0 0 | SAMPLE MEASUREMENT | ***** | ***** | **** | ***** | <0.1 | <0.1 | (19) | 0 | ONCE/ MONTH | GRAB |
| EFFLUENT GROSS VALUE | PERMIT REQUIREMENT | ***** | ***** | **** | ***** | 0.011 30DAAVG | 0.019 DAILY MX | MG/L | | ONCE/ MONTH | GRAB |
| E.COLI, MPN 51040 1 0 0 | SAMPLE MEASUREMENT | ***** | ***** | **** | ***** | 18 | ***** | (30) | 0 | ONCE/ MONTH | GRAB |
| EFFLUENT GROSS VALUE | PERMIT REQUIREMENT | ***** | ***** | **** | ***** | Req. Mon. GEO MEAN | ***** | MPN | | ONCE/ MONTH | GRAB |
| TRICHLOROETHENE 78391 1 0 0 | SAMPLE MEASUREMENT | ***** | ***** | **** | ***** | ***** | 0 | (28) | 0 | ONCE/ MONTH | GRAB |
| EFFLUENT GROSS VALUE | PERMIT REQUIREMENT | ***** | ***** | **** | ***** | ***** | 5 DAILY MX | UG/L | | ONCE/ MONTH | GRAB |
| | SAMPLE MEASUREMENT | | | | | | | | | | |
| | PERMIT REQUIREMENT | | | | | | | | | | |
| | SAMPLE MEASUREMENT | | | | | | | | | | |
| | PERMIT REQUIREMENT | | | | | | | | | | |
| | SAMPLE MEASUREMENT | | | | | | | | | | |
| | PERMIT REQUIREMENT | | | | | | | | | | |

| | | | | | | |
|---|--|--------------|----------|------|-------|-----|
| NAME/TI Nicole Finneyfrock Property Manager TYPED OR PRINTED | I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.) | TELEPHONE | | DATE | | |
| | | 410 | 729-8350 | 14 | 03 | 25 |
| | SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT | AREA CODE | NUMBER | YEAR | MONTH | DAY |

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name BTR Hampstead, Inc

Address c/o BTR Captial Group Management

222 Courthouse Ct., Suite 300, Towson MD 21204

Facility Groundwater Remediation and WWTP

Location 626 Hanover Pike

Attn: _____

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

101

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

State Discharge Permit

07-DP-0022

| MONITORING PERIOD | | | | | | |
|-------------------------|----|-----|----|-------------------------|----|-----|
| YEAR | MO | DAY | TO | YEAR | MO | DAY |
| FROM 14 | 02 | 01 | | TO 14 | 02 | 28 |
| (20-21) (22-23) (24-25) | | | | (26-27) (28-29) (30-31) | | |

| PARAMETER (32-37) | | QUANTITY OR LOADING | | | QUALITY OR CONCENTRATION | | | | NO. EX (62-63) | FREQUENCY OF ANALYSIS (64-68) | SAMPLE TYPE (69-70) |
|--|--------------------|-------------------------------------|--------------------|-------|-------------------------------------|--------------------|--------------------|-------|-------------------|-------------------------------------|---------------------------|
| | | (3 Card Only) (46-53) AVERAGE | (54-61) MAXIMUM | UNITS | (4 Card Only) (38-45) MINIMUM | (46-53) AVERAGE | (54-61) MAXIMUM | UNITS | | | |
| FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | 178,654 | 264,000 | (07) | ***** | ***** | ***** | **** | 0 | ONCE/ WEEK | Measured/ Recorded |
| | PERMIT REQUIREMENT | REPORT | REPORT | GPD | ***** | ***** | ***** | **** | | ONCE/ MONTH | Measured/ Recorded |
| E.COLI, MPN 51040 1 0 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | ***** | **** | ***** | ***** | 1 | (30) | 0 | ONCE/ WEEK | GRAB |
| | PERMIT REQUIREMENT | ***** | ***** | **** | ***** | ***** | 200 DAILY MX | MPN | | ONCE/ WEEK | GRAB |
| | SAMPLE MEASUREMENT | | | | | | | | | | |
| | PERMIT REQUIREMENT | | | | | | | | | | |
| | SAMPLE MEASUREMENT | | | | | | | | | | |
| | PERMIT REQUIREMENT | | | | | | | | | | |
| | SAMPLE MEASUREMENT | | | | | | | | | | |
| | PERMIT REQUIREMENT | | | | | | | | | | |
| | SAMPLE MEASUREMENT | | | | | | | | | | |
| | PERMIT REQUIREMENT | | | | | | | | | | |
| | SAMPLE MEASUREMENT | | | | | | | | | | |
| | PERMIT REQUIREMENT | | | | | | | | | | |

| | | | | | | |
|---|--|--|------------------|--------------------|------------|-------------|
| NAME/TITLE PRINCIPAL EXECUTIVE OFFICER | I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.) | TFI PHONE | | DATE | | |
| Nicole Finneyrock Property Manager TYPED OR PRINTED | | SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT | 410 AREA CODE | 729-8350 NUMBER | 14 YEAR | 03 MONTH |

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name **BTR Hampstead, Inc**
 Address **c/o BTR Capital Group Management**
222 Courthouse Ct., Suite 300, Towson MD 21204

Facility **Groundwater Remediation and WWTP**

Location **626 Hanover Pike**

Attn:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

| | |
|---------------|------------------|
| (2-16) | (17-19) |
| MD0001881 | 001 |
| PERMIT NUMBER | DISCHARGE NUMBER |

Form Approved.
 OMB No.
 Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

| MONITORING PERIOD | | | | | | |
|-------------------|---------|---------|----|---------|---------|---------|
| YEAR | MO | DAY | TO | YEAR | MO | DAY |
| 14 | 03 | 01 | TO | 14 | 03 | 31 |
| (20-21) | (22-23) | (24-25) | | (26-27) | (28-29) | (30-31) |

State Discharge Permit
 07-DP-0022

| PARAMETER (32-37) | | (3 Card Only) (46-53) QUANTITY OR LOADING | | | (4 Card Only) (38-45) QUALITY OR CONCENTRATION | | | | NO. EX (62-63) | FREQUENCY OF ANALYSIS (64-68) | SAMPLE TYPE (69-70) |
|--|--------------------|--|------------------------|---------|---|----------------------|-----------------------|-------|----------------------|-------------------------------------|---------------------------|
| | | AVERAGE | MAXIMUM | UNITS | MINIMUM | AVERAGE | MAXIMUM | UNITS | | | |
| BOD, 5-DAY (20 DEG. C) 00310 1 0 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | ***** | **** | ***** | ***** | 9 | (19) | 0 | ONCE/ MONTH | GRAB |
| | PERMIT REQUIREMENT | ***** | ***** | **** | ***** | ***** | 15 DAILY MX | MG/L | | ONCE/ MONTH | GRAB |
| pH 00400 1 0 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | ***** | **** | 7.7 | ***** | 8.4 | (12) | 0 | TWICE/ WEEK | GRAB |
| | PERMIT REQUIREMENT | ***** | ***** | **** | DAILY MN | ***** | 8.5 DAILY MX | SU | | TWICE/ WEEK | GRAB |
| SOLIDS, TOTAL SUSPENDED 00530 1 0 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | 11 | Lbs/day | ***** | 9 | 9 | (19) | 0 | ONCE/ MONTH | GRAB |
| | PERMIT REQUIREMENT | ***** | Req. Mon. MO MAX | | ***** | 20 30DAAVG | 30 DAILY MX | MG/L | | ONCE/ MONTH | GRAB |
| SOLIDS, TOTAL SUSPENDED 00530 1 1 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | 562 | Lbs/mo | ***** | ***** | ***** | **** | 0 | ONCE/ MONTH | Calculated |
| | PERMIT REQUIREMENT | ***** | Req. Mon. MO TOTAL | | ***** | ***** | ***** | **** | | ONCE/ MONTH | Calculated |
| SOLIDS, TOTAL SUSPENDED 00530 1 2 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | 921 | Lbs/yr | ***** | ***** | ***** | **** | 0 | ONCE/ MONTH | Calculated |
| | PERMIT REQUIREMENT | ***** | Req. Mon. CUM TOTAL | | ***** | ***** | ***** | **** | | ONCE/ MONTH | Calculated |
| OIL AND GREASE TOTAL RECOVERABLE 70030 1 0 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | ***** | **** | ***** | 0 | 0 | (19) | 0 | ONCE/ MONTH | GRAB |
| | PERMIT REQUIREMENT | ***** | ***** | **** | ***** | 10 30DAAVG | 15 DAILY MX | MG/L | | ONCE/ MONTH | GRAB |
| NITROGEN, TOTAL (AS N) 00600 1 0 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | 6 | Lbs/day | ***** | 5 | 5 | (19) | 0 | ONCE/ MONTH | COMP -8 |
| | PERMIT REQUIREMENT | ***** | Req. Mon. MO MAX | | ***** | Req. Mon. 30DAAVG | Req. Mon. DAILY MX | MG/L | | ONCE/ MONTH | COMP -8 |

| | | | | | | |
|--|---|-----------|----------|------|-------|-----|
| NAME/TITLE PRINCIPAL EXECUTIVE OFFICER Nicole Finneyfrock Property Manager TYPED OR PRINTED | I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.) | TFI PHONE | | DATE | | |
| | | 410 | 729-8350 | 14 | 04 | 21 |
| SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT | | AREA CODE | NUMBER | YEAR | MONTH | DAY |

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments he

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name **BTR Hampstead, Inc**
 Address **c/o BTR Captial Group Management**
222 Courthouse Ct., Suite 300, Towson MD 21204

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

| | |
|---------------|------------------|
| (2-16) | (17-19) |
| MD0001881 | 001 |
| PERMIT NUMBER | DISCHARGE NUMBER |

Form Approved.
 OMB No.
 Approval expires

Facility **Groundwater Remediation and WWTP**
 Location **626 Hanover Pike**
 Attn:

| MONITORING PERIOD | | | | | | |
|-------------------|---------|---------|---------|---------|---------|--|
| YEAR | MO | DAY | YEAR | MO | DAY | |
| FROM 14 | 03 | 01 | TO 14 | 03 | 31 | |
| (20-21) | (22-23) | (24-25) | (26-27) | (28-29) | (30-31) | |

*** NO DISCHARGE ***
 NOTE: Read instructions before completing this form

State Discharge Permit
 07-DP-0022

| PARAMETER (32-37) | | QUANTITY OR LOADING (3 Card Only) (46-53) (54-61) | | | QUALITY OR CONCENTRATION (4 Card Only) (38-45) (46-53) (54-61) | | | | NO. EX (62-63) | FREQUENCY OF ANALYSIS (64-68) | SAMPLE TYPE (69-70) |
|--|--------------------|---|---------------------|---------|--|--------------------|------------|-------|----------------|-------------------------------|---------------------|
| | | AVERAGE | MAXIMUM | UNITS | MINIMUM | AVERAGE | MAXIMUM | UNITS | | | |
| NITROGEN, TOTAL (AS N) 00600 1 1 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | 330 | Lbs/mo | ***** | ***** | ***** | **** | 0 | ONCE/MONTH | Calculated |
| | PERMIT REQUIREMENT | ***** | Req. Mon. MO TOTAL | | ***** | ***** | ***** | | | | |
| NITROGEN, TOTAL (AS N) 00600 1 2 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | 748 | Lbs/yr | ***** | ***** | ***** | **** | 0 | ONCE/MONTH | Calculated |
| | PERMIT REQUIREMENT | ***** | Req. Mon. CUM TOTAL | | ***** | ***** | ***** | | | | |
| PHOSPHOROUS, TOTAL (AS P) 00665 1 0 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | 0 | Lbs/day | ***** | 0 | 0 | MG/L | 0 | ONCE/MONTH | COMP -8 |
| | PERMIT REQUIREMENT | ***** | Req. Mon. MO MAX | | ***** | Req. Mon. 30DA AVG | DAILY MX | | | | |
| PHOSPHOROUS, TOTAL (AS P) 00665 1 1 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | 9 | Lbs/mo | ***** | ***** | ***** | **** | 0 | ONCE/MONTH | Calculated |
| | PERMIT REQUIREMENT | ***** | Req. Mon. MO TOTAL | | ***** | ***** | ***** | | | | |
| PHOSPHOROUS, TOTAL (AS P) 00665 1 2 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | 16 | Lbs/yr | ***** | ***** | ***** | **** | 0 | ONCE/MONTH | Calculated |
| | PERMIT REQUIREMENT | ***** | Req. Mon. CUM TOTAL | | ***** | ***** | ***** | | | | |
| TETRACHLOROETHYLE 34475 1 0 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | ***** | **** | ***** | ***** | 0 | UG/L | 0 | ONCE/MONTH | GRAB |
| | PERMIT REQUIREMENT | ***** | ***** | **** | ***** | ***** | 5 DAILY MX | | | | |
| 1,1,1-TRICHLOROETHANE 34506 1 0 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | ***** | **** | ***** | ***** | 0 | UG/L | 0 | ONCE/MONTH | GRAB |
| | PERMIT REQUIREMENT | ***** | ***** | **** | ***** | ***** | 5 DAILY MX | | | | |

| | | | | | | |
|--|---|--|--------|----------|-------|-----|
| NAME/TITLE PRINCIPAL EXECUTIVE OFFICER Nicole Finneyrock Property Manager TYPED OR PRINTED | I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.) | TPI PHONE | | DATE | | |
| | | SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT | 410 | 729-8350 | 14 | 04 |
| | | AREA CODE | NUMBER | YEAR | MONTH | DAY |

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)

Name BTR Hampstead, Inc
 Address c/o BTR Captial Group Management
222 Courthouse Ct., Suite 300, Towson MD 21204

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

| | |
|---------------|------------------|
| (2-16) | (17-19) |
| MD0001881 | 001 |
| PERMIT NUMBER | DISCHARGE NUMBER |

Form Approved.
 OMB No.
 Approval expires

*** NO DISCHARGE ***


NOTE: Read instructions before completing this form

Facility Groundwater Remediation and WWTP
 Location 626 Hanover Pike
 Attn: _____

| MONITORING PERIOD | | | | | |
|-------------------|---------|---------|---------|---------|---------|
| YEAR | MO | DAY | YEAR | MO | DAY |
| 14 | 03 | 01 | 14 | 03 | 31 |
| (20-21) | (22-23) | (24-25) | (26-27) | (28-29) | (30-31) |

State Discharge Permit
 07-DP-0022

| PARAMETER (32-37) | | (3 Card Only) QUANTITY OR LOADING | | | (4 Card Only) QUALITY OR CONCENTRATION | | | | NO. EX (62-63) | FREQUENCY OF ANALYSIS (64-68) | SAMPLE TYPE (69-70) |
|--|-----------------------|--------------------------------------|--------------------|-------|---|-----------------------|--------------------|-------|-------------------|-------------------------------------|---------------------------|
| | | (46-53) AVERAGE | (54-61) MAXIMUM | UNITS | (38-45) MINIMUM | (46-53) AVERAGE | (54-61) MAXIMUM | UNITS | | | |
| FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | 0.2364 | 1.3730 | (03) | ***** | ***** | ***** | **** | 0 | ONCE/ MONTH | Measured |
| | PERMIT REQUIREMENT | REPORT | REPORT | MGD | ***** | ***** | ***** | **** | | ONCE/ MONTH | Measured |
| CHLORINE, TOTAL RESIDUAL 50060 1 0 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | ***** | **** | ***** | <0.1 | <0.1 | (19) | 0 | ONCE/ MONTH | GRAB |
| | PERMIT REQUIREMENT | ***** | ***** | **** | ***** | 0.011 30DA AVG | 0.019 DAILY MX | MG/L | | ONCE/ MONTH | GRAB |
| E.COLI, MPN 51040 1 0 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | ***** | **** | ***** | 1 | ***** | (30) | 0 | ONCE/ MONTH | GRAB |
| | PERMIT REQUIREMENT | ***** | ***** | **** | ***** | Req. Mon. GEO MEAN | ***** | MPN | | ONCE/ MONTH | GRAB |
| TRICHLOROETHENE 78391 1 0 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | ***** | **** | ***** | ***** | 0 | (28) | 0 | ONCE/ MONTH | GRAB |
| | PERMIT REQUIREMENT | ***** | ***** | **** | ***** | ***** | 5 DAILY MX | UG/L | | ONCE/ MONTH | GRAB |
| | SAMPLE MEASUREMENT | | | | | | | | | | |
| | PERMIT REQUIREMENT | | | | | | | | | | |
| | SAMPLE MEASUREMENT | | | | | | | | | | |
| | PERMIT REQUIREMENT | | | | | | | | | | |
| | SAMPLE MEASUREMENT | | | | | | | | | | |
| | PERMIT REQUIREMENT | | | | | | | | | | |

| | | | | | | | |
|--|--|--|--------------|----------|------|-------|-----|
| NAME/TI Nicole Finneyrock Property Manager TYPED OR PRINTED | I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUES IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. 551001 AND 33 U.S.C. 551319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.) |  SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT | TELEPHONE | | DATE | | |
| | | | 410 | 729-8350 | 14 | 04 | 21 |
| | | | AREA CODE | NUMBER | YEAR | MONTH | DAY |

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name **BTR Hampstead, Inc**

Address **c/o BTR Capital Group Management**

222 Courthouse Ct., Suite 300, Towson MD 21204

Facility **Groundwater Remediation and WWTP**

Location **626 Hanover Pike**

Attn:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

101

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

| MONITORING PERIOD | | | | | |
|-------------------|---------|---------|---------|---------|---------|
| YEAR | MO | DAY | YEAR | MO | DAY |
| FROM 14 | 03 | 01 | TO 14 | 03 | 31 |
| (20-21) | (22-23) | (24-25) | (26-27) | (28-29) | (30-31) |

State Discharge Permit

07-DP-0022

| PARAMETER (32-37) | | (3 Card Only) QUANTITY OR LOADING | | | (4 Card Only) QUALITY OR CONCENTRATION | | | | NO. EX (62-63) | FREQUENCY OF ANALYSIS (64-68) | SAMPLE TYPE (69-70) |
|--|--|--------------------------------------|--------------------|-------|--|--------------------|--------------------|----------|-------------------|-------------------------------------|---------------------------|
| | | (46-53) AVERAGE | (54-61) MAXIMUM | UNITS | (38-45) MINIMUM | (46-53) AVERAGE | (54-61) MAXIMUM | UNITS | | | |
| FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | 162,710 | 202,000 | (07) | ***** | ***** | ***** | **** | 0 | ONCE/ WEEK | Measured/ Recorded |
| | PERMIT REQUIREMENT | REPORT | REPORT | GPD | ***** | ***** | ***** | **** | | | |
| E.COLI, MPN 51040 1 0 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | ***** | **** | ***** | ***** | 1 | (30) | 0 | ONCE/ WEEK | GRAB |
| | PERMIT REQUIREMENT | ***** | ***** | **** | ***** | ***** | 200 DAILY MX | MPN | | | |
| | SAMPLE MEASUREMENT | | | | | | | | | | |
| | PERMIT REQUIREMENT | | | | | | | | | | |
| | SAMPLE MEASUREMENT | | | | | | | | | | |
| | PERMIT REQUIREMENT | | | | | | | | | | |
| | SAMPLE MEASUREMENT | | | | | | | | | | |
| | PERMIT REQUIREMENT | | | | | | | | | | |
| | SAMPLE MEASUREMENT | | | | | | | | | | |
| | PERMIT REQUIREMENT | | | | | | | | | | |
| | SAMPLE MEASUREMENT | | | | | | | | | | |
| | PERMIT REQUIREMENT | | | | | | | | | | |
| NAME/TITLE PRINCIPAL EXECUTIVE OFFICER | I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.) | | | | SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT | | TFI PHONE | | DATE | | |
| Nicole Finneyfrock Property Manager TYPED OR PRINTED | | | | | | | 410 | 729-8350 | 14 | 04 | 21 |
| | | | | | AREA CODE | NUMBER | YFAR | MONTH | DAY | | |

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name BTR Hampstead, Inc

Address c/o BTR Capital Group Management

222 Courthouse Ct., Suite 300, Towson MD 21204

Facility Groundwater Remediation and WWTP

Location 626 Hanover Pike

Attn: _____

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

201

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

| MONITORING PERIOD | | | | | |
|-------------------|----|---------|---------|---------|-----------------|
| YEAR | MO | DAY | YEAR | MO | DAY |
| 14 | 01 | 01 | 14 | 03 | 31 |
| (20-21) | | (22-23) | (24-25) | (26-27) | (28-29) (30-31) |

State Discharge Permit


07-DP-0022

| PARAMETER (32-37) | | (3 Card Only) (46-53) | | | QUANTITY OR LOADING (54-61) | | | (4 Card Only) (38-45) | | | QUALITY OR CONCENTRATION (46-53) | | | NO. EX (62-63) | FREQUENCY OF ANALYSIS (64-68) | SAMPLE TYPE (69-70) |
|--|--------------------|--------------------------|---------|-------|--------------------------------|---------|---------|--------------------------|---------|-----------------|-------------------------------------|-------|--|----------------------|-------------------------------------|---------------------------|
| | | AVERAGE | MAXIMUM | UNITS | MINIMUM | AVERAGE | MAXIMUM | UNITS | MINIMUM | AVERAGE | MAXIMUM | UNITS | | | | |
| 34475 1 0 0 TETRACHLOROETHYLENE EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | ***** | **** | ***** | 0 | 0 | (28) | 0 | One/ Quarter | Grab | | | | | |
| | PERMIT REQUIREMENT | ***** | ***** | **** | ***** | REPORT | REPORT | UG/L | 0 | One/ Quarter | Grab | | | | | |
| 1,1,1-TRICHLOROETHANE 34506 1 0 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | ***** | **** | ***** | 0 | 0 | (28) | 0 | One/ Quarter | Grab | | | | | |
| | PERMIT REQUIREMENT | ***** | ***** | **** | ***** | REPORT | REPORT | UG/L | 0 | One/ Quarter | Grab | | | | | |
| FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | 199,830 | 299,766 | (07) | ***** | ***** | ***** | **** | 0 | Measured | Record | | | | | |
| | PERMIT REQUIREMENT | REPORT | REPORT | GPD | ***** | ***** | ***** | **** | 0 | Measured | Record | | | | | |
| Total Volatile Organics (VOC) 51415 1 0 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | ***** | **** | ***** | 0 | 0 | (28) | 0 | One/ Quarter | Grab | | | | | |
| | PERMIT REQUIREMENT | ***** | ***** | **** | ***** | REPORT | 100 | UG/L | 0 | One/ Quarter | Grab | | | | | |
| TRICHLOROETHENE 78391 1 0 0 EFFLUENT GROSS VALUE | SAMPLE MEASUREMENT | ***** | ***** | **** | ***** | 0 | 0 | (28) | 0 | One/ Quarter | Grab | | | | | |
| | PERMIT REQUIREMENT | ***** | ***** | **** | ***** | REPORT | REPORT | UG/L | 0 | One/ Quarter | Grab | | | | | |
| | SAMPLE MEASUREMENT | | | | | | | | | | | | | | | |
| | PERMIT REQUIREMENT | | | | | | | | | | | | | | | |
| | SAMPLE MEASUREMENT | | | | | | | | | | | | | | | |
| | PERMIT REQUIREMENT | | | | | | | | | | | | | | | |

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
Nicole Finneyfrock
Property Manager
TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN, AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT



| TFI PHONE | | DATE | | |
|-----------|----------|------|-------|-----|
| 410 | 729-8350 | 14 | 04 | 21 |
| AREA CODE | NUMBER | YEAR | MONTH | DAY |

COMMENT AND EXPANATION OF ANY VIOLATIONS (Reference all attachments here)

APPENDIX C
GROUNDWATER TREATMENT SYSTEM ANALYTICAL RESULTS
(JANUARY - MARCH 2014)

QC Laboratories

Analytical Report

Printed 01/29/14 16:20

CHERYL GRIFFIN
 MARYLAND ENVIRONMENTAL SERVICE A
 259 NAJILES ROAD
 RE: BLACK & DECKER WWTP
 MILLERSVILLE, MD 21108

Order Number: L4868038
 Project Name: BLACK & DECKER WWTP
 Receive Date: 01-14-2014
 Client Code: MES_A
 Project Location: BLACK & DECKER WWTP

| | | | |
|------------|--|-----------------------|------------|
| Sample ID | Sample Description | Samp. Date/Time/Temp | Sampled by |
| L4868038-1 | FINAL 001 GRAB | 01/14/14 09:39am NA C | Customer |
| | Received Date/Time/Temp 01/14/14 04:30pm 3.6 C | Iced (Y/N): Y | |
| | Satellite Received Temp 3.6C | Iced (Y/N): Y | |

| Parameter | Method | Result | RL | Test Date, Time, Analyst |
|-----------|--------|--------|----|--------------------------|
|-----------|--------|--------|----|--------------------------|

GENERAL CHEMISTRY

| | | | | |
|--|-----------|---------|-----------|----------------------|
| Hexane Ext. Material-HEM (oil+grease) | 1664A HEM | ND mg/l | 5.00 mg/l | 01/16/14 09:15AM NMW |
|--|-----------|---------|-----------|----------------------|

GAS CHROMATOGRAPHY MASS SPECTROMETRY; VOLATILES

| | | | | |
|-----------------------|---------|---------|-----------|----------------------|
| 1,1,1-Trichloroethane | EPA 624 | ND ug/l | 1.00 ug/l | 01/27/14 05:53PM JSH |
| Trichloroethene | EPA 624 | ND ug/l | 1.00 ug/l | 01/27/14 05:53PM JSH |
| Tetrachloroethene | EPA 624 | ND ug/l | 1.00 ug/l | 01/27/14 05:53PM JSH |
| Dibromofluoromethane | EPA 624 | 112 % | | 01/27/14 05:53PM JSH |
| Toluene-D8 (Surr) | EPA 624 | 101 % | | 01/27/14 05:53PM JSH |
| 4-Bromofluorobenzene | EPA 624 | 94 % | | 01/27/14 05:53PM JSH |

| | | | |
|------------|--|-----------------------|------------|
| Sample ID | Sample Description | Samp. Date/Time/Temp | Sampled by |
| L4868038-2 | FINAL 001 COMP | 01/14/14 09:35am NA C | Customer |
| | Received Date/Time/Temp 01/14/14 04:30pm 3.6 C | Iced (Y/N): Y | |

| Parameter | Method | Result | RL | Test Date, Time, Analyst |
|-----------|--------|--------|----|--------------------------|
|-----------|--------|--------|----|--------------------------|

GENERAL CHEMISTRY

| | | | | |
|---|--------------|------------|-------------|----------------------|
| Nitrate/nitrite, total as N (Delaware) | EPA 300.0 | 2.33 mg/l | 0.500 mg/l | 01/15/14 03:31AM SLD |
| Biochemical Oxygen Demand, 5 Day (DE) | SM 5210B | 3.00 mg/l | 2.00 mg/l | 01/15/14 08:30AM SKJ |
| Phosphorus total as P (Delaware) | EPA 365.4 | ND mg/l | 0.0500 mg/l | 01/17/14 12:39PM ALW |
| Kjeldahl nitrogen, as N (Delaware) | EPA 351.2 | 0.743 mg/l | 0.200 mg/l | 01/17/14 02:35PM ALW |
| Ammonia, as N (Delaware) | SM 4500NH3-G | ND mg/l | 0.200 mg/l | 01/16/14 11:06AM ALW |
| Total Suspended Solids (Delaware) | SM 2540D | ND mg/l | 4.00 mg/l | 01/21/14 08:46AM MS3 |

Sample Comments:

L4868038-2 :
 For the BOD 5 test on this day, the nutrient blank was 0.44 mg/l, above the acceptance limit of 0.30 mg/l.

PP 38133

Serial Number: 3342716

Printed 01/14/14 12:55

CHERYL GRIFFIN
MARYLAND ENVIRONMENTAL SERVICE A
259 NAJOLAS ROAD
RE: BLACK & DECKER WWTP
MILLERSVILLE, MD 21108

Order Number: L4895382
Project Name: BLACK & DECKER WWTP
Receive Date: 01-13-2014
Client Code: MES_A
Project Location: BLACK & DECKER WWTP

| | | | |
|------------|-------------------------------------|----------------------|---------------|
| Sample ID | Sample Description | Samp. Date/Time/Temp | Sampled by |
| L4895382-1 | BLACK & DECKER 101 | 12/30/13 09:07am | NA C Customer |
| | Received Date/Time 01/13/14 02:00pm | | |

| Parameter | Method | Result | RLs | Test Date, Time, Analyst |
|----------------------------|----------|---------------|-----------|--------------------------|
| ENVIRONMENTAL MICROBIOLOGY | | | | |
| E. Coli, MPN Cel(Delaware) | SM 9223B | 1.0 MPN/100ml | MPN/100ml | 12/30/13 02:47PM SUB |

E. coli was analyzed by Chesapeake Environmental Lab, Inc in Stevensville, MD.



Printed 02/21/14 16:17

CHERYL GRIFFIN
 MARYLAND ENVIRONMENTAL SERVICE A
 259 NAJILES ROAD
 RE: BLACK & DECKER WWTP
 MILLERSVILLE, MD 21108

Order Number: L4936081
 Project Name: BLACK & DECKER WWTP
 Receive Date: 02-11-2014
 Client Code: MES_A
 Project Location: BLACK & DECKER WWTP

| | | | |
|------------|-------------------------|------------------------|--------------------------------|
| Sample ID | Sample Description | Samp. Date/Time/Temp | Sampled by |
| L4936081-1 | FINAL 001 GRAB | 02/11/14 04:30pm 2.8 C | 02/11/14 09:50am NA C Customer |
| | Received Date/Time/Temp | 02/11/14 04:30pm 2.8 C | Iced (Y/N): Y |
| | Satellite Received Temp | 2.1C | Iced (Y/N): Y |

| Parameter | Method | Result | RL | Test Date, Time, Analyst |
|-----------|--------|--------|----|--------------------------|
|-----------|--------|--------|----|--------------------------|

GENERAL CHEMISTRY

| | | | | |
|--|-----------|---------|-----------|----------------------|
| Hexane Ext. Material-HEM (oil+grease) | 1664B HEM | ND mg/l | 5.00 mg/l | 02/14/14 06:30PM AGM |
|--|-----------|---------|-----------|----------------------|

GAS CHROMATOGRAPHY MASS SPECTROMETRY; VOLATILES

| | | | | |
|-----------------------|---------|---------|-----------|----------------------|
| 1,1,1-Trichloroethane | EPA 624 | ND ug/l | 1.00 ug/l | 02/21/14 08:36AM JAD |
| Tetrachloroethene | EPA 624 | ND ug/l | 1.00 ug/l | 02/21/14 08:36AM JAD |
| Trichloroethene | EPA 624 | ND ug/l | 1.00 ug/l | 02/21/14 08:36AM JAD |
| 4-Bromofluorobenzene | EPA 624 | 93 % | | 02/21/14 08:36AM JAD |
| Dibromofluoromethane | EPA 624 | 120 % | | 02/21/14 08:36AM JAD |
| Toluene-D8 (Surr) | EPA 624 | 105 % | | 02/21/14 08:36AM JAD |

| | | | |
|------------|-------------------------|------------------------|--------------------------------|
| Sample ID | Sample Description | Samp. Date/Time/Temp | Sampled by |
| L4936081-2 | FINAL 001 COMP | 02/11/14 04:30pm 2.1 C | 02/11/14 09:50am NA C Customer |
| | Received Date/Time/Temp | 02/11/14 04:30pm 2.1 C | Iced (Y/N): Y |

| Parameter | Method | Result | RL | Test Date, Time, Analyst |
|-----------|--------|--------|----|--------------------------|
|-----------|--------|--------|----|--------------------------|

GENERAL CHEMISTRY

| | | | | |
|---|--------------|------------|-------------|----------------------|
| Nitrate/nitrite, total as N (Delaware) | EPA 300.0 | 2.68 mg/l | 0.500 mg/l | 02/15/14 05:01AM SLD |
| Biochemical Oxygen Demand, 5 Day (DE) | SM 5210B | 4.00 mg/l | 2.00 mg/l | 02/12/14 12:15PM SKJ |
| Kjeldahl nitrogen, as N (Delaware) | EPA 351.2 | 1.44 mg/l | 0.200 mg/l | 02/14/14 01:03PM ALW |
| Phosphorus total as P (Delaware) | EPA 365.4 | 0.122 mg/l | 0.0500 mg/l | 02/14/14 02:14PM ALW |
| Ammonia, as N (Delaware) | SM 4500NH3-G | ND mg/l | 0.200 mg/l | 02/17/14 01:36PM ALW |
| Total Suspended Solids (Delaware) | SM 2540D | 6.00 mg/l | 5.00 mg/l | 02/14/14 02:24PM MS3 |



PP 38133

Serial Number: 3380810

Printed 02/11/14 12:57

CHERYL GRIFFIN
MARYLAND ENVIRONMENTAL SERVICE A
259 NAJILES ROAD
RE: BLACK & DECKER WWTP
MILLERSVILLE, MD 21108

Order Number: L4936345
Project Name: BLACK & DECKER WWTP
Receive Date: 02-10-2014
Client Code: MES_A
Project Location: BLACK & DECKER WWTP

| | | | |
|------------|-------------------------------------|-----------------------|------------|
| Sample ID | Sample Description | Samp. Date/Time/Temp | Sampled by |
| L4936345-1 | BLACK & DECKER 101 | 01/28/14 09:14am NA C | Customer |
| | Received Date/Time 02/10/14 02:00pm | | |

| Parameter | Method | Result | RL | Test Date, Time, Analyst |
|----------------------------|----------|----------------|-----------|--------------------------|
| ENVIRONMENTAL MICROBIOLOGY | | | | |
| E. Coli, MPN Cel(Delaware) | SM 9223B | <1.0 MPN/100ml | MPN/100ml | 01/28/14 02:26PM SUB |

E. coli was analyzed by Chesapeake Environmental Lab, Inc in Stevensville, MD.



QC Laboratories

Analytical Report

Printed 02/21/14 16:28

CHERYL GRIFFIN
 MARYLAND ENVIRONMENTAL SERVICE A
 259 NAJOLES ROAD
 RE: BLACK & DECKER WWTP
 MILLERSVILLE, MD 21108

Order Number: L4938975
 Project Name: BLACK & DECKER WWTP
 Receive Date: 02-11-2014
 Client Code: MES_A
 Project Location: BLACK & DECKER WWTP

Sample ID L4938975-1 Sample Description BTR 201
 Received Date/Time/Temp 02/11/14 04:30pm 2.8 C Iced (Y/N): Y
 Satellite Received Temp 2.1C Iced (Y/N): Y
 Samp. Date/Time/Temp 02/11/14 10:20am NA C Customer

| Parameter | Method | Result | RL | Test Date, Time, Analyst |
|--|---------|---------|-----------|--------------------------|
| GAS CHROMATOGRAPHY MASS SPECTROMETRY; VOLATILES | | | | |
| 1,1,1-Trichloroethane | EPA 624 | ND ug/l | 1.00 ug/l | 02/21/14 09:54AM JAD |
| 1,1,2,2-Tetrachloroethane | EPA 624 | ND ug/l | 1.00 ug/l | 02/21/14 09:54AM JAD |
| 1,1,2-Trichloroethane | EPA 624 | ND ug/l | 1.00 ug/l | 02/21/14 09:54AM JAD |
| 1,1-Dichloroethane | EPA 624 | ND ug/l | 1.00 ug/l | 02/21/14 09:54AM JAD |
| 1,1-Dichloroethene | EPA 624 | ND ug/l | 1.00 ug/l | 02/21/14 09:54AM JAD |
| 1,2-Dichlorobenzene | EPA 624 | ND ug/l | 1.00 ug/l | 02/21/14 09:54AM JAD |
| 1,2-Dichloroethane | EPA 624 | ND ug/l | 1.00 ug/l | 02/21/14 09:54AM JAD |
| 1,2-Dichloropropane | EPA 624 | ND ug/l | 1.00 ug/l | 02/21/14 09:54AM JAD |
| 1,3-Dichlorobenzene | EPA 624 | ND ug/l | 1.00 ug/l | 02/21/14 09:54AM JAD |
| 1,4-Dichlorobenzene | EPA 624 | ND ug/l | 1.00 ug/l | 02/21/14 09:54AM JAD |
| 2-Chloroethyl vinyl ether | EPA 624 | ND ug/l | 1.00 ug/l | 02/21/14 09:54AM JAD |
| Benzene | EPA 624 | ND ug/l | 1.00 ug/l | 02/21/14 09:54AM JAD |
| Bromodichloromethane | EPA 624 | ND ug/l | 1.00 ug/l | 02/21/14 09:54AM JAD |
| Bromoform | EPA 624 | ND ug/l | 1.00 ug/l | 02/21/14 09:54AM JAD |
| Bromomethane | EPA 624 | ND ug/l | 1.00 ug/l | 02/21/14 09:54AM JAD |
| Carbon tetrachloride | EPA 624 | ND ug/l | 1.00 ug/l | 02/21/14 09:54AM JAD |
| Chlorobenzene | EPA 624 | ND ug/l | 1.00 ug/l | 02/21/14 09:54AM JAD |
| Chloroethane | EPA 624 | ND ug/l | 1.00 ug/l | 02/21/14 09:54AM JAD |
| Chloroform | EPA 624 | ND ug/l | 1.00 ug/l | 02/21/14 09:54AM JAD |
| Chloromethane | EPA 624 | ND ug/l | 1.00 ug/l | 02/21/14 09:54AM JAD |
| cis-1,3-Dichloropropene | EPA 624 | ND ug/l | 1.00 ug/l | 02/21/14 09:54AM JAD |
| Dibromochloromethane | EPA 624 | ND ug/l | 1.00 ug/l | 02/21/14 09:54AM JAD |
| Ethylbenzene | EPA 624 | ND ug/l | 1.00 ug/l | 02/21/14 09:54AM JAD |
| Methylene chloride | EPA 624 | ND ug/l | 1.00 ug/l | 02/21/14 09:54AM JAD |
| Tetrachloroethene | EPA 624 | ND ug/l | 1.00 ug/l | 02/21/14 09:54AM JAD |
| Toluene | EPA 624 | ND ug/l | 1.00 ug/l | 02/21/14 09:54AM JAD |
| trans-1,2-Dichloroethene | EPA 624 | ND ug/l | 1.00 ug/l | 02/21/14 09:54AM JAD |
| trans-1,3-Dichloropropene | EPA 624 | ND ug/l | 1.00 ug/l | 02/21/14 09:54AM JAD |
| Trichloroethene | EPA 624 | ND ug/l | 1.00 ug/l | 02/21/14 09:54AM JAD |
| Trichlorofluoromethane | EPA 624 | ND ug/l | 1.00 ug/l | 02/21/14 09:54AM JAD |
| Vinyl chloride | EPA 624 | ND ug/l | 1.00 ug/l | 02/21/14 09:54AM JAD |
| 4-Bromofluorobenzene | EPA 624 | 93 % | | 02/21/14 09:54AM JAD |
| Dibromofluoromethane | EPA 624 | 122 % | | 02/21/14 09:54AM JAD |
| Toluene-D8 (Surr) | EPA 624 | 104 % | | 02/21/14 09:54AM JAD |



PP 38133

Serial Number: 3380867

QC Laboratories

Analytical Report

Printed 03/26/14 11:48 DE36

CHERYL GRIFFIN
 MARYLAND ENVIRONMENTAL SERVICE A
 259 NAJOLAS ROAD
 RE: BLACK & DECKER WWTP
 MILLERSVILLE, MD 21108

Order Number: L4946538
 Project Name: BLACK & DECKER WWTP
 Receive Date: 03-11-2014
 Client Code: MES_A
 Project Location: BLACK & DECKER WWTP

Account No: AL0341, MARYLAND ENVIRONMENTAL SERVICE A
 Project No: AL0341 BLK DECK WWTP, BLACK & DECKER WWTP

P.O. No: Inv. No: MES_AL0341
 PWSID No:

Sample ID L4946538-1 Sample Description BTR 001 GRAB
 Received Date/Time/Temp 03/11/14 04:30pm 4.1 C Iced (Y/N): Y
 Satellite Received Temp 3.9C Iced (Y/N): Y
 Samp. Date/Time/Temp 03/11/14 09:55am NA C
 Sampled by Customer

| Parameter | Result | RL | Units | Method | DF | Q | Test Date, Time, Analyst |
|--|--------|------|-------|-----------|-----|---|--------------------------|
| GENERAL CHEMISTRY | | | | | | | |
| Hexane Ext. Material-HEM (oil+grease) | ND | 5.00 | mg/l | 1664B HEM | 1 | | 03/18/14 03:15PM AGM |
| Total Suspended Solids (Delaware) | 9.20 | 4.00 | mg/l | SM 2540D | 1 | | 03/13/14 12:00AM MS3 |
| Biochemical Oxygen Demand, 5 Day (DE) | 9.00 | 2.00 | mg/l | SM 5210B | 1.5 | | 03/12/14 10:00AM SKJ |
| GAS CHROMATOGRAPHY MASS SPECTROMETRY; VOLATILES | | | | | | | |
| 1,1,1-Trichloroethane | ND | 1.00 | ug/l | EPA 624 | 1 | | 03/20/14 09:02PM JAD |
| Tetrachloroethene | ND | 1.00 | ug/l | EPA 624 | 1 | | 03/20/14 09:02PM JAD |
| Trichloroethene | ND | 1.00 | ug/l | EPA 624 | 1 | | 03/20/14 09:02PM JAD |

Sample ID L4946538-2 Sample Description BTR 001 COMP
 Received Date/Time/Temp 03/11/14 04:30pm 4.1 C Iced (Y/N): Y
 Samp. Date/Time/Temp 03/11/14 09:55am NA C
 Sampled by Customer

| Parameter | Result | RL | Units | Method | DF | Q | Test Date, Time, Analyst |
|--|--------|--------|-------|--------------|----|---|--------------------------|
| GENERAL CHEMISTRY | | | | | | | |
| Nitrate/nitrite, total as N (Delaware) | 3.04 | 0.500 | mg/l | EPA 300.0 | 10 | | 03/13/14 09:53PM SLD |
| Kjeldahl nitrogen, as N (Delaware) | 2.36 | 0.200 | mg/l | EPA 351.2 | 1 | | 03/14/14 12:53PM ALW |
| Phosphorus total as P (Delaware) | 0.151 | 0.0500 | mg/l | EPA 365.4 | 1 | | 03/14/14 12:53PM ALW |
| Ammonia, as N (Delaware) | 0.630 | 0.200 | mg/l | SM 4500NH3-G | 1 | | 03/17/14 11:03AM ALW |

Sample Comments:

PP 38133

Serial Number: 3455525

**APPENDIX D
GROUNDWATER ANALYTICAL DATA PACKAGE
(FEBRUARY 2014)**

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Chicago
2417 Bond Street
University Park, IL 60484
Tel: (708)534-5200

TestAmerica Job ID: 500-72399-1
Client Project/Site: Black and Decker

For:
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, Pennsylvania 19380

Attn: Mr. Tom Cornuet



Authorized for release by:
3/5/2014 4:33:16 PM

Richard Wright, Senior Project Manager
(708)534-5200
richard.wright@testamericainc.com

LINKS

Review your project
results through
Total Access

Have a Question?

**Ask
The
Expert**

Visit us at:
www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

| | |
|---------------------------------|----|
| Cover Page | 1 |
| Table of Contents | 2 |
| Case Narrative | 3 |
| Detection Summary | 4 |
| Method Summary | 7 |
| Sample Summary | 8 |
| Client Sample Results | 9 |
| Definitions | 59 |
| QC Association | 60 |
| Surrogate Summary | 61 |
| QC Sample Results | 62 |
| Chronicle | 75 |
| Certification Summary | 80 |
| Chain of Custody | 81 |
| Receipt Checklists | 84 |



Case Narrative

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Job ID: 500-72399-1

Laboratory: TestAmerica Chicago

Narrative

Job Narrative
500-72399-1

Comments

No additional comments.

Receipt

The samples were received on 2/28/2014 10:40 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 4.4° C.

GC/MS VOA

Method(s) 8260B: The laboratory control sample (LCS) for batch 225355 recovered outside control limits for the following analytes: Naphthalene and 1,2,3-Trichlorobenzene. These analytes were biased high in the LCS and were not detected in the associated samples; therefore, the data have been reported.

No other analytical or quality issues were noted.



Detection Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: RFW-1A

Lab Sample ID: 500-72399-1

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|---------|--------|-----------|------|------|------|---------|---|--------|-----------|
| Toluene | 0.45 | J | 0.50 | 0.11 | ug/L | 1 | | 8260B | Total/NA |

Client Sample ID: RFW-1B

Lab Sample ID: 500-72399-2

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|---------|--------|-----------|------|------|------|---------|---|--------|-----------|
| Toluene | 0.43 | J | 0.50 | 0.11 | ug/L | 1 | | 8260B | Total/NA |

Client Sample ID: RFW-2A

Lab Sample ID: 500-72399-3

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|-----------------|--------|-----------|------|------|------|---------|---|--------|-----------|
| Trichloroethene | 0.31 | J | 0.50 | 0.19 | ug/L | 1 | | 8260B | Total/NA |

Client Sample ID: RFW-2B

Lab Sample ID: 500-72399-4

No Detections.

Client Sample ID: RFW-3B

Lab Sample ID: 500-72399-5

No Detections.

Client Sample ID: RFW-4A

Lab Sample ID: 500-72399-6

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|------------------------|--------|-----------|------|------|------|---------|---|--------|-----------|
| cis-1,2-Dichloroethene | 0.53 | J | 1.0 | 0.12 | ug/L | 1 | | 8260B | Total/NA |
| Trichloroethene | 19 | | 0.50 | 0.19 | ug/L | 1 | | 8260B | Total/NA |
| Tetrachloroethene | 12 | | 1.0 | 0.17 | ug/L | 1 | | 8260B | Total/NA |

Client Sample ID: RFW-4A DUP

Lab Sample ID: 500-72399-7

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|-------------------|--------|-----------|------|------|------|---------|---|--------|-----------|
| Trichloroethene | 21 | | 0.50 | 0.19 | ug/L | 1 | | 8260B | Total/NA |
| Tetrachloroethene | 13 | | 1.0 | 0.17 | ug/L | 1 | | 8260B | Total/NA |

Client Sample ID: RFW-4B

Lab Sample ID: 500-72399-8

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|------------------------|--------|-----------|------|------|------|---------|---|--------|-----------|
| cis-1,2-Dichloroethene | 2.4 | | 1.0 | 0.12 | ug/L | 1 | | 8260B | Total/NA |
| Chloroform | 1.1 | | 1.0 | 0.20 | ug/L | 1 | | 8260B | Total/NA |
| Trichloroethene | 44 | | 0.50 | 0.19 | ug/L | 1 | | 8260B | Total/NA |
| Tetrachloroethene | 69 | | 1.0 | 0.17 | ug/L | 1 | | 8260B | Total/NA |

Client Sample ID: RFW-6

Lab Sample ID: 500-72399-9

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|-------------------|--------|-----------|-----|------|------|---------|---|--------|-----------|
| Tetrachloroethene | 0.50 | J | 1.0 | 0.17 | ug/L | 1 | | 8260B | Total/NA |

Client Sample ID: RFW-7

Lab Sample ID: 500-72399-10

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|-----------------|--------|-----------|------|-------|------|---------|---|--------|-----------|
| Benzene | 0.22 | J | 0.50 | 0.074 | ug/L | 1 | | 8260B | Total/NA |
| Trichloroethene | 1.4 | | 0.50 | 0.19 | ug/L | 1 | | 8260B | Total/NA |

This Detection Summary does not include radiochemical test results.

TestAmerica Chicago

Detection Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: RFW-9

Lab Sample ID: 500-72399-11

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|------------------------|--------|-----------|------|------|------|---------|---|--------|-----------|
| 1,1-Dichloroethene | 0.52 | J | 1.0 | 0.31 | ug/L | 1 | | 8260B | Total/NA |
| cis-1,2-Dichloroethene | 7.9 | | 1.0 | 0.12 | ug/L | 1 | | 8260B | Total/NA |
| Trichloroethene | 7.2 | | 0.50 | 0.19 | ug/L | 1 | | 8260B | Total/NA |
| Tetrachloroethene | 3.1 | | 1.0 | 0.17 | ug/L | 1 | | 8260B | Total/NA |

Client Sample ID: RFW-11B

Lab Sample ID: 500-72399-12

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|-----------------|--------|-----------|------|------|------|---------|---|--------|-----------|
| Trichloroethene | 3.0 | | 0.50 | 0.19 | ug/L | 1 | | 8260B | Total/NA |

Client Sample ID: RFW-12B

Lab Sample ID: 500-72399-13

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|------------------------|--------|-----------|------|------|------|---------|---|--------|-----------|
| cis-1,2-Dichloroethene | 1.2 | | 1.0 | 0.12 | ug/L | 1 | | 8260B | Total/NA |
| Trichloroethene | 60 | | 0.50 | 0.19 | ug/L | 1 | | 8260B | Total/NA |
| Tetrachloroethene | 4.9 | | 1.0 | 0.17 | ug/L | 1 | | 8260B | Total/NA |

Client Sample ID: RFW-13

Lab Sample ID: 500-72399-14

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|------------------------|--------|-----------|------|------|------|---------|---|--------|-----------|
| cis-1,2-Dichloroethene | 0.70 | J | 1.0 | 0.12 | ug/L | 1 | | 8260B | Total/NA |
| Trichloroethene | 2.3 | | 0.50 | 0.19 | ug/L | 1 | | 8260B | Total/NA |
| Tetrachloroethene | 15 | | 1.0 | 0.17 | ug/L | 1 | | 8260B | Total/NA |

Client Sample ID: RFW-17

Lab Sample ID: 500-72399-15

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|---------|--------|-----------|------|------|------|---------|---|--------|-----------|
| Toluene | 0.38 | J | 0.50 | 0.11 | ug/L | 1 | | 8260B | Total/NA |

Client Sample ID: Trip Blank

Lab Sample ID: 500-72399-16

No Detections.

Client Sample ID: EW-2

Lab Sample ID: 500-72399-17

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|------------------------|--------|-----------|------|------|------|---------|---|--------|-----------|
| cis-1,2-Dichloroethene | 2.4 | | 1.0 | 0.12 | ug/L | 1 | | 8260B | Total/NA |
| Trichloroethene | 83 | | 0.50 | 0.19 | ug/L | 1 | | 8260B | Total/NA |
| Tetrachloroethene | 26 | | 1.0 | 0.17 | ug/L | 1 | | 8260B | Total/NA |

Client Sample ID: EW-3

Lab Sample ID: 500-72399-18

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|------------------------|--------|-----------|------|------|------|---------|---|--------|-----------|
| cis-1,2-Dichloroethene | 1.6 | | 1.0 | 0.12 | ug/L | 1 | | 8260B | Total/NA |
| Trichloroethene | 44 | | 0.50 | 0.19 | ug/L | 1 | | 8260B | Total/NA |
| Tetrachloroethene | 1.6 | | 1.0 | 0.17 | ug/L | 1 | | 8260B | Total/NA |

Client Sample ID: EW-4

Lab Sample ID: 500-72399-19

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|-------------------|--------|-----------|-----|------|------|---------|---|--------|-----------|
| Tetrachloroethene | 12 | | 1.0 | 0.17 | ug/L | 1 | | 8260B | Total/NA |

This Detection Summary does not include radiochemical test results.

TestAmerica Chicago

Detection Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: EW-4 (Continued)

Lab Sample ID: 500-72399-19

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|----------------------|--------|-----------|-----|-----|------|---------|---|--------|-----------|
| Trichloroethene - DL | 530 | | 5.0 | 1.9 | ug/L | 10 | | 8260B | Total/NA |

Client Sample ID: EW-5

Lab Sample ID: 500-72399-20

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|-------------------|--------|-----------|------|------|------|---------|---|--------|-----------|
| Trichloroethene | 100 | | 0.50 | 0.19 | ug/L | 1 | | 8260B | Total/NA |
| Tetrachloroethene | 3.0 | | 1.0 | 0.17 | ug/L | 1 | | 8260B | Total/NA |

Client Sample ID: EW-6

Lab Sample ID: 500-72399-21

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|-------------------|--------|-----------|------|------|------|---------|---|--------|-----------|
| Trichloroethene | 4.2 | | 0.50 | 0.19 | ug/L | 1 | | 8260B | Total/NA |
| Tetrachloroethene | 7.1 | | 1.0 | 0.17 | ug/L | 1 | | 8260B | Total/NA |

Client Sample ID: EW-7

Lab Sample ID: 500-72399-22

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|------------------------|--------|-----------|------|------|------|---------|---|--------|-----------|
| cis-1,2-Dichloroethene | 4.2 | | 1.0 | 0.12 | ug/L | 1 | | 8260B | Total/NA |
| Trichloroethene | 3.3 | | 0.50 | 0.19 | ug/L | 1 | | 8260B | Total/NA |
| Tetrachloroethene | 7.2 | | 1.0 | 0.17 | ug/L | 1 | | 8260B | Total/NA |

Client Sample ID: EW-8

Lab Sample ID: 500-72399-23

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|------------------------|--------|-----------|------|------|------|---------|---|--------|-----------|
| 1,1-Dichloroethane | 0.70 | J | 1.0 | 0.19 | ug/L | 1 | | 8260B | Total/NA |
| cis-1,2-Dichloroethene | 22 | | 1.0 | 0.12 | ug/L | 1 | | 8260B | Total/NA |
| Trichloroethene | 7.0 | | 0.50 | 0.19 | ug/L | 1 | | 8260B | Total/NA |
| Tetrachloroethene | 64 | | 1.0 | 0.17 | ug/L | 1 | | 8260B | Total/NA |

Client Sample ID: EW-9

Lab Sample ID: 500-72399-24

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|-------------------|--------|-----------|------|------|------|---------|---|--------|-----------|
| Acetone | 7.7 | | 5.0 | 1.3 | ug/L | 1 | | 8260B | Total/NA |
| Trichloroethene | 0.46 | J | 0.50 | 0.19 | ug/L | 1 | | 8260B | Total/NA |
| Tetrachloroethene | 99 | | 1.0 | 0.17 | ug/L | 1 | | 8260B | Total/NA |

Client Sample ID: EW-9 DUP

Lab Sample ID: 500-72399-25

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|-------------------|--------|-----------|------|------|------|---------|---|--------|-----------|
| Trichloroethene | 0.48 | J | 0.50 | 0.19 | ug/L | 1 | | 8260B | Total/NA |
| Tetrachloroethene | 82 | | 1.0 | 0.17 | ug/L | 1 | | 8260B | Total/NA |

This Detection Summary does not include radiochemical test results.

TestAmerica Chicago

Method Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

| Method | Method Description | Protocol | Laboratory |
|--------|--------------------|----------|------------|
| 8260B | VOC | SW846 | TAL CHI |

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CHI = TestAmerica Chicago, 2417 Bond Street, University Park, IL 60484, TEL (708)534-5200



Sample Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

| Lab Sample ID | Client Sample ID | Matrix | Collected | Received |
|---------------|------------------|--------|----------------|----------------|
| 500-72399-1 | RFW-1A | Water | 02/25/14 14:25 | 02/28/14 10:40 |
| 500-72399-2 | RFW-1B | Water | 02/25/14 16:10 | 02/28/14 10:40 |
| 500-72399-3 | RFW-2A | Water | 02/25/14 15:10 | 02/28/14 10:40 |
| 500-72399-4 | RFW-2B | Water | 02/25/14 15:40 | 02/28/14 10:40 |
| 500-72399-5 | RFW-3B | Water | 02/26/14 12:50 | 02/28/14 10:40 |
| 500-72399-6 | RFW-4A | Water | 02/27/14 11:05 | 02/28/14 10:40 |
| 500-72399-7 | RFW-4A DUP | Water | 02/27/14 11:05 | 02/28/14 10:40 |
| 500-72399-8 | RFW-4B | Water | 02/27/14 11:50 | 02/28/14 10:40 |
| 500-72399-9 | RFW-6 | Water | 02/26/14 16:25 | 02/28/14 10:40 |
| 500-72399-10 | RFW-7 | Water | 02/25/14 08:30 | 02/28/14 10:40 |
| 500-72399-11 | RFW-9 | Water | 02/27/14 08:50 | 02/28/14 10:40 |
| 500-72399-12 | RFW-11B | Water | 02/27/14 10:10 | 02/28/14 10:40 |
| 500-72399-13 | RFW-12B | Water | 02/27/14 08:30 | 02/28/14 10:40 |
| 500-72399-14 | RFW-13 | Water | 02/26/14 13:55 | 02/28/14 10:40 |
| 500-72399-15 | RFW-17 | Water | 02/26/14 10:35 | 02/28/14 10:40 |
| 500-72399-16 | Trip Blank | Water | 02/25/14 08:00 | 02/28/14 10:40 |
| 500-72399-17 | EW-2 | Water | 02/26/14 12:15 | 02/28/14 10:40 |
| 500-72399-18 | EW-3 | Water | 02/26/14 16:20 | 02/28/14 10:40 |
| 500-72399-19 | EW-4 | Water | 02/26/14 16:15 | 02/28/14 10:40 |
| 500-72399-20 | EW-5 | Water | 02/26/14 16:30 | 02/28/14 10:40 |
| 500-72399-21 | EW-6 | Water | 02/26/14 15:00 | 02/28/14 10:40 |
| 500-72399-22 | EW-7 | Water | 02/26/14 15:10 | 02/28/14 10:40 |
| 500-72399-23 | EW-8 | Water | 02/26/14 15:45 | 02/28/14 10:40 |
| 500-72399-24 | EW-9 | Water | 02/26/14 15:55 | 02/28/14 10:40 |
| 500-72399-25 | EW-9 DUP | Water | 02/26/14 15:55 | 02/28/14 10:40 |

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: RFW-1A

Lab Sample ID: 500-72399-1

Date Collected: 02/25/14 14:25

Matrix: Water

Date Received: 02/28/14 10:40

Method: 8260B - VOC

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|-------------|-----------|------|-------|------|---|----------|----------------|---------|
| Benzene | <0.50 | | 0.50 | 0.074 | ug/L | | | 03/03/14 13:06 | 1 |
| Dichlorodifluoromethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 13:06 | 1 |
| Chloromethane | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/03/14 13:06 | 1 |
| Vinyl chloride | <0.50 | | 0.50 | 0.10 | ug/L | | | 03/03/14 13:06 | 1 |
| Bromomethane | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/03/14 13:06 | 1 |
| Chloroethane | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/03/14 13:06 | 1 |
| Trichlorofluoromethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/03/14 13:06 | 1 |
| 1,1-Dichloroethene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/03/14 13:06 | 1 |
| Carbon disulfide | <5.0 | | 5.0 | 0.43 | ug/L | | | 03/03/14 13:06 | 1 |
| Acetone | <5.0 | | 5.0 | 1.3 | ug/L | | | 03/03/14 13:06 | 1 |
| Methylene Chloride | <5.0 | | 5.0 | 0.68 | ug/L | | | 03/03/14 13:06 | 1 |
| trans-1,2-Dichloroethene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/03/14 13:06 | 1 |
| 1,1-Dichloroethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/03/14 13:06 | 1 |
| 2,2-Dichloropropane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/03/14 13:06 | 1 |
| cis-1,2-Dichloroethene | <1.0 | | 1.0 | 0.12 | ug/L | | | 03/03/14 13:06 | 1 |
| Methyl Ethyl Ketone | <5.0 | | 5.0 | 1.5 | ug/L | | | 03/03/14 13:06 | 1 |
| Bromochloromethane | <1.0 | | 1.0 | 0.40 | ug/L | | | 03/03/14 13:06 | 1 |
| Chloroform | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 13:06 | 1 |
| 1,1,1-Trichloroethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 13:06 | 1 |
| 1,1-Dichloropropene | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/03/14 13:06 | 1 |
| Carbon tetrachloride | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/03/14 13:06 | 1 |
| 1,2-Dichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/03/14 13:06 | 1 |
| Trichloroethene | <0.50 | | 0.50 | 0.19 | ug/L | | | 03/03/14 13:06 | 1 |
| 1,2-Dichloropropane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 13:06 | 1 |
| Dibromomethane | <1.0 | | 1.0 | 0.33 | ug/L | | | 03/03/14 13:06 | 1 |
| Bromodichloromethane | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/03/14 13:06 | 1 |
| cis-1,3-Dichloropropene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/03/14 13:06 | 1 |
| methyl isobutyl ketone | <5.0 | | 5.0 | 0.33 | ug/L | | | 03/03/14 13:06 | 1 |
| Toluene | 0.45 | J | 0.50 | 0.11 | ug/L | | | 03/03/14 13:06 | 1 |
| trans-1,3-Dichloropropene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/03/14 13:06 | 1 |
| 1,1,2-Trichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/03/14 13:06 | 1 |
| Tetrachloroethene | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/03/14 13:06 | 1 |
| 1,3-Dichloropropane | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/03/14 13:06 | 1 |
| 2-Hexanone | <5.0 | | 5.0 | 0.56 | ug/L | | | 03/03/14 13:06 | 1 |
| Dibromochloromethane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/03/14 13:06 | 1 |
| 1,2-Dibromoethane | <1.0 | | 1.0 | 0.36 | ug/L | | | 03/03/14 13:06 | 1 |
| Chlorobenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 13:06 | 1 |
| 1,1,1,2-Tetrachloroethane | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/03/14 13:06 | 1 |
| Ethylbenzene | <0.50 | | 0.50 | 0.13 | ug/L | | | 03/03/14 13:06 | 1 |
| m&p-Xylene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/03/14 13:06 | 1 |
| o-Xylene | <0.50 | | 0.50 | 0.068 | ug/L | | | 03/03/14 13:06 | 1 |
| Styrene | <1.0 | | 1.0 | 0.10 | ug/L | | | 03/03/14 13:06 | 1 |
| Bromoform | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/03/14 13:06 | 1 |
| Isopropylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 13:06 | 1 |
| Bromobenzene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/03/14 13:06 | 1 |
| 1,1,2,2-Tetrachloroethane | <1.0 | | 1.0 | 0.23 | ug/L | | | 03/03/14 13:06 | 1 |
| 1,2,3-Trichloropropane | <1.0 | | 1.0 | 0.45 | ug/L | | | 03/03/14 13:06 | 1 |
| N-Propylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/03/14 13:06 | 1 |
| 2-Chlorotoluene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/03/14 13:06 | 1 |

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: RFW-1A

Lab Sample ID: 500-72399-1

Date Collected: 02/25/14 14:25

Matrix: Water

Date Received: 02/28/14 10:40

Method: 8260B - VOC (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,3,5-Trimethylbenzene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/03/14 13:06 | 1 |
| 4-Chlorotoluene | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 13:06 | 1 |
| tert-Butylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 13:06 | 1 |
| 1,2,4-Trimethylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 13:06 | 1 |
| sec-Butylbenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/03/14 13:06 | 1 |
| 1,3-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/03/14 13:06 | 1 |
| p-Isopropyltoluene | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/03/14 13:06 | 1 |
| 1,4-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/03/14 13:06 | 1 |
| n-Butylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/03/14 13:06 | 1 |
| 1,2-Dichlorobenzene | <1.0 | | 1.0 | 0.27 | ug/L | | | 03/03/14 13:06 | 1 |
| 1,2-Dibromo-3-Chloropropane | <2.0 | | 2.0 | 0.87 | ug/L | | | 03/03/14 13:06 | 1 |
| 1,2,4-Trichlorobenzene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/03/14 13:06 | 1 |
| Hexachlorobutadiene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/03/14 13:06 | 1 |
| Naphthalene | <1.0 | | 1.0 | 0.16 | ug/L | | | 03/03/14 13:06 | 1 |
| 1,2,3-Trichlorobenzene | <1.0 | | 1.0 | 0.24 | ug/L | | | 03/03/14 13:06 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 102 | | 75 - 125 | | 03/03/14 13:06 | 1 |
| Toluene-d8 (Surr) | 97 | | 75 - 120 | | 03/03/14 13:06 | 1 |
| 4-Bromofluorobenzene (Surr) | 112 | | 75 - 120 | | 03/03/14 13:06 | 1 |
| Dibromofluoromethane | 89 | | 75 - 120 | | 03/03/14 13:06 | 1 |

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: RFW-1B

Lab Sample ID: 500-72399-2

Date Collected: 02/25/14 16:10

Matrix: Water

Date Received: 02/28/14 10:40

Method: 8260B - VOC

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|-------------|-----------|------|-------|------|---|----------|----------------|---------|
| Benzene | <0.50 | | 0.50 | 0.074 | ug/L | | | 03/03/14 13:31 | 1 |
| Dichlorodifluoromethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 13:31 | 1 |
| Chloromethane | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/03/14 13:31 | 1 |
| Vinyl chloride | <0.50 | | 0.50 | 0.10 | ug/L | | | 03/03/14 13:31 | 1 |
| Bromomethane | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/03/14 13:31 | 1 |
| Chloroethane | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/03/14 13:31 | 1 |
| Trichlorofluoromethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/03/14 13:31 | 1 |
| 1,1-Dichloroethene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/03/14 13:31 | 1 |
| Carbon disulfide | <5.0 | | 5.0 | 0.43 | ug/L | | | 03/03/14 13:31 | 1 |
| Acetone | <5.0 | | 5.0 | 1.3 | ug/L | | | 03/03/14 13:31 | 1 |
| Methylene Chloride | <5.0 | | 5.0 | 0.68 | ug/L | | | 03/03/14 13:31 | 1 |
| trans-1,2-Dichloroethene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/03/14 13:31 | 1 |
| 1,1-Dichloroethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/03/14 13:31 | 1 |
| 2,2-Dichloropropane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/03/14 13:31 | 1 |
| cis-1,2-Dichloroethene | <1.0 | | 1.0 | 0.12 | ug/L | | | 03/03/14 13:31 | 1 |
| Methyl Ethyl Ketone | <5.0 | | 5.0 | 1.5 | ug/L | | | 03/03/14 13:31 | 1 |
| Bromochloromethane | <1.0 | | 1.0 | 0.40 | ug/L | | | 03/03/14 13:31 | 1 |
| Chloroform | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 13:31 | 1 |
| 1,1,1-Trichloroethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 13:31 | 1 |
| 1,1-Dichloropropene | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/03/14 13:31 | 1 |
| Carbon tetrachloride | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/03/14 13:31 | 1 |
| 1,2-Dichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/03/14 13:31 | 1 |
| Trichloroethene | <0.50 | | 0.50 | 0.19 | ug/L | | | 03/03/14 13:31 | 1 |
| 1,2-Dichloropropane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 13:31 | 1 |
| Dibromomethane | <1.0 | | 1.0 | 0.33 | ug/L | | | 03/03/14 13:31 | 1 |
| Bromodichloromethane | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/03/14 13:31 | 1 |
| cis-1,3-Dichloropropene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/03/14 13:31 | 1 |
| methyl isobutyl ketone | <5.0 | | 5.0 | 0.33 | ug/L | | | 03/03/14 13:31 | 1 |
| Toluene | 0.43 | J | 0.50 | 0.11 | ug/L | | | 03/03/14 13:31 | 1 |
| trans-1,3-Dichloropropene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/03/14 13:31 | 1 |
| 1,1,2-Trichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/03/14 13:31 | 1 |
| Tetrachloroethene | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/03/14 13:31 | 1 |
| 1,3-Dichloropropane | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/03/14 13:31 | 1 |
| 2-Hexanone | <5.0 | | 5.0 | 0.56 | ug/L | | | 03/03/14 13:31 | 1 |
| Dibromochloromethane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/03/14 13:31 | 1 |
| 1,2-Dibromoethane | <1.0 | | 1.0 | 0.36 | ug/L | | | 03/03/14 13:31 | 1 |
| Chlorobenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 13:31 | 1 |
| 1,1,1,2-Tetrachloroethane | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/03/14 13:31 | 1 |
| Ethylbenzene | <0.50 | | 0.50 | 0.13 | ug/L | | | 03/03/14 13:31 | 1 |
| m&p-Xylene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/03/14 13:31 | 1 |
| o-Xylene | <0.50 | | 0.50 | 0.068 | ug/L | | | 03/03/14 13:31 | 1 |
| Styrene | <1.0 | | 1.0 | 0.10 | ug/L | | | 03/03/14 13:31 | 1 |
| Bromoform | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/03/14 13:31 | 1 |
| Isopropylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 13:31 | 1 |
| Bromobenzene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/03/14 13:31 | 1 |
| 1,1,2,2-Tetrachloroethane | <1.0 | | 1.0 | 0.23 | ug/L | | | 03/03/14 13:31 | 1 |
| 1,2,3-Trichloropropane | <1.0 | | 1.0 | 0.45 | ug/L | | | 03/03/14 13:31 | 1 |
| N-Propylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/03/14 13:31 | 1 |
| 2-Chlorotoluene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/03/14 13:31 | 1 |

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: RFW-1B

Lab Sample ID: 500-72399-2

Date Collected: 02/25/14 16:10

Matrix: Water

Date Received: 02/28/14 10:40

Method: 8260B - VOC (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,3,5-Trimethylbenzene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/03/14 13:31 | 1 |
| 4-Chlorotoluene | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 13:31 | 1 |
| tert-Butylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 13:31 | 1 |
| 1,2,4-Trimethylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 13:31 | 1 |
| sec-Butylbenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/03/14 13:31 | 1 |
| 1,3-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/03/14 13:31 | 1 |
| p-Isopropyltoluene | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/03/14 13:31 | 1 |
| 1,4-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/03/14 13:31 | 1 |
| n-Butylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/03/14 13:31 | 1 |
| 1,2-Dichlorobenzene | <1.0 | | 1.0 | 0.27 | ug/L | | | 03/03/14 13:31 | 1 |
| 1,2-Dibromo-3-Chloropropane | <2.0 | | 2.0 | 0.87 | ug/L | | | 03/03/14 13:31 | 1 |
| 1,2,4-Trichlorobenzene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/03/14 13:31 | 1 |
| Hexachlorobutadiene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/03/14 13:31 | 1 |
| Naphthalene | <1.0 | | 1.0 | 0.16 | ug/L | | | 03/03/14 13:31 | 1 |
| 1,2,3-Trichlorobenzene | <1.0 | | 1.0 | 0.24 | ug/L | | | 03/03/14 13:31 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 102 | | 75 - 125 | | 03/03/14 13:31 | 1 |
| Toluene-d8 (Surr) | 96 | | 75 - 120 | | 03/03/14 13:31 | 1 |
| 4-Bromofluorobenzene (Surr) | 108 | | 75 - 120 | | 03/03/14 13:31 | 1 |
| Dibromofluoromethane | 87 | | 75 - 120 | | 03/03/14 13:31 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: RFW-2A

Lab Sample ID: 500-72399-3

Date Collected: 02/25/14 15:10

Matrix: Water

Date Received: 02/28/14 10:40

Method: 8260B - VOC

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|-------------|-----------|------|-------|------|---|----------|----------------|---------|
| Benzene | <0.50 | | 0.50 | 0.074 | ug/L | | | 03/03/14 13:56 | 1 |
| Dichlorodifluoromethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 13:56 | 1 |
| Chloromethane | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/03/14 13:56 | 1 |
| Vinyl chloride | <0.50 | | 0.50 | 0.10 | ug/L | | | 03/03/14 13:56 | 1 |
| Bromomethane | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/03/14 13:56 | 1 |
| Chloroethane | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/03/14 13:56 | 1 |
| Trichlorofluoromethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/03/14 13:56 | 1 |
| 1,1-Dichloroethene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/03/14 13:56 | 1 |
| Carbon disulfide | <5.0 | | 5.0 | 0.43 | ug/L | | | 03/03/14 13:56 | 1 |
| Acetone | <5.0 | | 5.0 | 1.3 | ug/L | | | 03/03/14 13:56 | 1 |
| Methylene Chloride | <5.0 | | 5.0 | 0.68 | ug/L | | | 03/03/14 13:56 | 1 |
| trans-1,2-Dichloroethene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/03/14 13:56 | 1 |
| 1,1-Dichloroethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/03/14 13:56 | 1 |
| 2,2-Dichloropropane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/03/14 13:56 | 1 |
| cis-1,2-Dichloroethene | <1.0 | | 1.0 | 0.12 | ug/L | | | 03/03/14 13:56 | 1 |
| Methyl Ethyl Ketone | <5.0 | | 5.0 | 1.5 | ug/L | | | 03/03/14 13:56 | 1 |
| Bromochloromethane | <1.0 | | 1.0 | 0.40 | ug/L | | | 03/03/14 13:56 | 1 |
| Chloroform | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 13:56 | 1 |
| 1,1,1-Trichloroethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 13:56 | 1 |
| 1,1-Dichloropropene | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/03/14 13:56 | 1 |
| Carbon tetrachloride | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/03/14 13:56 | 1 |
| 1,2-Dichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/03/14 13:56 | 1 |
| Trichloroethene | 0.31 | J | 0.50 | 0.19 | ug/L | | | 03/03/14 13:56 | 1 |
| 1,2-Dichloropropane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 13:56 | 1 |
| Dibromomethane | <1.0 | | 1.0 | 0.33 | ug/L | | | 03/03/14 13:56 | 1 |
| Bromodichloromethane | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/03/14 13:56 | 1 |
| cis-1,3-Dichloropropene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/03/14 13:56 | 1 |
| methyl isobutyl ketone | <5.0 | | 5.0 | 0.33 | ug/L | | | 03/03/14 13:56 | 1 |
| Toluene | <0.50 | | 0.50 | 0.11 | ug/L | | | 03/03/14 13:56 | 1 |
| trans-1,3-Dichloropropene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/03/14 13:56 | 1 |
| 1,1,2-Trichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/03/14 13:56 | 1 |
| Tetrachloroethene | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/03/14 13:56 | 1 |
| 1,3-Dichloropropane | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/03/14 13:56 | 1 |
| 2-Hexanone | <5.0 | | 5.0 | 0.56 | ug/L | | | 03/03/14 13:56 | 1 |
| Dibromochloromethane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/03/14 13:56 | 1 |
| 1,2-Dibromoethane | <1.0 | | 1.0 | 0.36 | ug/L | | | 03/03/14 13:56 | 1 |
| Chlorobenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 13:56 | 1 |
| 1,1,1,2-Tetrachloroethane | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/03/14 13:56 | 1 |
| Ethylbenzene | <0.50 | | 0.50 | 0.13 | ug/L | | | 03/03/14 13:56 | 1 |
| m&p-Xylene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/03/14 13:56 | 1 |
| o-Xylene | <0.50 | | 0.50 | 0.068 | ug/L | | | 03/03/14 13:56 | 1 |
| Styrene | <1.0 | | 1.0 | 0.10 | ug/L | | | 03/03/14 13:56 | 1 |
| Bromoform | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/03/14 13:56 | 1 |
| Isopropylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 13:56 | 1 |
| Bromobenzene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/03/14 13:56 | 1 |
| 1,1,2,2-Tetrachloroethane | <1.0 | | 1.0 | 0.23 | ug/L | | | 03/03/14 13:56 | 1 |
| 1,2,3-Trichloropropane | <1.0 | | 1.0 | 0.45 | ug/L | | | 03/03/14 13:56 | 1 |
| N-Propylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/03/14 13:56 | 1 |
| 2-Chlorotoluene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/03/14 13:56 | 1 |

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: RFW-2A

Lab Sample ID: 500-72399-3

Date Collected: 02/25/14 15:10

Matrix: Water

Date Received: 02/28/14 10:40

Method: 8260B - VOC (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,3,5-Trimethylbenzene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/03/14 13:56 | 1 |
| 4-Chlorotoluene | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 13:56 | 1 |
| tert-Butylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 13:56 | 1 |
| 1,2,4-Trimethylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 13:56 | 1 |
| sec-Butylbenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/03/14 13:56 | 1 |
| 1,3-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/03/14 13:56 | 1 |
| p-Isopropyltoluene | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/03/14 13:56 | 1 |
| 1,4-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/03/14 13:56 | 1 |
| n-Butylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/03/14 13:56 | 1 |
| 1,2-Dichlorobenzene | <1.0 | | 1.0 | 0.27 | ug/L | | | 03/03/14 13:56 | 1 |
| 1,2-Dibromo-3-Chloropropane | <2.0 | | 2.0 | 0.87 | ug/L | | | 03/03/14 13:56 | 1 |
| 1,2,4-Trichlorobenzene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/03/14 13:56 | 1 |
| Hexachlorobutadiene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/03/14 13:56 | 1 |
| Naphthalene | <1.0 | | 1.0 | 0.16 | ug/L | | | 03/03/14 13:56 | 1 |
| 1,2,3-Trichlorobenzene | <1.0 | | 1.0 | 0.24 | ug/L | | | 03/03/14 13:56 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 101 | | 75 - 125 | | 03/03/14 13:56 | 1 |
| Toluene-d8 (Surr) | 98 | | 75 - 120 | | 03/03/14 13:56 | 1 |
| 4-Bromofluorobenzene (Surr) | 110 | | 75 - 120 | | 03/03/14 13:56 | 1 |
| Dibromofluoromethane | 88 | | 75 - 120 | | 03/03/14 13:56 | 1 |

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: RFW-2B

Lab Sample ID: 500-72399-4

Date Collected: 02/25/14 15:40

Matrix: Water

Date Received: 02/28/14 10:40

Method: 8260B - VOC

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|--------|-----------|------|-------|------|---|----------|----------------|---------|
| Benzene | <0.50 | | 0.50 | 0.074 | ug/L | | | 03/03/14 14:20 | 1 |
| Dichlorodifluoromethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 14:20 | 1 |
| Chloromethane | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/03/14 14:20 | 1 |
| Vinyl chloride | <0.50 | | 0.50 | 0.10 | ug/L | | | 03/03/14 14:20 | 1 |
| Bromomethane | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/03/14 14:20 | 1 |
| Chloroethane | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/03/14 14:20 | 1 |
| Trichlorofluoromethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/03/14 14:20 | 1 |
| 1,1-Dichloroethene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/03/14 14:20 | 1 |
| Carbon disulfide | <5.0 | | 5.0 | 0.43 | ug/L | | | 03/03/14 14:20 | 1 |
| Acetone | <5.0 | | 5.0 | 1.3 | ug/L | | | 03/03/14 14:20 | 1 |
| Methylene Chloride | <5.0 | | 5.0 | 0.68 | ug/L | | | 03/03/14 14:20 | 1 |
| trans-1,2-Dichloroethene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/03/14 14:20 | 1 |
| 1,1-Dichloroethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/03/14 14:20 | 1 |
| 2,2-Dichloropropane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/03/14 14:20 | 1 |
| cis-1,2-Dichloroethene | <1.0 | | 1.0 | 0.12 | ug/L | | | 03/03/14 14:20 | 1 |
| Methyl Ethyl Ketone | <5.0 | | 5.0 | 1.5 | ug/L | | | 03/03/14 14:20 | 1 |
| Bromochloromethane | <1.0 | | 1.0 | 0.40 | ug/L | | | 03/03/14 14:20 | 1 |
| Chloroform | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 14:20 | 1 |
| 1,1,1-Trichloroethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 14:20 | 1 |
| 1,1-Dichloropropene | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/03/14 14:20 | 1 |
| Carbon tetrachloride | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/03/14 14:20 | 1 |
| 1,2-Dichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/03/14 14:20 | 1 |
| Trichloroethene | <0.50 | | 0.50 | 0.19 | ug/L | | | 03/03/14 14:20 | 1 |
| 1,2-Dichloropropane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 14:20 | 1 |
| Dibromomethane | <1.0 | | 1.0 | 0.33 | ug/L | | | 03/03/14 14:20 | 1 |
| Bromodichloromethane | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/03/14 14:20 | 1 |
| cis-1,3-Dichloropropene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/03/14 14:20 | 1 |
| methyl isobutyl ketone | <5.0 | | 5.0 | 0.33 | ug/L | | | 03/03/14 14:20 | 1 |
| Toluene | <0.50 | | 0.50 | 0.11 | ug/L | | | 03/03/14 14:20 | 1 |
| trans-1,3-Dichloropropene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/03/14 14:20 | 1 |
| 1,1,2-Trichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/03/14 14:20 | 1 |
| Tetrachloroethene | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/03/14 14:20 | 1 |
| 1,3-Dichloropropane | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/03/14 14:20 | 1 |
| 2-Hexanone | <5.0 | | 5.0 | 0.56 | ug/L | | | 03/03/14 14:20 | 1 |
| Dibromochloromethane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/03/14 14:20 | 1 |
| 1,2-Dibromoethane | <1.0 | | 1.0 | 0.36 | ug/L | | | 03/03/14 14:20 | 1 |
| Chlorobenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 14:20 | 1 |
| 1,1,1,2-Tetrachloroethane | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/03/14 14:20 | 1 |
| Ethylbenzene | <0.50 | | 0.50 | 0.13 | ug/L | | | 03/03/14 14:20 | 1 |
| m&p-Xylene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/03/14 14:20 | 1 |
| o-Xylene | <0.50 | | 0.50 | 0.068 | ug/L | | | 03/03/14 14:20 | 1 |
| Styrene | <1.0 | | 1.0 | 0.10 | ug/L | | | 03/03/14 14:20 | 1 |
| Bromoform | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/03/14 14:20 | 1 |
| Isopropylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 14:20 | 1 |
| Bromobenzene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/03/14 14:20 | 1 |
| 1,1,2,2-Tetrachloroethane | <1.0 | | 1.0 | 0.23 | ug/L | | | 03/03/14 14:20 | 1 |
| 1,2,3-Trichloropropane | <1.0 | | 1.0 | 0.45 | ug/L | | | 03/03/14 14:20 | 1 |
| N-Propylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/03/14 14:20 | 1 |
| 2-Chlorotoluene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/03/14 14:20 | 1 |

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: RFW-2B

Lab Sample ID: 500-72399-4

Date Collected: 02/25/14 15:40

Matrix: Water

Date Received: 02/28/14 10:40

Method: 8260B - VOC (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,3,5-Trimethylbenzene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/03/14 14:20 | 1 |
| 4-Chlorotoluene | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 14:20 | 1 |
| tert-Butylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 14:20 | 1 |
| 1,2,4-Trimethylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 14:20 | 1 |
| sec-Butylbenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/03/14 14:20 | 1 |
| 1,3-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/03/14 14:20 | 1 |
| p-Isopropyltoluene | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/03/14 14:20 | 1 |
| 1,4-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/03/14 14:20 | 1 |
| n-Butylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/03/14 14:20 | 1 |
| 1,2-Dichlorobenzene | <1.0 | | 1.0 | 0.27 | ug/L | | | 03/03/14 14:20 | 1 |
| 1,2-Dibromo-3-Chloropropane | <2.0 | | 2.0 | 0.87 | ug/L | | | 03/03/14 14:20 | 1 |
| 1,2,4-Trichlorobenzene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/03/14 14:20 | 1 |
| Hexachlorobutadiene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/03/14 14:20 | 1 |
| Naphthalene | <1.0 | | 1.0 | 0.16 | ug/L | | | 03/03/14 14:20 | 1 |
| 1,2,3-Trichlorobenzene | <1.0 | | 1.0 | 0.24 | ug/L | | | 03/03/14 14:20 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 103 | | 75 - 125 | | 03/03/14 14:20 | 1 |
| Toluene-d8 (Surr) | 95 | | 75 - 120 | | 03/03/14 14:20 | 1 |
| 4-Bromofluorobenzene (Surr) | 110 | | 75 - 120 | | 03/03/14 14:20 | 1 |
| Dibromofluoromethane | 88 | | 75 - 120 | | 03/03/14 14:20 | 1 |

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: RFW-3B

Lab Sample ID: 500-72399-5

Date Collected: 02/26/14 12:50

Matrix: Water

Date Received: 02/28/14 10:40

Method: 8260B - VOC

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|--------|-----------|------|-------|------|---|----------|----------------|---------|
| Benzene | <0.50 | | 0.50 | 0.074 | ug/L | | | 03/03/14 14:45 | 1 |
| Dichlorodifluoromethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 14:45 | 1 |
| Chloromethane | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/03/14 14:45 | 1 |
| Vinyl chloride | <0.50 | | 0.50 | 0.10 | ug/L | | | 03/03/14 14:45 | 1 |
| Bromomethane | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/03/14 14:45 | 1 |
| Chloroethane | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/03/14 14:45 | 1 |
| Trichlorofluoromethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/03/14 14:45 | 1 |
| 1,1-Dichloroethene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/03/14 14:45 | 1 |
| Carbon disulfide | <5.0 | | 5.0 | 0.43 | ug/L | | | 03/03/14 14:45 | 1 |
| Acetone | <5.0 | | 5.0 | 1.3 | ug/L | | | 03/03/14 14:45 | 1 |
| Methylene Chloride | <5.0 | | 5.0 | 0.68 | ug/L | | | 03/03/14 14:45 | 1 |
| trans-1,2-Dichloroethene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/03/14 14:45 | 1 |
| 1,1-Dichloroethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/03/14 14:45 | 1 |
| 2,2-Dichloropropane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/03/14 14:45 | 1 |
| cis-1,2-Dichloroethene | <1.0 | | 1.0 | 0.12 | ug/L | | | 03/03/14 14:45 | 1 |
| Methyl Ethyl Ketone | <5.0 | | 5.0 | 1.5 | ug/L | | | 03/03/14 14:45 | 1 |
| Bromochloromethane | <1.0 | | 1.0 | 0.40 | ug/L | | | 03/03/14 14:45 | 1 |
| Chloroform | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 14:45 | 1 |
| 1,1,1-Trichloroethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 14:45 | 1 |
| 1,1-Dichloropropene | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/03/14 14:45 | 1 |
| Carbon tetrachloride | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/03/14 14:45 | 1 |
| 1,2-Dichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/03/14 14:45 | 1 |
| Trichloroethene | <0.50 | | 0.50 | 0.19 | ug/L | | | 03/03/14 14:45 | 1 |
| 1,2-Dichloropropane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 14:45 | 1 |
| Dibromomethane | <1.0 | | 1.0 | 0.33 | ug/L | | | 03/03/14 14:45 | 1 |
| Bromodichloromethane | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/03/14 14:45 | 1 |
| cis-1,3-Dichloropropene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/03/14 14:45 | 1 |
| methyl isobutyl ketone | <5.0 | | 5.0 | 0.33 | ug/L | | | 03/03/14 14:45 | 1 |
| Toluene | <0.50 | | 0.50 | 0.11 | ug/L | | | 03/03/14 14:45 | 1 |
| trans-1,3-Dichloropropene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/03/14 14:45 | 1 |
| 1,1,2-Trichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/03/14 14:45 | 1 |
| Tetrachloroethene | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/03/14 14:45 | 1 |
| 1,3-Dichloropropane | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/03/14 14:45 | 1 |
| 2-Hexanone | <5.0 | | 5.0 | 0.56 | ug/L | | | 03/03/14 14:45 | 1 |
| Dibromochloromethane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/03/14 14:45 | 1 |
| 1,2-Dibromoethane | <1.0 | | 1.0 | 0.36 | ug/L | | | 03/03/14 14:45 | 1 |
| Chlorobenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 14:45 | 1 |
| 1,1,1,2-Tetrachloroethane | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/03/14 14:45 | 1 |
| Ethylbenzene | <0.50 | | 0.50 | 0.13 | ug/L | | | 03/03/14 14:45 | 1 |
| m&p-Xylene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/03/14 14:45 | 1 |
| o-Xylene | <0.50 | | 0.50 | 0.068 | ug/L | | | 03/03/14 14:45 | 1 |
| Styrene | <1.0 | | 1.0 | 0.10 | ug/L | | | 03/03/14 14:45 | 1 |
| Bromoform | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/03/14 14:45 | 1 |
| Isopropylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 14:45 | 1 |
| Bromobenzene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/03/14 14:45 | 1 |
| 1,1,2,2-Tetrachloroethane | <1.0 | | 1.0 | 0.23 | ug/L | | | 03/03/14 14:45 | 1 |
| 1,2,3-Trichloropropane | <1.0 | | 1.0 | 0.45 | ug/L | | | 03/03/14 14:45 | 1 |
| N-Propylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/03/14 14:45 | 1 |
| 2-Chlorotoluene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/03/14 14:45 | 1 |

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: RFW-3B

Lab Sample ID: 500-72399-5

Date Collected: 02/26/14 12:50

Matrix: Water

Date Received: 02/28/14 10:40

Method: 8260B - VOC (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,3,5-Trimethylbenzene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/03/14 14:45 | 1 |
| 4-Chlorotoluene | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 14:45 | 1 |
| tert-Butylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 14:45 | 1 |
| 1,2,4-Trimethylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 14:45 | 1 |
| sec-Butylbenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/03/14 14:45 | 1 |
| 1,3-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/03/14 14:45 | 1 |
| p-Isopropyltoluene | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/03/14 14:45 | 1 |
| 1,4-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/03/14 14:45 | 1 |
| n-Butylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/03/14 14:45 | 1 |
| 1,2-Dichlorobenzene | <1.0 | | 1.0 | 0.27 | ug/L | | | 03/03/14 14:45 | 1 |
| 1,2-Dibromo-3-Chloropropane | <2.0 | | 2.0 | 0.87 | ug/L | | | 03/03/14 14:45 | 1 |
| 1,2,4-Trichlorobenzene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/03/14 14:45 | 1 |
| Hexachlorobutadiene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/03/14 14:45 | 1 |
| Naphthalene | <1.0 | | 1.0 | 0.16 | ug/L | | | 03/03/14 14:45 | 1 |
| 1,2,3-Trichlorobenzene | <1.0 | | 1.0 | 0.24 | ug/L | | | 03/03/14 14:45 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 104 | | 75 - 125 | | 03/03/14 14:45 | 1 |
| Toluene-d8 (Surr) | 97 | | 75 - 120 | | 03/03/14 14:45 | 1 |
| 4-Bromofluorobenzene (Surr) | 110 | | 75 - 120 | | 03/03/14 14:45 | 1 |
| Dibromofluoromethane | 88 | | 75 - 120 | | 03/03/14 14:45 | 1 |

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: RFW-4A

Lab Sample ID: 500-72399-6

Date Collected: 02/27/14 11:05

Matrix: Water

Date Received: 02/28/14 10:40

Method: 8260B - VOC

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|--------|-----------|------|-------|------|---|----------|----------------|---------|
| Benzene | <0.50 | | 0.50 | 0.074 | ug/L | | | 03/03/14 15:10 | 1 |
| Dichlorodifluoromethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 15:10 | 1 |
| Chloromethane | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/03/14 15:10 | 1 |
| Vinyl chloride | <0.50 | | 0.50 | 0.10 | ug/L | | | 03/03/14 15:10 | 1 |
| Bromomethane | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/03/14 15:10 | 1 |
| Chloroethane | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/03/14 15:10 | 1 |
| Trichlorofluoromethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/03/14 15:10 | 1 |
| 1,1-Dichloroethene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/03/14 15:10 | 1 |
| Carbon disulfide | <5.0 | | 5.0 | 0.43 | ug/L | | | 03/03/14 15:10 | 1 |
| Acetone | <5.0 | | 5.0 | 1.3 | ug/L | | | 03/03/14 15:10 | 1 |
| Methylene Chloride | <5.0 | | 5.0 | 0.68 | ug/L | | | 03/03/14 15:10 | 1 |
| trans-1,2-Dichloroethene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/03/14 15:10 | 1 |
| 1,1-Dichloroethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/03/14 15:10 | 1 |
| 2,2-Dichloropropane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/03/14 15:10 | 1 |
| cis-1,2-Dichloroethene | 0.53 | J | 1.0 | 0.12 | ug/L | | | 03/03/14 15:10 | 1 |
| Methyl Ethyl Ketone | <5.0 | | 5.0 | 1.5 | ug/L | | | 03/03/14 15:10 | 1 |
| Bromochloromethane | <1.0 | | 1.0 | 0.40 | ug/L | | | 03/03/14 15:10 | 1 |
| Chloroform | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 15:10 | 1 |
| 1,1,1-Trichloroethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 15:10 | 1 |
| 1,1-Dichloropropene | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/03/14 15:10 | 1 |
| Carbon tetrachloride | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/03/14 15:10 | 1 |
| 1,2-Dichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/03/14 15:10 | 1 |
| Trichloroethene | 19 | | 0.50 | 0.19 | ug/L | | | 03/03/14 15:10 | 1 |
| 1,2-Dichloropropane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 15:10 | 1 |
| Dibromomethane | <1.0 | | 1.0 | 0.33 | ug/L | | | 03/03/14 15:10 | 1 |
| Bromodichloromethane | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/03/14 15:10 | 1 |
| cis-1,3-Dichloropropene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/03/14 15:10 | 1 |
| methyl isobutyl ketone | <5.0 | | 5.0 | 0.33 | ug/L | | | 03/03/14 15:10 | 1 |
| Toluene | <0.50 | | 0.50 | 0.11 | ug/L | | | 03/03/14 15:10 | 1 |
| trans-1,3-Dichloropropene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/03/14 15:10 | 1 |
| 1,1,2-Trichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/03/14 15:10 | 1 |
| Tetrachloroethene | 12 | | 1.0 | 0.17 | ug/L | | | 03/03/14 15:10 | 1 |
| 1,3-Dichloropropane | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/03/14 15:10 | 1 |
| 2-Hexanone | <5.0 | | 5.0 | 0.56 | ug/L | | | 03/03/14 15:10 | 1 |
| Dibromochloromethane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/03/14 15:10 | 1 |
| 1,2-Dibromoethane | <1.0 | | 1.0 | 0.36 | ug/L | | | 03/03/14 15:10 | 1 |
| Chlorobenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 15:10 | 1 |
| 1,1,1,2-Tetrachloroethane | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/03/14 15:10 | 1 |
| Ethylbenzene | <0.50 | | 0.50 | 0.13 | ug/L | | | 03/03/14 15:10 | 1 |
| m&p-Xylene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/03/14 15:10 | 1 |
| o-Xylene | <0.50 | | 0.50 | 0.068 | ug/L | | | 03/03/14 15:10 | 1 |
| Styrene | <1.0 | | 1.0 | 0.10 | ug/L | | | 03/03/14 15:10 | 1 |
| Bromoform | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/03/14 15:10 | 1 |
| Isopropylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 15:10 | 1 |
| Bromobenzene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/03/14 15:10 | 1 |
| 1,1,2,2-Tetrachloroethane | <1.0 | | 1.0 | 0.23 | ug/L | | | 03/03/14 15:10 | 1 |
| 1,2,3-Trichloropropane | <1.0 | | 1.0 | 0.45 | ug/L | | | 03/03/14 15:10 | 1 |
| N-Propylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/03/14 15:10 | 1 |
| 2-Chlorotoluene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/03/14 15:10 | 1 |

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: RFW-4A

Lab Sample ID: 500-72399-6

Date Collected: 02/27/14 11:05

Matrix: Water

Date Received: 02/28/14 10:40

Method: 8260B - VOC (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,3,5-Trimethylbenzene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/03/14 15:10 | 1 |
| 4-Chlorotoluene | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 15:10 | 1 |
| tert-Butylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 15:10 | 1 |
| 1,2,4-Trimethylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 15:10 | 1 |
| sec-Butylbenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/03/14 15:10 | 1 |
| 1,3-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/03/14 15:10 | 1 |
| p-Isopropyltoluene | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/03/14 15:10 | 1 |
| 1,4-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/03/14 15:10 | 1 |
| n-Butylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/03/14 15:10 | 1 |
| 1,2-Dichlorobenzene | <1.0 | | 1.0 | 0.27 | ug/L | | | 03/03/14 15:10 | 1 |
| 1,2-Dibromo-3-Chloropropane | <2.0 | | 2.0 | 0.87 | ug/L | | | 03/03/14 15:10 | 1 |
| 1,2,4-Trichlorobenzene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/03/14 15:10 | 1 |
| Hexachlorobutadiene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/03/14 15:10 | 1 |
| Naphthalene | <1.0 | | 1.0 | 0.16 | ug/L | | | 03/03/14 15:10 | 1 |
| 1,2,3-Trichlorobenzene | <1.0 | | 1.0 | 0.24 | ug/L | | | 03/03/14 15:10 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 101 | | 75 - 125 | | 03/03/14 15:10 | 1 |
| Toluene-d8 (Surr) | 97 | | 75 - 120 | | 03/03/14 15:10 | 1 |
| 4-Bromofluorobenzene (Surr) | 109 | | 75 - 120 | | 03/03/14 15:10 | 1 |
| Dibromofluoromethane | 89 | | 75 - 120 | | 03/03/14 15:10 | 1 |

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: RFW-4A DUP

Lab Sample ID: 500-72399-7

Date Collected: 02/27/14 11:05

Matrix: Water

Date Received: 02/28/14 10:40

Method: 8260B - VOC

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|-----------|-----------|------|-------|------|---|----------|----------------|---------|
| Benzene | <0.50 | | 0.50 | 0.074 | ug/L | | | 03/03/14 15:35 | 1 |
| Dichlorodifluoromethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 15:35 | 1 |
| Chloromethane | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/03/14 15:35 | 1 |
| Vinyl chloride | <0.50 | | 0.50 | 0.10 | ug/L | | | 03/03/14 15:35 | 1 |
| Bromomethane | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/03/14 15:35 | 1 |
| Chloroethane | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/03/14 15:35 | 1 |
| Trichlorofluoromethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/03/14 15:35 | 1 |
| 1,1-Dichloroethene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/03/14 15:35 | 1 |
| Carbon disulfide | <5.0 | | 5.0 | 0.43 | ug/L | | | 03/03/14 15:35 | 1 |
| Acetone | <5.0 | | 5.0 | 1.3 | ug/L | | | 03/03/14 15:35 | 1 |
| Methylene Chloride | <5.0 | | 5.0 | 0.68 | ug/L | | | 03/03/14 15:35 | 1 |
| trans-1,2-Dichloroethene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/03/14 15:35 | 1 |
| 1,1-Dichloroethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/03/14 15:35 | 1 |
| 2,2-Dichloropropane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/03/14 15:35 | 1 |
| cis-1,2-Dichloroethene | <1.0 | | 1.0 | 0.12 | ug/L | | | 03/03/14 15:35 | 1 |
| Methyl Ethyl Ketone | <5.0 | | 5.0 | 1.5 | ug/L | | | 03/03/14 15:35 | 1 |
| Bromochloromethane | <1.0 | | 1.0 | 0.40 | ug/L | | | 03/03/14 15:35 | 1 |
| Chloroform | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 15:35 | 1 |
| 1,1,1-Trichloroethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 15:35 | 1 |
| 1,1-Dichloropropene | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/03/14 15:35 | 1 |
| Carbon tetrachloride | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/03/14 15:35 | 1 |
| 1,2-Dichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/03/14 15:35 | 1 |
| Trichloroethene | 21 | | 0.50 | 0.19 | ug/L | | | 03/03/14 15:35 | 1 |
| 1,2-Dichloropropane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 15:35 | 1 |
| Dibromomethane | <1.0 | | 1.0 | 0.33 | ug/L | | | 03/03/14 15:35 | 1 |
| Bromodichloromethane | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/03/14 15:35 | 1 |
| cis-1,3-Dichloropropene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/03/14 15:35 | 1 |
| methyl isobutyl ketone | <5.0 | | 5.0 | 0.33 | ug/L | | | 03/03/14 15:35 | 1 |
| Toluene | <0.50 | | 0.50 | 0.11 | ug/L | | | 03/03/14 15:35 | 1 |
| trans-1,3-Dichloropropene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/03/14 15:35 | 1 |
| 1,1,2-Trichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/03/14 15:35 | 1 |
| Tetrachloroethene | 13 | | 1.0 | 0.17 | ug/L | | | 03/03/14 15:35 | 1 |
| 1,3-Dichloropropane | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/03/14 15:35 | 1 |
| 2-Hexanone | <5.0 | | 5.0 | 0.56 | ug/L | | | 03/03/14 15:35 | 1 |
| Dibromochloromethane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/03/14 15:35 | 1 |
| 1,2-Dibromoethane | <1.0 | | 1.0 | 0.36 | ug/L | | | 03/03/14 15:35 | 1 |
| Chlorobenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 15:35 | 1 |
| 1,1,1,2-Tetrachloroethane | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/03/14 15:35 | 1 |
| Ethylbenzene | <0.50 | | 0.50 | 0.13 | ug/L | | | 03/03/14 15:35 | 1 |
| m&p-Xylene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/03/14 15:35 | 1 |
| o-Xylene | <0.50 | | 0.50 | 0.068 | ug/L | | | 03/03/14 15:35 | 1 |
| Styrene | <1.0 | | 1.0 | 0.10 | ug/L | | | 03/03/14 15:35 | 1 |
| Bromoform | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/03/14 15:35 | 1 |
| Isopropylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 15:35 | 1 |
| Bromobenzene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/03/14 15:35 | 1 |
| 1,1,2,2-Tetrachloroethane | <1.0 | | 1.0 | 0.23 | ug/L | | | 03/03/14 15:35 | 1 |
| 1,2,3-Trichloropropane | <1.0 | | 1.0 | 0.45 | ug/L | | | 03/03/14 15:35 | 1 |
| N-Propylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/03/14 15:35 | 1 |
| 2-Chlorotoluene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/03/14 15:35 | 1 |

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: RFW-4A DUP

Lab Sample ID: 500-72399-7

Date Collected: 02/27/14 11:05

Matrix: Water

Date Received: 02/28/14 10:40

Method: 8260B - VOC (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------|------------------|------------------|---------------|------|------|---|-----------------|-----------------|----------------|
| 1,3,5-Trimethylbenzene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/03/14 15:35 | 1 |
| 4-Chlorotoluene | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 15:35 | 1 |
| tert-Butylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 15:35 | 1 |
| 1,2,4-Trimethylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 15:35 | 1 |
| sec-Butylbenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/03/14 15:35 | 1 |
| 1,3-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/03/14 15:35 | 1 |
| p-Isopropyltoluene | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/03/14 15:35 | 1 |
| 1,4-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/03/14 15:35 | 1 |
| n-Butylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/03/14 15:35 | 1 |
| 1,2-Dichlorobenzene | <1.0 | | 1.0 | 0.27 | ug/L | | | 03/03/14 15:35 | 1 |
| 1,2-Dibromo-3-Chloropropane | <2.0 | | 2.0 | 0.87 | ug/L | | | 03/03/14 15:35 | 1 |
| 1,2,4-Trichlorobenzene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/03/14 15:35 | 1 |
| Hexachlorobutadiene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/03/14 15:35 | 1 |
| Naphthalene | <1.0 | | 1.0 | 0.16 | ug/L | | | 03/03/14 15:35 | 1 |
| 1,2,3-Trichlorobenzene | <1.0 | | 1.0 | 0.24 | ug/L | | | 03/03/14 15:35 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | | Prepared | Analyzed | Dil Fac |
| 1,2-Dichloroethane-d4 (Surr) | 102 | | 75 - 125 | | | | | 03/03/14 15:35 | 1 |
| Toluene-d8 (Surr) | 96 | | 75 - 120 | | | | | 03/03/14 15:35 | 1 |
| 4-Bromofluorobenzene (Surr) | 113 | | 75 - 120 | | | | | 03/03/14 15:35 | 1 |
| Dibromofluoromethane | 87 | | 75 - 120 | | | | | 03/03/14 15:35 | 1 |

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: RFW-4B

Lab Sample ID: 500-72399-8

Date Collected: 02/27/14 11:50

Matrix: Water

Date Received: 02/28/14 10:40

Method: 8260B - VOC

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|--------|-----------|------|-------|------|---|----------|----------------|---------|
| Benzene | <0.50 | | 0.50 | 0.074 | ug/L | | | 03/03/14 16:00 | 1 |
| Dichlorodifluoromethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 16:00 | 1 |
| Chloromethane | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/03/14 16:00 | 1 |
| Vinyl chloride | <0.50 | | 0.50 | 0.10 | ug/L | | | 03/03/14 16:00 | 1 |
| Bromomethane | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/03/14 16:00 | 1 |
| Chloroethane | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/03/14 16:00 | 1 |
| Trichlorofluoromethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/03/14 16:00 | 1 |
| 1,1-Dichloroethene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/03/14 16:00 | 1 |
| Carbon disulfide | <5.0 | | 5.0 | 0.43 | ug/L | | | 03/03/14 16:00 | 1 |
| Acetone | <5.0 | | 5.0 | 1.3 | ug/L | | | 03/03/14 16:00 | 1 |
| Methylene Chloride | <5.0 | | 5.0 | 0.68 | ug/L | | | 03/03/14 16:00 | 1 |
| trans-1,2-Dichloroethene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/03/14 16:00 | 1 |
| 1,1-Dichloroethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/03/14 16:00 | 1 |
| 2,2-Dichloropropane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/03/14 16:00 | 1 |
| cis-1,2-Dichloroethene | 2.4 | | 1.0 | 0.12 | ug/L | | | 03/03/14 16:00 | 1 |
| Methyl Ethyl Ketone | <5.0 | | 5.0 | 1.5 | ug/L | | | 03/03/14 16:00 | 1 |
| Bromochloromethane | <1.0 | | 1.0 | 0.40 | ug/L | | | 03/03/14 16:00 | 1 |
| Chloroform | 1.1 | | 1.0 | 0.20 | ug/L | | | 03/03/14 16:00 | 1 |
| 1,1,1-Trichloroethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 16:00 | 1 |
| 1,1-Dichloropropene | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/03/14 16:00 | 1 |
| Carbon tetrachloride | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/03/14 16:00 | 1 |
| 1,2-Dichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/03/14 16:00 | 1 |
| Trichloroethene | 44 | | 0.50 | 0.19 | ug/L | | | 03/03/14 16:00 | 1 |
| 1,2-Dichloropropane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 16:00 | 1 |
| Dibromomethane | <1.0 | | 1.0 | 0.33 | ug/L | | | 03/03/14 16:00 | 1 |
| Bromodichloromethane | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/03/14 16:00 | 1 |
| cis-1,3-Dichloropropene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/03/14 16:00 | 1 |
| methyl isobutyl ketone | <5.0 | | 5.0 | 0.33 | ug/L | | | 03/03/14 16:00 | 1 |
| Toluene | <0.50 | | 0.50 | 0.11 | ug/L | | | 03/03/14 16:00 | 1 |
| trans-1,3-Dichloropropene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/03/14 16:00 | 1 |
| 1,1,2-Trichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/03/14 16:00 | 1 |
| Tetrachloroethene | 69 | | 1.0 | 0.17 | ug/L | | | 03/03/14 16:00 | 1 |
| 1,3-Dichloropropane | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/03/14 16:00 | 1 |
| 2-Hexanone | <5.0 | | 5.0 | 0.56 | ug/L | | | 03/03/14 16:00 | 1 |
| Dibromochloromethane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/03/14 16:00 | 1 |
| 1,2-Dibromoethane | <1.0 | | 1.0 | 0.36 | ug/L | | | 03/03/14 16:00 | 1 |
| Chlorobenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 16:00 | 1 |
| 1,1,1,2-Tetrachloroethane | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/03/14 16:00 | 1 |
| Ethylbenzene | <0.50 | | 0.50 | 0.13 | ug/L | | | 03/03/14 16:00 | 1 |
| m&p-Xylene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/03/14 16:00 | 1 |
| o-Xylene | <0.50 | | 0.50 | 0.068 | ug/L | | | 03/03/14 16:00 | 1 |
| Styrene | <1.0 | | 1.0 | 0.10 | ug/L | | | 03/03/14 16:00 | 1 |
| Bromoform | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/03/14 16:00 | 1 |
| Isopropylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 16:00 | 1 |
| Bromobenzene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/03/14 16:00 | 1 |
| 1,1,2,2-Tetrachloroethane | <1.0 | | 1.0 | 0.23 | ug/L | | | 03/03/14 16:00 | 1 |
| 1,2,3-Trichloropropane | <1.0 | | 1.0 | 0.45 | ug/L | | | 03/03/14 16:00 | 1 |
| N-Propylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/03/14 16:00 | 1 |
| 2-Chlorotoluene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/03/14 16:00 | 1 |

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: RFW-4B

Lab Sample ID: 500-72399-8

Date Collected: 02/27/14 11:50

Matrix: Water

Date Received: 02/28/14 10:40

Method: 8260B - VOC (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------|------------------|------------------|---------------|------|------|---|-----------------|-----------------|----------------|
| 1,3,5-Trimethylbenzene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/03/14 16:00 | 1 |
| 4-Chlorotoluene | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 16:00 | 1 |
| tert-Butylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 16:00 | 1 |
| 1,2,4-Trimethylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 16:00 | 1 |
| sec-Butylbenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/03/14 16:00 | 1 |
| 1,3-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/03/14 16:00 | 1 |
| p-Isopropyltoluene | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/03/14 16:00 | 1 |
| 1,4-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/03/14 16:00 | 1 |
| n-Butylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/03/14 16:00 | 1 |
| 1,2-Dichlorobenzene | <1.0 | | 1.0 | 0.27 | ug/L | | | 03/03/14 16:00 | 1 |
| 1,2-Dibromo-3-Chloropropane | <2.0 | | 2.0 | 0.87 | ug/L | | | 03/03/14 16:00 | 1 |
| 1,2,4-Trichlorobenzene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/03/14 16:00 | 1 |
| Hexachlorobutadiene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/03/14 16:00 | 1 |
| Naphthalene | <1.0 | | 1.0 | 0.16 | ug/L | | | 03/03/14 16:00 | 1 |
| 1,2,3-Trichlorobenzene | <1.0 | | 1.0 | 0.24 | ug/L | | | 03/03/14 16:00 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | | Prepared | Analyzed | Dil Fac |
| 1,2-Dichloroethane-d4 (Surr) | 104 | | 75 - 125 | | | | | 03/03/14 16:00 | 1 |
| Toluene-d8 (Surr) | 96 | | 75 - 120 | | | | | 03/03/14 16:00 | 1 |
| 4-Bromofluorobenzene (Surr) | 111 | | 75 - 120 | | | | | 03/03/14 16:00 | 1 |
| Dibromofluoromethane | 87 | | 75 - 120 | | | | | 03/03/14 16:00 | 1 |

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: RFW-6
Date Collected: 02/26/14 16:25
Date Received: 02/28/14 10:40

Lab Sample ID: 500-72399-9
Matrix: Water

Method: 8260B - VOC

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|-------------|-----------|------|-------|------|---|----------|----------------|---------|
| Benzene | <0.50 | | 0.50 | 0.074 | ug/L | | | 03/03/14 16:25 | 1 |
| Dichlorodifluoromethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 16:25 | 1 |
| Chloromethane | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/03/14 16:25 | 1 |
| Vinyl chloride | <0.50 | | 0.50 | 0.10 | ug/L | | | 03/03/14 16:25 | 1 |
| Bromomethane | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/03/14 16:25 | 1 |
| Chloroethane | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/03/14 16:25 | 1 |
| Trichlorofluoromethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/03/14 16:25 | 1 |
| 1,1-Dichloroethene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/03/14 16:25 | 1 |
| Carbon disulfide | <5.0 | | 5.0 | 0.43 | ug/L | | | 03/03/14 16:25 | 1 |
| Acetone | <5.0 | | 5.0 | 1.3 | ug/L | | | 03/03/14 16:25 | 1 |
| Methylene Chloride | <5.0 | | 5.0 | 0.68 | ug/L | | | 03/03/14 16:25 | 1 |
| trans-1,2-Dichloroethene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/03/14 16:25 | 1 |
| 1,1-Dichloroethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/03/14 16:25 | 1 |
| 2,2-Dichloropropane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/03/14 16:25 | 1 |
| cis-1,2-Dichloroethene | <1.0 | | 1.0 | 0.12 | ug/L | | | 03/03/14 16:25 | 1 |
| Methyl Ethyl Ketone | <5.0 | | 5.0 | 1.5 | ug/L | | | 03/03/14 16:25 | 1 |
| Bromochloromethane | <1.0 | | 1.0 | 0.40 | ug/L | | | 03/03/14 16:25 | 1 |
| Chloroform | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 16:25 | 1 |
| 1,1,1-Trichloroethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 16:25 | 1 |
| 1,1-Dichloropropene | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/03/14 16:25 | 1 |
| Carbon tetrachloride | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/03/14 16:25 | 1 |
| 1,2-Dichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/03/14 16:25 | 1 |
| Trichloroethene | <0.50 | | 0.50 | 0.19 | ug/L | | | 03/03/14 16:25 | 1 |
| 1,2-Dichloropropane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 16:25 | 1 |
| Dibromomethane | <1.0 | | 1.0 | 0.33 | ug/L | | | 03/03/14 16:25 | 1 |
| Bromodichloromethane | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/03/14 16:25 | 1 |
| cis-1,3-Dichloropropene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/03/14 16:25 | 1 |
| methyl isobutyl ketone | <5.0 | | 5.0 | 0.33 | ug/L | | | 03/03/14 16:25 | 1 |
| Toluene | <0.50 | | 0.50 | 0.11 | ug/L | | | 03/03/14 16:25 | 1 |
| trans-1,3-Dichloropropene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/03/14 16:25 | 1 |
| 1,1,2-Trichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/03/14 16:25 | 1 |
| Tetrachloroethene | 0.50 | J | 1.0 | 0.17 | ug/L | | | 03/03/14 16:25 | 1 |
| 1,3-Dichloropropane | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/03/14 16:25 | 1 |
| 2-Hexanone | <5.0 | | 5.0 | 0.56 | ug/L | | | 03/03/14 16:25 | 1 |
| Dibromochloromethane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/03/14 16:25 | 1 |
| 1,2-Dibromoethane | <1.0 | | 1.0 | 0.36 | ug/L | | | 03/03/14 16:25 | 1 |
| Chlorobenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 16:25 | 1 |
| 1,1,1,2-Tetrachloroethane | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/03/14 16:25 | 1 |
| Ethylbenzene | <0.50 | | 0.50 | 0.13 | ug/L | | | 03/03/14 16:25 | 1 |
| m&p-Xylene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/03/14 16:25 | 1 |
| o-Xylene | <0.50 | | 0.50 | 0.068 | ug/L | | | 03/03/14 16:25 | 1 |
| Styrene | <1.0 | | 1.0 | 0.10 | ug/L | | | 03/03/14 16:25 | 1 |
| Bromoform | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/03/14 16:25 | 1 |
| Isopropylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 16:25 | 1 |
| Bromobenzene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/03/14 16:25 | 1 |
| 1,1,2,2-Tetrachloroethane | <1.0 | | 1.0 | 0.23 | ug/L | | | 03/03/14 16:25 | 1 |
| 1,2,3-Trichloropropane | <1.0 | | 1.0 | 0.45 | ug/L | | | 03/03/14 16:25 | 1 |
| N-Propylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/03/14 16:25 | 1 |
| 2-Chlorotoluene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/03/14 16:25 | 1 |

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: RFW-6
Date Collected: 02/26/14 16:25
Date Received: 02/28/14 10:40

Lab Sample ID: 500-72399-9
Matrix: Water

Method: 8260B - VOC (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,3,5-Trimethylbenzene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/03/14 16:25 | 1 |
| 4-Chlorotoluene | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 16:25 | 1 |
| tert-Butylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 16:25 | 1 |
| 1,2,4-Trimethylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 16:25 | 1 |
| sec-Butylbenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/03/14 16:25 | 1 |
| 1,3-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/03/14 16:25 | 1 |
| p-Isopropyltoluene | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/03/14 16:25 | 1 |
| 1,4-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/03/14 16:25 | 1 |
| n-Butylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/03/14 16:25 | 1 |
| 1,2-Dichlorobenzene | <1.0 | | 1.0 | 0.27 | ug/L | | | 03/03/14 16:25 | 1 |
| 1,2-Dibromo-3-Chloropropane | <2.0 | | 2.0 | 0.87 | ug/L | | | 03/03/14 16:25 | 1 |
| 1,2,4-Trichlorobenzene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/03/14 16:25 | 1 |
| Hexachlorobutadiene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/03/14 16:25 | 1 |
| Naphthalene | <1.0 | | 1.0 | 0.16 | ug/L | | | 03/03/14 16:25 | 1 |
| 1,2,3-Trichlorobenzene | <1.0 | | 1.0 | 0.24 | ug/L | | | 03/03/14 16:25 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 105 | | 75 - 125 | | 03/03/14 16:25 | 1 |
| Toluene-d8 (Surr) | 96 | | 75 - 120 | | 03/03/14 16:25 | 1 |
| 4-Bromofluorobenzene (Surr) | 111 | | 75 - 120 | | 03/03/14 16:25 | 1 |
| Dibromofluoromethane | 89 | | 75 - 120 | | 03/03/14 16:25 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: RFW-7

Date Collected: 02/25/14 08:30

Date Received: 02/28/14 10:40

Lab Sample ID: 500-72399-10

Matrix: Water

Method: 8260B - VOC

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|--------|-----------|------|-------|------|---|----------|----------------|---------|
| Benzene | 0.22 | J | 0.50 | 0.074 | ug/L | | | 03/03/14 16:50 | 1 |
| Dichlorodifluoromethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 16:50 | 1 |
| Chloromethane | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/03/14 16:50 | 1 |
| Vinyl chloride | <0.50 | | 0.50 | 0.10 | ug/L | | | 03/03/14 16:50 | 1 |
| Bromomethane | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/03/14 16:50 | 1 |
| Chloroethane | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/03/14 16:50 | 1 |
| Trichlorofluoromethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/03/14 16:50 | 1 |
| 1,1-Dichloroethene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/03/14 16:50 | 1 |
| Carbon disulfide | <5.0 | | 5.0 | 0.43 | ug/L | | | 03/03/14 16:50 | 1 |
| Acetone | <5.0 | | 5.0 | 1.3 | ug/L | | | 03/03/14 16:50 | 1 |
| Methylene Chloride | <5.0 | | 5.0 | 0.68 | ug/L | | | 03/03/14 16:50 | 1 |
| trans-1,2-Dichloroethene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/03/14 16:50 | 1 |
| 1,1-Dichloroethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/03/14 16:50 | 1 |
| 2,2-Dichloropropane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/03/14 16:50 | 1 |
| cis-1,2-Dichloroethene | <1.0 | | 1.0 | 0.12 | ug/L | | | 03/03/14 16:50 | 1 |
| Methyl Ethyl Ketone | <5.0 | | 5.0 | 1.5 | ug/L | | | 03/03/14 16:50 | 1 |
| Bromochloromethane | <1.0 | | 1.0 | 0.40 | ug/L | | | 03/03/14 16:50 | 1 |
| Chloroform | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 16:50 | 1 |
| 1,1,1-Trichloroethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 16:50 | 1 |
| 1,1-Dichloropropene | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/03/14 16:50 | 1 |
| Carbon tetrachloride | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/03/14 16:50 | 1 |
| 1,2-Dichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/03/14 16:50 | 1 |
| Trichloroethene | 1.4 | | 0.50 | 0.19 | ug/L | | | 03/03/14 16:50 | 1 |
| 1,2-Dichloropropane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 16:50 | 1 |
| Dibromomethane | <1.0 | | 1.0 | 0.33 | ug/L | | | 03/03/14 16:50 | 1 |
| Bromodichloromethane | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/03/14 16:50 | 1 |
| cis-1,3-Dichloropropene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/03/14 16:50 | 1 |
| methyl isobutyl ketone | <5.0 | | 5.0 | 0.33 | ug/L | | | 03/03/14 16:50 | 1 |
| Toluene | <0.50 | | 0.50 | 0.11 | ug/L | | | 03/03/14 16:50 | 1 |
| trans-1,3-Dichloropropene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/03/14 16:50 | 1 |
| 1,1,2-Trichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/03/14 16:50 | 1 |
| Tetrachloroethene | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/03/14 16:50 | 1 |
| 1,3-Dichloropropane | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/03/14 16:50 | 1 |
| 2-Hexanone | <5.0 | | 5.0 | 0.56 | ug/L | | | 03/03/14 16:50 | 1 |
| Dibromochloromethane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/03/14 16:50 | 1 |
| 1,2-Dibromoethane | <1.0 | | 1.0 | 0.36 | ug/L | | | 03/03/14 16:50 | 1 |
| Chlorobenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 16:50 | 1 |
| 1,1,1,2-Tetrachloroethane | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/03/14 16:50 | 1 |
| Ethylbenzene | <0.50 | | 0.50 | 0.13 | ug/L | | | 03/03/14 16:50 | 1 |
| m&p-Xylene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/03/14 16:50 | 1 |
| o-Xylene | <0.50 | | 0.50 | 0.068 | ug/L | | | 03/03/14 16:50 | 1 |
| Styrene | <1.0 | | 1.0 | 0.10 | ug/L | | | 03/03/14 16:50 | 1 |
| Bromoform | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/03/14 16:50 | 1 |
| Isopropylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 16:50 | 1 |
| Bromobenzene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/03/14 16:50 | 1 |
| 1,1,2,2-Tetrachloroethane | <1.0 | | 1.0 | 0.23 | ug/L | | | 03/03/14 16:50 | 1 |
| 1,2,3-Trichloropropane | <1.0 | | 1.0 | 0.45 | ug/L | | | 03/03/14 16:50 | 1 |
| N-Propylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/03/14 16:50 | 1 |
| 2-Chlorotoluene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/03/14 16:50 | 1 |

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: RFW-7

Lab Sample ID: 500-72399-10

Date Collected: 02/25/14 08:30

Matrix: Water

Date Received: 02/28/14 10:40

Method: 8260B - VOC (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,3,5-Trimethylbenzene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/03/14 16:50 | 1 |
| 4-Chlorotoluene | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 16:50 | 1 |
| tert-Butylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 16:50 | 1 |
| 1,2,4-Trimethylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 16:50 | 1 |
| sec-Butylbenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/03/14 16:50 | 1 |
| 1,3-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/03/14 16:50 | 1 |
| p-Isopropyltoluene | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/03/14 16:50 | 1 |
| 1,4-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/03/14 16:50 | 1 |
| n-Butylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/03/14 16:50 | 1 |
| 1,2-Dichlorobenzene | <1.0 | | 1.0 | 0.27 | ug/L | | | 03/03/14 16:50 | 1 |
| 1,2-Dibromo-3-Chloropropane | <2.0 | | 2.0 | 0.87 | ug/L | | | 03/03/14 16:50 | 1 |
| 1,2,4-Trichlorobenzene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/03/14 16:50 | 1 |
| Hexachlorobutadiene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/03/14 16:50 | 1 |
| Naphthalene | <1.0 | | 1.0 | 0.16 | ug/L | | | 03/03/14 16:50 | 1 |
| 1,2,3-Trichlorobenzene | <1.0 | | 1.0 | 0.24 | ug/L | | | 03/03/14 16:50 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 105 | | 75 - 125 | | 03/03/14 16:50 | 1 |
| Toluene-d8 (Surr) | 97 | | 75 - 120 | | 03/03/14 16:50 | 1 |
| 4-Bromofluorobenzene (Surr) | 109 | | 75 - 120 | | 03/03/14 16:50 | 1 |
| Dibromofluoromethane | 89 | | 75 - 120 | | 03/03/14 16:50 | 1 |

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: RFW-9

Lab Sample ID: 500-72399-11

Date Collected: 02/27/14 08:50

Matrix: Water

Date Received: 02/28/14 10:40

Method: 8260B - VOC

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-------------------------------|-------------|-----------|------|-------|------|---|----------|----------------|---------|
| Benzene | <0.50 | | 0.50 | 0.074 | ug/L | | | 03/03/14 17:15 | 1 |
| Dichlorodifluoromethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 17:15 | 1 |
| Chloromethane | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/03/14 17:15 | 1 |
| Vinyl chloride | <0.50 | | 0.50 | 0.10 | ug/L | | | 03/03/14 17:15 | 1 |
| Bromomethane | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/03/14 17:15 | 1 |
| Chloroethane | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/03/14 17:15 | 1 |
| Trichlorofluoromethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/03/14 17:15 | 1 |
| 1,1-Dichloroethene | 0.52 | J | 1.0 | 0.31 | ug/L | | | 03/03/14 17:15 | 1 |
| Carbon disulfide | <5.0 | | 5.0 | 0.43 | ug/L | | | 03/03/14 17:15 | 1 |
| Acetone | <5.0 | | 5.0 | 1.3 | ug/L | | | 03/03/14 17:15 | 1 |
| Methylene Chloride | <5.0 | | 5.0 | 0.68 | ug/L | | | 03/03/14 17:15 | 1 |
| trans-1,2-Dichloroethene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/03/14 17:15 | 1 |
| 1,1-Dichloroethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/03/14 17:15 | 1 |
| 2,2-Dichloropropane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/03/14 17:15 | 1 |
| cis-1,2-Dichloroethene | 7.9 | | 1.0 | 0.12 | ug/L | | | 03/03/14 17:15 | 1 |
| Methyl Ethyl Ketone | <5.0 | | 5.0 | 1.5 | ug/L | | | 03/03/14 17:15 | 1 |
| Bromochloromethane | <1.0 | | 1.0 | 0.40 | ug/L | | | 03/03/14 17:15 | 1 |
| Chloroform | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 17:15 | 1 |
| 1,1,1-Trichloroethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 17:15 | 1 |
| 1,1-Dichloropropene | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/03/14 17:15 | 1 |
| Carbon tetrachloride | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/03/14 17:15 | 1 |
| 1,2-Dichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/03/14 17:15 | 1 |
| Trichloroethene | 7.2 | | 0.50 | 0.19 | ug/L | | | 03/03/14 17:15 | 1 |
| 1,2-Dichloropropane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 17:15 | 1 |
| Dibromomethane | <1.0 | | 1.0 | 0.33 | ug/L | | | 03/03/14 17:15 | 1 |
| Bromodichloromethane | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/03/14 17:15 | 1 |
| cis-1,3-Dichloropropene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/03/14 17:15 | 1 |
| methyl isobutyl ketone | <5.0 | | 5.0 | 0.33 | ug/L | | | 03/03/14 17:15 | 1 |
| Toluene | <0.50 | | 0.50 | 0.11 | ug/L | | | 03/03/14 17:15 | 1 |
| trans-1,3-Dichloropropene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/03/14 17:15 | 1 |
| 1,1,2-Trichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/03/14 17:15 | 1 |
| Tetrachloroethene | 3.1 | | 1.0 | 0.17 | ug/L | | | 03/03/14 17:15 | 1 |
| 1,3-Dichloropropane | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/03/14 17:15 | 1 |
| 2-Hexanone | <5.0 | | 5.0 | 0.56 | ug/L | | | 03/03/14 17:15 | 1 |
| Dibromochloromethane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/03/14 17:15 | 1 |
| 1,2-Dibromoethane | <1.0 | | 1.0 | 0.36 | ug/L | | | 03/03/14 17:15 | 1 |
| Chlorobenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 17:15 | 1 |
| 1,1,1,2-Tetrachloroethane | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/03/14 17:15 | 1 |
| Ethylbenzene | <0.50 | | 0.50 | 0.13 | ug/L | | | 03/03/14 17:15 | 1 |
| m&p-Xylene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/03/14 17:15 | 1 |
| o-Xylene | <0.50 | | 0.50 | 0.068 | ug/L | | | 03/03/14 17:15 | 1 |
| Styrene | <1.0 | | 1.0 | 0.10 | ug/L | | | 03/03/14 17:15 | 1 |
| Bromoform | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/03/14 17:15 | 1 |
| Isopropylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 17:15 | 1 |
| Bromobenzene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/03/14 17:15 | 1 |
| 1,1,2,2-Tetrachloroethane | <1.0 | | 1.0 | 0.23 | ug/L | | | 03/03/14 17:15 | 1 |
| 1,2,3-Trichloropropane | <1.0 | | 1.0 | 0.45 | ug/L | | | 03/03/14 17:15 | 1 |
| N-Propylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/03/14 17:15 | 1 |
| 2-Chlorotoluene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/03/14 17:15 | 1 |

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: RFW-9
Date Collected: 02/27/14 08:50
Date Received: 02/28/14 10:40

Lab Sample ID: 500-72399-11
Matrix: Water

Method: 8260B - VOC (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,3,5-Trimethylbenzene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/03/14 17:15 | 1 |
| 4-Chlorotoluene | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 17:15 | 1 |
| tert-Butylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 17:15 | 1 |
| 1,2,4-Trimethylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 17:15 | 1 |
| sec-Butylbenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/03/14 17:15 | 1 |
| 1,3-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/03/14 17:15 | 1 |
| p-Isopropyltoluene | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/03/14 17:15 | 1 |
| 1,4-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/03/14 17:15 | 1 |
| n-Butylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/03/14 17:15 | 1 |
| 1,2-Dichlorobenzene | <1.0 | | 1.0 | 0.27 | ug/L | | | 03/03/14 17:15 | 1 |
| 1,2-Dibromo-3-Chloropropane | <2.0 | | 2.0 | 0.87 | ug/L | | | 03/03/14 17:15 | 1 |
| 1,2,4-Trichlorobenzene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/03/14 17:15 | 1 |
| Hexachlorobutadiene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/03/14 17:15 | 1 |
| Naphthalene | <1.0 | | 1.0 | 0.16 | ug/L | | | 03/03/14 17:15 | 1 |
| 1,2,3-Trichlorobenzene | <1.0 | | 1.0 | 0.24 | ug/L | | | 03/03/14 17:15 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 103 | | 75 - 125 | | 03/03/14 17:15 | 1 |
| Toluene-d8 (Surr) | 96 | | 75 - 120 | | 03/03/14 17:15 | 1 |
| 4-Bromofluorobenzene (Surr) | 111 | | 75 - 120 | | 03/03/14 17:15 | 1 |
| Dibromofluoromethane | 89 | | 75 - 120 | | 03/03/14 17:15 | 1 |

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: RFW-11B

Lab Sample ID: 500-72399-12

Date Collected: 02/27/14 10:10

Matrix: Water

Date Received: 02/28/14 10:40

Method: 8260B - VOC

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|------------|-----------|------|-------|------|---|----------|----------------|---------|
| Benzene | <0.50 | | 0.50 | 0.074 | ug/L | | | 03/03/14 17:39 | 1 |
| Dichlorodifluoromethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 17:39 | 1 |
| Chloromethane | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/03/14 17:39 | 1 |
| Vinyl chloride | <0.50 | | 0.50 | 0.10 | ug/L | | | 03/03/14 17:39 | 1 |
| Bromomethane | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/03/14 17:39 | 1 |
| Chloroethane | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/03/14 17:39 | 1 |
| Trichlorofluoromethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/03/14 17:39 | 1 |
| 1,1-Dichloroethene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/03/14 17:39 | 1 |
| Carbon disulfide | <5.0 | | 5.0 | 0.43 | ug/L | | | 03/03/14 17:39 | 1 |
| Acetone | <5.0 | | 5.0 | 1.3 | ug/L | | | 03/03/14 17:39 | 1 |
| Methylene Chloride | <5.0 | | 5.0 | 0.68 | ug/L | | | 03/03/14 17:39 | 1 |
| trans-1,2-Dichloroethene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/03/14 17:39 | 1 |
| 1,1-Dichloroethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/03/14 17:39 | 1 |
| 2,2-Dichloropropane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/03/14 17:39 | 1 |
| cis-1,2-Dichloroethene | <1.0 | | 1.0 | 0.12 | ug/L | | | 03/03/14 17:39 | 1 |
| Methyl Ethyl Ketone | <5.0 | | 5.0 | 1.5 | ug/L | | | 03/03/14 17:39 | 1 |
| Bromochloromethane | <1.0 | | 1.0 | 0.40 | ug/L | | | 03/03/14 17:39 | 1 |
| Chloroform | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 17:39 | 1 |
| 1,1,1-Trichloroethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 17:39 | 1 |
| 1,1-Dichloropropene | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/03/14 17:39 | 1 |
| Carbon tetrachloride | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/03/14 17:39 | 1 |
| 1,2-Dichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/03/14 17:39 | 1 |
| Trichloroethene | 3.0 | | 0.50 | 0.19 | ug/L | | | 03/03/14 17:39 | 1 |
| 1,2-Dichloropropane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 17:39 | 1 |
| Dibromomethane | <1.0 | | 1.0 | 0.33 | ug/L | | | 03/03/14 17:39 | 1 |
| Bromodichloromethane | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/03/14 17:39 | 1 |
| cis-1,3-Dichloropropene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/03/14 17:39 | 1 |
| methyl isobutyl ketone | <5.0 | | 5.0 | 0.33 | ug/L | | | 03/03/14 17:39 | 1 |
| Toluene | <0.50 | | 0.50 | 0.11 | ug/L | | | 03/03/14 17:39 | 1 |
| trans-1,3-Dichloropropene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/03/14 17:39 | 1 |
| 1,1,2-Trichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/03/14 17:39 | 1 |
| Tetrachloroethene | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/03/14 17:39 | 1 |
| 1,3-Dichloropropane | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/03/14 17:39 | 1 |
| 2-Hexanone | <5.0 | | 5.0 | 0.56 | ug/L | | | 03/03/14 17:39 | 1 |
| Dibromochloromethane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/03/14 17:39 | 1 |
| 1,2-Dibromoethane | <1.0 | | 1.0 | 0.36 | ug/L | | | 03/03/14 17:39 | 1 |
| Chlorobenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 17:39 | 1 |
| 1,1,1,2-Tetrachloroethane | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/03/14 17:39 | 1 |
| Ethylbenzene | <0.50 | | 0.50 | 0.13 | ug/L | | | 03/03/14 17:39 | 1 |
| m&p-Xylene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/03/14 17:39 | 1 |
| o-Xylene | <0.50 | | 0.50 | 0.068 | ug/L | | | 03/03/14 17:39 | 1 |
| Styrene | <1.0 | | 1.0 | 0.10 | ug/L | | | 03/03/14 17:39 | 1 |
| Bromoform | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/03/14 17:39 | 1 |
| Isopropylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 17:39 | 1 |
| Bromobenzene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/03/14 17:39 | 1 |
| 1,1,2,2-Tetrachloroethane | <1.0 | | 1.0 | 0.23 | ug/L | | | 03/03/14 17:39 | 1 |
| 1,2,3-Trichloropropane | <1.0 | | 1.0 | 0.45 | ug/L | | | 03/03/14 17:39 | 1 |
| N-Propylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/03/14 17:39 | 1 |
| 2-Chlorotoluene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/03/14 17:39 | 1 |

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: RFW-11B

Lab Sample ID: 500-72399-12

Date Collected: 02/27/14 10:10

Matrix: Water

Date Received: 02/28/14 10:40

Method: 8260B - VOC (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,3,5-Trimethylbenzene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/03/14 17:39 | 1 |
| 4-Chlorotoluene | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 17:39 | 1 |
| tert-Butylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 17:39 | 1 |
| 1,2,4-Trimethylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 17:39 | 1 |
| sec-Butylbenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/03/14 17:39 | 1 |
| 1,3-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/03/14 17:39 | 1 |
| p-Isopropyltoluene | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/03/14 17:39 | 1 |
| 1,4-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/03/14 17:39 | 1 |
| n-Butylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/03/14 17:39 | 1 |
| 1,2-Dichlorobenzene | <1.0 | | 1.0 | 0.27 | ug/L | | | 03/03/14 17:39 | 1 |
| 1,2-Dibromo-3-Chloropropane | <2.0 | | 2.0 | 0.87 | ug/L | | | 03/03/14 17:39 | 1 |
| 1,2,4-Trichlorobenzene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/03/14 17:39 | 1 |
| Hexachlorobutadiene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/03/14 17:39 | 1 |
| Naphthalene | <1.0 | | 1.0 | 0.16 | ug/L | | | 03/03/14 17:39 | 1 |
| 1,2,3-Trichlorobenzene | <1.0 | | 1.0 | 0.24 | ug/L | | | 03/03/14 17:39 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 103 | | 75 - 125 | | 03/03/14 17:39 | 1 |
| Toluene-d8 (Surr) | 96 | | 75 - 120 | | 03/03/14 17:39 | 1 |
| 4-Bromofluorobenzene (Surr) | 113 | | 75 - 120 | | 03/03/14 17:39 | 1 |
| Dibromofluoromethane | 88 | | 75 - 120 | | 03/03/14 17:39 | 1 |

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: RFW-12B

Lab Sample ID: 500-72399-13

Date Collected: 02/27/14 08:30

Matrix: Water

Date Received: 02/28/14 10:40

Method: 8260B - VOC

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|--------|-----------|------|-------|------|---|----------|----------------|---------|
| Benzene | <0.50 | | 0.50 | 0.074 | ug/L | | | 03/03/14 18:04 | 1 |
| Dichlorodifluoromethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 18:04 | 1 |
| Chloromethane | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/03/14 18:04 | 1 |
| Vinyl chloride | <0.50 | | 0.50 | 0.10 | ug/L | | | 03/03/14 18:04 | 1 |
| Bromomethane | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/03/14 18:04 | 1 |
| Chloroethane | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/03/14 18:04 | 1 |
| Trichlorofluoromethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/03/14 18:04 | 1 |
| 1,1-Dichloroethene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/03/14 18:04 | 1 |
| Carbon disulfide | <5.0 | | 5.0 | 0.43 | ug/L | | | 03/03/14 18:04 | 1 |
| Acetone | <5.0 | | 5.0 | 1.3 | ug/L | | | 03/03/14 18:04 | 1 |
| Methylene Chloride | <5.0 | | 5.0 | 0.68 | ug/L | | | 03/03/14 18:04 | 1 |
| trans-1,2-Dichloroethene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/03/14 18:04 | 1 |
| 1,1-Dichloroethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/03/14 18:04 | 1 |
| 2,2-Dichloropropane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/03/14 18:04 | 1 |
| cis-1,2-Dichloroethene | 1.2 | | 1.0 | 0.12 | ug/L | | | 03/03/14 18:04 | 1 |
| Methyl Ethyl Ketone | <5.0 | | 5.0 | 1.5 | ug/L | | | 03/03/14 18:04 | 1 |
| Bromochloromethane | <1.0 | | 1.0 | 0.40 | ug/L | | | 03/03/14 18:04 | 1 |
| Chloroform | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 18:04 | 1 |
| 1,1,1-Trichloroethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 18:04 | 1 |
| 1,1-Dichloropropene | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/03/14 18:04 | 1 |
| Carbon tetrachloride | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/03/14 18:04 | 1 |
| 1,2-Dichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/03/14 18:04 | 1 |
| Trichloroethene | 60 | | 0.50 | 0.19 | ug/L | | | 03/03/14 18:04 | 1 |
| 1,2-Dichloropropane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 18:04 | 1 |
| Dibromomethane | <1.0 | | 1.0 | 0.33 | ug/L | | | 03/03/14 18:04 | 1 |
| Bromodichloromethane | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/03/14 18:04 | 1 |
| cis-1,3-Dichloropropene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/03/14 18:04 | 1 |
| methyl isobutyl ketone | <5.0 | | 5.0 | 0.33 | ug/L | | | 03/03/14 18:04 | 1 |
| Toluene | <0.50 | | 0.50 | 0.11 | ug/L | | | 03/03/14 18:04 | 1 |
| trans-1,3-Dichloropropene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/03/14 18:04 | 1 |
| 1,1,2-Trichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/03/14 18:04 | 1 |
| Tetrachloroethene | 4.9 | | 1.0 | 0.17 | ug/L | | | 03/03/14 18:04 | 1 |
| 1,3-Dichloropropane | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/03/14 18:04 | 1 |
| 2-Hexanone | <5.0 | | 5.0 | 0.56 | ug/L | | | 03/03/14 18:04 | 1 |
| Dibromochloromethane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/03/14 18:04 | 1 |
| 1,2-Dibromoethane | <1.0 | | 1.0 | 0.36 | ug/L | | | 03/03/14 18:04 | 1 |
| Chlorobenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 18:04 | 1 |
| 1,1,1,2-Tetrachloroethane | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/03/14 18:04 | 1 |
| Ethylbenzene | <0.50 | | 0.50 | 0.13 | ug/L | | | 03/03/14 18:04 | 1 |
| m&p-Xylene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/03/14 18:04 | 1 |
| o-Xylene | <0.50 | | 0.50 | 0.068 | ug/L | | | 03/03/14 18:04 | 1 |
| Styrene | <1.0 | | 1.0 | 0.10 | ug/L | | | 03/03/14 18:04 | 1 |
| Bromoform | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/03/14 18:04 | 1 |
| Isopropylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 18:04 | 1 |
| Bromobenzene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/03/14 18:04 | 1 |
| 1,1,2,2-Tetrachloroethane | <1.0 | | 1.0 | 0.23 | ug/L | | | 03/03/14 18:04 | 1 |
| 1,2,3-Trichloropropane | <1.0 | | 1.0 | 0.45 | ug/L | | | 03/03/14 18:04 | 1 |
| N-Propylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/03/14 18:04 | 1 |
| 2-Chlorotoluene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/03/14 18:04 | 1 |

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: RFW-12B

Lab Sample ID: 500-72399-13

Date Collected: 02/27/14 08:30

Matrix: Water

Date Received: 02/28/14 10:40

Method: 8260B - VOC (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,3,5-Trimethylbenzene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/03/14 18:04 | 1 |
| 4-Chlorotoluene | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 18:04 | 1 |
| tert-Butylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 18:04 | 1 |
| 1,2,4-Trimethylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 18:04 | 1 |
| sec-Butylbenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/03/14 18:04 | 1 |
| 1,3-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/03/14 18:04 | 1 |
| p-Isopropyltoluene | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/03/14 18:04 | 1 |
| 1,4-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/03/14 18:04 | 1 |
| n-Butylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/03/14 18:04 | 1 |
| 1,2-Dichlorobenzene | <1.0 | | 1.0 | 0.27 | ug/L | | | 03/03/14 18:04 | 1 |
| 1,2-Dibromo-3-Chloropropane | <2.0 | | 2.0 | 0.87 | ug/L | | | 03/03/14 18:04 | 1 |
| 1,2,4-Trichlorobenzene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/03/14 18:04 | 1 |
| Hexachlorobutadiene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/03/14 18:04 | 1 |
| Naphthalene | <1.0 | | 1.0 | 0.16 | ug/L | | | 03/03/14 18:04 | 1 |
| 1,2,3-Trichlorobenzene | <1.0 | | 1.0 | 0.24 | ug/L | | | 03/03/14 18:04 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 106 | | 75 - 125 | | 03/03/14 18:04 | 1 |
| Toluene-d8 (Surr) | 96 | | 75 - 120 | | 03/03/14 18:04 | 1 |
| 4-Bromofluorobenzene (Surr) | 112 | | 75 - 120 | | 03/03/14 18:04 | 1 |
| Dibromofluoromethane | 88 | | 75 - 120 | | 03/03/14 18:04 | 1 |

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: RFW-13

Lab Sample ID: 500-72399-14

Date Collected: 02/26/14 13:55

Matrix: Water

Date Received: 02/28/14 10:40

Method: 8260B - VOC

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|--------|-----------|------|-------|------|---|----------|----------------|---------|
| Benzene | <0.50 | | 0.50 | 0.074 | ug/L | | | 03/03/14 18:29 | 1 |
| Dichlorodifluoromethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 18:29 | 1 |
| Chloromethane | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/03/14 18:29 | 1 |
| Vinyl chloride | <0.50 | | 0.50 | 0.10 | ug/L | | | 03/03/14 18:29 | 1 |
| Bromomethane | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/03/14 18:29 | 1 |
| Chloroethane | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/03/14 18:29 | 1 |
| Trichlorofluoromethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/03/14 18:29 | 1 |
| 1,1-Dichloroethene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/03/14 18:29 | 1 |
| Carbon disulfide | <5.0 | | 5.0 | 0.43 | ug/L | | | 03/03/14 18:29 | 1 |
| Acetone | <5.0 | | 5.0 | 1.3 | ug/L | | | 03/03/14 18:29 | 1 |
| Methylene Chloride | <5.0 | | 5.0 | 0.68 | ug/L | | | 03/03/14 18:29 | 1 |
| trans-1,2-Dichloroethene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/03/14 18:29 | 1 |
| 1,1-Dichloroethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/03/14 18:29 | 1 |
| 2,2-Dichloropropane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/03/14 18:29 | 1 |
| cis-1,2-Dichloroethene | 0.70 | J | 1.0 | 0.12 | ug/L | | | 03/03/14 18:29 | 1 |
| Methyl Ethyl Ketone | <5.0 | | 5.0 | 1.5 | ug/L | | | 03/03/14 18:29 | 1 |
| Bromochloromethane | <1.0 | | 1.0 | 0.40 | ug/L | | | 03/03/14 18:29 | 1 |
| Chloroform | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 18:29 | 1 |
| 1,1,1-Trichloroethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 18:29 | 1 |
| 1,1-Dichloropropene | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/03/14 18:29 | 1 |
| Carbon tetrachloride | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/03/14 18:29 | 1 |
| 1,2-Dichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/03/14 18:29 | 1 |
| Trichloroethene | 2.3 | | 0.50 | 0.19 | ug/L | | | 03/03/14 18:29 | 1 |
| 1,2-Dichloropropane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 18:29 | 1 |
| Dibromomethane | <1.0 | | 1.0 | 0.33 | ug/L | | | 03/03/14 18:29 | 1 |
| Bromodichloromethane | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/03/14 18:29 | 1 |
| cis-1,3-Dichloropropene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/03/14 18:29 | 1 |
| methyl isobutyl ketone | <5.0 | | 5.0 | 0.33 | ug/L | | | 03/03/14 18:29 | 1 |
| Toluene | <0.50 | | 0.50 | 0.11 | ug/L | | | 03/03/14 18:29 | 1 |
| trans-1,3-Dichloropropene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/03/14 18:29 | 1 |
| 1,1,2-Trichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/03/14 18:29 | 1 |
| Tetrachloroethene | 15 | | 1.0 | 0.17 | ug/L | | | 03/03/14 18:29 | 1 |
| 1,3-Dichloropropane | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/03/14 18:29 | 1 |
| 2-Hexanone | <5.0 | | 5.0 | 0.56 | ug/L | | | 03/03/14 18:29 | 1 |
| Dibromochloromethane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/03/14 18:29 | 1 |
| 1,2-Dibromoethane | <1.0 | | 1.0 | 0.36 | ug/L | | | 03/03/14 18:29 | 1 |
| Chlorobenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 18:29 | 1 |
| 1,1,1,2-Tetrachloroethane | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/03/14 18:29 | 1 |
| Ethylbenzene | <0.50 | | 0.50 | 0.13 | ug/L | | | 03/03/14 18:29 | 1 |
| m&p-Xylene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/03/14 18:29 | 1 |
| o-Xylene | <0.50 | | 0.50 | 0.068 | ug/L | | | 03/03/14 18:29 | 1 |
| Styrene | <1.0 | | 1.0 | 0.10 | ug/L | | | 03/03/14 18:29 | 1 |
| Bromoform | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/03/14 18:29 | 1 |
| Isopropylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 18:29 | 1 |
| Bromobenzene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/03/14 18:29 | 1 |
| 1,1,2,2-Tetrachloroethane | <1.0 | | 1.0 | 0.23 | ug/L | | | 03/03/14 18:29 | 1 |
| 1,2,3-Trichloropropane | <1.0 | | 1.0 | 0.45 | ug/L | | | 03/03/14 18:29 | 1 |
| N-Propylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/03/14 18:29 | 1 |
| 2-Chlorotoluene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/03/14 18:29 | 1 |

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: RFW-13

Lab Sample ID: 500-72399-14

Date Collected: 02/26/14 13:55

Matrix: Water

Date Received: 02/28/14 10:40

Method: 8260B - VOC (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,3,5-Trimethylbenzene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/03/14 18:29 | 1 |
| 4-Chlorotoluene | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 18:29 | 1 |
| tert-Butylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 18:29 | 1 |
| 1,2,4-Trimethylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 18:29 | 1 |
| sec-Butylbenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/03/14 18:29 | 1 |
| 1,3-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/03/14 18:29 | 1 |
| p-Isopropyltoluene | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/03/14 18:29 | 1 |
| 1,4-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/03/14 18:29 | 1 |
| n-Butylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/03/14 18:29 | 1 |
| 1,2-Dichlorobenzene | <1.0 | | 1.0 | 0.27 | ug/L | | | 03/03/14 18:29 | 1 |
| 1,2-Dibromo-3-Chloropropane | <2.0 | | 2.0 | 0.87 | ug/L | | | 03/03/14 18:29 | 1 |
| 1,2,4-Trichlorobenzene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/03/14 18:29 | 1 |
| Hexachlorobutadiene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/03/14 18:29 | 1 |
| Naphthalene | <1.0 | | 1.0 | 0.16 | ug/L | | | 03/03/14 18:29 | 1 |
| 1,2,3-Trichlorobenzene | <1.0 | | 1.0 | 0.24 | ug/L | | | 03/03/14 18:29 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 105 | | 75 - 125 | | 03/03/14 18:29 | 1 |
| Toluene-d8 (Surr) | 95 | | 75 - 120 | | 03/03/14 18:29 | 1 |
| 4-Bromofluorobenzene (Surr) | 111 | | 75 - 120 | | 03/03/14 18:29 | 1 |
| Dibromofluoromethane | 89 | | 75 - 120 | | 03/03/14 18:29 | 1 |

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: RFW-17

Lab Sample ID: 500-72399-15

Date Collected: 02/26/14 10:35

Matrix: Water

Date Received: 02/28/14 10:40

Method: 8260B - VOC

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|-------------|-----------|------|-------|------|---|----------|----------------|---------|
| Benzene | <0.50 | | 0.50 | 0.074 | ug/L | | | 03/03/14 18:54 | 1 |
| Dichlorodifluoromethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 18:54 | 1 |
| Chloromethane | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/03/14 18:54 | 1 |
| Vinyl chloride | <0.50 | | 0.50 | 0.10 | ug/L | | | 03/03/14 18:54 | 1 |
| Bromomethane | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/03/14 18:54 | 1 |
| Chloroethane | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/03/14 18:54 | 1 |
| Trichlorofluoromethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/03/14 18:54 | 1 |
| 1,1-Dichloroethene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/03/14 18:54 | 1 |
| Carbon disulfide | <5.0 | | 5.0 | 0.43 | ug/L | | | 03/03/14 18:54 | 1 |
| Acetone | <5.0 | | 5.0 | 1.3 | ug/L | | | 03/03/14 18:54 | 1 |
| Methylene Chloride | <5.0 | | 5.0 | 0.68 | ug/L | | | 03/03/14 18:54 | 1 |
| trans-1,2-Dichloroethene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/03/14 18:54 | 1 |
| 1,1-Dichloroethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/03/14 18:54 | 1 |
| 2,2-Dichloropropane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/03/14 18:54 | 1 |
| cis-1,2-Dichloroethene | <1.0 | | 1.0 | 0.12 | ug/L | | | 03/03/14 18:54 | 1 |
| Methyl Ethyl Ketone | <5.0 | | 5.0 | 1.5 | ug/L | | | 03/03/14 18:54 | 1 |
| Bromochloromethane | <1.0 | | 1.0 | 0.40 | ug/L | | | 03/03/14 18:54 | 1 |
| Chloroform | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 18:54 | 1 |
| 1,1,1-Trichloroethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 18:54 | 1 |
| 1,1-Dichloropropene | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/03/14 18:54 | 1 |
| Carbon tetrachloride | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/03/14 18:54 | 1 |
| 1,2-Dichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/03/14 18:54 | 1 |
| Trichloroethene | <0.50 | | 0.50 | 0.19 | ug/L | | | 03/03/14 18:54 | 1 |
| 1,2-Dichloropropane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 18:54 | 1 |
| Dibromomethane | <1.0 | | 1.0 | 0.33 | ug/L | | | 03/03/14 18:54 | 1 |
| Bromodichloromethane | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/03/14 18:54 | 1 |
| cis-1,3-Dichloropropene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/03/14 18:54 | 1 |
| methyl isobutyl ketone | <5.0 | | 5.0 | 0.33 | ug/L | | | 03/03/14 18:54 | 1 |
| Toluene | 0.38 | J | 0.50 | 0.11 | ug/L | | | 03/03/14 18:54 | 1 |
| trans-1,3-Dichloropropene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/03/14 18:54 | 1 |
| 1,1,2-Trichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/03/14 18:54 | 1 |
| Tetrachloroethene | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/03/14 18:54 | 1 |
| 1,3-Dichloropropane | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/03/14 18:54 | 1 |
| 2-Hexanone | <5.0 | | 5.0 | 0.56 | ug/L | | | 03/03/14 18:54 | 1 |
| Dibromochloromethane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/03/14 18:54 | 1 |
| 1,2-Dibromoethane | <1.0 | | 1.0 | 0.36 | ug/L | | | 03/03/14 18:54 | 1 |
| Chlorobenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 18:54 | 1 |
| 1,1,1,2-Tetrachloroethane | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/03/14 18:54 | 1 |
| Ethylbenzene | <0.50 | | 0.50 | 0.13 | ug/L | | | 03/03/14 18:54 | 1 |
| m&p-Xylene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/03/14 18:54 | 1 |
| o-Xylene | <0.50 | | 0.50 | 0.068 | ug/L | | | 03/03/14 18:54 | 1 |
| Styrene | <1.0 | | 1.0 | 0.10 | ug/L | | | 03/03/14 18:54 | 1 |
| Bromoform | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/03/14 18:54 | 1 |
| Isopropylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 18:54 | 1 |
| Bromobenzene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/03/14 18:54 | 1 |
| 1,1,2,2-Tetrachloroethane | <1.0 | | 1.0 | 0.23 | ug/L | | | 03/03/14 18:54 | 1 |
| 1,2,3-Trichloropropane | <1.0 | | 1.0 | 0.45 | ug/L | | | 03/03/14 18:54 | 1 |
| N-Propylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/03/14 18:54 | 1 |
| 2-Chlorotoluene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/03/14 18:54 | 1 |

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: RFW-17

Lab Sample ID: 500-72399-15

Date Collected: 02/26/14 10:35

Matrix: Water

Date Received: 02/28/14 10:40

Method: 8260B - VOC (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,3,5-Trimethylbenzene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/03/14 18:54 | 1 |
| 4-Chlorotoluene | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 18:54 | 1 |
| tert-Butylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 18:54 | 1 |
| 1,2,4-Trimethylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 18:54 | 1 |
| sec-Butylbenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/03/14 18:54 | 1 |
| 1,3-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/03/14 18:54 | 1 |
| p-Isopropyltoluene | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/03/14 18:54 | 1 |
| 1,4-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/03/14 18:54 | 1 |
| n-Butylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/03/14 18:54 | 1 |
| 1,2-Dichlorobenzene | <1.0 | | 1.0 | 0.27 | ug/L | | | 03/03/14 18:54 | 1 |
| 1,2-Dibromo-3-Chloropropane | <2.0 | | 2.0 | 0.87 | ug/L | | | 03/03/14 18:54 | 1 |
| 1,2,4-Trichlorobenzene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/03/14 18:54 | 1 |
| Hexachlorobutadiene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/03/14 18:54 | 1 |
| Naphthalene | <1.0 | | 1.0 | 0.16 | ug/L | | | 03/03/14 18:54 | 1 |
| 1,2,3-Trichlorobenzene | <1.0 | | 1.0 | 0.24 | ug/L | | | 03/03/14 18:54 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 105 | | 75 - 125 | | 03/03/14 18:54 | 1 |
| Toluene-d8 (Surr) | 97 | | 75 - 120 | | 03/03/14 18:54 | 1 |
| 4-Bromofluorobenzene (Surr) | 111 | | 75 - 120 | | 03/03/14 18:54 | 1 |
| Dibromofluoromethane | 89 | | 75 - 120 | | 03/03/14 18:54 | 1 |

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: Trip Blank

Lab Sample ID: 500-72399-16

Date Collected: 02/25/14 08:00

Matrix: Water

Date Received: 02/28/14 10:40

Method: 8260B - VOC

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|--------|-----------|------|-------|------|---|----------|----------------|---------|
| Benzene | <0.50 | | 0.50 | 0.074 | ug/L | | | 03/04/14 12:40 | 1 |
| Dichlorodifluoromethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 12:40 | 1 |
| Chloromethane | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/04/14 12:40 | 1 |
| Vinyl chloride | <0.50 | | 0.50 | 0.10 | ug/L | | | 03/04/14 12:40 | 1 |
| Bromomethane | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/04/14 12:40 | 1 |
| Chloroethane | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/04/14 12:40 | 1 |
| Trichlorofluoromethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/04/14 12:40 | 1 |
| 1,1-Dichloroethene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/04/14 12:40 | 1 |
| Carbon disulfide | <5.0 | | 5.0 | 0.43 | ug/L | | | 03/04/14 12:40 | 1 |
| Acetone | <5.0 | | 5.0 | 1.3 | ug/L | | | 03/04/14 12:40 | 1 |
| Methylene Chloride | <5.0 | | 5.0 | 0.68 | ug/L | | | 03/04/14 12:40 | 1 |
| trans-1,2-Dichloroethene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/04/14 12:40 | 1 |
| 1,1-Dichloroethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/04/14 12:40 | 1 |
| 2,2-Dichloropropane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/04/14 12:40 | 1 |
| cis-1,2-Dichloroethene | <1.0 | | 1.0 | 0.12 | ug/L | | | 03/04/14 12:40 | 1 |
| Methyl Ethyl Ketone | <5.0 | | 5.0 | 1.5 | ug/L | | | 03/04/14 12:40 | 1 |
| Bromochloromethane | <1.0 | | 1.0 | 0.40 | ug/L | | | 03/04/14 12:40 | 1 |
| Chloroform | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 12:40 | 1 |
| 1,1,1-Trichloroethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 12:40 | 1 |
| 1,1-Dichloropropene | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/04/14 12:40 | 1 |
| Carbon tetrachloride | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/04/14 12:40 | 1 |
| 1,2-Dichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/04/14 12:40 | 1 |
| Trichloroethene | <0.50 | | 0.50 | 0.19 | ug/L | | | 03/04/14 12:40 | 1 |
| 1,2-Dichloropropane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 12:40 | 1 |
| Dibromomethane | <1.0 | | 1.0 | 0.33 | ug/L | | | 03/04/14 12:40 | 1 |
| Bromodichloromethane | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/04/14 12:40 | 1 |
| cis-1,3-Dichloropropene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/04/14 12:40 | 1 |
| methyl isobutyl ketone | <5.0 | | 5.0 | 0.33 | ug/L | | | 03/04/14 12:40 | 1 |
| Toluene | <0.50 | | 0.50 | 0.11 | ug/L | | | 03/04/14 12:40 | 1 |
| trans-1,3-Dichloropropene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/04/14 12:40 | 1 |
| 1,1,2-Trichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/04/14 12:40 | 1 |
| Tetrachloroethene | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/04/14 12:40 | 1 |
| 1,3-Dichloropropane | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/04/14 12:40 | 1 |
| 2-Hexanone | <5.0 | | 5.0 | 0.56 | ug/L | | | 03/04/14 12:40 | 1 |
| Dibromochloromethane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/04/14 12:40 | 1 |
| 1,2-Dibromoethane | <1.0 | | 1.0 | 0.36 | ug/L | | | 03/04/14 12:40 | 1 |
| Chlorobenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/04/14 12:40 | 1 |
| 1,1,1,2-Tetrachloroethane | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/04/14 12:40 | 1 |
| Ethylbenzene | <0.50 | | 0.50 | 0.13 | ug/L | | | 03/04/14 12:40 | 1 |
| m&p-Xylene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/04/14 12:40 | 1 |
| o-Xylene | <0.50 | | 0.50 | 0.068 | ug/L | | | 03/04/14 12:40 | 1 |
| Styrene | <1.0 | | 1.0 | 0.10 | ug/L | | | 03/04/14 12:40 | 1 |
| Bromoform | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/04/14 12:40 | 1 |
| Isopropylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/04/14 12:40 | 1 |
| Bromobenzene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/04/14 12:40 | 1 |
| 1,1,2,2-Tetrachloroethane | <1.0 | | 1.0 | 0.23 | ug/L | | | 03/04/14 12:40 | 1 |
| 1,2,3-Trichloropropane | <1.0 | | 1.0 | 0.45 | ug/L | | | 03/04/14 12:40 | 1 |
| N-Propylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/04/14 12:40 | 1 |
| 2-Chlorotoluene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/04/14 12:40 | 1 |

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: Trip Blank

Lab Sample ID: 500-72399-16

Date Collected: 02/25/14 08:00

Matrix: Water

Date Received: 02/28/14 10:40

Method: 8260B - VOC (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,3,5-Trimethylbenzene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/04/14 12:40 | 1 |
| 4-Chlorotoluene | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 12:40 | 1 |
| tert-Butylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/04/14 12:40 | 1 |
| 1,2,4-Trimethylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/04/14 12:40 | 1 |
| sec-Butylbenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/04/14 12:40 | 1 |
| 1,3-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/04/14 12:40 | 1 |
| p-Isopropyltoluene | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/04/14 12:40 | 1 |
| 1,4-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/04/14 12:40 | 1 |
| n-Butylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/04/14 12:40 | 1 |
| 1,2-Dichlorobenzene | <1.0 | | 1.0 | 0.27 | ug/L | | | 03/04/14 12:40 | 1 |
| 1,2-Dibromo-3-Chloropropane | <2.0 | | 2.0 | 0.87 | ug/L | | | 03/04/14 12:40 | 1 |
| 1,2,4-Trichlorobenzene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/04/14 12:40 | 1 |
| Hexachlorobutadiene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/04/14 12:40 | 1 |
| Naphthalene | <1.0 | | 1.0 | 0.16 | ug/L | | | 03/04/14 12:40 | 1 |
| 1,2,3-Trichlorobenzene | <1.0 | | 1.0 | 0.24 | ug/L | | | 03/04/14 12:40 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 102 | | 75 - 125 | | 03/04/14 12:40 | 1 |
| Toluene-d8 (Surr) | 97 | | 75 - 120 | | 03/04/14 12:40 | 1 |
| 4-Bromofluorobenzene (Surr) | 112 | | 75 - 120 | | 03/04/14 12:40 | 1 |
| Dibromofluoromethane | 87 | | 75 - 120 | | 03/04/14 12:40 | 1 |

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: EW-2

Lab Sample ID: 500-72399-17

Date Collected: 02/26/14 12:15

Matrix: Water

Date Received: 02/28/14 10:40

Method: 8260B - VOC

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|--------|-----------|------|-------|------|---|----------|----------------|---------|
| Benzene | <0.50 | | 0.50 | 0.074 | ug/L | | | 03/04/14 00:54 | 1 |
| Dichlorodifluoromethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 00:54 | 1 |
| Chloromethane | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/04/14 00:54 | 1 |
| Vinyl chloride | <0.50 | | 0.50 | 0.10 | ug/L | | | 03/04/14 00:54 | 1 |
| Bromomethane | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/04/14 00:54 | 1 |
| Chloroethane | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/04/14 00:54 | 1 |
| Trichlorofluoromethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/04/14 00:54 | 1 |
| 1,1-Dichloroethene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/04/14 00:54 | 1 |
| Carbon disulfide | <5.0 | | 5.0 | 0.43 | ug/L | | | 03/04/14 00:54 | 1 |
| Acetone | <5.0 | | 5.0 | 1.3 | ug/L | | | 03/04/14 00:54 | 1 |
| Methylene Chloride | <5.0 | | 5.0 | 0.68 | ug/L | | | 03/04/14 00:54 | 1 |
| trans-1,2-Dichloroethene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/04/14 00:54 | 1 |
| 1,1-Dichloroethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/04/14 00:54 | 1 |
| 2,2-Dichloropropane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/04/14 00:54 | 1 |
| cis-1,2-Dichloroethene | 2.4 | | 1.0 | 0.12 | ug/L | | | 03/04/14 00:54 | 1 |
| Methyl Ethyl Ketone | <5.0 | | 5.0 | 1.5 | ug/L | | | 03/04/14 00:54 | 1 |
| Bromochloromethane | <1.0 | | 1.0 | 0.40 | ug/L | | | 03/04/14 00:54 | 1 |
| Chloroform | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 00:54 | 1 |
| 1,1,1-Trichloroethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 00:54 | 1 |
| 1,1-Dichloropropene | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/04/14 00:54 | 1 |
| Carbon tetrachloride | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/04/14 00:54 | 1 |
| 1,2-Dichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/04/14 00:54 | 1 |
| Trichloroethene | 83 | | 0.50 | 0.19 | ug/L | | | 03/04/14 00:54 | 1 |
| 1,2-Dichloropropane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 00:54 | 1 |
| Dibromomethane | <1.0 | | 1.0 | 0.33 | ug/L | | | 03/04/14 00:54 | 1 |
| Bromodichloromethane | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/04/14 00:54 | 1 |
| cis-1,3-Dichloropropene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/04/14 00:54 | 1 |
| methyl isobutyl ketone | <5.0 | | 5.0 | 0.33 | ug/L | | | 03/04/14 00:54 | 1 |
| Toluene | <0.50 | | 0.50 | 0.11 | ug/L | | | 03/04/14 00:54 | 1 |
| trans-1,3-Dichloropropene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/04/14 00:54 | 1 |
| 1,1,2-Trichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/04/14 00:54 | 1 |
| Tetrachloroethene | 26 | | 1.0 | 0.17 | ug/L | | | 03/04/14 00:54 | 1 |
| 1,3-Dichloropropane | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/04/14 00:54 | 1 |
| 2-Hexanone | <5.0 | | 5.0 | 0.56 | ug/L | | | 03/04/14 00:54 | 1 |
| Dibromochloromethane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/04/14 00:54 | 1 |
| 1,2-Dibromoethane | <1.0 | | 1.0 | 0.36 | ug/L | | | 03/04/14 00:54 | 1 |
| Chlorobenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/04/14 00:54 | 1 |
| 1,1,1,2-Tetrachloroethane | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/04/14 00:54 | 1 |
| Ethylbenzene | <0.50 | | 0.50 | 0.13 | ug/L | | | 03/04/14 00:54 | 1 |
| m&p-Xylene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/04/14 00:54 | 1 |
| o-Xylene | <0.50 | | 0.50 | 0.068 | ug/L | | | 03/04/14 00:54 | 1 |
| Styrene | <1.0 | | 1.0 | 0.10 | ug/L | | | 03/04/14 00:54 | 1 |
| Bromoform | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/04/14 00:54 | 1 |
| Isopropylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/04/14 00:54 | 1 |
| Bromobenzene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/04/14 00:54 | 1 |
| 1,1,2,2-Tetrachloroethane | <1.0 | | 1.0 | 0.23 | ug/L | | | 03/04/14 00:54 | 1 |
| 1,2,3-Trichloropropane | <1.0 | | 1.0 | 0.45 | ug/L | | | 03/04/14 00:54 | 1 |
| N-Propylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/04/14 00:54 | 1 |
| 2-Chlorotoluene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/04/14 00:54 | 1 |

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: EW-2

Lab Sample ID: 500-72399-17

Date Collected: 02/26/14 12:15

Matrix: Water

Date Received: 02/28/14 10:40

Method: 8260B - VOC (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,3,5-Trimethylbenzene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/04/14 00:54 | 1 |
| 4-Chlorotoluene | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 00:54 | 1 |
| tert-Butylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/04/14 00:54 | 1 |
| 1,2,4-Trimethylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/04/14 00:54 | 1 |
| sec-Butylbenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/04/14 00:54 | 1 |
| 1,3-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/04/14 00:54 | 1 |
| p-Isopropyltoluene | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/04/14 00:54 | 1 |
| 1,4-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/04/14 00:54 | 1 |
| n-Butylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/04/14 00:54 | 1 |
| 1,2-Dichlorobenzene | <1.0 | | 1.0 | 0.27 | ug/L | | | 03/04/14 00:54 | 1 |
| 1,2-Dibromo-3-Chloropropane | <2.0 | | 2.0 | 0.87 | ug/L | | | 03/04/14 00:54 | 1 |
| 1,2,4-Trichlorobenzene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/04/14 00:54 | 1 |
| Hexachlorobutadiene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/04/14 00:54 | 1 |
| Naphthalene | <1.0 * | | 1.0 | 0.16 | ug/L | | | 03/04/14 00:54 | 1 |
| 1,2,3-Trichlorobenzene | <1.0 * | | 1.0 | 0.24 | ug/L | | | 03/04/14 00:54 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 104 | | 75 - 125 | | 03/04/14 00:54 | 1 |
| Toluene-d8 (Surr) | 98 | | 75 - 120 | | 03/04/14 00:54 | 1 |
| 4-Bromofluorobenzene (Surr) | 113 | | 75 - 120 | | 03/04/14 00:54 | 1 |
| Dibromofluoromethane | 89 | | 75 - 120 | | 03/04/14 00:54 | 1 |

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: EW-3

Lab Sample ID: 500-72399-18

Date Collected: 02/26/14 16:20

Matrix: Water

Date Received: 02/28/14 10:40

Method: 8260B - VOC

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|------------|-----------|------|-------|------|---|----------|----------------|---------|
| Benzene | <0.50 | | 0.50 | 0.074 | ug/L | | | 03/04/14 01:18 | 1 |
| Dichlorodifluoromethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 01:18 | 1 |
| Chloromethane | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/04/14 01:18 | 1 |
| Vinyl chloride | <0.50 | | 0.50 | 0.10 | ug/L | | | 03/04/14 01:18 | 1 |
| Bromomethane | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/04/14 01:18 | 1 |
| Chloroethane | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/04/14 01:18 | 1 |
| Trichlorofluoromethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/04/14 01:18 | 1 |
| 1,1-Dichloroethene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/04/14 01:18 | 1 |
| Carbon disulfide | <5.0 | | 5.0 | 0.43 | ug/L | | | 03/04/14 01:18 | 1 |
| Acetone | <5.0 | | 5.0 | 1.3 | ug/L | | | 03/04/14 01:18 | 1 |
| Methylene Chloride | <5.0 | | 5.0 | 0.68 | ug/L | | | 03/04/14 01:18 | 1 |
| trans-1,2-Dichloroethene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/04/14 01:18 | 1 |
| 1,1-Dichloroethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/04/14 01:18 | 1 |
| 2,2-Dichloropropane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/04/14 01:18 | 1 |
| cis-1,2-Dichloroethene | 1.6 | | 1.0 | 0.12 | ug/L | | | 03/04/14 01:18 | 1 |
| Methyl Ethyl Ketone | <5.0 | | 5.0 | 1.5 | ug/L | | | 03/04/14 01:18 | 1 |
| Bromochloromethane | <1.0 | | 1.0 | 0.40 | ug/L | | | 03/04/14 01:18 | 1 |
| Chloroform | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 01:18 | 1 |
| 1,1,1-Trichloroethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 01:18 | 1 |
| 1,1-Dichloropropene | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/04/14 01:18 | 1 |
| Carbon tetrachloride | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/04/14 01:18 | 1 |
| 1,2-Dichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/04/14 01:18 | 1 |
| Trichloroethene | 44 | | 0.50 | 0.19 | ug/L | | | 03/04/14 01:18 | 1 |
| 1,2-Dichloropropane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 01:18 | 1 |
| Dibromomethane | <1.0 | | 1.0 | 0.33 | ug/L | | | 03/04/14 01:18 | 1 |
| Bromodichloromethane | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/04/14 01:18 | 1 |
| cis-1,3-Dichloropropene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/04/14 01:18 | 1 |
| methyl isobutyl ketone | <5.0 | | 5.0 | 0.33 | ug/L | | | 03/04/14 01:18 | 1 |
| Toluene | <0.50 | | 0.50 | 0.11 | ug/L | | | 03/04/14 01:18 | 1 |
| trans-1,3-Dichloropropene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/04/14 01:18 | 1 |
| 1,1,2-Trichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/04/14 01:18 | 1 |
| Tetrachloroethene | 1.6 | | 1.0 | 0.17 | ug/L | | | 03/04/14 01:18 | 1 |
| 1,3-Dichloropropane | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/04/14 01:18 | 1 |
| 2-Hexanone | <5.0 | | 5.0 | 0.56 | ug/L | | | 03/04/14 01:18 | 1 |
| Dibromochloromethane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/04/14 01:18 | 1 |
| 1,2-Dibromoethane | <1.0 | | 1.0 | 0.36 | ug/L | | | 03/04/14 01:18 | 1 |
| Chlorobenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/04/14 01:18 | 1 |
| 1,1,1,2-Tetrachloroethane | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/04/14 01:18 | 1 |
| Ethylbenzene | <0.50 | | 0.50 | 0.13 | ug/L | | | 03/04/14 01:18 | 1 |
| m&p-Xylene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/04/14 01:18 | 1 |
| o-Xylene | <0.50 | | 0.50 | 0.068 | ug/L | | | 03/04/14 01:18 | 1 |
| Styrene | <1.0 | | 1.0 | 0.10 | ug/L | | | 03/04/14 01:18 | 1 |
| Bromoform | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/04/14 01:18 | 1 |
| Isopropylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/04/14 01:18 | 1 |
| Bromobenzene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/04/14 01:18 | 1 |
| 1,1,2,2-Tetrachloroethane | <1.0 | | 1.0 | 0.23 | ug/L | | | 03/04/14 01:18 | 1 |
| 1,2,3-Trichloropropane | <1.0 | | 1.0 | 0.45 | ug/L | | | 03/04/14 01:18 | 1 |
| N-Propylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/04/14 01:18 | 1 |
| 2-Chlorotoluene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/04/14 01:18 | 1 |

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: EW-3

Lab Sample ID: 500-72399-18

Date Collected: 02/26/14 16:20

Matrix: Water

Date Received: 02/28/14 10:40

Method: 8260B - VOC (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,3,5-Trimethylbenzene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/04/14 01:18 | 1 |
| 4-Chlorotoluene | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 01:18 | 1 |
| tert-Butylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/04/14 01:18 | 1 |
| 1,2,4-Trimethylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/04/14 01:18 | 1 |
| sec-Butylbenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/04/14 01:18 | 1 |
| 1,3-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/04/14 01:18 | 1 |
| p-Isopropyltoluene | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/04/14 01:18 | 1 |
| 1,4-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/04/14 01:18 | 1 |
| n-Butylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/04/14 01:18 | 1 |
| 1,2-Dichlorobenzene | <1.0 | | 1.0 | 0.27 | ug/L | | | 03/04/14 01:18 | 1 |
| 1,2-Dibromo-3-Chloropropane | <2.0 | | 2.0 | 0.87 | ug/L | | | 03/04/14 01:18 | 1 |
| 1,2,4-Trichlorobenzene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/04/14 01:18 | 1 |
| Hexachlorobutadiene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/04/14 01:18 | 1 |
| Naphthalene | <1.0 * | | 1.0 | 0.16 | ug/L | | | 03/04/14 01:18 | 1 |
| 1,2,3-Trichlorobenzene | <1.0 * | | 1.0 | 0.24 | ug/L | | | 03/04/14 01:18 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 105 | | 75 - 125 | | 03/04/14 01:18 | 1 |
| Toluene-d8 (Surr) | 97 | | 75 - 120 | | 03/04/14 01:18 | 1 |
| 4-Bromofluorobenzene (Surr) | 111 | | 75 - 120 | | 03/04/14 01:18 | 1 |
| Dibromofluoromethane | 89 | | 75 - 120 | | 03/04/14 01:18 | 1 |

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: EW-4

Lab Sample ID: 500-72399-19

Date Collected: 02/26/14 16:15

Matrix: Water

Date Received: 02/28/14 10:40

Method: 8260B - VOC

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|-----------|-----------|------|-------|------|---|----------|----------------|---------|
| Benzene | <0.50 | | 0.50 | 0.074 | ug/L | | | 03/04/14 01:43 | 1 |
| Dichlorodifluoromethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 01:43 | 1 |
| Chloromethane | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/04/14 01:43 | 1 |
| Vinyl chloride | <0.50 | | 0.50 | 0.10 | ug/L | | | 03/04/14 01:43 | 1 |
| Bromomethane | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/04/14 01:43 | 1 |
| Chloroethane | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/04/14 01:43 | 1 |
| Trichlorofluoromethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/04/14 01:43 | 1 |
| 1,1-Dichloroethene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/04/14 01:43 | 1 |
| Carbon disulfide | <5.0 | | 5.0 | 0.43 | ug/L | | | 03/04/14 01:43 | 1 |
| Acetone | <5.0 | | 5.0 | 1.3 | ug/L | | | 03/04/14 01:43 | 1 |
| Methylene Chloride | <5.0 | | 5.0 | 0.68 | ug/L | | | 03/04/14 01:43 | 1 |
| trans-1,2-Dichloroethene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/04/14 01:43 | 1 |
| 1,1-Dichloroethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/04/14 01:43 | 1 |
| 2,2-Dichloropropane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/04/14 01:43 | 1 |
| cis-1,2-Dichloroethene | <1.0 | | 1.0 | 0.12 | ug/L | | | 03/04/14 01:43 | 1 |
| Methyl Ethyl Ketone | <5.0 | | 5.0 | 1.5 | ug/L | | | 03/04/14 01:43 | 1 |
| Bromochloromethane | <1.0 | | 1.0 | 0.40 | ug/L | | | 03/04/14 01:43 | 1 |
| Chloroform | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 01:43 | 1 |
| 1,1,1-Trichloroethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 01:43 | 1 |
| 1,1-Dichloropropene | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/04/14 01:43 | 1 |
| Carbon tetrachloride | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/04/14 01:43 | 1 |
| 1,2-Dichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/04/14 01:43 | 1 |
| 1,2-Dichloropropane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 01:43 | 1 |
| Dibromomethane | <1.0 | | 1.0 | 0.33 | ug/L | | | 03/04/14 01:43 | 1 |
| Bromodichloromethane | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/04/14 01:43 | 1 |
| cis-1,3-Dichloropropene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/04/14 01:43 | 1 |
| methyl isobutyl ketone | <5.0 | | 5.0 | 0.33 | ug/L | | | 03/04/14 01:43 | 1 |
| Toluene | <0.50 | | 0.50 | 0.11 | ug/L | | | 03/04/14 01:43 | 1 |
| trans-1,3-Dichloropropene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/04/14 01:43 | 1 |
| 1,1,2-Trichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/04/14 01:43 | 1 |
| Tetrachloroethene | 12 | | 1.0 | 0.17 | ug/L | | | 03/04/14 01:43 | 1 |
| 1,3-Dichloropropane | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/04/14 01:43 | 1 |
| 2-Hexanone | <5.0 | | 5.0 | 0.56 | ug/L | | | 03/04/14 01:43 | 1 |
| Dibromochloromethane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/04/14 01:43 | 1 |
| 1,2-Dibromoethane | <1.0 | | 1.0 | 0.36 | ug/L | | | 03/04/14 01:43 | 1 |
| Chlorobenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/04/14 01:43 | 1 |
| 1,1,1,2-Tetrachloroethane | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/04/14 01:43 | 1 |
| Ethylbenzene | <0.50 | | 0.50 | 0.13 | ug/L | | | 03/04/14 01:43 | 1 |
| m&p-Xylene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/04/14 01:43 | 1 |
| o-Xylene | <0.50 | | 0.50 | 0.068 | ug/L | | | 03/04/14 01:43 | 1 |
| Styrene | <1.0 | | 1.0 | 0.10 | ug/L | | | 03/04/14 01:43 | 1 |
| Bromoform | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/04/14 01:43 | 1 |
| Isopropylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/04/14 01:43 | 1 |
| Bromobenzene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/04/14 01:43 | 1 |
| 1,1,2,2-Tetrachloroethane | <1.0 | | 1.0 | 0.23 | ug/L | | | 03/04/14 01:43 | 1 |
| 1,2,3-Trichloropropane | <1.0 | | 1.0 | 0.45 | ug/L | | | 03/04/14 01:43 | 1 |
| N-Propylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/04/14 01:43 | 1 |
| 2-Chlorotoluene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/04/14 01:43 | 1 |
| 1,3,5-Trimethylbenzene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/04/14 01:43 | 1 |

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: EW-4
Date Collected: 02/26/14 16:15
Date Received: 02/28/14 10:40

Lab Sample ID: 500-72399-19
Matrix: Water

Method: 8260B - VOC (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 4-Chlorotoluene | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 01:43 | 1 |
| tert-Butylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/04/14 01:43 | 1 |
| 1,2,4-Trimethylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/04/14 01:43 | 1 |
| sec-Butylbenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/04/14 01:43 | 1 |
| 1,3-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/04/14 01:43 | 1 |
| p-Isopropyltoluene | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/04/14 01:43 | 1 |
| 1,4-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/04/14 01:43 | 1 |
| n-Butylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/04/14 01:43 | 1 |
| 1,2-Dichlorobenzene | <1.0 | | 1.0 | 0.27 | ug/L | | | 03/04/14 01:43 | 1 |
| 1,2-Dibromo-3-Chloropropane | <2.0 | | 2.0 | 0.87 | ug/L | | | 03/04/14 01:43 | 1 |
| 1,2,4-Trichlorobenzene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/04/14 01:43 | 1 |
| Hexachlorobutadiene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/04/14 01:43 | 1 |
| Naphthalene | <1.0 * | | 1.0 | 0.16 | ug/L | | | 03/04/14 01:43 | 1 |
| 1,2,3-Trichlorobenzene | <1.0 * | | 1.0 | 0.24 | ug/L | | | 03/04/14 01:43 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 105 | | 75 - 125 | | 03/04/14 01:43 | 1 |
| Toluene-d8 (Surr) | 97 | | 75 - 120 | | 03/04/14 01:43 | 1 |
| 4-Bromofluorobenzene (Surr) | 109 | | 75 - 120 | | 03/04/14 01:43 | 1 |
| Dibromofluoromethane | 88 | | 75 - 120 | | 03/04/14 01:43 | 1 |

Method: 8260B - VOC - DL

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Trichloroethene | 530 | | 5.0 | 1.9 | ug/L | | | 03/04/14 02:08 | 10 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 105 | | 75 - 125 | | 03/04/14 02:08 | 10 |
| Toluene-d8 (Surr) | 97 | | 75 - 120 | | 03/04/14 02:08 | 10 |
| 4-Bromofluorobenzene (Surr) | 114 | | 75 - 120 | | 03/04/14 02:08 | 10 |
| Dibromofluoromethane | 89 | | 75 - 120 | | 03/04/14 02:08 | 10 |

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: EW-5

Lab Sample ID: 500-72399-20

Date Collected: 02/26/14 16:30

Matrix: Water

Date Received: 02/28/14 10:40

Method: 8260B - VOC

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|------------|-----------|------|-------|------|---|----------|----------------|---------|
| Benzene | <0.50 | | 0.50 | 0.074 | ug/L | | | 03/04/14 02:32 | 1 |
| Dichlorodifluoromethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 02:32 | 1 |
| Chloromethane | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/04/14 02:32 | 1 |
| Vinyl chloride | <0.50 | | 0.50 | 0.10 | ug/L | | | 03/04/14 02:32 | 1 |
| Bromomethane | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/04/14 02:32 | 1 |
| Chloroethane | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/04/14 02:32 | 1 |
| Trichlorofluoromethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/04/14 02:32 | 1 |
| 1,1-Dichloroethene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/04/14 02:32 | 1 |
| Carbon disulfide | <5.0 | | 5.0 | 0.43 | ug/L | | | 03/04/14 02:32 | 1 |
| Acetone | <5.0 | | 5.0 | 1.3 | ug/L | | | 03/04/14 02:32 | 1 |
| Methylene Chloride | <5.0 | | 5.0 | 0.68 | ug/L | | | 03/04/14 02:32 | 1 |
| trans-1,2-Dichloroethene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/04/14 02:32 | 1 |
| 1,1-Dichloroethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/04/14 02:32 | 1 |
| 2,2-Dichloropropane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/04/14 02:32 | 1 |
| cis-1,2-Dichloroethene | <1.0 | | 1.0 | 0.12 | ug/L | | | 03/04/14 02:32 | 1 |
| Methyl Ethyl Ketone | <5.0 | | 5.0 | 1.5 | ug/L | | | 03/04/14 02:32 | 1 |
| Bromochloromethane | <1.0 | | 1.0 | 0.40 | ug/L | | | 03/04/14 02:32 | 1 |
| Chloroform | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 02:32 | 1 |
| 1,1,1-Trichloroethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 02:32 | 1 |
| 1,1-Dichloropropene | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/04/14 02:32 | 1 |
| Carbon tetrachloride | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/04/14 02:32 | 1 |
| 1,2-Dichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/04/14 02:32 | 1 |
| Trichloroethene | 100 | | 0.50 | 0.19 | ug/L | | | 03/04/14 02:32 | 1 |
| 1,2-Dichloropropane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 02:32 | 1 |
| Dibromomethane | <1.0 | | 1.0 | 0.33 | ug/L | | | 03/04/14 02:32 | 1 |
| Bromodichloromethane | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/04/14 02:32 | 1 |
| cis-1,3-Dichloropropene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/04/14 02:32 | 1 |
| methyl isobutyl ketone | <5.0 | | 5.0 | 0.33 | ug/L | | | 03/04/14 02:32 | 1 |
| Toluene | <0.50 | | 0.50 | 0.11 | ug/L | | | 03/04/14 02:32 | 1 |
| trans-1,3-Dichloropropene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/04/14 02:32 | 1 |
| 1,1,2-Trichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/04/14 02:32 | 1 |
| Tetrachloroethene | 3.0 | | 1.0 | 0.17 | ug/L | | | 03/04/14 02:32 | 1 |
| 1,3-Dichloropropane | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/04/14 02:32 | 1 |
| 2-Hexanone | <5.0 | | 5.0 | 0.56 | ug/L | | | 03/04/14 02:32 | 1 |
| Dibromochloromethane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/04/14 02:32 | 1 |
| 1,2-Dibromoethane | <1.0 | | 1.0 | 0.36 | ug/L | | | 03/04/14 02:32 | 1 |
| Chlorobenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/04/14 02:32 | 1 |
| 1,1,1,2-Tetrachloroethane | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/04/14 02:32 | 1 |
| Ethylbenzene | <0.50 | | 0.50 | 0.13 | ug/L | | | 03/04/14 02:32 | 1 |
| m&p-Xylene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/04/14 02:32 | 1 |
| o-Xylene | <0.50 | | 0.50 | 0.068 | ug/L | | | 03/04/14 02:32 | 1 |
| Styrene | <1.0 | | 1.0 | 0.10 | ug/L | | | 03/04/14 02:32 | 1 |
| Bromoform | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/04/14 02:32 | 1 |
| Isopropylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/04/14 02:32 | 1 |
| Bromobenzene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/04/14 02:32 | 1 |
| 1,1,2,2-Tetrachloroethane | <1.0 | | 1.0 | 0.23 | ug/L | | | 03/04/14 02:32 | 1 |
| 1,2,3-Trichloropropane | <1.0 | | 1.0 | 0.45 | ug/L | | | 03/04/14 02:32 | 1 |
| N-Propylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/04/14 02:32 | 1 |
| 2-Chlorotoluene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/04/14 02:32 | 1 |

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: EW-5

Lab Sample ID: 500-72399-20

Date Collected: 02/26/14 16:30

Matrix: Water

Date Received: 02/28/14 10:40

Method: 8260B - VOC (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,3,5-Trimethylbenzene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/04/14 02:32 | 1 |
| 4-Chlorotoluene | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 02:32 | 1 |
| tert-Butylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/04/14 02:32 | 1 |
| 1,2,4-Trimethylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/04/14 02:32 | 1 |
| sec-Butylbenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/04/14 02:32 | 1 |
| 1,3-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/04/14 02:32 | 1 |
| p-Isopropyltoluene | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/04/14 02:32 | 1 |
| 1,4-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/04/14 02:32 | 1 |
| n-Butylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/04/14 02:32 | 1 |
| 1,2-Dichlorobenzene | <1.0 | | 1.0 | 0.27 | ug/L | | | 03/04/14 02:32 | 1 |
| 1,2-Dibromo-3-Chloropropane | <2.0 | | 2.0 | 0.87 | ug/L | | | 03/04/14 02:32 | 1 |
| 1,2,4-Trichlorobenzene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/04/14 02:32 | 1 |
| Hexachlorobutadiene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/04/14 02:32 | 1 |
| Naphthalene | <1.0 | * | 1.0 | 0.16 | ug/L | | | 03/04/14 02:32 | 1 |
| 1,2,3-Trichlorobenzene | <1.0 | * | 1.0 | 0.24 | ug/L | | | 03/04/14 02:32 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 106 | | 75 - 125 | | 03/04/14 02:32 | 1 |
| Toluene-d8 (Surr) | 96 | | 75 - 120 | | 03/04/14 02:32 | 1 |
| 4-Bromofluorobenzene (Surr) | 113 | | 75 - 120 | | 03/04/14 02:32 | 1 |
| Dibromofluoromethane | 89 | | 75 - 120 | | 03/04/14 02:32 | 1 |

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: EW-6

Lab Sample ID: 500-72399-21

Date Collected: 02/26/14 15:00

Matrix: Water

Date Received: 02/28/14 10:40

Method: 8260B - VOC

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|------------|-----------|------|-------|------|---|----------|----------------|---------|
| Benzene | <0.50 | | 0.50 | 0.074 | ug/L | | | 03/04/14 02:57 | 1 |
| Dichlorodifluoromethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 02:57 | 1 |
| Chloromethane | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/04/14 02:57 | 1 |
| Vinyl chloride | <0.50 | | 0.50 | 0.10 | ug/L | | | 03/04/14 02:57 | 1 |
| Bromomethane | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/04/14 02:57 | 1 |
| Chloroethane | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/04/14 02:57 | 1 |
| Trichlorofluoromethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/04/14 02:57 | 1 |
| 1,1-Dichloroethene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/04/14 02:57 | 1 |
| Carbon disulfide | <5.0 | | 5.0 | 0.43 | ug/L | | | 03/04/14 02:57 | 1 |
| Acetone | <5.0 | | 5.0 | 1.3 | ug/L | | | 03/04/14 02:57 | 1 |
| Methylene Chloride | <5.0 | | 5.0 | 0.68 | ug/L | | | 03/04/14 02:57 | 1 |
| trans-1,2-Dichloroethene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/04/14 02:57 | 1 |
| 1,1-Dichloroethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/04/14 02:57 | 1 |
| 2,2-Dichloropropane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/04/14 02:57 | 1 |
| cis-1,2-Dichloroethene | <1.0 | | 1.0 | 0.12 | ug/L | | | 03/04/14 02:57 | 1 |
| Methyl Ethyl Ketone | <5.0 | | 5.0 | 1.5 | ug/L | | | 03/04/14 02:57 | 1 |
| Bromochloromethane | <1.0 | | 1.0 | 0.40 | ug/L | | | 03/04/14 02:57 | 1 |
| Chloroform | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 02:57 | 1 |
| 1,1,1-Trichloroethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 02:57 | 1 |
| 1,1-Dichloropropene | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/04/14 02:57 | 1 |
| Carbon tetrachloride | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/04/14 02:57 | 1 |
| 1,2-Dichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/04/14 02:57 | 1 |
| Trichloroethene | 4.2 | | 0.50 | 0.19 | ug/L | | | 03/04/14 02:57 | 1 |
| 1,2-Dichloropropane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 02:57 | 1 |
| Dibromomethane | <1.0 | | 1.0 | 0.33 | ug/L | | | 03/04/14 02:57 | 1 |
| Bromodichloromethane | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/04/14 02:57 | 1 |
| cis-1,3-Dichloropropene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/04/14 02:57 | 1 |
| methyl isobutyl ketone | <5.0 | | 5.0 | 0.33 | ug/L | | | 03/04/14 02:57 | 1 |
| Toluene | <0.50 | | 0.50 | 0.11 | ug/L | | | 03/04/14 02:57 | 1 |
| trans-1,3-Dichloropropene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/04/14 02:57 | 1 |
| 1,1,2-Trichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/04/14 02:57 | 1 |
| Tetrachloroethene | 7.1 | | 1.0 | 0.17 | ug/L | | | 03/04/14 02:57 | 1 |
| 1,3-Dichloropropane | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/04/14 02:57 | 1 |
| 2-Hexanone | <5.0 | | 5.0 | 0.56 | ug/L | | | 03/04/14 02:57 | 1 |
| Dibromochloromethane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/04/14 02:57 | 1 |
| 1,2-Dibromoethane | <1.0 | | 1.0 | 0.36 | ug/L | | | 03/04/14 02:57 | 1 |
| Chlorobenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/04/14 02:57 | 1 |
| 1,1,1,2-Tetrachloroethane | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/04/14 02:57 | 1 |
| Ethylbenzene | <0.50 | | 0.50 | 0.13 | ug/L | | | 03/04/14 02:57 | 1 |
| m&p-Xylene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/04/14 02:57 | 1 |
| o-Xylene | <0.50 | | 0.50 | 0.068 | ug/L | | | 03/04/14 02:57 | 1 |
| Styrene | <1.0 | | 1.0 | 0.10 | ug/L | | | 03/04/14 02:57 | 1 |
| Bromoform | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/04/14 02:57 | 1 |
| Isopropylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/04/14 02:57 | 1 |
| Bromobenzene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/04/14 02:57 | 1 |
| 1,1,2,2-Tetrachloroethane | <1.0 | | 1.0 | 0.23 | ug/L | | | 03/04/14 02:57 | 1 |
| 1,2,3-Trichloropropane | <1.0 | | 1.0 | 0.45 | ug/L | | | 03/04/14 02:57 | 1 |
| N-Propylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/04/14 02:57 | 1 |
| 2-Chlorotoluene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/04/14 02:57 | 1 |

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: EW-6

Lab Sample ID: 500-72399-21

Date Collected: 02/26/14 15:00

Matrix: Water

Date Received: 02/28/14 10:40

Method: 8260B - VOC (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,3,5-Trimethylbenzene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/04/14 02:57 | 1 |
| 4-Chlorotoluene | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 02:57 | 1 |
| tert-Butylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/04/14 02:57 | 1 |
| 1,2,4-Trimethylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/04/14 02:57 | 1 |
| sec-Butylbenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/04/14 02:57 | 1 |
| 1,3-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/04/14 02:57 | 1 |
| p-Isopropyltoluene | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/04/14 02:57 | 1 |
| 1,4-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/04/14 02:57 | 1 |
| n-Butylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/04/14 02:57 | 1 |
| 1,2-Dichlorobenzene | <1.0 | | 1.0 | 0.27 | ug/L | | | 03/04/14 02:57 | 1 |
| 1,2-Dibromo-3-Chloropropane | <2.0 | | 2.0 | 0.87 | ug/L | | | 03/04/14 02:57 | 1 |
| 1,2,4-Trichlorobenzene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/04/14 02:57 | 1 |
| Hexachlorobutadiene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/04/14 02:57 | 1 |
| Naphthalene | <1.0 * | | 1.0 | 0.16 | ug/L | | | 03/04/14 02:57 | 1 |
| 1,2,3-Trichlorobenzene | <1.0 * | | 1.0 | 0.24 | ug/L | | | 03/04/14 02:57 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 106 | | 75 - 125 | | 03/04/14 02:57 | 1 |
| Toluene-d8 (Surr) | 96 | | 75 - 120 | | 03/04/14 02:57 | 1 |
| 4-Bromofluorobenzene (Surr) | 112 | | 75 - 120 | | 03/04/14 02:57 | 1 |
| Dibromofluoromethane | 89 | | 75 - 120 | | 03/04/14 02:57 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: EW-7

Lab Sample ID: 500-72399-22

Date Collected: 02/26/14 15:10

Matrix: Water

Date Received: 02/28/14 10:40

Method: 8260B - VOC

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|--------|-----------|------|-------|------|---|----------|----------------|---------|
| Benzene | <0.50 | | 0.50 | 0.074 | ug/L | | | 03/04/14 03:21 | 1 |
| Dichlorodifluoromethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 03:21 | 1 |
| Chloromethane | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/04/14 03:21 | 1 |
| Vinyl chloride | <0.50 | | 0.50 | 0.10 | ug/L | | | 03/04/14 03:21 | 1 |
| Bromomethane | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/04/14 03:21 | 1 |
| Chloroethane | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/04/14 03:21 | 1 |
| Trichlorofluoromethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/04/14 03:21 | 1 |
| 1,1-Dichloroethene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/04/14 03:21 | 1 |
| Carbon disulfide | <5.0 | | 5.0 | 0.43 | ug/L | | | 03/04/14 03:21 | 1 |
| Acetone | <5.0 | | 5.0 | 1.3 | ug/L | | | 03/04/14 03:21 | 1 |
| Methylene Chloride | <5.0 | | 5.0 | 0.68 | ug/L | | | 03/04/14 03:21 | 1 |
| trans-1,2-Dichloroethene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/04/14 03:21 | 1 |
| 1,1-Dichloroethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/04/14 03:21 | 1 |
| 2,2-Dichloropropane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/04/14 03:21 | 1 |
| cis-1,2-Dichloroethene | 4.2 | | 1.0 | 0.12 | ug/L | | | 03/04/14 03:21 | 1 |
| Methyl Ethyl Ketone | <5.0 | | 5.0 | 1.5 | ug/L | | | 03/04/14 03:21 | 1 |
| Bromochloromethane | <1.0 | | 1.0 | 0.40 | ug/L | | | 03/04/14 03:21 | 1 |
| Chloroform | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 03:21 | 1 |
| 1,1,1-Trichloroethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 03:21 | 1 |
| 1,1-Dichloropropene | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/04/14 03:21 | 1 |
| Carbon tetrachloride | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/04/14 03:21 | 1 |
| 1,2-Dichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/04/14 03:21 | 1 |
| Trichloroethene | 3.3 | | 0.50 | 0.19 | ug/L | | | 03/04/14 03:21 | 1 |
| 1,2-Dichloropropane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 03:21 | 1 |
| Dibromomethane | <1.0 | | 1.0 | 0.33 | ug/L | | | 03/04/14 03:21 | 1 |
| Bromodichloromethane | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/04/14 03:21 | 1 |
| cis-1,3-Dichloropropene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/04/14 03:21 | 1 |
| methyl isobutyl ketone | <5.0 | | 5.0 | 0.33 | ug/L | | | 03/04/14 03:21 | 1 |
| Toluene | <0.50 | | 0.50 | 0.11 | ug/L | | | 03/04/14 03:21 | 1 |
| trans-1,3-Dichloropropene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/04/14 03:21 | 1 |
| 1,1,2-Trichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/04/14 03:21 | 1 |
| Tetrachloroethene | 7.2 | | 1.0 | 0.17 | ug/L | | | 03/04/14 03:21 | 1 |
| 1,3-Dichloropropane | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/04/14 03:21 | 1 |
| 2-Hexanone | <5.0 | | 5.0 | 0.56 | ug/L | | | 03/04/14 03:21 | 1 |
| Dibromochloromethane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/04/14 03:21 | 1 |
| 1,2-Dibromoethane | <1.0 | | 1.0 | 0.36 | ug/L | | | 03/04/14 03:21 | 1 |
| Chlorobenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/04/14 03:21 | 1 |
| 1,1,1,2-Tetrachloroethane | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/04/14 03:21 | 1 |
| Ethylbenzene | <0.50 | | 0.50 | 0.13 | ug/L | | | 03/04/14 03:21 | 1 |
| m&p-Xylene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/04/14 03:21 | 1 |
| o-Xylene | <0.50 | | 0.50 | 0.068 | ug/L | | | 03/04/14 03:21 | 1 |
| Styrene | <1.0 | | 1.0 | 0.10 | ug/L | | | 03/04/14 03:21 | 1 |
| Bromoform | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/04/14 03:21 | 1 |
| Isopropylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/04/14 03:21 | 1 |
| Bromobenzene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/04/14 03:21 | 1 |
| 1,1,2,2-Tetrachloroethane | <1.0 | | 1.0 | 0.23 | ug/L | | | 03/04/14 03:21 | 1 |
| 1,2,3-Trichloropropane | <1.0 | | 1.0 | 0.45 | ug/L | | | 03/04/14 03:21 | 1 |
| N-Propylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/04/14 03:21 | 1 |
| 2-Chlorotoluene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/04/14 03:21 | 1 |

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: EW-7

Lab Sample ID: 500-72399-22

Date Collected: 02/26/14 15:10

Matrix: Water

Date Received: 02/28/14 10:40

Method: 8260B - VOC (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,3,5-Trimethylbenzene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/04/14 03:21 | 1 |
| 4-Chlorotoluene | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 03:21 | 1 |
| tert-Butylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/04/14 03:21 | 1 |
| 1,2,4-Trimethylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/04/14 03:21 | 1 |
| sec-Butylbenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/04/14 03:21 | 1 |
| 1,3-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/04/14 03:21 | 1 |
| p-Isopropyltoluene | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/04/14 03:21 | 1 |
| 1,4-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/04/14 03:21 | 1 |
| n-Butylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/04/14 03:21 | 1 |
| 1,2-Dichlorobenzene | <1.0 | | 1.0 | 0.27 | ug/L | | | 03/04/14 03:21 | 1 |
| 1,2-Dibromo-3-Chloropropane | <2.0 | | 2.0 | 0.87 | ug/L | | | 03/04/14 03:21 | 1 |
| 1,2,4-Trichlorobenzene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/04/14 03:21 | 1 |
| Hexachlorobutadiene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/04/14 03:21 | 1 |
| Naphthalene | <1.0 * | | 1.0 | 0.16 | ug/L | | | 03/04/14 03:21 | 1 |
| 1,2,3-Trichlorobenzene | <1.0 * | | 1.0 | 0.24 | ug/L | | | 03/04/14 03:21 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 105 | | 75 - 125 | | 03/04/14 03:21 | 1 |
| Toluene-d8 (Surr) | 96 | | 75 - 120 | | 03/04/14 03:21 | 1 |
| 4-Bromofluorobenzene (Surr) | 111 | | 75 - 120 | | 03/04/14 03:21 | 1 |
| Dibromofluoromethane | 91 | | 75 - 120 | | 03/04/14 03:21 | 1 |

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: EW-8

Lab Sample ID: 500-72399-23

Date Collected: 02/26/14 15:45

Matrix: Water

Date Received: 02/28/14 10:40

Method: 8260B - VOC

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-------------------------------|-------------|-----------|------|-------|------|---|----------|----------------|---------|
| Benzene | <0.50 | | 0.50 | 0.074 | ug/L | | | 03/04/14 03:46 | 1 |
| Dichlorodifluoromethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 03:46 | 1 |
| Chloromethane | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/04/14 03:46 | 1 |
| Vinyl chloride | <0.50 | | 0.50 | 0.10 | ug/L | | | 03/04/14 03:46 | 1 |
| Bromomethane | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/04/14 03:46 | 1 |
| Chloroethane | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/04/14 03:46 | 1 |
| Trichlorofluoromethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/04/14 03:46 | 1 |
| 1,1-Dichloroethene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/04/14 03:46 | 1 |
| Carbon disulfide | <5.0 | | 5.0 | 0.43 | ug/L | | | 03/04/14 03:46 | 1 |
| Acetone | <5.0 | | 5.0 | 1.3 | ug/L | | | 03/04/14 03:46 | 1 |
| Methylene Chloride | <5.0 | | 5.0 | 0.68 | ug/L | | | 03/04/14 03:46 | 1 |
| trans-1,2-Dichloroethene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/04/14 03:46 | 1 |
| 1,1-Dichloroethane | 0.70 | J | 1.0 | 0.19 | ug/L | | | 03/04/14 03:46 | 1 |
| 2,2-Dichloropropane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/04/14 03:46 | 1 |
| cis-1,2-Dichloroethene | 22 | | 1.0 | 0.12 | ug/L | | | 03/04/14 03:46 | 1 |
| Methyl Ethyl Ketone | <5.0 | | 5.0 | 1.5 | ug/L | | | 03/04/14 03:46 | 1 |
| Bromochloromethane | <1.0 | | 1.0 | 0.40 | ug/L | | | 03/04/14 03:46 | 1 |
| Chloroform | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 03:46 | 1 |
| 1,1,1-Trichloroethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 03:46 | 1 |
| 1,1-Dichloropropene | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/04/14 03:46 | 1 |
| Carbon tetrachloride | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/04/14 03:46 | 1 |
| 1,2-Dichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/04/14 03:46 | 1 |
| Trichloroethene | 7.0 | | 0.50 | 0.19 | ug/L | | | 03/04/14 03:46 | 1 |
| 1,2-Dichloropropane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 03:46 | 1 |
| Dibromomethane | <1.0 | | 1.0 | 0.33 | ug/L | | | 03/04/14 03:46 | 1 |
| Bromodichloromethane | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/04/14 03:46 | 1 |
| cis-1,3-Dichloropropene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/04/14 03:46 | 1 |
| methyl isobutyl ketone | <5.0 | | 5.0 | 0.33 | ug/L | | | 03/04/14 03:46 | 1 |
| Toluene | <0.50 | | 0.50 | 0.11 | ug/L | | | 03/04/14 03:46 | 1 |
| trans-1,3-Dichloropropene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/04/14 03:46 | 1 |
| 1,1,2-Trichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/04/14 03:46 | 1 |
| Tetrachloroethene | 64 | | 1.0 | 0.17 | ug/L | | | 03/04/14 03:46 | 1 |
| 1,3-Dichloropropane | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/04/14 03:46 | 1 |
| 2-Hexanone | <5.0 | | 5.0 | 0.56 | ug/L | | | 03/04/14 03:46 | 1 |
| Dibromochloromethane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/04/14 03:46 | 1 |
| 1,2-Dibromoethane | <1.0 | | 1.0 | 0.36 | ug/L | | | 03/04/14 03:46 | 1 |
| Chlorobenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/04/14 03:46 | 1 |
| 1,1,1,2-Tetrachloroethane | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/04/14 03:46 | 1 |
| Ethylbenzene | <0.50 | | 0.50 | 0.13 | ug/L | | | 03/04/14 03:46 | 1 |
| m&p-Xylene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/04/14 03:46 | 1 |
| o-Xylene | <0.50 | | 0.50 | 0.068 | ug/L | | | 03/04/14 03:46 | 1 |
| Styrene | <1.0 | | 1.0 | 0.10 | ug/L | | | 03/04/14 03:46 | 1 |
| Bromoform | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/04/14 03:46 | 1 |
| Isopropylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/04/14 03:46 | 1 |
| Bromobenzene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/04/14 03:46 | 1 |
| 1,1,2,2-Tetrachloroethane | <1.0 | | 1.0 | 0.23 | ug/L | | | 03/04/14 03:46 | 1 |
| 1,2,3-Trichloropropane | <1.0 | | 1.0 | 0.45 | ug/L | | | 03/04/14 03:46 | 1 |
| N-Propylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/04/14 03:46 | 1 |
| 2-Chlorotoluene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/04/14 03:46 | 1 |

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: EW-8

Lab Sample ID: 500-72399-23

Date Collected: 02/26/14 15:45

Matrix: Water

Date Received: 02/28/14 10:40

Method: 8260B - VOC (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,3,5-Trimethylbenzene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/04/14 03:46 | 1 |
| 4-Chlorotoluene | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 03:46 | 1 |
| tert-Butylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/04/14 03:46 | 1 |
| 1,2,4-Trimethylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/04/14 03:46 | 1 |
| sec-Butylbenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/04/14 03:46 | 1 |
| 1,3-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/04/14 03:46 | 1 |
| p-Isopropyltoluene | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/04/14 03:46 | 1 |
| 1,4-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/04/14 03:46 | 1 |
| n-Butylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/04/14 03:46 | 1 |
| 1,2-Dichlorobenzene | <1.0 | | 1.0 | 0.27 | ug/L | | | 03/04/14 03:46 | 1 |
| 1,2-Dibromo-3-Chloropropane | <2.0 | | 2.0 | 0.87 | ug/L | | | 03/04/14 03:46 | 1 |
| 1,2,4-Trichlorobenzene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/04/14 03:46 | 1 |
| Hexachlorobutadiene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/04/14 03:46 | 1 |
| Naphthalene | <1.0 * | | 1.0 | 0.16 | ug/L | | | 03/04/14 03:46 | 1 |
| 1,2,3-Trichlorobenzene | <1.0 * | | 1.0 | 0.24 | ug/L | | | 03/04/14 03:46 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 106 | | 75 - 125 | | 03/04/14 03:46 | 1 |
| Toluene-d8 (Surr) | 98 | | 75 - 120 | | 03/04/14 03:46 | 1 |
| 4-Bromofluorobenzene (Surr) | 114 | | 75 - 120 | | 03/04/14 03:46 | 1 |
| Dibromofluoromethane | 89 | | 75 - 120 | | 03/04/14 03:46 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: EW-9

Lab Sample ID: 500-72399-24

Date Collected: 02/26/14 15:55

Matrix: Water

Date Received: 02/28/14 10:40

Method: 8260B - VOC

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|--------|-----------|------|-------|------|---|----------|----------------|---------|
| Benzene | <0.50 | | 0.50 | 0.074 | ug/L | | | 03/04/14 04:11 | 1 |
| Dichlorodifluoromethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 04:11 | 1 |
| Chloromethane | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/04/14 04:11 | 1 |
| Vinyl chloride | <0.50 | | 0.50 | 0.10 | ug/L | | | 03/04/14 04:11 | 1 |
| Bromomethane | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/04/14 04:11 | 1 |
| Chloroethane | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/04/14 04:11 | 1 |
| Trichlorofluoromethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/04/14 04:11 | 1 |
| 1,1-Dichloroethene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/04/14 04:11 | 1 |
| Carbon disulfide | <5.0 | | 5.0 | 0.43 | ug/L | | | 03/04/14 04:11 | 1 |
| Acetone | 7.7 | | 5.0 | 1.3 | ug/L | | | 03/04/14 04:11 | 1 |
| Methylene Chloride | <5.0 | | 5.0 | 0.68 | ug/L | | | 03/04/14 04:11 | 1 |
| trans-1,2-Dichloroethene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/04/14 04:11 | 1 |
| 1,1-Dichloroethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/04/14 04:11 | 1 |
| 2,2-Dichloropropane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/04/14 04:11 | 1 |
| cis-1,2-Dichloroethene | <1.0 | | 1.0 | 0.12 | ug/L | | | 03/04/14 04:11 | 1 |
| Methyl Ethyl Ketone | <5.0 | | 5.0 | 1.5 | ug/L | | | 03/04/14 04:11 | 1 |
| Bromochloromethane | <1.0 | | 1.0 | 0.40 | ug/L | | | 03/04/14 04:11 | 1 |
| Chloroform | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 04:11 | 1 |
| 1,1,1-Trichloroethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 04:11 | 1 |
| 1,1-Dichloropropene | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/04/14 04:11 | 1 |
| Carbon tetrachloride | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/04/14 04:11 | 1 |
| 1,2-Dichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/04/14 04:11 | 1 |
| Trichloroethene | 0.46 | J | 0.50 | 0.19 | ug/L | | | 03/04/14 04:11 | 1 |
| 1,2-Dichloropropane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 04:11 | 1 |
| Dibromomethane | <1.0 | | 1.0 | 0.33 | ug/L | | | 03/04/14 04:11 | 1 |
| Bromodichloromethane | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/04/14 04:11 | 1 |
| cis-1,3-Dichloropropene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/04/14 04:11 | 1 |
| methyl isobutyl ketone | <5.0 | | 5.0 | 0.33 | ug/L | | | 03/04/14 04:11 | 1 |
| Toluene | <0.50 | | 0.50 | 0.11 | ug/L | | | 03/04/14 04:11 | 1 |
| trans-1,3-Dichloropropene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/04/14 04:11 | 1 |
| 1,1,2-Trichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/04/14 04:11 | 1 |
| Tetrachloroethene | 99 | | 1.0 | 0.17 | ug/L | | | 03/04/14 04:11 | 1 |
| 1,3-Dichloropropane | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/04/14 04:11 | 1 |
| 2-Hexanone | <5.0 | | 5.0 | 0.56 | ug/L | | | 03/04/14 04:11 | 1 |
| Dibromochloromethane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/04/14 04:11 | 1 |
| 1,2-Dibromoethane | <1.0 | | 1.0 | 0.36 | ug/L | | | 03/04/14 04:11 | 1 |
| Chlorobenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/04/14 04:11 | 1 |
| 1,1,1,2-Tetrachloroethane | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/04/14 04:11 | 1 |
| Ethylbenzene | <0.50 | | 0.50 | 0.13 | ug/L | | | 03/04/14 04:11 | 1 |
| m&p-Xylene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/04/14 04:11 | 1 |
| o-Xylene | <0.50 | | 0.50 | 0.068 | ug/L | | | 03/04/14 04:11 | 1 |
| Styrene | <1.0 | | 1.0 | 0.10 | ug/L | | | 03/04/14 04:11 | 1 |
| Bromoform | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/04/14 04:11 | 1 |
| Isopropylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/04/14 04:11 | 1 |
| Bromobenzene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/04/14 04:11 | 1 |
| 1,1,2,2-Tetrachloroethane | <1.0 | | 1.0 | 0.23 | ug/L | | | 03/04/14 04:11 | 1 |
| 1,2,3-Trichloropropane | <1.0 | | 1.0 | 0.45 | ug/L | | | 03/04/14 04:11 | 1 |
| N-Propylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/04/14 04:11 | 1 |
| 2-Chlorotoluene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/04/14 04:11 | 1 |

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: EW-9

Lab Sample ID: 500-72399-24

Date Collected: 02/26/14 15:55

Matrix: Water

Date Received: 02/28/14 10:40

Method: 8260B - VOC (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,3,5-Trimethylbenzene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/04/14 04:11 | 1 |
| 4-Chlorotoluene | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 04:11 | 1 |
| tert-Butylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/04/14 04:11 | 1 |
| 1,2,4-Trimethylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/04/14 04:11 | 1 |
| sec-Butylbenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/04/14 04:11 | 1 |
| 1,3-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/04/14 04:11 | 1 |
| p-Isopropyltoluene | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/04/14 04:11 | 1 |
| 1,4-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/04/14 04:11 | 1 |
| n-Butylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/04/14 04:11 | 1 |
| 1,2-Dichlorobenzene | <1.0 | | 1.0 | 0.27 | ug/L | | | 03/04/14 04:11 | 1 |
| 1,2-Dibromo-3-Chloropropane | <2.0 | | 2.0 | 0.87 | ug/L | | | 03/04/14 04:11 | 1 |
| 1,2,4-Trichlorobenzene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/04/14 04:11 | 1 |
| Hexachlorobutadiene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/04/14 04:11 | 1 |
| Naphthalene | <1.0 * | | 1.0 | 0.16 | ug/L | | | 03/04/14 04:11 | 1 |
| 1,2,3-Trichlorobenzene | <1.0 * | | 1.0 | 0.24 | ug/L | | | 03/04/14 04:11 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 105 | | 75 - 125 | | 03/04/14 04:11 | 1 |
| Toluene-d8 (Surr) | 97 | | 75 - 120 | | 03/04/14 04:11 | 1 |
| 4-Bromofluorobenzene (Surr) | 112 | | 75 - 120 | | 03/04/14 04:11 | 1 |
| Dibromofluoromethane | 88 | | 75 - 120 | | 03/04/14 04:11 | 1 |

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: EW-9 DUP

Lab Sample ID: 500-72399-25

Date Collected: 02/26/14 15:55

Matrix: Water

Date Received: 02/28/14 10:40

Method: 8260B - VOC

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|-------------|-----------|------|-------|------|---|----------|----------------|---------|
| Benzene | <0.50 | | 0.50 | 0.074 | ug/L | | | 03/04/14 04:36 | 1 |
| Dichlorodifluoromethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 04:36 | 1 |
| Chloromethane | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/04/14 04:36 | 1 |
| Vinyl chloride | <0.50 | | 0.50 | 0.10 | ug/L | | | 03/04/14 04:36 | 1 |
| Bromomethane | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/04/14 04:36 | 1 |
| Chloroethane | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/04/14 04:36 | 1 |
| Trichlorofluoromethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/04/14 04:36 | 1 |
| 1,1-Dichloroethene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/04/14 04:36 | 1 |
| Carbon disulfide | <5.0 | | 5.0 | 0.43 | ug/L | | | 03/04/14 04:36 | 1 |
| Acetone | <5.0 | | 5.0 | 1.3 | ug/L | | | 03/04/14 04:36 | 1 |
| Methylene Chloride | <5.0 | | 5.0 | 0.68 | ug/L | | | 03/04/14 04:36 | 1 |
| trans-1,2-Dichloroethene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/04/14 04:36 | 1 |
| 1,1-Dichloroethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/04/14 04:36 | 1 |
| 2,2-Dichloropropane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/04/14 04:36 | 1 |
| cis-1,2-Dichloroethene | <1.0 | | 1.0 | 0.12 | ug/L | | | 03/04/14 04:36 | 1 |
| Methyl Ethyl Ketone | <5.0 | | 5.0 | 1.5 | ug/L | | | 03/04/14 04:36 | 1 |
| Bromochloromethane | <1.0 | | 1.0 | 0.40 | ug/L | | | 03/04/14 04:36 | 1 |
| Chloroform | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 04:36 | 1 |
| 1,1,1-Trichloroethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 04:36 | 1 |
| 1,1-Dichloropropene | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/04/14 04:36 | 1 |
| Carbon tetrachloride | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/04/14 04:36 | 1 |
| 1,2-Dichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/04/14 04:36 | 1 |
| Trichloroethene | 0.48 | J | 0.50 | 0.19 | ug/L | | | 03/04/14 04:36 | 1 |
| 1,2-Dichloropropane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 04:36 | 1 |
| Dibromomethane | <1.0 | | 1.0 | 0.33 | ug/L | | | 03/04/14 04:36 | 1 |
| Bromodichloromethane | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/04/14 04:36 | 1 |
| cis-1,3-Dichloropropene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/04/14 04:36 | 1 |
| methyl isobutyl ketone | <5.0 | | 5.0 | 0.33 | ug/L | | | 03/04/14 04:36 | 1 |
| Toluene | <0.50 | | 0.50 | 0.11 | ug/L | | | 03/04/14 04:36 | 1 |
| trans-1,3-Dichloropropene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/04/14 04:36 | 1 |
| 1,1,2-Trichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/04/14 04:36 | 1 |
| Tetrachloroethene | 82 | | 1.0 | 0.17 | ug/L | | | 03/04/14 04:36 | 1 |
| 1,3-Dichloropropane | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/04/14 04:36 | 1 |
| 2-Hexanone | <5.0 | | 5.0 | 0.56 | ug/L | | | 03/04/14 04:36 | 1 |
| Dibromochloromethane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/04/14 04:36 | 1 |
| 1,2-Dibromoethane | <1.0 | | 1.0 | 0.36 | ug/L | | | 03/04/14 04:36 | 1 |
| Chlorobenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/04/14 04:36 | 1 |
| 1,1,1,2-Tetrachloroethane | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/04/14 04:36 | 1 |
| Ethylbenzene | <0.50 | | 0.50 | 0.13 | ug/L | | | 03/04/14 04:36 | 1 |
| m&p-Xylene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/04/14 04:36 | 1 |
| o-Xylene | <0.50 | | 0.50 | 0.068 | ug/L | | | 03/04/14 04:36 | 1 |
| Styrene | <1.0 | | 1.0 | 0.10 | ug/L | | | 03/04/14 04:36 | 1 |
| Bromoform | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/04/14 04:36 | 1 |
| Isopropylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/04/14 04:36 | 1 |
| Bromobenzene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/04/14 04:36 | 1 |
| 1,1,2,2-Tetrachloroethane | <1.0 | | 1.0 | 0.23 | ug/L | | | 03/04/14 04:36 | 1 |
| 1,2,3-Trichloropropane | <1.0 | | 1.0 | 0.45 | ug/L | | | 03/04/14 04:36 | 1 |
| N-Propylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/04/14 04:36 | 1 |
| 2-Chlorotoluene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/04/14 04:36 | 1 |

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: EW-9 DUP

Lab Sample ID: 500-72399-25

Date Collected: 02/26/14 15:55

Matrix: Water

Date Received: 02/28/14 10:40

Method: 8260B - VOC (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,3,5-Trimethylbenzene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/04/14 04:36 | 1 |
| 4-Chlorotoluene | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 04:36 | 1 |
| tert-Butylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/04/14 04:36 | 1 |
| 1,2,4-Trimethylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/04/14 04:36 | 1 |
| sec-Butylbenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/04/14 04:36 | 1 |
| 1,3-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/04/14 04:36 | 1 |
| p-Isopropyltoluene | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/04/14 04:36 | 1 |
| 1,4-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/04/14 04:36 | 1 |
| n-Butylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/04/14 04:36 | 1 |
| 1,2-Dichlorobenzene | <1.0 | | 1.0 | 0.27 | ug/L | | | 03/04/14 04:36 | 1 |
| 1,2-Dibromo-3-Chloropropane | <2.0 | | 2.0 | 0.87 | ug/L | | | 03/04/14 04:36 | 1 |
| 1,2,4-Trichlorobenzene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/04/14 04:36 | 1 |
| Hexachlorobutadiene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/04/14 04:36 | 1 |
| Naphthalene | <1.0 | * | 1.0 | 0.16 | ug/L | | | 03/04/14 04:36 | 1 |
| 1,2,3-Trichlorobenzene | <1.0 | * | 1.0 | 0.24 | ug/L | | | 03/04/14 04:36 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 105 | | 75 - 125 | | 03/04/14 04:36 | 1 |
| Toluene-d8 (Surr) | 96 | | 75 - 120 | | 03/04/14 04:36 | 1 |
| 4-Bromofluorobenzene (Surr) | 115 | | 75 - 120 | | 03/04/14 04:36 | 1 |
| Dibromofluoromethane | 87 | | 75 - 120 | | 03/04/14 04:36 | 1 |

TestAmerica Chicago

Definitions/Glossary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Qualifiers

GC/MS VOA

| Qualifier | Qualifier Description |
|-----------|--|
| J | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |
| * | LCS or LCSD exceeds the control limits |

Glossary

| Abbreviation | These commonly used abbreviations may or may not be present in this report. |
|----------------|---|
| □ | Listed under the "D" column to designate that the result is reported on a dry weight basis |
| %R | Percent Recovery |
| CNF | Contains no Free Liquid |
| DER | Duplicate error ratio (normalized absolute difference) |
| Dil Fac | Dilution Factor |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC | Decision level concentration |
| MDA | Minimum detectable activity |
| EDL | Estimated Detection Limit |
| MDC | Minimum detectable concentration |
| MDL | Method Detection Limit |
| ML | Minimum Level (Dioxin) |
| NC | Not Calculated |
| ND | Not detected at the reporting limit (or MDL or EDL if shown) |
| PQL | Practical Quantitation Limit |
| QC | Quality Control |
| RER | Relative error ratio |
| RL | Reporting Limit or Requested Limit (Radiochemistry) |
| RPD | Relative Percent Difference, a measure of the relative difference between two points |
| TEF | Toxicity Equivalent Factor (Dioxin) |
| TEQ | Toxicity Equivalent Quotient (Dioxin) |

QC Association Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

GC/MS VOA

Analysis Batch: 225260

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|------------------|--------------------|-----------|--------|--------|------------|
| 500-72399-1 | RFW-1A | Total/NA | Water | 8260B | |
| 500-72399-2 | RFW-1B | Total/NA | Water | 8260B | |
| 500-72399-3 | RFW-2A | Total/NA | Water | 8260B | |
| 500-72399-4 | RFW-2B | Total/NA | Water | 8260B | |
| 500-72399-5 | RFW-3B | Total/NA | Water | 8260B | |
| 500-72399-6 | RFW-4A | Total/NA | Water | 8260B | |
| 500-72399-7 | RFW-4A DUP | Total/NA | Water | 8260B | |
| 500-72399-8 | RFW-4B | Total/NA | Water | 8260B | |
| 500-72399-9 | RFW-6 | Total/NA | Water | 8260B | |
| 500-72399-10 | RFW-7 | Total/NA | Water | 8260B | |
| 500-72399-11 | RFW-9 | Total/NA | Water | 8260B | |
| 500-72399-12 | RFW-11B | Total/NA | Water | 8260B | |
| 500-72399-13 | RFW-12B | Total/NA | Water | 8260B | |
| 500-72399-14 | RFW-13 | Total/NA | Water | 8260B | |
| 500-72399-15 | RFW-17 | Total/NA | Water | 8260B | |
| 500-72399-15 MS | RFW-17 | Total/NA | Water | 8260B | |
| 500-72399-15 MSD | RFW-17 | Total/NA | Water | 8260B | |
| LCS 500-225260/4 | Lab Control Sample | Total/NA | Water | 8260B | |
| MB 500-225260/6 | Method Blank | Total/NA | Water | 8260B | |

Analysis Batch: 225355

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|--------------------|-----------|--------|--------|------------|
| 500-72399-17 | EW-2 | Total/NA | Water | 8260B | |
| 500-72399-18 | EW-3 | Total/NA | Water | 8260B | |
| 500-72399-19 | EW-4 | Total/NA | Water | 8260B | |
| 500-72399-19 - DL | EW-4 | Total/NA | Water | 8260B | |
| 500-72399-20 | EW-5 | Total/NA | Water | 8260B | |
| 500-72399-21 | EW-6 | Total/NA | Water | 8260B | |
| 500-72399-22 | EW-7 | Total/NA | Water | 8260B | |
| 500-72399-23 | EW-8 | Total/NA | Water | 8260B | |
| 500-72399-24 | EW-9 | Total/NA | Water | 8260B | |
| 500-72399-25 | EW-9 DUP | Total/NA | Water | 8260B | |
| LCS 500-225355/4 | Lab Control Sample | Total/NA | Water | 8260B | |
| MB 500-225355/5 | Method Blank | Total/NA | Water | 8260B | |

Analysis Batch: 225470

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|------------------|--------------------|-----------|--------|--------|------------|
| 500-72399-16 | Trip Blank | Total/NA | Water | 8260B | |
| LCS 500-225470/4 | Lab Control Sample | Total/NA | Water | 8260B | |
| MB 500-225470/6 | Method Blank | Total/NA | Water | 8260B | |

TestAmerica Chicago

Surrogate Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Method: 8260B - VOC

Matrix: Water

Prep Type: Total/NA

| Lab Sample ID | Client Sample ID | Percent Surrogate Recovery (Acceptance Limits) | | | |
|-------------------|--------------------|--|-----------------|-----------------|------------------|
| | | 12DCE (75-125) | TOL (75-120) | BFB (75-120) | DBFM (75-120) |
| 500-72399-1 | RFW-1A | 102 | 97 | 112 | 89 |
| 500-72399-2 | RFW-1B | 102 | 96 | 108 | 87 |
| 500-72399-3 | RFW-2A | 101 | 98 | 110 | 88 |
| 500-72399-4 | RFW-2B | 103 | 95 | 110 | 88 |
| 500-72399-5 | RFW-3B | 104 | 97 | 110 | 88 |
| 500-72399-6 | RFW-4A | 101 | 97 | 109 | 89 |
| 500-72399-7 | RFW-4A DUP | 102 | 96 | 113 | 87 |
| 500-72399-8 | RFW-4B | 104 | 96 | 111 | 87 |
| 500-72399-9 | RFW-6 | 105 | 96 | 111 | 89 |
| 500-72399-10 | RFW-7 | 105 | 97 | 109 | 89 |
| 500-72399-11 | RFW-9 | 103 | 96 | 111 | 89 |
| 500-72399-12 | RFW-11B | 103 | 96 | 113 | 88 |
| 500-72399-13 | RFW-12B | 106 | 96 | 112 | 88 |
| 500-72399-14 | RFW-13 | 105 | 95 | 111 | 89 |
| 500-72399-15 | RFW-17 | 105 | 97 | 111 | 89 |
| 500-72399-15 MS | RFW-17 | 105 | 100 | 106 | 96 |
| 500-72399-15 MSD | RFW-17 | 104 | 100 | 106 | 96 |
| 500-72399-16 | Trip Blank | 102 | 97 | 112 | 87 |
| 500-72399-17 | EW-2 | 104 | 98 | 113 | 89 |
| 500-72399-18 | EW-3 | 105 | 97 | 111 | 89 |
| 500-72399-19 | EW-4 | 105 | 97 | 109 | 88 |
| 500-72399-19 - DL | EW-4 | 105 | 97 | 114 | 89 |
| 500-72399-20 | EW-5 | 106 | 96 | 113 | 89 |
| 500-72399-21 | EW-6 | 106 | 96 | 112 | 89 |
| 500-72399-22 | EW-7 | 105 | 96 | 111 | 91 |
| 500-72399-23 | EW-8 | 106 | 98 | 114 | 89 |
| 500-72399-24 | EW-9 | 105 | 97 | 112 | 88 |
| 500-72399-25 | EW-9 DUP | 105 | 96 | 115 | 87 |
| LCS 500-225260/4 | Lab Control Sample | 98 | 101 | 102 | 93 |
| LCS 500-225355/4 | Lab Control Sample | 103 | 100 | 106 | 95 |
| LCS 500-225470/4 | Lab Control Sample | 99 | 100 | 105 | 95 |
| MB 500-225260/6 | Method Blank | 101 | 96 | 111 | 89 |
| MB 500-225355/5 | Method Blank | 105 | 95 | 115 | 92 |
| MB 500-225470/6 | Method Blank | 105 | 95 | 109 | 90 |

Surrogate Legend

12DCE = 1,2-Dichloroethane-d4 (Surr)

TOL = Toluene-d8 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

DBFM = Dibromofluoromethane

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Method: 8260B - VOC

Lab Sample ID: MB 500-225260/6
Matrix: Water
Analysis Batch: 225260

Client Sample ID: Method Blank
Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|-----------|--------------|------|-------|------|---|----------|----------------|---------|
| Benzene | <0.50 | | 0.50 | 0.074 | ug/L | | | 03/03/14 10:12 | 1 |
| Dichlorodifluoromethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 10:12 | 1 |
| Chloromethane | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/03/14 10:12 | 1 |
| Vinyl chloride | <0.50 | | 0.50 | 0.10 | ug/L | | | 03/03/14 10:12 | 1 |
| Bromomethane | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/03/14 10:12 | 1 |
| Chloroethane | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/03/14 10:12 | 1 |
| Trichlorofluoromethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/03/14 10:12 | 1 |
| 1,1-Dichloroethene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/03/14 10:12 | 1 |
| Carbon disulfide | <5.0 | | 5.0 | 0.43 | ug/L | | | 03/03/14 10:12 | 1 |
| Acetone | <5.0 | | 5.0 | 1.3 | ug/L | | | 03/03/14 10:12 | 1 |
| Methylene Chloride | <5.0 | | 5.0 | 0.68 | ug/L | | | 03/03/14 10:12 | 1 |
| trans-1,2-Dichloroethene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/03/14 10:12 | 1 |
| 1,1-Dichloroethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/03/14 10:12 | 1 |
| 2,2-Dichloropropane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/03/14 10:12 | 1 |
| cis-1,2-Dichloroethene | <1.0 | | 1.0 | 0.12 | ug/L | | | 03/03/14 10:12 | 1 |
| Methyl Ethyl Ketone | <5.0 | | 5.0 | 1.5 | ug/L | | | 03/03/14 10:12 | 1 |
| Bromochloromethane | <1.0 | | 1.0 | 0.40 | ug/L | | | 03/03/14 10:12 | 1 |
| Chloroform | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 10:12 | 1 |
| 1,1,1-Trichloroethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 10:12 | 1 |
| 1,1-Dichloropropene | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/03/14 10:12 | 1 |
| Carbon tetrachloride | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/03/14 10:12 | 1 |
| 1,2-Dichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/03/14 10:12 | 1 |
| Trichloroethene | <0.50 | | 0.50 | 0.19 | ug/L | | | 03/03/14 10:12 | 1 |
| 1,2-Dichloropropane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 10:12 | 1 |
| Dibromomethane | <1.0 | | 1.0 | 0.33 | ug/L | | | 03/03/14 10:12 | 1 |
| Bromodichloromethane | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/03/14 10:12 | 1 |
| cis-1,3-Dichloropropene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/03/14 10:12 | 1 |
| methyl isobutyl ketone | <5.0 | | 5.0 | 0.33 | ug/L | | | 03/03/14 10:12 | 1 |
| Toluene | <0.50 | | 0.50 | 0.11 | ug/L | | | 03/03/14 10:12 | 1 |
| trans-1,3-Dichloropropene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/03/14 10:12 | 1 |
| 1,1,2-Trichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/03/14 10:12 | 1 |
| Tetrachloroethene | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/03/14 10:12 | 1 |
| 1,3-Dichloropropane | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/03/14 10:12 | 1 |
| 2-Hexanone | <5.0 | | 5.0 | 0.56 | ug/L | | | 03/03/14 10:12 | 1 |
| Dibromochloromethane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/03/14 10:12 | 1 |
| 1,2-Dibromoethane | <1.0 | | 1.0 | 0.36 | ug/L | | | 03/03/14 10:12 | 1 |
| Chlorobenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 10:12 | 1 |
| 1,1,1,2-Tetrachloroethane | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/03/14 10:12 | 1 |
| Ethylbenzene | <0.50 | | 0.50 | 0.13 | ug/L | | | 03/03/14 10:12 | 1 |
| m&p-Xylene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/03/14 10:12 | 1 |
| o-Xylene | <0.50 | | 0.50 | 0.068 | ug/L | | | 03/03/14 10:12 | 1 |
| Styrene | <1.0 | | 1.0 | 0.10 | ug/L | | | 03/03/14 10:12 | 1 |
| Bromoform | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/03/14 10:12 | 1 |
| Isopropylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 10:12 | 1 |
| Bromobenzene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/03/14 10:12 | 1 |
| 1,1,2,2-Tetrachloroethane | <1.0 | | 1.0 | 0.23 | ug/L | | | 03/03/14 10:12 | 1 |
| 1,2,3-Trichloropropane | <1.0 | | 1.0 | 0.45 | ug/L | | | 03/03/14 10:12 | 1 |
| N-Propylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/03/14 10:12 | 1 |

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Method: 8260B - VOC (Continued)

Lab Sample ID: MB 500-225260/6
Matrix: Water
Analysis Batch: 225260

Client Sample ID: Method Blank
Prep Type: Total/NA

| Analyte | MB MB | | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| | Result | Qualifier | | | | | | | |
| 2-Chlorotoluene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/03/14 10:12 | 1 |
| 1,3,5-Trimethylbenzene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/03/14 10:12 | 1 |
| 4-Chlorotoluene | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 10:12 | 1 |
| tert-Butylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 10:12 | 1 |
| 1,2,4-Trimethylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 10:12 | 1 |
| sec-Butylbenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/03/14 10:12 | 1 |
| 1,3-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/03/14 10:12 | 1 |
| p-Isopropyltoluene | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/03/14 10:12 | 1 |
| 1,4-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/03/14 10:12 | 1 |
| n-Butylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/03/14 10:12 | 1 |
| 1,2-Dichlorobenzene | <1.0 | | 1.0 | 0.27 | ug/L | | | 03/03/14 10:12 | 1 |
| 1,2-Dibromo-3-Chloropropane | <2.0 | | 2.0 | 0.87 | ug/L | | | 03/03/14 10:12 | 1 |
| 1,2,4-Trichlorobenzene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/03/14 10:12 | 1 |
| Hexachlorobutadiene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/03/14 10:12 | 1 |
| Naphthalene | <1.0 | | 1.0 | 0.16 | ug/L | | | 03/03/14 10:12 | 1 |
| 1,2,3-Trichlorobenzene | <1.0 | | 1.0 | 0.24 | ug/L | | | 03/03/14 10:12 | 1 |

| Surrogate | MB MB | | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| | %Recovery | Qualifier | | | | |
| 1,2-Dichloroethane-d4 (Surr) | 101 | | 75 - 125 | | 03/03/14 10:12 | 1 |
| Toluene-d8 (Surr) | 96 | | 75 - 120 | | 03/03/14 10:12 | 1 |
| 4-Bromofluorobenzene (Surr) | 111 | | 75 - 120 | | 03/03/14 10:12 | 1 |
| Dibromofluoromethane | 89 | | 75 - 120 | | 03/03/14 10:12 | 1 |

Lab Sample ID: LCS 500-225260/4
Matrix: Water
Analysis Batch: 225260

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|--------------------------|-------------|------------|---------------|------|---|------|--------------|
| | | | | | | | |
| Dichlorodifluoromethane | 50.0 | 41.2 | | ug/L | | 82 | 41 - 146 |
| Chloromethane | 50.0 | 52.7 | | ug/L | | 105 | 63 - 133 |
| Vinyl chloride | 50.0 | 48.8 | | ug/L | | 98 | 72 - 123 |
| Bromomethane | 50.0 | 32.6 | | ug/L | | 65 | 45 - 169 |
| Chloroethane | 50.0 | 41.7 | | ug/L | | 83 | 58 - 147 |
| Trichlorofluoromethane | 50.0 | 46.8 | | ug/L | | 94 | 71 - 130 |
| 1,1-Dichloroethane | 50.0 | 39.3 | | ug/L | | 79 | 69 - 120 |
| Carbon disulfide | 50.0 | 38.9 | | ug/L | | 78 | 56 - 120 |
| Acetone | 50.0 | 45.7 | | ug/L | | 91 | 48 - 149 |
| Methylene Chloride | 50.0 | 36.6 | | ug/L | | 73 | 73 - 120 |
| trans-1,2-Dichloroethane | 50.0 | 41.7 | | ug/L | | 83 | 77 - 120 |
| 1,1-Dichloroethane | 50.0 | 46.2 | | ug/L | | 92 | 75 - 120 |
| 2,2-Dichloropropane | 50.0 | 43.4 | | ug/L | | 87 | 65 - 132 |
| cis-1,2-Dichloroethane | 50.0 | 44.0 | | ug/L | | 88 | 75 - 120 |
| Methyl Ethyl Ketone | 50.0 | 46.0 | | ug/L | | 92 | 53 - 142 |
| Bromochloromethane | 50.0 | 43.7 | | ug/L | | 87 | 76 - 120 |
| Chloroform | 50.0 | 45.6 | | ug/L | | 91 | 76 - 120 |
| 1,1,1-Trichloroethane | 50.0 | 44.6 | | ug/L | | 89 | 72 - 124 |
| 1,1-Dichloropropene | 50.0 | 48.1 | | ug/L | | 96 | 75 - 120 |

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Method: 8260B - VOC (Continued)

Lab Sample ID: LCS 500-225260/4
Matrix: Water
Analysis Batch: 225260

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------------------------|-------------|------------|---------------|------|---|------|--------------|
| Carbon tetrachloride | 50.0 | 44.3 | | ug/L | | 89 | 70 - 126 |
| 1,2-Dichloroethane | 50.0 | 47.3 | | ug/L | | 95 | 69 - 130 |
| Trichloroethene | 50.0 | 48.6 | | ug/L | | 97 | 75 - 120 |
| 1,2-Dichloropropane | 50.0 | 51.9 | | ug/L | | 104 | 75 - 120 |
| Dibromomethane | 50.0 | 45.3 | | ug/L | | 91 | 75 - 120 |
| Bromodichloromethane | 50.0 | 50.5 | | ug/L | | 101 | 77 - 121 |
| cis-1,3-Dichloropropene | 50.0 | 53.5 | | ug/L | | 107 | 78 - 121 |
| methyl isobutyl ketone | 50.0 | 46.2 | | ug/L | | 92 | 58 - 135 |
| Toluene | 50.0 | 51.3 | | ug/L | | 103 | 75 - 120 |
| trans-1,3-Dichloropropene | 50.0 | 51.7 | | ug/L | | 103 | 74 - 123 |
| 1,1,2-Trichloroethane | 50.0 | 49.2 | | ug/L | | 98 | 75 - 120 |
| Tetrachloroethene | 50.0 | 50.7 | | ug/L | | 101 | 75 - 120 |
| 1,3-Dichloropropane | 50.0 | 50.8 | | ug/L | | 102 | 77 - 124 |
| 2-Hexanone | 50.0 | 49.3 | | ug/L | | 99 | 55 - 140 |
| Dibromochloromethane | 50.0 | 43.6 | | ug/L | | 87 | 71 - 126 |
| 1,2-Dibromoethane | 50.0 | 47.6 | | ug/L | | 95 | 78 - 122 |
| Chlorobenzene | 50.0 | 48.7 | | ug/L | | 97 | 75 - 120 |
| 1,1,1,2-Tetrachloroethane | 50.0 | 49.0 | | ug/L | | 98 | 75 - 122 |
| Ethylbenzene | 50.0 | 49.0 | | ug/L | | 98 | 75 - 120 |
| m&p-Xylene | 50.0 | 49.2 | | ug/L | | 98 | 75 - 120 |
| o-Xylene | 50.0 | 48.5 | | ug/L | | 97 | 75 - 120 |
| Styrene | 50.0 | 49.1 | | ug/L | | 98 | 75 - 120 |
| Bromoform | 50.0 | 46.7 | | ug/L | | 93 | 68 - 126 |
| Isopropylbenzene | 50.0 | 49.8 | | ug/L | | 100 | 75 - 121 |
| Bromobenzene | 50.0 | 48.9 | | ug/L | | 98 | 75 - 120 |
| 1,1,2,2-Tetrachloroethane | 50.0 | 50.6 | | ug/L | | 101 | 72 - 130 |
| 1,2,3-Trichloropropane | 50.0 | 51.2 | | ug/L | | 102 | 65 - 132 |
| N-Propylbenzene | 50.0 | 50.4 | | ug/L | | 101 | 75 - 120 |
| 2-Chlorotoluene | 50.0 | 49.6 | | ug/L | | 99 | 75 - 120 |
| 1,3,5-Trimethylbenzene | 50.0 | 50.5 | | ug/L | | 101 | 75 - 121 |
| 4-Chlorotoluene | 50.0 | 49.1 | | ug/L | | 98 | 75 - 120 |
| tert-Butylbenzene | 50.0 | 49.3 | | ug/L | | 99 | 75 - 123 |
| 1,2,4-Trimethylbenzene | 50.0 | 50.1 | | ug/L | | 100 | 75 - 121 |
| sec-Butylbenzene | 50.0 | 49.3 | | ug/L | | 99 | 75 - 120 |
| 1,3-Dichlorobenzene | 50.0 | 49.2 | | ug/L | | 98 | 75 - 120 |
| p-Isopropyltoluene | 50.0 | 50.4 | | ug/L | | 101 | 75 - 121 |
| 1,4-Dichlorobenzene | 50.0 | 47.2 | | ug/L | | 94 | 75 - 120 |
| n-Butylbenzene | 50.0 | 51.9 | | ug/L | | 104 | 75 - 121 |
| 1,2-Dichlorobenzene | 50.0 | 48.8 | | ug/L | | 98 | 75 - 120 |
| 1,2-Dibromo-3-Chloropropane | 50.0 | 51.6 | | ug/L | | 103 | 62 - 130 |
| 1,2,4-Trichlorobenzene | 50.0 | 60.4 | | ug/L | | 121 | 73 - 125 |
| Hexachlorobutadiene | 50.0 | 58.2 | | ug/L | | 116 | 71 - 131 |
| Naphthalene | 50.0 | 59.3 | | ug/L | | 119 | 69 - 135 |
| 1,2,3-Trichlorobenzene | 50.0 | 60.3 | | ug/L | | 121 | 69 - 131 |

| Surrogate | LCS %Recovery | LCS Qualifier | Limits |
|------------------------------|---------------|---------------|----------|
| 1,2-Dichloroethane-d4 (Surr) | 98 | | 75 - 125 |
| Toluene-d8 (Surr) | 101 | | 75 - 120 |

TestAmerica Chicago



QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Method: 8260B - VOC (Continued)

Lab Sample ID: LCS 500-225260/4
Matrix: Water
Analysis Batch: 225260

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

| Surrogate | LCS %Recovery | LCS Qualifier | Limits |
|-----------------------------|------------------|------------------|----------|
| 4-Bromofluorobenzene (Surr) | 102 | | 75 - 120 |
| Dibromofluoromethane | 93 | | 75 - 120 |

Lab Sample ID: 500-72399-15 MS
Matrix: Water
Analysis Batch: 225260

Client Sample ID: RFW-17
Prep Type: Total/NA

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------------------------|------------------|---------------------|----------------|--------------|-----------------|------|---|------|-----------------|
| Benzene | <0.50 | | 50.0 | 47.8 | | ug/L | | 96 | 75 - 120 |
| Dichlorodifluoromethane | <1.0 | | 50.0 | 40.1 | | ug/L | | 80 | 41 - 146 |
| Chloromethane | <1.0 | | 50.0 | 55.3 | | ug/L | | 111 | 63 - 133 |
| Vinyl chloride | <0.50 | | 50.0 | 47.9 | | ug/L | | 96 | 72 - 123 |
| Bromomethane | <1.0 | | 50.0 | 30.6 | | ug/L | | 61 | 45 - 169 |
| Chloroethane | <1.0 | | 50.0 | 39.9 | | ug/L | | 80 | 58 - 147 |
| Trichlorofluoromethane | <1.0 | | 50.0 | 44.6 | | ug/L | | 89 | 71 - 130 |
| 1,1-Dichloroethene | <1.0 | | 50.0 | 40.3 | | ug/L | | 81 | 69 - 120 |
| Carbon disulfide | <5.0 | | 50.0 | 36.8 | | ug/L | | 74 | 56 - 120 |
| Acetone | <5.0 | | 50.0 | 45.6 | | ug/L | | 91 | 48 - 149 |
| Methylene Chloride | <5.0 | | 50.0 | 39.3 | | ug/L | | 79 | 73 - 120 |
| trans-1,2-Dichloroethene | <1.0 | | 50.0 | 41.8 | | ug/L | | 84 | 77 - 120 |
| 1,1-Dichloroethane | <1.0 | | 50.0 | 47.4 | | ug/L | | 95 | 75 - 120 |
| 2,2-Dichloropropane | <1.0 | | 50.0 | 39.4 | | ug/L | | 79 | 65 - 132 |
| cis-1,2-Dichloroethene | <1.0 | | 50.0 | 45.7 | | ug/L | | 91 | 75 - 120 |
| Methyl Ethyl Ketone | <5.0 | | 50.0 | 51.0 | | ug/L | | 102 | 53 - 142 |
| Bromochloromethane | <1.0 | | 50.0 | 45.9 | | ug/L | | 92 | 76 - 120 |
| Chloroform | <1.0 | | 50.0 | 47.7 | | ug/L | | 95 | 76 - 120 |
| 1,1,1-Trichloroethane | <1.0 | | 50.0 | 44.4 | | ug/L | | 89 | 72 - 124 |
| 1,1-Dichloropropene | <1.0 | | 50.0 | 48.3 | | ug/L | | 97 | 75 - 120 |
| Carbon tetrachloride | <1.0 | | 50.0 | 44.1 | | ug/L | | 88 | 70 - 126 |
| 1,2-Dichloroethane | <1.0 | | 50.0 | 51.8 | | ug/L | | 104 | 69 - 130 |
| Trichloroethene | <0.50 | | 50.0 | 48.4 | | ug/L | | 97 | 75 - 120 |
| 1,2-Dichloropropane | <1.0 | | 50.0 | 54.7 | | ug/L | | 109 | 75 - 120 |
| Dibromomethane | <1.0 | | 50.0 | 48.6 | | ug/L | | 97 | 75 - 120 |
| Bromodichloromethane | <1.0 | | 50.0 | 52.2 | | ug/L | | 104 | 77 - 121 |
| cis-1,3-Dichloropropene | <1.0 | | 50.0 | 54.7 | | ug/L | | 109 | 78 - 121 |
| methyl isobutyl ketone | <5.0 | | 50.0 | 51.4 | | ug/L | | 103 | 58 - 135 |
| Toluene | 0.38 | J | 50.0 | 51.8 | | ug/L | | 103 | 75 - 120 |
| trans-1,3-Dichloropropene | <1.0 | | 50.0 | 52.1 | | ug/L | | 104 | 74 - 123 |
| 1,1,2-Trichloroethane | <1.0 | | 50.0 | 53.5 | | ug/L | | 107 | 75 - 120 |
| Tetrachloroethene | <1.0 | | 50.0 | 49.7 | | ug/L | | 99 | 75 - 120 |
| 1,3-Dichloropropane | <1.0 | | 50.0 | 54.4 | | ug/L | | 109 | 77 - 124 |
| 2-Hexanone | <5.0 | | 50.0 | 51.9 | | ug/L | | 104 | 55 - 140 |
| Dibromochloromethane | <1.0 | | 50.0 | 44.5 | | ug/L | | 89 | 71 - 126 |
| 1,2-Dibromoethane | <1.0 | | 50.0 | 50.7 | | ug/L | | 101 | 78 - 122 |
| Chlorobenzene | <1.0 | | 50.0 | 49.8 | | ug/L | | 100 | 75 - 120 |
| 1,1,1,2-Tetrachloroethane | <1.0 | | 50.0 | 51.2 | | ug/L | | 102 | 75 - 122 |
| Ethylbenzene | <0.50 | | 50.0 | 49.4 | | ug/L | | 99 | 75 - 120 |
| m&p-Xylene | <1.0 | | 50.0 | 49.0 | | ug/L | | 98 | 75 - 120 |

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Method: 8260B - VOC (Continued)

Lab Sample ID: 500-72399-15 MS

Matrix: Water

Analysis Batch: 225260

Client Sample ID: RFW-17

Prep Type: Total/NA

| Analyte | Sample | Sample | Spike | MS | MS | Unit | D | %Rec | %Rec. | Limits |
|-----------------------------|--------|-----------|-------|--------|-----------|------|---|------|----------|--------|
| | Result | Qualifier | Added | Result | Qualifier | | | | | |
| o-Xylene | <0.50 | | 50.0 | 49.8 | | ug/L | | 100 | 75 - 120 | |
| Styrene | <1.0 | | 50.0 | 49.9 | | ug/L | | 100 | 75 - 120 | |
| Bromoform | <1.0 | | 50.0 | 47.8 | | ug/L | | 96 | 68 - 126 | |
| Isopropylbenzene | <1.0 | | 50.0 | 50.5 | | ug/L | | 101 | 75 - 121 | |
| Bromobenzene | <1.0 | | 50.0 | 51.3 | | ug/L | | 103 | 75 - 120 | |
| 1,1,2,2-Tetrachloroethane | <1.0 | | 50.0 | 55.5 | | ug/L | | 111 | 72 - 130 | |
| 1,2,3-Trichloropropane | <1.0 | | 50.0 | 56.3 | | ug/L | | 113 | 65 - 132 | |
| N-Propylbenzene | <1.0 | | 50.0 | 51.0 | | ug/L | | 102 | 75 - 120 | |
| 2-Chlorotoluene | <1.0 | | 50.0 | 50.7 | | ug/L | | 101 | 75 - 120 | |
| 1,3,5-Trimethylbenzene | <1.0 | | 50.0 | 51.5 | | ug/L | | 103 | 75 - 121 | |
| 4-Chlorotoluene | <1.0 | | 50.0 | 50.1 | | ug/L | | 100 | 75 - 120 | |
| tert-Butylbenzene | <1.0 | | 50.0 | 50.4 | | ug/L | | 101 | 75 - 123 | |
| 1,2,4-Trimethylbenzene | <1.0 | | 50.0 | 50.9 | | ug/L | | 102 | 75 - 121 | |
| sec-Butylbenzene | <1.0 | | 50.0 | 49.9 | | ug/L | | 100 | 75 - 120 | |
| 1,3-Dichlorobenzene | <1.0 | | 50.0 | 49.8 | | ug/L | | 100 | 75 - 120 | |
| p-Isopropyltoluene | <1.0 | | 50.0 | 50.7 | | ug/L | | 101 | 75 - 121 | |
| 1,4-Dichlorobenzene | <1.0 | | 50.0 | 48.3 | | ug/L | | 97 | 75 - 120 | |
| n-Butylbenzene | <1.0 | | 50.0 | 51.5 | | ug/L | | 103 | 75 - 121 | |
| 1,2-Dichlorobenzene | <1.0 | | 50.0 | 51.3 | | ug/L | | 103 | 75 - 120 | |
| 1,2-Dibromo-3-Chloropropane | <2.0 | | 50.0 | 56.3 | | ug/L | | 113 | 62 - 130 | |
| 1,2,4-Trichlorobenzene | <1.0 | | 50.0 | 61.3 | | ug/L | | 123 | 73 - 125 | |
| Hexachlorobutadiene | <1.0 | | 50.0 | 58.8 | | ug/L | | 118 | 71 - 131 | |
| Naphthalene | <1.0 | | 50.0 | 67.1 | | ug/L | | 134 | 69 - 135 | |
| 1,2,3-Trichlorobenzene | <1.0 | | 50.0 | 64.6 | | ug/L | | 129 | 69 - 131 | |

| Surrogate | MS | MS | Limits |
|------------------------------|-----------|-----------|----------|
| | %Recovery | Qualifier | |
| 1,2-Dichloroethane-d4 (Surr) | 105 | | 75 - 125 |
| Toluene-d8 (Surr) | 100 | | 75 - 120 |
| 4-Bromofluorobenzene (Surr) | 106 | | 75 - 120 |
| Dibromofluoromethane | 96 | | 75 - 120 |

Lab Sample ID: 500-72399-15 MSD

Matrix: Water

Analysis Batch: 225260

Client Sample ID: RFW-17

Prep Type: Total/NA

| Analyte | Sample | Sample | Spike | MSD | MSD | Unit | D | %Rec | %Rec. | Limits | RPD | RPD |
|--------------------------|--------|-----------|-------|--------|-----------|------|---|------|----------|--------|-----|-----|
| | Result | Qualifier | Added | Result | Qualifier | | | | | | | |
| Benzene | <0.50 | | 50.0 | 45.8 | | ug/L | | 92 | 75 - 120 | 4 | 20 | |
| Dichlorodifluoromethane | <1.0 | | 50.0 | 41.3 | | ug/L | | 83 | 41 - 146 | 3 | 20 | |
| Chloromethane | <1.0 | | 50.0 | 57.9 | | ug/L | | 116 | 63 - 133 | 5 | 20 | |
| Vinyl chloride | <0.50 | | 50.0 | 49.7 | | ug/L | | 99 | 72 - 123 | 4 | 20 | |
| Bromomethane | <1.0 | | 50.0 | 30.2 | | ug/L | | 60 | 45 - 169 | 1 | 20 | |
| Chloroethane | <1.0 | | 50.0 | 36.5 | | ug/L | | 73 | 58 - 147 | 9 | 20 | |
| Trichlorofluoromethane | <1.0 | | 50.0 | 45.4 | | ug/L | | 91 | 71 - 130 | 2 | 20 | |
| 1,1-Dichloroethene | <1.0 | | 50.0 | 38.6 | | ug/L | | 77 | 69 - 120 | 4 | 20 | |
| Carbon disulfide | <5.0 | | 50.0 | 36.1 | | ug/L | | 72 | 56 - 120 | 2 | 20 | |
| Acetone | <5.0 | | 50.0 | 44.0 | | ug/L | | 88 | 48 - 149 | 4 | 20 | |
| Methylene Chloride | <5.0 | | 50.0 | 38.0 | | ug/L | | 76 | 73 - 120 | 3 | 20 | |
| trans-1,2-Dichloroethene | <1.0 | | 50.0 | 40.2 | | ug/L | | 80 | 77 - 120 | 4 | 20 | |

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Method: 8260B - VOC (Continued)

Lab Sample ID: 500-72399-15 MSD
Matrix: Water
Analysis Batch: 225260

Client Sample ID: RFW-17
Prep Type: Total/NA

| Analyte | Sample | Sample | Spike | MSD | MSD | Unit | D | %Rec | %Rec. | RPD | RPD |
|-----------------------------|--------|-----------|-------|--------|-----------|------|---|------|----------|-----|-------|
| | Result | Qualifier | Added | Result | Qualifier | | | | Limits | | Limit |
| 1,1-Dichloroethane | <1.0 | | 50.0 | 45.8 | | ug/L | | 92 | 75 - 120 | 3 | 20 |
| 2,2-Dichloropropane | <1.0 | | 50.0 | 37.6 | | ug/L | | 75 | 65 - 132 | 4 | 20 |
| cis-1,2-Dichloroethane | <1.0 | | 50.0 | 43.6 | | ug/L | | 87 | 75 - 120 | 5 | 20 |
| Methyl Ethyl Ketone | <5.0 | | 50.0 | 53.4 | | ug/L | | 107 | 53 - 142 | 5 | 20 |
| Bromochloromethane | <1.0 | | 50.0 | 44.2 | | ug/L | | 88 | 76 - 120 | 4 | 20 |
| Chloroform | <1.0 | | 50.0 | 45.4 | | ug/L | | 91 | 76 - 120 | 5 | 20 |
| 1,1,1-Trichloroethane | <1.0 | | 50.0 | 42.2 | | ug/L | | 84 | 72 - 124 | 5 | 20 |
| 1,1-Dichloropropene | <1.0 | | 50.0 | 46.8 | | ug/L | | 94 | 75 - 120 | 3 | 20 |
| Carbon tetrachloride | <1.0 | | 50.0 | 42.5 | | ug/L | | 85 | 70 - 126 | 4 | 20 |
| 1,2-Dichloroethane | <1.0 | | 50.0 | 49.1 | | ug/L | | 98 | 69 - 130 | 5 | 20 |
| Trichloroethene | <0.50 | | 50.0 | 46.4 | | ug/L | | 93 | 75 - 120 | 4 | 20 |
| 1,2-Dichloropropane | <1.0 | | 50.0 | 52.0 | | ug/L | | 104 | 75 - 120 | 5 | 20 |
| Dibromomethane | <1.0 | | 50.0 | 46.3 | | ug/L | | 93 | 75 - 120 | 5 | 20 |
| Bromodichloromethane | <1.0 | | 50.0 | 49.7 | | ug/L | | 99 | 77 - 121 | 5 | 20 |
| cis-1,3-Dichloropropene | <1.0 | | 50.0 | 51.8 | | ug/L | | 104 | 78 - 121 | 5 | 20 |
| methyl isobutyl ketone | <5.0 | | 50.0 | 53.3 | | ug/L | | 107 | 58 - 135 | 4 | 20 |
| Toluene | 0.38 | J | 50.0 | 49.1 | | ug/L | | 98 | 75 - 120 | 5 | 20 |
| trans-1,3-Dichloropropene | <1.0 | | 50.0 | 49.7 | | ug/L | | 99 | 74 - 123 | 5 | 20 |
| 1,1,2-Trichloroethane | <1.0 | | 50.0 | 50.2 | | ug/L | | 100 | 75 - 120 | 6 | 20 |
| Tetrachloroethene | <1.0 | | 50.0 | 46.4 | | ug/L | | 93 | 75 - 120 | 7 | 20 |
| 1,3-Dichloropropane | <1.0 | | 50.0 | 51.0 | | ug/L | | 102 | 77 - 124 | 7 | 20 |
| 2-Hexanone | <5.0 | | 50.0 | 54.6 | | ug/L | | 109 | 55 - 140 | 5 | 20 |
| Dibromochloromethane | <1.0 | | 50.0 | 42.4 | | ug/L | | 85 | 71 - 126 | 5 | 20 |
| 1,2-Dibromoethane | <1.0 | | 50.0 | 48.3 | | ug/L | | 97 | 78 - 122 | 5 | 20 |
| Chlorobenzene | <1.0 | | 50.0 | 46.4 | | ug/L | | 93 | 75 - 120 | 7 | 20 |
| 1,1,1,2-Tetrachloroethane | <1.0 | | 50.0 | 47.9 | | ug/L | | 96 | 75 - 122 | 7 | 20 |
| Ethylbenzene | <0.50 | | 50.0 | 46.3 | | ug/L | | 93 | 75 - 120 | 6 | 20 |
| m&p-Xylene | <1.0 | | 50.0 | 46.2 | | ug/L | | 92 | 75 - 120 | 6 | 20 |
| o-Xylene | <0.50 | | 50.0 | 46.7 | | ug/L | | 93 | 75 - 120 | 6 | 20 |
| Styrene | <1.0 | | 50.0 | 47.0 | | ug/L | | 94 | 75 - 120 | 6 | 20 |
| Bromoform | <1.0 | | 50.0 | 45.1 | | ug/L | | 90 | 68 - 126 | 6 | 20 |
| Isopropylbenzene | <1.0 | | 50.0 | 48.0 | | ug/L | | 96 | 75 - 121 | 5 | 20 |
| Bromobenzene | <1.0 | | 50.0 | 48.8 | | ug/L | | 98 | 75 - 120 | 5 | 20 |
| 1,1,2,2-Tetrachloroethane | <1.0 | | 50.0 | 52.8 | | ug/L | | 106 | 72 - 130 | 5 | 20 |
| 1,2,3-Trichloropropane | <1.0 | | 50.0 | 53.3 | | ug/L | | 107 | 65 - 132 | 6 | 20 |
| N-Propylbenzene | <1.0 | | 50.0 | 48.0 | | ug/L | | 96 | 75 - 120 | 6 | 20 |
| 2-Chlorotoluene | <1.0 | | 50.0 | 47.8 | | ug/L | | 96 | 75 - 120 | 6 | 20 |
| 1,3,5-Trimethylbenzene | <1.0 | | 50.0 | 48.8 | | ug/L | | 98 | 75 - 121 | 5 | 20 |
| 4-Chlorotoluene | <1.0 | | 50.0 | 47.3 | | ug/L | | 95 | 75 - 120 | 6 | 20 |
| tert-Butylbenzene | <1.0 | | 50.0 | 48.7 | | ug/L | | 97 | 75 - 123 | 3 | 20 |
| 1,2,4-Trimethylbenzene | <1.0 | | 50.0 | 48.5 | | ug/L | | 97 | 75 - 121 | 5 | 20 |
| sec-Butylbenzene | <1.0 | | 50.0 | 48.1 | | ug/L | | 96 | 75 - 120 | 4 | 20 |
| 1,3-Dichlorobenzene | <1.0 | | 50.0 | 47.0 | | ug/L | | 94 | 75 - 120 | 6 | 20 |
| p-Isopropyltoluene | <1.0 | | 50.0 | 47.8 | | ug/L | | 96 | 75 - 121 | 6 | 20 |
| 1,4-Dichlorobenzene | <1.0 | | 50.0 | 45.2 | | ug/L | | 90 | 75 - 120 | 7 | 20 |
| n-Butylbenzene | <1.0 | | 50.0 | 48.4 | | ug/L | | 97 | 75 - 121 | 6 | 20 |
| 1,2-Dichlorobenzene | <1.0 | | 50.0 | 48.6 | | ug/L | | 97 | 75 - 120 | 5 | 20 |
| 1,2-Dibromo-3-Chloropropane | <2.0 | | 50.0 | 54.6 | | ug/L | | 109 | 62 - 130 | 3 | 20 |

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Method: 8260B - VOC (Continued)

Lab Sample ID: 500-72399-15 MSD

Matrix: Water

Analysis Batch: 225260

Client Sample ID: RFW-17

Prep Type: Total/NA

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|------------------------|---------------|------------------|-------------|------------|---------------|------|---|------|--------------|-----|-----------|
| 1,2,4-Trichlorobenzene | <1.0 | | 50.0 | 56.6 | | ug/L | | 113 | 73 - 125 | 8 | 20 |
| Hexachlorobutadiene | <1.0 | | 50.0 | 55.2 | | ug/L | | 110 | 71 - 131 | 6 | 20 |
| Naphthalene | <1.0 | | 50.0 | 63.2 | | ug/L | | 126 | 69 - 135 | 6 | 20 |
| 1,2,3-Trichlorobenzene | <1.0 | | 50.0 | 60.2 | | ug/L | | 120 | 69 - 131 | 7 | 20 |

| Surrogate | MSD %Recovery | MSD Qualifier | MSD Limits |
|------------------------------|---------------|---------------|------------|
| 1,2-Dichloroethane-d4 (Surr) | 104 | | 75 - 125 |
| Toluene-d8 (Surr) | 100 | | 75 - 120 |
| 4-Bromofluorobenzene (Surr) | 106 | | 75 - 120 |
| Dibromofluoromethane | 96 | | 75 - 120 |

Lab Sample ID: MB 500-225355/5

Matrix: Water

Analysis Batch: 225355

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|-----------|--------------|------|-------|------|---|----------|----------------|---------|
| Benzene | <0.50 | | 0.50 | 0.074 | ug/L | | | 03/03/14 23:39 | 1 |
| Dichlorodifluoromethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 23:39 | 1 |
| Chloromethane | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/03/14 23:39 | 1 |
| Vinyl chloride | <0.50 | | 0.50 | 0.10 | ug/L | | | 03/03/14 23:39 | 1 |
| Bromomethane | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/03/14 23:39 | 1 |
| Chloroethane | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/03/14 23:39 | 1 |
| Trichlorofluoromethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/03/14 23:39 | 1 |
| 1,1-Dichloroethene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/03/14 23:39 | 1 |
| Carbon disulfide | <5.0 | | 5.0 | 0.43 | ug/L | | | 03/03/14 23:39 | 1 |
| Acetone | <5.0 | | 5.0 | 1.3 | ug/L | | | 03/03/14 23:39 | 1 |
| Methylene Chloride | <5.0 | | 5.0 | 0.68 | ug/L | | | 03/03/14 23:39 | 1 |
| trans-1,2-Dichloroethene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/03/14 23:39 | 1 |
| 1,1-Dichloroethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/03/14 23:39 | 1 |
| 2,2-Dichloropropane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/03/14 23:39 | 1 |
| cis-1,2-Dichloroethene | <1.0 | | 1.0 | 0.12 | ug/L | | | 03/03/14 23:39 | 1 |
| Methyl Ethyl Ketone | <5.0 | | 5.0 | 1.5 | ug/L | | | 03/03/14 23:39 | 1 |
| Bromochloromethane | <1.0 | | 1.0 | 0.40 | ug/L | | | 03/03/14 23:39 | 1 |
| Chloroform | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 23:39 | 1 |
| 1,1,1-Trichloroethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 23:39 | 1 |
| 1,1-Dichloropropene | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/03/14 23:39 | 1 |
| Carbon tetrachloride | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/03/14 23:39 | 1 |
| 1,2-Dichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/03/14 23:39 | 1 |
| Trichloroethene | <0.50 | | 0.50 | 0.19 | ug/L | | | 03/03/14 23:39 | 1 |
| 1,2-Dichloropropane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 23:39 | 1 |
| Dibromomethane | <1.0 | | 1.0 | 0.33 | ug/L | | | 03/03/14 23:39 | 1 |
| Bromodichloromethane | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/03/14 23:39 | 1 |
| cis-1,3-Dichloropropene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/03/14 23:39 | 1 |
| methyl isobutyl ketone | <5.0 | | 5.0 | 0.33 | ug/L | | | 03/03/14 23:39 | 1 |
| Toluene | <0.50 | | 0.50 | 0.11 | ug/L | | | 03/03/14 23:39 | 1 |
| trans-1,3-Dichloropropene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/03/14 23:39 | 1 |
| 1,1,2-Trichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/03/14 23:39 | 1 |
| Tetrachloroethene | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/03/14 23:39 | 1 |

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Method: 8260B - VOC (Continued)

Lab Sample ID: MB 500-225355/5
Matrix: Water
Analysis Batch: 225355

Client Sample ID: Method Blank
Prep Type: Total/NA

| Analyte | MB MB | | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|------|-------|------|---|----------|----------------|---------|
| | Result | Qualifier | | | | | | | |
| 1,3-Dichloropropane | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/03/14 23:39 | 1 |
| 2-Hexanone | <5.0 | | 5.0 | 0.56 | ug/L | | | 03/03/14 23:39 | 1 |
| Dibromochloromethane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/03/14 23:39 | 1 |
| 1,2-Dibromoethane | <1.0 | | 1.0 | 0.36 | ug/L | | | 03/03/14 23:39 | 1 |
| Chlorobenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 23:39 | 1 |
| 1,1,1,2-Tetrachloroethane | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/03/14 23:39 | 1 |
| Ethylbenzene | <0.50 | | 0.50 | 0.13 | ug/L | | | 03/03/14 23:39 | 1 |
| m&p-Xylene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/03/14 23:39 | 1 |
| o-Xylene | <0.50 | | 0.50 | 0.068 | ug/L | | | 03/03/14 23:39 | 1 |
| Styrene | <1.0 | | 1.0 | 0.10 | ug/L | | | 03/03/14 23:39 | 1 |
| Bromoform | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/03/14 23:39 | 1 |
| Isopropylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 23:39 | 1 |
| Bromobenzene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/03/14 23:39 | 1 |
| 1,1,2,2-Tetrachloroethane | <1.0 | | 1.0 | 0.23 | ug/L | | | 03/03/14 23:39 | 1 |
| 1,2,3-Trichloropropane | <1.0 | | 1.0 | 0.45 | ug/L | | | 03/03/14 23:39 | 1 |
| N-Propylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/03/14 23:39 | 1 |
| 2-Chlorotoluene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/03/14 23:39 | 1 |
| 1,3,5-Trimethylbenzene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/03/14 23:39 | 1 |
| 4-Chlorotoluene | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/03/14 23:39 | 1 |
| tert-Butylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 23:39 | 1 |
| 1,2,4-Trimethylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/03/14 23:39 | 1 |
| sec-Butylbenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/03/14 23:39 | 1 |
| 1,3-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/03/14 23:39 | 1 |
| p-Isopropyltoluene | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/03/14 23:39 | 1 |
| 1,4-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/03/14 23:39 | 1 |
| n-Butylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/03/14 23:39 | 1 |
| 1,2-Dichlorobenzene | <1.0 | | 1.0 | 0.27 | ug/L | | | 03/03/14 23:39 | 1 |
| 1,2-Dibromo-3-Chloropropane | <2.0 | | 2.0 | 0.87 | ug/L | | | 03/03/14 23:39 | 1 |
| 1,2,4-Trichlorobenzene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/03/14 23:39 | 1 |
| Hexachlorobutadiene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/03/14 23:39 | 1 |
| Naphthalene | <1.0 | | 1.0 | 0.16 | ug/L | | | 03/03/14 23:39 | 1 |
| 1,2,3-Trichlorobenzene | <1.0 | | 1.0 | 0.24 | ug/L | | | 03/03/14 23:39 | 1 |

| Surrogate | MB MB | | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| | %Recovery | Qualifier | | | | |
| 1,2-Dichloroethane-d4 (Surr) | 105 | | 75 - 125 | | 03/03/14 23:39 | 1 |
| Toluene-d8 (Surr) | 95 | | 75 - 120 | | 03/03/14 23:39 | 1 |
| 4-Bromofluorobenzene (Surr) | 115 | | 75 - 120 | | 03/03/14 23:39 | 1 |
| Dibromofluoromethane | 92 | | 75 - 120 | | 03/03/14 23:39 | 1 |

Lab Sample ID: LCS 500-225355/4
Matrix: Water
Analysis Batch: 225355

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-------------------------|-------------|------------|---------------|------|---|------|--------------|
| | | | | | | | |
| Dichlorodifluoromethane | 50.0 | 40.6 | | ug/L | | 81 | 41 - 146 |
| Chloromethane | 50.0 | 58.6 | | ug/L | | 117 | 63 - 133 |
| Vinyl chloride | 50.0 | 49.7 | | ug/L | | 99 | 72 - 123 |

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Method: 8260B - VOC (Continued)

Lab Sample ID: LCS 500-225355/4

Matrix: Water

Analysis Batch: 225355

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|---------------------------|-------------|------------|---------------|------|---|------|--------------|
| Bromomethane | 50.0 | 31.3 | | ug/L | | 63 | 45 - 169 |
| Chloroethane | 50.0 | 35.1 | | ug/L | | 70 | 58 - 147 |
| Trichlorofluoromethane | 50.0 | 47.9 | | ug/L | | 96 | 71 - 130 |
| 1,1-Dichloroethene | 50.0 | 39.5 | | ug/L | | 79 | 69 - 120 |
| Carbon disulfide | 50.0 | 37.2 | | ug/L | | 74 | 56 - 120 |
| Acetone | 50.0 | 59.5 | | ug/L | | 119 | 48 - 149 |
| Methylene Chloride | 50.0 | 40.4 | | ug/L | | 81 | 73 - 120 |
| trans-1,2-Dichloroethene | 50.0 | 42.8 | | ug/L | | 86 | 77 - 120 |
| 1,1-Dichloroethane | 50.0 | 48.9 | | ug/L | | 98 | 75 - 120 |
| 2,2-Dichloropropane | 50.0 | 41.7 | | ug/L | | 83 | 65 - 132 |
| cis-1,2-Dichloroethene | 50.0 | 46.4 | | ug/L | | 93 | 75 - 120 |
| Methyl Ethyl Ketone | 50.0 | 56.9 | | ug/L | | 114 | 53 - 142 |
| Bromochloromethane | 50.0 | 46.2 | | ug/L | | 92 | 76 - 120 |
| Chloroform | 50.0 | 48.4 | | ug/L | | 97 | 76 - 120 |
| 1,1,1-Trichloroethane | 50.0 | 45.5 | | ug/L | | 91 | 72 - 124 |
| 1,1-Dichloropropene | 50.0 | 48.9 | | ug/L | | 98 | 75 - 120 |
| Carbon tetrachloride | 50.0 | 44.6 | | ug/L | | 89 | 70 - 126 |
| 1,2-Dichloroethane | 50.0 | 52.8 | | ug/L | | 106 | 69 - 130 |
| Trichloroethene | 50.0 | 49.2 | | ug/L | | 98 | 75 - 120 |
| 1,2-Dichloropropane | 50.0 | 56.4 | | ug/L | | 113 | 75 - 120 |
| Dibromomethane | 50.0 | 48.6 | | ug/L | | 97 | 75 - 120 |
| Bromodichloromethane | 50.0 | 52.7 | | ug/L | | 105 | 77 - 121 |
| cis-1,3-Dichloropropene | 50.0 | 55.1 | | ug/L | | 110 | 78 - 121 |
| methyl isobutyl ketone | 50.0 | 56.5 | | ug/L | | 113 | 58 - 135 |
| Toluene | 50.0 | 52.0 | | ug/L | | 104 | 75 - 120 |
| trans-1,3-Dichloropropene | 50.0 | 53.3 | | ug/L | | 107 | 74 - 123 |
| 1,1,2-Trichloroethane | 50.0 | 53.4 | | ug/L | | 107 | 75 - 120 |
| Tetrachloroethene | 50.0 | 49.8 | | ug/L | | 100 | 75 - 120 |
| 1,3-Dichloropropane | 50.0 | 53.9 | | ug/L | | 108 | 77 - 124 |
| 2-Hexanone | 50.0 | 57.3 | | ug/L | | 115 | 55 - 140 |
| Dibromochloromethane | 50.0 | 44.9 | | ug/L | | 90 | 71 - 126 |
| 1,2-Dibromoethane | 50.0 | 50.6 | | ug/L | | 101 | 78 - 122 |
| Chlorobenzene | 50.0 | 49.7 | | ug/L | | 99 | 75 - 120 |
| 1,1,1,2-Tetrachloroethane | 50.0 | 52.0 | | ug/L | | 104 | 75 - 122 |
| Ethylbenzene | 50.0 | 50.1 | | ug/L | | 100 | 75 - 120 |
| m&p-Xylene | 50.0 | 49.1 | | ug/L | | 98 | 75 - 120 |
| o-Xylene | 50.0 | 50.3 | | ug/L | | 101 | 75 - 120 |
| Styrene | 50.0 | 51.0 | | ug/L | | 102 | 75 - 120 |
| Bromoform | 50.0 | 48.1 | | ug/L | | 96 | 68 - 126 |
| Isopropylbenzene | 50.0 | 52.2 | | ug/L | | 104 | 75 - 121 |
| Bromobenzene | 50.0 | 53.2 | | ug/L | | 106 | 75 - 120 |
| 1,1,2,2-Tetrachloroethane | 50.0 | 56.9 | | ug/L | | 114 | 72 - 130 |
| 1,2,3-Trichloropropane | 50.0 | 57.9 | | ug/L | | 116 | 65 - 132 |
| N-Propylbenzene | 50.0 | 52.1 | | ug/L | | 104 | 75 - 120 |
| 2-Chlorotoluene | 50.0 | 52.6 | | ug/L | | 105 | 75 - 120 |
| 1,3,5-Trimethylbenzene | 50.0 | 52.9 | | ug/L | | 106 | 75 - 121 |
| 4-Chlorotoluene | 50.0 | 51.5 | | ug/L | | 103 | 75 - 120 |
| tert-Butylbenzene | 50.0 | 53.0 | | ug/L | | 106 | 75 - 123 |

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Method: 8260B - VOC (Continued)

Lab Sample ID: LCS 500-225355/4

Matrix: Water

Analysis Batch: 225355

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. | |
|-----------------------------|----------------|---------------|------------------|------|---|------|----------|--|
| | | | | | | | Limits | |
| 1,2,4-Trimethylbenzene | 50.0 | 53.0 | | ug/L | | 106 | 75 - 121 | |
| sec-Butylbenzene | 50.0 | 52.1 | | ug/L | | 104 | 75 - 120 | |
| 1,3-Dichlorobenzene | 50.0 | 51.5 | | ug/L | | 103 | 75 - 120 | |
| p-Isopropyltoluene | 50.0 | 51.8 | | ug/L | | 104 | 75 - 121 | |
| 1,4-Dichlorobenzene | 50.0 | 49.9 | | ug/L | | 100 | 75 - 120 | |
| n-Butylbenzene | 50.0 | 52.5 | | ug/L | | 105 | 75 - 121 | |
| 1,2-Dichlorobenzene | 50.0 | 53.6 | | ug/L | | 107 | 75 - 120 | |
| 1,2-Dibromo-3-Chloropropane | 50.0 | 58.2 | | ug/L | | 116 | 62 - 130 | |
| 1,2,4-Trichlorobenzene | 50.0 | 62.0 | | ug/L | | 124 | 73 - 125 | |
| Hexachlorobutadiene | 50.0 | 61.1 | | ug/L | | 122 | 71 - 131 | |
| Naphthalene | 50.0 | 68.9 * | | ug/L | | 138 | 69 - 135 | |
| 1,2,3-Trichlorobenzene | 50.0 | 66.5 * | | ug/L | | 133 | 69 - 131 | |

| Surrogate | LCS LCS | | Limits |
|------------------------------|-----------|-----------|----------|
| | %Recovery | Qualifier | |
| 1,2-Dichloroethane-d4 (Surr) | 103 | | 75 - 125 |
| Toluene-d8 (Surr) | 100 | | 75 - 120 |
| 4-Bromofluorobenzene (Surr) | 106 | | 75 - 120 |
| Dibromofluoromethane | 95 | | 75 - 120 |

Lab Sample ID: MB 500-225470/6

Matrix: Water

Analysis Batch: 225470

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte | MB MB | | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------|--------|-----------|------|-------|------|---|----------|----------------|---------|
| | Result | Qualifier | | | | | | | |
| Benzene | <0.50 | | 0.50 | 0.074 | ug/L | | | 03/04/14 11:51 | 1 |
| Dichlorodifluoromethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 11:51 | 1 |
| Chloromethane | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/04/14 11:51 | 1 |
| Vinyl chloride | <0.50 | | 0.50 | 0.10 | ug/L | | | 03/04/14 11:51 | 1 |
| Bromomethane | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/04/14 11:51 | 1 |
| Chloroethane | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/04/14 11:51 | 1 |
| Trichlorofluoromethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/04/14 11:51 | 1 |
| 1,1-Dichloroethene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/04/14 11:51 | 1 |
| Carbon disulfide | <5.0 | | 5.0 | 0.43 | ug/L | | | 03/04/14 11:51 | 1 |
| Acetone | <5.0 | | 5.0 | 1.3 | ug/L | | | 03/04/14 11:51 | 1 |
| Methylene Chloride | <5.0 | | 5.0 | 0.68 | ug/L | | | 03/04/14 11:51 | 1 |
| trans-1,2-Dichloroethene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/04/14 11:51 | 1 |
| 1,1-Dichloroethane | <1.0 | | 1.0 | 0.19 | ug/L | | | 03/04/14 11:51 | 1 |
| 2,2-Dichloropropane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/04/14 11:51 | 1 |
| cis-1,2-Dichloroethene | <1.0 | | 1.0 | 0.12 | ug/L | | | 03/04/14 11:51 | 1 |
| Methyl Ethyl Ketone | <5.0 | | 5.0 | 1.5 | ug/L | | | 03/04/14 11:51 | 1 |
| Bromochloromethane | <1.0 | | 1.0 | 0.40 | ug/L | | | 03/04/14 11:51 | 1 |
| Chloroform | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 11:51 | 1 |
| 1,1,1-Trichloroethane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 11:51 | 1 |
| 1,1-Dichloropropene | <1.0 | | 1.0 | 0.34 | ug/L | | | 03/04/14 11:51 | 1 |
| Carbon tetrachloride | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/04/14 11:51 | 1 |
| 1,2-Dichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/04/14 11:51 | 1 |
| Trichloroethene | <0.50 | | 0.50 | 0.19 | ug/L | | | 03/04/14 11:51 | 1 |
| 1,2-Dichloropropane | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 11:51 | 1 |

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Method: 8260B - VOC (Continued)

Lab Sample ID: MB 500-225470/6

Matrix: Water

Analysis Batch: 225470

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte | MB MB | | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|------|-------|------|---|----------|----------------|---------|
| | Result | Qualifier | | | | | | | |
| Dibromomethane | <1.0 | | 1.0 | 0.33 | ug/L | | | 03/04/14 11:51 | 1 |
| Bromodichloromethane | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/04/14 11:51 | 1 |
| cis-1,3-Dichloropropene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/04/14 11:51 | 1 |
| methyl isobutyl ketone | <5.0 | | 5.0 | 0.33 | ug/L | | | 03/04/14 11:51 | 1 |
| Toluene | <0.50 | | 0.50 | 0.11 | ug/L | | | 03/04/14 11:51 | 1 |
| trans-1,3-Dichloropropene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/04/14 11:51 | 1 |
| 1,1,2-Trichloroethane | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/04/14 11:51 | 1 |
| Tetrachloroethane | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/04/14 11:51 | 1 |
| 1,3-Dichloropropane | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/04/14 11:51 | 1 |
| 2-Hexanone | <5.0 | | 5.0 | 0.56 | ug/L | | | 03/04/14 11:51 | 1 |
| Dibromochloromethane | <1.0 | | 1.0 | 0.32 | ug/L | | | 03/04/14 11:51 | 1 |
| 1,2-Dibromoethane | <1.0 | | 1.0 | 0.36 | ug/L | | | 03/04/14 11:51 | 1 |
| Chlorobenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/04/14 11:51 | 1 |
| 1,1,1,2-Tetrachloroethane | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/04/14 11:51 | 1 |
| Ethylbenzene | <0.50 | | 0.50 | 0.13 | ug/L | | | 03/04/14 11:51 | 1 |
| m&p-Xylene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/04/14 11:51 | 1 |
| o-Xylene | <0.50 | | 0.50 | 0.068 | ug/L | | | 03/04/14 11:51 | 1 |
| Styrene | <1.0 | | 1.0 | 0.10 | ug/L | | | 03/04/14 11:51 | 1 |
| Bromoform | <1.0 | | 1.0 | 0.28 | ug/L | | | 03/04/14 11:51 | 1 |
| Isopropylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/04/14 11:51 | 1 |
| Bromobenzene | <1.0 | | 1.0 | 0.25 | ug/L | | | 03/04/14 11:51 | 1 |
| 1,1,2,2-Tetrachloroethane | <1.0 | | 1.0 | 0.23 | ug/L | | | 03/04/14 11:51 | 1 |
| 1,2,3-Trichloropropane | <1.0 | | 1.0 | 0.45 | ug/L | | | 03/04/14 11:51 | 1 |
| N-Propylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/04/14 11:51 | 1 |
| 2-Chlorotoluene | <1.0 | | 1.0 | 0.21 | ug/L | | | 03/04/14 11:51 | 1 |
| 1,3,5-Trimethylbenzene | <1.0 | | 1.0 | 0.18 | ug/L | | | 03/04/14 11:51 | 1 |
| 4-Chlorotoluene | <1.0 | | 1.0 | 0.20 | ug/L | | | 03/04/14 11:51 | 1 |
| tert-Butylbenzene | <1.0 | | 1.0 | 0.14 | ug/L | | | 03/04/14 11:51 | 1 |
| 1,2,4-Trimethylbenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/04/14 11:51 | 1 |
| sec-Butylbenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/04/14 11:51 | 1 |
| 1,3-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/04/14 11:51 | 1 |
| p-Isopropyltoluene | <1.0 | | 1.0 | 0.17 | ug/L | | | 03/04/14 11:51 | 1 |
| 1,4-Dichlorobenzene | <1.0 | | 1.0 | 0.15 | ug/L | | | 03/04/14 11:51 | 1 |
| n-Butylbenzene | <1.0 | | 1.0 | 0.13 | ug/L | | | 03/04/14 11:51 | 1 |
| 1,2-Dichlorobenzene | <1.0 | | 1.0 | 0.27 | ug/L | | | 03/04/14 11:51 | 1 |
| 1,2-Dibromo-3-Chloropropane | <2.0 | | 2.0 | 0.87 | ug/L | | | 03/04/14 11:51 | 1 |
| 1,2,4-Trichlorobenzene | <1.0 | | 1.0 | 0.31 | ug/L | | | 03/04/14 11:51 | 1 |
| Hexachlorobutadiene | <1.0 | | 1.0 | 0.26 | ug/L | | | 03/04/14 11:51 | 1 |
| Naphthalene | <1.0 | | 1.0 | 0.16 | ug/L | | | 03/04/14 11:51 | 1 |
| 1,2,3-Trichlorobenzene | <1.0 | | 1.0 | 0.24 | ug/L | | | 03/04/14 11:51 | 1 |

| Surrogate | MB MB | | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| | %Recovery | Qualifier | | | | |
| 1,2-Dichloroethane-d4 (Surr) | 105 | | 75 - 125 | | 03/04/14 11:51 | 1 |
| Toluene-d8 (Surr) | 95 | | 75 - 120 | | 03/04/14 11:51 | 1 |
| 4-Bromofluorobenzene (Surr) | 109 | | 75 - 120 | | 03/04/14 11:51 | 1 |
| Dibromofluoromethane | 90 | | 75 - 120 | | 03/04/14 11:51 | 1 |

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Method: 8260B - VOC (Continued)

Lab Sample ID: LCS 500-225470/4
Matrix: Water
Analysis Batch: 225470

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

| Analyte | Spike | LCS | LCS | Unit | D | %Rec | %Rec. Limits |
|---------------------------|-------|--------|-----------|------|---|------|-----------------|
| | Added | Result | Qualifier | | | | |
| Benzene | 50.0 | 48.6 | | ug/L | | 97 | 75 - 120 |
| Dichlorodifluoromethane | 50.0 | 41.5 | | ug/L | | 83 | 41 - 146 |
| Chloromethane | 50.0 | 57.7 | | ug/L | | 115 | 63 - 133 |
| Vinyl chloride | 50.0 | 49.7 | | ug/L | | 99 | 72 - 123 |
| Bromomethane | 50.0 | 30.0 | | ug/L | | 60 | 45 - 169 |
| Chloroethane | 50.0 | 39.8 | | ug/L | | 80 | 58 - 147 |
| Trichlorofluoromethane | 50.0 | 48.3 | | ug/L | | 97 | 71 - 130 |
| 1,1-Dichloroethene | 50.0 | 45.0 | | ug/L | | 90 | 69 - 120 |
| Carbon disulfide | 50.0 | 46.2 | | ug/L | | 92 | 56 - 120 |
| Acetone | 50.0 | 46.6 | | ug/L | | 93 | 48 - 149 |
| Methylene Chloride | 50.0 | 39.2 | | ug/L | | 78 | 73 - 120 |
| trans-1,2-Dichloroethene | 50.0 | 44.5 | | ug/L | | 89 | 77 - 120 |
| 1,1-Dichloroethane | 50.0 | 49.5 | | ug/L | | 99 | 75 - 120 |
| 2,2-Dichloropropane | 50.0 | 45.2 | | ug/L | | 90 | 65 - 132 |
| cis-1,2-Dichloroethene | 50.0 | 46.3 | | ug/L | | 93 | 75 - 120 |
| Methyl Ethyl Ketone | 50.0 | 47.4 | | ug/L | | 95 | 53 - 142 |
| Bromochloromethane | 50.0 | 45.0 | | ug/L | | 90 | 76 - 120 |
| Chloroform | 50.0 | 47.4 | | ug/L | | 95 | 76 - 120 |
| 1,1,1-Trichloroethane | 50.0 | 46.8 | | ug/L | | 94 | 72 - 124 |
| 1,1-Dichloropropene | 50.0 | 51.7 | | ug/L | | 103 | 75 - 120 |
| Carbon tetrachloride | 50.0 | 46.4 | | ug/L | | 93 | 70 - 126 |
| 1,2-Dichloroethane | 50.0 | 50.1 | | ug/L | | 100 | 69 - 130 |
| Trichloroethene | 50.0 | 49.5 | | ug/L | | 99 | 75 - 120 |
| 1,2-Dichloropropane | 50.0 | 53.9 | | ug/L | | 108 | 75 - 120 |
| Dibromomethane | 50.0 | 46.9 | | ug/L | | 94 | 75 - 120 |
| Bromodichloromethane | 50.0 | 50.6 | | ug/L | | 101 | 77 - 121 |
| cis-1,3-Dichloropropene | 50.0 | 54.5 | | ug/L | | 109 | 78 - 121 |
| methyl isobutyl ketone | 50.0 | 48.8 | | ug/L | | 98 | 58 - 135 |
| Toluene | 50.0 | 51.3 | | ug/L | | 103 | 75 - 120 |
| trans-1,3-Dichloropropene | 50.0 | 52.7 | | ug/L | | 105 | 74 - 123 |
| 1,1,2-Trichloroethane | 50.0 | 50.5 | | ug/L | | 101 | 75 - 120 |
| Tetrachloroethene | 50.0 | 51.0 | | ug/L | | 102 | 75 - 120 |
| 1,3-Dichloropropane | 50.0 | 51.8 | | ug/L | | 104 | 77 - 124 |
| 2-Hexanone | 50.0 | 50.5 | | ug/L | | 101 | 55 - 140 |
| Dibromochloromethane | 50.0 | 43.3 | | ug/L | | 87 | 71 - 126 |
| 1,2-Dibromoethane | 50.0 | 48.6 | | ug/L | | 97 | 78 - 122 |
| Chlorobenzene | 50.0 | 49.4 | | ug/L | | 99 | 75 - 120 |
| 1,1,1,2-Tetrachloroethane | 50.0 | 49.7 | | ug/L | | 99 | 75 - 122 |
| Ethylbenzene | 50.0 | 49.7 | | ug/L | | 99 | 75 - 120 |
| m&p-Xylene | 50.0 | 49.5 | | ug/L | | 99 | 75 - 120 |
| o-Xylene | 50.0 | 49.1 | | ug/L | | 98 | 75 - 120 |
| Styrene | 50.0 | 49.4 | | ug/L | | 99 | 75 - 120 |
| Bromoform | 50.0 | 45.6 | | ug/L | | 91 | 68 - 126 |
| Isopropylbenzene | 50.0 | 50.7 | | ug/L | | 101 | 75 - 121 |
| Bromobenzene | 50.0 | 50.0 | | ug/L | | 100 | 75 - 120 |
| 1,1,1,2-Tetrachloroethane | 50.0 | 52.1 | | ug/L | | 104 | 72 - 130 |
| 1,2,3-Trichloropropane | 50.0 | 54.6 | | ug/L | | 109 | 65 - 132 |
| N-Propylbenzene | 50.0 | 50.9 | | ug/L | | 102 | 75 - 120 |

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Method: 8260B - VOC (Continued)

Lab Sample ID: LCS 500-225470/4
Matrix: Water
Analysis Batch: 225470

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------------------------|-------------|------------|---------------|------|---|------|--------------|
| 2-Chlorotoluene | 50.0 | 50.2 | | ug/L | | 100 | 75 - 120 |
| 1,3,5-Trimethylbenzene | 50.0 | 51.4 | | ug/L | | 103 | 75 - 121 |
| 4-Chlorotoluene | 50.0 | 50.0 | | ug/L | | 100 | 75 - 120 |
| tert-Butylbenzene | 50.0 | 49.8 | | ug/L | | 100 | 75 - 123 |
| 1,2,4-Trimethylbenzene | 50.0 | 51.0 | | ug/L | | 102 | 75 - 121 |
| sec-Butylbenzene | 50.0 | 49.6 | | ug/L | | 99 | 75 - 120 |
| 1,3-Dichlorobenzene | 50.0 | 49.3 | | ug/L | | 99 | 75 - 120 |
| p-Isopropyltoluene | 50.0 | 50.4 | | ug/L | | 101 | 75 - 121 |
| 1,4-Dichlorobenzene | 50.0 | 47.6 | | ug/L | | 95 | 75 - 120 |
| n-Butylbenzene | 50.0 | 52.0 | | ug/L | | 104 | 75 - 121 |
| 1,2-Dichlorobenzene | 50.0 | 49.2 | | ug/L | | 98 | 75 - 120 |
| 1,2-Dibromo-3-Chloropropane | 50.0 | 50.7 | | ug/L | | 101 | 62 - 130 |
| 1,2,4-Trichlorobenzene | 50.0 | 59.6 | | ug/L | | 119 | 73 - 125 |
| Hexachlorobutadiene | 50.0 | 57.0 | | ug/L | | 114 | 71 - 131 |
| Naphthalene | 50.0 | 60.5 | | ug/L | | 121 | 69 - 135 |
| 1,2,3-Trichlorobenzene | 50.0 | 61.0 | | ug/L | | 122 | 69 - 131 |

| Surrogate | LCS LCS | | Limits |
|------------------------------|-----------|-----------|----------|
| | %Recovery | Qualifier | |
| 1,2-Dichloroethane-d4 (Surr) | 99 | | 75 - 125 |
| Toluene-d8 (Surr) | 100 | | 75 - 120 |
| 4-Bromofluorobenzene (Surr) | 105 | | 75 - 120 |
| Dibromofluoromethane | 95 | | 75 - 120 |



Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: RFW-1A

Lab Sample ID: 500-72399-1

Date Collected: 02/25/14 14:25

Matrix: Water

Date Received: 02/28/14 10:40

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 225260 | 03/03/14 13:06 | BDA | TAL CHI |

Client Sample ID: RFW-1B

Lab Sample ID: 500-72399-2

Date Collected: 02/25/14 16:10

Matrix: Water

Date Received: 02/28/14 10:40

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 225260 | 03/03/14 13:31 | BDA | TAL CHI |

Client Sample ID: RFW-2A

Lab Sample ID: 500-72399-3

Date Collected: 02/25/14 15:10

Matrix: Water

Date Received: 02/28/14 10:40

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 225260 | 03/03/14 13:56 | BDA | TAL CHI |

Client Sample ID: RFW-2B

Lab Sample ID: 500-72399-4

Date Collected: 02/25/14 15:40

Matrix: Water

Date Received: 02/28/14 10:40

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 225260 | 03/03/14 14:20 | BDA | TAL CHI |

Client Sample ID: RFW-3B

Lab Sample ID: 500-72399-5

Date Collected: 02/26/14 12:50

Matrix: Water

Date Received: 02/28/14 10:40

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 225260 | 03/03/14 14:45 | BDA | TAL CHI |

Client Sample ID: RFW-4A

Lab Sample ID: 500-72399-6

Date Collected: 02/27/14 11:05

Matrix: Water

Date Received: 02/28/14 10:40

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 225260 | 03/03/14 15:10 | BDA | TAL CHI |

TestAmerica Chicago

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: RFW-4A DUP

Lab Sample ID: 500-72399-7

Date Collected: 02/27/14 11:05

Matrix: Water

Date Received: 02/28/14 10:40

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 225260 | 03/03/14 15:35 | BDA | TAL CHI |

Client Sample ID: RFW-4B

Lab Sample ID: 500-72399-8

Date Collected: 02/27/14 11:50

Matrix: Water

Date Received: 02/28/14 10:40

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 225260 | 03/03/14 16:00 | BDA | TAL CHI |

Client Sample ID: RFW-6

Lab Sample ID: 500-72399-9

Date Collected: 02/26/14 16:25

Matrix: Water

Date Received: 02/28/14 10:40

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 225260 | 03/03/14 16:25 | BDA | TAL CHI |

Client Sample ID: RFW-7

Lab Sample ID: 500-72399-10

Date Collected: 02/25/14 08:30

Matrix: Water

Date Received: 02/28/14 10:40

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 225260 | 03/03/14 16:50 | BDA | TAL CHI |

Client Sample ID: RFW-9

Lab Sample ID: 500-72399-11

Date Collected: 02/27/14 08:50

Matrix: Water

Date Received: 02/28/14 10:40

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 225260 | 03/03/14 17:15 | BDA | TAL CHI |

Client Sample ID: RFW-11B

Lab Sample ID: 500-72399-12

Date Collected: 02/27/14 10:10

Matrix: Water

Date Received: 02/28/14 10:40

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 225260 | 03/03/14 17:39 | BDA | TAL CHI |

TestAmerica Chicago



Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: RFW-12B

Lab Sample ID: 500-72399-13

Date Collected: 02/27/14 08:30

Matrix: Water

Date Received: 02/28/14 10:40

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 225260 | 03/03/14 18:04 | BDA | TAL CHI |

Client Sample ID: RFW-13

Lab Sample ID: 500-72399-14

Date Collected: 02/26/14 13:55

Matrix: Water

Date Received: 02/28/14 10:40

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 225260 | 03/03/14 18:29 | BDA | TAL CHI |

Client Sample ID: RFW-17

Lab Sample ID: 500-72399-15

Date Collected: 02/26/14 10:35

Matrix: Water

Date Received: 02/28/14 10:40

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 225260 | 03/03/14 18:54 | BDA | TAL CHI |

Client Sample ID: Trip Blank

Lab Sample ID: 500-72399-16

Date Collected: 02/25/14 08:00

Matrix: Water

Date Received: 02/28/14 10:40

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 225470 | 03/04/14 12:40 | BDA | TAL CHI |

Client Sample ID: EW-2

Lab Sample ID: 500-72399-17

Date Collected: 02/26/14 12:15

Matrix: Water

Date Received: 02/28/14 10:40

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 225355 | 03/04/14 00:54 | BDA | TAL CHI |

Client Sample ID: EW-3

Lab Sample ID: 500-72399-18

Date Collected: 02/26/14 16:20

Matrix: Water

Date Received: 02/28/14 10:40

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 225355 | 03/04/14 01:18 | BDA | TAL CHI |

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: EW-4
Date Collected: 02/26/14 16:15
Date Received: 02/28/14 10:40

Lab Sample ID: 500-72399-19
Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 225355 | 03/04/14 01:43 | BDA | TAL CHI |
| Total/NA | Analysis | 8260B | DL | 10 | 225355 | 03/04/14 02:08 | BDA | TAL CHI |

Client Sample ID: EW-5
Date Collected: 02/26/14 16:30
Date Received: 02/28/14 10:40

Lab Sample ID: 500-72399-20
Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 225355 | 03/04/14 02:32 | BDA | TAL CHI |

Client Sample ID: EW-6
Date Collected: 02/26/14 15:00
Date Received: 02/28/14 10:40

Lab Sample ID: 500-72399-21
Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 225355 | 03/04/14 02:57 | BDA | TAL CHI |

Client Sample ID: EW-7
Date Collected: 02/26/14 15:10
Date Received: 02/28/14 10:40

Lab Sample ID: 500-72399-22
Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 225355 | 03/04/14 03:21 | BDA | TAL CHI |

Client Sample ID: EW-8
Date Collected: 02/26/14 15:45
Date Received: 02/28/14 10:40

Lab Sample ID: 500-72399-23
Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 225355 | 03/04/14 03:46 | BDA | TAL CHI |

Client Sample ID: EW-9
Date Collected: 02/26/14 15:55
Date Received: 02/28/14 10:40

Lab Sample ID: 500-72399-24
Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 225355 | 03/04/14 04:11 | BDA | TAL CHI |

TestAmerica Chicago

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: EW-9 DUP

Lab Sample ID: 500-72399-25

Date Collected: 02/26/14 15:55

Matrix: Water

Date Received: 02/28/14 10:40

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 225355 | 03/04/14 04:36 | BDA | TAL CHI |

Laboratory References:

TAL CHI = TestAmerica Chicago, 2417 Bond Street, University Park, IL 60484, TEL (708)534-5200



Certification Summary

Client: Weston Solutions, Inc.
 Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Laboratory: TestAmerica Chicago

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

| Authority | Program | EPA Region | Certification ID | Expiration Date |
|---------------------|---------------|------------|------------------|-----------------|
| Alabama | State Program | 4 | 40461 | 04-30-14 |
| California | NELAP | 9 | 01132CA | 04-30-14 * |
| Georgia | State Program | 4 | N/A | 04-30-14 |
| Hawaii | State Program | 9 | N/A | 04-30-14 |
| Illinois | NELAP | 5 | 100201 | 04-30-14 |
| Indiana | State Program | 5 | C-IL-02 | 04-30-14 * |
| Iowa | State Program | 7 | 82 | 05-01-14 * |
| Kansas | NELAP | 7 | E-10161 | 10-31-14 |
| Kentucky (UST) | State Program | 4 | 66 | 04-30-14 |
| Louisiana | NELAP | 6 | 30720 | 06-30-14 |
| Massachusetts | State Program | 1 | M-IL035 | 06-30-14 |
| Mississippi | State Program | 4 | N/A | 04-30-14 |
| North Carolina DENR | State Program | 4 | 291 | 12-31-14 |
| North Dakota | State Program | 8 | R-194 | 04-30-14 |
| Oklahoma | State Program | 6 | 8908 | 08-31-14 |
| South Carolina | State Program | 4 | 77001 | 04-30-14 |
| USDA | Federal | | P330-12-00038 | 02-06-15 |
| Wisconsin | State Program | 5 | 999580010 | 08-31-14 |
| Wyoming | State Program | 8 | 8TMS-Q | 04-30-14 |

* Expired certification is currently pending renewal and is considered valid.

TestAmerica

THE LEADER IN ENVIRONMENTAL

2417 Bond Street, University Park, IL 6
Phone: 708.534.5200 Fax: 708.53



500-72399 COC

Report To (optional)
Contact: _____
Company: _____
Address: _____
Address: _____
Phone: _____
Fax: _____
E-Mail: _____

Bill To (optional)
Contact: _____
Company: _____
Address: _____
Address: _____
Phone: _____
Fax: _____
PO#/Reference# _____

Chain of Custody Record

Lab Job #: 500-72399

Chain of Custody Number: _____

Page _____ of _____

Temperature °C of Cooler: 44

| Client | | Client Project # | | Preservative | | Parameter | | Matrix | | Preservative Key 1. HCL, Cool to 4° 2. H2SO4, Cool to 4° 3. HNO3, Cool to 4° 4. NaOH, Cool to 4° 5. NaOH/Zn, Cool to 4° 6. NaHSO4 7. Cool to 4° 8. None 9. Other |
|------------------|----------|------------------|---------|--------------|---|-----------------|--------|--------|----------|---|
| Weston Solutions | | C-2501.0011.0015 | | HCl | | VOC | | | | |
| Project Name | | Lab Project # | | | | | | | | |
| Hampstead, MD | | | | | | | | | | |
| Sampler | | Lab PM | | | | | | | Comments | |
| Greg Flasiwski | | Dick Wright | | | | | | | | |
| Lab ID | MS/MS/SP | Sample ID | | Sampling | | # of Containers | Matrix | | | |
| | | Date | Time | | | | | | | |
| 1 | | RFW-1A | 2/25/14 | 1425 | 3 | W | ✓ | | | |
| 2 | | RFW-1B | 2/25/14 | 1610 | | | ✓ | | | |
| 3 | | RFW-2A | 2/25/14 | 1510 | | | ✓ | | | |
| 4 | | RFW-2B | 2/25/14 | 1540 | | | ✓ | | | |
| 5 | | RFW-3B | 2/26/14 | 1250 | | | ✓ | | | |
| 6 | | RFW-4A | 2/27/14 | 1105 | | | ✓ | | | |
| 7 | | RFW-4A Dup | 2/27/14 | 1105 | | | ✓ | | | |
| 8 | | RFW-4B | 2/27/14 | 1150 | | | ✓ | | | |
| 9 | | RFW-6 | 2/26/14 | 1625 | | | ✓ | | | |
| 10 | | RFW-7 | 2/25/14 | 830 | | | ✓ | | | |

Page 81 of 84

Turnaround Time Required (Business Days)

___ 1 Day ___ 2 Days ___ 5 Days ___ 7 Days ___ 10 Days ___ 15 Days ___ Other

Requested Due Date: _____

Sample Disposal

Return to Client Disposal by Lab Archive for _____ Months (A fee may be assessed if samples are retained longer than 1 month)

| | | | | | | | |
|-------------------------------------|------------------------|----------------------|-------------------|---------------------------------|------------------------|----------------------|-------------------|
| Relinquished By: <u>[Signature]</u> | Company: <u>Weston</u> | Date: <u>2/27/14</u> | Time: <u>1100</u> | Received By: <u>[Signature]</u> | Company: <u>Weston</u> | Date: <u>2/28/14</u> | Time: <u>1040</u> |
| Relinquished By: _____ | Company: _____ | Date: _____ | Time: _____ | Received By: _____ | Company: _____ | Date: _____ | Time: _____ |
| Relinquished By: _____ | Company: _____ | Date: _____ | Time: _____ | Received By: _____ | Company: _____ | Date: _____ | Time: _____ |

Lab Courier: _____
Shipped: FedEx
Hand Delivered: _____

Matrix Key

- WW - Wastewater
- W - Water
- S - Soil
- SL - Sludge
- MS - Miscellaneous
- OL - Oil
- A - Air
- SE - Sediment
- SO - Soil
- L - Leachate
- WI - Wipe
- DW - Drinking Water
- O - Other

Client Comments

Lab Comments:

3/5/2014

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

2417 Bond Street, University Park, IL 60484
Phone 708.534.5200 Fax. 708.534.5211

Report To _____ (optional)
Contact: _____
Company: _____
Address: _____
Address: _____
Phone: _____
Fax: _____
E-Mail: _____

Bill To _____ (optional)
Contact: _____
Company: _____
Address: _____
Address: _____
Phone: _____
Fax: _____
PO#/Reference# _____

Chain of Custody Record

Lab Job #: 500-72399
Chain of Custody Number: _____
Page _____ of _____
Temperature °C of Cooler: 4.4

| Client | | Client Project # | | Preservative | | Parameter | | Matrix | | Comments | |
|-------------------|--------|------------------------|---------|---------------|-----------------|--------------|---|-------------|--|---|--|
| Western Solutions | | 02501.004 05 | | HCL | | VOC | | | | Preservative Key 1. HCL, Cool to 4° 2. H2SO4, Cool to 4° 3. HNO3, Cool to 4° 4. NaOH, Cool to 4° 5. NaOH/Zn, Cool to 4° 6. NaHSO4 7. Cool to 4° 8. None 9. Other | |
| Project Name | | Project Location/State | | Lab Project # | | Sampler | | Lab PM. | | | |
| Black + Decker | | Hampstead, MD | | Dick | | Greg Flasnik | | Dick Wright | | | |
| Lab ID | MS/MSP | Sample ID | Date | Time | # of Containers | Matrix | | | | | |
| 11 | | RFW-9 | 2/27/14 | 850 | 3 | W | ✓ | | | | |
| 12 | | RFW-11B | 2/27/14 | 1010 | 1 | | ✓ | | | | |
| 13 | | RFW-12B | 2/27/14 | 830 | 1 | | ✓ | | | | |
| 14 | | RFW-13 | 2/24/14 | 1355 | 1 | | ✓ | | | | |
| 15 | | RFW-17 | 2/24/14 | 1035 | 1 | | ✓ | | | | |
| 16 | | Trip Blank | 2/25/14 | 800 | 2 | | ✓ | | | | |

Turnaround Time Required (Business Days)

___ 1 Day ___ 2 Days ___ 5 Days ___ 7 Days ___ 10 Days ___ 15 Days ___ Other

Sample Disposal

Return to Client Disposal by Lab Archive for ___ Months (A fee may be assessed if samples are retained longer than 1 month)

| | | | | | | | |
|----------------------------------|-------------------------|----------------------|-------------------|---------------------------------|------------------------|----------------------|-------------------|
| Requested By: <u>[Signature]</u> | Company: <u>Western</u> | Date: <u>2/27/14</u> | Time: <u>1600</u> | Received By: <u>[Signature]</u> | Company: <u>TA-CHE</u> | Date: <u>2/26/14</u> | Time: <u>1040</u> |
| Reinquished By: _____ | Company: _____ | Date: _____ | Time: _____ | Received By: _____ | Company: _____ | Date: _____ | Time: _____ |
| Reinquished By: _____ | Company: _____ | Date: _____ | Time: _____ | Received By: _____ | Company: _____ | Date: _____ | Time: _____ |

Lab Courier: _____
Shipped: FedEx
Hand Delivered: _____

Matrix Key

WW - Wastewater SE - Sediment
W - Water SO - Soil
S - Soil L - Leachate
SL - Sludge WI - Wipe
MS - Miscellaneous DW - Drinking Water
OL - Oil O - Other
A - Air

Client Comments

Lab Comments:

3/5/2014



TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

2417 Bond Street, University Park, IL 60484
 Phone: 708.534.5200 Fax: 708.534.5211

Report To _____ (optional)
 Contact _____
 Company _____
 Address _____
 Address _____
 Phone _____
 Fax _____
 E-Mail _____

Bill To _____ (optional)
 Contact _____
 Company _____
 Address _____
 Address _____
 Phone _____
 Fax _____
 PO#/Reference# _____

Chain of Custody Record

Lab Job # 500-72399

Chain of Custody Number: _____

Page _____ of _____

Temperature °C of Cooler: 4.4

| Client | | Client Project # | | Preservative | | Parameter | | Matrix | | Preservative Key 1. HCL, Cool to 4° 2. H2SO4, Cool to 4° 3. HNO3, Cool to 4° 4. NaOH, Cool to 4° 5. NaOH/Zn, Cool to 4° 6. NaHSO4 7. Cool to 4° 8. None 9. Other |
|------------------|---------|------------------------|---------|---------------|-----------------|---------------|-------|----------|----------|---|
| Weston Solutions | | 02501.004.001 | | HCl | | V | | C | | |
| Project Name | | Project Location/State | | Lab Project # | | Sampler | | Date | | |
| Black + Decker | | Hampstead, MD | | | | Greg Fasnuski | | 2/26/14 | | |
| Lab ID | MIS/MSD | Sample ID | Date | Time | # of Containers | Matrix | Check | Comments | Comments | |
| 17 | | EW-2 | 2/26/14 | 1205 | 3 | W | ✓ | | | |
| 18 | | EW-3 | | 1620 | | | ✓ | | | |
| 19 | | EW-4 | | 1615 | | | ✓ | | | |
| 20 | | EW-5 | | 1630 | | | ✓ | | | |
| 21 | | EW-6 | | 1500 | | | ✓ | | | |
| 22 | | EW-7 | | 1510 | | | ✓ | | | |
| 23 | | EW-8 | | 1545 | | | ✓ | | | |
| 24 | | EW-9 | | 1555 | | | ✓ | | | |
| 25 | | EW-9 Dup | | 1555 | | | ✓ | | | |

Turnaround Time Required (Business Days)
 1 Day 2 Days 5 Days 7 Days 10 Days 15 Days Other _____

Requested Due Date _____

Sample Disposal
 Return to Client Disposal by Lab Archive for _____ Months (A fee may be assessed if samples are retained longer than 1 month)

| | | | | | | | |
|-------------------------------------|------------------------|----------------------|-------------------|---------------------------------|------------------------|----------------------|-------------------|
| Relinquished By: <u>[Signature]</u> | Company: <u>Weston</u> | Date: <u>2/27/14</u> | Time: <u>1600</u> | Received By: <u>[Signature]</u> | Company: <u>PA-CHE</u> | Date: <u>2/28/14</u> | Time: <u>1040</u> |
| Relinquished By: _____ | Company: _____ | Date: _____ | Time: _____ | Received By: _____ | Company: _____ | Date: _____ | Time: _____ |
| Relinquished By: _____ | Company: _____ | Date: _____ | Time: _____ | Received By: _____ | Company: _____ | Date: _____ | Time: _____ |

Lab Courier: _____
 Shipped: [Signature]
 Hand Delivered: _____

- Matrix Key
- WW - Wastewater
 - W - Water
 - S - Soil
 - L - Sludge
 - MIS - Miscellaneous
 - OL - Oil
 - A - Air
 - SE - Sediment
 - SO - Soil
 - L - Leachate
 - WI - Wipe
 - DW - Drinking Water
 - O - Other

Client Comments

Lab Comments

3/5/2014

Login Sample Receipt Checklist

Client: Weston Solutions, Inc.

Job Number: 500-72399-1

Login Number: 72399

List Number: 1

Creator: Scott, Sherri L

List Source: TestAmerica Chicago

| Question | Answer | Comment |
|--|--------|---------|
| Radioactivity wasn't checked or is \leq background as measured by a survey meter. | True | |
| The cooler's custody seal, if present, is intact. | True | |
| Sample custody seals, if present, are intact. | True | |
| The cooler or samples do not appear to have been compromised or tampered with. | True | |
| Samples were received on ice. | True | |
| Cooler Temperature is acceptable. | True | |
| Cooler Temperature is recorded. | True | 4.4 |
| COC is present. | True | |
| COC is filled out in ink and legible. | True | |
| COC is filled out with all pertinent information. | True | |
| Is the Field Sampler's name present on COC? | True | |
| There are no discrepancies between the containers received and the COC. | True | |
| Samples are received within Holding Time. | True | |
| Sample containers have legible labels. | True | |
| Containers are not broken or leaking. | True | |
| Sample collection date/times are provided. | True | |
| Appropriate sample containers are used. | True | |
| Sample bottles are completely filled. | True | |
| Sample Preservation Verified. | True | |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True | |
| Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4"). | True | |
| Multiphasic samples are not present. | True | |
| Samples do not require splitting or compositing. | True | |
| Residual Chlorine Checked. | N/A | |

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Savannah
5102 LaRoche Avenue
Savannah, GA 31404
Tel: (912)354-7858

TestAmerica Job ID: 680-99032-1
Client Project/Site: Black & Decker

For:
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, Pennsylvania 19380

Attn: Greg Flasinski



Authorized for release by:
3/6/2014 12:04:32 PM

Lisa Harvey, Project Manager II
(912)354-7858 e.3221
lisa.harvey@testamericainc.com

LINKS

Review your project
results through

Total Access

Have a Question?

 **Ask
The
Expert**

Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters. exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Case Narrative

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-99032-1

Job ID: 680-99032-1

Laboratory: TestAmerica Savannah

Narrative

CASE NARRATIVE
Client: Weston Solutions, Inc.
Project: Black & Decker
Report Number: 680-99032-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In the event of interference or analytes present at high concentrations, samples may be diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

RECEIPT

The samples were received on 02/28/2014; the samples arrived in good condition, properly preserved and on ice. The temperature of the coolers at receipt was 2.4 C.

VOLATILE ORGANIC COMPOUNDS (GC-MS)

Samples RFW-20 (680-99032-1), RFW-21 (680-99032-2), HAMP-22 (680-99032-3), HAMP-23 (680-99032-4) and Trip Blank (680-99032-5) were analyzed for Volatile organic Compounds (GC-MS) in accordance with EPA Method 524.2. The samples were analyzed on 03/03/2014.

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Sample Summary

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-99032-1

| Lab Sample ID | Client Sample ID | Matrix | Collected | Received |
|---------------|------------------|--------|----------------|----------------|
| 680-99032-1 | RFW-20 | Water | 02/25/14 16:30 | 02/28/14 09:49 |
| 680-99032-2 | RFW-21 | Water | 02/25/14 09:15 | 02/28/14 09:49 |
| 680-99032-3 | HAMP-22 | Water | 02/26/14 10:30 | 02/28/14 09:49 |
| 680-99032-4 | HAMP-23 | Water | 02/26/14 10:35 | 02/28/14 09:49 |
| 680-99032-5 | Trip Blank | Water | 02/25/14 07:00 | 02/28/14 09:49 |

Method Summary

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-99032-1

| Method | Method Description | Protocol | Laboratory |
|--------|------------------------------------|----------|------------|
| 524.2 | Volatile Organic Compounds (GC/MS) | EPA-DW | TAL SAV |

Protocol References:

EPA-DW = "Methods For The Determination Of Organic Compounds In Drinking Water", EPA/600/4-88/039, December 1988 And Its Supplements.

Laboratory References:

TAL SAV = TestAmerica Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858

TestAmerica Savannah

Definitions/Glossary

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-99032-1

Qualifiers

GC/MS VOA

| Qualifier | Qualifier Description |
|-----------|--|
| J | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |

Glossary

| Abbreviation | These commonly used abbreviations may or may not be present in this report. |
|----------------|---|
| ▫ | Listed under the "D" column to designate that the result is reported on a dry weight basis |
| %R | Percent Recovery |
| CNF | Contains no Free Liquid |
| DER | Duplicate error ratio (normalized absolute difference) |
| Dil Fac | Dilution Factor |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC | Decision level concentration |
| MDA | Minimum detectable activity |
| EDL | Estimated Detection Limit |
| MDC | Minimum detectable concentration |
| MDL | Method Detection Limit |
| ML | Minimum Level (Dioxin) |
| NC | Not Calculated |
| ND | Not detected at the reporting limit (or MDL or EDL if shown) |
| PQL | Practical Quantitation Limit |
| QC | Quality Control |
| RER | Relative error ratio |
| RL | Reporting Limit or Requested Limit (Radiochemistry) |
| RPD | Relative Percent Difference, a measure of the relative difference between two points |
| TEF | Toxicity Equivalent Factor (Dioxin) |
| TEQ | Toxicity Equivalent Quotient (Dioxin) |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-99032-1

Client Sample ID: RFW-20

Lab Sample ID: 680-99032-1

Date Collected: 02/25/14 16:30

Matrix: Water

Date Received: 02/28/14 09:49

Method: 524.2 - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|------|------|------|---|----------|----------------|---------|
| Acetone | 25 | | 10 | 5.0 | ug/L | | | 03/03/14 20:26 | 1 |
| Benzene | <0.50 | | 0.50 | 0.18 | ug/L | | | 03/03/14 20:26 | 1 |
| Bromobenzene | <0.50 | | 0.50 | 0.42 | ug/L | | | 03/03/14 20:26 | 1 |
| Bromoform | <0.50 | | 0.50 | 0.39 | ug/L | | | 03/03/14 20:26 | 1 |
| Bromomethane | <1.0 | | 1.0 | 0.45 | ug/L | | | 03/03/14 20:26 | 1 |
| Carbon tetrachloride | <0.50 | | 0.50 | 0.22 | ug/L | | | 03/03/14 20:26 | 1 |
| Chlorobenzene | <0.50 | | 0.50 | 0.27 | ug/L | | | 03/03/14 20:26 | 1 |
| Chlorobromomethane | <0.50 | | 0.50 | 0.30 | ug/L | | | 03/03/14 20:26 | 1 |
| Chlorodibromomethane | <0.50 | | 0.50 | 0.43 | ug/L | | | 03/03/14 20:26 | 1 |
| Chloroethane | <1.0 | | 1.0 | 0.33 | ug/L | | | 03/03/14 20:26 | 1 |
| Chloroform | <0.50 | | 0.50 | 0.29 | ug/L | | | 03/03/14 20:26 | 1 |
| Chloromethane | <0.50 | | 0.50 | 0.32 | ug/L | | | 03/03/14 20:26 | 1 |
| 2-Chlorotoluene | <0.50 | | 0.50 | 0.17 | ug/L | | | 03/03/14 20:26 | 1 |
| 4-Chlorotoluene | <0.50 | | 0.50 | 0.16 | ug/L | | | 03/03/14 20:26 | 1 |
| cis-1,2-Dichloroethene | <0.50 | | 0.50 | 0.37 | ug/L | | | 03/03/14 20:26 | 1 |
| cis-1,3-Dichloropropene | <0.50 | | 0.50 | 0.32 | ug/L | | | 03/03/14 20:26 | 1 |
| 1,2-Dibromo-3-Chloropropane | <0.50 | | 0.50 | 0.30 | ug/L | | | 03/03/14 20:26 | 1 |
| Dibromomethane | <0.50 | | 0.50 | 0.38 | ug/L | | | 03/03/14 20:26 | 1 |
| 1,2-Dichlorobenzene | <0.50 | | 0.50 | 0.17 | ug/L | | | 03/03/14 20:26 | 1 |
| 1,3-Dichlorobenzene | <0.50 | | 0.50 | 0.14 | ug/L | | | 03/03/14 20:26 | 1 |
| 1,4-Dichlorobenzene | <0.50 | | 0.50 | 0.18 | ug/L | | | 03/03/14 20:26 | 1 |
| Dichlorobromomethane | <0.50 | | 0.50 | 0.10 | ug/L | | | 03/03/14 20:26 | 1 |
| Dichlorodifluoromethane | <0.50 | | 0.50 | 0.34 | ug/L | | | 03/03/14 20:26 | 1 |
| 1,1-Dichloroethane | <0.50 | | 0.50 | 0.39 | ug/L | | | 03/03/14 20:26 | 1 |
| 1,2-Dichloroethane | <0.50 | | 0.50 | 0.17 | ug/L | | | 03/03/14 20:26 | 1 |
| 1,1-Dichloroethene | <0.50 | | 0.50 | 0.32 | ug/L | | | 03/03/14 20:26 | 1 |
| 1,2-Dichloropropane | <0.50 | | 0.50 | 0.45 | ug/L | | | 03/03/14 20:26 | 1 |
| 1,3-Dichloropropane | <0.50 | | 0.50 | 0.43 | ug/L | | | 03/03/14 20:26 | 1 |
| 2,2-Dichloropropane | <0.50 | | 0.50 | 0.31 | ug/L | | | 03/03/14 20:26 | 1 |
| 1,1-Dichloropropene | <0.50 | | 0.50 | 0.19 | ug/L | | | 03/03/14 20:26 | 1 |
| 1,3-Dichloropropene, Total | <0.50 | | 0.50 | 0.32 | ug/L | | | 03/03/14 20:26 | 1 |
| Diisopropyl ether | <0.50 | | 0.50 | 0.28 | ug/L | | | 03/03/14 20:26 | 1 |
| Ethylbenzene | <0.50 | | 0.50 | 0.12 | ug/L | | | 03/03/14 20:26 | 1 |
| Ethylene Dibromide | <0.50 | | 0.50 | 0.20 | ug/L | | | 03/03/14 20:26 | 1 |
| Freon 113 | <0.50 | | 0.50 | 0.15 | ug/L | | | 03/03/14 20:26 | 1 |
| Hexachlorobutadiene | <0.50 | | 0.50 | 0.26 | ug/L | | | 03/03/14 20:26 | 1 |
| 2-Hexanone | <10 | | 10 | 5.0 | ug/L | | | 03/03/14 20:26 | 1 |
| Isopropylbenzene | <0.50 | | 0.50 | 0.15 | ug/L | | | 03/03/14 20:26 | 1 |
| 4-Isopropyltoluene | <0.50 | | 0.50 | 0.21 | ug/L | | | 03/03/14 20:26 | 1 |
| Methylene Chloride | <0.50 | | 0.50 | 0.36 | ug/L | | | 03/03/14 20:26 | 1 |
| 2-Butanone (MEK) | 5.5 | J | 10 | 5.0 | ug/L | | | 03/03/14 20:26 | 1 |
| 4-Methyl-2-pentanone (MIBK) | <10 | | 10 | 5.0 | ug/L | | | 03/03/14 20:26 | 1 |
| m-Xylene & p-Xylene | <0.50 | | 0.50 | 0.42 | ug/L | | | 03/03/14 20:26 | 1 |
| Naphthalene | <1.0 | | 1.0 | 0.43 | ug/L | | | 03/03/14 20:26 | 1 |
| n-Butylbenzene | <0.50 | | 0.50 | 0.17 | ug/L | | | 03/03/14 20:26 | 1 |
| N-Propylbenzene | <0.50 | | 0.50 | 0.17 | ug/L | | | 03/03/14 20:26 | 1 |
| o-Xylene | <0.50 | | 0.50 | 0.27 | ug/L | | | 03/03/14 20:26 | 1 |
| sec-Butylbenzene | <0.50 | | 0.50 | 0.14 | ug/L | | | 03/03/14 20:26 | 1 |
| Styrene | <0.50 | | 0.50 | 0.28 | ug/L | | | 03/03/14 20:26 | 1 |

TestAmerica Savannah

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-99032-1

Client Sample ID: RFW-20

Lab Sample ID: 680-99032-1

Date Collected: 02/25/14 16:30

Matrix: Water

Date Received: 02/28/14 09:49

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|--------|-----------|------|------|------|---|----------|----------------|---------|
| Tert-amyl methyl ether | <0.50 | | 0.50 | 0.20 | ug/L | | | 03/03/14 20:26 | 1 |
| tert-Butyl alcohol | <2.0 | | 2.0 | 1.6 | ug/L | | | 03/03/14 20:26 | 1 |
| tert-Butylbenzene | <0.50 | | 0.50 | 0.14 | ug/L | | | 03/03/14 20:26 | 1 |
| Tert-butyl ethyl ether | <0.50 | | 0.50 | 0.26 | ug/L | | | 03/03/14 20:26 | 1 |
| 1,1,1,2-Tetrachloroethane | <0.50 | | 0.50 | 0.16 | ug/L | | | 03/03/14 20:26 | 1 |
| 1,1,2,2-Tetrachloroethane | <0.50 | | 0.50 | 0.18 | ug/L | | | 03/03/14 20:26 | 1 |
| Tetrachloroethene | <0.50 | | 0.50 | 0.30 | ug/L | | | 03/03/14 20:26 | 1 |
| Toluene | <0.50 | | 0.50 | 0.23 | ug/L | | | 03/03/14 20:26 | 1 |
| trans-1,2-Dichloroethene | <0.50 | | 0.50 | 0.24 | ug/L | | | 03/03/14 20:26 | 1 |
| trans-1,3-Dichloropropene | <0.50 | | 0.50 | 0.48 | ug/L | | | 03/03/14 20:26 | 1 |
| 1,2,3-Trichlorobenzene | <0.50 | | 0.50 | 0.14 | ug/L | | | 03/03/14 20:26 | 1 |
| 1,2,4-Trichlorobenzene | <0.50 | | 0.50 | 0.18 | ug/L | | | 03/03/14 20:26 | 1 |
| 1,1,1-Trichloroethane | <0.50 | | 0.50 | 0.27 | ug/L | | | 03/03/14 20:26 | 1 |
| 1,1,2-Trichloroethane | <0.50 | | 0.50 | 0.22 | ug/L | | | 03/03/14 20:26 | 1 |
| Trichloroethene | <0.50 | | 0.50 | 0.37 | ug/L | | | 03/03/14 20:26 | 1 |
| Trichlorofluoromethane | <0.50 | | 0.50 | 0.23 | ug/L | | | 03/03/14 20:26 | 1 |
| 1,2,3-Trichloropropane | <0.50 | | 0.50 | 0.18 | ug/L | | | 03/03/14 20:26 | 1 |
| Trihalomethanes, Total | <0.50 | | 0.50 | 0.10 | ug/L | | | 03/03/14 20:26 | 1 |
| 1,2,4-Trimethylbenzene | <0.50 | | 0.50 | 0.17 | ug/L | | | 03/03/14 20:26 | 1 |
| 1,3,5-Trimethylbenzene | <0.50 | | 0.50 | 0.16 | ug/L | | | 03/03/14 20:26 | 1 |
| Vinyl chloride | <0.50 | | 0.50 | 0.33 | ug/L | | | 03/03/14 20:26 | 1 |
| Xylenes, Total | <0.50 | | 0.50 | 0.27 | ug/L | | | 03/03/14 20:26 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene | 96 | | 70 - 130 | | 03/03/14 20:26 | 1 |
| 1,2-Dichlorobenzene-d4 | 99 | | 70 - 130 | | 03/03/14 20:26 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-99032-1

Client Sample ID: RFW-21

Lab Sample ID: 680-99032-2

Date Collected: 02/25/14 09:15

Matrix: Water

Date Received: 02/28/14 09:49

Method: 524.2 - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|------|------|------|---|----------|----------------|---------|
| Acetone | <10 | | 10 | 5.0 | ug/L | | | 03/03/14 20:49 | 1 |
| Benzene | <0.50 | | 0.50 | 0.18 | ug/L | | | 03/03/14 20:49 | 1 |
| Bromobenzene | <0.50 | | 0.50 | 0.42 | ug/L | | | 03/03/14 20:49 | 1 |
| Bromoform | <0.50 | | 0.50 | 0.39 | ug/L | | | 03/03/14 20:49 | 1 |
| Bromomethane | <1.0 | | 1.0 | 0.45 | ug/L | | | 03/03/14 20:49 | 1 |
| Carbon tetrachloride | <0.50 | | 0.50 | 0.22 | ug/L | | | 03/03/14 20:49 | 1 |
| Chlorobenzene | <0.50 | | 0.50 | 0.27 | ug/L | | | 03/03/14 20:49 | 1 |
| Chlorobromomethane | <0.50 | | 0.50 | 0.30 | ug/L | | | 03/03/14 20:49 | 1 |
| Chlorodibromomethane | <0.50 | | 0.50 | 0.43 | ug/L | | | 03/03/14 20:49 | 1 |
| Chloroethane | <1.0 | | 1.0 | 0.33 | ug/L | | | 03/03/14 20:49 | 1 |
| Chloroform | <0.50 | | 0.50 | 0.29 | ug/L | | | 03/03/14 20:49 | 1 |
| Chloromethane | <0.50 | | 0.50 | 0.32 | ug/L | | | 03/03/14 20:49 | 1 |
| 2-Chlorotoluene | <0.50 | | 0.50 | 0.17 | ug/L | | | 03/03/14 20:49 | 1 |
| 4-Chlorotoluene | <0.50 | | 0.50 | 0.16 | ug/L | | | 03/03/14 20:49 | 1 |
| cis-1,2-Dichloroethene | <0.50 | | 0.50 | 0.37 | ug/L | | | 03/03/14 20:49 | 1 |
| cis-1,3-Dichloropropene | <0.50 | | 0.50 | 0.32 | ug/L | | | 03/03/14 20:49 | 1 |
| 1,2-Dibromo-3-Chloropropane | <0.50 | | 0.50 | 0.30 | ug/L | | | 03/03/14 20:49 | 1 |
| Dibromomethane | <0.50 | | 0.50 | 0.38 | ug/L | | | 03/03/14 20:49 | 1 |
| 1,2-Dichlorobenzene | <0.50 | | 0.50 | 0.17 | ug/L | | | 03/03/14 20:49 | 1 |
| 1,3-Dichlorobenzene | <0.50 | | 0.50 | 0.14 | ug/L | | | 03/03/14 20:49 | 1 |
| 1,4-Dichlorobenzene | <0.50 | | 0.50 | 0.18 | ug/L | | | 03/03/14 20:49 | 1 |
| Dichlorobromomethane | <0.50 | | 0.50 | 0.10 | ug/L | | | 03/03/14 20:49 | 1 |
| Dichlorodifluoromethane | <0.50 | | 0.50 | 0.34 | ug/L | | | 03/03/14 20:49 | 1 |
| 1,1-Dichloroethane | <0.50 | | 0.50 | 0.39 | ug/L | | | 03/03/14 20:49 | 1 |
| 1,2-Dichloroethane | <0.50 | | 0.50 | 0.17 | ug/L | | | 03/03/14 20:49 | 1 |
| 1,1-Dichloroethene | <0.50 | | 0.50 | 0.32 | ug/L | | | 03/03/14 20:49 | 1 |
| 1,2-Dichloropropane | <0.50 | | 0.50 | 0.45 | ug/L | | | 03/03/14 20:49 | 1 |
| 1,3-Dichloropropane | <0.50 | | 0.50 | 0.43 | ug/L | | | 03/03/14 20:49 | 1 |
| 2,2-Dichloropropane | <0.50 | | 0.50 | 0.31 | ug/L | | | 03/03/14 20:49 | 1 |
| 1,1-Dichloropropene | <0.50 | | 0.50 | 0.19 | ug/L | | | 03/03/14 20:49 | 1 |
| 1,3-Dichloropropene, Total | <0.50 | | 0.50 | 0.32 | ug/L | | | 03/03/14 20:49 | 1 |
| Diisopropyl ether | <0.50 | | 0.50 | 0.28 | ug/L | | | 03/03/14 20:49 | 1 |
| Ethylbenzene | <0.50 | | 0.50 | 0.12 | ug/L | | | 03/03/14 20:49 | 1 |
| Ethylene Dibromide | <0.50 | | 0.50 | 0.20 | ug/L | | | 03/03/14 20:49 | 1 |
| Freon 113 | <0.50 | | 0.50 | 0.15 | ug/L | | | 03/03/14 20:49 | 1 |
| Hexachlorobutadiene | <0.50 | | 0.50 | 0.26 | ug/L | | | 03/03/14 20:49 | 1 |
| 2-Hexanone | <10 | | 10 | 5.0 | ug/L | | | 03/03/14 20:49 | 1 |
| Isopropylbenzene | <0.50 | | 0.50 | 0.15 | ug/L | | | 03/03/14 20:49 | 1 |
| 4-Isopropyltoluene | <0.50 | | 0.50 | 0.21 | ug/L | | | 03/03/14 20:49 | 1 |
| Methylene Chloride | <0.50 | | 0.50 | 0.36 | ug/L | | | 03/03/14 20:49 | 1 |
| 2-Butanone (MEK) | <10 | | 10 | 5.0 | ug/L | | | 03/03/14 20:49 | 1 |
| 4-Methyl-2-pentanone (MIBK) | <10 | | 10 | 5.0 | ug/L | | | 03/03/14 20:49 | 1 |
| m-Xylene & p-Xylene | <0.50 | | 0.50 | 0.42 | ug/L | | | 03/03/14 20:49 | 1 |
| Naphthalene | <1.0 | | 1.0 | 0.43 | ug/L | | | 03/03/14 20:49 | 1 |
| n-Butylbenzene | <0.50 | | 0.50 | 0.17 | ug/L | | | 03/03/14 20:49 | 1 |
| N-Propylbenzene | <0.50 | | 0.50 | 0.17 | ug/L | | | 03/03/14 20:49 | 1 |
| o-Xylene | <0.50 | | 0.50 | 0.27 | ug/L | | | 03/03/14 20:49 | 1 |
| sec-Butylbenzene | <0.50 | | 0.50 | 0.14 | ug/L | | | 03/03/14 20:49 | 1 |
| Styrene | <0.50 | | 0.50 | 0.28 | ug/L | | | 03/03/14 20:49 | 1 |

TestAmerica Savannah

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-99032-1

Client Sample ID: RFW-21

Lab Sample ID: 680-99032-2

Date Collected: 02/25/14 09:15

Matrix: Water

Date Received: 02/28/14 09:49

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|--------|-----------|------|------|------|---|----------|----------------|---------|
| Tert-amyl methyl ether | <0.50 | | 0.50 | 0.20 | ug/L | | | 03/03/14 20:49 | 1 |
| tert-Butyl alcohol | <2.0 | | 2.0 | 1.6 | ug/L | | | 03/03/14 20:49 | 1 |
| tert-Butylbenzene | <0.50 | | 0.50 | 0.14 | ug/L | | | 03/03/14 20:49 | 1 |
| Tert-butyl ethyl ether | <0.50 | | 0.50 | 0.26 | ug/L | | | 03/03/14 20:49 | 1 |
| 1,1,1,2-Tetrachloroethane | <0.50 | | 0.50 | 0.16 | ug/L | | | 03/03/14 20:49 | 1 |
| 1,1,2,2-Tetrachloroethane | <0.50 | | 0.50 | 0.18 | ug/L | | | 03/03/14 20:49 | 1 |
| Tetrachloroethene | <0.50 | | 0.50 | 0.30 | ug/L | | | 03/03/14 20:49 | 1 |
| Toluene | <0.50 | | 0.50 | 0.23 | ug/L | | | 03/03/14 20:49 | 1 |
| trans-1,2-Dichloroethene | <0.50 | | 0.50 | 0.24 | ug/L | | | 03/03/14 20:49 | 1 |
| trans-1,3-Dichloropropene | <0.50 | | 0.50 | 0.48 | ug/L | | | 03/03/14 20:49 | 1 |
| 1,2,3-Trichlorobenzene | <0.50 | | 0.50 | 0.14 | ug/L | | | 03/03/14 20:49 | 1 |
| 1,2,4-Trichlorobenzene | <0.50 | | 0.50 | 0.18 | ug/L | | | 03/03/14 20:49 | 1 |
| 1,1,1-Trichloroethane | <0.50 | | 0.50 | 0.27 | ug/L | | | 03/03/14 20:49 | 1 |
| 1,1,2-Trichloroethane | <0.50 | | 0.50 | 0.22 | ug/L | | | 03/03/14 20:49 | 1 |
| Trichloroethene | <0.50 | | 0.50 | 0.37 | ug/L | | | 03/03/14 20:49 | 1 |
| Trichlorofluoromethane | <0.50 | | 0.50 | 0.23 | ug/L | | | 03/03/14 20:49 | 1 |
| 1,2,3-Trichloropropane | <0.50 | | 0.50 | 0.18 | ug/L | | | 03/03/14 20:49 | 1 |
| Trihalomethanes, Total | <0.50 | | 0.50 | 0.10 | ug/L | | | 03/03/14 20:49 | 1 |
| 1,2,4-Trimethylbenzene | <0.50 | | 0.50 | 0.17 | ug/L | | | 03/03/14 20:49 | 1 |
| 1,3,5-Trimethylbenzene | <0.50 | | 0.50 | 0.16 | ug/L | | | 03/03/14 20:49 | 1 |
| Vinyl chloride | <0.50 | | 0.50 | 0.33 | ug/L | | | 03/03/14 20:49 | 1 |
| Xylenes, Total | <0.50 | | 0.50 | 0.27 | ug/L | | | 03/03/14 20:49 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene | 96 | | 70 - 130 | | 03/03/14 20:49 | 1 |
| 1,2-Dichlorobenzene-d4 | 98 | | 70 - 130 | | 03/03/14 20:49 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-99032-1

Client Sample ID: HAMP-22

Lab Sample ID: 680-99032-3

Date Collected: 02/26/14 10:30

Matrix: Water

Date Received: 02/28/14 09:49

Method: 524.2 - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | DII Fac |
|-----------------------------|-------------|-----------|------|------|------|---|----------|----------------|---------|
| Acetone | <10 | | 10 | 5.0 | ug/L | | | 03/03/14 21:12 | 1 |
| Benzene | <0.50 | | 0.50 | 0.18 | ug/L | | | 03/03/14 21:12 | 1 |
| Bromobenzene | <0.50 | | 0.50 | 0.42 | ug/L | | | 03/03/14 21:12 | 1 |
| Bromoform | <0.50 | | 0.50 | 0.39 | ug/L | | | 03/03/14 21:12 | 1 |
| Bromomethane | <1.0 | | 1.0 | 0.45 | ug/L | | | 03/03/14 21:12 | 1 |
| Carbon tetrachloride | <0.50 | | 0.50 | 0.22 | ug/L | | | 03/03/14 21:12 | 1 |
| Chlorobenzene | <0.50 | | 0.50 | 0.27 | ug/L | | | 03/03/14 21:12 | 1 |
| Chlorobromomethane | <0.50 | | 0.50 | 0.30 | ug/L | | | 03/03/14 21:12 | 1 |
| Chlorodibromomethane | <0.50 | | 0.50 | 0.43 | ug/L | | | 03/03/14 21:12 | 1 |
| Chloroethane | <1.0 | | 1.0 | 0.33 | ug/L | | | 03/03/14 21:12 | 1 |
| Chloroform | 0.38 | J | 0.50 | 0.29 | ug/L | | | 03/03/14 21:12 | 1 |
| Chloromethane | <0.50 | | 0.50 | 0.32 | ug/L | | | 03/03/14 21:12 | 1 |
| 2-Chlorotoluene | <0.50 | | 0.50 | 0.17 | ug/L | | | 03/03/14 21:12 | 1 |
| 4-Chlorotoluene | <0.50 | | 0.50 | 0.16 | ug/L | | | 03/03/14 21:12 | 1 |
| cis-1,2-Dichloroethene | <0.50 | | 0.50 | 0.37 | ug/L | | | 03/03/14 21:12 | 1 |
| cis-1,3-Dichloropropene | <0.50 | | 0.50 | 0.32 | ug/L | | | 03/03/14 21:12 | 1 |
| 1,2-Dibromo-3-Chloropropane | <0.50 | | 0.50 | 0.30 | ug/L | | | 03/03/14 21:12 | 1 |
| Dibromomethane | <0.50 | | 0.50 | 0.38 | ug/L | | | 03/03/14 21:12 | 1 |
| 1,2-Dichlorobenzene | <0.50 | | 0.50 | 0.17 | ug/L | | | 03/03/14 21:12 | 1 |
| 1,3-Dichlorobenzene | <0.50 | | 0.50 | 0.14 | ug/L | | | 03/03/14 21:12 | 1 |
| 1,4-Dichlorobenzene | <0.50 | | 0.50 | 0.18 | ug/L | | | 03/03/14 21:12 | 1 |
| Dichlorobromomethane | <0.50 | | 0.50 | 0.10 | ug/L | | | 03/03/14 21:12 | 1 |
| Dichlorodifluoromethane | <0.50 | | 0.50 | 0.34 | ug/L | | | 03/03/14 21:12 | 1 |
| 1,1-Dichloroethane | <0.50 | | 0.50 | 0.39 | ug/L | | | 03/03/14 21:12 | 1 |
| 1,2-Dichloroethane | <0.50 | | 0.50 | 0.17 | ug/L | | | 03/03/14 21:12 | 1 |
| 1,1-Dichloroethene | <0.50 | | 0.50 | 0.32 | ug/L | | | 03/03/14 21:12 | 1 |
| 1,2-Dichloropropane | <0.50 | | 0.50 | 0.45 | ug/L | | | 03/03/14 21:12 | 1 |
| 1,3-Dichloropropane | <0.50 | | 0.50 | 0.43 | ug/L | | | 03/03/14 21:12 | 1 |
| 2,2-Dichloropropane | <0.50 | | 0.50 | 0.31 | ug/L | | | 03/03/14 21:12 | 1 |
| 1,1-Dichloropropene | <0.50 | | 0.50 | 0.19 | ug/L | | | 03/03/14 21:12 | 1 |
| 1,3-Dichloropropene, Total | <0.50 | | 0.50 | 0.32 | ug/L | | | 03/03/14 21:12 | 1 |
| Diisopropyl ether | <0.50 | | 0.50 | 0.28 | ug/L | | | 03/03/14 21:12 | 1 |
| Ethylbenzene | <0.50 | | 0.50 | 0.12 | ug/L | | | 03/03/14 21:12 | 1 |
| Ethylene Dibromide | <0.50 | | 0.50 | 0.20 | ug/L | | | 03/03/14 21:12 | 1 |
| Freon 113 | <0.50 | | 0.50 | 0.15 | ug/L | | | 03/03/14 21:12 | 1 |
| Hexachlorobutadiene | <0.50 | | 0.50 | 0.26 | ug/L | | | 03/03/14 21:12 | 1 |
| 2-Hexanone | <10 | | 10 | 5.0 | ug/L | | | 03/03/14 21:12 | 1 |
| Isopropylbenzene | <0.50 | | 0.50 | 0.15 | ug/L | | | 03/03/14 21:12 | 1 |
| 4-Isopropyltoluene | <0.50 | | 0.50 | 0.21 | ug/L | | | 03/03/14 21:12 | 1 |
| Methylene Chloride | <0.50 | | 0.50 | 0.36 | ug/L | | | 03/03/14 21:12 | 1 |
| 2-Butanone (MEK) | <10 | | 10 | 5.0 | ug/L | | | 03/03/14 21:12 | 1 |
| 4-Methyl-2-pentanone (MIBK) | <10 | | 10 | 5.0 | ug/L | | | 03/03/14 21:12 | 1 |
| m-Xylene & p-Xylene | <0.50 | | 0.50 | 0.42 | ug/L | | | 03/03/14 21:12 | 1 |
| Naphthalene | <1.0 | | 1.0 | 0.43 | ug/L | | | 03/03/14 21:12 | 1 |
| n-Butylbenzene | <0.50 | | 0.50 | 0.17 | ug/L | | | 03/03/14 21:12 | 1 |
| N-Propylbenzene | <0.50 | | 0.50 | 0.17 | ug/L | | | 03/03/14 21:12 | 1 |
| o-Xylene | <0.50 | | 0.50 | 0.27 | ug/L | | | 03/03/14 21:12 | 1 |
| sec-Butylbenzene | <0.50 | | 0.50 | 0.14 | ug/L | | | 03/03/14 21:12 | 1 |
| Styrene | <0.50 | | 0.50 | 0.28 | ug/L | | | 03/03/14 21:12 | 1 |

TestAmerica Savannah

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-99032-1

Client Sample ID: HAMP-22

Lab Sample ID: 680-99032-3

Date Collected: 02/26/14 10:30

Matrix: Water

Date Received: 02/28/14 09:49

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-------------------------------|-------------|-----------|------|------|------|---|----------|----------------|---------|
| Tert-amyl methyl ether | <0.50 | | 0.50 | 0.20 | ug/L | | | 03/03/14 21:12 | 1 |
| tert-Butyl alcohol | <2.0 | | 2.0 | 1.6 | ug/L | | | 03/03/14 21:12 | 1 |
| tert-Butylbenzene | <0.50 | | 0.50 | 0.14 | ug/L | | | 03/03/14 21:12 | 1 |
| Tert-butyl ethyl ether | <0.50 | | 0.50 | 0.26 | ug/L | | | 03/03/14 21:12 | 1 |
| 1,1,1,2-Tetrachloroethane | <0.50 | | 0.50 | 0.16 | ug/L | | | 03/03/14 21:12 | 1 |
| 1,1,2,2-Tetrachloroethane | <0.50 | | 0.50 | 0.18 | ug/L | | | 03/03/14 21:12 | 1 |
| Tetrachloroethene | 0.58 | | 0.50 | 0.30 | ug/L | | | 03/03/14 21:12 | 1 |
| Toluene | <0.50 | | 0.50 | 0.23 | ug/L | | | 03/03/14 21:12 | 1 |
| trans-1,2-Dichloroethene | <0.50 | | 0.50 | 0.24 | ug/L | | | 03/03/14 21:12 | 1 |
| trans-1,3-Dichloropropene | <0.50 | | 0.50 | 0.48 | ug/L | | | 03/03/14 21:12 | 1 |
| 1,2,3-Trichlorobenzene | <0.50 | | 0.50 | 0.14 | ug/L | | | 03/03/14 21:12 | 1 |
| 1,2,4-Trichlorobenzene | <0.50 | | 0.50 | 0.18 | ug/L | | | 03/03/14 21:12 | 1 |
| 1,1,1-Trichloroethane | <0.50 | | 0.50 | 0.27 | ug/L | | | 03/03/14 21:12 | 1 |
| 1,1,2-Trichloroethane | <0.50 | | 0.50 | 0.22 | ug/L | | | 03/03/14 21:12 | 1 |
| Trichloroethene | <0.50 | | 0.50 | 0.37 | ug/L | | | 03/03/14 21:12 | 1 |
| Trichlorofluoromethane | <0.50 | | 0.50 | 0.23 | ug/L | | | 03/03/14 21:12 | 1 |
| 1,2,3-Trichloropropane | <0.50 | | 0.50 | 0.18 | ug/L | | | 03/03/14 21:12 | 1 |
| Trihalomethanes, Total | 0.38 | J | 0.50 | 0.10 | ug/L | | | 03/03/14 21:12 | 1 |
| 1,2,4-Trimethylbenzene | <0.50 | | 0.50 | 0.17 | ug/L | | | 03/03/14 21:12 | 1 |
| 1,3,5-Trimethylbenzene | <0.50 | | 0.50 | 0.16 | ug/L | | | 03/03/14 21:12 | 1 |
| Vinyl chloride | <0.50 | | 0.50 | 0.33 | ug/L | | | 03/03/14 21:12 | 1 |
| Xylenes, Total | <0.50 | | 0.50 | 0.27 | ug/L | | | 03/03/14 21:12 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene | 98 | | 70 - 130 | | 03/03/14 21:12 | 1 |
| 1,2-Dichlorobenzene-d4 | 98 | | 70 - 130 | | 03/03/14 21:12 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-99032-1

Client Sample ID: HAMP-23

Lab Sample ID: 680-99032-4

Date Collected: 02/26/14 10:35

Matrix: Water

Date Received: 02/28/14 09:49

Method: 524.2 - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|------|------|------|---|----------|----------------|---------|
| Acetone | <10 | | 10 | 5.0 | ug/L | | | 03/03/14 21:36 | 1 |
| Benzene | <0.50 | | 0.50 | 0.18 | ug/L | | | 03/03/14 21:36 | 1 |
| Bromobenzene | <0.50 | | 0.50 | 0.42 | ug/L | | | 03/03/14 21:36 | 1 |
| Bromoform | <0.50 | | 0.50 | 0.39 | ug/L | | | 03/03/14 21:36 | 1 |
| Bromomethane | <1.0 | | 1.0 | 0.45 | ug/L | | | 03/03/14 21:36 | 1 |
| Carbon tetrachloride | <0.50 | | 0.50 | 0.22 | ug/L | | | 03/03/14 21:36 | 1 |
| Chlorobenzene | <0.50 | | 0.50 | 0.27 | ug/L | | | 03/03/14 21:36 | 1 |
| Chlorobromomethane | <0.50 | | 0.50 | 0.30 | ug/L | | | 03/03/14 21:36 | 1 |
| Chlorodibromomethane | <0.50 | | 0.50 | 0.43 | ug/L | | | 03/03/14 21:36 | 1 |
| Chloroethane | <1.0 | | 1.0 | 0.33 | ug/L | | | 03/03/14 21:36 | 1 |
| Chloroform | <0.50 | | 0.50 | 0.29 | ug/L | | | 03/03/14 21:36 | 1 |
| Chloromethane | <0.50 | | 0.50 | 0.32 | ug/L | | | 03/03/14 21:36 | 1 |
| 2-Chlorotoluene | <0.50 | | 0.50 | 0.17 | ug/L | | | 03/03/14 21:36 | 1 |
| 4-Chlorotoluene | <0.50 | | 0.50 | 0.16 | ug/L | | | 03/03/14 21:36 | 1 |
| cis-1,2-Dichloroethene | <0.50 | | 0.50 | 0.37 | ug/L | | | 03/03/14 21:36 | 1 |
| cis-1,3-Dichloropropene | <0.50 | | 0.50 | 0.32 | ug/L | | | 03/03/14 21:36 | 1 |
| 1,2-Dibromo-3-Chloropropane | <0.50 | | 0.50 | 0.30 | ug/L | | | 03/03/14 21:36 | 1 |
| Dibromomethane | <0.50 | | 0.50 | 0.38 | ug/L | | | 03/03/14 21:36 | 1 |
| 1,2-Dichlorobenzene | <0.50 | | 0.50 | 0.17 | ug/L | | | 03/03/14 21:36 | 1 |
| 1,3-Dichlorobenzene | <0.50 | | 0.50 | 0.14 | ug/L | | | 03/03/14 21:36 | 1 |
| 1,4-Dichlorobenzene | <0.50 | | 0.50 | 0.18 | ug/L | | | 03/03/14 21:36 | 1 |
| Dichlorobromomethane | <0.50 | | 0.50 | 0.10 | ug/L | | | 03/03/14 21:36 | 1 |
| Dichlorodifluoromethane | <0.50 | | 0.50 | 0.34 | ug/L | | | 03/03/14 21:36 | 1 |
| 1,1-Dichloroethane | <0.50 | | 0.50 | 0.39 | ug/L | | | 03/03/14 21:36 | 1 |
| 1,2-Dichloroethane | <0.50 | | 0.50 | 0.17 | ug/L | | | 03/03/14 21:36 | 1 |
| 1,1-Dichloroethene | <0.50 | | 0.50 | 0.32 | ug/L | | | 03/03/14 21:36 | 1 |
| 1,2-Dichloropropane | <0.50 | | 0.50 | 0.45 | ug/L | | | 03/03/14 21:36 | 1 |
| 1,3-Dichloropropane | <0.50 | | 0.50 | 0.43 | ug/L | | | 03/03/14 21:36 | 1 |
| 2,2-Dichloropropane | <0.50 | | 0.50 | 0.31 | ug/L | | | 03/03/14 21:36 | 1 |
| 1,1-Dichloropropene | <0.50 | | 0.50 | 0.19 | ug/L | | | 03/03/14 21:36 | 1 |
| 1,3-Dichloropropene, Total | <0.50 | | 0.50 | 0.32 | ug/L | | | 03/03/14 21:36 | 1 |
| Diisopropyl ether | <0.50 | | 0.50 | 0.28 | ug/L | | | 03/03/14 21:36 | 1 |
| Ethylbenzene | <0.50 | | 0.50 | 0.12 | ug/L | | | 03/03/14 21:36 | 1 |
| Ethylene Dibromide | <0.50 | | 0.50 | 0.20 | ug/L | | | 03/03/14 21:36 | 1 |
| Freon 113 | <0.50 | | 0.50 | 0.15 | ug/L | | | 03/03/14 21:36 | 1 |
| Hexachlorobutadiene | <0.50 | | 0.50 | 0.26 | ug/L | | | 03/03/14 21:36 | 1 |
| 2-Hexanone | <10 | | 10 | 5.0 | ug/L | | | 03/03/14 21:36 | 1 |
| Isopropylbenzene | <0.50 | | 0.50 | 0.15 | ug/L | | | 03/03/14 21:36 | 1 |
| 4-Isopropyltoluene | <0.50 | | 0.50 | 0.21 | ug/L | | | 03/03/14 21:36 | 1 |
| Methylene Chloride | <0.50 | | 0.50 | 0.36 | ug/L | | | 03/03/14 21:36 | 1 |
| 2-Butanone (MEK) | <10 | | 10 | 5.0 | ug/L | | | 03/03/14 21:36 | 1 |
| 4-Methyl-2-pentanone (MIBK) | <10 | | 10 | 5.0 | ug/L | | | 03/03/14 21:36 | 1 |
| m-Xylene & p-Xylene | <0.50 | | 0.50 | 0.42 | ug/L | | | 03/03/14 21:36 | 1 |
| Naphthalene | <1.0 | | 1.0 | 0.43 | ug/L | | | 03/03/14 21:36 | 1 |
| n-Butylbenzene | <0.50 | | 0.50 | 0.17 | ug/L | | | 03/03/14 21:36 | 1 |
| N-Propylbenzene | <0.50 | | 0.50 | 0.17 | ug/L | | | 03/03/14 21:36 | 1 |
| o-Xylene | <0.50 | | 0.50 | 0.27 | ug/L | | | 03/03/14 21:36 | 1 |
| sec-Butylbenzene | <0.50 | | 0.50 | 0.14 | ug/L | | | 03/03/14 21:36 | 1 |
| Styrene | <0.50 | | 0.50 | 0.28 | ug/L | | | 03/03/14 21:36 | 1 |

TestAmerica Savannah

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-99032-1

Client Sample ID: HAMP-23

Lab Sample ID: 680-99032-4

Date Collected: 02/26/14 10:35

Matrix: Water

Date Received: 02/28/14 09:49

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|--------|-----------|------|------|------|---|----------|----------------|---------|
| Tert-amyl methyl ether | <0.50 | | 0.50 | 0.20 | ug/L | | | 03/03/14 21:36 | 1 |
| tert-Butyl alcohol | <2.0 | | 2.0 | 1.6 | ug/L | | | 03/03/14 21:36 | 1 |
| tert-Butylbenzene | <0.50 | | 0.50 | 0.14 | ug/L | | | 03/03/14 21:36 | 1 |
| Tert-butyl ethyl ether | <0.50 | | 0.50 | 0.26 | ug/L | | | 03/03/14 21:36 | 1 |
| 1,1,1,2-Tetrachloroethane | <0.50 | | 0.50 | 0.16 | ug/L | | | 03/03/14 21:36 | 1 |
| 1,1,2,2-Tetrachloroethane | <0.50 | | 0.50 | 0.18 | ug/L | | | 03/03/14 21:36 | 1 |
| Tetrachloroethene | <0.50 | | 0.50 | 0.30 | ug/L | | | 03/03/14 21:36 | 1 |
| Toluene | <0.50 | | 0.50 | 0.23 | ug/L | | | 03/03/14 21:36 | 1 |
| trans-1,2-Dichloroethene | <0.50 | | 0.50 | 0.24 | ug/L | | | 03/03/14 21:36 | 1 |
| trans-1,3-Dichloropropene | <0.50 | | 0.50 | 0.48 | ug/L | | | 03/03/14 21:36 | 1 |
| 1,2,3-Trichlorobenzene | <0.50 | | 0.50 | 0.14 | ug/L | | | 03/03/14 21:36 | 1 |
| 1,2,4-Trichlorobenzene | <0.50 | | 0.50 | 0.18 | ug/L | | | 03/03/14 21:36 | 1 |
| 1,1,1-Trichloroethane | <0.50 | | 0.50 | 0.27 | ug/L | | | 03/03/14 21:36 | 1 |
| 1,1,2-Trichloroethane | <0.50 | | 0.50 | 0.22 | ug/L | | | 03/03/14 21:36 | 1 |
| Trichloroethene | <0.50 | | 0.50 | 0.37 | ug/L | | | 03/03/14 21:36 | 1 |
| Trichlorofluoromethane | <0.50 | | 0.50 | 0.23 | ug/L | | | 03/03/14 21:36 | 1 |
| 1,2,3-Trichloropropane | <0.50 | | 0.50 | 0.18 | ug/L | | | 03/03/14 21:36 | 1 |
| Trihalomethanes, Total | <0.50 | | 0.50 | 0.10 | ug/L | | | 03/03/14 21:36 | 1 |
| 1,2,4-Trimethylbenzene | <0.50 | | 0.50 | 0.17 | ug/L | | | 03/03/14 21:36 | 1 |
| 1,3,5-Trimethylbenzene | <0.50 | | 0.50 | 0.16 | ug/L | | | 03/03/14 21:36 | 1 |
| Vinyl chloride | <0.50 | | 0.50 | 0.33 | ug/L | | | 03/03/14 21:36 | 1 |
| Xylenes, Total | <0.50 | | 0.50 | 0.27 | ug/L | | | 03/03/14 21:36 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene | 95 | | 70 - 130 | | 03/03/14 21:36 | 1 |
| 1,2-Dichlorobenzene-d4 | 96 | | 70 - 130 | | 03/03/14 21:36 | 1 |

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-99032-1

Client Sample ID: Trip Blank

Lab Sample ID: 680-99032-5

Date Collected: 02/25/14 07:00

Matrix: Water

Date Received: 02/28/14 09:49

Method: 524.2 - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|------|------|------|---|----------|----------------|---------|
| Acetone | <10 | | 10 | 5.0 | ug/L | | | 03/03/14 16:13 | 1 |
| Benzene | <0.50 | | 0.50 | 0.18 | ug/L | | | 03/03/14 16:13 | 1 |
| Bromobenzene | <0.50 | | 0.50 | 0.42 | ug/L | | | 03/03/14 16:13 | 1 |
| Bromoform | <0.50 | | 0.50 | 0.39 | ug/L | | | 03/03/14 16:13 | 1 |
| Bromomethane | <1.0 | | 1.0 | 0.45 | ug/L | | | 03/03/14 16:13 | 1 |
| Carbon tetrachloride | <0.50 | | 0.50 | 0.22 | ug/L | | | 03/03/14 16:13 | 1 |
| Chlorobenzene | <0.50 | | 0.50 | 0.27 | ug/L | | | 03/03/14 16:13 | 1 |
| Chlorobromomethane | <0.50 | | 0.50 | 0.30 | ug/L | | | 03/03/14 16:13 | 1 |
| Chlorodibromomethane | <0.50 | | 0.50 | 0.43 | ug/L | | | 03/03/14 16:13 | 1 |
| Chloroethane | <1.0 | | 1.0 | 0.33 | ug/L | | | 03/03/14 16:13 | 1 |
| Chloroform | <0.50 | | 0.50 | 0.29 | ug/L | | | 03/03/14 16:13 | 1 |
| Chloromethane | <0.50 | | 0.50 | 0.32 | ug/L | | | 03/03/14 16:13 | 1 |
| 2-Chlorotoluene | <0.50 | | 0.50 | 0.17 | ug/L | | | 03/03/14 16:13 | 1 |
| 4-Chlorotoluene | <0.50 | | 0.50 | 0.16 | ug/L | | | 03/03/14 16:13 | 1 |
| cis-1,2-Dichloroethene | <0.50 | | 0.50 | 0.37 | ug/L | | | 03/03/14 16:13 | 1 |
| cis-1,3-Dichloropropene | <0.50 | | 0.50 | 0.32 | ug/L | | | 03/03/14 16:13 | 1 |
| 1,2-Dibromo-3-Chloropropane | <0.50 | | 0.50 | 0.30 | ug/L | | | 03/03/14 16:13 | 1 |
| Dibromomethane | <0.50 | | 0.50 | 0.38 | ug/L | | | 03/03/14 16:13 | 1 |
| 1,2-Dichlorobenzene | <0.50 | | 0.50 | 0.17 | ug/L | | | 03/03/14 16:13 | 1 |
| 1,3-Dichlorobenzene | <0.50 | | 0.50 | 0.14 | ug/L | | | 03/03/14 16:13 | 1 |
| 1,4-Dichlorobenzene | <0.50 | | 0.50 | 0.18 | ug/L | | | 03/03/14 16:13 | 1 |
| Dichlorobromomethane | <0.50 | | 0.50 | 0.10 | ug/L | | | 03/03/14 16:13 | 1 |
| Dichlorodifluoromethane | <0.50 | | 0.50 | 0.34 | ug/L | | | 03/03/14 16:13 | 1 |
| 1,1-Dichloroethane | <0.50 | | 0.50 | 0.39 | ug/L | | | 03/03/14 16:13 | 1 |
| 1,2-Dichloroethane | <0.50 | | 0.50 | 0.17 | ug/L | | | 03/03/14 16:13 | 1 |
| 1,1-Dichloroethene | <0.50 | | 0.50 | 0.32 | ug/L | | | 03/03/14 16:13 | 1 |
| 1,2-Dichloropropane | <0.50 | | 0.50 | 0.45 | ug/L | | | 03/03/14 16:13 | 1 |
| 1,3-Dichloropropane | <0.50 | | 0.50 | 0.43 | ug/L | | | 03/03/14 16:13 | 1 |
| 2,2-Dichloropropane | <0.50 | | 0.50 | 0.31 | ug/L | | | 03/03/14 16:13 | 1 |
| 1,1-Dichloropropene | <0.50 | | 0.50 | 0.19 | ug/L | | | 03/03/14 16:13 | 1 |
| 1,3-Dichloropropene, Total | <0.50 | | 0.50 | 0.32 | ug/L | | | 03/03/14 16:13 | 1 |
| Diisopropyl ether | <0.50 | | 0.50 | 0.28 | ug/L | | | 03/03/14 16:13 | 1 |
| Ethylbenzene | <0.50 | | 0.50 | 0.12 | ug/L | | | 03/03/14 16:13 | 1 |
| Ethylene Dibromide | <0.50 | | 0.50 | 0.20 | ug/L | | | 03/03/14 16:13 | 1 |
| Freon 113 | <0.50 | | 0.50 | 0.15 | ug/L | | | 03/03/14 16:13 | 1 |
| Hexachlorobutadiene | <0.50 | | 0.50 | 0.26 | ug/L | | | 03/03/14 16:13 | 1 |
| 2-Hexanone | <10 | | 10 | 5.0 | ug/L | | | 03/03/14 16:13 | 1 |
| Isopropylbenzene | <0.50 | | 0.50 | 0.15 | ug/L | | | 03/03/14 16:13 | 1 |
| 4-Isopropyltoluene | <0.50 | | 0.50 | 0.21 | ug/L | | | 03/03/14 16:13 | 1 |
| Methylene Chloride | <0.50 | | 0.50 | 0.36 | ug/L | | | 03/03/14 16:13 | 1 |
| 2-Butanone (MEK) | <10 | | 10 | 5.0 | ug/L | | | 03/03/14 16:13 | 1 |
| 4-Methyl-2-pentanone (MIBK) | <10 | | 10 | 5.0 | ug/L | | | 03/03/14 16:13 | 1 |
| m-Xylene & p-Xylene | <0.50 | | 0.50 | 0.42 | ug/L | | | 03/03/14 16:13 | 1 |
| Naphthalene | <1.0 | | 1.0 | 0.43 | ug/L | | | 03/03/14 16:13 | 1 |
| n-Butylbenzene | <0.50 | | 0.50 | 0.17 | ug/L | | | 03/03/14 16:13 | 1 |
| N-Propylbenzene | <0.50 | | 0.50 | 0.17 | ug/L | | | 03/03/14 16:13 | 1 |
| o-Xylene | <0.50 | | 0.50 | 0.27 | ug/L | | | 03/03/14 16:13 | 1 |
| sec-Butylbenzene | <0.50 | | 0.50 | 0.14 | ug/L | | | 03/03/14 16:13 | 1 |
| Styrene | <0.50 | | 0.50 | 0.28 | ug/L | | | 03/03/14 16:13 | 1 |

TestAmerica Savannah

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-99032-1

Client Sample ID: Trip Blank

Lab Sample ID: 680-99032-5

Date Collected: 02/25/14 07:00

Matrix: Water

Date Received: 02/28/14 09:49

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|------|------|------|---|----------|----------------|---------|
| Tert-amyl methyl ether | <0.50 | | 0.50 | 0.20 | ug/L | | | 03/03/14 16:13 | 1 |
| tert-Butyl alcohol | 2.7 | | 2.0 | 1.6 | ug/L | | | 03/03/14 16:13 | 1 |
| tert-Butylbenzene | <0.50 | | 0.50 | 0.14 | ug/L | | | 03/03/14 16:13 | 1 |
| Tert-butyl ethyl ether | <0.50 | | 0.50 | 0.26 | ug/L | | | 03/03/14 16:13 | 1 |
| 1,1,1,2-Tetrachloroethane | <0.50 | | 0.50 | 0.16 | ug/L | | | 03/03/14 16:13 | 1 |
| 1,1,1,2,2-Tetrachloroethane | <0.50 | | 0.50 | 0.18 | ug/L | | | 03/03/14 16:13 | 1 |
| Tetrachloroethene | <0.50 | | 0.50 | 0.30 | ug/L | | | 03/03/14 16:13 | 1 |
| Toluene | <0.50 | | 0.50 | 0.23 | ug/L | | | 03/03/14 16:13 | 1 |
| trans-1,2-Dichloroethene | <0.50 | | 0.50 | 0.24 | ug/L | | | 03/03/14 16:13 | 1 |
| trans-1,3-Dichloropropene | <0.50 | | 0.50 | 0.48 | ug/L | | | 03/03/14 16:13 | 1 |
| 1,2,3-Trichlorobenzene | <0.50 | | 0.50 | 0.14 | ug/L | | | 03/03/14 16:13 | 1 |
| 1,2,4-Trichlorobenzene | <0.50 | | 0.50 | 0.18 | ug/L | | | 03/03/14 16:13 | 1 |
| 1,1,1-Trichloroethane | <0.50 | | 0.50 | 0.27 | ug/L | | | 03/03/14 16:13 | 1 |
| 1,1,2-Trichloroethane | <0.50 | | 0.50 | 0.22 | ug/L | | | 03/03/14 16:13 | 1 |
| Trichloroethene | <0.50 | | 0.50 | 0.37 | ug/L | | | 03/03/14 16:13 | 1 |
| Trichlorofluoromethane | <0.50 | | 0.50 | 0.23 | ug/L | | | 03/03/14 16:13 | 1 |
| 1,2,3-Trichloropropane | <0.50 | | 0.50 | 0.18 | ug/L | | | 03/03/14 16:13 | 1 |
| Trihalomethanes, Total | <0.50 | | 0.50 | 0.10 | ug/L | | | 03/03/14 16:13 | 1 |
| 1,2,4-Trimethylbenzene | <0.50 | | 0.50 | 0.17 | ug/L | | | 03/03/14 16:13 | 1 |
| 1,3,5-Trimethylbenzene | <0.50 | | 0.50 | 0.16 | ug/L | | | 03/03/14 16:13 | 1 |
| Vinyl chloride | <0.50 | | 0.50 | 0.33 | ug/L | | | 03/03/14 16:13 | 1 |
| Xylenes, Total | <0.50 | | 0.50 | 0.27 | ug/L | | | 03/03/14 16:13 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene | 95 | | 70 - 130 | | 03/03/14 16:13 | 1 |
| 1,2-Dichlorobenzene-d4 | 96 | | 70 - 130 | | 03/03/14 16:13 | 1 |

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-99032-1

Method: 524.2 - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 680-318006/7

Matrix: Water

Analysis Batch: 318006

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte | MB MB | | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|------|------|------|---|----------|----------------|---------|
| | Result | Qualifier | | | | | | | |
| Acetone | <10 | | 10 | 5.0 | ug/L | | | 03/03/14 15:50 | 1 |
| Benzene | <0.50 | | 0.50 | 0.18 | ug/L | | | 03/03/14 15:50 | 1 |
| Bromobenzene | <0.50 | | 0.50 | 0.42 | ug/L | | | 03/03/14 15:50 | 1 |
| Bromoform | <0.50 | | 0.50 | 0.39 | ug/L | | | 03/03/14 15:50 | 1 |
| Bromomethane | <1.0 | | 1.0 | 0.45 | ug/L | | | 03/03/14 15:50 | 1 |
| Carbon tetrachloride | <0.50 | | 0.50 | 0.22 | ug/L | | | 03/03/14 15:50 | 1 |
| Chlorobenzene | <0.50 | | 0.50 | 0.27 | ug/L | | | 03/03/14 15:50 | 1 |
| Chlorobromomethane | <0.50 | | 0.50 | 0.30 | ug/L | | | 03/03/14 15:50 | 1 |
| Chlorodibromomethane | <0.50 | | 0.50 | 0.43 | ug/L | | | 03/03/14 15:50 | 1 |
| Chloroethane | <1.0 | | 1.0 | 0.33 | ug/L | | | 03/03/14 15:50 | 1 |
| Chloroform | <0.50 | | 0.50 | 0.29 | ug/L | | | 03/03/14 15:50 | 1 |
| Chloromethane | <0.50 | | 0.50 | 0.32 | ug/L | | | 03/03/14 15:50 | 1 |
| 2-Chlorotoluene | <0.50 | | 0.50 | 0.17 | ug/L | | | 03/03/14 15:50 | 1 |
| 4-Chlorotoluene | <0.50 | | 0.50 | 0.16 | ug/L | | | 03/03/14 15:50 | 1 |
| cis-1,2-Dichloroethene | <0.50 | | 0.50 | 0.37 | ug/L | | | 03/03/14 15:50 | 1 |
| cis-1,3-Dichloropropene | <0.50 | | 0.50 | 0.32 | ug/L | | | 03/03/14 15:50 | 1 |
| 1,2-Dibromo-3-Chloropropane | <0.50 | | 0.50 | 0.30 | ug/L | | | 03/03/14 15:50 | 1 |
| Dibromomethane | <0.50 | | 0.50 | 0.38 | ug/L | | | 03/03/14 15:50 | 1 |
| 1,2-Dichlorobenzene | <0.50 | | 0.50 | 0.17 | ug/L | | | 03/03/14 15:50 | 1 |
| 1,3-Dichlorobenzene | <0.50 | | 0.50 | 0.14 | ug/L | | | 03/03/14 15:50 | 1 |
| 1,4-Dichlorobenzene | <0.50 | | 0.50 | 0.18 | ug/L | | | 03/03/14 15:50 | 1 |
| Dichlorobromomethane | <0.50 | | 0.50 | 0.10 | ug/L | | | 03/03/14 15:50 | 1 |
| Dichlorodifluoromethane | <0.50 | | 0.50 | 0.34 | ug/L | | | 03/03/14 15:50 | 1 |
| 1,1-Dichloroethane | <0.50 | | 0.50 | 0.39 | ug/L | | | 03/03/14 15:50 | 1 |
| 1,2-Dichloroethane | <0.50 | | 0.50 | 0.17 | ug/L | | | 03/03/14 15:50 | 1 |
| 1,1-Dichloroethene | <0.50 | | 0.50 | 0.32 | ug/L | | | 03/03/14 15:50 | 1 |
| 1,2-Dichloropropane | <0.50 | | 0.50 | 0.45 | ug/L | | | 03/03/14 15:50 | 1 |
| 1,3-Dichloropropane | <0.50 | | 0.50 | 0.43 | ug/L | | | 03/03/14 15:50 | 1 |
| 2,2-Dichloropropane | <0.50 | | 0.50 | 0.31 | ug/L | | | 03/03/14 15:50 | 1 |
| 1,1-Dichloropropene | <0.50 | | 0.50 | 0.19 | ug/L | | | 03/03/14 15:50 | 1 |
| 1,3-Dichloropropene, Total | <0.50 | | 0.50 | 0.32 | ug/L | | | 03/03/14 15:50 | 1 |
| Diisopropyl ether | <0.50 | | 0.50 | 0.28 | ug/L | | | 03/03/14 15:50 | 1 |
| Ethylbenzene | <0.50 | | 0.50 | 0.12 | ug/L | | | 03/03/14 15:50 | 1 |
| Ethylene Dibromide | <0.50 | | 0.50 | 0.20 | ug/L | | | 03/03/14 15:50 | 1 |
| Freon 113 | <0.50 | | 0.50 | 0.15 | ug/L | | | 03/03/14 15:50 | 1 |
| Hexachlorobutadiene | <0.50 | | 0.50 | 0.26 | ug/L | | | 03/03/14 15:50 | 1 |
| 2-Hexanone | <10 | | 10 | 5.0 | ug/L | | | 03/03/14 15:50 | 1 |
| Isopropylbenzene | <0.50 | | 0.50 | 0.15 | ug/L | | | 03/03/14 15:50 | 1 |
| 4-Isopropyltoluene | <0.50 | | 0.50 | 0.21 | ug/L | | | 03/03/14 15:50 | 1 |
| Methylene Chloride | <0.50 | | 0.50 | 0.36 | ug/L | | | 03/03/14 15:50 | 1 |
| 2-Butanone (MEK) | <10 | | 10 | 5.0 | ug/L | | | 03/03/14 15:50 | 1 |
| 4-Methyl-2-pentanone (MIBK) | <10 | | 10 | 5.0 | ug/L | | | 03/03/14 15:50 | 1 |
| m-Xylene & p-Xylene | <0.50 | | 0.50 | 0.42 | ug/L | | | 03/03/14 15:50 | 1 |
| Naphthalene | <1.0 | | 1.0 | 0.43 | ug/L | | | 03/03/14 15:50 | 1 |
| n-Butylbenzene | <0.50 | | 0.50 | 0.17 | ug/L | | | 03/03/14 15:50 | 1 |
| N-Propylbenzene | <0.50 | | 0.50 | 0.17 | ug/L | | | 03/03/14 15:50 | 1 |
| o-Xylene | <0.50 | | 0.50 | 0.27 | ug/L | | | 03/03/14 15:50 | 1 |
| sec-Butylbenzene | <0.50 | | 0.50 | 0.14 | ug/L | | | 03/03/14 15:50 | 1 |

TestAmerica Savannah

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-99032-1

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 680-318006/7
Matrix: Water
Analysis Batch: 318006

Client Sample ID: Method Blank
Prep Type: Total/NA

| Analyte | MB MB | | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------|--------|-----------|------|------|------|---|----------|----------------|---------|
| | Result | Qualifier | | | | | | | |
| Styrene | <0.50 | | 0.50 | 0.28 | ug/L | | | 03/03/14 15:50 | 1 |
| Tert-amyl methyl ether | <0.50 | | 0.50 | 0.20 | ug/L | | | 03/03/14 15:50 | 1 |
| tert-Butyl alcohol | <2.0 | | 2.0 | 1.6 | ug/L | | | 03/03/14 15:50 | 1 |
| tert-Butylbenzene | <0.50 | | 0.50 | 0.14 | ug/L | | | 03/03/14 15:50 | 1 |
| Tert-butyl ethyl ether | <0.50 | | 0.50 | 0.26 | ug/L | | | 03/03/14 15:50 | 1 |
| 1,1,1,2-Tetrachloroethane | <0.50 | | 0.50 | 0.16 | ug/L | | | 03/03/14 15:50 | 1 |
| 1,1,2,2-Tetrachloroethane | <0.50 | | 0.50 | 0.18 | ug/L | | | 03/03/14 15:50 | 1 |
| Tetrachloroethene | <0.50 | | 0.50 | 0.30 | ug/L | | | 03/03/14 15:50 | 1 |
| Toluene | <0.50 | | 0.50 | 0.23 | ug/L | | | 03/03/14 15:50 | 1 |
| trans-1,2-Dichloroethene | <0.50 | | 0.50 | 0.24 | ug/L | | | 03/03/14 15:50 | 1 |
| trans-1,3-Dichloropropene | <0.50 | | 0.50 | 0.48 | ug/L | | | 03/03/14 15:50 | 1 |
| 1,2,3-Trichlorobenzene | <0.50 | | 0.50 | 0.14 | ug/L | | | 03/03/14 15:50 | 1 |
| 1,2,4-Trichlorobenzene | <0.50 | | 0.50 | 0.18 | ug/L | | | 03/03/14 15:50 | 1 |
| 1,1,1-Trichloroethane | <0.50 | | 0.50 | 0.27 | ug/L | | | 03/03/14 15:50 | 1 |
| 1,1,2-Trichloroethane | <0.50 | | 0.50 | 0.22 | ug/L | | | 03/03/14 15:50 | 1 |
| Trichloroethene | <0.50 | | 0.50 | 0.37 | ug/L | | | 03/03/14 15:50 | 1 |
| Trichlorofluoromethane | <0.50 | | 0.50 | 0.23 | ug/L | | | 03/03/14 15:50 | 1 |
| 1,2,3-Trichloropropane | <0.50 | | 0.50 | 0.18 | ug/L | | | 03/03/14 15:50 | 1 |
| Trihalomethanes, Total | <0.50 | | 0.50 | 0.10 | ug/L | | | 03/03/14 15:50 | 1 |
| 1,2,4-Trimethylbenzene | <0.50 | | 0.50 | 0.17 | ug/L | | | 03/03/14 15:50 | 1 |
| 1,3,5-Trimethylbenzene | <0.50 | | 0.50 | 0.16 | ug/L | | | 03/03/14 15:50 | 1 |
| Vinyl chloride | <0.50 | | 0.50 | 0.33 | ug/L | | | 03/03/14 15:50 | 1 |
| Xylenes, Total | <0.50 | | 0.50 | 0.27 | ug/L | | | 03/03/14 15:50 | 1 |

| Surrogate | MB MB | | Limits | Prepared | Analyzed | Dil Fac |
|------------------------|-----------|-----------|----------|----------|----------------|---------|
| | %Recovery | Qualifier | | | | |
| 4-Bromofluorobenzene | 98 | | 70 - 130 | | 03/03/14 15:50 | 1 |
| 1,2-Dichlorobenzene-d4 | 99 | | 70 - 130 | | 03/03/14 15:50 | 1 |

Lab Sample ID: LCS 680-318006/3
Matrix: Water
Analysis Batch: 318006

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|------------------------|-------------|------------|---------------|------|---|------|--------------|
| | | | | | | | |
| Benzene | 20.0 | 19.1 | | ug/L | | 96 | 70 - 130 |
| Bromobenzene | 20.0 | 19.2 | | ug/L | | 96 | 70 - 130 |
| Bromoform | 20.0 | 21.0 | | ug/L | | 105 | 70 - 130 |
| Bromomethane | 20.0 | 21.0 | | ug/L | | 105 | 70 - 130 |
| Carbon tetrachloride | 20.0 | 20.3 | | ug/L | | 102 | 70 - 130 |
| Chlorobenzene | 20.0 | 18.6 | | ug/L | | 93 | 70 - 130 |
| Chlorobromomethane | 20.0 | 18.7 | | ug/L | | 93 | 70 - 130 |
| Chlorodibromomethane | 20.0 | 20.4 | | ug/L | | 102 | 70 - 130 |
| Chloroethane | 20.0 | 23.5 | | ug/L | | 117 | 70 - 130 |
| Chloroform | 20.0 | 17.6 | | ug/L | | 88 | 70 - 130 |
| Chloromethane | 20.0 | 21.0 | | ug/L | | 105 | 70 - 130 |
| 2-Chlorotoluene | 20.0 | 18.9 | | ug/L | | 94 | 70 - 130 |
| 4-Chlorotoluene | 20.0 | 19.3 | | ug/L | | 97 | 70 - 130 |
| cis-1,2-Dichloroethene | 20.0 | 18.8 | | ug/L | | 94 | 70 - 130 |

TestAmerica Savannah

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-99032-1

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 680-318006/3

Matrix: Water

Analysis Batch: 318006

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------------------------|-------------|------------|---------------|------|---|------|--------------|
| cis-1,3-Dichloropropene | 20.0 | 20.7 | | ug/L | | 103 | 70 - 130 |
| 1,2-Dibromo-3-Chloropropane | 20.0 | 21.0 | | ug/L | | 105 | 70 - 130 |
| Dibromomethane | 20.0 | 17.9 | | ug/L | | 90 | 70 - 130 |
| 1,2-Dichlorobenzene | 20.0 | 18.6 | | ug/L | | 93 | 70 - 130 |
| 1,3-Dichlorobenzene | 20.0 | 19.3 | | ug/L | | 96 | 70 - 130 |
| 1,4-Dichlorobenzene | 20.0 | 18.9 | | ug/L | | 95 | 70 - 130 |
| Dichlorobromomethane | 20.0 | 19.3 | | ug/L | | 96 | 70 - 130 |
| Dichlorodifluoromethane | 20.0 | 25.5 | | ug/L | | 127 | 70 - 130 |
| 1,1-Dichloroethane | 20.0 | 19.1 | | ug/L | | 96 | 70 - 130 |
| 1,2-Dichloroethane | 20.0 | 18.6 | | ug/L | | 93 | 70 - 130 |
| 1,1-Dichloroethene | 20.0 | 18.6 | | ug/L | | 93 | 70 - 130 |
| 1,2-Dichloropropane | 20.0 | 19.7 | | ug/L | | 99 | 70 - 130 |
| 1,3-Dichloropropane | 20.0 | 19.9 | | ug/L | | 99 | 70 - 130 |
| 2,2-Dichloropropane | 20.0 | 20.6 | | ug/L | | 103 | 70 - 130 |
| 1,1-Dichloropropene | 20.0 | 18.8 | | ug/L | | 94 | 70 - 130 |
| 1,3-Dichloropropene, Total | 40.0 | 40.3 | | ug/L | | 101 | 70 - 130 |
| Diisopropyl ether | 16.0 | 16.4 | | ug/L | | 103 | 70 - 130 |
| Ethylbenzene | 20.0 | 19.6 | | ug/L | | 98 | 70 - 130 |
| Ethylene Dibromide | 20.0 | 19.0 | | ug/L | | 95 | 70 - 130 |
| Freon 113 | 16.0 | 17.7 | | ug/L | | 111 | 70 - 130 |
| Hexachlorobutadiene | 20.0 | 19.8 | | ug/L | | 99 | 70 - 130 |
| 2-Hexanone | 40.0 | 41.1 | | ug/L | | 103 | 70 - 130 |
| Isopropylbenzene | 20.0 | 21.7 | | ug/L | | 109 | 70 - 130 |
| 4-Isopropyltoluene | 20.0 | 20.2 | | ug/L | | 101 | 70 - 130 |
| Methylene Chloride | 20.0 | 17.7 | | ug/L | | 89 | 70 - 130 |
| 2-Butanone (MEK) | 40.0 | 40.5 | | ug/L | | 101 | 70 - 130 |
| 4-Methyl-2-pentanone (MIBK) | 40.0 | 39.7 | | ug/L | | 99 | 70 - 130 |
| m-Xylene & p-Xylene | 40.0 | 39.4 | | ug/L | | 99 | 70 - 130 |
| Naphthalene | 20.0 | 20.3 | | ug/L | | 101 | 70 - 130 |
| n-Butylbenzene | 20.0 | 20.5 | | ug/L | | 103 | 70 - 130 |
| N-Propylbenzene | 20.0 | 20.0 | | ug/L | | 100 | 70 - 130 |
| o-Xylene | 20.0 | 19.3 | | ug/L | | 96 | 70 - 130 |
| sec-Butylbenzene | 20.0 | 20.4 | | ug/L | | 102 | 70 - 130 |
| Styrene | 20.0 | 21.4 | | ug/L | | 107 | 70 - 130 |
| Tert-amyl methyl ether | 16.0 | 16.3 | | ug/L | | 102 | 70 - 130 |
| tert-Butyl alcohol | 80.0 | 91.4 | | ug/L | | 114 | 70 - 130 |
| tert-Butylbenzene | 20.0 | 20.1 | | ug/L | | 100 | 70 - 130 |
| Tert-butyl ethyl ether | 16.0 | 15.1 | | ug/L | | 94 | 70 - 130 |
| 1,1,1,2-Tetrachloroethane | 20.0 | 20.1 | | ug/L | | 100 | 70 - 130 |
| 1,1,2,2-Tetrachloroethane | 20.0 | 18.6 | | ug/L | | 93 | 70 - 130 |
| Tetrachloroethene | 20.0 | 19.4 | | ug/L | | 97 | 70 - 130 |
| Toluene | 20.0 | 19.1 | | ug/L | | 96 | 70 - 130 |
| trans-1,2-Dichloroethene | 20.0 | 18.2 | | ug/L | | 91 | 70 - 130 |
| trans-1,3-Dichloropropene | 20.0 | 19.6 | | ug/L | | 98 | 70 - 130 |
| 1,2,3-Trichlorobenzene | 20.0 | 20.1 | | ug/L | | 100 | 70 - 130 |
| 1,2,4-Trichlorobenzene | 20.0 | 20.2 | | ug/L | | 101 | 70 - 130 |
| 1,1,1-Trichloroethane | 20.0 | 19.0 | | ug/L | | 95 | 70 - 130 |
| 1,1,2-Trichloroethane | 20.0 | 19.2 | | ug/L | | 96 | 70 - 130 |

TestAmerica Savannah

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-99032-1

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 680-318006/3

Client Sample ID: Lab Control Sample

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 318006

| Analyte | Spike | LCS | LCS | Unit | D | %Rec | %Rec. |
|------------------------|-------|--------|-----------|------|---|------|----------|
| | Added | Result | Qualifier | | | | |
| Trichloroethene | 20.0 | 18.6 | | ug/L | | 93 | 70 - 130 |
| Trichlorofluoromethane | 20.0 | 22.0 | | ug/L | | 110 | 70 - 130 |
| 1,2,3-Trichloropropane | 20.0 | 19.0 | | ug/L | | 95 | 70 - 130 |
| Trihalomethanes, Total | 80.0 | 78.3 | | ug/L | | 98 | 70 - 130 |
| 1,2,4-Trimethylbenzene | 20.0 | 19.6 | | ug/L | | 98 | 70 - 130 |
| 1,3,5-Trimethylbenzene | 20.0 | 19.7 | | ug/L | | 98 | 70 - 130 |
| Vinyl chloride | 20.0 | 22.4 | | ug/L | | 112 | 70 - 130 |
| Xylenes, Total | 60.0 | 58.7 | | ug/L | | 98 | 70 - 130 |

| Surrogate | LCS | LCS | Limits |
|------------------------|-----------|-----------|----------|
| | %Recovery | Qualifier | |
| 4-Bromofluorobenzene | 97 | | 70 - 130 |
| 1,2-Dichlorobenzene-d4 | 99 | | 70 - 130 |

Lab Sample ID: LCSD 680-318006/4

Client Sample ID: Lab Control Sample Dup

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 318006

| Analyte | Spike | LCSD | LCSD | Unit | D | %Rec | %Rec. | RPD | RPD | Limit |
|-----------------------------|-------|--------|-----------|------|---|------|----------|-----|-----|-------|
| | Added | Result | Qualifier | | | | | | | |
| Acetone | 40.0 | 42.5 | | ug/L | | 106 | 70 - 130 | 0 | | 30 |
| Benzene | 20.0 | 19.5 | | ug/L | | 98 | 70 - 130 | 2 | | 30 |
| Bromobenzene | 20.0 | 20.0 | | ug/L | | 100 | 70 - 130 | 4 | | 30 |
| Bromoform | 20.0 | 21.9 | | ug/L | | 109 | 70 - 130 | 4 | | 30 |
| Bromomethane | 20.0 | 23.1 | | ug/L | | 115 | 70 - 130 | 9 | | 30 |
| Carbon tetrachloride | 20.0 | 20.3 | | ug/L | | 102 | 70 - 130 | 0 | | 30 |
| Chlorobenzene | 20.0 | 19.2 | | ug/L | | 96 | 70 - 130 | 3 | | 30 |
| Chlorobromomethane | 20.0 | 19.5 | | ug/L | | 98 | 70 - 130 | 4 | | 30 |
| Chlorodibromomethane | 20.0 | 21.4 | | ug/L | | 107 | 70 - 130 | 5 | | 30 |
| Chloroethane | 20.0 | 22.3 | | ug/L | | 111 | 70 - 130 | 5 | | 30 |
| Chloroform | 20.0 | 17.7 | | ug/L | | 89 | 70 - 130 | 1 | | 30 |
| Chloromethane | 20.0 | 20.8 | | ug/L | | 104 | 70 - 130 | 1 | | 30 |
| 2-Chlorotoluene | 20.0 | 19.4 | | ug/L | | 97 | 70 - 130 | 3 | | 30 |
| 4-Chlorotoluene | 20.0 | 19.9 | | ug/L | | 99 | 70 - 130 | 3 | | 30 |
| cis-1,2-Dichloroethene | 20.0 | 19.3 | | ug/L | | 96 | 70 - 130 | 2 | | 30 |
| cis-1,3-Dichloropropene | 20.0 | 21.4 | | ug/L | | 107 | 70 - 130 | 4 | | 30 |
| 1,2-Dibromo-3-Chloropropane | 20.0 | 22.5 | | ug/L | | 112 | 70 - 130 | 7 | | 30 |
| Dibromomethane | 20.0 | 18.8 | | ug/L | | 94 | 70 - 130 | 5 | | 30 |
| 1,2-Dichlorobenzene | 20.0 | 19.6 | | ug/L | | 98 | 70 - 130 | 5 | | 30 |
| 1,3-Dichlorobenzene | 20.0 | 20.3 | | ug/L | | 101 | 70 - 130 | 5 | | 30 |
| 1,4-Dichlorobenzene | 20.0 | 19.7 | | ug/L | | 98 | 70 - 130 | 4 | | 30 |
| Dichlorobromomethane | 20.0 | 20.1 | | ug/L | | 101 | 70 - 130 | 4 | | 30 |
| Dichlorodifluoromethane | 20.0 | 24.8 | | ug/L | | 124 | 70 - 130 | 3 | | 30 |
| 1,1-Dichloroethane | 20.0 | 19.7 | | ug/L | | 99 | 70 - 130 | 3 | | 30 |
| 1,2-Dichloroethane | 20.0 | 19.4 | | ug/L | | 97 | 70 - 130 | 4 | | 30 |
| 1,1-Dichloroethene | 20.0 | 18.6 | | ug/L | | 93 | 70 - 130 | 0 | | 30 |
| 1,2-Dichloropropane | 20.0 | 19.9 | | ug/L | | 100 | 70 - 130 | 1 | | 30 |
| 1,3-Dichloropropane | 20.0 | 20.9 | | ug/L | | 105 | 70 - 130 | 5 | | 30 |
| 2,2-Dichloropropane | 20.0 | 20.1 | | ug/L | | 101 | 70 - 130 | 2 | | 30 |
| 1,1-Dichloropropene | 20.0 | 19.1 | | ug/L | | 96 | 70 - 130 | 2 | | 30 |

TestAmerica Savannah

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-99032-1

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 680-318006/4

Matrix: Water

Analysis Batch: 318006

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|-----------------------------|-------------|-------------|----------------|------|---|------|--------------|-----|-----------|
| 1,3-Dichloropropene, Total | 40.0 | 41.9 | | ug/L | | 105 | 70 - 130 | 4 | 30 |
| Diisopropyl ether | 16.0 | 17.1 | | ug/L | | 107 | 70 - 130 | 4 | 30 |
| Ethylbenzene | 20.0 | 20.1 | | ug/L | | 100 | 70 - 130 | 3 | 30 |
| Ethylene Dibromide | 20.0 | 20.2 | | ug/L | | 101 | 70 - 130 | 6 | 30 |
| Freon 113 | 16.0 | 18.0 | | ug/L | | 113 | 70 - 130 | 2 | 30 |
| Hexachlorobutadiene | 20.0 | 20.9 | | ug/L | | 105 | 70 - 130 | 5 | 30 |
| 2-Hexanone | 40.0 | 44.6 | | ug/L | | 111 | 70 - 130 | 8 | 30 |
| Isopropylbenzene | 20.0 | 21.9 | | ug/L | | 110 | 70 - 130 | 1 | 30 |
| 4-Isopropyltoluene | 20.0 | 20.8 | | ug/L | | 104 | 70 - 130 | 3 | 30 |
| Methylene Chloride | 20.0 | 18.1 | | ug/L | | 91 | 70 - 130 | 2 | 30 |
| 2-Butanone (MEK) | 40.0 | 42.8 | | ug/L | | 107 | 70 - 130 | 6 | 30 |
| 4-Methyl-2-pentanone (MIBK) | 40.0 | 42.5 | | ug/L | | 106 | 70 - 130 | 7 | 30 |
| m-Xylene & p-Xylene | 40.0 | 39.8 | | ug/L | | 99 | 70 - 130 | 1 | 30 |
| Naphthalene | 20.0 | 21.5 | | ug/L | | 107 | 70 - 130 | 6 | 30 |
| n-Butylbenzene | 20.0 | 21.3 | | ug/L | | 106 | 70 - 130 | 4 | 30 |
| N-Propylbenzene | 20.0 | 20.4 | | ug/L | | 102 | 70 - 130 | 2 | 30 |
| o-Xylene | 20.0 | 19.9 | | ug/L | | 99 | 70 - 130 | 3 | 30 |
| sec-Butylbenzene | 20.0 | 20.7 | | ug/L | | 104 | 70 - 130 | 2 | 30 |
| Styrene | 20.0 | 21.8 | | ug/L | | 109 | 70 - 130 | 2 | 30 |
| Tert-amyl methyl ether | 16.0 | 17.3 | | ug/L | | 108 | 70 - 130 | 6 | 30 |
| tert-Butyl alcohol | 80.0 | 96.9 | | ug/L | | 121 | 70 - 130 | 6 | 30 |
| tert-Butylbenzene | 20.0 | 20.5 | | ug/L | | 102 | 70 - 130 | 2 | 30 |
| Tert-butyl ethyl ether | 16.0 | 16.1 | | ug/L | | 101 | 70 - 130 | 7 | 30 |
| 1,1,1,2-Tetrachloroethane | 20.0 | 20.9 | | ug/L | | 104 | 70 - 130 | 4 | 30 |
| 1,1,2,2-Tetrachloroethane | 20.0 | 19.9 | | ug/L | | 99 | 70 - 130 | 6 | 30 |
| Tetrachloroethane | 20.0 | 19.6 | | ug/L | | 98 | 70 - 130 | 1 | 30 |
| Toluene | 20.0 | 19.5 | | ug/L | | 98 | 70 - 130 | 2 | 30 |
| trans-1,2-Dichloroethene | 20.0 | 18.6 | | ug/L | | 93 | 70 - 130 | 3 | 30 |
| trans-1,3-Dichloropropene | 20.0 | 20.5 | | ug/L | | 102 | 70 - 130 | 4 | 30 |
| 1,2,3-Trichlorobenzene | 20.0 | 21.3 | | ug/L | | 106 | 70 - 130 | 6 | 30 |
| 1,2,4-Trichlorobenzene | 20.0 | 21.1 | | ug/L | | 105 | 70 - 130 | 4 | 30 |
| 1,1,1-Trichloroethane | 20.0 | 19.5 | | ug/L | | 97 | 70 - 130 | 2 | 30 |
| 1,1,2-Trichloroethane | 20.0 | 20.3 | | ug/L | | 102 | 70 - 130 | 6 | 30 |
| Trichloroethene | 20.0 | 19.3 | | ug/L | | 97 | 70 - 130 | 4 | 30 |
| Trichlorofluoromethane | 20.0 | 21.8 | | ug/L | | 109 | 70 - 130 | 1 | 30 |
| 1,2,3-Trichloropropane | 20.0 | 19.9 | | ug/L | | 100 | 70 - 130 | 5 | 30 |
| Trihalomethanes, Total | 80.0 | 81.1 | | ug/L | | 101 | 70 - 130 | 4 | 30 |
| 1,2,4-Trimethylbenzene | 20.0 | 20.1 | | ug/L | | 101 | 70 - 130 | 3 | 30 |
| 1,3,5-Trimethylbenzene | 20.0 | 20.2 | | ug/L | | 101 | 70 - 130 | 3 | 30 |
| Vinyl chloride | 20.0 | 22.4 | | ug/L | | 112 | 70 - 130 | 0 | 30 |
| Xylenes, Total | 60.0 | 59.6 | | ug/L | | 99 | 70 - 130 | 2 | 30 |

| Surrogate | LCSD | | Limits |
|------------------------|-----------|-----------|----------|
| | %Recovery | Qualifier | |
| 4-Bromofluorobenzene | 101 | | 70 - 130 |
| 1,2-Dichlorobenzene-d4 | 101 | | 70 - 130 |

TestAmerica Savannah

QC Association Summary

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-99032-1

GC/MS VOA

Analysis Batch: 318006

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|------------------------|-----------|--------|--------|------------|
| 680-99032-1 | RFW-20 | Total/NA | Water | 524.2 | |
| 680-99032-2 | RFW-21 | Total/NA | Water | 524.2 | |
| 680-99032-3 | HAMP-22 | Total/NA | Water | 524.2 | |
| 680-99032-4 | HAMP-23 | Total/NA | Water | 524.2 | |
| 680-99032-5 | Trip Blank | Total/NA | Water | 524.2 | |
| LCS 680-318006/3 | Lab Control Sample | Total/NA | Water | 524.2 | |
| LCSD 680-318006/4 | Lab Control Sample Dup | Total/NA | Water | 524.2 | |
| MB 680-318006/7 | Method Blank | Total/NA | Water | 524.2 | |

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-99032-1

Client Sample ID: RFW-20

Date Collected: 02/25/14 16:30

Date Received: 02/28/14 09:49

Lab Sample ID: 680-99032-1

Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---------------------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 524.2 | | 1 | 5 mL | 5 mL | 318006 | 03/03/14 20:26 | WJC | TAL SAV |
| Instrument ID: CMSS | | | | | | | | | | |

Client Sample ID: RFW-21

Date Collected: 02/25/14 09:15

Date Received: 02/28/14 09:49

Lab Sample ID: 680-99032-2

Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---------------------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 524.2 | | 1 | 5 mL | 5 mL | 318006 | 03/03/14 20:49 | WJC | TAL SAV |
| Instrument ID: CMSS | | | | | | | | | | |

Client Sample ID: HAMP-22

Date Collected: 02/26/14 10:30

Date Received: 02/28/14 09:49

Lab Sample ID: 680-99032-3

Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---------------------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 524.2 | | 1 | 5 mL | 5 mL | 318006 | 03/03/14 21:12 | WJC | TAL SAV |
| Instrument ID: CMSS | | | | | | | | | | |

Client Sample ID: HAMP-23

Date Collected: 02/26/14 10:35

Date Received: 02/28/14 09:49

Lab Sample ID: 680-99032-4

Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---------------------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 524.2 | | 1 | 5 mL | 5 mL | 318006 | 03/03/14 21:36 | WJC | TAL SAV |
| Instrument ID: CMSS | | | | | | | | | | |

Client Sample ID: Trip Blank

Date Collected: 02/25/14 07:00

Date Received: 02/28/14 09:49

Lab Sample ID: 680-99032-5

Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---------------------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 524.2 | | 1 | 5 mL | 5 mL | 318006 | 03/03/14 16:13 | WJC | TAL SAV |
| Instrument ID: CMSS | | | | | | | | | | |

Laboratory References:

TAL SAV = TestAmerica Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858

TestAmerica Savannah

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

2417 Bond Street, University Park, IL 60484
 Phone: 708.534.5200 Fax: 708.534.5211

Report To _____ (optional)
 Contact: _____
 Company: _____
 Address: _____
 Address: _____
 Phone: _____
 Fax: _____
 E-Mail: _____

Bill To _____ (optional)
 Contact: _____
 Company: _____
 Address: _____
 Address: _____
 Phone: _____
 Fax: _____
 PO#/Reference# _____

Chain of Custody Record

Lab Job #: _____
 Chain of Custody Number: _____
 Page _____ of _____
 Temperature °C of Cooler: _____

| Client | | Client Project # | | Preservative | | | | | | | | | | | | Preservative Key 1. HCL, Cool to 4° 2. H2SO4, Cool to 4° 3. HNO3, Cool to 4° 4. NaOH, Cool to 4° 5. NaOH/Zn, Cool to 4° 6. NaHSO4 7. Cool to 4° 8. None 9. Other | |
|------------------------|--------|------------------|---------|--------------|-----------------|--------|----------------------|--|--|--|--|--|--|--|--|---|----------|
| Project Name | | Lab Project # | | Parameter | | | | | | | | | | | | | |
| Project Location/State | | Lab PM | | Matrix | | | | | | | | | | | | | |
| Sampler | | | | | | | | | | | | | | | | | |
| Lab ID | MS/MSD | Sample ID | Date | Time | # of Containers | Matrix | | | | | | | | | | | Comments |
| | | RFW-20 | 2/25/14 | 1630 | 3 | W | V O C 529.2 | | | | | | | | | | |
| | | RFW-21 | 2/25/14 | 915 | 1 | | | | | | | | | | | | |
| | | HAMP-22 | 2/26/14 | 1030 | 1 | | | | | | | | | | | | |
| | | HAMP-23 | 2/26/14 | 1035 | 1 | | | | | | | | | | | | |
| | | Trip Blank | 2/25/14 | 700 | 2 | W | | | | | | | | | | | |

Turnaround Time Required (Business Days)

___ 1 Day ___ 2 Days ___ 5 Days ___ 7 Days ___ 10 Days ___ 15 Days ___ Other

Requested Due Date _____

Sample Disposal

Return to Client Disposal by Lab Archive for _____ Months (A fee may be assessed if samples are retained longer than 1 month)


| | | | | | | | |
|-------------------------------------|------------------|---------------|-------------|---------------------------------|------------------|----------------|-------------|
| Relinquished By: <i>[Signature]</i> | Company: Western | Date: 2/27/14 | Time: 1600 | Received By: <i>[Signature]</i> | Company: [Blank] | Date: 02-28-14 | Time: 0949 |
| Relinquished By: _____ | Company: _____ | Date: _____ | Time: _____ | Received By: _____ | Company: _____ | Date: _____ | Time: _____ |
| Relinquished By: _____ | Company: _____ | Date: _____ | Time: _____ | Received By: _____ | Company: _____ | Date: _____ | Time: _____ |

Lab Courier: _____
 Shipped: _____
 Hand Delivered: _____

- Matrix Key
- WW - Wastewater
 - W - Water
 - S - Soil
 - L - Sludge
 - MS - Miscellaneous
 - OL - Oil
 - A - Air
 - SE - Sediment
 - SO - Soil
 - L - Leachate
 - WI - Wipe
 - DW - Drinking Water
 - O - Other

Client Comments: _____

Lab Comments: _____
 2.4°C



680-99032 Chain of Custody

Login Sample Receipt Checklist

Client: Weston Solutions, Inc.

Job Number: 680-99032-1

Login Number: 99032

List Source: TestAmerica Savannah

List Number: 1

Creator: Banda, Christy S

| Question | Answer | Comment |
|--|--------|---------|
| Radioactivity wasn't checked or is \leq background as measured by a survey meter. | N/A | |
| The cooler's custody seal, if present, is intact. | True | |
| Sample custody seals, if present, are intact. | True | |
| The cooler or samples do not appear to have been compromised or tampered with. | True | |
| Samples were received on ice. | True | |
| Cooler Temperature is acceptable. | True | |
| Cooler Temperature is recorded. | True | |
| COC is present. | True | |
| COC is filled out in ink and legible. | True | |
| COC is filled out with all pertinent information. | True | |
| Is the Field Sampler's name present on COC? | True | |
| There are no discrepancies between the containers received and the COC. | True | |
| Samples are received within Holding Time. | True | |
| Sample containers have legible labels. | True | |
| Containers are not broken or leaking. | True | |
| Sample collection date/times are provided. | True | |
| Appropriate sample containers are used. | True | |
| Sample bottles are completely filled. | True | |
| Sample Preservation Verified. | N/A | |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True | |
| Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ ($1/4"$). | True | |
| Multiphasic samples are not present. | True | |
| Samples do not require splitting or compositing. | True | |
| Residual Chlorine Checked. | N/A | |

Certification Summary

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-99032-1

Laboratory: TestAmerica Savannah

The certifications listed below are applicable to this report.

| Authority | Program | EPA Region | Certification ID | Expiration Date |
|-----------|---------------|------------|------------------|-----------------|
| Maryland | State Program | 3 | 250 | 12-31-14 |

