

ANNUAL REPORT

Prepared for

BLACK & DECKER (U.S.), INC.

Hampstead, Maryland

July 2010

Prepared by

WESTON SOLUTIONS, INC.

West Chester, Pennsylvania 19380-1499

W.O. No. 02501.004.004.0700

TABLE OF CONTENTS

Section	Page
1. INTRODUCTION	1-1
2. SITE CHARACTERISTICS	2-1
2.1 HYDRAULIC PROPERTIES	2-1
2.2 EFFLUENT CHARACTERISTICS	2-1
2.3 GROUNDWATER QUALITY DATA	2-1
3. OPERATION AND MAINTENANCE OF THE TREATMENT SYSTEM.....	3-1
4. TREATMENT SYSTEM PERFORMANCE EVALUATION	4-1
5. RECOMMENDATIONS	5-1

LIST OF APPENDICES

APPENDIX A – WITHDRAWAL REPORTS

APPENDIX B – DISCHARGE MONITORING REPORTS

APPENDIX C – GROUNDWATER TREATMENT SYSTEM ANALYTICAL RESULTS

APPENDIX D - GROUNDWATER ANALYTICAL DATA PACKAGE (MAY 2010)

LIST OF FIGURES

Figure	Page
Figure 2-1 Groundwater Elevation Contour Map Under Pumping Conditions (June 2010).....	2-6

LIST OF TABLES

Table	Page
Table 2-1 Treatment System Pumping Records (July 2009 through June 2010)	2-2
Table 2-2 Groundwater Elevation Data (July 2009 through June 2010).....	2-3
Table 2-3 Effluent Characteristics Summary (July 2009 through June 2010)	2-7
Table 2-4 Summary of Groundwater Analytical Results – August 2009	2-10
Table 2-5 Summary of Groundwater Analytical Results – November 2009.....	2-13
Table 2-6 Summary of Groundwater Analytical Results – February 2010	2-16
Table 2-7 Summary of Groundwater Analytical Results – May 2010	2-19
Table 3-1 Treatment System Maintenance Activities (July 2009 through June 2010)	3-2

1. INTRODUCTION

This Annual Report has been prepared to meet the requirements of Condition IV.L of the Administrative Consent Order between the State of Maryland Department of the Environment (MDE) and Black & Decker (U.S.) Inc. (April 1995) (Consent Order) and the Addendum to Administrative Consent Order dated 29 June 1995. Specifically, Condition IV.L calls for preparation of an Annual Report containing a summary of the information contained in the Discharge Monitoring Reports (Table 2-3), a summary of all analyses of water samples (Tables 2-4 to 2-7), an explanation of all problems encountered and the manner in which they were resolved (Table 3-1), a performance evaluation of the treatment system (Section 4), and recommendations for continuation of, or changes to, the treatment system (Section 5). This document is one of several that are being prepared in response to the Consent Order; each of these documents are to be submitted to the MDE in accordance with the schedule outlined in the Consent Order. This document will become part of the Administrative Record for the site, which is maintained at the Hampstead Public Library.

2. SITE CHARACTERISTICS

2.1 HYDRAULIC PROPERTIES

In accordance with the Consent Order and the Water Appropriation Permit issued to the Black & Decker (U.S.) Inc. Hampstead, Maryland, facility, the following pumping and water level information is included for the period of July 2009 through June 2010.

Pumping records showing the total gallons pumped per month of treatment system operation are presented in Table 2-1. Copies of the Withdrawal Reports, for the periods of July through December 2009 and January through June 2010, are included in Appendix A.

Water levels (Water Level Monitoring Report) for wells included in the water level monitoring plan are presented in Table 2-2. Based on the June 2010 water levels, a representative groundwater elevation contour map under pumping conditions is presented in Figure 2-1. At the time the data were collected, the extraction wells were pumping at a combined rate of approximately 175 gpm.

2.2 EFFLUENT CHARACTERISTICS

Effluent characteristics of the NPDES discharge points are recorded monthly on Discharge Monitoring Reports (DMRs) and are submitted to MDE, Water Management Administration on a quarterly basis. A summary of the sample results from the DMRs is presented in Table 2-3. DMRs for the period of July 2009 through June 2010 are included in Appendix B.

2.3 GROUNDWATER QUALITY DATA

For the reporting period of July 2009 through June 2010, approximately 76.6 pounds (lb) of total volatile organic compounds (VOCs) were removed from the groundwater by the extraction and treatment system. In general, the total VOCs were comprised of trichloroethene (TCE) (86.4%) and tetrachloroethene (PCE) (13.6%). Analytical results of the groundwater collected at the inlet to the air stripper for the period of July 2009 through June 2010 are included in Appendix C.

A summary of the analytical results of the groundwater samples collected from the monitor and extraction wells during the third and fourth quarters of 2009 and the first and second quarters of

Table 2-1
Treatment System Pumping Records
(July 2009 through June 2010)

Black & Decker
Hampstead, Maryland

Date	Water Pumped (gallons)
July 2009	7,060,251
August 2009	6,837,783
September 2009	6,091,665
October 2009	6,043,401
November 2009	6,059,578
December 2009	6,196,514
January 2010	6,627,345
February 2010	6,213,673
March 2010	7,395,042
April 2010	7,282,140
May 2010	6,899,109
June 2010	7,427,757

Table 2-2
Groundwater Elevation Data (July 2009 through June 2010)
Black & Decker
Hampstead, Maryland

WELL NO.	TOC ELEV	TOTAL DEPTH	7/16/2009		8/18/2009		9/25/2009		10/21/2009	
			DTW	ELEV	DTW	ELEV	DTW	ELEV	DTW	ELEV
EW-1	847.21	55	DRY	NC	DRY	NC	DRY	NC	DRY	NC
EW-2	849.21	110	74.11	775.10	76.47	772.74	75.81	773.40	72.41	776.80
EW-3	846.64	118	81.00	765.64	78.11	768.53	80.70	765.94	80.96	765.68
EW-4	858.01	97.5	PC	NC	PC	NC	PC	NC	PC	NC
EW-5	864.17	98	68.47	795.70	75.45	788.72	69.11	795.06	72.85	791.32
EW-6	831.98	115	103.43	728.55	102.85	729.13	102.87	729.11	102.50	729.48
EW-7	818.38	78	72.22	746.16	71.80	746.58	71.80	746.58	57.82	760.56
EW-8	811.13	98	93.34	717.79	91.75	719.38	93.41	717.72	91.79	719.34
EW-9	811.35	141	101.42	709.93	102.79	708.56	101.50	709.85	100.86	710.49
EW-10	807.74	NA	53.63	754.11	52.07	755.67	54.64	753.10	54.88	752.86
RFW-1A	864.37	78	50.70	813.67	50.81	813.56	50.74	813.63	51.03	813.34
RFW-1B	864.23	200	50.72	813.51	50.85	813.38	50.76	813.47	51.06	813.17
RFW-2A	857.41	35	14.26	843.15	16.58	840.83	16.02	841.39	15.84	841.57
RFW-2B	857.73	75	14.83	842.90	17.30	840.43	16.83	840.90	16.41	841.32
RFW-3B	839.21	153	35.88	803.33	35.43	803.78	35.52	803.69	36.16	803.05
RFW-4A	830.37	62	35.98	794.39	36.98	793.39	36.03	794.34	37.84	792.53
RFW-4B	830.37	120	36.06	794.31	37.02	793.35	36.21	794.16	37.91	792.46
RFW-5A	817.50	30	DRY	NC	DRY	NC	DRY	NC	DRY	NC
RFW-6	785.04	120	4.22	780.82	4.33	780.71	4.19	780.85	3.67	781.37
RFW-7	805.14	29	7.90	797.24	7.17	797.97	7.67	797.47	6.99	798.15
RFW-8	860.07	53	DRY	NC	DRY	NC	DRY	NC	DRY	NC
RFW-9	862.02	49	26.62	835.40	26.40	835.62	26.57	835.45	26.79	835.23
RFW-10	852.06	58	DRY	NC	DRY	NC	DRY	NC	DRY	NC
RFW-11A	849.32	72	Damaged	NC	Damaged	NC	Damaged	NC	Damaged	NC
RFW-11B	849.62	116	66.26	783.36	66.20	783.42	66.82	782.80	65.96	783.66
RFW-12B	844.87	264	48.92	795.95	50.30	794.57	50.61	794.26	51.06	793.81
RFW-13	849.11	150	64.83	784.28	65.72	783.39	65.94	783.17	66.14	782.97
RFW-14B	812.39	281	53.42	758.97	47.41	764.98	47.39	765.00	48.06	764.33
RFW-16	856.14	41	DRY	NC	DRY	NC	DRY	NC	DRY	NC
RFW-17	834.66	60.5	27.56	807.10	26.87	807.79	27.41	807.25	27.48	807.18
RFW-20	842.29	142	35.89	806.40	34.98	807.31	34.77	807.52	35.11	807.18
RFW-21	832.65	102	23.06	809.59	22.65	810.00	22.61	810.04	22.81	809.84
PH-7	805.94	89	34.26	771.68	29.36	776.58	29.41	776.53	27.43	778.51
PH-9	814.94	98	57.41	757.53	55.40	759.54	56.00	758.94	56.19	758.75
PH-11	820.68	78	49.98	770.70	50.86	769.82	50.74	769.94	50.92	769.76
PH-12	828.35	87	52.80	775.55	53.51	774.84	53.21	775.14	53.29	775.06
B-3	803.02	83	9.86	793.16	10.41	792.61	9.74	793.28	9.81	793.21
Amoco	842.29	NA	NA	NC	NA	NC	NA	NC	NA	NC
Hamp. Town #22	804.96	NA	26.41	778.55	19.78	785.18	6.11	798.85	29.86	775.10
Pembroke #1	NA	NA	11.40	NC	12.52	NC	11.84	NC	11.77	NC
Pembroke #2	NA	NA	Damaged	NC	Damaged	NC	Damaged	NC	Damaged	NC
N. Houcks. Rd.	NA	NA	9.80	NC	11.34	NC	9.60	NC	9.90	NC
E. Century St.	NA	NA	19.49	NC	19.36	NC	19.20	NC	19.21	NC
Lwr. Beckleys. Rd.	NA	NA	54.32	NC	54.64	NC	54.81	NC	55.08	NC

Table 2-2
Groundwater Elevation Data (July 2009 through June 2010)
Black & Decker
Hampstead, Maryland



WELL NO.	TOC ELEV	TOTAL DEPTH	11/4/2009		12/30/2009		1/15/2010		2/18/2010	
			DTW	ELEV	DTW	ELEV	DTW	ELEV	DTW	ELEV
EW-1	847.21	55	DRY	NC	DRY	NC	DRY	NC	DRY	NC
EW-2	849.21	110	73.21	776.00	74.26	774.95	66.58	782.63	88.17	761.04
EW-3	846.64	118	85.10	761.54	85.81	760.83	82.50	764.14	79.40	767.24
EW-4	858.01	97.5	PC	NC	PC	NC	PC	NC	PC	NC
EW-5	864.17	98	73.50	790.67	74.06	790.11	78.40	785.77	86.72	777.45
EW-6	831.98	115	102.81	729.17	103.00	728.98	102.87	729.11	102.90	729.08
EW-7	818.38	78	50.55	767.83	51.61	766.77	50.94	767.44	45.41	772.97
EW-8	811.13	98	91.75	719.38	92.05	719.08	91.72	719.41	92.05	719.08
EW-9	811.35	141	101.34	710.01	101.56	709.79	101.90	709.45	102.61	708.74
EW-10	807.74	NA	53.26	754.48	53.27	754.47	47.85	759.89	52.17	755.57
RFW-1A	864.37	78	50.61	813.76	51.11	813.26	50.90	813.47	47.16	817.21
RFW-1B	864.23	200	50.67	813.56	51.14	813.09	50.91	813.32	47.22	817.01
RFW-2A	857.41	35	13.86	843.55	15.67	841.74	14.41	843.00	12.36	845.05
RFW-2B	857.73	75	14.53	843.20	16.07	841.66	15.06	842.67	12.98	844.75
RFW-3B	839.21	153	36.26	802.95	37.02	802.19	33.94	805.27	NA	NC
RFW-4A	830.37	62	35.95	794.42	37.89	792.48	34.56	795.81	35.00	795.37
RFW-4B	830.37	120	35.82	794.55	38.06	792.31	35.03	795.34	34.92	795.45
RFW-5A	817.50	30	DRY	NC	DRY	NC	DRY	NC	DRY	NC
RFW-6	785.04	120	3.23	781.81	4.41	780.63	3.18	781.86	3.24	781.80
RFW-7	805.14	29	5.24	799.90	7.40	797.74	6.94	798.20	NA	NC
RFW-8	860.07	53	DRY	NC	DRY	NC	DRY	NC	DRY	NC
RFW-9	862.02	49	25.82	836.20	26.69	835.33	24.22	837.80	24.36	837.66
RFW-10	852.06	58	DRY	NC	DRY	NC	DRY	NC	DRY	NC
RFW-11A	849.32	72	Damaged	NC	Damaged	NC	Damaged	NC	Damaged	NC
RFW-11B	849.62	116	65.79	783.83	66.10	783.52	65.71	783.91	64.83	784.79
RFW-12B	844.87	264	50.61	794.26	50.83	794.04	50.48	794.39	48.83	796.04
RFW-13	849.11	150	65.02	784.09	65.89	783.22	59.89	789.22	NA	NC
RFW-14B	812.39	281	49.71	762.68	47.86	764.53	46.94	765.45	46.81	765.58
RFW-16	856.14	41	DRY	NC	DRY	NC	DRY	856.14	DRY	NC
RFW-17	834.66	60.5	26.46	808.20	27.43	807.23	27.37	807.29	24.56	810.10
RFW-20	842.29	142	35.01	807.28	34.96	807.33	34.17	808.12	31.82	810.47
RFW-21	832.65	102	22.21	810.44	23.00	809.65	22.16	810.49	20.08	812.57
PH-7	805.94	89	27.50	778.44	27.61	778.33	26.02	779.92	25.91	780.03
PH-9	814.94	98	56.23	758.71	56.86	758.08	54.16	760.78	55.94	759.00
PH-11	820.68	78	50.94	769.74	50.88	769.80	45.06	775.62	NA	NC
PH-12	828.35	87	53.33	775.02	52.84	775.51	47.78	780.57	NA	NC
B-3	803.02	83	10.06	792.96	9.93	793.09	8.67	794.35	NA	NC
Amoco	842.29	NA	NA	NC	NA	NC	NA	NC	NA	NC
Hamp. Town #22	804.96	NA	19.33	785.63	27.11	777.85	17.49	787.47	NA	NC
Pembroke #1	NA	NA	12.40	NC	12.53	NC	12.31	NC	NA	NC
Pembroke #2	NA	NA	Damaged	NC	Damaged	NC	Damaged	NC	Damaged	NC
N. Houcks. Rd.	NA	NA	11.79	NC	10.89	NC	10.68	NC	NA	NC
E. Century St.	NA	NA	23.64	NC	19.96	NC	19.39	NC	NA	NC
Lwr. Beckleys. Rd.	NA	NA	54.87	NC	55.21	NC	55.08	NC	NA	NC

Table 2-2
Groundwater Elevation Data (July 2009 through June 2010)
Black & Decker
Hampstead, Maryland

WELL NO.	TOC ELEV	TOTAL DEPTH	3/11/2010		4/3/2010		5/21/2010		6/29/2010	
			DTW	ELEV	DTW	ELEV	DTW	ELEV	DTW	ELEV
EW-1	847.21	55	DRY	NC	DRY	NC	DRY	NC	DRY	NC
EW-2	849.21	110	92.47	756.74	88.64	760.57	45.11*	849.21	85.31	763.90
EW-3	846.64	118	79.81	766.83	80.36	766.28	45.93*	846.64	84.78	761.86
EW-4	858.01	97.5	PC	NC	PC	NC	PC	NC	PC	858.01
EW-5	864.17	98	89.32	774.85	88.13	776.04	89.04	775.13	90.08	774.09
EW-6	831.98	115	99.28	732.70	101.80	730.18	87.36	744.62	91.98	740.00
EW-7	818.38	78	40.68	777.70	47.26	771.12	44.27	774.11	44.26	774.12
EW-8	811.13	98	89.31	721.82	92.81	718.32	91.73	719.40	93.40	717.73
EW-9	811.35	141	101.61	709.74	102.40	708.95	100.80	710.55	101.30	710.05
EW-10	807.74	NA	47.72	760.02	53.02	754.72	51.20	756.54	48.67	759.07
RFW-1A	864.37	78	47.40	816.97	47.61	816.76	47.30	817.07	48.21	816.16
RFW-1B	864.23	200	47.46	816.77	47.55	816.68	47.36	816.87	48.25	815.98
RFW-2A	857.41	35	11.96	845.45	12.40	845.01	13.27	844.14	14.83	842.58
RFW-2B	857.73	75	12.34	845.39	12.70	845.03	13.94	843.79	15.47	842.26
RFW-3B	839.21	153	33.29	805.92	33.17	806.04	28.90	810.31	29.62	809.59
RFW-4A	830.37	62	33.91	796.46	34.04	796.33	34.53	795.84	35.53	794.84
RFW-4B	830.37	120	33.80	796.57	33.94	796.43	34.50	795.87	35.48	794.89
RFW-5A	817.50	30	DRY	NC	DRY	NC	DRY	NC	DRY	NC
RFW-6	785.04	120	2.86	782.18	4.11	780.93	2.34	782.70	3.04	782.00
RFW-7	805.14	29	6.40	798.74	7.68	797.46	5.09	800.05	6.91	798.23
RFW-8	860.07	53	DRY	NC	DRY	NC	DRY	NC	DRY	NC
RFW-9	862.02	49	23.78	838.24	23.81	838.21	24.70	837.32	25.80	836.22
RFW-10	852.06	58	DRY	NC	DRY	NC	DRY	NC	DRY	NC
RFW-11A	849.32	72	Damaged	NC	Damaged	NC	Damaged	NC	Damaged	NC
RFW-11B	849.62	116	66.84	782.78	66.39	783.23	49.16	800.46	48.73	800.89
RFW-12B	844.87	264	48.86	796.01	49.13	795.74	44.48	800.39	51.31	793.56
RFW-13	849.11	150	65.67	783.44	64.80	784.31	55.82	793.29	56.13	792.98
RFW-14B	812.39	281	47.53	764.86	47.31	765.08	46.89	765.50	54.88	757.51
RFW-16	856.14	41	DRY	NC	DRY	NC	DRY	NC	DRY	NC
RFW-17	834.66	60.5	24.61	810.05	24.19	810.47	23.59	811.07	24.17	810.49
RFW-20	842.29	142	31.62	810.67	32.30	809.99	30.26	812.03	31.60	810.69
RFW-21	832.65	102	19.83	812.82	20.11	812.54	18.93	813.72	19.32	813.33
PH-7	805.94	89	22.69	783.25	24.20	781.74	24.73	781.21	25.97	779.97
PH-9	814.94	98	54.47	760.47	55.17	759.77	52.20	762.74	39.88	775.06
PH-11	820.68	78	51.01	769.67	52.04	768.64	50.88	769.80	51.24	769.44
PH-12	828.35	87	52.78	775.57	53.30	775.05	51.14	777.21	51.96	776.39
B-3	803.02	83	9.63	793.39	10.13	792.89	9.98	793.04	10.16	792.86
Amoco	842.29	NA	NA	NC	NA	NC	NA	NC	NA	NC
Hamp. Town #22	804.96	NA	20.46	784.50	13.26	791.70	NA	NC	23.27	781.69
Pembroke #1	NA	NA	11.31	NC	12.04	NC	NA	NC	14.95	NC
Pembroke #2	NA	NA	Damaged	NC	Damaged	NC	Damaged	NC	Damaged	NC
N. Houcks. Rd.	NA	NA	9.85	NC	10.08	NC	NA	NC	10.28	NC
E. Century St.	NA	NA	19.08	NC	19.27	NC	NA	NC	19.47	NC
Lwr. Beckleys. Rd.	NA	NA	54.26	NC	55.63	NC	NA	NC	54.83	NC

LEGEND

- Monitor Well
- ◆ Extraction Well
- (789.50) Monitor Well Groundwater Elevation (ft MSL)
- (746.58) Extraction Well Groundwater Elevation (ft MSL)*
- 800— Groundwater Elevation Contour (ft MSL)
- ← Groundwater Flowline



*NOTE: Groundwater Elevations recorded in Extraction Wells and RFW-12B not used for contouring. RFW-12B screened in deep bedrock.

Former Black & Decker Facility
Hampstead, Maryland
**GROUNDWATER ELEVATION CONTOUR MAP
UNDER PUMPING CONDITIONS**
(June 2010)

**Table 2-3
Effluent Characteristics Summary (July 2009 through June 2010)
Black & Decker
Hampstead, Maryland**

Discharge Number	Parameter	Units	Permit Limits	DMR DATE					
				July 2009	August 2009	September 2009	October 2009	November 2009	December 2009
001	FLOW average	MGD	NA	0.146	0.160	0.152	0.220	0.166	0.223
	FLOW maximum	MGD	NA	0.199	0.607	0.196	0.770	0.468	0.837
	1,1,1-Trichloroethane	ug/l	5	< 1	< 1	< 1	< 1	< 1	< 1
	Tetrachloroethylene	ug/l	5	< 1	< 1	< 1	< 1	< 1	< 1
	Trichloroethylene	ug/l	5	< 1	< 1	< 1	< 1	< 1	< 1
	Total Residual Chlorine	mg/l	<0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
	Oil & Grease maximum	mg/l	15	< 5	< 5	< 5	< 5	349	< 5
	Oil & Grease monthly average	mg/l	10	< 5	< 5	< 5	< 5	349	< 5
	pH minimum	STD	6.0	6.20	6.40	6.30	6.20	6.30	6.10
	pH maximum	STD	8.5	8.10	7.50	7.00	6.90	6.80	6.30
	BOD	mg/l	15	3.0	7.0	9.0	2.0	0.0	0.0
TSS maximum	mg/l	30	7.0	9.0	12.0	0.0	0.0	0.0	
	TSS monthly average	mg/l	20	7.0	9.0	12.0	0.0	0.0	0.0
101 (Monitoring Point)	FLOW average	MGD	NA	0.285	0.238	0.239	0.199	0.206	0.259
	FLOW maximum	MGD	NA	0.375	0.326	0.286	0.261	0.298	0.314
	Fecal Coliform	MPN/100ml	200	2.0	1.0	1.0	1.0	1.0	1.0
201 (Monitoring Point)	FLOW average	MGD	NA	NR	NR	0.217	NR	NR	0.199
	FLOW maximum	MGD	NA	NR	NR	0.278	NR	NR	0.245
	1,1,1-Trichloroethane	ug/l	NA	NR	NR	< 1	NR	NR	< 1
	Tetrachloroethylene	ug/l	NA	NR	NR	< 1	NR	NR	< 1
	Trichloroethylene	ug/l	NA	NR	NR	< 1	NR	NR	< 1

DMR - Discharge Monitoring Report

NA - Not Applicable

NR - Not Reported

Table 2-3
Effluent Characteristics Summary (July 2009 through June 2010)
Black & Decker
Hampstead, Maryland

Discharge Number	Parameter	Units	Permit Limits	DMR DATE						
				January 2010	February 2010	March 2010	April 2010	May 2010	June 2010	
001	FLOW	average	MGD	NA	0.191	0.232	0.279	0.143	0.139	0.174
		maximum	MGD	NA	0.846	0.389	0.655	0.490	0.445	0.271
	1,1,1-Trichloroethane	ug/l	5	< 1	< 1	< 1	< 1	< 1	< 1	< 1
	Tetrachloroethylene	ug/l	5	< 1	< 1	< 1	< 1	< 1	< 1	< 1
	Trichloroethylene	ug/l	5	< 1	< 1	< 1	< 1	< 1	< 1	< 1
	Total Residual Chlorine	mg/l	<0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
	Oil & Grease	maximum	mg/l	15	< 5	< 5	13.0	7.0	< 5	< 5
		monthly average	mg/l	10	< 5	< 5	7.0	4.0	< 5	< 5
	pH	minimum	STD	6.0	6.00	6.20	6.30	6.3	6.2	6.60
		maximum	STD	8.5	6.20	7.20	6.60	7.1	7.2	8.30
BOD		mg/l	15	0.0	0.0	0.0	0.0	0.0	4.0	
TSS	maximum	mg/l	30	0.0	0.0	0.0	4.0	5.0	6.0	
	monthly average	mg/l	20	0.0	0.0	0.0	4.0	5.0	6.0	
101 (Monitoring Point)	FLOW	average	MGD	NA	0.297	0.283	0.280	0.333	0.365	0.243
		maximum	MGD	NA	0.377	0.431	0.362	0.437	0.450	0.362
	Fecal Coliform	MPN/100ml	200	1.0	1.0	1.0	2.0	11.0	1.0	
201 (Monitoring Point)	FLOW	average	MGD	NA	NR	NR	0.225	NR	NR	0.235
		maximum	MGD	NA	NR	NR	0.299	NR	NR	0.308
	1,1,1-Trichloroethane	ug/l	NA	NR	NR	< 1	NR	NR	< 1	
	Tetrachloroethylene	ug/l	NA	NR	NR	< 1	NR	NR	< 1	
	Trichloroethylene	ug/l	NA	NR	NR	< 1	NR	NR	< 1	

DMR - Discharge Monitoring Report

NA - Not Applicable

NR - Not Reported

2010 are included in Tables 2-4, 2-5, 2-6, and 2-7, respectively. As found in earlier sampling events at the Black & Decker facility, TCE and PCE were the primary VOCs detected at the highest concentrations in the groundwater samples. The highest concentrations of TCE were detected in the groundwater samples collected from wells RFW-12B, EW-2 and EW-4 and the highest concentrations of PCE were detected in the groundwater samples collected from well EW-9. The remainder of the detected VOCs, were detected at levels well below the Federal Maximum Concentration Levels (MCLs). The second quarter 2010 (May 2010) analytical data package is included in Appendix D. Analytical data packages for the remaining quarters are included in the respective Quarterly Groundwater Monitoring Reports.

Table 2-4

Summary of Groundwater Analytical Results - August 2009
Black & Decker
Hampstead, Maryland

PARAMETER	Units	EW-1	EW-2	EW-3	EW-4	EW-5	EW-6	EW-7	EW-8	EW-9	EW-9 (DUP)	EW-10
Chloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromomethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Acetone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Carbon Disulfide	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1-Dichloroethene	ug/L	NS	1 U	1 U	1 U	0.5 J	1 U	1 U	1 U	1 U	1 U	1 U
1,1-Dichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethene (total)	ug/L	NS	3.5	2.4	1 U	1 U	1 U	5.9	19	1 U	1 U	1 U
Chloroform	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
2-Butanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Carbon Tetrachloride	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromodichloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloropropane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trichloroethene	ug/L	NS	400	120	950	170	11	4.7	8.6	1.1	1	1 U
Dibromochloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Benzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromoform	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
2-Hexanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Tetrachloroethene	ug/L	NS	61	3	16	6.9	16	8.6	53	110	98	1 U
1,1,2,2-Tetrachloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Toluene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chlorobenzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Ethylbenzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Styrene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Xylene (total)	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U

Notes: U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.

J = Indicates an estimated value.

NS = Not Sampled

Table 2-4

Summary of Groundwater Analytical Results - August 2009
 Black & Decker
 Hampstead, Maryland

PARAMETER	Units	RFW-1A	RFW-1B	RFW-2A	RFW-2B	RFW-3B	RFW-4A	RFW-4A (DUP)	RFW-4B	RFW-5A	RFW-6	RFW-7	RFW-8	RFW-9	RFW-10
Chloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromomethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Vinyl Chloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Methylene Chloride	ug/L	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	NS	2 U	2 U	NS	2 U	NS
Acetone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
Carbon Disulfide	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1-Dichloroethene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1.1	NS
1,1-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloroethene (total)	ug/L	1 U	1 U	1 U	1 U	3.7	1 U	1 U	3.7	NS	1 U	1 U	NS	16	NS
Chloroform	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
2-Butanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1,1-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Carbon Tetrachloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromodichloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloropropane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
cis-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Trichloroethene	ug/L	1 U	1 U	1.2	1.6	1 U	23	23	15	NS	2.2	4.4	NS	15	NS
Dibromochloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,1,2-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Benzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Trans-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromoform	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
4-Methyl-2-pentanone	ug/L	5 U	5 U	5 U	1 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
2-Hexanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
Tetrachloroethene	ug/L	1 U	1 U	1 U	1 U	1.4	13	13	31	NS	2.4	1 U	NS	6.9	NS
1,1,2,2-Tetrachloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Toluene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chlorobenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Ethylbenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Styrene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Xylene (total)	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS

Notes: DUP = Duplicate sample
 NS = Not sampled

U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.
 J = Indicates an estimated value.

Table 2-4

Summary of Groundwater Analytical Results - August 2009
Black & Decker
Hampstead, Maryland

PARAMETER	Units	RFW-11A	RFW-11B	RFW-12B	RFW-13	RFW-16	RFW-17	Leister Dairy	Leister Res. #1	Leister Res. #2	Trip Blank	RFW-20	RFW-21	Town #22	Town #23	Trip Blank
		USEPA drinking water method 524.2														
Chloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	1 U	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	2 U	2 U	2 U	NS	2 U	ABD	ABD	ABD	2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Acetone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
Carbon Disulfide	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	NA	NA	NA	NA	NA
1,1-Dichloroethene	ug/L	NS	1 U	0.7 J	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethene (total)	ug/L	NS	1 U	2.6	1 J	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene	ug/L	NS	8.8	440	3.5	NS	1 U	ABD	ABD	ABD	1 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U
Dibromochloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Benzene	ug/L	NS	1 U	1 U	1 U	NS	0.6 J	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
2-Hexanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
Tetrachloroethene	ug/L	NS	1 U	36	17	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Styrene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Xylene (total)	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

Notes: Samples from wells RFW-20 & 21, Town-22&23 are analyzed with the USEPA drinking water method 524.2 at the request of the MDE Source Protection and Appropriation Division.
Samples from all of the other wells are analyzed with USEPA Method 8260.

NS = Not sampled

U = Compound was analyzed but not detected.

ABD = Well has been abandoned

Table 2-5

Summary of Groundwater Analytical Results - November 2009
Black & Decker
Hampstead, Maryland

PARAMETER	Units	EW-1	EW-2	EW-3	EW-4	EW-5	EW-6	EW-7	EW-8	EW-9	EW-9 (DUP)	EW-10
Chloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromomethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Acetone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Carbon Disulfide	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1-Dichloroethene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1-Dichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethene (total)	ug/L	NS	3.9	2.8	1 U	1 U	1 U	4.8	25	1 U	1 U	1 U
Chloroform	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
2-Butanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Carbon Tetrachloride	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromodichloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloropropane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trichloroethene	ug/L	NS	430	130	990	130	10	4.2	11	1.1	0.9 J	1 U
Dibromochloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Benzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromoform	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
2-Hexanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Tetrachloroethene	ug/L	NS	64	3.8	21	6.9	15	9.8	67	120	110	1.2
1,1,2,2-Tetrachloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Toluene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chlorobenzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Ethylbenzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Styrene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Xylene (total)	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U

Notes: U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.

J = Indicates an estimated value.

NS = Not Sampled

Table 2-5

Summary of Groundwater Analytical Results - November 2009
 Black & Decker
 Hampstead, Maryland

PARAMETER	Units	RFW-1A	RFW-1B	RFW-2A	RFW-2B	RFW-3B	RFW-4A	RFW-4A (DUP)	RFW-4B	RFW-5A	RFW-6	RFW-7	RFW-8	RFW-9	RFW-10
Chloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromomethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Vinyl Chloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Methylene Chloride	ug/L	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	NS	2 U	2 U	NS	2 U	NS
Acetone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
Carbon Disulfide	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1-Dichloroethene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1.2	NS
1,1-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1	NS
1,2-Dichloroethene (total)	ug/L	1 U	1 U	1 U	1 U	3.5	1 U	1 U	3.3	NS	1 U	1 U	NS	15	NS
Chloroform	ug/L	1 U	1 U	1 U	1 U	1 U	1.1	1	1.7	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
2-Butanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1,1-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1.4	NS
Carbon Tetrachloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromodichloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloropropane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
cis-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Trichloroethene	ug/L	1 U	1 U	1.2	1.5	1.3	24	24	50	NS	2.4	2.7	NS	16	NS
Dibromochloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,1,2-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Benzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Trans-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromoform	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
4-Methyl-2-pentanone	ug/L	5 U	5 U	5 U	1 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
2-Hexanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
Tetrachloroethene	ug/L	1 U	1 U	1 U	1 U	1 U	14	15	78	NS	2.8	1 U	NS	7	NS
1,1,2,2-Tetrachloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Toluene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chlorobenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Ethylbenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Styrene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Xylene (total)	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS

Notes: DUP = Duplicate sample
 NS = Not sampled

U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.
 J = Indicates an estimated value.

Table 2-5

Summary of Groundwater Analytical Results - November 2009
Black & Decker
Hampstead, Maryland

PARAMETER	Units	RFW-11A	RFW-11B	RFW-12B	RFW-13	RFW-16	RFW-17	Leister Dairy	Leister Res. #1	Leister Res. #2	Trip Blank	RFW-20	RFW-21	Town #22	Town #23	Trip Blank
		USEPA drinking water method 524.2														
Chloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	1 U	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	2 U	2 U	2 U	NS	2 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Acetone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	2.6 J
Carbon Disulfide	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	NA	NA	NA	NA	NA
1,1-Dichloroethene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethene (total)	ug/L	NS	1 U	2.7	1.1	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.26 J	0.5 U	0.5 U
1,2-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene	ug/L	NS	11	360	4.3	NS	1 U	ABD	ABD	ABD	1 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U
Dibromochloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Benzene	ug/L	NS	1 U	1 U	1 U	NS	2.7	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
2-Hexanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
Tetrachloroethene	ug/L	NS	1 U	32	22	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,1,2-Tetrachloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Styrene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Xylene (total)	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

Notes: Samples from wells RFW-20 & 21, Town-22&23 are analyzed with the USEPA drinking water method 524.2 at the request of the MDE Source Protection and Appropriation Division.
Samples from all of the other wells are analyzed with USEPA Method 8260.

NS = Not sampled

U = Compound was analyzed but not detected.

ABD = Well has been abandoned

Table 2-6

Summary of Groundwater Analytical Results - February 2010
Black & Decker
Hampstead, Maryland

PARAMETER	Units	EW-1	EW-2	EW-3	EW-4	EW-5	EW-6	EW-7	EW-8	EW-9	EW-9 (DUP)	EW-10
Chloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromomethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Acetone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Carbon Disulfide	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1-Dichloroethene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1-Dichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethene (total)	ug/L	NS	3.5	2.8	1 U	1 U	1 U	4.4	24	1 U	1 U	1 U
Chloroform	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
2-Butanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	1 U	1	1 U	1 U	1 U	1 U	1 U	1 U
Carbon Tetrachloride	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromodichloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloropropane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trichloroethene	ug/L	NS	410	130	1100	150	10	4	10	1.1	1 J	1 U
Dibromochloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Benzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1.5
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromoform	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
2-Hexanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Tetrachloroethene	ug/L	NS	62	3.4	22	5.9	17	9.6	63	110	100	1 U
1,1,2,2-Tetrachloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Toluene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chlorobenzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Ethylbenzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Styrene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Xylene (total)	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U

Notes: U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.

J = Indicates an estimated value.

NS = Not Sampled

Table 2-6

Summary of Groundwater Analytical Results - February 2010
Black & Decker
Hampstead, Maryland

PARAMETER	Units	RFW-1A	RFW-1B	RFW-2A	RFW-2B	RFW-3B	RFW-4A	RFW-4A (DUP)	RFW-4B	RFW-5A	RFW-6	RFW-7	RFW-8	RFW-9	RFW-10	
Chloromethane	ug/L	1 U	1 U	1 U	1 U	NS	1 U	1 U	1 U	NS	1 U	NS	NS	1 U	NS	
Bromomethane	ug/L	1 U	1 U	1 U	1 U	NS	1 U	1 U	1 U	NS	1 U	NS	NS	1 U	NS	
Vinyl Chloride	ug/L	1 U	1 U	1 U	1 U	NS	1 U	1 U	1 U	NS	1 U	NS	NS	1 U	NS	
Chloroethane	ug/L	1 U	1 U	1 U	1 U	NS	1 U	1 U	1 U	NS	1 U	NS	NS	1 U	NS	
Methylene Chloride	ug/L	2 U	2 U	2 U	2 U	NS	2 U	2 U	2 U	NS	2 U	NS	NS	2 U	NS	
Acetone	ug/L	5 U	5 U	5 U	5 U	NS	5 U	5 U	5 U	NS	5 U	NS	NS	5 U	NS	
Carbon Disulfide	ug/L	5 U	5 U	5 U	5 U	NS	5 U	5 U	5 U	NS	5 U	NS	NS	5 U	NS	
1,1-Dichloroethene	ug/L	1 U	1 U	1 U	1 U	NS	1 U	1 U	1 U	NS	1 U	NS	NS	1.3	NS	
1,1-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	NS	1 U	1 U	1 U	NS	1 U	NS	NS	1.6	1	NS
1,2-Dichloroethene (total)	ug/L	1 U	1 U	1 U	1 U	NS	1 U	1 U	3.7	NS	1 U	NS	NS	25	NS	
Chloroform	ug/L	1 U	1 U	1 U	1 U	NS	1 U	1 U	1 U	NS	1 U	NS	NS	1 U	NS	
1,2-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	NS	1 U	1 U	1 U	NS	1 U	NS	NS	1 U	NS	
2-Butanone	ug/L	5 U	5 U	5 U	5 U	NS	5 U	5 U	5 U	NS	5 U	NS	NS	5 U	NS	
1,1,1-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	NS	1 U	1 U	1 U	NS	1 U	NS	NS	1.6	NS	
Carbon Tetrachloride	ug/L	1 U	1 U	1 U	1 U	NS	1 U	1 U	1 U	NS	1 U	NS	NS	1 U	NS	
Bromodichloromethane	ug/L	1 U	1 U	1 U	1 U	NS	1 U	1 U	1 U	NS	1 U	NS	NS	1 U	NS	
1,2-Dichloropropane	ug/L	1 U	1 U	1 U	1 U	NS	1 U	1 U	1 U	NS	1 U	NS	NS	1 U	NS	
cis-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	NS	1 U	1 U	1 U	NS	1 U	NS	NS	1 U	NS	
Trichloroethene	ug/L	1 U	1 U	1 U	1 U	NS	30	28	50	NS	1 U	NS	NS	15	NS	
Dibromochloromethane	ug/L	1 U	1 U	1 U	1 U	NS	1 U	1 U	1 U	NS	1 U	NS	NS	1 U	NS	
1,1,2-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	NS	1 U	1 U	1 U	NS	1 U	NS	NS	1 U	NS	
Benzene	ug/L	1 U	1 U	1 U	1 U	NS	1 U	1 U	1 U	NS	1 U	NS	NS	1 U	NS	
Trans-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	NS	1 U	1 U	1 U	NS	1 U	NS	NS	1 U	NS	
Bromoform	ug/L	1 U	1 U	1 U	1 U	NS	1 U	1 U	1 U	NS	1 U	NS	NS	1 U	NS	
4-Methyl-2-pentanone	ug/L	5 U	5 U	5 U	1 U	NS	5 U	5 U	5 U	NS	5 U	NS	NS	5 U	NS	
2-Hexanone	ug/L	5 U	5 U	5 U	5 U	NS	5 U	5 U	5 U	NS	5 U	NS	NS	5 U	NS	
Tetrachloroethene	ug/L	1 U	1 U	1 U	1 U	NS	17	16	69	NS	1.4	NS	NS	8.5	NS	
1,1,2,2-Tetrachloroethane	ug/L	1 U	1 U	1 U	1 U	NS	1 U	1 U	1 U	NS	1 U	NS	NS	1 U	NS	
Toluene	ug/L	1 U	1 U	1 U	1 U	NS	1 U	1 U	1 U	NS	1 U	NS	NS	1 U	NS	
Chlorobenzene	ug/L	1 U	1 U	1 U	1 U	NS	1 U	1 U	1 U	NS	1 U	NS	NS	1 U	NS	
Ethylbenzene	ug/L	1 U	1 U	1 U	1 U	NS	1 U	1 U	1 U	NS	1 U	NS	NS	1 U	NS	
Styrene	ug/L	1 U	1 U	1 U	1 U	NS	1 U	1 U	1 U	NS	1 U	NS	NS	1 U	NS	
Xylene (total)	ug/L	1 U	1 U	1 U	1 U	NS	1 U	1 U	1 U	NS	1 U	NS	NS	1 U	NS	

Notes: DUP = Duplicate sample
NS = Not sampled

U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.
J = Indicates an estimated value.

Table 2-6

Summary of Groundwater Analytical Results - February 2010
Black & Decker
Hampstead, Maryland

PARAMETER	Units	RFW-11A	RFW-11B	RFW-12B	RFW-13	RFW-16	RFW-17	Leister Dairy	Leister Res. #1	Leister Res. #2	Trip Blank	USEPA drinking water method 524.2				
												RFW-20	RFW-21	Town #22	Town #23	Trip Blank
Chloromethane	ug/L	NS	1 U	1 U	NS	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	NS	NS	0.5 U
Bromomethane	ug/L	NS	1 U	1 U	NS	NS	1 U	ABD	ABD	ABD	1 U	1 U	1 U	NS	NS	1 U
Vinyl Chloride	ug/L	NS	1 U	1 U	NS	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	NS	NS	0.5 U
Chloroethane	ug/L	NS	1 U	1 U	NS	NS	1 U	ABD	ABD	ABD	1 U	1 U	1 U	NS	NS	1 U
Methylene Chloride	ug/L	NS	2 U	2 U	NS	NS	2 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	NS	NS	0.5 U
Acetone	ug/L	NS	5 U	5 U	NS	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	NS	NS	10 U
Carbon Disulfide	ug/L	NS	5 U	5 U	NS	NS	5 U	ABD	ABD	ABD	5 U	NA	NA	NS	NS	NA
1,1-Dichloroethene	ug/L	NS	1 U	1 U	NS	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	NS	NS	0.5 U
1,1-Dichloroethane	ug/L	NS	1 U	1 U	NS	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	NS	NS	0.5 U
1,2-Dichloroethene (total)	ug/L	NS	1 U	3	NS	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	NS	NS	0.5 U
Chloroform	ug/L	NS	1 U	1 U	NS	NS	1 U	ABD	ABD	ABD	9.8	0.5 U	0.5 U	NS	NS	0.5 U
1,2-Dichloroethane	ug/L	NS	1 U	1 U	NS	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	NS	NS	0.5 U
2-Butanone	ug/L	NS	5 U	5 U	NS	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	NS	NS	10 U
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	NS	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	NS	NS	0.5 U
Carbon Tetrachloride	ug/L	NS	1 U	1 U	NS	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	NS	NS	0.5 U
Bromodichloromethane	ug/L	NS	1 U	1 U	NS	NS	1 U	ABD	ABD	ABD	6.8	0.5 U	0.5 U	NS	NS	0.5 U
1,2-Dichloropropane	ug/L	NS	1 U	1 U	NS	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	NS	NS	0.5 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	NS	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	NS	NS	0.5 U
Trichloroethene	ug/L	NS	7.9	280	NS	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	NS	NS	0.5 U
Dibromochloromethane	ug/L	NS	1 U	1 U	NS	NS	1 U	ABD	ABD	ABD	2.8	0.5 U	0.5 U	NS	NS	0.5 U
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	NS	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	NS	NS	0.5 U
Benzene	ug/L	NS	1 U	1 U	NS	NS	1.5	ABD	ABD	ABD	1 U	0.5 U	0.5 U	NS	NS	0.5 U
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	NS	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	NS	NS	0.5 U
Bromoform	ug/L	NS	1 U	1 U	NS	NS	1 U	ABD	ABD	ABD	1.7	0.5 U	0.5 U	NS	NS	0.5 U
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	NS	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	NS	NS	10 U
2-Hexanone	ug/L	NS	5 U	5 U	NS	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	NS	NS	10 U
Tetrachloroethene	ug/L	NS	1 U	25	NS	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	NS	NS	0.5 U
1,1,1,2-Tetrachloroethane	ug/L	NS	1 U	1 U	NS	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	NS	NS	0.5 U
Toluene	ug/L	NS	1 U	1 U	NS	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	NS	NS	0.5 U
Chlorobenzene	ug/L	NS	1 U	1 U	NS	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	NS	NS	0.5 U
Ethylbenzene	ug/L	NS	1 U	1 U	NS	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	NS	NS	0.5 U
Styrene	ug/L	NS	1 U	1 U	NS	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	NS	NS	0.5 U
Xylene (total)	ug/L	NS	1 U	1 U	NS	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	NS	NS	0.5 U

Notes: Samples from wells RFW-20 & 21, Town-22&23 are analyzed with the USEPA drinking water method 524.2 at the request of the MDE Source Protection and Appropriation Division. Samples from all of the other wells are analyzed with USEPA Method 8260.

NS = Not sampled

U = Compound was analyzed but not detected.

ABD = Well has been abandoned

Table 2-7

**Summary of Groundwater Analytical Results - May 2010
Black & Decker
Hampstead, Maryland**

PARAMETER	Units	EW-1	EW-2	EW-3	EW-4	EW-5	EW-6	EW-7	EW-8	EW-9	EW-9 (DUP)	EW-10
Chloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromomethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Acetone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Carbon Disulfide	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1-Dichloroethene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1-Dichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethene (total)	ug/L	NS	5.6	2.5	1 U	1 U	1 U	2.8	22	1 U	1 U	1 U
Chloroform	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
2-Butanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Carbon Tetrachloride	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromodichloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloropropane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trichloroethene	ug/L	NS	450	77	1300	150	9.2	2.7	9.1	1 U	1 U	1.1
Dibromochloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Benzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromoform	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
2-Hexanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Tetrachloroethene	ug/L	NS	50	2.4	28	5.5	16	5.9	56	88	84	1 U
1,1,2,2-Tetrachloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Toluene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chlorobenzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Ethylbenzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Styrene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Xylene (total)	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U

Notes: U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.

J = Indicates an estimated value.

NS = Not Sampled

EW-2 & EW - 3 were sampled on 6/29/10

Table 2-7

Summary of Groundwater Analytical Results - May 2010
Black & Decker
Hampstead, Maryland

PARAMETER	Units	RFW-1A	RFW-1B	RFW-2A	RFW-2B	RFW-3B	RFW-4A	RFW-4A (DUP)	RFW-4B	RFW-5A	RFW-6	RFW-7	RFW-8	RFW-9	RFW-10
Chloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromomethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Vinyl Chloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Methylene Chloride	ug/L	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	NS	2 U	2 U	NS	2 U	NS
Acetone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
Carbon Disulfide	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1-Dichloroethene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1.2	NS
1,1-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1.4	NS
1,2-Dichloroethene (total)	ug/L	1 U	1 U	1 U	1 U	3.3	1	1	4.3	NS	1 U	1 U	NS	20	NS
Chloroform	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1.7	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
2-Butanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1,1-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1.6	NS
Carbon Tetrachloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromodichloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloropropane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
cis-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Trichloroethene	ug/L	1 U	1 U	1 U	1 U	1 U	39	39	55	NS	1.4	5	NS	16	NS
Dibromochloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,1,2-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Benzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Trans-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromoform	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
4-Methyl-2-pentanone	ug/L	5 U	5 U	5 U	1 U	1 U	5 U	5 U	5 U	NS	5 U	1 U	NS	1 J	NS
2-Hexanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
Tetrachloroethene	ug/L	1 U	1 U	1 U	1 U	1	29	30	82	NS	1.8	1 U	NS	7.9	NS
1,1,2,2-Tetrachloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Toluene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chlorobenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Ethylbenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Styrene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Xylene (total)	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS

Notes: DUP = Duplicate sample
 NS = Not sampled

U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.
 J = Indicates an estimated value.

Table 2-7

Summary of Groundwater Analytical Results - May 2010
Black & Decker
Hampstead, Maryland

PARAMETER	Units	RFW-11A	RFW-11B	RFW-12B	RFW-13	RFW-16	RFW-17	Leister Dairy	Leister Res. #1	Leister Res. #2	Trip Blank	RFW-20	RFW-21	Town #22	Town #23	Trip Blank
		USEPA drinking water method 524.2														
Chloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	NS	NS	0.5 U
Bromomethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	1 U	1 U	NS	NS	1 U
Vinyl Chloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	NS	NS	0.5 U
Chloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	1 U	1 U	NS	NS	1 U
Methylene Chloride	ug/L	NS	2 U	2 U	2 U	NS	2 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	NS	NS	0.5 U
Acetone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	NS	NS	10 U
Carbon Disulfide	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	NA	NA	NS	NS	NA
1,1-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	NS	NS	0.5 U
1,1-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	NS	NS	0.5 U
1,2-Dichloroethane (total)	ug/L	NS	1 U	2.9	1	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	NS	NS	0.5 U
Chloroform	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	NS	NS	0.5 U
1,2-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	NS	NS	0.5 U
2-Butanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	NS	NS	10 U
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	NS	NS	0.5 U
Carbon Tetrachloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	NS	NS	0.5 U
Bromodichloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	NS	NS	0.5 U
1,2-Dichloropropane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	NS	NS	0.5 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	NS	NS	0.5 U
Trichloroethene	ug/L	NS	6.8	260	3.5	NS	1 U	ABD	ABD	ABD	1 U	0.6	0.5 U	NS	NS	0.5 U
Dibromochloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	NS	NS	0.5 U
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	NS	NS	0.5 U
Benzene	ug/L	NS	1 U	1 U	1 U	NS	1.3	ABD	ABD	ABD	1 U	0.5 U	0.5 U	NS	NS	0.5 U
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	NS	NS	0.5 U
Bromoform	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	NS	NS	0.5 U
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	1 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	NS	NS	10 U
2-Hexanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	NS	NS	10 U
Tetrachloroethene	ug/L	NS	1 U	24	18	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	NS	NS	0.5 U
1,1,2,2-Tetrachloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	NS	NS	0.5 U
Toluene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	NS	NS	0.5 U
Chlorobenzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	NS	NS	0.5 U
Ethylbenzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	NS	NS	0.5 U
Styrene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	NS	NS	0.5 U
Xylene (total)	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	NS	NS	0.5 U

Notes: Samples from wells RFW-20 & 21, Town-22&23 are analyzed with the USEPA drinking water method 524.2 at the request of the MDE Source Protection and Appropriation Division. Samples from all of the other wells are analyzed with USEPA Method 8260.

NS = Not sampled

U = Compound was analyzed but not detected.

ABD = Well has been abandoned

3. OPERATION AND MAINTENANCE OF THE TREATMENT SYSTEM

A summary of the maintenance activities that were performed on the extraction and treatment system during the reporting period (July 2009 through June 2010) is provided in Table 3-1. This table is comprehensive in summarizing significant maintenance events or activities, while not including those activities considered unworthy of note (such as replacement of light bulbs, lubrication of moving parts, as appropriate, or other routine activities).

Table 3-1
Treatment System Maintenance Activities (July 2009 through June 2010)
Black Decker
Hampstead, Maryland

Date	Event/Corrective Action
Jul-09	Alarm at air stripper due to a power outage, reset the system. System back online.
Aug-09	Alarm at air stripper due to high wet well, reset the system. System back online.
Aug-09	Alarm at air stripper due to a power outage, reset the system. System back online.
Sep '09	Alarm at air stripper due high column and blower failure. Reset everything, system back online.
Sep-09	Alarm at air stripper due to high wet well, reset the system. System back online.
Sep-09	Had to shut the air stripper down to repair a leak on the 1 1/2 bypass line. The air stripper was down 4-5 hours.
Sep-09	EW-7 is not pumping. The motor is not working. Order a new pump motor, pull old pump, bleach well and install a new pump motor. The well was down 3 days, the well is back online.
Sep-09	Alarm at air stripper due to a power outage, reset the system. System back online.
Oct-09	Alarm at air stripper. High wet well, reset the system. System back online.
Oct-09	Alarm at stripper. EW-9 tripped off, replaced the control relay. System back online.
Nov-09	Alarm at air stripper. High wet well, reset the system. System back online.
Nov-09	The heater in EW-10 was replaced.

**Table 3-1
Treatment System Maintenance Activities (July 2009 through June2010)
Black Decker
Hampstead, maryland**

Date	Event/Corrective Action
Nov-09	Alarm at air stripper. Power outage caused a temporary shut down, reset the system. System back online.
Nov-09	Alarm at stripper. EW-5 tripped off, replaced the contactor. System back online.
Nov-09	The alarm at the air stripper due to a high column blower failure . The stripper was reset all systems are okay.
Dec-09	Alarm at air stripper. High wet well, reset the system. System back online.
Dec-09	Alarm at air stripper. Power outage caused a temporary shut down, reset the system. System back online.
Dec-09	Alarm at air stripper. EW-6 tripped off due to faulty control relay, control relay was replaced. System back online.
Dec-09	Alarm at air stripper. EW-8 tripped off due to broken heater, temporary heater was placed in the well house. System back online.
Dec-09	Alarm at air stripper. EW-10 tripped off due to water in well house due to flooding from excessive snow melt and rain. The well house was swept out and water was diverted away from well house. System back online.
Jan-10	Alarm at the stripper due to a power outage. Reset the system everything back online.
Jan-10	Alarm at the stripper due to wet well supply failure due to a frozen supply pipe. The pipe was thawed and the system is back online.
Jan-10	Alarm at stripper due to a high wet well. Reset the system and everything is back online.

Table 3-1
Treatment System Maintenance Activities (July 2009 through June2010)
Black Decker
Hampstead, maryland

Date	Event/Corrective Action
Jan-10	Replace the heater in EW-5
Feb-10	Alarm at stripper. EW-5 tripped off. Heating elements in EW-5 heater are bad. The well is reset, a temporary heater is used until the heating elements are replaced. in the heater.
Mar-10	Alarm at stripper due to a power outage. Reset the system everything back online.
Mar-10	Alarm at the stripper due to a high column blower failure. The system was reset everything is okay.
Mar-10	EW-8 tripped off due to a bad control relay. Replaced the relay and the well is back online.
Mar-10	EW-5 tripped off due to a bad control relay. Replaced the relay and the well is back online.
April-10	Alarm at stripper due to a high wet well. Reset the system and everything is back online.
April-10	Alarm at the stripper due to power a outage. Reset the system everything is back online.
May-10	Alarm at the stripper due to a power outage. Reset the system everything is back online.
May-10	Alarm due to a power outage, reset the system, wells EW-4 through EW-10 are back on line. There is a bad 3 phase wire running underground from EW- 4. Replace the underground wire in wells EW- 2 and EW- 3. Well EW-3 is back on
June-10	A new transformer is installed in EW- 2, it is back on line after being down for 23 days.
June-10	Install a new flow meter in EW-8.

4. TREATMENT SYSTEM PERFORMANCE EVALUATION

During the reporting period of July 2009 to June 2010, depth-to-water measurements were collected in all site monitor wells on a monthly basis. A groundwater elevation contour map was constructed each month to verify that the groundwater extraction system was providing a hydraulic barrier to prevent any groundwater contamination from migrating off-site. Pumping rates were adjusted as necessary to ensure that hydraulic control was being maintained across the site. Significant drawdown has been observed in both shallow and deeper monitor wells throughout the long-term pumping of the extraction well system, indicating that considerable interconnection exists between the shallow and deeper groundwater.

The groundwater elevation data collected in June 2010 were contoured using KT3D (Tonkin and Larson, 2002), a software program designed to contour groundwater elevation data while taking into account one or more pumping centers. As discussed in *A Systematic Approach for Evaluation of Capture Zones at Pump and Treat System* (USEPA, 2009), KT3D uses a linear-log kriging method that accounts for more tightly spaced groundwater elevation contours around pumping centers. Traditional computer-contouring packages utilize linear kriging methods that can overestimate predicted capture zones around pumping centers.

As shown in Figure 2-1, the groundwater elevation contour map generated by KT3D using groundwater elevation and pumping rate data for June 2010 shows a large depression in the groundwater surface in the vicinity of the pumping well networks at the site. The groundwater pathlines show that the direction of groundwater flow is toward the extraction wells and the pumping well network is establishing an effective hydraulic barrier along the site property boundaries. The predicted groundwater capture zones for the pumping wells extend across the site property.

The system as presently configured is successful in meeting the objective of capturing on-site groundwater, thereby reducing the potential off-site migration of contaminated groundwater. The system is also successful in treating the collected groundwater to remove the VOCs from the water. The laboratory analytical results of the treated discharge water indicate that no VOCs are present.

5. RECOMMENDATIONS

As discussed in Section 4, the treatment system has created a hydraulic boundary that prevents the off-site migration of groundwater. The extraction system will continue to operate as currently configured to pump and treat contaminated groundwater. Depth-to-water measurements will continue to be collected on a monthly basis in all site monitor wells to construct a groundwater elevation contour map for the site. The groundwater elevation contour map will be used to verify that the required area of groundwater capture is being maintained. If necessary, pumping rates will be adjusted to maintain groundwater capture due to seasonal fluctuations in groundwater elevations. The treatment system will also continue to operate as currently configured, as data collected have proven that the treatment system is fully effective in removing VOCs from the extracted groundwater.

APPENDIX A
WITHDRAWAL REPORTS

MARYLAND DEPARTMENT of the ENVIRONMENT, WATER MANAGEMENT ADMINISTRATION, 1800 WASHINGTON BLVD, BALTIMORE, MD 21230

Operated By:
Maryland Environmental Service
259 Najoles Road, Millersville MD

Facility: BTR Capital Group
Address: 626 Hanover Pike, Hampstead Maryland
Additional Op's & cert # - Dorrance Jones 0763, William Brenk 2754, David Smith 9153, Jamaal Downs 2755

Permit Number: 02-DP-0022
Superintendent: Earle Villarreal

Certification # 1017

Month: April
Year: 2010

Date	Appearance	Final Effluent outfall 001									Outfall 101					Outfall 201			Operator	
		Discharge MGD	pH su	Cl2 mg/l	Tetrachloroethylene ug/l	1,1,1-Trichloroethane ug/l	Trichloroethene ug/l	BOD ₅ mg/l	TSS mg/l	O&G mg/l	Flow MGD	Fecal mpn	Basin Inches	Alum Gpd	Hypochlorite Gpd	Post Cl2 mg/l	Tetrachloroethylene ug/l	1,1,1-Trichloroethane ug/l		Trichloroethene ug/l
1	Clear	0.37900	6.60	0.00						0.263000		0.0	5.0	1.0	5.0				0.241050	djones
2	Clear	0.35700								0.227000		0.0	5.0	1.0	5.0				0.188548	djones
3	Clear	0.42900								0.272000		0.0	5.0	1.0	5.0				0.242349	dsmith
4	Clear	0.49000								0.291000		0.0	5.0	1.0	5.0				0.291471	dsmith
5	Clear	0.12300								0.254000		0.0	5.0	1.0	5.0				0.226670	djones
6	Clear	0.10600	6.33	0.00						0.264000		0.0	5.0	1.0	5.0				0.231824	dbrenk
7	Clear	0.11800			< 1.00	< 1.00	< 1.00	< 2.0	4.0	7.2	0.266000	< 1.8	0.0	5.0	1.0	5.0			0.256216	dbrenk
8	Clear	0.11800	6.65	0.00							0.289000		0.0	5.0	1.0	5.0			0.233160	djones
9	Clear	0.00900	7.00	0.00							0.248000		0.0	5.0	1.0	5.0			0.211080	dsmith
10	Clear	0.10700									0.284000		0.0	5.0	1.0	5.0			0.269227	djones
11	Clear	0.12700									0.327000		0.0	5.0	1.0	5.0			0.229227	dbrenk
12	Clear	0.10600									0.287000		0.0	5.0	1.0	5.0			0.240205	dbrenk
13	Clear	0.10200	7.07	0.00							0.283000		0.0	5.0	1.0	1.3			0.225295	dbrenk
14	Clear	0.10600									0.290000		0.0	5.0	1.0	5.0			0.247854	dbrenk
15	Clear	0.11500	7.03	0.00							0.327000	< 1.8	0.0	5.0	1.0	5.0			0.257830	jdowns
16	Clear	0.00900									0.306000		0.0	5.0	1.0	5.0			0.196623	djones
17	Clear	0.10900									0.384000		0.0	5.0	1.0	5.0			0.248271	djones
18	Clear	0.12200									0.429000		0.0	5.0	1.0	5.0			0.283970	djones
19	Clear	0.10500	7.00	0.00							0.372000		0.0	5.0	1.0	5.0			0.239857	dsmith
20	Clear	0.10500	7.03	0.00							0.383000		0.0	5.0	1.0	5.0			0.249328	dsmith
21	Clear	0.11100									0.369000	< 1.8	0.0	5.0	1.0	5.0			0.247655	dbrenk
22	Clear	0.11700									0.407000		0.0	10.0	1.0	5.0			0.250435	dbrenk
23	Clear	0.00930									0.310000		0.0	5.0	1.0	5.0			0.199941	dbrenk
24	Clear	0.11100									0.432000		0.0	5.0	1.0	5.0			0.246642	dsmith
25	Clear	0.13400									0.434000		0.0	5.0	1.0	5.0			0.297506	dsmith
26	Clear	0.10600									0.372000	< 1.8	0.0	5.0	1.0	5.0			0.228084	djones
27	Clear	0.10600	6.70	0.00							0.404000		0.0	5.0	1.0	5.0			0.252250	djones
28	Clear	0.11500			< 1.00	< 1.00	< 1.00				0.407000	2.0	0.0	10.0	1.0	4.9			0.257101	djones
29	Clear	0.11700	6.61	0.00							0.437000		0.0	10.0	1.0	5.0			0.247471	djones
30	Clear	0.11600									0.372000		0.0	5.0	1.0	5.0			0.245000	djones
31																				
Total		4.28430									9.990000								7.282140	
Average		0.14281	6.8	<0.10	0	0	0	2	4	4	0.333000	1	0.0	5.5	1.0	4.9	#DIV/0!	#DIV/0!	#####	0.242738
Minimum		0.00900	6.3	0.00	0	0	0	2	4	0	0.227000	1	0.0	5.0	1.0	1.3	0	0	0	0.188548
Maximum		0.49000	7.1	<0.10	0	0	0	0	4	7	0.437000	2	0.0	10.0	1.0	5.0	0	0	0	0.297506

COMMENTS:

MOR 5-11-09

MARYLAND DEPARTMENT of the ENVIRONMENT, WATER MANAGEMENT ADMINISTRATION, 1800 WASHINGTON BLVD, BALTIMORE, MD 21230

Operated By: Maryland Environmental Service
259 Najoles Road, Millersville, MD

Facility: BTR Capital Group
Address: 626 Hanover Pike, Hampstead Maryland
Additional Op's & cert # - Dorrance Jones 0763, Gary Dickerson 0782, William Brink 2754, Francis Schmidt 2757, Brain Musselman 2775, David Smith 9153, Jamaal Downs 2755

Permit Number: 02-DP-0022
Superintendent: Earle Villarreal

Certification # 1017

Month: May
Year: 2010

Date	Appearance	Discharge MGD	pH su.	Cl2 mg/l	Final Effluent outfall-001					Outfall 101					Outfall 201			Operator			
					Tetrachloroethylene ug/l	1,1,1-Trichloroethane ug/l	Trichloroethene ug/l	BOD ₅ mg/l	TSS mg/l	O&G mg/l	Flow MGD	Fecal mpn	Basin Inches	Alum Gpd	Hypochlorite Gpd	Post Cl2 mg/l	Tetrachloroethylene ug/l		1,1,1-Trichloroethane ug/l	Trichloroethene ug/l	Discharge mgd
1	Clear	0.10500									0.387000		0.0	5.0	1.0	5.0				0.215137	dbrink
2	Clear	0.10500									0.450000		0.0	5.0	1.0	5.0				0.236801	dbrink
3	Clear	0.13600									0.394000		0.0	5.0	1.0	5.0				0.291568	djones
4	Clear	0.13900	6.20	0.00							0.318000		0.0	5.0	1.0	5.0				0.229217	dsmith
5	Clear	0.10400			< 1.00	< 1.00	< 1.00	< 2.0	5.0	< 5.3	0.410000	11.0	0.0	5.0	1.0	5.0				0.245102	djones
6	Clear	0.12000	6.90	0.00							0.411000		0.0	5.0	1.0	5.0				0.247834	djones
7	Clear	0.12100									0.332000		0.0	5.0	1.0	5.0				0.267620	djones
8	Clear	0.09400									0.402000		0.0	5.0	1.0	5.0				0.197103	djones
9	Clear	0.11300									0.448000		0.0	5.0	1.0	5.0				0.251124	djones
10	Clear	0.12100	6.80	0.00							0.373000		0.0	5.0	1.0	5.0				0.277078	dsmith
11	Clear	0.10600	6.86	0.00							0.393000		0.0	5.0	1.0	5.0				0.254144	dsmith
12	Clear	0.11300									0.355000		0.0	5.0	1.0	5.0				0.263509	djones
13	Clear	0.18500									0.355000		0.0	5.0	1.0	5.0				0.223530	djones
14	Clear	0.11900									0.327000	< 1.8	0.0	5.0	1.0	5.0				0.254665	gdickerson
15	Clear	0.10200									0.344000		0.0	5.0	1.0	5.0				0.118688	dsmith
16	Clear	0.10300									0.414000		0.0	2.0	1.0	5.0				0.190766	dsmith
17	Clear	0.12800									0.338000		0.0	3.0	1.0	5.0				0.229996	dsmith
18	Clear	0.12600	7.15	0.00							0.350000		0.0	5.0	1.0	5.0				0.187097	djones
19	Clear	0.12900									0.357000	< 1.8	0.0	5.0	1.0	5.0				0.199329	djones
20	Clear	0.11700									0.352000		0.0	5.0	1.0	5.0				0.224272	djones
21	Clear	0.11600	7.04	0.00							0.347000		0.0	5.0	1.0	5.0				0.192239	djones
22	Clear	0.10700									0.341000		0.0	5.0	1.0	5.0				0.179680	djones
23	Clear	0.11200									0.401000		0.0	5.0	1.0	5.0				0.189529	fschmidt
24	Clear	0.16700									0.359000		0.0	5.0	1.0	5.0				0.212973	fschmidt
25	Clear	0.13300	6.68	0.00							0.330000		0.0	5.0	1.0	5.0				0.218858	bm
26	Clear	0.10300									0.316000	< 1.8	0.0	2.0	1.0	1.4				0.180905	djones
27	Clear	0.11800	6.71	0.00							0.428000		0.0	3.0	1.0	5.0				0.198365	djones
28	Clear	0.44500									0.346000		0.0	5.0	1.0	4.0				0.217308	bm
29	Clear	0.19800									0.375000		0.0	5.0	1.0	5.0				0.195691	djones
30	Clear	0.21500									0.244000		0.0	5.0	1.0	5.0				0.246420	djones
31	Clear	0.21900									0.325000		0.0	5.0	1.0	5.0				0.262561	djones
Total		4.31900									11.322000									6.899109	
Average		0.13932	6.8	<0.10	0	0	0	2	5	0	0.365226	4	0.0	4.7	1.0	4.9	#DIV/0!	#DIV/0!	#####	0.222552	
Minimum		0.09400	6.2	0.00	0	0	0	2	5	0	0.244000	1	0.0	2.0	1.0	1.4	0	0	0	0.118688	
Maximum		0.44500	7.2	<0.10	0	0	0	0	5	0	0.450000	11	0.0	5.0	1.0	5.0	0	0	0	0.291568	MOR 5-11-09

COMMENTS:

MARYLAND DEPARTMENT of the ENVIRONMENT, WATER MANAGEMENT ADMINISTRATION, 1800 WASHINGTON BLVD, BALTIMORE, MD 21230

Operated By:
Maryland Environmental Service
259 Najoles Road, Millersville MD

Facility: BTR Capital Group
Address: 626 Hanover Pike, Hampstead Maryland
Additional Op's & cert # - Dorrance Jones 0763, Gary Dickerson 0782,

Permit Number: 02-DP-0022
Superintendent: Earle Villarreal
Francis Schmidt 2757, Jamaal Downs 2755, David Smith 9153, Brain Musselman 2775

Month: June
Year: 2010

Final Effluent outfall 001											Outfall 101					Outfall 201			Operator		
Date	Appearance	Discharge MGD	pH su	Cl2 mg/l	Tetrachloroethylene ug/l	1,1,1-Trichloroethane ug/l	Trichloroethene ug/l	BOD ₅ mg/l	TSS mg/l	O&G mg/l	Flow MGD	Fecal mpn	Basin Inches	Alum Gpd	Hypochlorite Gpd	Post Cl2 mg/l	Tetrachloroethylene ug/l	1,1,1-Trichloroethane ug/l		Trichloroethene ug/l	Discharge mgd
1	Clear	0.21800	8.28	0.00							0.362000		0.0	5.0	1.0	5.0				0.233582	fschmidt
2	Clear	0.22800									0.310000		0.0	5.0	1.0	5.0				0.280517	djones
3	Clear	0.20900	7.90	0.00	< 1.00	< 1.00	< 1.00	4.0	6.0	< 5.0	0.300000	< 1.8	0.0	5.0	1.0	5.0				0.245805	djones
4	Clear	0.20100									0.353000		0.0	5.0	1.0	5.0				0.237797	djones
5	Clear	0.20300									0.304000		0.0	5.0	1.0	5.0				0.234011	gdickerson
6	Clear	0.19200									0.317000		0.0	5.0	1.0	5.0				0.227288	gdickerson
7	Clear	0.20200									0.348000		0.0	5.0	1.0	5.0				0.259502	djones
8	Clear	0.20100	8.25	0.00							0.295000		0.0	5.0	1.0	5.0				0.238806	dsmith
9	Clear	0.17900	6.60	0.00							0.305000	< 1.8	0.0	5.0	1.0	5.0				0.283763	bmusselman
10	Clear	0.21400	6.97	0.00							0.332000		0.0	10.0	1.0	5.0				0.245991	djones
11	Clear	0.21700									0.188000		0.0	2.0	1.0	5.0				0.270556	djones
12	Clear	0.16300									0.218000		0.0	3.0	1.0	5.0				0.205118	djones
13	Clear	0.21700									0.231000		0.0	5.0	1.0	5.0				0.255127	djones
14	Clear	0.27100	6.83	0.00							0.199000		0.0	5.0	1.0	5.0				0.301454	jdowns
15	Clear	0.21500									0.253000		0.0	5.0	1.0	5.0				0.234515	fschmidt
16	Clear	0.24400									0.184000	< 1.8	0.0	5.0	1.0	5.0				0.290455	djones
17	Clear	0.16200	7.68	0.00							0.250000		0.0	5.0	1.0	5.0				0.216869	djones
18	Clear	0.22000									0.167000		0.0	5.0	1.0	5.0				0.271920	djones
19	Clear	0.14500									0.177000		0.0	5.0	1.0	5.0				0.194856	dsmith
20	Clear	0.16800									0.196000		0.0	5.0	1.0	5.0				0.200411	dsmith
21	Clear	0.19300									0.204000		0.0	5.0	1.0	5.0				0.307992	djones
22	Clear	0.17300	7.92	0.00							0.238000		0.0	5.0	1.0	5.0				0.217475	djones
23	Clear	0.11300									0.180000	< 1.8	0.0	5.0	1.0	5.0				0.280136	djones
24	Clear	0.08600	6.75	0.00							0.211000		0.0	5.0	1.0	5.0				0.228691	djones
25	Clear	0.09600									0.217000		0.0	5.0	1.0	5.0				0.265685	djones
26	Clear	0.10000									0.181000		0.0	5.0	1.0	5.0				0.244550	gdickerson
27	Clear	0.08800									0.184000		0.0	5.0	1.0	5.0				0.232914	gdickerson
28	Clear	0.11200									0.189000		0.0	5.0	1.0	5.0				0.265499	djones
29	Clear	0.10000	6.65	0.00							0.209000		0.0	5.0	1.5	5.0				0.228810	djones
30	Clear	0.09600									0.183000	< 1.8	0.0	5.0	1.5	5.0				0.227662	djones
31																					
Total		5.22600									7.285000									7.427757	
Average		0.17420	7.4	<0.10	0	0	0	4	6	0	0.242833	1	0.0	5.0	1.0	5.0	#DIV/0!	#DIV/0!	#####	0.247592	
Minimum		0.08600	6.6	0.00	0	0	0	4	6	0	0.167000	1	0.0	2.0	1.0	5.0	0	0	0	0.194856	
Maximum		0.27100	8.3	<0.10	0	0	0	4	6	0	0.362000	1	0.0	10.0	1.5	5.0	0	0	0	0.307992	MOR 5-11-09

COMMENTS:

**APPENDIX B
DISCHARGE MONITORING REPORTS**

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
 NAME **AG/GFI Hampstead, Inc**
 ADDRESS **626 Hanover Pike**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)
 (2-16) (17-19)

State Discharge Permit
02-DP-0022

MD0001881
 PERMIT NUMBER

001
 DISCHARGE NUMBER

Form Approved. 12345
 OMB No. 2040-0004.
 Approval expires 05-31-98

Hampstead, MD 21074
 FACILITY **Black and Decker WWTP**
 LOCATION **626 Hanover Pike**


MONITORING PERIOD							
YEAR	MO	DAY	TO	YEAR	MO	DAY	
FROM 10	04	01	TO	10	04	30	
(20-21)		(22-23)		(24-25)		(26-27)	
		(28-29)		(30-31)			

*** NO DISCHARGE ***
 NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	QUANTITY OR LOADING (46-53)			QUANTITY OR CONCENTRATION (46-53)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
BOD, 5-DAY (20 DEG. C) 00310 1 0 0 EFFLUENT GROSS VALUE	*****	*****	*****	****	*****	*****	0	(19)	0	ONE/MONTH GRAB
pH	*****	*****	*****	****	6.3	*****	7.1	(12)	0	TWO/WEEK GRAB
SOLIDS, TOTAL SUSPENDED 00530 1 0 0 EFFLUENT GROSS VALUE	*****	*****	*****	****	*****	4	4	(19)	0	ONE/MONTH GRAB
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	*****	*****	*****	****	*****	*****	*****	*****	0	MEASURED RECORD
CHLORINE, TOTAL RESIDUAL 50060 1 0 0 EFFLUENT GROSS VALUE	*****	*****	*****	****	*****	<0.1	<0.1	(19)	0	ONE/MONTH GRAB
TETRACHLOROETHYLENE 34475 1 0 0 EFFLUENT GROSS VALUE	*****	*****	*****	****	*****	*****	0	*****	0	ONE/MONTH GRAB
1,1,1-TRICHLOROETHANE 34506 1 0 0 EFFLUENT GROSS VALUE	*****	*****	*****	****	*****	*****	0	*****	0	ONE/MONTH GRAB

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
Jim Harkins, Director MES
 TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.


 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE
410 729-8350
 AREA CODE NUMBER
 DATE
10 05 21
 YEAR MO DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)

NAME **AG/GFI Hampstead, Inc**

ADDRESS **626 Hanover Pike**

Hampstead, MD 21074

FACILITY **Black and Decker WWTP**

LOCATION **626 Hanover Pike**

ATTN:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)
(2-16) (17-19)

State Discharge Permit
02-DP-0022

MD0001881

PERMIT NUMBER

001

DISCHARGE NUMBER

Form Approved. 12345

OMB No. 2040-0004.

Approval expires 05-31-98

MONITORING PERIOD

FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY
	10	04	01		10	04	30
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE ***
NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	QUANTITY OR LOADING (34-61)			QUANTITY OR CONCENTRATION (38-45)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE (46-53)	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
TRICHLOROETHENE 79141 1 0 0 EFFLUENT GROSS VALUE	*****	*****	*****	****	*****	*****	0	ug/l	0	ONE/MONTH	GRAB
OIL AND GREASE TOTAL RECOVERABLE 70030 1 0 0 EFFLUENT GROSS VALUE	*****	*****	*****	****	*****	4	7	(19)	0	ONE/MONTH	GRAB

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
Jim Harkins, Director MES
TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE
410 729-8350
AREA CODE NUMBER
DATE
10 05 21
YEAR MO DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
 NAME **AG/GFI Hampstead, Inc**
 ADDRESS **626 Hanover Pike**

Hampstead, MD 21074

FACILITY **Black and Decker WWTP**

LOCATION **626 Hanover Pike**

ATTN:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)
 (2-16) (17-19)

State Discharge Permit
 02-DP-0022

MD0001881
 PERMIT NUMBER

101
 DISCHARGE NUMBER

Form Approved. 12345
 OMB No. 2040-0004.
 Approval expires 05-31-98

MONITORING PERIOD

FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY
	10	04	01		10	04	30
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE ***


NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	QUANTITY OR LOADING (34-61)			QUANTITY OR CONCENTRATION (38-45)			UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE (46-53)	MAXIMUM (54-61)	UNITS	MINIMUM (38-45)	AVERAGE (46-53)	MAXIMUM (54-61)				
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE		333000	437000	(07)	*****	*****	*****		0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	****		ONE/MONTH	GRAB
COLIFORM, FECAL GENERAL 74055 1 0 0 EFFLUENT GROSS VALUE		*****	*****	****	*****	*****	2	(30)	0	ONE/WEEK	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	200	MPN		ONE/WEEK	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
Jim Harkins, Director MES
 TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT



TELEPHONE
410 729-8350
 AREA CODE NUMBER

DATE
10 05 21
 YEAR MO DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
 NAME **AG/GFI Hampstead, Inc**

ADDRESS **626 Hanover Pike**

Hampstead, MD 21074

FACILITY **Black and Decker WWTP**

LOCATION **626 Hanover Pike**

ATTN:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)
 (2-16) (17-19)

MD0001881

PERMIT NUMBER

001

DISCHARGE NUMBER

State Discharge Permit
 02-DP-0022

Form Approved. 12345

OMB No. 2040-0004.

Approval expires 05-31-98

MONITORING PERIOD

FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY
	10	05	01		10	05	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE ***
 NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	(3 Card Only) (46-53) QUANTITY OR LOADING (54-61)			(4 Card Only) (38-45) QUANTITY OR CONCENTRATION (46-53) (54-61)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
BOD, 5-DAY (20 DEG. C) 00310 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(19)	0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	15	MG/L		ONE/MONTH	GRAB
pH 00400 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	6.2	*****	7.2	(12)	0	TWO/WEEK	GRAB
	PERMIT REQUIREMENT	*****	*****	****	6.0	*****	8.5	SU		TWO/WEEK	GRAB
SOLIDS, TOTAL SUSPENDED 00530 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	5	5	(19)	0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	20	30	MG/L		ONE/MONTH	GRAB
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	139323	445000	(07)	*****	*****	*****		0	MEASURED	RECORD
	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	****		MEASURED	RECORD
CHLORINE, TOTAL RESIDUAL 50060 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	<0.1	<0.1	(19)	0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	0.011	0.019	MG/L		ONE/MONTH	GRAB
TETRACHLOROETHYLENE 34475 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0		0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5	ug/l		ONE/MONTH	GRAB
1,1,1-TRICHLOROETHANE 34506 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0		0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5	ug/l		ONE/MONTH	GRAB

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
Jim Harkins, Director MES
 TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE
410 729-8350
 AREA CODE NUMBER
 DATE
10 06 22
 YEAR MO DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE ADDRESS (Include Facility Name and location if different)
 NAME **AG/GFI Hampstead, Inc**

ADDRESS **626 Hanover Pike**

Hampstead, MD 21074

FACILITY **Black and Decker WWTP**

LOCATION **626 Hanover Pike**

ATTN:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)
 (2-16) (17-19)

MD0001881
 PERMIT NUMBER

001
 DISCHARGE NUMBER

State Discharge Permit
02-DP-0022

Form Approved. 12345

OMB No. 2040-0004.

Approval expires 05-31-98

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
10	05	01	TO	10	05	31
(20-21)		(22-23)		(24-25)		(26-27)
				(28-29)		(30-31)

*** NO DISCHARGE ***
 NOTE: Read instructions before completing this form.

PARAMETER (32-37)	X	QUANTITY OR LOADING (54-61)			QUANTITY OR CONCENTRATION (54-61)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE (46-53)	MAXIMUM	UNITS	MINIMUM (38-45)	AVERAGE (46-53)	MAXIMUM	UNITS			
TRICHLOROETHENE 79141 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	ug/l	0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****		*****	*****	5			ONE/MONTH	GRAB
OIL AND GREASE TOTAL RECOVERABLE 70030 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	(19) MG/L	0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****		*****	10	15			ONE/MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	TELEPHONE		DATE		
Jim Harkins, Director MES		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	410	729-8350	10	06
TYPED OR PRINTED		AREA CODE	NUMBER	YEAR	MO	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)

NAME **AG/GFI Hampstead, Inc**

ADDRESS **626 Hanover Pike**

Hampstead, MD 21074

FACILITY **Black and Decker WWTP**

LOCATION **626 Hanover Pike**

ATTN:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)
(2-16) (17-19)

State Discharge Permit
02-DP-0022

MD0001881

PERMIT NUMBER

101

DISCHARGE NUMBER

Form Approved. 12345

OMB No. 2040-0004.

Approval expires 05-31-98

MONITORING PERIOD

FROM		YEAR	MO	DAY	TO	YEAR	MO	DAY
		10	05	01		10	05	31
		(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	QUANTITY OR LOADING (3 Card Only (46-53))			QUANTITY OR CONCENTRATION (4 Card Only (38-45))				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE		365226	450000	(07)	*****	*****	*****		0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	****		ONE/MONTH	GRAB
COLIFORM, FECAL GENERAL 74055 1 0 0 EFFLUENT GROSS VALUE		*****	*****	****	*****	*****	11	(30)	0	ONE/WEEK	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	200	MPN		ONE/WEEK	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
Jim Harkins, Director MES
TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE
410 729-8350
AREA CODE NUMBER

DATE
10 06 22
YEAR MO DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
 NAME **AG/GFI Hampstead, Inc**
 ADDRESS **626 Hanover Pike**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)

State Discharge Permit
 02-DP-0022

Form Approved. 12345
 OMB No. 2040-0004.
 Approval expires 05-31-98

MD0001881
 PERMIT NUMBER


001
 DISCHARGE NUMBER

Hampstead, MD 21074
 FACILITY **Black and Decker WWTP**
 LOCATION **626 Hanover Pike**

MONITORING PERIOD							
FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY
	10	06	01		10	06	30
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE ***
 NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT / PERMIT REQUIREMENT	QUANTITY OR LOADING (3 Card Only) (46-53)			QUANTITY OR CONCENTRATION (4 Card Only) (38-45)			UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM				
BOD, 5-DAY (20 DEG. C) 00310 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	4	(19)	0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	15 *****	MG/L		ONE/MONTH	GRAB
pH	SAMPLE MEASUREMENT	*****	*****	****	6.6	*****	8.3	(12)	0	TWO/WEEK	GRAB
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	6.0	*****	8.5	SU		TWO/WEEK	GRAB
SOLIDS, TOTAL SUSPENDED 00530 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	6	6	(19)	0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	20	30	MG/L		ONE/MONTH	GRAB
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	174200	271000	(07)	*****	*****	*****		0	MEASURED	RECORD
	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	****		MEASURED	RECORD
CHLORINE, TOTAL RESIDUAL 50060 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	<0.1	<0.1	(19)	0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	0.011	0.019	MG/L		ONE/MONTH	GRAB
TETRACHLOROETHYLENE 34475 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0		0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5	ug/l		ONE/MONTH	GRAB
1,1,1-TRICHLOROETHANE 34506 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0		0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5	ug/l		ONE/MONTH	GRAB

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	TELEPHONE		DATE		
Jim Harkins, Director MES		 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	410	729-8350	10	07
TYPED OR PRINTED	AREA CODE		NUMBER	YEAR	MO	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
 NAME **AG/GFI Hampstead, Inc**
 ADDRESS **626 Hanover Pike**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)
 (2-16) (17-19)

State Discharge Permit
 02-DP-0022

Form Approved. 12345
 OMB No. 2040-0004.
 Approval expires 05-31-98

MD0001881
 PERMIT NUMBER

001
 DISCHARGE NUMBER

Hampstead, MD 21074
 FACILITY **Black and Decker WWTP**
 LOCATION **626 Hanover Pike**
 ATTN:


MONITORING PERIOD							
YEAR	MO	DAY	TO	YEAR	MO	DAY	
10	06	01		10	06	30	
(20-21)		(22-23)		(24-25)		(26-27)	
		(28-29)		(30-31)			

*** NO DISCHARGE ***
 NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT / PERMIT REQUIREMENT	QUANTITY OR LOADING (3 Card Only) (46-53)			QUANTITY OR CONCENTRATION (4 Card Only) (38-45)			UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM				
TRICHLOROETHENE	SAMPLE MEASUREMENT	*****	*****		*****	*****	0		0	ONE/MONTH	GRAB
79141 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5	ug/l		ONE/MONTH	GRAB
OIL AND GREASE TOTAL RECOVERABLE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	(19)	0	ONE/MONTH	GRAB
70030 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	10	15	MG/L		ONE/MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
Jim Harkins, Director MES
 TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.


 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE: **410 729-8350**
 AREA CODE: 410, NUMBER: 729-8350
 DATE: **10 07 22**
 YEAR: 10, MO: 07, DAY: 22

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMIT NAME/ADDRESS (Include Facility Name/Location if different)

NAME **AG/GFI Hampstead, Inc**

ADDRESS **626 Hanover Pike**

Hampstead, MD 21074

FACILITY **Black and Decker WWTP**

LOCATION **626 Hanover Pike**

ATTN:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

State Discharge Permit
02-DP-0022

MD0001881

PERMIT NUMBER

101

DISCHARGE NUMBER

Form Approved. 12345

OMB No. 2040-0004.

Approval expires 05-31-98

MONITORING PERIOD

FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY
	10	06	01		10	06	30
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE ***
NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	QUANTITY OR LOADING (3 Card Only (46-53) (54-61))			QUANTITY OR CONCENTRATION (4 Card Only (38-45) (46-53) (54-61))			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	242833	362000	(07)	*****	*****	*****	0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	REPORT *****	REPORT *****	GPD	*****	*****	*****			
COLIFORM, FECAL GENERAL 74055 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	1	0	ONE/ WEEK	GRAB
	PERMIT REQUIREMENT	*****	*****		*****	*****	*****			
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE	DATE			
Jim Harkins, Director MES			410 729-8350	10	07	22	
TYPED OR PRINTED			AREA CODE	NUMBER	YEAR	MO	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
 NAME **AG/GFI Hampstead, Inc**

ADDRESS **626 Hanover Pike**

Hampstead, MD 21074

FACILITY **Black and Decker WWTP**

LOCATION **626 Hanover Pike**

ATTN:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)
 (2-16) (17-19)

State Discharge Permit
 02-DP-0022

MD0001881

PERMIT NUMBER

201

DISCHARGE NUMBER

Form Approved. 12345


OMB No. 2040-0004.

Approval expires 05-31-98

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
10	04	01	TO	10	06	30
(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE ***
 NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT / PERMIT REQUIREMENT	QUANTITY OR LOADING (3 Card Only) (46-53)			QUANTITY OR CONCENTRATION (4 Card Only) (38-45)			UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM				
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	235097	307992	(07)	*****	*****	*****	GPD	0	MEASURED	RECORD
	PERMIT REQUIREMENT	REPORT	REPORT		*****	*****	*****				
TETRACHLOROETHYLENE 34475 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	ug/l	0	ONE/ QUARTER	GRAB
	PERMIT REQUIREMENT	*****	*****		*****	REPORT *****	REPORT *****				
1,1,1-TRICHLOROETHANE 34506 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	ug/l	0	ONE/ QUARTER	GRAB
	PERMIT REQUIREMENT	*****	*****		*****	REPORT *****	REPORT *****				
TRICHLOROETHENE 79141 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	ug/l	0	ONE/ QUARTER	GRAB
	PERMIT REQUIREMENT	*****	*****		*****	REPORT *****	REPORT *****				
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE	DATE			
Jim Harkins, Director MES			410 729-8350	10	07	22	
TYPED OR PRINTED			AREA CODE	NUMBER	YEAR	MO	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
 Quarterly Report! Outfall 201 quarterly sample's collected on 04/28/10.

APPENDIX C
GROUNDWATER TREATMENT SYSTEM ANALYTICAL RESULTS



630 Churchmans Road
 Newark, Delaware 19702
 302-266-9121 • 454-8720 (FAX)
 WWW.ATLANTICCOASTLABS.COM

REPORT OF ANALYSIS

Maryland Environmental Services (A)
 259 Najoles Road
 Millersville, MD 21108

Order Number: A10040340
 Project Name: Black & Decker WWTP
 Receive Date: 4/7/2010
 Client Code: MES_A
 Project Location: Black & Decker WWTP

Attention: Mr. Jay Janney

Sample # A10040340-01 **Sample Date: 4/7/2010 9:50**

Site: Black & Decker 001
 Client Sample ID:
 Sample Comments: None

Matrix: Waste Water

Test	Result	Units	RDL	Method	Analysis Date	Analyst
BOD-5	< 2	mg/L	2	SM 5210 B	4/8/2010 1:00:00 PM	JMcGuire
Total Suspended Solids	4	mg/L	4	SM 2540D	4/12/2010 1:20:00 PM	KPlatt

Sample # A10040340-02 **Sample Date: 4/7/2010 9:52**

Site: Black & Decker 001
 Client Sample ID:
 Sample Comments: None

Matrix: Waste Water

Test	Result	Units	RDL	Method	Analysis Date	Analyst
Oil and Grease (HEM)	7.2	mg/L	5.6	EPA 1664	4/13/2010 3:10:00 PM	JMcGuire

Sample # A10040340-03 **Sample Date: 4/7/2010 9:54**

Site: Black & Decker 001
 Client Sample ID:
 Sample Comments: None

Matrix: Waste Water

Test	Result	Units	RDL	Method	Analysis Date	Analyst
1,1,1-Trichloroethane	< 1	ug/L	1	EPA 8260B	4/12/2010 2:36:00 PM	JKozlowski
Tetrachloroethene	< 1	ug/L	1	EPA 8260B	4/12/2010 2:36:00 PM	JKozlowski
Trichloroethene	< 1	ug/L	1	EPA 8260B	4/12/2010 2:36:00 PM	JKozlowski

Approved: *Warren Van Arsdale*
 Quality Assurance Manager

Reported: 4/23/2010 8:12:19 AM

RDL = Reporting Detection Limit N/A = Not Applicable
 Laboratory Certification Numbers: Delaware - DE00011 Maryland - #138 Pennsylvania - 68-335 New Jersey - DE568



ATLANTIC COAST
Laboratories, Incorporated

630 Churchmans Road
Newark, Delaware 19702
302-266-9121 • 454-8720 (FAX)
WWW.ATLANTICCOASTLABS.COM

REPORT OF ANALYSIS

Maryland Environmental Services (A)
259 Najoles Road
Millersville, MD 21108

Order Number: A10050096
Project Name: Black & Decker WWTP
Receive Date: 5/4/2010
Client Code: MES_A
Project Location: Black & Decker WWTP

Attention: Mr. Jay Janney

Sample # A10050096-01 **Sample Date: 4/28/2010 10:25**

Site: Black & Decker 101

Matrix: Waste Water

Client Sample ID:


Sample Comments: None

<u>Test</u>	<u>Result</u>	<u>Units</u>	<u>RDL</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Fecal Coliform, MPN	2	MPN/100 mL	N/A	SM 9221 E	4/28/2010 1:48:00 PM	ChesapeakeEnvironmentalLa

Approved: *Warren Van Arsdale*
Quality Assurance Manager

Reported: 5/5/2010 3:36:36 PM

RDL = Reporting Detection Limit N/A = Not Applicable
Laboratory Certification Numbers: Delaware - DE00011 Maryland - #138 Pennsylvania - 68-335 New Jersey - DE568



630 Churchmans Road
 Newark, Delaware 19702
 302-266-9121 • 454-8720 (FAX)
 WWW.ATLANTICCOASTLABS.COM

REPORT OF ANALYSIS

Maryland Environmental Services (A)
 259 Najoles Road
 Millersville, MD 21108

Order Number: A10050269
 Project Name: Black & Decker WWTP
 Receive Date: 5/5/2010
 Client Code: MES_A
 Project Location: Black & Decker WWTP

Attention: Mr. Jay Janney

Sample # A10050269-01 **Sample Date: 5/5/2010 9:50**

Site: Black & Decker 001
 Client Sample ID:
 Sample Comments: None

Matrix: Waste Water.

Test	Result	Units	RDL	Method	Analysis Date	Analyst
BOD-5	< 2	mg/L	2	SM 5210 B	5/6/2010 11:20:00 AM	Skent
Total Suspended Solids	5	mg/L	4	SM 2540D	5/10/2010 1:12:00 PM	Kplatt

Sample # A10050269-02 **Sample Date: 5/5/2010 9:55**

Site: Black & Decker 001
 Client Sample ID:
 Sample Comments: None

Matrix: Waste Water

Test	Result	Units	RDL	Method	Analysis Date	Analyst
Oil and Grease (HEM)	< 5.3	mg/L	5.3	EPA 1664	5/11/2010 3:05:00 PM	JMcGuire

Sample # A10050269-03 **Sample Date: 5/5/2010 9:53**

Site: Black & Decker 001
 Client Sample ID:
 Sample Comments: None


Matrix: Waste Water

Test	Result	Units	RDL	Method	Analysis Date	Analyst
1,1,1-Trichloroethane	< 1	ug/L	1	EPA 8260B	5/7/2010 3:30:00 AM	JKozlowski
Tetrachloroethene	< 1	ug/L	1	EPA 8260B	5/7/2010 3:30:00 AM	JKozlowski
Trichloroethene	< 1	ug/L	1	EPA 8260B	5/7/2010 3:30:00 AM	JKozlowski

Approved: *Warren Van Arsdale*
 Quality Assurance Manager

Reported: 5/20/2010 8:01:23 AM

RDL = Reporting Detection Limit N/A = Not Applicable
 Laboratory Certification Numbers: Delaware - DE00011 Maryland - #138 Pennsylvania - 68-335 New Jersey - DE568



630 Churchmans Road
 Newark, Delaware 19702
 302-266-9121 • 454-8720 (FAX)
 WWW.ATLANTICCOASTLABS.COM

REPORT OF ANALYSIS

Maryland Environmental Services (A)
 259 Najoles Road
 Millersville, MD 21108

Order Number: A10050570
 Project Name: Black & Decker WWTP
 Receive Date: 5/12/2010
 Client Code: MES_A
 Project Location: Black & Decker WWTP

Attention: Mr. Jay Janney

Sample # A10050570-01 **Sample Date: 5/5/2010 9:25**

Site: Black & Decker 101
 Client Sample ID:
 Sample Comments: None


Matrix: Waste Water

<u>Test</u>	<u>Result</u>	<u>Units</u>	<u>RDL</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Fecal Coliform, MPN	11	MPN/100 mL	N/A	SM 9221 E	5/5/2010 2:12:00 PM	ChesapeakeEnvironmentalLa

Approved: *Walter Van Andell*
 Quality Assurance Manager

Reported: 5/12/2010 2:36:08 PM

RDL = Reporting Detection Limit N/A = Not Applicable
 Laboratory Certification Numbers: Delaware - DE00011 Maryland - #138 Pennsylvania - 68-335 New Jersey - DE568



630 Churchmans Road
 Newark, Delaware 19702
 302-266-9121 • 454-8720 (FAX)
 WWW.ATLANTICCOASTLABS.COM

REPORT OF ANALYSIS

Maryland Environmental Services (A)
 259 Najoles Road
 Millersville, MD 21108

Order Number: A10060231
 Project Name: Black & Decker WWTP
 Receive Date: 6/3/2010
 Client Code: MES_A
 Project Location: Black & Decker WWTP

Attention: Mr. Jay Janney

Sample # A10060231-01 **Sample Date: 6/3/2010 9:15**

Site: Black & Decker 001
 Client Sample ID:
 Sample Comments: None

Matrix: Waste Water

Test	Result	Units	RDL	Method	Analysis Date	Analyst
BOD-5	4	mg/L	2	SM 5210 B	6/4/2010 10:55:00 AM	Skent
Total Suspended Solids	6	mg/L	4	SM 2540D	6/7/2010 10:33:00 AM	Kplatt

Sample # A10060231-02 **Sample Date: 6/3/2010 9:17**

Site: Black & Decker 001
 Client Sample ID:
 Sample Comments: None

Matrix: Waste Water

Test	Result	Units	RDL	Method	Analysis Date	Analyst
Oil and Grease (HEM)	< 5	mg/L	5	EPA 1664	6/8/2010 5:30:00 PM	JMcGuire

Sample # A10060231-03 **Sample Date: 6/3/2010 9:20**

Site: Black & Decker 001
 Client Sample ID:
 Sample Comments: None

Matrix: Waste Water

Test	Result	Units	RDL	Method	Analysis Date	Analyst
1,1,1-Trichloroethane	< 1	ug/L	1	EPA 8260B	6/7/2010 10:27:00 PM	JKozlowski
Tetrachloroethene	< 1	ug/L	1	EPA 8260B	6/7/2010 10:27:00 PM	JKozlowski
Trichloroethene	< 1	ug/L	1	EPA 8260B	6/7/2010 10:27:00 PM	JKozlowski

Approved: 
 Quality Assurance Manager

Reported: 6/18/2010 2:01:43 PM

RDL = Reporting Detection Limit N/A = Not Applicable
 Laboratory Certification Numbers: Delaware - DE00011 Maryland - #138 Pennsylvania - 68-335 New Jersey - DE568



ATLANTIC COAST
Laboratories, Incorporated

630 Churchmans Road
Newark, Delaware 19702
302-266-9121 • 454-8720 (FAX)
WWW.ATLANTICCOASTLABS.COM

REPORT OF ANALYSIS
REVISED 6/28/2010

Maryland Environmental Services (A)
259 Najoles Road
Millersville, MD 21108

Order Number: A10061378
Project Name: Black & Decker WWTP
Receive Date: 6/23/2010
Client Code: MES_A
Project Location: Black & Decker WWTP

Attention: Mr. Jay Janney

Sample # A10061378-01

Sample Date: 6/16/2010 9:45

Site: Black & Decker 101

Matrix: Waste Water

Client Sample ID:

Sample Comments: None

<u>Test</u>	<u>Result</u>	<u>Units</u>	<u>RDL</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Fecal Coliform, MPN	<1.8	MPN/100 mL	N/A	SM 9221 E	6/16/2010 2:30:00 PM	ChesapeakeEnvironmentalLa

Approved: *Warren Van Arsdale*
Quality Assurance Manager

Reported: 6/28/2010 1:21:25 PM

RDL = Reporting Detection Limit N/A = Not Applicable
Laboratory Certification Numbers: Delaware - DE00011 Maryland - #138 Pennsylvania - 68-335 New Jersey - DE568

APPENDIX D
GROUNDWATER ANALYTICAL DATA PACKAGE (MAY 2010)

ANALYTICAL REPORT

Job Number: 500-25730-1
Job Description: Black and Decker

For:
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, PA 19380
Attention: Mr. Tom Cornuet



Approved for release.
Richard C Wright
Project Manager II
6/3/2010 11:32 AM

Richard C Wright
Project Manager II
richard.wright@testamericainc.com
06/03/2010

cc: Greg Flasiniski

These test results meet all the requirements of NELAC for accredited parameters.

The Lab Certification ID#:
TestAmerica Chicago 100201

All questions regarding this test report should be directed to the TestAmerica Project Manager whose signature appears on this report. All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.

Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.

TestAmerica Laboratories, Inc.
TestAmerica Chicago 2417 Bond Street, University Park, IL 60484
Tel (708) 534-5200 Fax (708) 534-5211 www.testamericainc.com



Job Narrative
500-25730-1

Comments

No additional comments.

Receipt

All samples were received in good condition within temperature requirements.

GC/MS VOA

Method(s) 8260B: The following sample was initially diluted due to the abundance of target analytes: EW-4 (500-25730-1). Elevated reporting limits (RLs) are provided.

No other analytical or quality issues were noted.

EXECUTIVE SUMMARY - Detections

Client: Weston Solutions, Inc.

Job Number: 500-25730-1

Lab Sample ID Analyte	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
500-25730-1	EW-4				
Trichloroethene		1300	20	ug/L	8260B
Tetrachloroethene		28	2.0	ug/L	8260B
500-25730-2	EW-5				
Trichloroethene		150	5.0	ug/L	8260B
Tetrachloroethene		5.5	1.0	ug/L	8260B
500-25730-3	EW-6				
Trichloroethene		9.2	1.0	ug/L	8260B
Tetrachloroethene		16	1.0	ug/L	8260B
500-25730-4	EW-7				
cis-1,2-Dichloroethene		2.8	1.0	ug/L	8260B
Trichloroethene		2.7	1.0	ug/L	8260B
Tetrachloroethene		5.9	1.0	ug/L	8260B
500-25730-5	EW-8				
cis-1,2-Dichloroethene		22	1.0	ug/L	8260B
Trichloroethene		9.1	1.0	ug/L	8260B
Tetrachloroethene		56	1.0	ug/L	8260B
500-25730-6	EW-9				
Tetrachloroethene		88	1.0	ug/L	8260B
500-25730-7FD	EW-9 DUP				
Tetrachloroethene		84	1.0	ug/L	8260B
500-25730-8	EW-10				
Tetrachloroethene		1.1	1.0	ug/L	8260B
500-25730-13	RFW-3B				
cis-1,2-Dichloroethene		3.3	1.0	ug/L	8260B
Tetrachloroethene		1.0	1.0	ug/L	8260B

TestAmerica Chicago

EXECUTIVE SUMMARY - Detections

Client: Weston Solutions, Inc.

Job Number: 500-25730-1

Lab Sample ID Analyte	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
500-25730-14	RFW-4A				
cis-1,2-Dichloroethene		1.0	1.0	ug/L	8260B
Trichloroethene		39	1.0	ug/L	8260B
Tetrachloroethene		29	1.0	ug/L	8260B
500-25730-15FD	RFW-4A DUP				
cis-1,2-Dichloroethene		1.0	1.0	ug/L	8260B
Trichloroethene		39	1.0	ug/L	8260B
Tetrachloroethene		30	1.0	ug/L	8260B
500-25730-16	RFW-4B				
cis-1,2-Dichloroethene		4.3	1.0	ug/L	8260B
Chloroform		1.7	1.0	ug/L	8260B
Trichloroethene		55	1.0	ug/L	8260B
Tetrachloroethene		82	1.0	ug/L	8260B
500-25730-17	RFW-6				
Trichloroethene		1.4	1.0	ug/L	8260B
Tetrachloroethene		1.8	1.0	ug/L	8260B
500-25730-18	RFW-7				
Trichloroethene		5.0	1.0	ug/L	8260B
500-25730-19	RFW-9				
1,1-Dichloroethene		1.2	1.0	ug/L	8260B
1,1-Dichloroethane		1.4	1.0	ug/L	8260B
cis-1,2-Dichloroethene		20	1.0	ug/L	8260B
1,1,1-Trichloroethane		1.6	1.0	ug/L	8260B
Trichloroethene		16	1.0	ug/L	8260B
methyl isobutyl ketone		0.97	5.0	ug/L	8260B
Tetrachloroethene		7.9	1.0	ug/L	8260B
500-25730-20	RFW-11B				
Trichloroethene		6.8	1.0	ug/L	8260B

TestAmerica Chicago

EXECUTIVE SUMMARY - Detections

Client: Weston Solutions, Inc.

Job Number: 500-25730-1

Lab Sample ID Analyte	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
500-25730-21	RFW-12B				
cis-1,2-Dichloroethene		2.9	1.0	ug/L	8260B
Trichloroethene		260	5.0	ug/L	8260B
Tetrachloroethene		24	1.0	ug/L	8260B
500-25730-22	RFW-13				
cis-1,2-Dichloroethene		1.0	1.0	ug/L	8260B
Trichloroethene		3.5	1.0	ug/L	8260B
Tetrachloroethene		18	1.0	ug/L	8260B
500-25730-23	RFW-17				
Benzene		1.3	1.0	ug/L	8260B

METHOD SUMMARY

Client: Weston Solutions, Inc.

Job Number: 500-25730-1

Description	Lab Location	Method	Preparation Method
Matrix: Water			
VOC	TAL CHI	SW846 8260B	
Purge and Trap	TAL CHI		SW846 5030B

Lab References:

TAL CHI = TestAmerica Chicago

Method References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

METHOD / ANALYST SUMMARY

Client: Weston Solutions, Inc.

Job Number: 500-25730-1

<u>Method</u>	<u>Analyst</u>	<u>Analyst ID</u>
SW846 8260B	Drabek, Dave J	DJD

SAMPLE SUMMARY

Client: Weston Solutions, Inc.

Job Number: 500-25730-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
500-25730-1	EW-4	Water	05/21/2010 1245	05/25/2010 1005
500-25730-2	EW-5	Water	05/21/2010 1230	05/25/2010 1005
500-25730-3	EW-6	Water	05/21/2010 1430	05/25/2010 1005
500-25730-4	EW-7	Water	05/21/2010 1450	05/25/2010 1005
500-25730-5	EW-8	Water	05/21/2010 1500	05/25/2010 1005
500-25730-6	EW-9	Water	05/21/2010 1510	05/25/2010 1005
500-25730-7FD	EW-9 DUP	Water	05/21/2010 1510	05/25/2010 1005
500-25730-8	EW-10	Water	05/21/2010 1525	05/25/2010 1005
500-25730-9	RFW-1A	Water	05/21/2010 1030	05/25/2010 1005
500-25730-10	RFW-1B	Water	05/21/2010 1225	05/25/2010 1005
500-25730-11	RFW-2A	Water	05/24/2010 0720	05/25/2010 1005
500-25730-12	RFW-2B	Water	05/24/2010 0750	05/25/2010 1005
500-25730-13	RFW-3B	Water	05/24/2010 0850	05/25/2010 1005
500-25730-14	RFW-4A	Water	05/24/2010 1515	05/25/2010 1005
500-25730-15FD	RFW-4A DUP	Water	05/24/2010 1515	05/25/2010 1005
500-25730-16	RFW-4B	Water	05/24/2010 1455	05/25/2010 1005
500-25730-17	RFW-6	Water	05/24/2010 0955	05/25/2010 1005
500-25730-18	RFW-7	Water	05/21/2010 1350	05/25/2010 1005
500-25730-19	RFW-9	Water	05/24/2010 1145	05/25/2010 1005
500-25730-20	RFW-11B	Water	05/24/2010 1235	05/25/2010 1005
500-25730-21	RFW-12B	Water	05/24/2010 1335	05/25/2010 1005
500-25730-22	RFW-13	Water	05/24/2010 1110	05/25/2010 1005
500-25730-23	RFW-17	Water	05/21/2010 0945	05/25/2010 1005
500-25730-24TB	TRIP BLANK	Water	05/21/2010 0700	05/25/2010 1005



SAMPLE RESULTS

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-25730-1

Client Sample ID: EW-4
 Lab Sample ID: 500-25730-1

Date Sampled: 05/21/2010 1245
 Date Received: 05/25/2010 1005
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed: 05/29/2010 0139			
Prep Method: 5030B		Date Prepared: 05/29/2010 0139			
Benzene	<2.0	ug/L	0.34	2.0	2.0
Dichlorodifluoromethane	<2.0	ug/L	0.62	2.0	2.0
Chloromethane	<2.0	ug/L	0.48	2.0	2.0
Vinyl chloride	<2.0	ug/L	0.40	2.0	2.0
Bromomethane	<2.0	ug/L	0.76	2.0	2.0
Chloroethane	<2.0	ug/L	0.72	2.0	2.0
Trichlorofluoromethane	<2.0	ug/L	0.40	2.0	2.0
1,1-Dichloroethene	<2.0	ug/L	0.38	2.0	2.0
Carbon disulfide	<10	ug/L	1.1	10	2.0
Acetone	<10	ug/L	3.2	10	2.0
Methylene Chloride	<4.0	ug/L	1.3	4.0	2.0
trans-1,2-Dichloroethene	<2.0	ug/L	0.64	2.0	2.0
1,1-Dichloroethane	<2.0	ug/L	0.50	2.0	2.0
2,2-Dichloropropane	<2.0	ug/L	0.48	2.0	2.0
cis-1,2-Dichloroethene	<2.0	ug/L	0.54	2.0	2.0
Methyl Ethyl Ketone	<10	ug/L	4.6	10	2.0
Bromochloromethane	<2.0	ug/L	0.70	2.0	2.0
Chloroform	<2.0	ug/L	0.30	2.0	2.0
1,1,1-Trichloroethane	<2.0	ug/L	0.36	2.0	2.0
1,1-Dichloropropene	<2.0	ug/L	0.32	2.0	2.0
Carbon tetrachloride	<2.0	ug/L	0.50	2.0	2.0
1,2-Dichloroethane	<2.0	ug/L	0.48	2.0	2.0
1,2-Dichloropropane	<2.0	ug/L	0.42	2.0	2.0
Dibromomethane	<2.0	ug/L	0.60	2.0	2.0
Bromodichloromethane	<2.0	ug/L	0.38	2.0	2.0
cis-1,3-Dichloropropene	<2.0	ug/L	0.34	2.0	2.0
methyl isobutyl ketone	<10	ug/L	1.7	10	2.0
Toluene	<2.0	ug/L	0.38	2.0	2.0
trans-1,3-Dichloropropene	<2.0	ug/L	0.48	2.0	2.0
1,1,2-Trichloroethane	<2.0	ug/L	0.52	2.0	2.0
Tetrachloroethene	28	ug/L	0.44	2.0	2.0
1,3-Dichloropropane	<2.0	ug/L	0.34	2.0	2.0
2-Hexanone	<10	ug/L	1.6	10	2.0
Dibromochloromethane	<2.0	ug/L	0.50	2.0	2.0
1,2-Dibromoethane	<2.0	ug/L	0.74	2.0	2.0
Chlorobenzene	<2.0	ug/L	0.34	2.0	2.0
1,1,1,2-Tetrachloroethane	<2.0	ug/L	0.38	2.0	2.0
Ethylbenzene	<2.0	ug/L	0.36	2.0	2.0
m&p-Xylene	<4.0	ug/L	0.64	4.0	2.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-25730-1

Client Sample ID: EW-4
 Lab Sample ID: 500-25730-1

Date Sampled: 05/21/2010 1245
 Date Received: 05/25/2010 1005
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
o-Xylene	<2.0	ug/L	0.76	2.0	2.0
Styrene	<2.0	ug/L	0.30	2.0	2.0
Bromoform	<2.0	ug/L	0.84	2.0	2.0
Isopropylbenzene	<2.0	ug/L	0.40	2.0	2.0
Bromobenzene	<2.0	ug/L	0.42	2.0	2.0
1,1,2,2-Tetrachloroethane	<2.0	ug/L	0.58	2.0	2.0
1,2,3-Trichloropropane	<2.0	ug/L	0.96	2.0	2.0
N-Propylbenzene	<2.0	ug/L	0.38	2.0	2.0
2-Chlorotoluene	<2.0	ug/L	0.36	2.0	2.0
1,3,5-Trimethylbenzene	<2.0	ug/L	0.36	2.0	2.0
4-Chlorotoluene	<2.0	ug/L	0.42	2.0	2.0
tert-Butylbenzene	<2.0	ug/L	0.32	2.0	2.0
1,2,4-Trimethylbenzene	<2.0	ug/L	0.28	2.0	2.0
sec-Butylbenzene	<2.0	ug/L	0.32	2.0	2.0
1,3-Dichlorobenzene	<2.0	ug/L	0.48	2.0	2.0
p-Isopropyltoluene	<2.0	ug/L	0.32	2.0	2.0
1,4-Dichlorobenzene	<2.0	ug/L	0.42	2.0	2.0
n-Butylbenzene	<2.0	ug/L	0.36	2.0	2.0
1,2-Dichlorobenzene	<2.0	ug/L	0.34	2.0	2.0
1,2-Dibromo-3-Chloropropane	<4.0	ug/L	1.9	4.0	2.0
1,2,4-Trichlorobenzene	<2.0	ug/L	0.48	2.0	2.0
Hexachlorobutadiene	<2.0	ug/L	0.52	2.0	2.0
Naphthalene	<2.0	ug/L	0.88	2.0	2.0
1,2,3-Trichlorobenzene	<2.0	ug/L	0.48	2.0	2.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	110	%		80 - 129	
Toluene-d8 (Surr)	110	%		80 - 115	
4-Bromofluorobenzene (Surr)	100	%		80 - 115	
Dibromofluoromethane	113	%		80 - 124	
Method: 8260B	Run Type: DL		Date Analyzed: 05/29/2010 0203		
Prep Method: 5030B			Date Prepared: 05/29/2010 0203		
Trichloroethene	1300	ug/L	4.8	20	20
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	103	%		80 - 129	
Toluene-d8 (Surr)	102	%		80 - 115	
4-Bromofluorobenzene (Surr)	97	%		80 - 115	
Dibromofluoromethane	107	%		80 - 124	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-25730-1

Client Sample ID: EW-5
 Lab Sample ID: 500-25730-2

Date Sampled: 05/21/2010 1230
 Date Received: 05/25/2010 1005
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed: 05/29/2010 0227			
Prep Method: 5030B		Date Prepared: 05/29/2010 0227			
Benzene	<1.0	ug/L	0.17	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.31	1.0	1.0
Chloromethane	<1.0	ug/L	0.24	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.20	1.0	1.0
Bromomethane	<1.0	ug/L	0.38	1.0	1.0
Chloroethane	<1.0	ug/L	0.36	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.20	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.19	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.55	5.0	1.0
Acetone	<5.0	ug/L	1.6	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.67	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.24	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.27	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	2.3	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.35	1.0	1.0
Chloroform	<1.0	ug/L	0.15	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.18	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.24	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.21	1.0	1.0
Dibromomethane	<1.0	ug/L	0.30	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.19	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.84	5.0	1.0
Toluene	<1.0	ug/L	0.19	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.24	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.26	1.0	1.0
Tetrachloroethene	5.5	ug/L	0.22	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.80	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.25	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.37	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.19	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.18	1.0	1.0
m&p-Xylene	<2.0	ug/L	0.32	2.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-25730-1

Client Sample ID: EW-5
 Lab Sample ID: 500-25730-2

Date Sampled: 05/21/2010 1230
 Date Received: 05/25/2010 1005
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
o-Xylene	<1.0	ug/L	0.38	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.42	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.21	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.29	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.48	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.19	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.21	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.16	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.18	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.96	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.26	1.0	1.0
Naphthalene	<1.0	ug/L	0.44	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.24	1.0	1.0

Surrogate			Acceptance Limits		
1,2-Dichloroethane-d4 (Surr)	98	%		80 - 129	
Toluene-d8 (Surr)	101	%		80 - 115	
4-Bromofluorobenzene (Surr)	96	%		80 - 115	
Dibromofluoromethane	103	%		80 - 124	

Method: 8260B Run Type: DL

Date Analyzed: 06/01/2010 1351

Prep Method: 5030B

Date Prepared: 06/01/2010 1351

Trichloroethene	150	ug/L	1.2	5.0	5.0
-----------------	-----	------	-----	-----	-----

Surrogate			Acceptance Limits		
1,2-Dichloroethane-d4 (Surr)	98	%		80 - 129	
Toluene-d8 (Surr)	101	%		80 - 115	
4-Bromofluorobenzene (Surr)	95	%		80 - 115	
Dibromofluoromethane	97	%		80 - 124	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-25730-1

Client Sample ID: EW-6
 Lab Sample ID: 500-25730-3

Date Sampled: 05/21/2010 1430
 Date Received: 05/25/2010 1005
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed: 05/29/2010 0251			
Prep Method: 5030B		Date Prepared: 05/29/2010 0251			
Benzene	<1.0	ug/L	0.17	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.31	1.0	1.0
Chloromethane	<1.0	ug/L	0.24	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.20	1.0	1.0
Bromomethane	<1.0	ug/L	0.38	1.0	1.0
Chloroethane	<1.0	ug/L	0.36	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.20	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.19	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.55	5.0	1.0
Acetone	<5.0	ug/L	1.6	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.67	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.24	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.27	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	2.3	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.35	1.0	1.0
Chloroform	<1.0	ug/L	0.15	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.18	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.24	1.0	1.0
Trichloroethene	9.2	ug/L	0.24	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.21	1.0	1.0
Dibromomethane	<1.0	ug/L	0.30	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.19	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.84	5.0	1.0
Toluene	<1.0	ug/L	0.19	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.24	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.26	1.0	1.0
Tetrachloroethene	16	ug/L	0.22	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.80	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.25	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.37	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.19	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.18	1.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-25730-1

Client Sample ID: EW-6
 Lab Sample ID: 500-25730-3

Date Sampled: 05/21/2010 1430
 Date Received: 05/25/2010 1005
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.32	2.0	1.0
o-Xylene	<1.0	ug/L	0.38	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.42	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.21	1.0	1.0
1,1,2-Tetrachloroethane	<1.0	ug/L	0.29	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.48	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.19	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.21	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.16	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.18	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.96	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.26	1.0	1.0
Naphthalene	<1.0	ug/L	0.44	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	97	%		80 - 129	
Toluene-d8 (Surr)	99	%		80 - 115	
4-Bromofluorobenzene (Surr)	87	%		80 - 115	
Dibromofluoromethane	102	%		80 - 124	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-25730-1

Client Sample ID: EW-7
 Lab Sample ID: 500-25730-4

Date Sampled: 05/21/2010 1450
 Date Received: 05/25/2010 1005
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed: 05/29/2010 0315			
Prep Method: 5030B		Date Prepared: 05/29/2010 0315			
Benzene	<1.0	ug/L	0.17	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.31	1.0	1.0
Chloromethane	<1.0	ug/L	0.24	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.20	1.0	1.0
Bromomethane	<1.0	ug/L	0.38	1.0	1.0
Chloroethane	<1.0	ug/L	0.36	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.20	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.19	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.55	5.0	1.0
Acetone	<5.0	ug/L	1.6	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.67	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.24	1.0	1.0
cis-1,2-Dichloroethene	2.8	ug/L	0.27	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	2.3	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.35	1.0	1.0
Chloroform	<1.0	ug/L	0.15	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.18	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.24	1.0	1.0
Trichloroethene	2.7	ug/L	0.24	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.21	1.0	1.0
Dibromomethane	<1.0	ug/L	0.30	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.19	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.84	5.0	1.0
Toluene	<1.0	ug/L	0.19	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.24	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.26	1.0	1.0
Tetrachloroethene	5.9	ug/L	0.22	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.80	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.25	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.37	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.19	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.18	1.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-25730-1

Client Sample ID: EW-7
 Lab Sample ID: 500-25730-4

Date Sampled: 05/21/2010 1450
 Date Received: 05/25/2010 1005
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.32	2.0	1.0
o-Xylene	<1.0	ug/L	0.38	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.42	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.21	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.29	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.48	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.19	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.21	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.16	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.18	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.96	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.26	1.0	1.0
Naphthalene	<1.0	ug/L	0.44	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
Surrogate					Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	104	%		80 - 129	
Toluene-d8 (Surr)	104	%		80 - 115	
4-Bromofluorobenzene (Surr)	95	%		80 - 115	
Dibromofluoromethane	105	%		80 - 124	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-25730-1

Client Sample ID: EW-8
 Lab Sample ID: 500-25730-5

Date Sampled: 05/21/2010 1500
 Date Received: 05/25/2010 1005
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed: 05/29/2010 0340			
Prep Method: 5030B		Date Prepared: 05/29/2010 0340			
Benzene	<1.0	ug/L	0.17	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.31	1.0	1.0
Chloromethane	<1.0	ug/L	0.24	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.20	1.0	1.0
Bromomethane	<1.0	ug/L	0.38	1.0	1.0
Chloroethane	<1.0	ug/L	0.36	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.20	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.19	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.55	5.0	1.0
Acetone	<5.0	ug/L	1.6	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.67	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.24	1.0	1.0
cis-1,2-Dichloroethene	22	ug/L	0.27	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	2.3	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.35	1.0	1.0
Chloroform	<1.0	ug/L	0.15	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.18	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.24	1.0	1.0
Trichloroethene	9.1	ug/L	0.24	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.21	1.0	1.0
Dibromomethane	<1.0	ug/L	0.30	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.19	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.84	5.0	1.0
Toluene	<1.0	ug/L	0.19	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.24	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.26	1.0	1.0
Tetrachloroethene	56	ug/L	0.22	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.80	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.25	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.37	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.19	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.18	1.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-25730-1

Client Sample ID: EW-8
 Lab Sample ID: 500-25730-5

Date Sampled: 05/21/2010 1500
 Date Received: 05/25/2010 1005
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.32	2.0	1.0
o-Xylene	<1.0	ug/L	0.38	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromofom	<1.0	ug/L	0.42	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.21	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.29	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.48	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.19	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.21	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.16	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.18	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.96	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.26	1.0	1.0
Naphthalene	<1.0	ug/L	0.44	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	101	%		80 - 129	
Toluene-d8 (Surr)	100	%		80 - 115	
4-Bromofluorobenzene (Surr)	94	%		80 - 115	
Dibromofluoromethane	103	%		80 - 124	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-25730-1

Client Sample ID: EW-9
 Lab Sample ID: 500-25730-6

Date Sampled: 05/21/2010 1510
 Date Received: 05/25/2010 1005
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed: 05/29/2010 0404			
Prep Method: 5030B		Date Prepared: 05/29/2010 0404			
Benzene	<1.0	ug/L	0.17	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.31	1.0	1.0
Chloromethane	<1.0	ug/L	0.24	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.20	1.0	1.0
Bromomethane	<1.0	ug/L	0.38	1.0	1.0
Chloroethane	<1.0	ug/L	0.36	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.20	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.19	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.55	5.0	1.0
Acetone	<5.0	ug/L	1.6	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.67	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.24	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.27	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	2.3	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.35	1.0	1.0
Chloroform	<1.0	ug/L	0.15	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.18	1.0	1.0
1,1,1-Dichloropropane	<1.0	ug/L	0.16	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.24	1.0	1.0
Trichloroethene	<1.0	ug/L	0.24	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.21	1.0	1.0
Dibromomethane	<1.0	ug/L	0.30	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.19	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.84	5.0	1.0
Toluene	<1.0	ug/L	0.19	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.24	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.26	1.0	1.0
Tetrachloroethene	88	ug/L	0.22	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.80	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.25	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.37	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.19	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.18	1.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-25730-1

Client Sample ID: EW-9
 Lab Sample ID: 500-25730-6

Date Sampled: 05/21/2010 1510
 Date Received: 05/25/2010 1005
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.32	2.0	1.0
o-Xylene	<1.0	ug/L	0.38	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.42	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.21	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.29	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.48	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.19	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.21	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.16	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.18	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.96	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.26	1.0	1.0
Naphthalene	<1.0	ug/L	0.44	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	99	%		80 - 129	
Toluene-d8 (Surr)	100	%		80 - 115	
4-Bromofluorobenzene (Surr)	92	%		80 - 115	
Dibromofluoromethane	103	%		80 - 124	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-25730-1

Client Sample ID: EW-9 DUP
 Lab Sample ID: 500-25730-7

Date Sampled: 05/21/2010 1510
 Date Received: 05/25/2010 1005
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed: 05/29/2010 0428			
Prep Method: 5030B		Date Prepared: 05/29/2010 0428			
Benzene	<1.0	ug/L	0.17	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.31	1.0	1.0
Chloromethane	<1.0	ug/L	0.24	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.20	1.0	1.0
Bromomethane	<1.0	ug/L	0.38	1.0	1.0
Chloroethane	<1.0	ug/L	0.36	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.20	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.19	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.55	5.0	1.0
Acetone	<5.0	ug/L	1.6	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.67	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.24	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.27	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	2.3	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.35	1.0	1.0
Chloroform	<1.0	ug/L	0.15	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.18	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.24	1.0	1.0
Trichloroethene	<1.0	ug/L	0.24	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.21	1.0	1.0
Dibromomethane	<1.0	ug/L	0.30	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.19	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.84	5.0	1.0
Toluene	<1.0	ug/L	0.19	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.24	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.26	1.0	1.0
Tetrachloroethene	84	ug/L	0.22	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.80	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.25	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.37	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.19	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.18	1.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-25730-1

Client Sample ID: EW-9 DUP
 Lab Sample ID: 500-25730-7

Date Sampled: 05/21/2010 1510
 Date Received: 05/25/2010 1005
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.32	2.0	1.0
o-Xylene	<1.0	ug/L	0.38	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.42	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.21	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.29	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.48	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.19	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.21	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.16	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.18	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.96	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.26	1.0	1.0
Naphthalene	<1.0	ug/L	0.44	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	98	%		80 - 129	
Toluene-d8 (Surr)	101	%		80 - 115	
4-Bromofluorobenzene (Surr)	94	%		80 - 115	
Dibromofluoromethane	105	%		80 - 124	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-25730-1

Client Sample ID: EW-10
 Lab Sample ID: 500-25730-8

Date Sampled: 05/21/2010 1525
 Date Received: 05/25/2010 1005
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed: 05/29/2010 0453			
Prep Method: 5030B		Date Prepared: 05/29/2010 0453			
Benzene	<1.0	ug/L	0.17	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.31	1.0	1.0
Chloromethane	<1.0	ug/L	0.24	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.20	1.0	1.0
Bromomethane	<1.0	ug/L	0.38	1.0	1.0
Chloroethane	<1.0	ug/L	0.36	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.20	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.19	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.55	5.0	1.0
Acetone	<5.0	ug/L	1.6	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.67	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.24	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.27	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	2.3	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.35	1.0	1.0
Chloroform	<1.0	ug/L	0.15	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.18	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.24	1.0	1.0
Trichloroethene	<1.0	ug/L	0.24	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.21	1.0	1.0
Dibromomethane	<1.0	ug/L	0.30	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.19	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.84	5.0	1.0
Toluene	<1.0	ug/L	0.19	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.24	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.26	1.0	1.0
Tetrachloroethene	1.1	ug/L	0.22	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.80	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.25	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.37	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.19	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.18	1.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-25730-1

Client Sample ID: EW-10
 Lab Sample ID: 500-25730-8

Date Sampled: 05/21/2010 1525
 Date Received: 05/25/2010 1005
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.32	2.0	1.0
o-Xylene	<1.0	ug/L	0.38	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.42	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.21	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.29	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.48	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.19	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.21	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.16	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.18	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.96	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.26	1.0	1.0
Naphthalene	<1.0	ug/L	0.44	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	102	%		80 - 129	
Toluene-d8 (Surr)	105	%		80 - 115	
4-Bromofluorobenzene (Surr)	99	%		80 - 115	
Dibromofluoromethane	109	%		80 - 124	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-25730-1

Client Sample ID: RFW-1A
 Lab Sample ID: 500-25730-9

Date Sampled: 05/21/2010 1030
 Date Received: 05/25/2010 1005
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed: 05/29/2010 0517			
Prep Method: 5030B		Date Prepared: 05/29/2010 0517			
Benzene	<1.0	ug/L	0.17	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.31	1.0	1.0
Chloromethane	<1.0	ug/L	0.24	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.20	1.0	1.0
Bromomethane	<1.0	ug/L	0.38	1.0	1.0
Chloroethane	<1.0	ug/L	0.36	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.20	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.19	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.55	5.0	1.0
Acetone	<5.0	ug/L	1.6	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.67	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.24	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.27	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	2.3	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.35	1.0	1.0
Chloroform	<1.0	ug/L	0.15	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.18	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.24	1.0	1.0
Trichloroethene	<1.0	ug/L	0.24	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.21	1.0	1.0
Dibromomethane	<1.0	ug/L	0.30	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.19	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.84	5.0	1.0
Toluene	<1.0	ug/L	0.19	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.24	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.26	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.22	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.80	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.25	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.37	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.19	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.18	1.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-25730-1

Client Sample ID: RFW-1A
 Lab Sample ID: 500-25730-9

Date Sampled: 05/21/2010 1030
 Date Received: 05/25/2010 1005
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.32	2.0	1.0
o-Xylene	<1.0	ug/L	0.38	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.42	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.21	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.29	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.48	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.19	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.21	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.16	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.18	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.96	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.26	1.0	1.0
Naphthalene	<1.0	ug/L	0.44	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	100	%		80 - 129	
Toluene-d8 (Surr)	102	%		80 - 115	
4-Bromofluorobenzene (Surr)	94	%		80 - 115	
Dibromofluoromethane	103	%		80 - 124	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-25730-1

Client Sample ID: RFW-1B
 Lab Sample ID: 500-25730-10

Date Sampled: 05/21/2010 1225
 Date Received: 05/25/2010 1005
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed: 05/29/2010 0541			
Prep Method: 5030B		Date Prepared: 05/29/2010 0541			
Benzene	<1.0	ug/L	0.17	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.31	1.0	1.0
Chloromethane	<1.0	ug/L	0.24	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.20	1.0	1.0
Bromomethane	<1.0	ug/L	0.38	1.0	1.0
Chloroethane	<1.0	ug/L	0.36	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.20	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.19	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.55	5.0	1.0
Acetone	<5.0	ug/L	1.6	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.67	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.24	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.27	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	2.3	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.35	1.0	1.0
Chloroform	<1.0	ug/L	0.15	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.18	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.24	1.0	1.0
Trichloroethene	<1.0	ug/L	0.24	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.21	1.0	1.0
Dibromomethane	<1.0	ug/L	0.30	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.19	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.84	5.0	1.0
Toluene	<1.0	ug/L	0.19	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.24	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.26	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.22	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.80	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.25	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.37	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.19	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.18	1.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-25730-1

Client Sample ID: RFW-1B
 Lab Sample ID: 500-25730-10

Date Sampled: 05/21/2010 1225
 Date Received: 05/25/2010 1005
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.32	2.0	1.0
o-Xylene	<1.0	ug/L	0.38	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.42	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.21	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.29	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.48	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.19	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.21	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.16	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.18	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.96	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.26	1.0	1.0
Naphthalene	<1.0	ug/L	0.44	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	106	%		80 - 129	
Toluene-d8 (Surr)	108	%		80 - 115	
4-Bromofluorobenzene (Surr)	100	%		80 - 115	
Dibromofluoromethane	108	%		80 - 124	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-25730-1

Client Sample ID: RFW-2A
 Lab Sample ID: 500-25730-11

Date Sampled: 05/24/2010 0720
 Date Received: 05/25/2010 1005
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed: 05/29/2010 0606			
Prep Method: 5030B		Date Prepared: 05/29/2010 0606			
Benzene	<1.0	ug/L	0.17	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.31	1.0	1.0
Chloromethane	<1.0	ug/L	0.24	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.20	1.0	1.0
Bromomethane	<1.0	ug/L	0.38	1.0	1.0
Chloroethane	<1.0	ug/L	0.36	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.20	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.19	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.55	5.0	1.0
Acetone	<5.0	ug/L	1.6	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.67	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.24	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.27	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	2.3	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.35	1.0	1.0
Chloroform	<1.0	ug/L	0.15	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.18	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.24	1.0	1.0
Trichloroethene	<1.0	ug/L	0.24	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.21	1.0	1.0
Dibromomethane	<1.0	ug/L	0.30	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.19	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.84	5.0	1.0
Toluene	<1.0	ug/L	0.19	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.24	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.26	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.22	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.80	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.25	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.37	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.19	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.18	1.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-25730-1

Client Sample ID: RFW-2A
 Lab Sample ID: 500-25730-11

Date Sampled: 05/24/2010 0720
 Date Received: 05/25/2010 1005
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.32	2.0	1.0
o-Xylene	<1.0	ug/L	0.38	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.42	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.21	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.29	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.48	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.19	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.21	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.16	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.18	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.96	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.26	1.0	1.0
Naphthalene	<1.0	ug/L	0.44	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	101	%		80 - 129	
Toluene-d8 (Surr)	104	%		80 - 115	
4-Bromofluorobenzene (Surr)	98	%		80 - 115	
Dibromofluoromethane	105	%		80 - 124	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-25730-1

Client Sample ID: RFW-2B
 Lab Sample ID: 500-25730-12

Date Sampled: 05/24/2010 0750
 Date Received: 05/25/2010 1005
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed: 05/29/2010 0630			
Prep Method: 5030B		Date Prepared: 05/29/2010 0630			
Benzene	<1.0	ug/L	0.17	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.31	1.0	1.0
Chloromethane	<1.0	ug/L	0.24	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.20	1.0	1.0
Bromomethane	<1.0	ug/L	0.38	1.0	1.0
Chloroethane	<1.0	ug/L	0.36	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.20	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.19	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.55	5.0	1.0
Acetone	<5.0	ug/L	1.6	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.67	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.24	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.27	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	2.3	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.35	1.0	1.0
Chloroform	<1.0	ug/L	0.15	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.18	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.24	1.0	1.0
Trichloroethene	<1.0	ug/L	0.24	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.21	1.0	1.0
Dibromomethane	<1.0	ug/L	0.30	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.19	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.84	5.0	1.0
Toluene	<1.0	ug/L	0.19	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.24	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.26	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.22	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.80	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.25	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.37	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.19	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.18	1.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-25730-1

Client Sample ID: RFW-2B
 Lab Sample ID: 500-25730-12

Date Sampled: 05/24/2010 0750
 Date Received: 05/25/2010 1005
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.32	2.0	1.0
o-Xylene	<1.0	ug/L	0.38	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.42	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.21	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.29	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.48	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.19	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.21	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.16	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.18	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.96	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.26	1.0	1.0
Naphthalene	<1.0	ug/L	0.44	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.24	1.0	1.0

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	99	%	80 - 129
Toluene-d8 (Surr)	101	%	80 - 115
4-Bromofluorobenzene (Surr)	95	%	80 - 115
Dibromofluoromethane	105	%	80 - 124

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-25730-1

Client Sample ID: RFW-3B
 Lab Sample ID: 500-25730-13

Date Sampled: 05/24/2010 0850
 Date Received: 05/25/2010 1005
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed: 05/29/2010 0654			
Prep Method: 5030B		Date Prepared: 05/29/2010 0654			
Benzene	<1.0	ug/L	0.17	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.31	1.0	1.0
Chloromethane	<1.0	ug/L	0.24	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.20	1.0	1.0
Bromomethane	<1.0	ug/L	0.38	1.0	1.0
Chloroethane	<1.0	ug/L	0.36	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.20	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.19	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.55	5.0	1.0
Acetone	<5.0	ug/L	1.6	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.67	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.24	1.0	1.0
cis-1,2-Dichloroethene	3.3	ug/L	0.27	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	2.3	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.35	1.0	1.0
Chloroform	<1.0	ug/L	0.15	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.18	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.24	1.0	1.0
Trichloroethene	<1.0	ug/L	0.24	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.21	1.0	1.0
Dibromomethane	<1.0	ug/L	0.30	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.19	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.84	5.0	1.0
Toluene	<1.0	ug/L	0.19	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.24	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.26	1.0	1.0
Tetrachloroethene	1.0	ug/L	0.22	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.80	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.25	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.37	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.19	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.18	1.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-25730-1

Client Sample ID: RFW-3B
 Lab Sample ID: 500-25730-13

Date Sampled: 05/24/2010 0850
 Date Received: 05/25/2010 1005
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.32	2.0	1.0
o-Xylene	<1.0	ug/L	0.38	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.42	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.21	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.29	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.48	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.19	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.21	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.16	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.18	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.96	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.26	1.0	1.0
Naphthalene	<1.0	ug/L	0.44	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	103	%		80 - 129	
Toluene-d8 (Surr)	104	%		80 - 115	
4-Bromofluorobenzene (Surr)	95	%		80 - 115	
Dibromofluoromethane	107	%		80 - 124	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-25730-1

Client Sample ID: RFW-4A
 Lab Sample ID: 500-25730-14

Date Sampled: 05/24/2010 1515
 Date Received: 05/25/2010 1005
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed: 05/29/2010 0718			
Prep Method: 5030B		Date Prepared: 05/29/2010 0718			
Benzene	<1.0	ug/L	0.17	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.31	1.0	1.0
Chloromethane	<1.0	ug/L	0.24	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.20	1.0	1.0
Bromomethane	<1.0	ug/L	0.38	1.0	1.0
Chloroethane	<1.0	ug/L	0.36	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.20	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.19	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.55	5.0	1.0
Acetone	<5.0	ug/L	1.6	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.67	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.24	1.0	1.0
cis-1,2-Dichloroethene	1.0	ug/L	0.27	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	2.3	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.35	1.0	1.0
Chloroform	<1.0	ug/L	0.15	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.18	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.24	1.0	1.0
Trichloroethene	39	ug/L	0.24	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.21	1.0	1.0
Dibromomethane	<1.0	ug/L	0.30	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.19	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.84	5.0	1.0
Toluene	<1.0	ug/L	0.19	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.24	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.26	1.0	1.0
Tetrachloroethene	29	ug/L	0.22	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.80	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.25	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.37	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.19	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.18	1.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-25730-1

Client Sample ID: RFW-4A
 Lab Sample ID: 500-25730-14

Date Sampled: 05/24/2010 1515
 Date Received: 05/25/2010 1005
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.32	2.0	1.0
o-Xylene	<1.0	ug/L	0.38	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.42	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.21	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.29	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.48	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.19	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.21	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.16	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.18	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.96	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.26	1.0	1.0
Naphthalene	<1.0	ug/L	0.44	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	104	%		80 - 129	
Toluene-d8 (Surr)	102	%		80 - 115	
4-Bromofluorobenzene (Surr)	95	%		80 - 115	
Dibromofluoromethane	107	%		80 - 124	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-25730-1

Client Sample ID: RFW-4A DUP
 Lab Sample ID: 500-25730-15

Date Sampled: 05/24/2010 1515
 Date Received: 05/25/2010 1005
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed: 05/29/2010 0743			
Prep Method: 5030B		Date Prepared: 05/29/2010 0743			
Benzene	<1.0	ug/L	0.17	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.31	1.0	1.0
Chloromethane	<1.0	ug/L	0.24	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.20	1.0	1.0
Bromomethane	<1.0	ug/L	0.38	1.0	1.0
Chloroethane	<1.0	ug/L	0.36	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.20	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.19	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.55	5.0	1.0
Acetone	<5.0	ug/L	1.6	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.67	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.24	1.0	1.0
cis-1,2-Dichloroethene	1.0	ug/L	0.27	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	2.3	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.35	1.0	1.0
Chloroform	<1.0	ug/L	0.15	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.18	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.24	1.0	1.0
Trichloroethene	39	ug/L	0.24	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.21	1.0	1.0
Dibromomethane	<1.0	ug/L	0.30	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.19	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.84	5.0	1.0
Toluene	<1.0	ug/L	0.19	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.24	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.26	1.0	1.0
Tetrachloroethene	30	ug/L	0.22	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.80	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.25	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.37	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.19	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.18	1.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-25730-1

Client Sample ID: RFW-4A DUP
 Lab Sample ID: 500-25730-15

Date Sampled: 05/24/2010 1515
 Date Received: 05/25/2010 1005
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.32	2.0	1.0
o-Xylene	<1.0	ug/L	0.38	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.42	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.21	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.29	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.48	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.19	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.21	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.16	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.18	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.96	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.26	1.0	1.0
Naphthalene	<1.0	ug/L	0.44	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	98	%		80 - 129	
Toluene-d8 (Surr)	102	%		80 - 115	
4-Bromofluorobenzene (Surr)	94	%		80 - 115	
Dibromofluoromethane	104	%		80 - 124	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-25730-1

Client Sample ID: RFW-4B
 Lab Sample ID: 500-25730-16

Date Sampled: 05/24/2010 1455
 Date Received: 05/25/2010 1005
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed: 05/29/2010 0807			
Prep Method: 5030B		Date Prepared: 05/29/2010 0807			
Benzene	<1.0	ug/L	0.17	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.31	1.0	1.0
Chloromethane	<1.0	ug/L	0.24	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.20	1.0	1.0
Bromomethane	<1.0	ug/L	0.38	1.0	1.0
Chloroethane	<1.0	ug/L	0.36	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.20	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.19	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.55	5.0	1.0
Acetone	<5.0	ug/L	1.6	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.67	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.24	1.0	1.0
cis-1,2-Dichloroethene	4.3	ug/L	0.27	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	2.3	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.35	1.0	1.0
Chloroform	1.7	ug/L	0.15	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.18	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.24	1.0	1.0
Trichloroethene	55	ug/L	0.24	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.21	1.0	1.0
Dibromomethane	<1.0	ug/L	0.30	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.19	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.84	5.0	1.0
Toluene	<1.0	ug/L	0.19	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.24	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.26	1.0	1.0
Tetrachloroethene	82	ug/L	0.22	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.80	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.25	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.37	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.19	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.18	1.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-25730-1

Client Sample ID: RFW-4B
 Lab Sample ID: 500-25730-16

Date Sampled: 05/24/2010 1455
 Date Received: 05/25/2010 1005
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.32	2.0	1.0
o-Xylene	<1.0	ug/L	0.38	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.42	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.21	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.29	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.48	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.19	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.21	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.16	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.18	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.96	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.26	1.0	1.0
Naphthalene	<1.0	ug/L	0.44	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	101	%		80 - 129	
Toluene-d8 (Surr)	102	%		80 - 115	
4-Bromofluorobenzene (Surr)	94	%		80 - 115	
Dibromofluoromethane	105	%		80 - 124	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-25730-1

Client Sample ID: RFW-6
 Lab Sample ID: 500-25730-17

Date Sampled: 05/24/2010 0955
 Date Received: 05/25/2010 1005
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed: 05/29/2010 0832			
Prep Method: 5030B		Date Prepared: 05/29/2010 0832			
Benzene	<1.0	ug/L	0.17	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.31	1.0	1.0
Chloromethane	<1.0	ug/L	0.24	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.20	1.0	1.0
Bromomethane	<1.0	ug/L	0.38	1.0	1.0
Chloroethane	<1.0	ug/L	0.36	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.20	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.19	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.55	5.0	1.0
Acetone	<5.0	ug/L	1.6	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.67	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.24	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.27	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	2.3	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.35	1.0	1.0
Chloroform	<1.0	ug/L	0.15	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.18	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.24	1.0	1.0
Trichloroethene	1.4	ug/L	0.24	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.21	1.0	1.0
Dibromomethane	<1.0	ug/L	0.30	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.19	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.84	5.0	1.0
Toluene	<1.0	ug/L	0.19	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.24	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.26	1.0	1.0
Tetrachloroethene	1.8	ug/L	0.22	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.80	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.25	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.37	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.19	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.18	1.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-25730-1

Client Sample ID: RFW-6
 Lab Sample ID: 500-25730-17

Date Sampled: 05/24/2010 0955
 Date Received: 05/25/2010 1005
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.32	2.0	1.0
o-Xylene	<1.0	ug/L	0.38	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.42	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.21	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.29	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.48	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.19	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.21	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.16	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.18	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.96	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.26	1.0	1.0
Naphthalene	<1.0	ug/L	0.44	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	102	%		80 - 129	
Toluene-d8 (Surr)	102	%		80 - 115	
4-Bromofluorobenzene (Surr)	95	%		80 - 115	
Dibromofluoromethane	108	%		80 - 124	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-25730-1

Client Sample ID: RFW-7
 Lab Sample ID: 500-25730-18

Date Sampled: 05/21/2010 1350
 Date Received: 05/25/2010 1005
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed: 05/29/2010 0856			
Prep Method: 5030B		Date Prepared: 05/29/2010 0856			
Benzene	<1.0	ug/L	0.17	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.31	1.0	1.0
Chloromethane	<1.0	ug/L	0.24	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.20	1.0	1.0
Bromomethane	<1.0	ug/L	0.38	1.0	1.0
Chloroethane	<1.0	ug/L	0.36	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.20	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.19	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.55	5.0	1.0
Acetone	<5.0	ug/L	1.6	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.67	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.24	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.27	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	2.3	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.35	1.0	1.0
Chloroform	<1.0	ug/L	0.15	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.18	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.24	1.0	1.0
Trichloroethene	5.0	ug/L	0.24	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.21	1.0	1.0
Dibromomethane	<1.0	ug/L	0.30	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.19	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.84	5.0	1.0
Toluene	<1.0	ug/L	0.19	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.24	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.26	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.22	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.80	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.25	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.37	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.19	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.18	1.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-25730-1

Client Sample ID: RFW-7
 Lab Sample ID: 500-25730-18

Date Sampled: 05/21/2010 1350
 Date Received: 05/25/2010 1005
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.32	2.0	1.0
o-Xylene	<1.0	ug/L	0.38	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.42	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.21	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.29	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.48	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.19	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.21	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.16	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.18	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.96	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.26	1.0	1.0
Naphthalene	<1.0	ug/L	0.44	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	103	%		80 - 129	
Toluene-d8 (Surr)	105	%		80 - 115	
4-Bromofluorobenzene (Surr)	98	%		80 - 115	
Dibromofluoromethane	107	%		80 - 124	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-25730-1

Client Sample ID: RFW-9
 Lab Sample ID: 500-25730-19

Date Sampled: 05/24/2010 1145
 Date Received: 05/25/2010 1005
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed: 05/29/2010 0921			
Prep Method: 5030B		Date Prepared: 05/29/2010 0921			
Benzene	<1.0	ug/L	0.17	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.31	1.0	1.0
Chloromethane	<1.0	ug/L	0.24	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.20	1.0	1.0
Bromomethane	<1.0	ug/L	0.38	1.0	1.0
Chloroethane	<1.0	ug/L	0.36	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.20	1.0	1.0
1,1-Dichloroethene	1.2	ug/L	0.19	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.55	5.0	1.0
Acetone	<5.0	ug/L	1.6	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.67	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethane	1.4	ug/L	0.25	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.24	1.0	1.0
cis-1,2-Dichloroethene	20	ug/L	0.27	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	2.3	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.35	1.0	1.0
Chloroform	<1.0	ug/L	0.15	1.0	1.0
1,1,1-Trichloroethane	1.6	ug/L	0.18	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.24	1.0	1.0
Trichloroethene	16	ug/L	0.24	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.21	1.0	1.0
Dibromomethane	<1.0	ug/L	0.30	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.19	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
methyl isobutyl ketone	0.97	ug/L	0.84	5.0	1.0
Toluene	<1.0	ug/L	0.19	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.24	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.26	1.0	1.0
Tetrachloroethene	7.9	ug/L	0.22	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.80	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.25	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.37	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.19	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.18	1.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-25730-1

Client Sample ID: RFW-9
 Lab Sample ID: 500-25730-19

Date Sampled: 05/24/2010 1145
 Date Received: 05/25/2010 1005
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.32	2.0	1.0
o-Xylene	<1.0	ug/L	0.38	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.42	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.21	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.29	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.48	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.19	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.21	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.16	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.18	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.96	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.26	1.0	1.0
Naphthalene	<1.0	ug/L	0.44	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	103	%		80 - 129	
Toluene-d8 (Surr)	105	%		80 - 115	
4-Bromofluorobenzene (Surr)	100	%		80 - 115	
Dibromofluoromethane	106	%		80 - 124	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-25730-1

Client Sample ID: RFW-11B
 Lab Sample ID: 500-25730-20

Date Sampled: 05/24/2010 1235
 Date Received: 05/25/2010 1005
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed: 06/01/2010 1150			
Prep Method: 5030B		Date Prepared: 06/01/2010 1150			
Benzene	<1.0	ug/L	0.17	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.31	1.0	1.0
Chloromethane	<1.0	ug/L	0.24	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.20	1.0	1.0
Bromomethane	<1.0	ug/L	0.38	1.0	1.0
Chloroethane	<1.0	ug/L	0.36	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.20	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.19	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.55	5.0	1.0
Acetone	<5.0	ug/L	1.6	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.67	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.24	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.27	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	2.3	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.35	1.0	1.0
Chloroform	<1.0	ug/L	0.15	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.18	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.24	1.0	1.0
Trichloroethene	6.8	ug/L	0.24	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.21	1.0	1.0
Dibromomethane	<1.0	ug/L	0.30	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.19	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.84	5.0	1.0
Toluene	<1.0	ug/L	0.19	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.24	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.26	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.22	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.80	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.25	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.37	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.19	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.18	1.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-25730-1

Client Sample ID: RFW-11B
 Lab Sample ID: 500-25730-20

Date Sampled: 05/24/2010 1235
 Date Received: 05/25/2010 1005
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.32	2.0	1.0
o-Xylene	<1.0	ug/L	0.38	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.42	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.21	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.29	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.48	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.19	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.21	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.16	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.18	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.96	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.26	1.0	1.0
Naphthalene	<1.0	ug/L	0.44	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	98	%		80 - 129	
Toluene-d8 (Surr)	99	%		80 - 115	
4-Bromofluorobenzene (Surr)	93	%		80 - 115	
Dibromofluoromethane	96	%		80 - 124	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-25730-1

Client Sample ID: RFW-12B
 Lab Sample ID: 500-25730-21

Date Sampled: 05/24/2010 1335
 Date Received: 05/25/2010 1005
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed: 06/01/2010 1214			
Prep Method: 5030B		Date Prepared: 06/01/2010 1214			
Benzene	<1.0	ug/L	0.17	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.31	1.0	1.0
Chloromethane	<1.0	ug/L	0.24	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.20	1.0	1.0
Bromomethane	<1.0	ug/L	0.38	1.0	1.0
Chloroethane	<1.0	ug/L	0.36	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.20	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.19	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.55	5.0	1.0
Acetone	<5.0	ug/L	1.6	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.67	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.24	1.0	1.0
cis-1,2-Dichloroethene	2.9	ug/L	0.27	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	2.3	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.35	1.0	1.0
Chloroform	<1.0	ug/L	0.15	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.18	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.24	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.21	1.0	1.0
Dibromomethane	<1.0	ug/L	0.30	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.19	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.84	5.0	1.0
Toluene	<1.0	ug/L	0.19	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.24	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.26	1.0	1.0
Tetrachloroethene	24	ug/L	0.22	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.80	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.25	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.37	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.19	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.18	1.0	1.0
m&p-Xylene	<2.0	ug/L	0.32	2.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-25730-1

Client Sample ID: RFW-12B
 Lab Sample ID: 500-25730-21

Date Sampled: 05/24/2010 1335
 Date Received: 05/25/2010 1005
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
o-Xylene	<1.0	ug/L	0.38	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.42	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.21	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.29	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.48	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.19	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.21	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.16	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.18	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.96	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.26	1.0	1.0
Naphthalene	<1.0	ug/L	0.44	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	107	%		80 - 129	
Toluene-d8 (Surr)	110	%		80 - 115	
4-Bromofluorobenzene (Surr)	105	%		80 - 115	
Dibromofluoromethane	106	%		80 - 124	
Method: 8260B	Run Type: DL		Date Analyzed: 06/02/2010 1219		
Prep Method: 5030B			Date Prepared: 06/02/2010 1219		
Trichloroethene	260	ug/L	1.2	5.0	5.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	98	%		80 - 129	
Toluene-d8 (Surr)	102	%		80 - 115	
4-Bromofluorobenzene (Surr)	93	%		80 - 115	
Dibromofluoromethane	98	%		80 - 124	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-25730-1

Client Sample ID: RFW-13
 Lab Sample ID: 500-25730-22

Date Sampled: 05/24/2010 1110
 Date Received: 05/25/2010 1005
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B			Date Analyzed: 06/01/2010 1238		
Prep Method: 5030B			Date Prepared: 06/01/2010 1238		
Benzene	<1.0	ug/L	0.17	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.31	1.0	1.0
Chloromethane	<1.0	ug/L	0.24	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.20	1.0	1.0
Bromomethane	<1.0	ug/L	0.38	1.0	1.0
Chloroethane	<1.0	ug/L	0.36	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.20	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.19	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.55	5.0	1.0
Acetone	<5.0	ug/L	1.6	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.67	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.24	1.0	1.0
cis-1,2-Dichloroethene	1.0	ug/L	0.27	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	2.3	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.35	1.0	1.0
Chloroform	<1.0	ug/L	0.15	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.18	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.24	1.0	1.0
Trichloroethene	3.5	ug/L	0.24	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.21	1.0	1.0
Dibromomethane	<1.0	ug/L	0.30	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.19	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.84	5.0	1.0
Toluene	<1.0	ug/L	0.19	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.24	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.26	1.0	1.0
Tetrachloroethene	18	ug/L	0.22	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.80	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.25	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.37	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.19	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.18	1.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-25730-1

Client Sample ID: RFW-13
 Lab Sample ID: 500-25730-22

Date Sampled: 05/24/2010 1110
 Date Received: 05/25/2010 1005
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.32	2.0	1.0
o-Xylene	<1.0	ug/L	0.38	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.42	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.21	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.29	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.48	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.19	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.21	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.16	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.18	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.96	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.26	1.0	1.0
Naphthalene	<1.0	ug/L	0.44	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	99	%		80 - 129	
Toluene-d8 (Surr)	102	%		80 - 115	
4-Bromofluorobenzene (Surr)	95	%		80 - 115	
Dibromofluoromethane	98	%		80 - 124	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-25730-1

Client Sample ID: RFW-17
 Lab Sample ID: 500-25730-23

Date Sampled: 05/21/2010 0945
 Date Received: 05/25/2010 1005
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed: 06/01/2010 1302			
Prep Method: 5030B		Date Prepared: 06/01/2010 1302			
Benzene	1.3	ug/L	0.17	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.31	1.0	1.0
Chloromethane	<1.0	ug/L	0.24	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.20	1.0	1.0
Bromomethane	<1.0	ug/L	0.38	1.0	1.0
Chloroethane	<1.0	ug/L	0.36	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.20	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.19	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.55	5.0	1.0
Acetone	<5.0	ug/L	1.6	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.67	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.24	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.27	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	2.3	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.35	1.0	1.0
Chloroform	<1.0	ug/L	0.15	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.18	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.24	1.0	1.0
Trichloroethene	<1.0	ug/L	0.24	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.21	1.0	1.0
Dibromomethane	<1.0	ug/L	0.30	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.19	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.84	5.0	1.0
Toluene	<1.0	ug/L	0.19	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.24	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.26	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.22	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.80	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.25	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.37	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.19	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.18	1.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-25730-1

Client Sample ID: RFW-17
 Lab Sample ID: 500-25730-23

Date Sampled: 05/21/2010 0945
 Date Received: 05/25/2010 1005
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.32	2.0	1.0
o-Xylene	<1.0	ug/L	0.38	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.42	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.21	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.29	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.48	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.19	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.21	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.16	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.18	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.96	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.26	1.0	1.0
Naphthalene	<1.0	ug/L	0.44	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	99	%		80 - 129	
Toluene-d8 (Surr)	102	%		80 - 115	
4-Bromofluorobenzene (Surr)	94	%		80 - 115	
Dibromofluoromethane	97	%		80 - 124	

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-25730-1

Client Sample ID: TRIP BLANK
 Lab Sample ID: 500-25730-24

Date Sampled: 05/21/2010 0700
 Date Received: 05/25/2010 1005
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed: 06/01/2010 1327			
Prep Method: 5030B		Date Prepared: 06/01/2010 1327			
Benzene	<1.0	ug/L	0.17	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.31	1.0	1.0
Chloromethane	<1.0	ug/L	0.24	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.20	1.0	1.0
Bromomethane	<1.0	ug/L	0.38	1.0	1.0
Chloroethane	<1.0	ug/L	0.36	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.20	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.19	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.55	5.0	1.0
Acetone	<5.0	ug/L	1.6	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.67	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.24	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.27	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	2.3	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.35	1.0	1.0
Chloroform	<1.0	ug/L	0.15	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.18	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.24	1.0	1.0
Trichloroethene	<1.0	ug/L	0.24	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.21	1.0	1.0
Dibromomethane	<1.0	ug/L	0.30	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.19	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.84	5.0	1.0
Toluene	<1.0	ug/L	0.19	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.24	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.26	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.22	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.80	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.25	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.37	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.19	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.18	1.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-25730-1

Client Sample ID: TRIP BLANK
 Lab Sample ID: 500-25730-24

Date Sampled: 05/21/2010 0700
 Date Received: 05/25/2010 1005
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.32	2.0	1.0
o-Xylene	<1.0	ug/L	0.38	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.42	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.21	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.29	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.48	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.19	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.21	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.16	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.18	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.96	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.26	1.0	1.0
Naphthalene	<1.0	ug/L	0.44	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	102	%		80 - 129	
Toluene-d8 (Surr)	103	%		80 - 115	
4-Bromofluorobenzene (Surr)	100	%		80 - 115	
Dibromofluoromethane	101	%		80 - 124	

DATA REPORTING QUALIFIERS

Client: Weston Solutions, Inc.

Job Number: 500-25730-1

Lab Section	Qualifier	Description
GC/MS VOA	*	LCS or LCSD exceeds the control limits
	J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
	*	RPD of the LCS and LCSD exceeds the control limits



QUALITY CONTROL RESULTS

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-25730-1

QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
GC/MS VOA					
Analysis Batch:500-86725					
LCS 500-86725/9	Lab Control Sample	T	Water	8260B	
LCSD 500-86725/30	Lab Control Sample Duplicate	T	Water	8260B	
MB 500-86725/8	Method Blank	T	Water	8260B	
500-25730-1	EW-4	T	Water	8260B	
500-25730-1DL	EW-4	T	Water	8260B	
500-25730-2	EW-5	T	Water	8260B	
500-25730-3	EW-6	T	Water	8260B	
500-25730-4	EW-7	T	Water	8260B	
500-25730-5	EW-8	T	Water	8260B	
500-25730-6	EW-9	T	Water	8260B	
500-25730-7FD	EW-9 DUP	T	Water	8260B	
500-25730-8	EW-10	T	Water	8260B	
500-25730-9	RFW-1A	T	Water	8260B	
500-25730-10	RFW-1B	T	Water	8260B	
500-25730-11	RFW-2A	T	Water	8260B	
500-25730-12	RFW-2B	T	Water	8260B	
500-25730-13	RFW-3B	T	Water	8260B	
500-25730-14	RFW-4A	T	Water	8260B	
500-25730-15FD	RFW-4A DUP	T	Water	8260B	
500-25730-16	RFW-4B	T	Water	8260B	
500-25730-17	RFW-6	T	Water	8260B	
500-25730-18	RFW-7	T	Water	8260B	
500-25730-19	RFW-9	T	Water	8260B	
Analysis Batch:500-86835					
LCS 500-86835/5	Lab Control Sample	T	Water	8260B	
MB 500-86835/15	Method Blank	T	Water	8260B	
500-25730-2DL	EW-5	T	Water	8260B	
500-25730-20	RFW-11B	T	Water	8260B	
500-25730-21	RFW-12B	T	Water	8260B	
500-25730-22	RFW-13	T	Water	8260B	
500-25730-23	RFW-17	T	Water	8260B	
500-25730-24TB	TRIP BLANK	T	Water	8260B	
Analysis Batch:500-86916					
LCS 500-86916/5	Lab Control Sample	T	Water	8260B	
MB 500-86916/20	Method Blank	T	Water	8260B	
500-25730-21DL	RFW-12B	T	Water	8260B	

Report Basis

T = Total

TestAmerica Chicago

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-25730-1

Surrogate Recovery Report

8260B VOC

Client Matrix: Water

Lab Sample ID	Client Sample ID	DCA %Rec	TOL %Rec	BFB %Rec	DBFM %Rec
500-25730-1	EW-4	110	110	100	113
500-25730-1 DL	EW-4 DL	103	102	97	107
500-25730-2	EW-5	98	101	96	103
500-25730-2 DL	EW-5 DL	98	101	95	97
500-25730-3	EW-6	97	99	87	102
500-25730-4	EW-7	104	104	95	105
500-25730-5	EW-8	101	100	94	103
500-25730-6	EW-9	99	100	92	103
500-25730-7	EW-9 DUP	98	101	94	105
500-25730-8	EW-10	102	105	99	109
500-25730-9	RFW-1A	100	102	94	103
500-25730-10	RFW-1B	106	108	100	108
500-25730-11	RFW-2A	101	104	98	105
500-25730-12	RFW-2B	99	101	95	105
500-25730-13	RFW-3B	103	104	95	107
500-25730-14	RFW-4A	104	102	95	107
500-25730-15	RFW-4A DUP	98	102	94	104
500-25730-16	RFW-4B	101	102	94	105
500-25730-17	RFW-6	102	102	95	108
500-25730-18	RFW-7	103	105	98	107
500-25730-19	RFW-9	103	105	100	106
500-25730-20	RFW-11B	98	99	93	96
500-25730-21	RFW-12B	107	110	105	106
500-25730-21 DL	RFW-12B DL	98	102	93	98
500-25730-22	RFW-13	99	102	95	98
500-25730-23	RFW-17	99	102	94	97
500-25730-24	TRIP BLANK	102	103	100	101
MB 500-86725/8		102	102	92	103
MB 500-86835/15		103	110	101	102

Surrogate	Acceptance Limits
DCA = 1,2-Dichloroethane-d4 (Surr)	80-129
TOL = Toluene-d8 (Surr)	80-115
BFB = 4-Bromofluorobenzene (Surr)	80-115
DBFM = Dibromofluoromethane	80-124

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-25730-1

Surrogate Recovery Report

8260B VOC

Client Matrix: Water

Lab Sample ID	Client Sample ID	DCA %Rec	TOL %Rec	BFB %Rec	DBFM %Rec
MB 500-86916/20		95	98	91	89
LCS 500-86725/9		106	109	107	112
LCS 500-86835/5		101	100	97	97
LCS 500-86916/5		97	97	95	98
LCSD 500-86725/30		107	107	101	111

Surrogate	Acceptance Limits
DCA = 1,2-Dichloroethane-d4 (Surr)	80-129
TOL = Toluene-d8 (Surr)	80-115
BFB = 4-Bromofluorobenzene (Surr)	80-115
DBFM = Dibromofluoromethane	80-124

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-25730-1

Method Blank - Batch: 500-86725

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 500-86725/8
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 05/29/2010 0050
Date Prepared: 05/29/2010 0050

Analysis Batch: 500-86725
Prep Batch: N/A
Units: ug/L

Instrument ID: CMS02
Lab File ID: 2M0528B.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Result	Qual	MDL	RL
Benzene	<1.0		0.17	1.0
Dichlorodifluoromethane	<1.0		0.31	1.0
Chloromethane	<1.0		0.24	1.0
Vinyl chloride	<1.0		0.20	1.0
Bromomethane	<1.0		0.38	1.0
Chloroethane	<1.0		0.36	1.0
Trichlorofluoromethane	<1.0		0.20	1.0
1,1-Dichloroethene	<1.0		0.19	1.0
Carbon disulfide	<5.0		0.55	5.0
Acetone	<5.0		1.6	5.0
Methylene Chloride	<2.0		0.67	2.0
trans-1,2-Dichloroethene	<1.0		0.32	1.0
1,1-Dichloroethane	<1.0		0.25	1.0
2,2-Dichloropropane	<1.0		0.24	1.0
cis-1,2-Dichloroethene	<1.0		0.27	1.0
Methyl Ethyl Ketone	<5.0		2.3	5.0
Bromochloromethane	<1.0		0.35	1.0
Chloroform	<1.0		0.15	1.0
1,1,1-Trichloroethane	<1.0		0.18	1.0
1,1-Dichloropropene	<1.0		0.16	1.0
Carbon tetrachloride	<1.0		0.25	1.0
1,2-Dichloroethane	<1.0		0.24	1.0
Trichloroethene	<1.0		0.24	1.0
1,2-Dichloropropane	<1.0		0.21	1.0
Dibromomethane	<1.0		0.30	1.0
Bromodichloromethane	<1.0		0.19	1.0
cis-1,3-Dichloropropene	<1.0		0.17	1.0
methyl isobutyl ketone	<5.0		0.84	5.0
Toluene	<1.0		0.19	1.0
trans-1,3-Dichloropropene	<1.0		0.24	1.0
1,1,2-Trichloroethane	<1.0		0.26	1.0
Tetrachloroethene	<1.0		0.22	1.0
1,3-Dichloropropane	<1.0		0.17	1.0
2-Hexanone	<5.0		0.80	5.0
Dibromochloromethane	<1.0		0.25	1.0
1,2-Dibromoethane	<1.0		0.37	1.0
Chlorobenzene	<1.0		0.17	1.0
1,1,1,2-Tetrachloroethane	<1.0		0.19	1.0
Ethylbenzene	<1.0		0.18	1.0
m&p-Xylene	<2.0		0.32	2.0
o-Xylene	<1.0		0.38	1.0
Styrene	<1.0		0.15	1.0
Bromoform	<1.0		0.42	1.0

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-25730-1

Method Blank - Batch: 500-86725

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 500-86725/8
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 05/29/2010 0050
Date Prepared: 05/29/2010 0050

Analysis Batch: 500-86725
Prep Batch: N/A
Units: ug/L

Instrument ID: CMS02
Lab File ID: 2M0528B.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Result	Qual	MDL	RL
Isopropylbenzene	<1.0		0.20	1.0
Bromobenzene	<1.0		0.21	1.0
1,1,2,2-Tetrachloroethane	<1.0		0.29	1.0
1,2,3-Trichloropropane	<1.0		0.48	1.0
N-Propylbenzene	<1.0		0.19	1.0
2-Chlorotoluene	<1.0		0.18	1.0
1,3,5-Trimethylbenzene	<1.0		0.18	1.0
4-Chlorotoluene	<1.0		0.21	1.0
tert-Butylbenzene	<1.0		0.16	1.0
1,2,4-Trimethylbenzene	<1.0		0.14	1.0
sec-Butylbenzene	<1.0		0.16	1.0
1,3-Dichlorobenzene	<1.0		0.24	1.0
p-Isopropyltoluene	<1.0		0.16	1.0
1,4-Dichlorobenzene	<1.0		0.21	1.0
n-Butylbenzene	<1.0		0.18	1.0
1,2-Dichlorobenzene	<1.0		0.17	1.0
1,2-Dibromo-3-Chloropropane	<2.0		0.96	2.0
1,2,4-Trichlorobenzene	<1.0		0.24	1.0
Hexachlorobutadiene	<1.0		0.26	1.0
Naphthalene	<1.0		0.44	1.0
1,2,3-Trichlorobenzene	<1.0		0.24	1.0

Surrogate	% Rec	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	102	80 - 129
Toluene-d8 (Surr)	102	80 - 115
4-Bromofluorobenzene (Surr)	92	80 - 115
Dibromofluoromethane	103	80 - 124

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-25730-1

**Lab Control Sample/
Lab Control Sample Duplicate Recovery Report - Batch: 500-86725**

**Method: 8260B
Preparation: 5030B**

LCS Lab Sample ID: LCS 500-86725/9
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 05/29/2010 0114
Date Prepared: 05/29/2010 0114

Analysis Batch: 500-86725
Prep Batch: N/A
Units: ug/L

Instrument ID: CMS02
Lab File ID: 2S0528A.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

LCSD Lab Sample ID: LCSD 500-86725/30
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 05/29/2010 0945
Date Prepared: 05/29/2010 0945

Analysis Batch: 500-86725
Prep Batch: N/A
Units: ug/L

Instrument ID: CMS02
Lab File ID: 2T0528A.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Benzene	97	85	73 - 117	14	20		
Dichlorodifluoromethane	82	85	46 - 182	4	20		
Chloromethane	99	99	51 - 151	0	20		
Vinyl chloride	92	92	56 - 128	1	20		
Bromomethane	136	122	35 - 181	11	20		
Chloroethane	116	99	52 - 150	16	20		
Trichlorofluoromethane	105	98	69 - 142	7	20		
1,1-Dichloroethene	71	65	55 - 127	9	20		
Carbon disulfide	47	41	38 - 123	14	20		
Acetone	78	78	42 - 149	1	20		
Methylene Chloride	91	83	62 - 127	9	20		
trans-1,2-Dichloroethene	90	82	67 - 125	9	20		
1,1-Dichloroethane	95	84	67 - 122	11	20		
2,2-Dichloropropane	91	73	62 - 135	22	20		*
cis-1,2-Dichloroethene	96	86	65 - 115	11	20		
Methyl Ethyl Ketone	95	83	52 - 148	13	20		
Bromochloromethane	117	101	70 - 122	14	20		
Chloroform	103	93	74 - 121	10	20		
1,1,1-Trichloroethane	103	89	76 - 127	15	20		
1,1-Dichloropropene	92	79	69 - 122	15	20		
Carbon tetrachloride	100	85	66 - 138	16	20		
1,2-Dichloroethane	106	94	71 - 124	12	20		
Trichloroethene	105	92	77 - 118	14	20		
1,2-Dichloropropane	101	92	75 - 120	9	20		
Dibromomethane	102	91	76 - 121	12	20		
Bromodichloromethane	112	98	79 - 124	13	20		
cis-1,3-Dichloropropene	97	85	66 - 122	13	20		
methyl isobutyl ketone	106	94	58 - 134	13	20		
Toluene	100	87	76 - 119	14	20		
trans-1,3-Dichloropropene	101	87	66 - 110	15	20		
1,1,2-Trichloroethane	108	98	70 - 127	10	20		
Tetrachloroethene	101	87	76 - 116	15	20		
1,3-Dichloropropane	105	94	74 - 119	11	20		

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-25730-1

**Lab Control Sample/
Lab Control Sample Duplicate Recovery Report - Batch: 500-86725**

**Method: 8260B
Preparation: 5030B**

LCS Lab Sample ID: LCS 500-86725/9
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 05/29/2010 0114
Date Prepared: 05/29/2010 0114

Analysis Batch: 500-86725
Prep Batch: N/A
Units: ug/L

Instrument ID: CMS02
Lab File ID: 2S0528A.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

LCSD Lab Sample ID: LCSD 500-86725/30
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 05/29/2010 0945
Date Prepared: 05/29/2010 0945

Analysis Batch: 500-86725
Prep Batch: N/A
Units: ug/L

Instrument ID: CMS02
Lab File ID: 2T0528A.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
2-Hexanone	104	90	54 - 140	14	20		
Dibromochloromethane	116	99	68 - 122	16	20		
1,2-Dibromoethane	112	100	77 - 123	12	20		
Chlorobenzene	106	93	78 - 113	14	20		
1,1,1,2-Tetrachloroethane	116	99	80 - 126	16	20		
Ethylbenzene	102	89	80 - 116	14	20		
m&p-Xylene	105	90	79 - 120	15	20		
o-Xylene	102	87	80 - 117	16	20		
Styrene	108	93	80 - 120	15	20		
Bromoform	116	104	59 - 122	11	20		
Isopropylbenzene	92	79	66 - 107	15	20		
Bromobenzene	106	93	78 - 119	13	20		
1,1,2,2-Tetrachloroethane	108	98	70 - 123	10	20		
1,2,3-Trichloropropane	120	102	76 - 121	17	20		
N-Propylbenzene	101	86	74 - 124	16	20		
2-Chlorotoluene	105	90	75 - 121	15	20		
1,3,5-Trimethylbenzene	106	92	77 - 123	15	20		
4-Chlorotoluene	101	87	74 - 119	14	20		
tert-Butylbenzene	108	93	78 - 121	15	20		
1,2,4-Trimethylbenzene	106	91	78 - 122	15	20		
sec-Butylbenzene	107	90	80 - 123	17	20		
1,3-Dichlorobenzene	107	92	80 - 114	16	20		
p-Isopropyltoluene	103	87	77 - 118	17	20		
1,4-Dichlorobenzene	108	92	79 - 113	16	20		
n-Butylbenzene	103	85	75 - 129	20	20		
1,2-Dichlorobenzene	113	97	80 - 116	15	20		
1,2-Dibromo-3-Chloropropane	110	97	55 - 126	13	20		
1,2,4-Trichlorobenzene	110	91	68 - 119	19	20		
Hexachlorobutadiene	113	92	69 - 125	20	20		
Naphthalene	119	103	57 - 130	15	20		
1,2,3-Trichlorobenzene	124	99	69 - 123	22	20	*	*
Surrogate	LCS % Rec		LCSD % Rec	Acceptance Limits			

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-25730-1

Surrogate	LCS % Rec	LCSD % Rec	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	106	107	80 - 129
Toluene-d8 (Surr)	109	107	80 - 115
4-Bromofluorobenzene (Surr)	107	101	80 - 115
Dibromofluoromethane	112	111	80 - 124

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-25730-1

Method Blank - Batch: 500-86835

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 500-86835/15
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 06/01/2010 1115
Date Prepared: 06/01/2010 1115

Analysis Batch: 500-86835
Prep Batch: N/A
Units: ug/L

Instrument ID: CMS02
Lab File ID: 2M0601A.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Result	Qual	MDL	RL
Benzene	<1.0		0.17	1.0
Dichlorodifluoromethane	<1.0		0.31	1.0
Chloromethane	<1.0		0.24	1.0
Vinyl chloride	<1.0		0.20	1.0
Bromomethane	<1.0		0.38	1.0
Chloroethane	<1.0		0.36	1.0
Trichlorofluoromethane	<1.0		0.20	1.0
1,1-Dichloroethene	<1.0		0.19	1.0
Carbon disulfide	<5.0		0.55	5.0
Acetone	<5.0		1.6	5.0
Methylene Chloride	<2.0		0.67	2.0
trans-1,2-Dichloroethene	<1.0		0.32	1.0
1,1-Dichloroethane	<1.0		0.25	1.0
2,2-Dichloropropane	<1.0		0.24	1.0
cis-1,2-Dichloroethene	<1.0		0.27	1.0
Methyl Ethyl Ketone	<5.0		2.3	5.0
Bromochloromethane	<1.0		0.35	1.0
Chloroform	<1.0		0.15	1.0
1,1,1-Trichloroethane	<1.0		0.18	1.0
1,1-Dichloropropene	<1.0		0.16	1.0
Carbon tetrachloride	<1.0		0.25	1.0
1,2-Dichloroethane	<1.0		0.24	1.0
Trichloroethene	<1.0		0.24	1.0
1,2-Dichloropropane	<1.0		0.21	1.0
Dibromomethane	<1.0		0.30	1.0
Bromodichloromethane	<1.0		0.19	1.0
cis-1,3-Dichloropropene	<1.0		0.17	1.0
methyl isobutyl ketone	<5.0		0.84	5.0
Toluene	<1.0		0.19	1.0
trans-1,3-Dichloropropene	<1.0		0.24	1.0
1,1,2-Trichloroethane	<1.0		0.26	1.0
Tetrachloroethene	<1.0		0.22	1.0
1,3-Dichloropropane	<1.0		0.17	1.0
2-Hexanone	<5.0		0.80	5.0
Dibromochloromethane	<1.0		0.25	1.0
1,2-Dibromoethane	<1.0		0.37	1.0
Chlorobenzene	<1.0		0.17	1.0
1,1,1,2-Tetrachloroethane	<1.0		0.19	1.0
Ethylbenzene	<1.0		0.18	1.0
m&p-Xylene	<2.0		0.32	2.0
o-Xylene	<1.0		0.38	1.0
Styrene	<1.0		0.15	1.0
Bromoform	<1.0		0.42	1.0

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-25730-1

Method Blank - Batch: 500-86835

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 500-86835/15
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 06/01/2010 1115
Date Prepared: 06/01/2010 1115

Analysis Batch: 500-86835
Prep Batch: N/A
Units: ug/L

Instrument ID: CMS02
Lab File ID: 2M0601A.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Result	Qual	MDL	RL
Isopropylbenzene	<1.0		0.20	1.0
Bromobenzene	<1.0		0.21	1.0
1,1,2,2-Tetrachloroethane	<1.0		0.29	1.0
1,2,3-Trichloropropane	<1.0		0.48	1.0
N-Propylbenzene	<1.0		0.19	1.0
2-Chlorotoluene	<1.0		0.18	1.0
1,3,5-Trimethylbenzene	<1.0		0.18	1.0
4-Chlorotoluene	<1.0		0.21	1.0
tert-Butylbenzene	<1.0		0.16	1.0
1,2,4-Trimethylbenzene	<1.0		0.14	1.0
sec-Butylbenzene	<1.0		0.16	1.0
1,3-Dichlorobenzene	<1.0		0.24	1.0
p-Isopropyltoluene	<1.0		0.16	1.0
1,4-Dichlorobenzene	<1.0		0.21	1.0
n-Butylbenzene	<1.0		0.18	1.0
1,2-Dichlorobenzene	<1.0		0.17	1.0
1,2-Dibromo-3-Chloropropane	<2.0		0.96	2.0
1,2,4-Trichlorobenzene	<1.0		0.24	1.0
Hexachlorobutadiene	<1.0		0.26	1.0
Naphthalene	<1.0		0.44	1.0
1,2,3-Trichlorobenzene	<1.0		0.24	1.0
Surrogate	% Rec	Acceptance Limits		
1,2-Dichloroethane-d4 (Surr)	103	80 - 129		
Toluene-d8 (Surr)	110	80 - 115		
4-Bromofluorobenzene (Surr)	101	80 - 115		
Dibromofluoromethane	102	80 - 124		

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-25730-1

Lab Control Sample - Batch: 500-86835

Method: 8260B
Preparation: 5030B

Lab Sample ID: LCS 500-86835/5
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 06/01/2010 1051
Date Prepared: 06/01/2010 1051

Analysis Batch: 500-86835
Prep Batch: N/A
Units: ug/L

Instrument ID: CMS02
Lab File ID: 2S0601.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Benzene	25.0	23.8	95	73 - 117	
Dichlorodifluoromethane	25.0	35.5	142	46 - 182	
Chloromethane	25.0	30.0	120	51 - 151	
Vinyl chloride	25.0	26.7	107	56 - 128	
Bromomethane	25.0	36.3	145	35 - 181	
Chloroethane	25.0	31.1	124	52 - 150	
Trichlorofluoromethane	25.0	29.7	119	69 - 142	
1,1-Dichloroethene	25.0	23.5	94	55 - 127	
Carbon disulfide	25.0	18.0	72	38 - 123	
Acetone	25.0	22.6	91	42 - 149	
Methylene Chloride	25.0	23.3	93	62 - 127	
trans-1,2-Dichloroethene	25.0	24.2	97	67 - 125	
1,1-Dichloroethane	25.0	22.9	92	67 - 122	
2,2-Dichloropropane	25.0	23.9	96	62 - 135	
cis-1,2-Dichloroethene	25.0	21.9	87	65 - 115	
Methyl Ethyl Ketone	25.0	22.4	89	52 - 148	
Bromochloromethane	25.0	22.8	91	70 - 122	
Chloroform	25.0	23.4	93	74 - 121	
1,1,1-Trichloroethane	25.0	24.7	99	76 - 127	
1,1-Dichloropropene	25.0	22.8	91	69 - 122	
Carbon tetrachloride	25.0	26.3	105	66 - 138	
1,2-Dichloroethane	25.0	25.1	101	71 - 124	
Trichloroethene	25.0	25.7	103	77 - 118	
1,2-Dichloropropane	25.0	22.9	92	75 - 120	
Dibromomethane	25.0	24.9	100	76 - 121	
Bromodichloromethane	25.0	25.6	103	79 - 124	
cis-1,3-Dichloropropene	26.9	24.9	93	66 - 122	
methyl isobutyl ketone	25.0	23.6	94	58 - 134	
Toluene	25.0	23.2	93	76 - 119	
trans-1,3-Dichloropropene	24.3	23.0	94	66 - 110	
1,1,2-Trichloroethane	25.0	24.4	97	70 - 127	
Tetrachloroethene	25.0	25.0	100	76 - 116	
1,3-Dichloropropane	25.0	23.5	94	74 - 119	
2-Hexanone	25.0	23.1	93	54 - 140	
Dibromochloromethane	25.0	26.2	105	68 - 122	
1,2-Dibromoethane	25.0	25.8	103	77 - 123	
Chlorobenzene	25.0	23.6	94	78 - 113	
1,1,1,2-Tetrachloroethane	25.0	25.2	101	80 - 126	
Ethylbenzene	25.0	23.3	93	80 - 116	
m&p-Xylene	50.0	47.3	95	79 - 120	
o-Xylene	25.0	22.7	91	80 - 117	
Styrene	25.0	23.8	95	80 - 120	
Bromoform	25.0	26.5	106	59 - 122	

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-25730-1

Lab Control Sample - Batch: 500-86835

Method: 8260B
Preparation: 5030B

Lab Sample ID: LCS 500-86835/5
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 06/01/2010 1051
Date Prepared: 06/01/2010 1051

Analysis Batch: 500-86835
Prep Batch: N/A
Units: ug/L

Instrument ID: CMS02
Lab File ID: 2S0601.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Isopropylbenzene	25.0	20.3	81	66 - 107	
Bromobenzene	25.0	23.5	94	78 - 119	
1,1,2,2-Tetrachloroethane	25.0	23.4	94	70 - 123	
1,2,3-Trichloropropane	25.0	24.6	98	76 - 121	
N-Propylbenzene	25.0	22.3	89	74 - 124	
2-Chlorotoluene	25.0	22.6	90	75 - 121	
1,3,5-Trimethylbenzene	25.0	23.2	93	77 - 123	
4-Chlorotoluene	25.0	21.9	87	74 - 119	
tert-Butylbenzene	25.0	23.6	94	78 - 121	
1,2,4-Trimethylbenzene	25.0	22.6	90	78 - 122	
sec-Butylbenzene	25.0	23.2	93	80 - 123	
1,3-Dichlorobenzene	25.0	22.7	91	80 - 114	
p-Isopropyltoluene	25.0	22.5	90	77 - 118	
1,4-Dichlorobenzene	25.0	22.4	90	79 - 113	
n-Butylbenzene	25.0	22.4	90	75 - 129	
1,2-Dichlorobenzene	25.0	23.4	94	80 - 116	
1,2-Dibromo-3-Chloropropane	25.0	22.2	89	55 - 126	
1,2,4-Trichlorobenzene	25.0	22.5	90	68 - 119	
Hexachlorobutadiene	25.0	23.5	94	69 - 125	
Naphthalene	25.0	23.7	95	57 - 130	
1,2,3-Trichlorobenzene	25.0	23.2	93	69 - 123	
Surrogate			% Rec	Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)			101	80 - 129	
Toluene-d8 (Surr)			100	80 - 115	
4-Bromofluorobenzene (Surr)			97	80 - 115	
Dibromofluoromethane			97	80 - 124	

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-25730-1

Method Blank - Batch: 500-86916

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 500-86916/20
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 06/02/2010 1131
Date Prepared: 06/02/2010 1131

Analysis Batch: 500-86916
Prep Batch: N/A
Units: ug/L

Instrument ID: CMS02
Lab File ID: 2M0602B.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Result	Qual	MDL	RL
Benzene	<1.0		0.17	1.0
Dichlorodifluoromethane	<1.0		0.31	1.0
Chloromethane	<1.0		0.24	1.0
Vinyl chloride	<1.0		0.20	1.0
Bromomethane	<1.0		0.38	1.0
Chloroethane	<1.0		0.36	1.0
Trichlorofluoromethane	<1.0		0.20	1.0
1,1-Dichloroethene	<1.0		0.19	1.0
Carbon disulfide	<5.0		0.55	5.0
Acetone	<5.0		1.6	5.0
Methylene Chloride	<2.0		0.67	2.0
trans-1,2-Dichloroethene	<1.0		0.32	1.0
1,1-Dichloroethane	<1.0		0.25	1.0
2,2-Dichloropropane	<1.0		0.24	1.0
cis-1,2-Dichloroethene	<1.0		0.27	1.0
Methyl Ethyl Ketone	<5.0		2.3	5.0
Bromochloromethane	<1.0		0.35	1.0
Chloroform	<1.0		0.15	1.0
1,1,1-Trichloroethane	<1.0		0.18	1.0
1,1-Dichloropropene	<1.0		0.16	1.0
Carbon tetrachloride	<1.0		0.25	1.0
1,2-Dichloroethane	<1.0		0.24	1.0
Trichloroethene	<1.0		0.24	1.0
1,2-Dichloropropane	<1.0		0.21	1.0
Dibromomethane	<1.0		0.30	1.0
Bromodichloromethane	<1.0		0.19	1.0
cis-1,3-Dichloropropene	<1.0		0.17	1.0
methyl isobutyl ketone	<5.0		0.84	5.0
Toluene	<1.0		0.19	1.0
trans-1,3-Dichloropropene	<1.0		0.24	1.0
1,1,2-Trichloroethane	<1.0		0.26	1.0
Tetrachloroethene	<1.0		0.22	1.0
1,3-Dichloropropane	<1.0		0.17	1.0
2-Hexanone	<5.0		0.80	5.0
Dibromochloromethane	<1.0		0.25	1.0
1,2-Dibromoethane	<1.0		0.37	1.0
Chlorobenzene	<1.0		0.17	1.0
1,1,1,2-Tetrachloroethane	<1.0		0.19	1.0
Ethylbenzene	<1.0		0.18	1.0
m&p-Xylene	<2.0		0.32	2.0
o-Xylene	<1.0		0.38	1.0
Styrene	<1.0		0.15	1.0
Bromoform	<1.0		0.42	1.0

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-25730-1

Method Blank - Batch: 500-86916

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 500-86916/20

Analysis Batch: 500-86916

Instrument ID: CMS02

Client Matrix: Water

Prep Batch: N/A

Lab File ID: 2M0602B.D

Dilution: 1.0

Units: ug/L

Initial Weight/Volume: 10 mL

Date Analyzed: 06/02/2010 1131

Final Weight/Volume: 10 mL

Date Prepared: 06/02/2010 1131

Analyte	Result	Qual	MDL	RL
Isopropylbenzene	<1.0		0.20	1.0
Bromobenzene	<1.0		0.21	1.0
1,1,2,2-Tetrachloroethane	<1.0		0.29	1.0
1,2,3-Trichloropropane	<1.0		0.48	1.0
N-Propylbenzene	<1.0		0.19	1.0
2-Chlorotoluene	<1.0		0.18	1.0
1,3,5-Trimethylbenzene	<1.0		0.18	1.0
4-Chlorotoluene	<1.0		0.21	1.0
tert-Butylbenzene	<1.0		0.16	1.0
1,2,4-Trimethylbenzene	<1.0		0.14	1.0
sec-Butylbenzene	<1.0		0.16	1.0
1,3-Dichlorobenzene	<1.0		0.24	1.0
p-Isopropyltoluene	<1.0		0.16	1.0
1,4-Dichlorobenzene	<1.0		0.21	1.0
n-Butylbenzene	<1.0		0.18	1.0
1,2-Dichlorobenzene	<1.0		0.17	1.0
1,2-Dibromo-3-Chloropropane	<2.0		0.96	2.0
1,2,4-Trichlorobenzene	<1.0		0.24	1.0
Hexachlorobutadiene	<1.0		0.26	1.0
Naphthalene	<1.0		0.44	1.0
1,2,3-Trichlorobenzene	<1.0		0.24	1.0
Surrogate	% Rec	Acceptance Limits		
1,2-Dichloroethane-d4 (Surr)	95	80 - 129		
Toluene-d8 (Surr)	98	80 - 115		
4-Bromofluorobenzene (Surr)	91	80 - 115		
Dibromofluoromethane	89	80 - 124		

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-25730-1

Lab Control Sample - Batch: 500-86916

Method: 8260B
Preparation: 5030B

Lab Sample ID: LCS 500-86916/5
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 06/02/2010 1018
Date Prepared: 06/02/2010 1018

Analysis Batch: 500-86916
Prep Batch: N/A
Units: ug/L

Instrument ID: CMS02
Lab File ID: 2S0602.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Benzene	25.0	22.7	91	73 - 117	
Dichlorodifluoromethane	25.0	32.4	130	46 - 182	
Chloromethane	25.0	27.5	110	51 - 151	
Vinyl chloride	25.0	25.3	101	56 - 128	
Bromomethane	25.0	35.8	143	35 - 181	
Chloroethane	25.0	30.6	122	52 - 150	
Trichlorofluoromethane	25.0	28.1	112	69 - 142	
1,1-Dichloroethene	25.0	22.5	90	55 - 127	
Carbon disulfide	25.0	16.7	67	38 - 123	
Acetone	25.0	23.3	93	42 - 149	
Methylene Chloride	25.0	23.8	95	62 - 127	
trans-1,2-Dichloroethene	25.0	23.6	94	67 - 125	
1,1-Dichloroethane	25.0	22.4	90	67 - 122	
2,2-Dichloropropane	25.0	23.8	95	62 - 135	
cis-1,2-Dichloroethene	25.0	22.1	88	65 - 115	
Methyl Ethyl Ketone	25.0	20.1	80	52 - 148	
Bromochloromethane	25.0	19.5	78	70 - 122	
Chloroform	25.0	23.1	93	74 - 121	
1,1,1-Trichloroethane	25.0	24.7	99	76 - 127	
1,1-Dichloropropene	25.0	22.1	88	69 - 122	
Carbon tetrachloride	25.0	25.4	102	66 - 138	
1,2-Dichloroethane	25.0	24.3	97	71 - 124	
Trichloroethene	25.0	25.3	101	77 - 118	
1,2-Dichloropropane	25.0	23.2	93	75 - 120	
Dibromomethane	25.0	24.0	96	76 - 121	
Bromodichloromethane	25.0	24.8	99	79 - 124	
cis-1,3-Dichloropropene	26.9	23.9	89	66 - 122	
methyl isobutyl ketone	25.0	22.5	90	58 - 134	
Toluene	25.0	22.5	90	76 - 119	
trans-1,3-Dichloropropene	24.3	22.1	91	66 - 110	
1,1,2-Trichloroethane	25.0	23.2	93	70 - 127	
Tetrachloroethene	25.0	24.6	98	76 - 116	
1,3-Dichloropropane	25.0	22.6	90	74 - 119	
2-Hexanone	25.0	22.7	91	54 - 140	
Dibromochloromethane	25.0	25.2	101	68 - 122	
1,2-Dibromoethane	25.0	24.6	98	77 - 123	
Chlorobenzene	25.0	23.4	93	78 - 113	
1,1,1,2-Tetrachloroethane	25.0	24.6	98	80 - 126	
Ethylbenzene	25.0	23.0	92	80 - 116	
m&p-Xylene	50.0	46.4	93	79 - 120	
o-Xylene	25.0	22.3	89	80 - 117	
Styrene	25.0	23.5	94	80 - 120	
Bromoform	25.0	25.5	102	59 - 122	

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-25730-1

Lab Control Sample - Batch: 500-86916

Method: 8260B
Preparation: 5030B

Lab Sample ID: LCS 500-86916/5
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 06/02/2010 1018
Date Prepared: 06/02/2010 1018

Analysis Batch: 500-86916
Prep Batch: N/A
Units: ug/L

Instrument ID: CMS02
Lab File ID: 2S0602.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Isopropylbenzene	25.0	21.0	84	66 - 107	
Bromobenzene	25.0	24.2	97	78 - 119	
1,1,2,2-Tetrachloroethane	25.0	22.8	91	70 - 123	
1,2,3-Trichloropropane	25.0	26.4	106	76 - 121	
N-Propylbenzene	25.0	23.0	92	74 - 124	
2-Chlorotoluene	25.0	23.5	94	75 - 121	
1,3,5-Trimethylbenzene	25.0	24.1	96	77 - 123	
4-Chlorotoluene	25.0	22.6	90	74 - 119	
tert-Butylbenzene	25.0	24.6	98	78 - 121	
1,2,4-Trimethylbenzene	25.0	23.6	94	78 - 122	
sec-Butylbenzene	25.0	24.2	97	80 - 123	
1,3-Dichlorobenzene	25.0	23.9	95	80 - 114	
p-Isopropyltoluene	25.0	23.0	92	77 - 118	
1,4-Dichlorobenzene	25.0	23.8	95	79 - 113	
n-Butylbenzene	25.0	23.7	95	75 - 129	
1,2-Dichlorobenzene	25.0	24.3	97	80 - 116	
1,2-Dibromo-3-Chloropropane	25.0	22.6	90	55 - 126	
1,2,4-Trichlorobenzene	25.0	23.1	92	68 - 119	
Hexachlorobutadiene	25.0	24.6	98	69 - 125	
Naphthalene	25.0	24.5	98	57 - 130	
1,2,3-Trichlorobenzene	25.0	25.2	101	69 - 123	
Surrogate			% Rec	Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)			97	80 - 129	
Toluene-d8 (Surr)			97	80 - 115	
4-Bromofluorobenzene (Surr)			95	80 - 115	
Dibromofluoromethane			98	80 - 124	

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

2417 Bond Street, University Park, IL 60484
 Phone: 708.534.5200 Fax: 708.534.5211

Report To: _____ (optional)
 Contact: _____
 Company: _____
 Address: _____
 Address: _____
 Phone: _____
 Fax: _____
 E-Mail: _____

Bill To: _____ (optional)
 Contact: _____
 Company: _____
 Address: _____
 Address: _____
 Phone: _____
 Fax: _____
 PO#/Reference#: _____

Chain of Custody Record

Lab Job #: 500-25730

Chain of Custody Number: _____

Page 1 of 3

Temperature °C of Cooler: 3.5

Client		Client Project #		Preservative		Parameter		Preservative Key	
Weston Solutions				HCl				1. HCL, Cool to 4° 2. H2SO4, Cool to 4° 3. HNO3, Cool to 4° 4. NaOH, Cool to 4° 5. NaOH/Zn, Cool to 4° 6. NaHSO4 7. Cool to 4° 8. None 9. Other	
Project Name		Lab Project #		Sampling		Matrix		Comments	
Black + Decker				Date Time <td colspan="2"># of Containers Matrix</td> <td colspan="2"></td>		# of Containers Matrix			
Project Location/State		Sampler		Date		Time			
Hampstead / MD		Dick Wright		5/21/10		1245		3 W ✓	
Sample ID		Date		Time		# of Containers		Matrix	
EW-2 GTF									
EW-3									
1 EW-4		5/21/10		1245		3 W		✓	
2 EW-5		1230						✓	
3 EW-6		1430						✓	
4 EW-7		1450						✓	
5 EW-8		1500						✓	
6 EW-9		1510						✓	
7 EW-9 Dup		1510						✓	
8 EW-10		1525						✓	

Turnaround Time Required (Business Days)

1 Day 2 Days 5 Days 7 Days 10 Days 15 Days Other

Sample Disposal

Return to Client Disposal by Lab Archive for _____ Months (A fee may be assessed if samples are retained longer than 1 month)

Requested By: <u>[Signature]</u>	Company: <u>Weston</u>	Date: <u>5/24/10</u>	Time: <u>1600</u>	Received By: <u>[Signature]</u>	Company: <u>TA</u>	Date: <u>5/25/10</u>	Time: <u>1005</u>
Requested By:	Company:	Date:	Time:	Received By:	Company:	Date:	Time:
Requested By:	Company:	Date:	Time:	Received By:	Company:	Date:	Time:

Lab Courier: _____

Shipped: FX

Hand Delivered: _____

Matrix Key
 WW - Wastewater SE - Sediment
 W - Water SO - Soil
 S - Soil L - Leachate
 SL - Sludge WI - Wipe
 MS - Miscellaneous DW - Drinking Water
 OL - Oil O - Other
 A - Air

Client Comments: _____

Lab Comments: _____

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

2417 Bond Street, University Park, IL 60484
 Phone: 708.534.5200 Fax: 708.534.5211

Report To _____ (optional)
 Contact: _____
 Company: _____
 Address: _____
 Address: _____
 Phone: _____
 Fax: _____
 E-Mail: _____

Bill To _____ (optional)
 Contact: _____
 Company: _____
 Address: _____
 Address: _____
 Phone: _____
 Fax: _____
 PO#/Reference# _____

Chain of Custody Record

Lab Job #: 500-25730
 Chain of Custody Number: _____
 Page 2 of 3
 Temperature °C of Cooler: _____

Client		Client Project #		Preservative		# of Containers	Meth	Comments	
Project Name		Lab Project #		Parameter					
Project Location/State		Lab PM							
Lab ID	MS/MSD	Sample ID	Date	Time					
9		RFW-1A	5/21/10	1630	3	W	✓		
10		RFW-1B	5/21/10	1225			✓		
11		RFW-2A	5/24/10	740			✓		
12		RFW-2B	5/24/10	750			✓		
13		RFW-3B	5/24/10	850			✓		
14		RFW-4A	5/24/10	1515			✓		
15		RFW-4A Dup	5/24/10	1515			✓		
16		RFW-4B Dup	5/24/10	1455			✓		
17		RFW-6	5/24/10	955			✓		
18		RFW-7	5/21/10	1350			✓		

- Preservative Key
1. HCL, Cool to 4°
 2. H2SO4, Cool to 4°
 3. HNO3, Cool to 4°
 4. NaOH, Cool to 4°
 5. NaOH/Zn, Cool to 4°
 6. NaHSO4
 7. Cool to 4°
 8. None
 9. Other

Turnaround Time Required (Business Days) 1 Day 2 Days 5 Days 7 Days 10 Days 15 Days Other
 Requested By Date 5/24/10

Sample Disposal
 Return to Client Disposal by Lab Archive for _____ Months (A fee may be assessed if samples are retained longer than 1 month)

Relinquished By <u>[Signature]</u>	Company <u>Western</u>	Date <u>5/24/10</u>	Time <u>1600</u>	Received By <u>[Signature]</u>	Company <u>TA</u>	Date <u>5/25/10</u>	Time <u>1005</u>
Relinquished By _____	Company _____	Date _____	Time _____	Received By _____	Company _____	Date _____	Time _____
Relinquished By _____	Company _____	Date _____	Time _____	Received By _____	Company _____	Date _____	Time _____

Lab Courier _____
 Shipped FX
 Hand Delivered _____

- Matrix Key
- WW - Wastewater
 - W - Water
 - S - Soil
 - SL - Sludge
 - MS - Miscellaneous
 - OL - Oil
 - A - Air
 - SE - Sediment
 - SO - Soil
 - L - Leachate
 - WI - Wipe
 - DW - Drinking Water
 - O - Other

Client Comments _____
 Lab Comments _____

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

2417 Bond Street, University Park, IL 60484
 Phone: 708.534.5200 Fax: 708.534.5211

Report To _____ (optional)
 Contact: _____
 Company: _____
 Address: _____
 Address: _____
 Phone: _____
 Fax: _____
 E-Mail: _____

Bill To _____ (optional)
 Contact: _____
 Company: _____
 Address: _____
 Address: _____
 Phone: _____
 Fax: _____
 PC#/#Reference# _____

Chain of Custody Record

Lab Job #: 500-25730
 Chain of Custody Number: _____
 Page 3 of 3
 Temperature °C of Cooler: _____

Client		Client Project #		Preservative		Parameter		Comments	
B+D				HCl		VOC		Preservative Key 1. HCl, Cool to 4° 2. H2SO4, Cool to 4° 3. HNO3, Cool to 4° 4. NaOH, Cool to 4° 5. NaOH/Zn, Cool to 4° 6. NaHSO4 7. Cool to 4° 8. None 9. Other	
Project Name		Lab Project #		Sampling		# of Containers		Mark	
Project Location/State		Lab PM		Date	Time				
Lat	MS/MSD	Sample ID							
		RFW-9		5/24/10	1145	3	W		
		RFW-11B		5/24/10	1235	1			
		RFW-12B		5/24/10	1335	1			
		RFW-13		5/24/10	1110	1			
		RFW-17		5/21/10	945	1			
		Tip Blank		5/28/10	700	2			

Turnaround Time Required (Business Days)

1 Day 2 Days 3 Days 7 Days 10 Days 15 Days Other

Sample Disposal

Return to Client Disposal by Lab Archive for _____ Months (A fee may be assessed if samples are retained longer than 1 month)

Requested Drop Date: _____

Requested By: <u>[Signature]</u>	Company: _____	Date: <u>5/24/10</u>	Time: <u>1600</u>	Received By: <u>[Signature]</u>	Company: <u>TA</u>	Date: <u>5/25/10</u>	Time: <u>1805</u>	Lab Courier: _____
Requested By: _____	Company: _____	Date: _____	Time: _____	Received By: _____	Company: _____	Date: _____	Time: _____	Shipped: <u>FX</u>
Requested By: _____	Company: _____	Date: _____	Time: _____	Received By: _____	Company: _____	Date: _____	Time: _____	Hand Delivered: _____

Matrix Key

WW - Wastewater SE - Sediment
 W - Water SO - Soil
 S - Soil L - Leachate
 Sl - Sludge Wl - Wipe
 MS - Miscellaneous DW - Drinking Water
 OL - Oil O - Other
 A - Air

Client Comments

Lab Comments:

Login Sample Receipt Check List

Client: Weston Solutions, Inc.

Job Number: 500-25730-1

Login Number: 25730

List Source: TestAmerica Chicago

Creator: Lunt, Jeff T

List Number: 1

Question	T / F / NA	Comment
Radioactivity either was not measured or, if measured, is at or below background	True	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	3.5
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Is the Field Sampler's name present on COC?	True	
Sample Preservation Verified	True	

ANALYTICAL REPORT

Job Number: 500-26402-1

Job Description: Black and Decker

For:

Weston Solutions, Inc.

1400 Weston Way

PO BOX 2653

West Chester, PA 19380

Attention: Mr. Tom Cornuet



Approved for release.
Richard C Wright
Project Manager II
7/13/2010 3:46 PM

Richard C Wright
Project Manager II
richard.wright@testamericainc.com
07/13/2010

cc: Greg Flasiniski

These test results meet all the requirements of NELAC for accredited parameters.

The Lab Certification ID#:
TestAmerica Chicago 100201

All questions regarding this test report should be directed to the TestAmerica Project Manager whose signature appears on this report. All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.

Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.

TestAmerica Laboratories, Inc.
TestAmerica Chicago 2417 Bond Street, University Park, IL 60484
Tel (708) 534-5200 Fax (708) 534-5211 www.testamericainc.com



Job Narrative
500-26402-1

Comments

No additional comments.

Receipt

All samples were received in good condition within temperature requirements.

GC/MS VOA

No analytical or quality issues were noted.

EXECUTIVE SUMMARY - Detections

Client: Weston Solutions, Inc.

Job Number: 500-26402-1

Lab Sample ID Analyte	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
500-26402-1	EW-2				
cis-1,2-Dichloroethene		5.6	1.0	ug/L	8260B
Trichloroethene		450	10	ug/L	8260B
Tetrachloroethene		50	1.0	ug/L	8260B
500-26402-2	EW-3				
cis-1,2-Dichloroethene		2.5	1.0	ug/L	8260B
Trichloroethene		77	1.0	ug/L	8260B
Tetrachloroethene		2.4	1.0	ug/L	8260B

METHOD SUMMARY

Client: Weston Solutions, Inc.

Job Number: 500-26402-1

Description	Lab Location	Method	Preparation Method
Matrix: Water			
VOC	TAL CHI	SW846 8260B	
Purge and Trap	TAL CHI		SW846 5030B

Lab References:

TAL CHI = TestAmerica Chicago

Method References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

METHOD / ANALYST SUMMARY

Client: Weston Solutions, Inc.

Job Number: 500-26402-1

Method	Analyst	Analyst ID
SW846 8260B	Drabek, Dave J	DJD

SAMPLE SUMMARY

Client: Weston Solutions, Inc.

Job Number: 500-26402-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
500-26402-1	EW-2	Water	06/29/2010 1045	06/30/2010 1030
500-26402-2	EW-3	Water	06/29/2010 1030	06/30/2010 1030

SAMPLE RESULTS

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-26402-1

Client Sample ID: EW-2
 Lab Sample ID: 500-26402-1

Date Sampled: 06/29/2010 1045
 Date Received: 06/30/2010 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed: 07/12/2010 1122			
Prep Method: 5030B		Date Prepared: 07/12/2010 1122			
Benzene	<1.0	ug/L	0.17	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.31	1.0	1.0
Chloromethane	<1.0	ug/L	0.24	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.20	1.0	1.0
Bromomethane	<1.0	ug/L	0.38	1.0	1.0
Chloroethane	<1.0	ug/L	0.36	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.20	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.19	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.55	5.0	1.0
Acetone	<5.0	ug/L	1.6	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.67	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.24	1.0	1.0
cis-1,2-Dichloroethene	5.6	ug/L	0.27	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	2.3	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.35	1.0	1.0
Chloroform	<1.0	ug/L	0.15	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.18	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.24	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.21	1.0	1.0
Dibromomethane	<1.0	ug/L	0.30	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.19	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.84	5.0	1.0
Toluene	<1.0	ug/L	0.19	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.24	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.26	1.0	1.0
Tetrachloroethene	50	ug/L	0.22	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.80	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.25	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.37	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.19	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.18	1.0	1.0
m&p-Xylene	<2.0	ug/L	0.32	2.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-26402-1

Client Sample ID: EW-2
 Lab Sample ID: 500-26402-1

Date Sampled: 06/29/2010 1045
 Date Received: 06/30/2010 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
o-Xylene	<1.0	ug/L	0.38	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.42	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.21	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.29	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.48	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.19	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.21	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.16	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.18	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.96	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.26	1.0	1.0
Naphthalene	<1.0	ug/L	0.44	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.24	1.0	1.0

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	100	%	80 - 129
Toluene-d8 (Surr)	103	%	80 - 115
4-Bromofluorobenzene (Surr)	91	%	80 - 115
Dibromofluoromethane	95	%	80 - 124

Method: 8260B Run Type: DL

Date Analyzed: 07/09/2010 1848

Prep Method: 5030B

Date Prepared: 07/09/2010 1848

Trichloroethene	450	ug/L	2.4	10	10
-----------------	-----	------	-----	----	----

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	101	%	80 - 129
Toluene-d8 (Surr)	106	%	80 - 115
4-Bromofluorobenzene (Surr)	90	%	80 - 115
Dibromofluoromethane	105	%	80 - 124

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-26402-1

Client Sample ID: EW-3
 Lab Sample ID: 500-26402-2

Date Sampled: 06/29/2010 1030
 Date Received: 06/30/2010 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed: 07/09/2010 1913			
Prep Method: 5030B		Date Prepared: 07/09/2010 1913			
Benzene	<1.0	ug/L	0.17	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.31	1.0	1.0
Chloromethane	<1.0	ug/L	0.24	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.20	1.0	1.0
Bromomethane	<1.0	ug/L	0.38	1.0	1.0
Chloroethane	<1.0	ug/L	0.36	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.20	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.19	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.55	5.0	1.0
Acetone	<5.0	ug/L	1.6	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.67	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.25	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.24	1.0	1.0
cis-1,2-Dichloroethene	2.5	ug/L	0.27	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	2.3	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.35	1.0	1.0
Chloroform	<1.0	ug/L	0.15	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.18	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.25	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.24	1.0	1.0
Trichloroethene	77	ug/L	0.24	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.21	1.0	1.0
Dibromomethane	<1.0	ug/L	0.30	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.19	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.84	5.0	1.0
Toluene	<1.0	ug/L	0.19	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.24	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.26	1.0	1.0
Tetrachloroethene	2.4	ug/L	0.22	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.80	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.25	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.37	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.19	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.18	1.0	1.0

Mr. Tom Cornuet
 Weston Solutions, Inc.
 1400 Weston Way
 PO BOX 2653
 West Chester, PA 19380

Job Number: 500-26402-1

Client Sample ID: EW-3
 Lab Sample ID: 500-26402-2

Date Sampled: 06/29/2010 1030
 Date Received: 06/30/2010 1030
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.32	2.0	1.0
o-Xylene	<1.0	ug/L	0.38	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.42	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.20	1.0	1.0
Bromobenzene	<1.0	ug/L	0.21	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.29	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.48	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.19	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.18	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.18	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.21	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.16	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.16	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.21	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.18	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.96	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.26	1.0	1.0
Naphthalene	<1.0	ug/L	0.44	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.24	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	98	%		80 - 129	
Toluene-d8 (Surr)	103	%		80 - 115	
4-Bromofluorobenzene (Surr)	91	%		80 - 115	
Dibromofluoromethane	101	%		80 - 124	

QUALITY CONTROL RESULTS

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-26402-1

QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
GC/MS VOA					
Analysis Batch:500-89270					
LCS 500-89270/5	Lab Control Sample	T	Water	8260B	
MB 500-89270/4	Method Blank	T	Water	8260B	
500-26402-1DL	EW-2	T	Water	8260B	
500-26402-2	EW-3	T	Water	8260B	
Analysis Batch:500-89372					
LCS 500-89372/5	Lab Control Sample	T	Water	8260B	
MB 500-89372/4	Method Blank	T	Water	8260B	
500-26402-1	EW-2	T	Water	8260B	

Report Basis

T = Total

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-26402-1

Surrogate Recovery Report

8260B VOC

Client Matrix: Water

Lab Sample ID	Client Sample ID	DCA %Rec	TOL %Rec	BFB %Rec	DBFM %Rec
500-26402-1 DL	EW-2 DL	101	106	90	105
500-26402-1	EW-2	100	103	91	95
500-26402-2	EW-3	98	103	91	101
MB 500-89270/4		93	99	90	90
MB 500-89372/4		98	99	93	95
LCS 500-89270/5		104	107	103	104
LCS 500-89372/5		106	100	101	102

Surrogate	Acceptance Limits
DCA = 1,2-Dichloroethane-d4 (Surr)	80-129
TOL = Toluene-d8 (Surr)	80-115
BFB = 4-Bromofluorobenzene (Surr)	80-115
DBFM = Dibromofluoromethane	80-124

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-26402-1

Method Blank - Batch: 500-89270

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 500-89270/4
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 07/09/2010 0923
Date Prepared: 07/09/2010 0923

Analysis Batch: 500-89270
Prep Batch: N/A
Units: ug/L

Instrument ID: CMS02
Lab File ID: 2M0709.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Result	Qual	MDL	RL
Benzene	<1.0		0.17	1.0
Dichlorodifluoromethane	<1.0		0.31	1.0
Chloromethane	<1.0		0.24	1.0
Vinyl chloride	<1.0		0.20	1.0
Bromomethane	<1.0		0.38	1.0
Chloroethane	<1.0		0.36	1.0
Trichlorofluoromethane	<1.0		0.20	1.0
1,1-Dichloroethene	<1.0		0.19	1.0
Carbon disulfide	<5.0		0.55	5.0
Acetone	<5.0		1.6	5.0
Methylene Chloride	<2.0		0.67	2.0
trans-1,2-Dichloroethene	<1.0		0.32	1.0
1,1-Dichloroethane	<1.0		0.25	1.0
2,2-Dichloropropane	<1.0		0.24	1.0
cis-1,2-Dichloroethene	<1.0		0.27	1.0
Methyl Ethyl Ketone	<5.0		2.3	5.0
Bromochloromethane	<1.0		0.35	1.0
Chloroform	<1.0		0.15	1.0
1,1,1-Trichloroethane	<1.0		0.18	1.0
1,1-Dichloropropene	<1.0		0.16	1.0
Carbon tetrachloride	<1.0		0.25	1.0
1,2-Dichloroethane	<1.0		0.24	1.0
Trichloroethene	<1.0		0.24	1.0
1,2-Dichloropropane	<1.0		0.21	1.0
Dibromomethane	<1.0		0.30	1.0
Bromodichloromethane	<1.0		0.19	1.0
cis-1,3-Dichloropropene	<1.0		0.17	1.0
methyl isobutyl ketone	<5.0		0.84	5.0
Toluene	<1.0		0.19	1.0
trans-1,3-Dichloropropene	<1.0		0.24	1.0
1,1,2-Trichloroethane	<1.0		0.26	1.0
Tetrachloroethene	<1.0		0.22	1.0
1,3-Dichloropropane	<1.0		0.17	1.0
2-Hexanone	<5.0		0.80	5.0
Dibromochloromethane	<1.0		0.25	1.0
1,2-Dibromoethane	<1.0		0.37	1.0
Chlorobenzene	<1.0		0.17	1.0
1,1,1,2-Tetrachloroethane	<1.0		0.19	1.0
Ethylbenzene	<1.0		0.18	1.0
m&p-Xylene	<2.0		0.32	2.0
o-Xylene	<1.0		0.38	1.0
Styrene	<1.0		0.15	1.0
Bromoform	<1.0		0.42	1.0

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-26402-1

Method Blank - Batch: 500-89270

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 500-89270/4
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 07/09/2010 0923
Date Prepared: 07/09/2010 0923

Analysis Batch: 500-89270
Prep Batch: N/A
Units: ug/L

Instrument ID: CMS02
Lab File ID: 2M0709.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Result	Qual	MDL	RL
Isopropylbenzene	<1.0		0.20	1.0
Bromobenzene	<1.0		0.21	1.0
1,1,2,2-Tetrachloroethane	<1.0		0.29	1.0
1,2,3-Trichloropropane	<1.0		0.48	1.0
N-Propylbenzene	<1.0		0.19	1.0
2-Chlorotoluene	<1.0		0.18	1.0
1,3,5-Trimethylbenzene	<1.0		0.18	1.0
4-Chlorotoluene	<1.0		0.21	1.0
tert-Butylbenzene	<1.0		0.16	1.0
1,2,4-Trimethylbenzene	<1.0		0.14	1.0
sec-Butylbenzene	<1.0		0.16	1.0
1,3-Dichlorobenzene	<1.0		0.24	1.0
p-Isopropyltoluene	<1.0		0.16	1.0
1,4-Dichlorobenzene	<1.0		0.21	1.0
n-Butylbenzene	<1.0		0.18	1.0
1,2-Dichlorobenzene	<1.0		0.17	1.0
1,2-Dibromo-3-Chloropropane	<2.0		0.96	2.0
1,2,4-Trichlorobenzene	<1.0		0.24	1.0
Hexachlorobutadiene	<1.0		0.26	1.0
Naphthalene	<1.0		0.44	1.0
1,2,3-Trichlorobenzene	<1.0		0.24	1.0

Surrogate	% Rec	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	93	80 - 129
Toluene-d8 (Surr)	99	80 - 115
4-Bromofluorobenzene (Surr)	90	80 - 115
Dibromofluoromethane	90	80 - 124

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-26402-1

Lab Control Sample - Batch: 500-89270

Method: 8260B
Preparation: 5030B

Lab Sample ID: LCS 500-89270/5
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 07/09/2010 0947
Date Prepared: 07/09/2010 0947

Analysis Batch: 500-89270
Prep Batch: N/A
Units: ug/L

Instrument ID: CMS02
Lab File ID: 2S0709.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Benzene	25.0	22.9	92	73 - 117	
Dichlorodifluoromethane	25.0	33.5	134	46 - 182	
Chloromethane	25.0	28.5	114	51 - 151	
Vinyl chloride	25.0	27.5	110	56 - 128	
Bromomethane	25.0	34.9	140	35 - 181	
Chloroethane	25.0	31.3	125	52 - 150	
Trichlorofluoromethane	25.0	27.4	109	69 - 142	
1,1-Dichloroethene	25.0	21.1	85	55 - 127	
Carbon disulfide	25.0	15.3	61	38 - 123	
Acetone	25.0	23.3	93	42 - 149	
Methylene Chloride	25.0	22.1	88	62 - 127	
trans-1,2-Dichloroethene	25.0	22.9	92	67 - 125	
1,1-Dichloroethane	25.0	22.2	89	67 - 122	
2,2-Dichloropropane	25.0	20.6	82	62 - 135	
cis-1,2-Dichloroethene	25.0	21.8	87	65 - 115	
Methyl Ethyl Ketone	25.0	23.1	92	52 - 148	
Bromochloromethane	25.0	20.8	83	70 - 122	
Chloroform	25.0	22.7	91	74 - 121	
1,1,1-Trichloroethane	25.0	23.3	93	76 - 127	
1,1-Dichloropropene	25.0	22.3	89	69 - 122	
Carbon tetrachloride	25.0	24.0	96	66 - 138	
1,2-Dichloroethane	25.0	24.3	97	71 - 124	
Trichloroethene	25.0	24.5	98	77 - 118	
1,2-Dichloropropane	25.0	23.5	94	75 - 120	
Dibromomethane	25.0	23.5	94	76 - 121	
Bromodichloromethane	25.0	24.7	99	79 - 124	
cis-1,3-Dichloropropene	26.9	24.2	90	66 - 122	
methyl isobutyl ketone	25.0	23.3	93	58 - 134	
Toluene	25.0	23.4	94	76 - 119	
trans-1,3-Dichloropropene	24.3	21.9	90	66 - 110	
1,1,2-Trichloroethane	25.0	23.6	94	70 - 127	
Tetrachloroethene	25.0	24.2	97	76 - 116	
1,3-Dichloropropane	25.0	23.8	95	74 - 119	
2-Hexanone	25.0	22.8	91	54 - 140	
Dibromochloromethane	25.0	24.7	99	68 - 122	
1,2-Dibromoethane	25.0	24.5	98	77 - 123	
Chlorobenzene	25.0	24.2	97	78 - 113	
1,1,1,2-Tetrachloroethane	25.0	24.5	98	80 - 126	
Ethylbenzene	25.0	23.3	93	80 - 116	
m&p-Xylene	50.0	47.7	95	79 - 120	
o-Xylene	25.0	22.6	91	80 - 117	
Styrene	25.0	24.1	96	80 - 120	
Bromoform	25.0	24.1	96	59 - 122	

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-26402-1

Lab Control Sample - Batch: 500-89270

Method: 8260B
Preparation: 5030B

Lab Sample ID: LCS 500-89270/5
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 07/09/2010 0947
Date Prepared: 07/09/2010 0947

Analysis Batch: 500-89270
Prep Batch: N/A
Units: ug/L

Instrument ID: CMS02
Lab File ID: 2S0709.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Isopropylbenzene	25.0	20.3	81	66 - 107	
Bromobenzene	25.0	22.7	91	78 - 119	
1,1,2,2-Tetrachloroethane	25.0	23.3	93	70 - 123	
1,2,3-Trichloropropane	25.0	25.2	101	76 - 121	
N-Propylbenzene	25.0	22.6	90	74 - 124	
2-Chlorotoluene	25.0	23.0	92	75 - 121	
1,3,5-Trimethylbenzene	25.0	23.4	94	77 - 123	
4-Chlorotoluene	25.0	22.2	89	74 - 119	
tert-Butylbenzene	25.0	23.4	94	78 - 121	
1,2,4-Trimethylbenzene	25.0	23.0	92	78 - 122	
sec-Butylbenzene	25.0	23.6	95	80 - 123	
1,3-Dichlorobenzene	25.0	22.8	91	80 - 114	
p-Isopropyltoluene	25.0	22.7	91	77 - 118	
1,4-Dichlorobenzene	25.0	22.7	91	79 - 113	
n-Butylbenzene	25.0	23.4	94	75 - 129	
1,2-Dichlorobenzene	25.0	23.6	94	80 - 116	
1,2-Dibromo-3-Chloropropane	25.0	25.1	100	55 - 126	
1,2,4-Trichlorobenzene	25.0	23.0	92	68 - 119	
Hexachlorobutadiene	25.0	23.3	93	69 - 125	
Naphthalene	25.0	24.5	98	57 - 130	
1,2,3-Trichlorobenzene	25.0	24.3	97	69 - 123	
Surrogate			% Rec	Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)			104	80 - 129	
Toluene-d8 (Surr)			107	80 - 115	
4-Bromofluorobenzene (Surr)			103	80 - 115	
Dibromofluoromethane			104	80 - 124	

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-26402-1

Method Blank - Batch: 500-89372

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 500-89372/4
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 07/12/2010 0945
Date Prepared: 07/12/2010 0945

Analysis Batch: 500-89372
Prep Batch: N/A
Units: ug/L

Instrument ID: CMS02
Lab File ID: 2M0712.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Result	Qual	MDL	RL
Benzene	<1.0		0.17	1.0
Dichlorodifluoromethane	<1.0		0.31	1.0
Chloromethane	<1.0		0.24	1.0
Vinyl chloride	<1.0		0.20	1.0
Bromomethane	<1.0		0.38	1.0
Chloroethane	<1.0		0.36	1.0
Trichlorofluoromethane	<1.0		0.20	1.0
1,1-Dichloroethene	<1.0		0.19	1.0
Carbon disulfide	<5.0		0.55	5.0
Acetone	<5.0		1.6	5.0
Methylene Chloride	<2.0		0.67	2.0
trans-1,2-Dichloroethene	<1.0		0.32	1.0
1,1-Dichloroethane	<1.0		0.25	1.0
2,2-Dichloropropane	<1.0		0.24	1.0
cis-1,2-Dichloroethene	<1.0		0.27	1.0
Methyl Ethyl Ketone	<5.0		2.3	5.0
Bromochloromethane	<1.0		0.35	1.0
Chloroform	<1.0		0.15	1.0
1,1,1-Trichloroethane	<1.0		0.18	1.0
1,1-Dichloropropene	<1.0		0.16	1.0
Carbon tetrachloride	<1.0		0.25	1.0
1,2-Dichloroethane	<1.0		0.24	1.0
Trichloroethene	<1.0		0.24	1.0
1,2-Dichloropropane	<1.0		0.21	1.0
Dibromomethane	<1.0		0.30	1.0
Bromodichloromethane	<1.0		0.19	1.0
cis-1,3-Dichloropropene	<1.0		0.17	1.0
methyl isobutyl ketone	<5.0		0.84	5.0
Toluene	<1.0		0.19	1.0
trans-1,3-Dichloropropene	<1.0		0.24	1.0
1,1,2-Trichloroethane	<1.0		0.26	1.0
Tetrachloroethene	<1.0		0.22	1.0
1,3-Dichloropropane	<1.0		0.17	1.0
2-Hexanone	<5.0		0.80	5.0
Dibromochloromethane	<1.0		0.25	1.0
1,2-Dibromoethane	<1.0		0.37	1.0
Chlorobenzene	<1.0		0.17	1.0
1,1,1,2-Tetrachloroethane	<1.0		0.19	1.0
Ethylbenzene	<1.0		0.18	1.0
m&p-Xylene	<2.0		0.32	2.0
o-Xylene	<1.0		0.38	1.0
Styrene	<1.0		0.15	1.0
Bromoform	<1.0		0.42	1.0

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-26402-1

Method Blank - Batch: 500-89372

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 500-89372/4
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 07/12/2010 0945
Date Prepared: 07/12/2010 0945

Analysis Batch: 500-89372
Prep Batch: N/A
Units: ug/L

Instrument ID: CMS02
Lab File ID: 2M0712.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Result	Qual	MDL	RL
Isopropylbenzene	<1.0		0.20	1.0
Bromobenzene	<1.0		0.21	1.0
1,1,2,2-Tetrachloroethane	<1.0		0.29	1.0
1,2,3-Trichloropropane	<1.0		0.48	1.0
N-Propylbenzene	<1.0		0.19	1.0
2-Chlorotoluene	<1.0		0.18	1.0
1,3,5-Trimethylbenzene	<1.0		0.18	1.0
4-Chlorotoluene	<1.0		0.21	1.0
tert-Butylbenzene	<1.0		0.16	1.0
1,2,4-Trimethylbenzene	<1.0		0.14	1.0
sec-Butylbenzene	<1.0		0.16	1.0
1,3-Dichlorobenzene	<1.0		0.24	1.0
p-Isopropyltoluene	<1.0		0.16	1.0
1,4-Dichlorobenzene	<1.0		0.21	1.0
n-Butylbenzene	<1.0		0.18	1.0
1,2-Dichlorobenzene	<1.0		0.17	1.0
1,2-Dibromo-3-Chloropropane	<2.0		0.96	2.0
1,2,4-Trichlorobenzene	<1.0		0.24	1.0
Hexachlorobutadiene	<1.0		0.26	1.0
Naphthalene	<1.0		0.44	1.0
1,2,3-Trichlorobenzene	<1.0		0.24	1.0

Surrogate	% Rec	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	98	80 - 129
Toluene-d8 (Surr)	99	80 - 115
4-Bromofluorobenzene (Surr)	93	80 - 115
Dibromofluoromethane	95	80 - 124

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-26402-1

Lab Control Sample - Batch: 500-89372

Method: 8260B
Preparation: 5030B

Lab Sample ID: LCS 500-89372/5
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 07/12/2010 1009
Date Prepared: 07/12/2010 1009

Analysis Batch: 500-89372
Prep Batch: N/A
Units: ug/L

Instrument ID: CMS02
Lab File ID: 2S0712.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Benzene	25.0	22.5	90	73 - 117	
Dichlorodifluoromethane	25.0	31.1	124	46 - 182	
Chloromethane	25.0	27.3	109	51 - 151	
Vinyl chloride	25.0	23.9	96	56 - 128	
Bromomethane	25.0	33.1	132	35 - 181	
Chloroethane	25.0	27.4	110	52 - 150	
Trichlorofluoromethane	25.0	25.9	104	69 - 142	
1,1-Dichloroethene	25.0	22.3	89	55 - 127	
Carbon disulfide	25.0	16.7	67	38 - 123	
Acetone	25.0	34.7	139	42 - 149	
Methylene Chloride	25.0	17.5	70	62 - 127	
trans-1,2-Dichloroethene	25.0	23.7	95	67 - 125	
1,1-Dichloroethane	25.0	22.7	91	67 - 122	
2,2-Dichloropropane	25.0	19.4	77	62 - 135	
cis-1,2-Dichloroethene	25.0	22.1	89	65 - 115	
Methyl Ethyl Ketone	25.0	30.9	123	52 - 148	
Bromochloromethane	25.0	25.4	102	70 - 122	
Chloroform	25.0	22.9	91	74 - 121	
1,1,1-Trichloroethane	25.0	23.6	95	76 - 127	
1,1-Dichloropropene	25.0	22.4	90	69 - 122	
Carbon tetrachloride	25.0	23.9	95	66 - 138	
1,2-Dichloroethane	25.0	25.2	101	71 - 124	
Trichloroethene	25.0	24.4	98	77 - 118	
1,2-Dichloropropane	25.0	23.4	94	75 - 120	
Dibromomethane	25.0	25.0	100	76 - 121	
Bromodichloromethane	25.0	24.5	98	79 - 124	
cis-1,3-Dichloropropene	26.9	25.1	93	66 - 122	
methyl isobutyl ketone	25.0	28.1	112	58 - 134	
Toluene	25.0	22.6	91	76 - 119	
trans-1,3-Dichloropropene	24.3	23.1	95	66 - 110	
1,1,2-Trichloroethane	25.0	24.3	97	70 - 127	
Tetrachloroethene	25.0	23.6	94	76 - 116	
1,3-Dichloropropane	25.0	23.8	95	74 - 119	
2-Hexanone	25.0	30.6	123	54 - 140	
Dibromochloromethane	25.0	24.9	99	68 - 122	
1,2-Dibromoethane	25.0	26.4	106	77 - 123	
Chlorobenzene	25.0	23.1	93	78 - 113	
1,1,1,2-Tetrachloroethane	25.0	24.1	96	80 - 126	
Ethylbenzene	25.0	22.3	89	80 - 116	
m&p-Xylene	50.0	45.2	90	79 - 120	
o-Xylene	25.0	21.7	87	80 - 117	
Styrene	25.0	23.5	94	80 - 120	
Bromoform	25.0	25.2	101	59 - 122	

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 500-26402-1

Lab Control Sample - Batch: 500-89372

Method: 8260B
Preparation: 5030B

Lab Sample ID: LCS 500-89372/5
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 07/12/2010 1009
Date Prepared: 07/12/2010 1009

Analysis Batch: 500-89372
Prep Batch: N/A
Units: ug/L

Instrument ID: CMS02
Lab File ID: 2S0712.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Isopropylbenzene	25.0	18.6	74	66 - 107	
Bromobenzene	25.0	22.6	90	78 - 119	
1,1,2,2-Tetrachloroethane	25.0	23.4	94	70 - 123	
1,2,3-Trichloropropane	25.0	25.5	102	76 - 121	
N-Propylbenzene	25.0	20.7	83	74 - 124	
2-Chlorotoluene	25.0	21.4	86	75 - 121	
1,3,5-Trimethylbenzene	25.0	21.8	87	77 - 123	
4-Chlorotoluene	25.0	20.8	83	74 - 119	
tert-Butylbenzene	25.0	22.1	88	78 - 121	
1,2,4-Trimethylbenzene	25.0	21.8	87	78 - 122	
sec-Butylbenzene	25.0	21.9	88	80 - 123	
1,3-Dichlorobenzene	25.0	22.8	91	80 - 114	
p-Isopropyltoluene	25.0	21.5	86	77 - 118	
1,4-Dichlorobenzene	25.0	22.8	91	79 - 113	
n-Butylbenzene	25.0	22.4	90	75 - 129	
1,2-Dichlorobenzene	25.0	24.2	97	80 - 116	
1,2-Dibromo-3-Chloropropane	25.0	27.4	110	55 - 126	
1,2,4-Trichlorobenzene	25.0	26.2	105	68 - 119	
Hexachlorobutadiene	25.0	23.8	95	69 - 125	
Naphthalene	25.0	30.1	120	57 - 130	
1,2,3-Trichlorobenzene	25.0	30.2	121	69 - 123	
Surrogate		% Rec		Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)		106		80 - 129	
Toluene-d8 (Surr)		100		80 - 115	
4-Bromofluorobenzene (Surr)		101		80 - 115	
Dibromofluoromethane		102		80 - 124	

175 US Hwy 46 West, Fairfield, New Jersey 07004 & 198 Route 46 East, 1st Floor, Fairfield, New Jersey 07004

NELAC/NJ# 07071/07069 CT# PH-0671 NY/ELAP# 11408/11939 PA# 68-463/68-04409 WV# 353 KY# 90124

3) Reporting Requirements (please circle)

Customer Information		Project Information		Turnaround Time	Report type	Electronic Deliv
1a) Customer: <u>Western Solutions</u>	Address: _____	2a) Project: <u>Black + Decker</u>	2b) Project Manager: <u>Dick Wright</u>	24-Hour(100%) 48-Hour(75%) 72-Hour (50%) 4 Day (TPH) 1-Week(25%) 10 Days(10%) Standard Other: _____	Data Sum Waste Rad-NJ/NY/PA CLP Full/Cat-B Cat-A Other: _____	HazMat/Csv Equis Excel-NJCC Excel-Nytagm Excel-PAACII PDF Other: _____
1b) Email/Cell/Fax/Ph: <u>610.701.3779</u>		2c) Location (City/State): <u>MD</u>				
1c) Send Invoice To: <u>Greg Flasiusk</u>		2d) Quote#/PO# (If Applicable): _____				
1d) Send Report To: _____						

Expedited TAT Not always available (Please check with lab!)

7) Analysis Request

FOR LAB USE ONLY ↓	Check if Contingent====>										<===Check if Contingent							9) Methanol Bottle Numbers (If applicable) Comments				
	Matrix Codes:										8) # Of Bottles											
	Batch#	DW-Drinking Water	S-Soil	A-Air	/							None	MeOH	Encore	NaOH	HCl	H2SO4		HNO3	Other		
500-26402	GW-Ground Water	SL-Sludge	Ot-Other	/																		
Lab Sample#	4) Customer Sample ID	5) Matrix	6) Sample Date Time		Composite(C)	Grab(G)	/															
1	EW-2	W	6/29/10	1035	✓	✓	/															
2	EW-3	W	6/30/10	1030	✓	✓	/															

10) Retained By:	Accepted By	Date	Time	Comments, Notes, Special Requirements, HAZARDS				
		6/29/10	1600					
		6/30/10	1030					
				11) Sampler:	Date:			Cooler Temp

Please note: NUMBERED Items. If not completed your analytical work may be delayed.
Page 23 of 24

07/13/2010

Login Sample Receipt Check List

Client: Weston Solutions, Inc.

Job Number: 500-26402-1

Login Number: 26402

Creator: Lunt, Jeff T

List Number: 1

List Source: TestAmerica Chicago

Question	T / F / NA	Comment
Radioactivity either was not measured or, if measured, is at or below background	True	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	3.3
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Is the Field Sampler's name present on COC?	True	
Sample Preservation Verified	True	

ANALYTICAL REPORT

Job Number: 680-57913-1

Job Description: Black & Decker

For:


Weston Solutions, Inc.

1400 Weston Way

PO BOX 2653

West Chester, PA 19380

Attention: Mr. Tom Cornuet



Approved for release.
Abbie G Yant
Project Manager I
6/2/2010 10:47 AM

Abbie G Yant

Project Manager I

abbie.yant@testamericainc.com

06/02/2010

The test results in this report meet NELAP requirements for parameters for which accreditation is required or available. Any exceptions to the NELAP requirements are noted. Results pertain only to samples listed in this report. This report may not be reproduced, except in full, without the written approval of the laboratory. Questions should be directed to the person who signed this report.

Savannah Certifications and ID #s: A2LA: 0399.01; AL: 41450; ARDEQ: 88-0692; ARDOH; CA: 03217CA; CO; CT: PH0161; DE; FL: E87052; GA: 803; Guam; HI; IL: 200022; IN; IA: 353; KS: E-10322; KY EPPC: 90084; KY UST; LA DEQ: 30690; LA DHH: LA080008; ME: 2008022; MD: 250; MA: M-GA006; MI: 9925; MS; NFESC: 249; NV: GA00006; NJ: GA769; NM; NY: 10842; NC DWQ: 269; NC DHHS: 13701; PA: 68-00474; PR: GA00006; RI: LAO00244; SC: 98001001; TN: TN0296; TX: T104704185; USEPA: GA00006; VT: VT-87052; VA: 00302; WA; WV DEP: 094; WV DHHR: 9950 C; WI DNR: 999819810; WY/EPAR8: 8TMS-Q

TestAmerica Laboratories, Inc.

TestAmerica Savannah 5102 LaRoche Avenue, Savannah, GA 31404

Tel (912) 354-7858 Fax (912) 352-0165 www.testamericainc.com



Job Narrative
680-57913-1

Comments

No additional comments.

Receipt

All samples were received in good condition within temperature requirements.

GC/MS VOA

Method(s) 524.2: The laboratory control sample (LCS) for batch 170202 exceeded control limits for the following analytes: Bromomethane. These analytes were biased high in the LCS and were not detected in the associated samples; therefore, the data have been reported.

Method(s) 524.2: The %RPD of the laboratory control sample (LCS) and laboratory control standard duplicate (LCSD) for batch 170202 exceeded control limits for the following analytes: Bromomethane.

No other analytical or quality issues were noted.

METHOD SUMMARY

Client: Weston Solutions, Inc.

Job Number: 680-57913-1

Description		Lab Location	Method	Preparation Method
Matrix	Water			
Volatile Organic Compounds (GC/MS)		TAL SAV	EPA-DW 524.2	

Lab References:

TAL SAV = TestAmerica Savannah

Method References:

EPA-DW = "Methods For The Determination Of Organic Compounds In Drinking Water", EPA/600/4-88/039, December 1988 And Its Supplements.

SAMPLE SUMMARY

Client: Weston Solutions, Inc.

Job Number: 680-57913-1

<u>Lab Sample ID</u>	<u>Client Sample ID</u>	<u>Client Matrix</u>	<u>Date/Time Sampled</u>	<u>Date/Time Received</u>
680-57913-1	RFW-20	Water	05/21/2010 0000	05/22/2010 1012
680-57913-2	RFW-21	Water	05/21/2010 0000	05/22/2010 1012
680-57913-3TB	Trip Blank	Water	05/21/2010 0000	05/22/2010 1012

Analytical Data

Client: Weston Solutions, Inc.

Job Number: 680-57913-1

Client Sample ID: RFW-20

Lab Sample ID: 680-57913-1

Date Sampled: 05/21/2010 0000

Client Matrix: Water

Date Received: 05/22/2010 1012

524.2 Volatile Organic Compounds (GC/MS)

Method: 524.2
 Preparation: N/A
 Dilution: 1.0
 Date Analyzed: 05/30/2010 1951
 Date Prepared:

Analysis Batch: 680-170202

Instrument ID: MSU
 Lab File ID: u0188.d
 Initial Weight/Volume: 5 mL
 Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acetone	<10		5.0	10
Benzene	<0.50		0.18	0.50
Bromobenzene	<0.50		0.42	0.50
Bromoform	<0.50		0.39	0.50
Bromomethane	<1.0		0.45	1.0
Carbon tetrachloride	<0.50		0.22	0.50
Chlorobenzene	<0.50		0.27	0.50
Chlorobromomethane	<0.50		0.30	0.50
Chlorodibromomethane	<0.50		0.43	0.50
Chloroethane	<1.0		0.33	1.0
Chloroform	<0.50		0.29	0.50
Chloromethane	<0.50		0.32	0.50
2-Chlorotoluene	<0.50		0.17	0.50
4-Chlorotoluene	<0.50		0.16	0.50
cis-1,2-Dichloroethene	<0.50		0.37	0.50
cis-1,3-Dichloropropene	<0.50		0.32	0.50
1,2-Dibromo-3-Chloropropane	<0.50		0.30	0.50
Dibromomethane	<0.50		0.38	0.50
1,2-Dichlorobenzene	<0.50		0.17	0.50
1,3-Dichlorobenzene	<0.50		0.14	0.50
1,4-Dichlorobenzene	<0.50		0.18	0.50
Dichlorobromomethane	<1.0		0.54	1.0
Dichlorodifluoromethane	<0.50		0.34	0.50
1,1-Dichloroethane	<0.50		0.39	0.50
1,2-Dichloroethane	<0.50		0.17	0.50
1,1-Dichloroethene	<0.50		0.32	0.50
1,2-Dichloropropane	<0.50		0.45	0.50
1,3-Dichloropropane	<0.50		0.43	0.50
2,2-Dichloropropane	<0.50		0.31	0.50
1,1-Dichloropropene	<0.50		0.19	0.50
1,3-Dichloropropene, Total	<0.50		0.32	0.50
Diisopropyl ether	<0.50		0.28	0.50
Ethylbenzene	<0.50		0.12	0.50
Ethylene Dibromide	<0.50		0.20	0.50
Freon 113	<0.50		0.15	0.50
Hexachlorobutadiene	<0.50		0.26	0.50
2-Hexanone	<10		5.0	10
Isopropylbenzene	<0.50		0.15	0.50
4-Isopropyltoluene	<0.50		0.21	0.50
Methylene Chloride	<0.50		0.36	0.50
2-Butanone (MEK)	<10		5.0	10
4-Methyl-2-pentanone (MIBK)	<10		5.0	10
m-Xylene & p-Xylene	<0.50		0.42	0.50
Naphthalene	<1.0		0.43	1.0
n-Butylbenzene	<0.50		0.17	0.50
N-Propylbenzene	<0.50		0.17	0.50

Analytical Data

Client: Weston Solutions, Inc.

Job Number: 680-57913-1

Client Sample ID: RFW-20

Lab Sample ID: 680-57913-1

Date Sampled: 05/21/2010 0000

Client Matrix: Water

Date Received: 05/22/2010 1012

524.2 Volatile Organic Compounds (GC/MS)

Method: 524.2

Analysis Batch: 680-170202

Instrument ID:

MSU

Preparation: N/A

Lab File ID:

u0188.d

Dilution: 1.0

Initial Weight/Volume:

5 mL

Date Analyzed: 05/30/2010 1951

Final Weight/Volume:

5 mL

Date Prepared:

Analyte	Result (ug/L)	Qualifier	MDL	RL
o-Xylene	<0.50		0.27	0.50
sec-Butylbenzene	<0.50		0.14	0.50
Styrene	<0.50		0.28	0.50
Tert-amyl methyl ether	<0.50		0.20	0.50
tert-Butyl alcohol	<2.0		1.6	2.0
tert-Butylbenzene	<0.50		0.14	0.50
Tert-butyl ethyl ether	<0.50		0.26	0.50
1,1,1,2-Tetrachloroethane	<0.50		0.16	0.50
1,1,2,2-Tetrachloroethane	<0.50		0.18	0.50
Tetrachloroethene	<0.50		0.30	0.50
Toluene	<0.50		0.23	0.50
trans-1,2-Dichloroethene	<0.50		0.24	0.50
trans-1,3-Dichloropropene	<0.50		0.48	0.50
1,2,3-Trichlorobenzene	<0.50		0.14	0.50
1,2,4-Trichlorobenzene	<0.50		0.18	0.50
1,1,1-Trichloroethane	<0.50		0.27	0.50
1,1,2-Trichloroethane	<0.50		0.22	0.50
Trichloroethene	0.59		0.37	0.50
Trichlorofluoromethane	<0.50		0.23	0.50
1,2,3-Trichloropropane	<0.50		0.18	0.50
Trihalomethanes, Total	<0.50		0.29	0.50
1,2,4-Trimethylbenzene	<0.50		0.17	0.50
1,3,5-Trimethylbenzene	<0.50		0.16	0.50
Vinyl chloride	<0.50		0.33	0.50
Xylenes, Total	<0.50		0.27	0.50

Surrogate	%Rec	Qualifier	Acceptance Limits
4-Bromofluorobenzene	85		70 - 130
1,2-Dichlorobenzene-d4	78		70 - 130

Analytical Data

Client: Weston Solutions, Inc.

Job Number: 680-57913-1

Client Sample ID: RFW-21

Lab Sample ID: 680-57913-2

Date Sampled: 05/21/2010 0000

Client Matrix: Water

Date Received: 05/22/2010 1012

524.2 Volatile Organic Compounds (GC/MS)

Method: 524.2
 Preparation: N/A
 Dilution: 1.0
 Date Analyzed: 05/30/2010 2015
 Date Prepared:

Analysis Batch: 680-170202

Instrument ID: MSU
 Lab File ID: u0189.d
 Initial Weight/Volume: 5 mL
 Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acetone	<10		5.0	10
Benzene	<0.50		0.18	0.50
Bromobenzene	<0.50		0.42	0.50
Bromoform	<0.50		0.39	0.50
Bromomethane	<1.0	*	0.45	1.0
Carbon tetrachloride	<0.50		0.22	0.50
Chlorobenzene	<0.50		0.27	0.50
Chlorobromomethane	<0.50		0.30	0.50
Chlorodibromomethane	<0.50		0.43	0.50
Chloroethane	<1.0		0.33	1.0
Chloroform	<0.50		0.29	0.50
Chloromethane	<0.50		0.32	0.50
2-Chlorotoluene	<0.50		0.17	0.50
4-Chlorotoluene	<0.50		0.16	0.50
cis-1,2-Dichloroethene	<0.50		0.37	0.50
cis-1,3-Dichloropropene	<0.50		0.32	0.50
1,2-Dibromo-3-Chloropropane	<0.50		0.30	0.50
Dibromomethane	<0.50		0.38	0.50
1,2-Dichlorobenzene	<0.50		0.17	0.50
1,3-Dichlorobenzene	<0.50		0.14	0.50
1,4-Dichlorobenzene	<0.50		0.18	0.50
Dichlorobromomethane	<1.0		0.54	1.0
Dichlorodifluoromethane	<0.50		0.34	0.50
1,1-Dichloroethane	<0.50		0.39	0.50
1,2-Dichloroethane	<0.50		0.17	0.50
1,1-Dichloroethene	<0.50		0.32	0.50
1,2-Dichloropropane	<0.50		0.45	0.50
1,3-Dichloropropane	<0.50		0.43	0.50
2,2-Dichloropropane	<0.50		0.31	0.50
1,1-Dichloropropene	<0.50		0.19	0.50
1,3-Dichloropropene, Total	<0.50		0.32	0.50
Diisopropyl ether	<0.50		0.28	0.50
Ethylbenzene	<0.50		0.12	0.50
Ethylene Dibromide	<0.50		0.20	0.50
Freon 113	<0.50		0.15	0.50
Hexachlorobutadiene	<0.50		0.26	0.50
2-Hexanone	<10		5.0	10
Isopropylbenzene	<0.50		0.15	0.50
4-Isopropyltoluene	<0.50		0.21	0.50
Methylene Chloride	<0.50		0.36	0.50
2-Butanone (MEK)	<10		5.0	10
4-Methyl-2-pentanone (MIBK)	<10		5.0	10
m-Xylene & p-Xylene	<0.50		0.42	0.50
Naphthalene	<1.0		0.43	1.0
n-Butylbenzene	<0.50		0.17	0.50
N-Propylbenzene	<0.50		0.17	0.50

Analytical Data

Client: Weston Solutions, Inc.

Job Number: 680-57913-1

Client Sample ID: RFW-21

Lab Sample ID: 680-57913-2

Date Sampled: 05/21/2010 0000

Client Matrix: Water

Date Received: 05/22/2010 1012

524.2 Volatile Organic Compounds (GC/MS)

Method: 524.2
 Preparation: N/A
 Dilution: 1.0
 Date Analyzed: 05/30/2010 2015
 Date Prepared:

Analysis Batch: 680-170202

Instrument ID: MSU
 Lab File ID: u0189.d
 Initial Weight/Volume: 5 mL
 Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	RL
o-Xylene	<0.50		0.27	0.50
sec-Butylbenzene	<0.50		0.14	0.50
Styrene	<0.50		0.28	0.50
Tert-amyl methyl ether	<0.50		0.20	0.50
tert-Butyl alcohol	<2.0		1.6	2.0
tert-Butylbenzene	<0.50		0.14	0.50
Tert-butyl ethyl ether	<0.50		0.26	0.50
1,1,1,2-Tetrachloroethane	<0.50		0.16	0.50
1,1,2,2-Tetrachloroethane	<0.50		0.18	0.50
Tetrachloroethene	<0.50		0.30	0.50
Toluene	<0.50		0.23	0.50
trans-1,2-Dichloroethene	<0.50		0.24	0.50
trans-1,3-Dichloropropene	<0.50		0.48	0.50
1,2,3-Trichlorobenzene	<0.50		0.14	0.50
1,2,4-Trichlorobenzene	<0.50		0.18	0.50
1,1,1-Trichloroethane	<0.50		0.27	0.50
1,1,2-Trichloroethane	<0.50		0.22	0.50
Trichloroethene	<0.50		0.37	0.50
Trichlorofluoromethane	<0.50		0.23	0.50
1,2,3-Trichloropropane	<0.50		0.18	0.50
Trihalomethanes, Total	<0.50		0.29	0.50
1,2,4-Trimethylbenzene	<0.50		0.17	0.50
1,3,5-Trimethylbenzene	<0.50		0.16	0.50
Vinyl chloride	<0.50		0.33	0.50
Xylenes, Total	<0.50		0.27	0.50

Surrogate	%Rec	Qualifier	Acceptance Limits
4-Bromofluorobenzene	86		70 - 130
1,2-Dichlorobenzene-d4	77		70 - 130

Analytical Data

Client: Weston Solutions, Inc.

Job Number: 680-57913-1

Client Sample ID: Trip Blank

Lab Sample ID: 680-57913-3TB

Date Sampled: 05/21/2010 0000

Client Matrix: Water

Date Received: 05/22/2010 1012

524.2 Volatile Organic Compounds (GC/MS)

Method:	524.2	Analysis Batch: 680-170202	Instrument ID:	MSU
Preparation:	N/A		Lab File ID:	u0185.d
Dilution:	1.0		Initial Weight/Volume:	5 mL
Date Analyzed:	05/30/2010 1840		Final Weight/Volume:	5 mL
Date Prepared:				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acetone	<10		5.0	10
Benzene	<0.50		0.18	0.50
Bromobenzene	<0.50		0.42	0.50
Bromoform	<0.50		0.39	0.50
Bromomethane	<1.0	*	0.45	1.0
Carbon tetrachloride	<0.50		0.22	0.50
Chlorobenzene	<0.50		0.27	0.50
Chlorobromomethane	<0.50		0.30	0.50
Chlorodibromomethane	<0.50		0.43	0.50
Chloroethane	<1.0		0.33	1.0
Chloroform	<0.50		0.29	0.50
Chloromethane	<0.50		0.32	0.50
2-Chlorotoluene	<0.50		0.17	0.50
4-Chlorotoluene	<0.50		0.16	0.50
cis-1,2-Dichloroethene	<0.50		0.37	0.50
cis-1,3-Dichloropropene	<0.50		0.32	0.50
1,2-Dibromo-3-Chloropropane	<0.50		0.30	0.50
Dibromomethane	<0.50		0.38	0.50
1,2-Dichlorobenzene	<0.50		0.17	0.50
1,3-Dichlorobenzene	<0.50		0.14	0.50
1,4-Dichlorobenzene	<0.50		0.18	0.50
Dichlorobromomethane	<1.0		0.54	1.0
Dichlorodifluoromethane	<0.50		0.34	0.50
1,1-Dichloroethane	<0.50		0.39	0.50
1,2-Dichloroethane	<0.50		0.17	0.50
1,1-Dichloroethene	<0.50		0.32	0.50
1,2-Dichloropropane	<0.50		0.45	0.50
1,3-Dichloropropane	<0.50		0.43	0.50
2,2-Dichloropropane	<0.50		0.31	0.50
1,1-Dichloropropene	<0.50		0.19	0.50
1,3-Dichloropropene, Total	<0.50		0.32	0.50
Diisopropyl ether	<0.50		0.28	0.50
Ethylbenzene	<0.50		0.12	0.50
Ethylene Dibromide	<0.50		0.20	0.50
Freon 113	<0.50		0.15	0.50
Hexachlorobutadiene	<0.50		0.26	0.50
2-Hexanone	<10		5.0	10
Isopropylbenzene	<0.50		0.15	0.50
4-Isopropyltoluene	<0.50		0.21	0.50
Methylene Chloride	<0.50		0.36	0.50
2-Butanone (MEK)	<10		5.0	10
4-Methyl-2-pentanone (MIBK)	<10		5.0	10
m-Xylene & p-Xylene	<0.50		0.42	0.50
Naphthalene	<1.0		0.43	1.0
n-Butylbenzene	<0.50		0.17	0.50
N-Propylbenzene	<0.50		0.17	0.50

Analytical Data

Client: Weston Solutions, Inc.

Job Number: 680-57913-1

Client Sample ID: Trip Blank

Lab Sample ID: 680-57913-3TB

Date Sampled: 05/21/2010 0000

Client Matrix: Water

Date Received: 05/22/2010 1012

524.2 Volatile Organic Compounds (GC/MS)

Method:	524.2	Analysis Batch: 680-170202	Instrument ID:	MSU
Preparation:	N/A		Lab File ID:	u0185.d
Dilution:	1.0		Initial Weight/Volume:	5 mL
Date Analyzed:	05/30/2010 1840		Final Weight/Volume:	5 mL
Date Prepared:				

Analyte	Result (ug/L)	Qualifier	MDL	RL
o-Xylene	<0.50		0.27	0.50
sec-Butylbenzene	<0.50		0.14	0.50
Styrene	<0.50		0.28	0.50
Tert-amyl methyl ether	<0.50		0.20	0.50
tert-Butyl alcohol	<2.0		1.6	2.0
tert-Butylbenzene	<0.50		0.14	0.50
Tert-butyl ethyl ether	<0.50		0.26	0.50
1,1,1,2-Tetrachloroethane	<0.50		0.16	0.50
1,1,2,2-Tetrachloroethane	<0.50		0.18	0.50
Tetrachloroethene	<0.50		0.30	0.50
Toluene	<0.50		0.23	0.50
trans-1,2-Dichloroethene	<0.50		0.24	0.50
trans-1,3-Dichloropropene	<0.50		0.48	0.50
1,2,3-Trichlorobenzene	<0.50		0.14	0.50
1,2,4-Trichlorobenzene	<0.50		0.18	0.50
1,1,1-Trichloroethane	<0.50		0.27	0.50
1,1,2-Trichloroethane	<0.50		0.22	0.50
Trichloroethene	<0.50		0.37	0.50
Trichlorofluoromethane	<0.50		0.23	0.50
1,2,3-Trichloropropane	<0.50		0.18	0.50
Trihalomethanes, Total	<0.50		0.29	0.50
1,2,4-Trimethylbenzene	<0.50		0.17	0.50
1,3,5-Trimethylbenzene	<0.50		0.16	0.50
Vinyl chloride	<0.50		0.33	0.50
Xylenes, Total	<0.50		0.27	0.50

Surrogate	%Rec	Qualifier	Acceptance Limits
4-Bromofluorobenzene	89		70 - 130
1,2-Dichlorobenzene-d4	80		70 - 130

DATA REPORTING QUALIFIERS

Client: Weston Solutions, Inc.

Job Number: 680-57913-1

Lab Section	Qualifier	Description
GC/MS VOA	*	LCS or LCSD exceeds the control limits
	*	RPD of the LCS and LCSD exceeds the control limits

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 680-57913-1

Surrogate Recovery Report

524.2 Volatile Organic Compounds (GC/MS)

Client Matrix: Water

Lab Sample ID	Client Sample ID	BFB %Rec	DCZ %Rec
680-57913-1	RFW-20	85	78
680-57913-2	RFW-21	86	77
680-57913-3	Trip Blank	89	80
MB 680-170202/21		87	83
LCS 680-170202/20		98	106
LCSD 680-170202/22		101	114

Surrogate	Acceptance Limits
BFB = 4-Bromofluorobenzene	70-130
DCZ = 1,2-Dichlorobenzene-d4	70-130

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 680-57913-1

Method Blank - Batch: 680-170202

Method: 524.2

Preparation: N/A

Lab Sample ID: MB 680-170202/21
 Client Matrix: Water
 Dilution: 1.0
 Date Analyzed: 05/30/2010 1752
 Date Prepared: N/A

Analysis Batch: 680-170202
 Prep Batch: N/A
 Units: ug/L

Instrument ID: MSU
 Lab File ID: uq118.d
 Initial Weight/Volume: 5 mL
 Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	RL
Acetone	<10		5.0	10
Benzene	<0.50		0.18	0.50
Bromobenzene	<0.50		0.42	0.50
Bromoform	<0.50		0.39	0.50
Bromomethane	<1.0		0.45	1.0
Carbon tetrachloride	<0.50		0.22	0.50
Chlorobenzene	<0.50		0.27	0.50
Chlorobromomethane	<0.50		0.30	0.50
Chlorodibromomethane	<0.50		0.43	0.50
Chloroethane	<1.0		0.33	1.0
Chloroform	<0.50		0.29	0.50
Chloromethane	<0.50		0.32	0.50
2-Chlorotoluene	<0.50		0.17	0.50
4-Chlorotoluene	<0.50		0.16	0.50
cis-1,2-Dichloroethene	<0.50		0.37	0.50
cis-1,3-Dichloropropene	<0.50		0.32	0.50
1,2-Dibromo-3-Chloropropane	<0.50		0.30	0.50
Dibromomethane	<0.50		0.38	0.50
1,2-Dichlorobenzene	<0.50		0.17	0.50
1,3-Dichlorobenzene	<0.50		0.14	0.50
1,4-Dichlorobenzene	<0.50		0.18	0.50
Dichlorobromomethane	<1.0		0.54	1.0
Dichlorodifluoromethane	<0.50		0.34	0.50
1,1-Dichloroethane	<0.50		0.39	0.50
1,2-Dichloroethane	<0.50		0.17	0.50
1,1-Dichloroethene	<0.50		0.32	0.50
1,2-Dichloropropane	<0.50		0.45	0.50
1,3-Dichloropropane	<0.50		0.43	0.50
2,2-Dichloropropane	<0.50		0.31	0.50
1,1-Dichloropropene	<0.50		0.19	0.50
1,3-Dichloropropene, Total	<0.50		0.32	0.50
Diisopropyl ether	<0.50		0.28	0.50
Ethylbenzene	<0.50		0.12	0.50
Ethylene Dibromide	<0.50		0.20	0.50
Freon 113	<0.50		0.15	0.50
Hexachlorobutadiene	<0.50		0.26	0.50
2-Hexanone	<10		5.0	10
Isopropylbenzene	<0.50		0.15	0.50
4-Isopropyltoluene	<0.50		0.21	0.50
Methylene Chloride	<0.50		0.36	0.50
2-Butanone (MEK)	<10		5.0	10
4-Methyl-2-pentanone (MIBK)	<10		5.0	10
m-Xylene & p-Xylene	<0.50		0.42	0.50

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 680-57913-1

Method Blank - Batch: 680-170202

Method: 524.2
Preparation: N/A

Lab Sample ID: MB 680-170202/21
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 05/30/2010 1752
Date Prepared: N/A

Analysis Batch: 680-170202
Prep Batch: N/A
Units: ug/L

Instrument ID: MSU
Lab File ID: uq118.d
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	RL
Naphthalene	<1.0		0.43	1.0
n-Butylbenzene	<0.50		0.17	0.50
N-Propylbenzene	<0.50		0.17	0.50
o-Xylene	<0.50		0.27	0.50
sec-Butylbenzene	<0.50		0.14	0.50
Styrene	<0.50		0.28	0.50
Tert-amyl methyl ether	<0.50		0.20	0.50
tert-Butyl alcohol	<2.0		1.6	2.0
tert-Butylbenzene	<0.50		0.14	0.50
Tert-butyl ethyl ether	<0.50		0.26	0.50
1,1,1,2-Tetrachloroethane	<0.50		0.16	0.50
1,1,2,2-Tetrachloroethane	<0.50		0.18	0.50
Tetrachloroethane	<0.50		0.30	0.50
Toluene	<0.50		0.23	0.50
trans-1,2-Dichloroethene	<0.50		0.24	0.50
trans-1,3-Dichloropropene	<0.50		0.48	0.50
1,2,3-Trichlorobenzene	<0.50		0.14	0.50
1,2,4-Trichlorobenzene	<0.50		0.18	0.50
1,1,1-Trichloroethane	<0.50		0.27	0.50
1,1,2-Trichloroethane	<0.50		0.22	0.50
Trichloroethene	<0.50		0.37	0.50
Trichlorofluoromethane	<0.50		0.23	0.50
1,2,3-Trichloropropane	<0.50		0.18	0.50
Trihalomethanes, Total	<0.50		0.29	0.50
1,2,4-Trimethylbenzene	<0.50		0.17	0.50
1,3,5-Trimethylbenzene	<0.50		0.16	0.50
Vinyl chloride	<0.50		0.33	0.50
Xylenes, Total	<0.50		0.27	0.50

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	87	70 - 130
1,2-Dichlorobenzene-d4	83	70 - 130

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 680-57913-1

Lab Control Sample/
Lab Control Sample Duplicate Recovery Report - Batch: 680-170202

Method: 524.2
Preparation: N/A

LCS Lab Sample ID: LCS 680-170202/20
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 05/30/2010 1701
Date Prepared: N/A

Analysis Batch: 680-170202
Prep Batch: N/A
Units: ug/L

Instrument ID: MSU
Lab File ID: uq116.d
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 680-170202/22
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 05/31/2010 0127
Date Prepared: N/A

Analysis Batch: 680-170202
Prep Batch: N/A
Units: ug/L

Instrument ID: MSU
Lab File ID: uq120.d
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Acetone	108	108	70 - 130	0	30		
Benzene	99	101	70 - 130	2	30		
Bromobenzene	96	96	70 - 130	0	30		
Bromoform	81	83	70 - 130	2	30		
Bromomethane	145	97	70 - 130	40	30	*	*
Carbon tetrachloride	95	96	70 - 130	1	30		
Chlorobenzene	97	96	70 - 130	0	30		
Chlorobromomethane	101	103	70 - 130	2	30		
Chlorodibromomethane	87	89	70 - 130	3	30		
Chloroethane	125	130	70 - 130	4	30		
Chloroform	100	107	70 - 130	6	30		
Chloromethane	113	114	70 - 130	1	30		
2-Chlorotoluene	102	104	70 - 130	2	30		
4-Chlorotoluene	103	108	70 - 130	5	30		
cis-1,2-Dichloroethene	101	101	70 - 130	0	30		
cis-1,3-Dichloropropene	98	93	70 - 130	5	30		
1,2-Dibromo-3-Chloropropane	88	91	70 - 130	3	30		
Dibromomethane	98	103	70 - 130	4	30		
1,2-Dichlorobenzene	103	108	70 - 130	5	30		
1,3-Dichlorobenzene	101	104	70 - 130	3	30		
1,4-Dichlorobenzene	101	105	70 - 130	4	30		
Dichlorobromomethane	94	100	70 - 130	7	30		
Dichlorodifluoromethane	109	113	70 - 130	3	30		
1,1-Dichloroethane	106	109	70 - 130	3	30		
1,2-Dichloroethane	100	108	70 - 130	7	30		
1,1-Dichloroethene	113	113	70 - 130	0	30		
1,2-Dichloropropane	103	107	70 - 130	4	30		
1,3-Dichloropropane	97	105	70 - 130	8	30		
2,2-Dichloropropane	111	90	70 - 130	21	30		
1,1-Dichloropropene	106	105	70 - 130	1	30		
1,3-Dichloropropene, Total	97	92	70 - 130	5	30		
Diisopropyl ether	97	95	70 - 130	2	30		
Ethylbenzene	100	103	70 - 130	3	30		

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 680-57913-1

Lab Control Sample/
Lab Control Sample Duplicate Recovery Report - Batch: 680-170202

Method: 524.2
Preparation: N/A

LCS Lab Sample ID: LCS 680-170202/20
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 05/30/2010 1701
Date Prepared: N/A

Analysis Batch: 680-170202
Prep Batch: N/A
Units: ug/L

Instrument ID: MSU
Lab File ID: uq116.d
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 680-170202/22
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 05/31/2010 0127
Date Prepared: N/A

Analysis Batch: 680-170202
Prep Batch: N/A
Units: ug/L

Instrument ID: MSU
Lab File ID: uq120.d
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Ethylene Dibromide	97	98	70 - 130	1	30		
Freon 113	114	115	70 - 130	1	30		
Hexachlorobutadiene	99	93	70 - 130	6	30		
2-Hexanone	99	97	70 - 130	1	30		
Isopropylbenzene	104	105	70 - 130	1	30		
4-Isopropyltoluene	111	110	70 - 130	2	30		
Methylene Chloride	100	106	70 - 130	6	30		
2-Butanone (MEK)	107	111	70 - 130	4	30		
4-Methyl-2-pentanone (MIBK)	98	95	70 - 130	2	30		
m-Xylene & p-Xylene	107	109	70 - 130	3	30		
Naphthalene	92	88	70 - 130	4	30		
n-Butylbenzene	116	113	70 - 130	3	30		
N-Propylbenzene	109	109	70 - 130	0	30		
o-Xylene	108	110	70 - 130	1	30		
sec-Butylbenzene	115	114	70 - 130	1	30		
Styrene	105	110	70 - 130	4	30		
Tert-amyl methyl ether	93	91	70 - 130	2	30		
tert-Butyl alcohol	88	89	70 - 130	0	30		
tert-Butylbenzene	110	109	70 - 130	1	30		
Tert-butyl ethyl ether	93	93	70 - 130	0	30		
1,1,1,2-Tetrachloroethane	91	92	70 - 130	2	30		
1,1,2,2-Tetrachloroethane	90	91	70 - 130	1	30		
Tetrachloroethene	99	97	70 - 130	2	30		
Toluene	99	103	70 - 130	4	30		
trans-1,2-Dichloroethene	101	105	70 - 130	4	30		
trans-1,3-Dichloropropene	95	91	70 - 130	4	30		
1,2,3-Trichlorobenzene	96	93	70 - 130	4	30		
1,2,4-Trichlorobenzene	99	92	70 - 130	7	30		
1,1,1-Trichloroethane	101	104	70 - 130	3	30		
1,1,2-Trichloroethane	97	103	70 - 130	5	30		
Trichloroethene	102	103	70 - 130	1	30		
Trichlorofluoromethane	118	122	70 - 130	3	30		
1,2,3-Trichloropropane	92	100	70 - 130	8	30		

Quality Control Results

Client: Weston Solutions, Inc.

Job Number: 680-57913-1

**Lab Control Sample/
Lab Control Sample Duplicate Recovery Report - Batch: 680-170202**

**Method: 524.2
Preparation: N/A**

LCS Lab Sample ID: LCS 680-170202/20
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 05/30/2010 1701
Date Prepared: N/A

Analysis Batch: 680-170202
Prep Batch: N/A
Units: ug/L

Instrument ID: MSU
Lab File ID: uq116.d
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 680-170202/22
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 05/31/2010 0127
Date Prepared: N/A

Analysis Batch: 680-170202
Prep Batch: N/A
Units: ug/L

Instrument ID: MSU
Lab File ID: uq120.d
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
1,2,4-Trimethylbenzene	108	111	70 - 130	3	30		
1,3,5-Trimethylbenzene	107	108	70 - 130	1	30		
Vinyl chloride	114	113	70 - 130	1	30		
Xylenes, Total	107	110	70 - 130	2	30		
Surrogate	LCS % Rec		LCSD % Rec		Acceptance Limits		
4-Bromofluorobenzene	98		101		70 - 130		
1,2-Dichlorobenzene-d4	106		114		70 - 130		

Serial Number 020154

ANALYSIS REQUEST AND CHAIN OF CUSTODY RECORD

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Savannah
5102 LaRoche Avenue
Savannah, GA 31404


Website: www.testamericainc.com
Phone: (912) 354-7858
Fax: (912) 352-0165


Alternate Laboratory Name/Location

Phone:
Fax:

PROJECT REFERENCE Black & Decker	PROJECT NO. 02501.004.004.0700	PROJECT LOCATION (STATE) MD	MATRIX TYPE	REQUIRED ANALYSIS										PAGE	OF
TAL (LAB) PROJECT MANAGER Abbie Page	P.O. NUMBER	CONTRACT NO.	COMPOSITE (C) OR GRAB (G) INDICATE AQUEOUS (WATER) SOLID OR SEMISOLID AIR NONAQUEOUS LIQUID (OIL, SOLVENT, ...)	PRESERVATIVE										STANDARD REPORT DELIVERY <input type="radio"/>	
CLIENT (SITE) PM Tom CORNUET / Greg Flasski	CLIENT PHONE 610.701.0583	CLIENT FAX												DATE DUE _____	
CLIENT NAME Weston Solutions	CLIENT E-MAIL													EXPEDITED REPORT DELIVERY (SURCHARGE) <input type="radio"/>	
CLIENT ADDRESS 1400 Weston Way, W Chester, PA 19380		DATE DUE _____													
COMPANY CONTRACTING THIS WORK (if applicable)			NUMBER OF CONTAINERS SUBMITTED										NUMBER OF COOLERS SUBMITTED PER SHIPMENT:		

Page	SAMPLE		SAMPLE IDENTIFICATION	COMPOSITE (C) OR GRAB (G) INDICATE	AQUEOUS (WATER)	SOLID OR SEMISOLID	AIR	NONAQUEOUS LIQUID (OIL, SOLVENT, ...)	NUMBER OF CONTAINERS SUBMITTED										REMARKS					
	DATE	TIME							1	2	3	4	5	6	7	8	9	10		11	12			
1 of 18	5/21/10	0745	RFW-20	✓					3															
		0850	RFW-21	✓					3															
		0700	Trip Blank	✓					3															

RELINQUISHED BY: (SIGNATURE) 	DATE 5/21/10	TIME 1800	RELINQUISHED BY: (SIGNATURE)	DATE	TIME	RELINQUISHED BY: (SIGNATURE)	DATE	TIME
RECEIVED BY: (SIGNATURE)	DATE	TIME	RECEIVED BY: (SIGNATURE)	DATE	TIME	RECEIVED BY: (SIGNATURE)	DATE	TIME

LABORATORY USE ONLY						
RECEIVED FOR LABORATORY BY: (SIGNATURE) 	DATE 5/22/10	TIME PIL	CUSTODY INTACT YES <input type="radio"/> NO <input type="radio"/>	CUSTODY SEAL NO.	SAVANNAH LOG NO. 57913 68057905	LABORATORY REMARKS GAC 5/22/10 4.40C



Weston Solutions, Inc.
1400 Weston Way
P.O. Box 2653
West Chester, Pennsylvania 19380
610-701-3000 • Fax 610-701-3186
www.westonsolutions.com

29 July 2010

Mr. Matthew G. Pajerowski
Water Rights Administration
Maryland Department of the Environment
1800 Washington Blvd.
Baltimore, MD 21230

RE: Permit No. CL66G029(06)
Black & Decker Hampstead Facility

Dear Mr. Pajerowski:

On behalf of our client, Black & Decker (U.S.) Inc. (Black & Decker), Weston Solutions, Inc. (Weston) provides enclosed with this letter the Annual Report for the period of July 2009 through June 2010. This report is submitted in accordance with the Water Appropriation Permit issued to the Black & Decker, Hampstead facility and includes information required for the Withdrawal Report and Water Level Monitoring Report.

Please contact me at (610) 701-3776 if you have any questions regarding the enclosed.

Very truly yours,

WESTON SOLUTIONS, INC.

Thomas Cornuet, P.G.
Project Manager

Enclosure

cc: L. Biagioni, B&D (w/o encl.)
E. Fernandes, B&D (w/o encl.)
T. Lynch, M&S (w/o encl.)
L. Bove, Weston (w/o encl.)
G. Flasiński, Weston (w/o encl.)





Weston Solutions, Inc.
1400 Weston Way
P.O. Box 2653
West Chester, Pennsylvania 19380
610-701-3000 • Fax 610-701-3186
www.westonsolutions.com

29 July 2010

Mr. Charlie Zeleski
Carroll County Health Department
Bureau of Environmental Health
P.O. Box 845
290 S. Center St.
Westminster, MD 21158

Re: Black & Decker Hampstead Facility

Dear Mr. Zeleski:

On behalf of our client, Black & Decker (U.S.) Inc. (Black & Decker), Weston Solutions, Inc. (Weston) provides enclosed with this letter a copy of the Annual Report for the period of July 2009 through June 2010

If you have any questions regarding the enclosure, please contact me at (610) 701-3776.

Very truly yours,

WESTON SOLUTIONS, INC.

Thomas Cornuet, P.G.
Project Manager

Enclosure

cc: L. Biagioni, B& D (w/o encl.)
E. Fernandes, B&D (w/o encl.)
T. Lynch III, M&S (w/o encl.)
L. Bove, Weston (w/o encl.)
G. Flasiński, Weston (w/o encl.)





Weston Solutions, Inc.
1400 Weston Way
P.O. Box 2653
West Chester, Pennsylvania 19380
610-701-3000 • Fax 610-701-3186
www.westonsolutions.com

29 July 2010

Mr. Arthur O'Connell
Waste Management Administration
Maryland Department of the Environment
1800 Washington Blvd.
Baltimore, MD 21230

Re: Black & Decker Hampstead Facility

Dear Mr. O'Connell

On behalf of our client, Black & Decker (U.S.) Inc. (Black & Decker), Weston Solutions, Inc. (Weston) provides enclosed with this letter two copies of the Annual Report for the period of July 2009 through June 2010. This report has been drafted for your review pursuant to the Administrative Consent Order of 13 April 1995.

If you have any questions regarding the enclosure, please contact me at (610) 701-3776.

Very truly yours,

WESTON SOLUTIONS, INC.

A handwritten signature in cursive script that reads "Thomas Cornuet".

Thomas Cornuet, P.G.
Project Manager

Enclosure

cc: L. Biagioni, B&D
E. Fernandes, B&D
T. Lynch III, M&S
K. Decker, Town of Hampstead
L. Bove, Weston
G. Flasiński, Weston

