

Quarterly Groundwater Monitoring Report

Prepared for

Black & Decker (U.S.) Inc.

Hampstead, Maryland

October 2012

Prepared by

WESTON SOLUTIONS, INC.

West Chester, Pennsylvania 19380-1499

TABLE OF CONTENTS

Section	Page
1. INTRODUCTION.....	1-1
2. SITE CHARACTERISTICS.....	2-1
2.1 HYDRAULIC PROPERTIES	2-1
2.2 EFFLUENT CHARACTERISTICS	2-1
2.3 GROUNDWATER QUALITY DATA	2-1
3. OPERATION AND MAINTENANCE OF THE TREATMENT SYSTEM.....	3-1
4. RECOMMENDATIONS.....	4-1

LIST OF APPENDICES

APPENDIX A - GROUNDWATER TREATMENT SYSTEM PUMPING RECORDS

APPENDIX B - DISCHARGE MONITORING REPORTS

APPENDIX C - GROUNDWATER TREATMENT SYSTEM ANALYTICAL RESULTS

APPENDIX D - GROUNDWATER ANALYTICAL DATA PACKAGE

LIST OF TABLES

Table	Page
Table 2-1 Treatment System Pumping Records – 3rd Quarter 2012	2-2
Table 2-2 Groundwater Elevation Data – 3rd Quarter 2012.....	2-3
Table 2-3 Effluent Characteristics Summary – 3rd Quarter 2012.....	2-4
Table 2-4 Summary of Groundwater Analytical Results - August 2012.....	2-5
Table 3-1 Treatment System Maintenance Activities – 3rd Quarter 2012	3-2

1. INTRODUCTION

This Groundwater Monitoring Report has been prepared to meet the requirements of Condition IV.G of the Administrative Consent Order between the State of Maryland Department of the Environment (MDE) and Black & Decker (U.S.) Inc. (April 1995) (Consent Order). Specifically, Condition IV.G calls for preparation of a Groundwater Monitoring Report containing the following information for each reporting period:

- The quantities of groundwater pumped, treated, and discharged.
- The calculation of quantities of contaminants removed from groundwater.
- A summary of all sampling analyses.
- An explanation of all operational or other problems encountered, and the manner in which each problem was resolved.
- Copies of all reports submitted to the Department of Natural Resources in conjunction with the Groundwater Appropriations Permit.
- Recommendations for changes to the Interim Groundwater Treatment System.

This document is one of several which are being prepared in response to the Consent Order; each of these documents are to be submitted to the MDE in accordance with the schedule outlined in the Consent Order. This document will become part of the Administrative Record for the site, which is maintained at the Hampstead Public Library.

2. SITE CHARACTERISTICS

2.1 HYDRAULIC PROPERTIES

In accordance with the Consent Order and the Water Appropriation Permit issued to the Black and Decker (U.S.) Inc. Hampstead, Maryland, facility, the following pumping and water level information is included for the period of July through September 2012.

Pumping records showing the total gallons pumped per month of treatment system operation are presented in Table 2-1. The complete groundwater treatment system pumping records are included in Appendix A.

Monthly water levels for wells included in the water level monitoring plan are presented in Table 2-2. For the reporting period of July through September 2012, the extraction wells were pumping at an average combined rate of approximately 174 gallons per minute (gpm).

2.2 EFFLUENT CHARACTERISTICS

Effluent characteristics of the NPDES discharge points are recorded monthly on Discharge Monitoring Reports (DMRs) and are submitted to MDE, Water Management Administration, on a quarterly basis. A summary of the sample results from the DMRs is presented in Table 2-3. DMRs for the period of July through September 2012 are included in Appendix B.

2.3 GROUNDWATER QUALITY DATA

For the reporting period of July through September 2012, approximately 11.22 pounds of total volatile organic compounds (VOCs) were removed from the groundwater by the extraction and treatment system. In general, the total VOCs removed from the groundwater were comprised primarily of trichloroethene (TCE) (82.8 %) and tetrachloroethene (PCE) (17.2 %). Analytical results of the groundwater collected from the air stripper for the period of July through September 2012 are included in Appendix C.

A summary of the analytical results from the third quarter (August 2012) groundwater sampling round of the extraction and monitor wells is included in Table 2-4. The complete

Table 2-1
Treatment System Pumping Records - 3rd Quarter 2012
Black & Decker
Hampstead, Maryland

Date	Water Pumped (gallons)
July 2012	7,558,744
August 2012	7,570,966
September 2012	7,177,687

Table 2-2
Groundwater Elevation Data - 3rd Quarter 2012
Black & Decker
Hampstead, Maryland

WELL NO.	TOC ELEV.	TOTAL DEPTH	7/13/2012		8/23/2012		9/5/2012	
			DTW	ELEV	DTW	ELEV	DTW	ELEV
EW-1	847.21	55	DRY	NC	DRY	NC	DRY	NC
EW-2	849.21	110	93.51	755.70	93.27	755.94	63.12	786.09
EW-3	846.64	118	86.84	759.80	83.64	763.00	84.12	762.52
EW-4	858.01	97.5	PC	NC	PC	NC	PC	NC
EW-5	864.17	98	89.47	774.70	90.12	774.05	90.26	773.91
EW-6	831.98	115	102.50	729.48	103.00	728.98	103.00	728.98
EW-7	818.38	78	71.40	746.98	73.00	745.38	73.00	745.38
EW-8	811.13	98	93.50	717.63	96.00	715.13	96.00	715.13
EW-9	811.35	141	103.00	708.35	103.00	708.35	103.00	708.35
EW-10	807.74	INA	57.41	750.33	49.02	758.72	49.13	758.61
RFW-1A	864.37	78	50.46	813.91	50.31	814.06	50.40	813.97
RFW-1B	864.23	200	50.51	813.72	50.36	813.87	50.43	813.80
RFW-2A	857.41	35	13.40	844.01	14.93	842.48	15.01	842.40
RFW-2B	857.73	75	14.06	843.67	15.61	842.12	15.82	841.91
RFW-3B	839.21	153	30.79	808.42	31.08	808.13	30.96	808.25
RFW-4A	830.37	62	38.41	791.96	36.80	793.57	36.67	793.70
RFW-4B	830.37	120	38.99	791.38	36.71	793.66	36.54	793.83
RFW-5A	817.50	30	DRY	NC	DRY	NC	DRY	NC
RFW-6	785.04	120	4.41	780.63	2.31	782.73	2.74	782.30
RFW-7	805.14	29	6.99	798.15	6.41	798.73	6.82	798.32
RFW-8	860.07	56	DRY	NC	DRY	NC	DRY	NC
RFW-9	862.02	49	25.49	836.53	26.07	835.95	26.21	835.81
RFW-10	852.06	58	DRY	NC	DRY	NC	DRY	NC
RFW-11A	849.32	72	Damaged	NC	Damaged	NC	Damaged	NC
RFW-11B	849.62	116	65.11	784.51	63.10	786.52	62.91	786.71
RFW-12B	844.87	264	51.24	793.63	49.88	794.99	49.94	794.93
RFW-13	849.11	150	62.91	786.20	61.38	787.73	61.29	787.82
RFW-14B	812.39	281	53.60	758.79	51.26	761.13	51.89	760.50
RFW-16	856.14	41	DRY	NC	DRY	NC	DRY	NC
RFW-17	834.66	60.5	26.12	808.54	25.96	808.70	25.94	808.72
RFW-20	842.49	142	32.89	809.60	34.88	807.61	33.91	808.58
RFW-21	832.65	102	20.80	811.85	21.03	811.62	20.96	811.69
PH-7	805.94	89	27.41	778.53	29.10	776.84	28.87	777.07
PH-9	814.94	98	53.10	761.84	51.87	763.07	52.26	762.68
PH-11	820.68	78	53.33	767.35	49.42	771.26	48.98	771.70
PH-12	828.35	87	51.73	776.62	52.67	775.68	51.63	776.72
B-3	803.02	83	10.62	792.40	10.74	792.28	10.69	792.33
Amoco	842.29	INA	NA	NC	NA	NC	NA	NC
Hamp. Town #22	804.96	INA	0.41	804.55	1.12	803.84	0.76	804.20
Pembroke #1	INA	INA	11.41	NC	10.97	NC	11.43	NC
Pembroke #2	INA	INA	Damaged	NC	Damaged	NC	Damaged	NC
N. Houcks. Rd.	INA	INA	10.53	NC	10.96	NC	10.69	NC
E. Century St.	INA	INA	19.23	NC	19.18	NC	19.27	NC
Lwr. Beckleys. Rd.	INA	INA	55.47	NC	54.93	NC	54.86	NC

NA - Not Available/Not Accessible

NC - Not Calculable

INA - Information not available

PC - Pump Cycles

Table 2-3
Effluent Characteristics Summary - 3rd Quarter 2012
Black & Decker
Hampstead, Maryland

Discharge Number	Parameter	Units	Permit Limits	DMR DATE			
				July 2012	August 2012	September 2012	
001	FLOW	average	MGD	NA	0.196	0.184	0.154
		maximum	MGD	NA	0.804	0.739	0.356
	1,1,1-Trichloroethane	ug/l	5	< 1	< 1	< 1	
	Tetrachloroethylene	ug/l	5	< 1	< 1	< 1	
	Trichloroethylene	ug/l	5	< 1	< 1	< 1	
	Total Residual Chlorine	mg/l	< 0.1	< 0.1	< 0.1	< 0.1	
	Oil & Grease	maximum	mg/l	15	< 5	< 5	< 5
		monthly average	mg/l	10	< 5	< 5	< 5
	pH	minimum	STD	6.0	7.0	7.0	7.0
		maximum	STD	8.5	7.4	7.8	8.1
BOD		mg/l	15	7.0	5.0	2.0	
TSS	maximum	mg/l	30	10.0	19.0	0.0	
	monthly average	mg/l	20	10.0	19.0	0.0	
101 (Monitoring Point)	FLOW	average	MGD	NA	0.137	0.190	0.205
		maximum	MGD	NA	0.292	0.236	0.245
	Fecal Coliform	MPN/100ml	200	7.8	49.0	1.0	
201 (Monitoring Point)	FLOW	average	MGD	NA	NR	NR	0.242
		maximum	MGD	NA	NR	NR	0.268
	1,1,1-Trichloroethane	ug/l	NA	NR	NR	< 1	
	Tetrachloroethylene	ug/l	NA	NR	NR	< 1	
Trichloroethylene	ug/l	NA	NR	NR	< 1		

DMR - Discharge Monitoring Report

NA - Not Applicable

NR - Not Reported

Table 2-4

Summary of Groundwater Analytical Results - August 2012
 Black & Decker
 Hampstead, Maryland

PARAMETER	Units	EW-1	EW-2	EW-3	EW-4	EW-5	EW-6	EW-7	EW-8	EW-9	EW-9 (DUP)	EW-10
Chloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromomethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Acetone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Carbon Disulfide	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1-Dichloroethene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1-Dichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	0.7 J	1 U	1 U	1 U
1,2-Dichloroethene (total)	ug/L	NS	3.7	1.7	1 U	1 U	1 U	3.9	24	1 U	1 U	1 U
Chloroform	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
2-Butanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Carbon Tetrachloride	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromodichloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloropropane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trichloroethene	ug/L	NS	220	44	790	100	6.3	3.2	8.5	0.7	0.7	1 U
Dibromochloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Benzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromoform	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
2-Hexanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Tetrachloroethene	ug/L	NS	51	1.4	16	3.2	12	7.1	71	85	88	0.8 J
1,1,2,2-Tetrachloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Toluene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chlorobenzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Ethylbenzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Styrene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Xylene (total)	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U

Notes: U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.

J = Indicates an estimated value.

NS = Not Sampled

Table 2-4

Summary of Groundwater Analytical Results - August 2012
 Black & Decker
 Hampstead, Maryland

PARAMETER	Units	RFW-1A	RFW-1B	RFW-2A	RFW-2B	RFW-3B	RFW-4A	RFW-4A (DUP)	RFW-4B	RFW-5A	RFW-6	RFW-7	RFW-8	RFW-9	RFW-10
Chloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromomethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Vinyl Chloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Methylene Chloride	ug/L	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	NS	2 U	2 U	NS	2 U	NS
Acetone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
Carbon Disulfide	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1-Dichloroethene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	0.8 J	NS
1,1-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	0.8 J	NS
1,2-Dichloroethene (total)	ug/L	1 U	1 U	1 U	1 U	1.5	0.7 J	0.7 J	3.1	NS	1 U	1 U	NS	16	NS
Chloroform	ug/L	1 U	1 U	1 U	1 U	1 U	0.6 J	0.6 J	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
2-Butanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1,1-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	0.9 J	NS
Carbon Tetrachloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromodichloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloropropane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
cis-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Trichloroethene	ug/L	0.5 J	0.5	1	1	0.7	28	28	11	NS	0.7	2.2	NS	11	NS
Dibromochloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,1,2-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Benzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	0.2 J	NS	1 U	NS
Trans-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromoform	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
4-Methyl-2-pentanone	ug/L	5 U	5 U	5 U	1 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
2-Hexanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
Tetrachloroethene	ug/L	1 U	1 U	1 U	1 U	0.6 J	20	20	28	NS	0.6 J	1 U	NS	6	NS
1,1,2,2-Tetrachloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Toluene	ug/L	1 U	1 U	1 U	1 U	0.2 J	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chlorobenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Ethylbenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Styrene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Xylene (total)	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS

Notes: DUP = Duplicate sample
 NS = Not sampled

U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.
 J = Indicates an estimated value.

Table 2-4

Summary of Groundwater Analytical Results - August 2012
 Black & Decker
 Hampstead, Maryland

PARAMETER	Units	RFW-11A	RFW-11B	RFW-12B	RFW-13	RFW-16	RFW-17	Leister Dairy	Leister Res. #1	Leister Res. #2	Trip Blank	RFW-20	RFW-21	Town #22	Town #23	Trip Blank
		USEPA drinking water method 524.2														
Chloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	NS	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	NS	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	NS	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	NS	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	2 U	2 U	2 U	NS	2 U	ABD	ABD	ABD	2 U	NS	0.5 U	0.5 U	0.5 U	0.5 U
Acetone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	NS	10 U	10 U	10 U	14
Carbon Disulfide	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	NS	NA	NA	NA	NA
1,1-Dichloroethene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	NS	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	NS	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethene (total)	ug/L	NS	1 U	1.8	0.7 J	NS	1 U	ABD	ABD	ABD	1 U	NS	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	NS	0.5 U	0.4 J	0.5 U	0.5 U
1,2-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	NS	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	NS	10 U	10 U	10 U	10 U
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	NS	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	NS	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	NS	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	NS	0.5 U	0.5 U	0.5 U	0.5 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	NS	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene	ug/L	NS	3	73	2.3	NS	1 U	ABD	ABD	ABD	1 U	NS	0.5 U	0.5 U	0.5 U	0.5 U
Dibromochloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	NS	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	NS	0.5 U	0.5 U	0.5 U	0.5 U
Benzene	ug/L	NS	1 U	1 U	1 U	NS	0.9	ABD	ABD	ABD	1 U	NS	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	NS	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	NS	0.5 U	0.5 U	0.5 U	0.5 U
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	NS	10 U	10 U	10 U	10 U
2-Hexanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	NS	10 U	10 U	10 U	10 U
Tetrachloroethene	ug/L	NS	1 U	4.7	13	NS	1 U	ABD	ABD	ABD	1 U	NS	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	NS	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	ug/L	NS	0.1 J	0.1 J	1 U	NS	1 U	ABD	ABD	ABD	1 U	NS	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	NS	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	NS	0.5 U	0.5 U	0.5 U	0.5 U
Styrene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	NS	0.5 U	0.5 U	0.5 U	0.5 U
Xylene (total)	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	NS	0.5 U	0.5 U	0.5 U	0.5 U

Notes: Samples from wells RFW-20 & 21, Town-22&23 are analyzed with the USEPA drinking water method 524.2 at the request of the MDE Source Protection and Appropriation Division.

Samples from all of the other wells are analyzed with USEPA Method 8260.

NS = Not sampled

U = Compound was analyzed but not detected.

ABD = Well has been abandoned

RFW -20 was not sampled because it was damaged. The well is now repaired and will be sampled during the 4th quarter.

analytical data package is included in Appendix D.

As found in earlier sampling events at the Black & Decker facility, TCE and PCE were the VOCs detected at the highest concentrations in the groundwater samples. The highest concentration of TCE was detected in the groundwater samples collected from wells EW-2 and EW-4 and the highest concentration of PCE was detected in the groundwater sample collected from well EW-9. The remainder of VOCs present were detected at levels below the Federal Maximum Contaminant Levels (MCL).

3. OPERATION AND MAINTENANCE OF THE TREATMENT SYSTEM

A summary of the maintenance activities which were undertaken with the extraction and treatment system during the reporting period (July through September 2012) is provided in Table 3-1. This table is comprehensive in summarizing significant maintenance events or activities, while not including those activities considered unworthy of note (such as replacement of light bulbs, lubrication of moving parts as appropriate or other routine activities).

Table 3-1
Treatment System Maintenance Activities - 3rd Quarter 2012
Black & Decker
Hampstead, Maryland

Date	Event/Corrective Action
Jul-12	Alarm at the air stripper due to a power outage caused by a thunderstorm. The system is back online.
Jul-12	Air stripper calibrations done by Micro-Tech.
Jul-12	Alarm at the air stripper due to a power outage. The system is back online.
Aug-12	Alarm at the air stripper due to a series of power outages caused by severe weather. The system is back online.

4. RECOMMENDATIONS

For the reporting period of July through September 2012, the treatment system continued to create a hydraulic boundary preventing off-site migration of groundwater. The extraction system will continue to operate as currently configured to pump and treat contaminated groundwater. Depth-to-water measurements will continue to be collected on a monthly basis in all site monitor wells to construct a groundwater elevation contour map for the site. The groundwater elevation contour map will be used to verify that the required area of groundwater capture is being maintained. If necessary, pumping rates will be adjusted to maintain groundwater capture due to seasonal fluctuations in groundwater elevations. The treatment system will also continue to operate as currently configured, as data collected have proven that the treatment system is fully effective in removing VOCs from the extracted groundwater.

APPENDIX A
GROUNDWATER TREATMENT SYSTEM PUMPING RECORDS
(JULY – SEPTEMBER 2012)

MARYLAND DEPARTMENT of the ENVIRONMENT, WATER MANAGEMENT ADMINISTRATION, 1800 WASHINGTON BLVD, BALTIMORE, MD 21230

Operated By:
Maryland Environmental Service
259 Najoles Road, Millersville MD

Facility: BTR Capital Group
Address: 626 Hanover Pike, Hampstead Maryland
Additional Op's & cert # - Dorrance Jones 0763, Gary Dickerson 0782, Anthony Phillips 3001, David Brenk 2754, Philip Pitts 2999, James Elliott 3738

Permit Number: 02-DP-0022
Superintendent: Earle Villarreal

Certification # 1017

Month: July
Year: 2012

Date	Appearance	Discharge MGD	pH su	Cl2 mg/l	Final Effluent outfall 001					Outfall 101					Outfall 201				Operator		
					Tetrachloroethylene ug/l	1,1,1-Trichloroethane ug/l	Trichloroethene ug/l	BOD ₅ mg/l	TSS mg/l	O&G mg/l	Flow MGD	Fecal mpn	Basin Inches	Alum Gpd	Hypochlorite Gpd	Post Cl2 mg/l	Tetrachloroethylene ug/l	1,1,1-Trichloroethane ug/l		Trichloroethene ug/l	Discharge mgd
1	Clear	0.12500									0.166000		0.0	1.0	1.0	5.0				0.236691	Djones
2	Clear	0.12100									0.159000		0.0	1.0	1.0	5.0				0.247988	Gdickerson
3	Clear	0.11700	7.12	0.00							0.167000		0.0	1.0	1.0	5.0				0.230792	Gdickerson
4	Clear	0.11600	7.09	0.00							0.061000		0.0	1.0	1.0	5.0				0.250681	Dbrenk
5	Clear	0.12800	7.03	0.00								< 1.8	0.0							0.258298	Gdickerson
6	Clear	0.33200											0.0							0.206329	Gdickerson
7	Clear	0.19300									0.028000		0.0	1.0	1.0	5.0				0.255413	APhillips
8	Clear	0.11600											0.0							0.240949	APhillips
9	Clear	0.10700									0.170000		0.0	1.0	1.0	5.0				0.263445	Djones
10	Clear	0.11600	7.22	0.00	< 0.11	< 0.08	< 0.13	7.0	9.8	< 5.0	0.032000	1.8	0.0	1.0	1.0	5.0				0.248998	Djones
11	Clear	0.17600											0.0							0.236445	Djones
12	Clear	0.11500	7.35	0.00									0.0							0.220573	Djones
13	Clear	0.11200											0.0							0.264086	Gdickerson
14	Clear	0.15900									0.251000		0.0	1.0	1.0	5.0				0.244656	Jelliott
15	Clear	0.13300									0.267000		0.0	1.0	1.0	5.0				0.234973	Jelliott
16	Clear	0.13600									0.234000		0.0	1.0	1.0	5.0				0.205029	Gdickerson
17	Clear	0.11800	7.10	0.00							0.292000	7.8	0.0	1.0	1.0	1.5	< 0.4	< 0.2	< 0.3	0.259263	Djones
18	Clear	0.09100	7.00	0.00							0.200000		0.0	1.0	1.0	5.0				0.228804	Djones
19	Clear	0.16400									0.206000		0.0	1.0	1.0	5.0				0.248013	Djones
20	Clear	0.80400									0.215000		0.0	1.0	1.0	5.0				0.261027	Djones
21	Clear	0.57000									0.179000		0.0	1.0	1.0	5.0				0.240918	Djones
22	Clear	0.44900									0.168000		0.0	1.0	1.0	5.0				0.237676	Djones
23	Clear	0.16700									0.169000		0.0	1.0	1.0	5.0				0.257398	Ppitts
24	Clear	0.12400	7.03	0.00							0.167000	< 1.8	0.0	1.0	1.0	5.0				0.246243	Ppitts
25	Clear	0.12700									0.161000		0.0	1.0	1.0	5.0				0.247157	Gdickerson
26	Clear	0.11300	6.98	0.00							0.172000		0.0	1.0	1.0	5.0				0.235022	Gdickerson
27	Clear	0.44400									0.177000		0.0	1.0	1.0	5.0				0.267747	Djones
28	Clear	0.20500									0.143000		0.0	1.0	1.0	5.0				0.239942	APhillips
29	Clear	0.13300									0.137000		0.0	1.0	1.0	5.0				0.236442	APhillips
30	Clear	0.13400									0.139000		0.0	1.0	1.0	5.0				0.264391	Dbrenk
31	Clear	0.12600	7.05	0.00							0.184000		0.0	1.0	1.0	5.0				0.243355	Djones
Total		6.07100									4.244000									7.558744	
Average		0.19584	7.1	<0.10	0	0	0	7	10	0	0.169760	3	0.0	1.0	1.0	4.9	0	0	0	0.243830	
Minimum		0.09100	7.0	0.00	0	0	0	7	10	0	0.028000	1	0.0	1.0	1.0	1.5	0	0	0	0.205029	
Maximum		0.80400	7.4	<0.10	0	0	0	7	10	0	0.292000	8	0.0	1.0	1.0	5.0	0	0	0	0.267747	MOR 5-11-09

COMMENTS:

MARYLAND DEPARTMENT of the ENVIRONMENT, WATER MANAGEMENT ADMINISTRATION, 1800 WASHINGTON BLVD, BALTIMORE, MD 21230

Operated By:
Maryland Environmental Service
259 Najoles Road, Millersville MD

Facility: BTR Capital Group
Address: 626 Hanover Pike, Hampstead Maryland
Additional Op's & cert # - Dorrance Jones 0763, Gary Dickerson 0782, James Elliott 3738, David Brenk 2754, Anthony Phillips 3001, Philip Pitts 2999

Permit Number: 02-DP-0022
Superintendent: Earle Villarreal

Certification # 1017

Month: August
Year: 2012

Final Effluent outfall 001											Outfall 101					Outfall 201			Operator		
Date	Appearance	Discharge MGD	pH su	Cl2 mg/l	Tetrachloroethylene ug/l	1,1,1-Trichloroethane ug/l	Trichloroethene ug/l	BOD ₅ mg/l	TSS mg/l	O&G mg/l	Flow MGD	Fecal mpn	Basin Inches	Alum Gpd	Hypochlorite Gpd	Post Cl2 mg/l	Tetrachloroethylene ug/l	1,1,1-Trichloroethane ug/l		Trichloroethene ug/l	Discharge mgd
1	Clear	0.13200									0.162000		0.0	1.0	1.0	5.0				0.244848	Djones
2	Clear	0.14300	7.04	0.00							0.126000		0.0	1.0	1.0	5.0				0.232374	APhillips
3	Clear	0.13300									0.130000		0.0	1.0	1.0	5.0				0.246885	APhillips
4	Clear	0.14300									0.121000		0.0	1.0	1.0	5.0				0.256325	Jelliott
5	Clear	0.13200									0.115000		0.0	1.0	1.0	5.0				0.235659	Jelliott
6	Clear	0.13400									0.195000		0.0	1.0	1.0	5.0				0.255677	Dbrenk
7	Clear	0.14900	7.22	0.00	0.31	0.26	0.34	5.0	18.6	< 5.0	0.189000	49.0	0.0	1.0	1.0	5.0				0.251715	Dbrenk
8	Clear	0.13900									0.161000		0.0	1.0	1.0	5.0				0.243420	Dbrenk
9	Clear	0.12800	7.83	0.00							0.170000		0.0	1.0	1.0	5.0				0.220983	Dbrenk
10	Clear	0.14400									0.201000		0.0	1.0	1.0	5.0				0.268479	Dbrenk
11	Clear	0.15600									0.183000		0.0	1.0	1.0	5.0				0.238262	Djones
12	Clear	0.13700									0.179000		0.0	1.0	1.0	5.0				0.237339	Djones
13	Clear	0.13500									0.193000		0.0	1.0	1.0	5.0				0.262115	Dbrenk
14	Clear	0.13300	7.55	0.00							0.203000	< 1.8	0.0	1.0	1.0	5.0				0.243109	Dbrenk
15	Clear	0.44600									0.203000		0.0	1.0	1.0	5.0				0.241944	Djones
16	Clear	0.20700	7.17	0.00							0.207000		0.0	1.0	1.0	5.0				0.240973	Djones
17	Clear	0.14800									0.217000		0.0	1.0	1.0	5.0				0.247537	Djones
18	Clear	0.15500									0.203000		0.0	1.0	1.0	5.0				0.246515	Ppitts
19	Clear	0.14000									0.193000		0.0	1.0	1.0	5.0				0.244200	Ppitts
20	Clear	0.14000									0.186000		0.0	1.0	1.0	5.0				0.237744	Djones
21	Clear	0.38300	7.45	0.00							0.227000	< 1.8	0.0	1.0	1.0	5.0				0.246588	Djones
22	Clear	0.14300									0.203000		0.0	1.0	1.0	5.0				0.240859	Djones
23	Clear	0.14600	7.20	0.00							0.215000		0.0	1.0	1.0	5.0				0.222258	Djones
24	Clear	0.14700									0.236000		0.0	1.0	1.0	5.0				0.243643	Djones
25	Clear	0.16900									0.207000		0.0	1.0	1.0	5.0				0.256190	Jelliott
26	Clear	0.19000									0.203000		0.0	1.0	1.0	5.0				0.233514	Jelliott
27	Clear	0.73900									0.229000		0.0	1.0	1.0	5.0				0.250302	Gdickerson
28	Clear	0.20800	7.27	0.00							0.194000	< 2.0	0.0	1.0	1.0	5.0				0.256860	Djones
29	Clear	0.14700									0.204000		0.0	1.0	1.0	5.0				0.239604	Djones
30	Clear	0.13100	7.55	0.00							0.208000		0.0	1.0	1.0	5.0				0.241245	Djones
31	Clear	0.13700									0.223000		0.0	1.0	1.0	5.0				0.243800	Djones
Total		5.71400									5.886000									7.570966	
Average		0.18432	7.4	<0.10	0	0	0	5	19	0	0.189871	13	0.0	1.0	1.0	5.0	#DIV/0!	#DIV/0!	#####	0.244225	
Minimum		0.12800	7.0	0.00	0	0	0	5	19	0	0.115000	1	0.0	1.0	1.0	5.0	0	0	0	0.220983	
Maximum		0.73900	7.8	<0.10	0	0	0	5	19	0	0.236000	49	0.0	1.0	1.0	5.0	0	0	0	0.268479	MOR 5-11-09

COMMENTS:

MARYLAND DEPARTMENT of the ENVIRONMENT, WATER MANAGEMENT ADMINISTRATION, 1800 WASHINGTON BLVD, BALTIMORE, MD 21230

Operated By:
Maryland Environmental Service
259 Najoles Road, Millersville MD

Facility: BTR Capital Group
Address: 626 Hanover Pike, Hampstead Maryland
Additional Op's & cert # - Dorance Jones 0765, Gary Dickerson 0782, Anthony Phillips 3001, Philip Pitts 2999, David Brenk 2754, Martin Whitt 0666

Permit Number: 02-DP-0022
Superintendent: Earle Villarreal

Certification # 1017

Month: September
Year: 2012

Final Effluent outfall 001											Outfall 101					Outfall 201			Operator		
Date	Appearance	Discharge MGD	pH su	Cl2 mg/l	Tetrachloroethylene ug/l	1,1,1-Trichloroethane ug/l	Trichloroethene ug/l	BOD ₅ mg/l	TSS mg/l	O&G mg/l	Flow MGD	Fecal mpn	Basin Inches	Alum Gpd	Hypochlorite Gpd	Post Cl2 mg/l	Tetrachloroethylene ug/l	1,1,1-Trichloroethane ug/l		Trichloroethene ug/l	Discharge mgd
1	Clear	0.14800									0.186000		0.0	1.0	1.0	5.0				0.237887	Gdickerson
2	Clear	0.12800									0.206000		0.0	1.0	1.0	5.0				0.225324	Gdickerson
3	Clear	0.14400									0.198000		0.0	1.0	1.0	5.0				0.257091	Ppitts
4	Clear	0.13500	7.32	0.00							0.184000		0.0	1.0	1.0	5.0				0.246690	Djones
5	Clear	0.15000									0.222000	< 1.8	0.0	1.0	1.0	5.0				0.248755	Djones
6	Clear	0.12300	7.12	0.00							0.196000		0.0	1.0	1.0	5.0				0.234690	Djones
7	Clear	0.14300									0.209000		0.0	1.0	1.0	5.0				0.242140	Djones
8	Clear	0.13300									0.193000		0.0	1.0	1.0	5.0				0.236790	Djones
9	Clear	0.12500									0.196000		0.0	1.0	1.0	5.0				0.236048	Djones
10	Clear	0.12700									0.215000		0.0	1.0	1.0	5.0				0.253178	Dbrenk
11	Clear	0.10400	8.11	0.00	< 0.31	< 0.26	< 0.34	2.0	< 4.0	< 5.0	0.172000	< 1.8	0.0	1.0	1.0	5.0				0.242962	Dbrenk
12	Clear	0.14400									0.176000		0.0	1.0	1.0	5.0				0.249137	Djones
13	Clear	0.12300	7.25	0.00							0.213000		0.0	1.0	1.0	5.0				0.212630	Djones
14	Clear	0.12100									0.218000		0.0	1.0	1.0	5.0				0.239399	Djones
15	Clear	0.13600									0.197000		0.0	1.0	1.0	5.0				0.249173	APhillips
16	Clear	0.12500									0.189000		0.0	1.0	1.0	5.0				0.235051	APhillips
17	Clear	0.11800									0.193000		0.0	1.0	1.0	5.0				0.251343	Djones
18	Clear	0.11900	7.00	0.00							0.245000	< 1.8	0.0	1.0	1.0	4.2				0.237357	Djones
19	Clear	0.29800									0.211000		0.0	1.0	1.0	5.0				0.242836	Djones
20	Clear	0.17900	7.35	0.00							0.216000		0.0	1.0	1.0	5.0				0.238142	Djones
21	Clear	0.11900									0.221000		0.0	1.0	1.0	5.0				0.236196	Djones
22	Clear	0.12300									0.218000		0.0	1.0	1.0	5.0				0.231481	Gdickerson
23	Clear	0.26200									0.199000		0.0	1.0	1.0	5.0				0.235003	Mwhitt
24	Clear	0.12800									0.223000		0.0	1.0	1.0	5.0				0.257771	Djones
25	Clear	0.11300	7.46	0.00							0.208000	< 1.8	0.0	1.0	1.0	5.0				0.233462	Djones
26	Clear	0.11700									0.217000		0.0	1.0	1.0	5.0				0.239979	Djones
27	Clear	0.26500									0.219000		0.0	1.0	1.0	5.0				0.231138	Djones
28	Clear	0.35610	8.11	0.00							0.215000		0.0	1.0	1.0	5.0				0.245649	Djones
29	Clear	0.18700									0.203000		0.0	1.0	1.0	5.0				0.225023	Djones
30	Clear	0.12600									0.206000		0.0	1.0	1.0	5.0				0.225362	Djones
31																					
Total		4.61910									6.164000									7.177687	
Average		0.15397	7.5	<0.10	0	0	0	2	0	0	0.205467	1	0.0	1.0	1.0	5.0	#DIV/0!	#DIV/0!	#####	0.239256	
Minimum		0.10400	7.0	0.00	0	0	0	2	0	0	0.172000	1	0.0	1.0	1.0	4.2	0	0	0	0.212630	
Maximum		0.35610	8.1	<0.10	0	0	0	2	0	0	0.245000	1	0.0	1.0	1.0	5.0	0	0	0	0.257771	MOR 5-11-09

COMMENTS:

APPENDIX B
DISCHARGE MONITORING REPORTS
(JULY - SEPTEMBER 2012)

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name AG/GFI Hampstead, Inc

Address 626 Hanover Pike

Hampstead, MD 21074

Facility Black and Decker WWTP

Location 626 Hanover Pike

Attn:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

001

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

MONITORING PERIOD

FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY
	12	07	01		12	07	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

State Discharge Permit

02-DP-0022

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING			(4 Card Only) QUALITY OR CONCENTRATION			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		(46-53) AVERAGE		(54-61) MAXIMUM	(38-45) MINIMUM	(54-61) AVERAGE					UNITS
				UNITS							
BOD, 5-DAY (20 DEG. C) 00310 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	7	(19)	0	ONCE/ MONTH	GRAB
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	15 DAILY MX	MG/L		ONCE/ MONTH	GRAB
pH	SAMPLE MEASUREMENT	*****	*****	****	7.0	*****	7.4	(12)	0	TWICE/ WEEK	GRAB
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	6.0 DAILY MN	*****	8.5 DAILY MX	SU		TWICE/ WEEK	GRAB
SOLIDS, TOTAL SUSPENDED 00530 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	10	(19)	0	ONCE/ MONTH	GRAB
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	20 30DA AVG	MG/L		ONCE/ MONTH	GRAB
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0	SAMPLE MEASUREMENT	195,839	804,000	(07)	*****	*****	*****	****	0	Measured	RECORD
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	****		Measured	RECORD
CHLORINE, TOTAL RESIDUAL 50060 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	<0.1	(19)	0	ONCE/ MONTH	GRAB
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	0.019 30DA AVG	MG/L		ONCE/ MONTH	GRAB
TETRACHLOROETHYLENE 34475 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(28)	0	ONCE/ MONTH	GRAB
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5 DAILY MX	UG/L		ONCE/ MONTH	GRAB
1,1,1-TRICHLOROETHANE 34506 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(28)	0	ONCE/ MONTH	GRAB
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5 DAILY MX	UG/L		ONCE/ MONTH	GRAB

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

James M. Harkins
MES Director

TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. §§1001 AND 33 U.S.C. §§ 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE

410 729-8350

AREA CODE

NUMBER

DATE

12 08 20

YEAR

MONTH

DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

Facility Name/Location if different)

DISCHARGE MONITORING REPORT (DMR)

Form Approved.

Name AG/GFI Hampstead, Inc

(2-16)

(17-19)

OMB No.

Address 626 Hanover Pike

MD0001881

001

Approval expires

Hampstead, MD 21074

PERMIT NUMBER

DISCHARGE NUMBER

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

Facility Black and Decker WWTP

MONITORING PERIOD

Location 626 Hanover Pike


YEAR	MO	DAY	YEAR	MO	DAY
12	07	01	12	07	31

State Discharge Permit

Attn:

FROM

02-DP-0022

PARAMETER (32-37)		(3 Card Only) (46-53) QUANTITY OR LOADING			(4 Card Only) (38-45) QUALITY OR CONCENTRATION			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		AVERAGE (54-51)	MAXIMUM (54-51)	UNITS (54-51)	MINIMUM (38-45)	AVERAGE (46-53)	MAXIMUM (54-61)				UNITS (54-61)
TRICHLOROETHENE 79141 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(28)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5	UG/L		ONCE/ MONTH	GRAB
OIL AND GREASE TOTAL RECOVERABLE 70030 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	(19)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	10 30DA AVG	15 DAILY MX	MG/L		ONCE/ MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)						TELEPHONE		DATE		
James M. Harkins MES Director							410	729-8350	12	08	20
TYPED OR PRINTED							AREA CODE	NUMBER	YFAR	MONTH	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)

Name AG/GFI Hampstead, Inc.
 Address 626 Hanover Pike
 Hampstead, MD 21074

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16) MD0001881 (17-19) 101
 PERMIT NUMBER DISCHARGE NUMBER

Form Approved.
 OMB No.
 Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

Facility Black and Decker WWTP
 Location 626 Hanover Pike
 Attn:

MONITORING PERIOD							
YEAR	MO	DAY	TO	YEAR	MO	DAY	
12	07	01	TO	12	07	31	
(20-21)		(22-23)		(24-25)		(26-27)	
(28-29)		(30-31)					

State Discharge Permit
 02-DP-0022

PARAMETER (32-37)		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		(3 Card Only) (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(4 Card Only) (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS			
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	136,903	292,000	(07)	*****	*****	*****	****	0	ONCE/MONTH	GRAB
	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	****		ONCE/MONTH	GRAB
COLIFORM, FECAL GENERAL 74055 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	8	(30)	0	ONCE/WEEK	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	200 DAILY MX	MPN		ONCE/WEEK	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)				SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		TFI PHONE		DATE		
James M. Harkins MES Director TYPED OR PRINTED					[Signature]		410	729-8350	12	08	20
COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)					AREA CODE	NUMBER	YEAR	MONTH	DAY		

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)
 Name AG/GFI Hampstead, Inc
 Address 626 Hanover Pike
 Hampstead, MD 21074

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16) (17-19)
 MD0001881 001
PERMIT NUMBER **DISCHARGE NUMBER**

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

Facility Black and Decker WWTP
 Location 626 Hanover Pike
 Attn:

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
FROM 12	08	01	TO 12	08	31
(20-21)	(22-23)	(24-25)	(26-27)	(28-29)	(30-31)

State Discharge Permit

02-DP-0022

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING			(4 Card Only) QUALITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS				
BOD, 5-DAY (20 DEG. C)	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	5	(19)	0	ONCE/MONTH	GRAB	
00310 1 0 0	PERMIT REQUIREMENT	*****	*****	****	*****	*****	15 DAILY MX	MG/L		ONCE/MONTH	GRAB	
EFFLUENT GROSS VALUE												
pH	SAMPLE MEASUREMENT	*****	*****	****	7.0	*****	7.8	(12)	0	TWICE/WEEK	GRAB	
00400 1 0 0	PERMIT REQUIREMENT	*****	*****	****	6.0 DAILY MN	*****	8.5 DAILY MX	SU		TWICE/WEEK	GRAB	
EFFLUENT GROSS VALUE												
SOLIDS, TOTAL SUSPENDED	SAMPLE MEASUREMENT	*****	*****	****	*****	19	19	(19)	0	ONCE/MONTH	GRAB	
00530 1 0 0	PERMIT REQUIREMENT	*****	*****	****	*****	20 30DA AVG	30 DAILY MX	MG/L		ONCE/MONTH	GRAB	
EFFLUENT GROSS VALUE												
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	SAMPLE MEASUREMENT	184,323	739,000	(07)	*****	*****	*****	****	0	Measured	RECORD	
50050 1 0 0	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	****		Measured	RECORD	
EFFLUENT GROSS VALUE												
CHLORINE, TOTAL RESIDUAL	SAMPLE MEASUREMENT	*****	*****	****	*****	<0.1	<0.1	(19)	0	ONCE/MONTH	GRAB	
50060 1 0 0	PERMIT REQUIREMENT	*****	*****	****	*****	0.011 30DA AVG	0.019 DAILY MX	MG/L		ONCE/MONTH	GRAB	
EFFLUENT GROSS VALUE												
TETRACHLOROETHYLENE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(28)	0	ONCE/MONTH	GRAB	
34475 1 0 0	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5 DAILY MX	UG/L		ONCE/MONTH	GRAB	
EFFLUENT GROSS VALUE												
1,1,1-TRICHLOROETHANE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(28)	0	ONCE/MONTH	GRAB	
34506 1 0 0	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5 DAILY MX	UG/L		ONCE/MONTH	GRAB	
EFFLUENT GROSS VALUE												
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. 351001 AND 33 U.S.C. 351319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)							TELEPHONE		DATE		
James M. Harkins MES Director								410	729-8350	12	09	24
TYPED OR PRINTED								AREA CODE	NUMBER	YEAR	MONTH	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

Facility Name/Location if different)

DISCHARGE MONITORING REPORT (DMR)

Form Approved.

Name AG/GFI Hampstead, Inc
 Address 626 Hanover Pike
 Hampstead, MD 21074

(2-16)

(17-19)

MD0001881
PERMIT NUMBER

001
 DISCHARGE NUMBER

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

Facility Black and Decker WWTP
 Location 626 Hanover Pike
 Attn:

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
FROM 12	08	01	TO 12	08	31
(20-21)		(22-23)	(24-25)		(26-27)
(28-29)		(30-31)			

State Discharge Permit

02-DP-0022

PARAMETER (32-37)		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		(3 Card Only) (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(4 Card Only) (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS				
TRICHLOROETHENE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(28)	0	ONCE/MONTH	GRAB	
79141 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5 DAILY MX	UG/L		ONCE/MONTH	GRAB	
OIL AND GREASE TOTAL RECOVERABLE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	(19)	0	ONCE/MONTH	GRAB	
70030 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	10 30DA AVG	15 DAILY MX	MG/L		ONCE/MONTH	GRAB	
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN, AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)							TELEPHONE		DATE		
James M. Harkins MES Director								410	729-8350	12	09	24
TYPED OR PRINTED												

[Signature]
 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name AG/GFI Hampstead, Inc.

Address 626 Hanover Pike

Hampstead, MD 21074

Facility Black and Decker WWTP

Location 626 Hanover Pike

Attn:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

101

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

State Discharge Permit

02-DP-0022

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
12	08	01	12	08	31
(20-21)		(22-23)	(24-25)	(28-29) (30-31)	

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING			(4 Card Only) QUALITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS				
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0	SAMPLE MEASUREMENT	189,871	236,000	(07)	*****	*****	*****	****	0	ONCE/ MONTH	GRAB	
	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	****		ONCE/ MONTH	GRAB	
COLIFORM, FECAL GENERAL 74055 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	49	(30)	0	ONCE/ WEEK	GRAB	
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	200 DAILY/MX	MPN		ONCE/ WEEK	GRAB	
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS 1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)							TFI PHONE#		DATE		
James M. Harkins MES Director TYPED OR PRINTED	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT							410	729-8350	12	09	24
								AREA CODE	NUMBER	YEAR	MONTH	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name AG/GFI Hampstead, Inc
 Address 626 Hanover Pike
Hampstead, MD 21074

Facility Black and Decker WWTP

Location 626 Hanover Pike

Attn: _____

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

001

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

MONITORING PERIOD

FROM			TO		
YEAR	MO	DAY	YEAR	MO	DAY
12	09	01	12	09	30
(20-21) (22-23) (24-25)			(26-27) (28-29) (30-31)		


State Discharge Permit

02-DP-0022

PARAMETER (32-37)		(3 Card Only) (46-53)			QUANTITY OR LOADING (54-61)			(4 Card Only) (38-45)			QUALITY OR CONCENTRATION (46-53)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS				
BOD, 5-DAY (20 DEG. C) 00310 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	2	(19)	0	ONCE/ MONTH	GRAB					
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	15 DAILY MX	MG/L		ONCE/ MONTH	GRAB					
pH	SAMPLE MEASUREMENT	*****	*****	****	7.0	*****	8.1	(12)	0	TWICE/ WEEK	GRAB					
00400 1 0 0	PERMIT REQUIREMENT	*****	*****	****	6.0 DAILY MN	*****	8.5 DAILY MX	SU		TWICE/ WEEK	GRAB					
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	0 0	(19)	0	ONCE/ MONTH	GRAB					
SOLIDS, TOTAL SUSPENDED 00530 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	20 30DA AVG	30 DAILY MX	MG/L	ONCE/ MONTH	GRAB					
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	*****	*****	0	Measured	RECORD					
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0	SAMPLE MEASUREMENT	153,970	356,100	(07)	*****	*****	*****	*****	*****	Measured	RECORD					
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	*****	*****	Measured	RECORD					
CHLORINE, TOTAL RESIDUAL 50060 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	<0.1	<0.1	(19)	0	ONCE/ MONTH	GRAB				
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	0.011 30DA AVG	0.019 DAILY MX	MG/L	ONCE/ MONTH	GRAB					
TETRACHLOROETHYLENE 34475 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	*****	0	(28)	0	ONCE/ MONTH	GRAB				
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	*****	5 DAILY MX	UG/L	ONCE/ MONTH	GRAB					
1,1,1-TRICHLOROETHANE 34506 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	*****	0	(28)	0	ONCE/ MONTH	GRAB				
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	*****	5 DAILY MX	UG/L	ONCE/ MONTH	GRAB					

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
 James M. Harkins
 MES Director
 TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN, AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

 TFI PHONE: 410 729-8350
 DATE: 12 10 17
 AREA CODE: 410 NUMBER: 729-8350 YEAR: 12 MONTH: 10 DAY: 17

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

Facility Name/Location if different)

DISCHARGE MONITORING REPORT (DMR)

Form Approved.

Name AG/GFI Hampstead, Inc

(2-16)

(17-19)

OMB No.

Address 626 Hanover Pike

MD0001881

001

Approval expires

Hampstead, MD 21074

PERMIT NUMBER

DISCHARGE NUMBER

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

Facility Black and Decker WWTP

MONITORING PERIOD

Location 626 Hanover Pike


YEAR	MO	DAY	YEAR	MO	DAY
12	09	01	12	09	30

State Discharge Permit

Attn:

02-DP-0022

FROM (20-21) (22-23) (24-25) TO (26-27) (28-29) (30-31)

PARAMETER (32-37)		(3 Card Only) (46-53)			QUANTITY OR LOADING (54-61)			(4 Card Only) (38-45)			QUALITY OR CONCENTRATION (46-53) (54-61)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS				
TRICHLOROETHENE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	****	*****	*****	0		(28)	0	ONCE/ MONTH	GRAB	
79141 1 0 0	PERMIT REQUIREMENT	*****	*****	****	*****	*****	****	*****	*****	5		UG/L		ONCE/ MONTH	GRAB	
EFFLUENT GROSS VALUE										DAILY MX						
OIL AND GREASE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	****	*****	0	0		(19)	0	ONCE/ MONTH	GRAB	
TOTAL RECOVERABLE	PERMIT REQUIREMENT	*****	*****	****	*****	10	****	*****	10	15		MG/L		ONCE/ MONTH	GRAB	
70030 1 0 0						30DA AVG				DAILY MX						
EFFLUENT GROSS VALUE																
	SAMPLE MEASUREMENT															
	PERMIT REQUIREMENT															
	SAMPLE MEASUREMENT															
	PERMIT REQUIREMENT															
	SAMPLE MEASUREMENT															
	PERMIT REQUIREMENT															
	SAMPLE MEASUREMENT															
	PERMIT REQUIREMENT															
	SAMPLE MEASUREMENT															
	PERMIT REQUIREMENT															
	SAMPLE MEASUREMENT															
	PERMIT REQUIREMENT															
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. 851001 AND 33 U.S.C. 851319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)										TELEPHONE		DATE			
James M. Harkins MES Director	 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT										410	729-8350	12	10	17	
TYPED OR PRINTED											AREA CODE	NUMBER	YEAR	MONTH	DAY	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name AG/GFI Hampstead, Inc.
 Address 626 Hanover Pike
Hampstead, MD 21074

Facility Black and Decker WWTP
 Location 626 Hanover Pike
 Attn. _____

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16) (17-19)
 MD0001881 101
PERMIT NUMBER **DISCHARGE NUMBER**

Form Approved.
 OMB No. _____
 Approval expires _____

*** NO DISCHARGE ***
 NOTE: Read instructions before completing this form

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
FROM 12	09	01	TO 12	09	30
(20-21)	(22-23)	(24-25)	(26-27)	(28-29)	(30-31)

State Discharge Permit
 02-DP-0022

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING			(4 Card Only) QUALITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS			
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	205,467	245,000	(07)	*****	*****	*****	****	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	****		ONCE/ MONTH	GRAB
COLIFORM, FECAL GENERAL 74055 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	1	(30)	0	ONCE/ WEEK	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	200 DAILY MX	MPN		ONCE/ WEEK	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER James M. Harkins MES Director TYPED OR PRINTED	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319 (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)	TFI PHONE		DATE		
		410	729-8350	12	10	17
	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE	NUMBER	YEAR	MONTH	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name AG/GFI Hampstead, Inc.

Address 626 Hanover Pike

Hampstead, MD 21074

Facility Black and Decker WWTP

Location 626 Hanover Pike

Attn:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

201

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
FROM 12	07	01	TO 12	09	30
(20-21)		(22-23)		(24-25)	
(26-27)			(28-29)		
(30-31)					

State Discharge Permit

02-DP-0022

PARAMETER (32-37)		QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		(3 Card Only) (45-53) AVERAGE	(54-61) MAXIMUM	UNITS	(4 Card Only) (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM				UNITS
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0	SAMPLE MEASUREMENT	242,472	268,479	(07)	*****	*****	*****	0	Measured	Record	
EFFLUENT GROSS VALUE TETRACHLOROETHYLENE	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	0	Measured	Record	
34475 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	(28)	0	One/ Quarter	Grab
EFFLUENT GROSS VALUE 1,1,1-TRICHLOROETHANE	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT	REPORT	UG/L	0	One/ Quarter	Grab
34506 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	(28)	0	One/ Quarter	Grab
EFFLUENT GROSS VALUE TRICHLOROETHENE	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT	REPORT	UG/L	0	One/ Quarter	Grab
79141 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	(28)	0	One/ Quarter	Grab
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT	REPORT	UG/L	0	One/ Quarter	Grab
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. 551001 AND 33 U.S.C. 55 1319 (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)						TFL PHONE		DATE		
James M. Harkins MES Director TYPED OR PRINTED	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT						410	729-8350	12	10	25
						AREA CODE	NUMBER	YEAR	MONTH	DAY	

COMMENT AND EXPANATION OF ANY VIOLATIONS (Reference all attachments here)

APPENDIX C
GROUNDWATER TREATMENT SYSTEM ANALYTICAL RESULTS
(JULY - SEPTEMBER 2012)

Account No: AL0341, MARYLAND ENVIRONMENTAL SERVICE A
Project No: AL0341 BLK DECK WWTP, BLACK & DECKER WWTP

P.O. No:

Inv. No: MES_AL0341
PWSID No:

Sample Number Sample Description
L4238867-1 BLACK AND DECKER 001 GRAB
Received Date/Time/Temp 07/10/12 05:00pm 4.2 C Iced (Y/N): Y
Samp. Date/Time/Temp Sampled by
07/10/12 09:10am NA F Customer

Parameter	Method	Result	RLs	Test Date, Time, Analyst
-----------	--------	--------	-----	--------------------------

GENERAL CHEMISTRY

BIOCHEMICAL OXYGEN DEMAND (DELAWARE)	SM 5210B	7.00 mg/l	2.00 mg/l	07/11/12 08:00AM SKJ
TOTAL SUSPENDED SOLIDS (DELAWARE)	SM 2540D	9.80 mg/l	4.00 mg/l	07/11/12 12:00AM MS3
HEXANE EXTR.-HEM (OIL+GREASE)	1664A HEM	ND mg/l	5.00 mg/l	07/20/12 12:32PM RHB

GAS CHROMATOGRAPHY MASS SPECTROMETRY; VOLATILES

1,1,1-TRICHLOROETHANE	EPA 624	ND ug/l	0.130 ug/l*	07/16/12 01:49PM EEW
TRICHLOROETHENE	EPA 624	ND ug/l	0.0800 ug/l*	07/16/12 01:49PM EEW
TETRACHLOROETHENE	EPA 624	ND ug/l	0.110 ug/l*	07/16/12 01:49PM EEW
DIBROMOFLUOROMETHANE	EPA 624	101 %		07/16/12 01:49PM EEW
TOLUENE-D8 (SURR)	EPA 624	100 %		07/16/12 01:49PM EEW
4-BROMOFLUOROBENZENE	EPA 624	99 %		07/16/12 01:49PM EEW

Regulatory authorities are assessing substantial fines for testing omissions. Please track your sample collections and results on a weekly, monthly, or quarterly basis to ensure compliance. QC's internet program 'LIVE ACCESS' will provide you with real-time access to collection dates and results. Please contact Customer Service for further information on acquiring LIVE ACCESS.

* - The "RLs" represents a reporting/quantitation limit. When an "" is present in the column identified as the "RLs", it is being reported as a Method Detection Limit (MDL).



Account No:AL0341, MARYLAND ENVIRONMENTAL SERVICE A
Project No: AL0341 BLK DECK WWTP, BLACK & DECKER WWTP

P.O. No:

Inv. No: MES_AL0341
PWSID No:

Sample Number Sample Description
L4268758-1 BLACK & DECKER 101
Received Date/Time 08/03/12 07:00am

Samp. Date/Time/Temp Sampled by
07/17/12 09:05am NA F Customer

Parameter	Method	Result	RLs	Test Date, Time, Analyst
ENVIRONMENTAL MICROBIOLOGY				
FECAL COLIFORM-MPN CEL(DELAWARE)	SM 9221E	7.8 MPN/100ml	MPN/100ml	07/17/12 01:26PM SUB

Regulatory authorities are assessing substantial fines for testing omissions. Please track your sample collections and results on a weekly, monthly, or quarterly basis to ensure compliance. QC's internet program 'LIVE ACCESS' will provide you with real-time access to collection dates and results. Please contact Customer Service for further information on acquiring LIVE ACCESS.



Account No: AL0341, MARYLAND ENVIRONMENTAL SERVICE A
Project No: AL0341 BLK DECK WWTP, BLACK & DECKER WWTP

P.O. No:

Inv. No: MES_AL0341
PWSID No:

Sample Number Sample Description
L4279739-1 BLACK & DECKER 001 GRAB
Received Date/Time/Temp 08/07/12 04:55pm 5.1 C Iced (Y/N): Y
Samp. Date/Time/Temp Sampled by
08/07/12 09:26am NA F Customer

Parameter	Method	Result	RLs	Test Date, Time, Analyst
-----------	--------	--------	-----	--------------------------

GENERAL CHEMISTRY

BIOCHEMICAL OXYGEN DEMAND (DELAWARE)	SM 5210B	5.00 mg/l	2.00 mg/l	08/08/12 09:20AM SKJ
TOTAL SUSPENDED SOLIDS (DELAWARE)	SM 2540D	18.6 mg/l	5.00 mg/l	08/14/12 12:00AM MS3
HEXANE EXTR.-HEM (OIL+GREASE)	1664A HEM	ND mg/l	5.00 mg/l	08/20/12 12:05PM RHB

GAS CHROMATOGRAPHY MASS SPECTROMETRY; VOLATILES

1,1,1-TRICHLOROETHANE	EPA 624	ND ug/l	0.260 ug/l*	08/14/12 04:03AM EEW
TRICHLOROETHENE	EPA 624	ND ug/l	0.340 ug/l*	08/14/12 04:03AM EEW
TETRACHLOROETHENE	EPA 624	ND ug/l	0.310 ug/l*	08/14/12 04:03AM EEW
DIBROMOFLUOROMETHANE	EPA 624	107 %		08/14/12 04:03AM EEW
TOLUENE-D8 (SURR)	EPA 624	105 %		08/14/12 04:03AM EEW
4-BROMOFLUOROBENZENE	EPA 624	99 %		08/14/12 04:03AM EEW

Notes:

A result of "ND" indicates that the analyte tested was either not detected or the concentration was below the RLs.
Definitions: NEG=negative; POS=positive; COL=colonies; RLs=laboratory reporting limits; LA=laboratory accident; TNTC= Too numerous to count; pres=presumptive
MCL= EPA recommended "maximum contaminant level", PLs = Customer-specific permit limits.
The test results meet all requirements of NELAC unless otherwise specified.
The report shall not be reproduced except in full without the written consent of the laboratory.
Unless otherwise specified, the Environmental and Food Chemistry Testing except field parameters were performed by QC Inc. located at 1205 Industrial Blvd., Southampton, PA 18966; Pharmaceutical, Dairy and Food Microbiological tests were performed by QC Inc. located at 702 Electronic Drive, Horsham, PA 19044.
The reported results relate only to the samples.
All samples are collected as "grab" samples unless otherwise identified.
A result marked with "DRY" indicates that the result was calculated and reported on a dry weight basis.
The following personnel or their deputies have approved the results of the tests performed by QC Inc.: Nicki Smith (Environmental & Food Chemistry), Amanda Lukaszewski (Pharmaceutical), Kim Billington (Dairy & Food Microbiology),
QCL Accreditations: Southampton Div: EPA ID PA00018; NELAP ID's: PA 09-00131, NJ PA166, NY 11223
State ID's: CT PH-0768, DE PA-018, MD 206, SC 89021001; FDA Reg. # : 2515238
E. Rutherford Div: State ID: NJ 02015; Vineland Div: State ID: NJ 06005; Reading Div: State ID: PA 06-03543

Regulatory authorities are assessing substantial fines for testing omissions. Please track your sample collections and results on a weekly, monthly, or quarterly basis to ensure compliance. QC's internet program 'LIVE ACCESS' will provide you with real-time access to collection dates and results. Please contact Customer Service for further information on acquiring LIVE ACCESS.
* - The "RLs" represents a reporting/quantitation limit. When an "*" is present in the column identified as the "RLs", it is being reported as a Method Detection Limit (MDL).



Account No: AL0341, MARYLAND ENVIRONMENTAL SERVICE A
Project No: AL0341 BLK DECK WWTP, BLACK & DECKER WWTP

P.O. No:

Inv. No: MES_AL0341
PWSID No:

Sample Number Sample Description
L4294644-1 LACK & DECKER 101
Received Date/Time 08/21/12 09:00am
Samp. Date/Time/Temp Sampled by
08/07/12 09:15am NA F Customer

Parameter	Method	Result	RLs	Test Date, Time, Analyst
ENVIRONMENTAL MICROBIOLOGY				
FECAL COLIFORM-MPN CEL(DELAWARE)	SM 9221E	49.0 MPN/100ml	MPN/100ml	08/07/12 01:50PM SUB

L4294644-1 :

Fecal coliform was analyzed by Chesapeake Environmental Lab, Inc. in Stevensville, MD.

Notes:

A result of "ND" indicates that the analyte tested was either not detected or the concentration was below the RLs.

Definitions: NEG=negative; POS=positive; COL=colonies; RLs=laboratory reporting limits; L/A=laboratory accident; TNTC= Too numerous to count; pres=presumptive

MCL= EPA recommended "maximum contaminant level", PLs = Customer-specific permit limits.

The test results meet all requirements of NELAC unless otherwise specified.

The report shall not be reproduced except in full without the written consent of the laboratory.

Unless otherwise specified, the Environmental and Food Chemistry Testing except field parameters were performed by QC Inc. located at 1205 Industrial Blvd., Southampton, PA 18966; Pharmaceutical, Dairy and Food Microbiological tests were performed by QC Inc. located at 702 Electronic Drive, Horsham, PA 19044.

The reported results relate only to the samples.

All samples are collected as "grab" samples unless otherwise identified.

A result marked with "DRY" indicates that the result was calculated and reported on a dry weight basis.

The following personnel or their deputies have approved the results of the tests performed by QC Inc.: Nicki Smith (Environmental & Food Chemistry), Amanda Lukaszewski (Pharmaceutical), Kim Billington (Dairy & Food Microbiology),

QCL Accreditations: Southampton Div: EPA ID PA00018; NELAP ID's: PA 09-00131, NJ PA166, NY 11223

State ID's: CT.PH-0768, DE PA-018, MD 206, SC 89021001; FDA Reg. # : 2515238

E. Rutherford Div: State ID: NJ 02015; Vineland Div: State ID: NJ 06005; Reading Div: State ID: PA 06-03543

Regulatory authorities are assessing substantial fines for testing omissions. Please track your sample collections and results on a weekly, monthly, or quarterly basis to ensure compliance. QC's internet program 'LIVE ACCESS' will provide you with real-time access to collection dates and results. Please contact Customer Service for further information on acquiring LIVE ACCESS.



Account No:AL0341, MARYLAND ENVIRONMENTAL SERVICE A
Project No: AL0341 BLK DECK WWTP, BLACK & DECKER WWTP

P.O. No:

Inv. No: MES_AL0341
PWSID No:

Sample Number Sample Description
L4319123-1 BLACK AND DECKER FINAL 001 GRAB
Received Date/Time/Temp 09/11/12 04:47pm 5.1 C Iced (Y/N): Y
Samp. Date/Time/Temp Sampled by
09/11/12 09:05am NA F Customer

Parameter	Method	Result	RLs	Test Date, Time, Analyst
-----------	--------	--------	-----	--------------------------

GENERAL CHEMISTRY

BIOCHEMICAL OXYGEN DEMAND (DELAWARE)	SM 5210B	2.00 mg/l	2.00 mg/l	09/12/12 10:15AM SKJ
TOTAL SUSPENDED SOLIDS (DELAWARE)	SM 2540D	ND mg/l	4.00 mg/l	09/13/12 12:00AM MS3
HEXANE EXTR.-HEM (OIL+GREASE)	1664A HEM	ND mg/l	5.00 mg/l	09/20/12 12:30PM RHB

GAS CHROMATOGRAPHY MASS SPECTROMETRY; VOLATILES

1,1,1-TRICHLOROETHANE	EPA 624	ND ug/l	0.260 ug/l*	09/26/12 12:47AM EEW
TRICHLOROETHENE	EPA 624	ND ug/l	0.340 ug/l*	09/26/12 12:47AM EEW
TETRACHLOROETHENE	EPA 624	ND ug/l	0.310 ug/l*	09/26/12 12:47AM EEW
DIBROMOFLUOROMETHANE	EPA 624	102 %		09/26/12 12:47AM EEW
TOLUENE-D8 (SURR)	EPA 624	100 %		09/26/12 12:47AM EEW
4-BROMOFLUOROBENZENE	EPA 624	100 %		09/26/12 12:47AM EEW

L4319123-1 :

For the 624 fraction: Sample L4319123 1 was run outside method hold time. Results may not be used for regulatory purposes.

For the 624 fraction: Sample L4319123 1 was analyzed one day past the 14 day holding time. Results may not be acceptable for regulatory purposes.

: Sample was received not properly preserved to a pH of <2 for 1664 HEM analysis. The sample was preserved to a pH of < 2 at time of analysis. This sample result may not be used for compliance.

Notes:

A result of "ND" indicates that the analyte tested was either not detected or the concentration was below the RLs.

Definitions: NEG=negative; POS=positive; COL=colonies; RLs=laboratory reporting limits; L/A=laboratory accident; TNTC= Too numerous to count; pres=presumptive

MCL= EPA recommended "maximum contaminant level", PLs = Customer-specific permit limits.

The test results meet all requirements of NELAC unless otherwise specified.

The report shall not be reproduced except in full without the written consent of the laboratory.

Unless otherwise specified, the Environmental and Food Chemistry Testing except field parameters were performed by QC Inc. located at 1205 Industrial Blvd., Southampton, PA 18966; Pharmaceutical, Dairy and Food Microbiological tests were performed by QC Inc. located at 702 Electronic Drive, Horsham, PA 19044.

The reported results relate only to the samples.

All samples are collected as "grab" samples unless otherwise identified.

A result marked with "DRY" indicates that the result was calculated and reported on a dry weight basis.

The following personnel or their deputies have approved the results of the tests performed by QC Inc.: Nicki Smith (Environmental & Food Chemistry), Amanda Lukaszewski (Pharmaceutical), Kim Billington (Dairy & Food Microbiology),

QCL Accreditations: Southampton Div: EPA ID PA00018; NELAP ID's: PA 09-00131, NJ PA166, NY 11223

State ID's: CT PH-0768, DE PA-018, MD 206, SC 89021001; FDA Reg. # : 2515238

E. Rutherford Div: State ID: NJ 02015; Vineland Div: State ID: NJ 06005; Reading Div: State ID: PA 06-03543

Regulatory authorities are assessing substantial fines for testing omissions. Please track your sample collections and results on a weekly, monthly, or quarterly basis to ensure compliance. QC's internet program 'LIVE ACCESS' will provide you with real-time access to collection dates and results. Please contact Customer Service for further information on acquiring LIVE ACCESS.

Oommen V. Kappil
Authorized by: Oommen V. Kappil, QA Director

Account No: AL0341, MARYLAND ENVIRONMENTAL SERVICE A
Project No: AL0341 BLK DECK WWTP, BLACK & DECKER WWTP

P.O. No:

Inv. No: MES_AL0341
PWSID No:

Sample Number	Sample Description	Samp. Date/Time/Temp	Sampled by	
L4333338-1	BLACK & DECKER FINAL 101 Received Date/Time 09/25/12 11:00am	09/11/12 09:05am NA F	Customer	
Parameter	Method	Result	RLs	Test Date, Time, Analyst
ENVIRONMENTAL MICROBIOLOGY				
FECAL COLIFORM-MPN CEL(DELAWARE)	SM 9221E	<1.8 MPN/100ml	MPN/100ml	09/11/12 02:00PM SUB

L4333338-1:

Fecal coliform was analyzed by Chesapeake Environmental Lab, Inc. in Stevensville, MD.

Notes:

A result of "ND" indicates that the analyte tested was either not detected or the concentration was below the RLs.
Definitions: NEG=negative; POS=positive; COL=colonies; RLs=laboratory reporting limits; L/A=laboratory accident; TNTC= Too numerous to count; pres=presumptive
MCL= EPA recommended "maximum contaminant level", PLs = Customer-specific permit limits.
The test results meet all requirements of NELAC unless otherwise specified.
The report shall not be reproduced except in full without the written consent of the laboratory.
Unless otherwise specified, the Environmental and Food Chemistry Testing except field parameters were performed by QC Inc. located at 1205 Industrial Blvd., Southampton, PA 18966; Pharmaceutical, Dairy and Food Microbiological tests were performed by QC Inc. located at 702 Electronic Drive, Horsham, PA 19044.
The reported results relate only to the samples.
All samples are collected as "grab" samples unless otherwise identified.
A result marked with "DRY" indicates that the result was calculated and reported on a dry weight basis.
The following personnel or their deputies have approved the results of the tests performed by QC Inc.: Nicki Smith (Environmental & Food Chemistry), Amanda Lukaszewski (Pharmaceutical), Kim Billington (Dairy & Food Microbiology),
QCL Accreditations: Southampton Div: EPA ID PA00018; NELAP ID's: PA 09-00131, NJ PA166, NY 11223
State ID's: CT PH-0768, DE PA-018, MD 206, SC 89021001; FDA Reg. # : 2515238
E. Rutherford Div: State ID: NJ 02015; Vineland Div: State ID: NJ 06005; Reading Div: State ID: PA 06-03543

Regulatory authorities are assessing substantial fines for testing omissions. Please track your sample collections and results on a weekly, monthly, or quarterly basis to ensure compliance. QC's internet program 'LIVE ACCESS' will provide you with real-time access to collection dates and results. Please contact Customer Service for further information on acquiring LIVE ACCESS.



Account No: AL0341, MARYLAND ENVIRONMENTAL SERVICE A
Project No: AL0341 BLK DECK WWTP, BLACK & DECKER WWTP

P.O. No:

Inv. No: MES_AL0341
PWSID No:

Sample Number Sample Description
L4246871-1 BLACK & DECKER FINAL 201
Received Date/Time/Temp 07/17/12 05:00pm 3.3 C Iced (Y/N): Y
Samp. Date/Time/Temp Sampled by
07/17/12 09:55am NA F Customer

Parameter	Method	Result	RLs	Test Date, Time, Analyst
-----------	--------	--------	-----	--------------------------

GAS CHROMATOGRAPHY MASS SPECTROMETRY; VOLATILES

1,1,1-TRICHLOROETHANE	EPA 8260B	ND ug/l	0.210 ug/l*	07/24/12 03:26PM WJJ
TRICHLOROETHENE	EPA 8260B	ND ug/l	0.250 ug/l*	07/24/12 03:26PM WJJ
TETRACHLOROETHENE	EPA 8260B	ND ug/l	0.370 ug/l*	07/24/12 03:26PM WJJ
DIBROMOFLUOROMETHANE	EPA 8260B	98 %		07/24/12 03:26PM WJJ
TOLUENE-D8 (SURR)	EPA 8260B	100 %		07/24/12 03:26PM WJJ
4-BROMOFLUOROBENZENE	EPA 8260B	101 %		07/24/12 03:26PM WJJ

Regulatory authorities are assessing substantial fines for testing omissions. Please track your sample collections and results on a weekly, monthly, or quarterly basis to ensure compliance. QC's internet program 'LIVE ACCESS' will provide you with real-time access to collection dates and results. Please contact Customer Service for further information on acquiring LIVE ACCESS.

* - The "RLs" represents a reporting/quantitation limit. When an "" is present in the column identified as the "RLs", it is being reported as a Method Detection Limit (MDL).



APPENDIX D
GROUNDWATER ANALYTICAL DATA PACKAGE
(AUGUST 2012)

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Chicago
2417 Bond Street
University Park, IL 60484
Tel: (708)534-5200

TestAmerica Job ID: 500-49626-1
Client Project/Site: Black and Decker

For:
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, Pennsylvania 19380

Attn: Mr. Tom Cornuet



Authorized for release by:
8/31/2012 2:27:01 PM

Richard Wright
Project Manager II
richard.wright@testamericainc.com

LINKS

Review your project
results through

Total Access

Have a Question?

Ask
The
Expert

Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Detection Summary	4
Method Summary	7
Sample Summary	8
Client Sample Results	9
Definitions	61
QC Association	62
Surrogate Summary	63
QC Sample Results	64
Chronicle	73
Certification Summary	77
Chain of Custody	78
Receipt Checklists	81



Case Narrative

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Job ID: 500-49626-1

Laboratory: TestAmerica Chicago

Narrative

Job Narrative
500-49626-1

Comments

No additional comments.

Receipt

The samples were received on 8/25/2012 9:00 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 2.1° C.

Except:

For sample EW-5, all 3 vials have bubbles present.

GC/MS VOA

Method(s) 8260B:

No other analytical or quality issues were noted.

Detection Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: RFW-1A

Lab Sample ID: 500-49626-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	0.47	J	0.50	0.19	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-1B

Lab Sample ID: 500-49626-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	0.52		0.50	0.19	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-2A

Lab Sample ID: 500-49626-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	1.0		0.50	0.19	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-2B

Lab Sample ID: 500-49626-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	0.97		0.50	0.19	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-3B

Lab Sample ID: 500-49626-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	1.5		1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	0.69		0.50	0.19	ug/L	1		8260B	Total/NA
Toluene	0.18	J	0.50	0.11	ug/L	1		8260B	Total/NA
Tetrachloroethene	0.55	J	1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-4A

Lab Sample ID: 500-49626-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	0.70	J	1.0	0.12	ug/L	1		8260B	Total/NA
Chloroform	0.64	J	1.0	0.20	ug/L	1		8260B	Total/NA
Trichloroethene	28		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	20		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-4A DUP

Lab Sample ID: 500-49626-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	0.66	J	1.0	0.12	ug/L	1		8260B	Total/NA
Chloroform	0.59	J	1.0	0.20	ug/L	1		8260B	Total/NA
Trichloroethene	28		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	20		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-4B

Lab Sample ID: 500-49626-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	3.1		1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	11		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	28		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-6

Lab Sample ID: 500-49626-9

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	0.69		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	0.61	J	1.0	0.17	ug/L	1		8260B	Total/NA

Detection Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: RFW-7

Lab Sample ID: 500-49626-10

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	0.23	J	0.50	0.074	ug/L	1		8260B	Total/NA
Trichloroethene	2.2		0.50	0.19	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-9

Lab Sample ID: 500-49626-11

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,1-Dichloroethene	0.84	J	1.0	0.31	ug/L	1		8260B	Total/NA
1,1-Dichloroethane	0.81	J	1.0	0.19	ug/L	1		8260B	Total/NA
cis-1,2-Dichloroethene	16		1.0	0.12	ug/L	1		8260B	Total/NA
1,1,1-Trichloroethane	0.87	J	1.0	0.20	ug/L	1		8260B	Total/NA
Trichloroethene	11		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	6.0		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-11B

Lab Sample ID: 500-49626-12

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	3.0		0.50	0.19	ug/L	1		8260B	Total/NA
Toluene	0.14	J	0.50	0.11	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-12B

Lab Sample ID: 500-49626-13

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	1.8		1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	73		0.50	0.19	ug/L	1		8260B	Total/NA
Toluene	0.14	J	0.50	0.11	ug/L	1		8260B	Total/NA
Tetrachloroethene	4.7		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-13

Lab Sample ID: 500-49626-14

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	0.73	J	1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	2.3		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	13		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-17

Lab Sample ID: 500-49626-15

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	0.94		0.50	0.074	ug/L	1		8260B	Total/NA

Client Sample ID: TRIP BLANK

Lab Sample ID: 500-49626-16

No Detections

Client Sample ID: EW-2

Lab Sample ID: 500-49626-17

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	3.7		1.0	0.12	ug/L	1		8260B	Total/NA
Tetrachloroethene	51		1.0	0.17	ug/L	1		8260B	Total/NA
Trichloroethene - DL	220		2.5	0.95	ug/L	5		8260B	Total/NA

Client Sample ID: EW-3

Lab Sample ID: 500-49626-18

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	1.7		1.0	0.12	ug/L	1		8260B	Total/NA

Detection Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: EW-3 (Continued)

Lab Sample ID: 500-49626-18

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	44		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	1.4		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: EW-4

Lab Sample ID: 500-49626-19

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Tetrachloroethene	16		1.0	0.17	ug/L	1		8260B	Total/NA
Trichloroethene - DL	790		5.0	1.9	ug/L	10		8260B	Total/NA

Client Sample ID: EW-5

Lab Sample ID: 500-49626-20

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	100		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	3.2		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: EW-6

Lab Sample ID: 500-49626-21

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	6.3		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	12		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: EW-7

Lab Sample ID: 500-49626-22

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	3.9		1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	3.2		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	7.1		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: EW-8

Lab Sample ID: 500-49626-23

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,1-Dichloroethane	0.68	J	1.0	0.19	ug/L	1		8260B	Total/NA
cis-1,2-Dichloroethene	24		1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	8.5		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	71		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: EW-9

Lab Sample ID: 500-49626-24

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	0.70		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	85		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: EW-9 DUP

Lab Sample ID: 500-49626-25

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	0.73		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	88		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: EW-10

Lab Sample ID: 500-49626-26

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Tetrachloroethene	0.84	J	1.0	0.17	ug/L	1		8260B	Total/NA

Method Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Method	Method Description	Protocol	Laboratory
8260B	VOC	SW846	TAL CHI

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CHI = TestAmerica Chicago, 2417 Bond Street, University Park, IL 60484, TEL (708)534-5200

5

Sample Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
500-49626-1	RFW-1A	Water	08/23/12 08:20	08/25/12 09:00
500-49626-2	RFW-1B	Water	08/23/12 17:00	08/25/12 09:00
500-49626-3	RFW-2A	Water	08/23/12 09:00	08/25/12 09:00
500-49626-4	RFW-2B	Water	08/23/12 09:20	08/25/12 09:00
500-49626-5	RFW-3B	Water	08/23/12 15:35	08/25/12 09:00
500-49626-6	RFW-4A	Water	08/24/12 08:30	08/25/12 09:00
500-49626-7	RFW-4A DUP	Water	08/24/12 08:30	08/25/12 09:00
500-49626-8	RFW-4B	Water	08/24/12 09:10	08/25/12 09:00
500-49626-9	RFW-6	Water	08/23/12 16:50	08/25/12 09:00
500-49626-10	RFW-7	Water	08/23/12 11:40	08/25/12 09:00
500-49626-11	RFW-9	Water	08/24/12 11:15	08/25/12 09:00
500-49626-12	RFW-11B	Water	08/24/12 12:30	08/25/12 09:00
500-49626-13	RFW-12B	Water	08/23/12 17:45	08/25/12 09:00
500-49626-14	RFW-13	Water	08/23/12 16:35	08/25/12 09:00
500-49626-15	RFW-17	Water	08/23/12 12:35	08/25/12 09:00
500-49626-16	TRIP BLANK	Water	08/23/12 00:00	08/25/12 09:00
500-49626-17	EW-2	Water	08/23/12 17:15	08/25/12 09:00
500-49626-18	EW-3	Water	08/24/12 12:20	08/25/12 09:00
500-49626-19	EW-4	Water	08/24/12 11:55	08/25/12 09:00
500-49626-20	EW-5	Water	08/23/12 08:00	08/25/12 09:00
500-49626-21	EW-6	Water	08/23/12 10:35	08/25/12 09:00
500-49626-22	EW-7	Water	08/23/12 10:25	08/25/12 09:00
500-49626-23	EW-8	Water	08/23/12 10:10	08/25/12 09:00
500-49626-24	EW-9	Water	08/23/12 10:00	08/25/12 09:00
500-49626-25	EW-9 DUP	Water	08/23/12 10:00	08/25/12 09:00
500-49626-26	EW-10	Water	08/23/12 09:30	08/25/12 09:00

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: RFW-1A

Lab Sample ID: 500-49626-1

Date Collected: 08/23/12 08:20

Matrix: Water

Date Received: 08/25/12 09:00

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			08/29/12 15:38	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			08/29/12 15:38	1
Chloromethane	<1.0		1.0	0.18	ug/L			08/29/12 15:38	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			08/29/12 15:38	1
Bromomethane	<1.0		1.0	0.31	ug/L			08/29/12 15:38	1
Chloroethane	<1.0		1.0	0.34	ug/L			08/29/12 15:38	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			08/29/12 15:38	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			08/29/12 15:38	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			08/29/12 15:38	1
Acetone	<5.0		5.0	1.3	ug/L			08/29/12 15:38	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			08/29/12 15:38	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			08/29/12 15:38	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			08/29/12 15:38	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			08/29/12 15:38	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			08/29/12 15:38	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			08/29/12 15:38	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			08/29/12 15:38	1
Chloroform	<1.0		1.0	0.20	ug/L			08/29/12 15:38	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			08/29/12 15:38	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			08/29/12 15:38	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			08/29/12 15:38	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			08/29/12 15:38	1
Trichloroethene	0.47	J	0.50	0.19	ug/L			08/29/12 15:38	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			08/29/12 15:38	1
Dibromomethane	<1.0		1.0	0.33	ug/L			08/29/12 15:38	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			08/29/12 15:38	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			08/29/12 15:38	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			08/29/12 15:38	1
Toluene	<0.50		0.50	0.11	ug/L			08/29/12 15:38	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			08/29/12 15:38	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			08/29/12 15:38	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			08/29/12 15:38	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			08/29/12 15:38	1
2-Hexanone	<5.0		5.0	0.56	ug/L			08/29/12 15:38	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			08/29/12 15:38	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			08/29/12 15:38	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			08/29/12 15:38	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			08/29/12 15:38	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			08/29/12 15:38	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			08/29/12 15:38	1
o-Xylene	<0.50		0.50	0.068	ug/L			08/29/12 15:38	1
Styrene	<1.0		1.0	0.10	ug/L			08/29/12 15:38	1
Bromoform	<1.0		1.0	0.28	ug/L			08/29/12 15:38	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			08/29/12 15:38	1
Bromobenzene	<1.0		1.0	0.25	ug/L			08/29/12 15:38	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			08/29/12 15:38	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			08/29/12 15:38	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			08/29/12 15:38	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			08/29/12 15:38	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			08/29/12 15:38	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			08/29/12 15:38	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: RFW-1A

Lab Sample ID: 500-49626-1

Date Collected: 08/23/12 08:20

Matrix: Water

Date Received: 08/25/12 09:00

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			08/29/12 15:38	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			08/29/12 15:38	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			08/29/12 15:38	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/29/12 15:38	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			08/29/12 15:38	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/29/12 15:38	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			08/29/12 15:38	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			08/29/12 15:38	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			08/29/12 15:38	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			08/29/12 15:38	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			08/29/12 15:38	1
Naphthalene	<1.0		1.0	0.16	ug/L			08/29/12 15:38	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			08/29/12 15:38	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		75 - 131					08/29/12 15:38	1
Toluene-d8 (Surr)	101		80 - 120					08/29/12 15:38	1
4-Bromofluorobenzene (Surr)	100		79 - 120					08/29/12 15:38	1
Dibromofluoromethane	98		74 - 123					08/29/12 15:38	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: RFW-1B
Date Collected: 08/23/12 17:00
Date Received: 08/25/12 09:00

Lab Sample ID: 500-49626-2
Matrix: Water

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			08/29/12 16:02	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			08/29/12 16:02	1
Chloromethane	<1.0		1.0	0.18	ug/L			08/29/12 16:02	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			08/29/12 16:02	1
Bromomethane	<1.0		1.0	0.31	ug/L			08/29/12 16:02	1
Chloroethane	<1.0		1.0	0.34	ug/L			08/29/12 16:02	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			08/29/12 16:02	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			08/29/12 16:02	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			08/29/12 16:02	1
Acetone	<5.0		5.0	1.3	ug/L			08/29/12 16:02	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			08/29/12 16:02	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			08/29/12 16:02	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			08/29/12 16:02	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			08/29/12 16:02	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			08/29/12 16:02	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			08/29/12 16:02	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			08/29/12 16:02	1
Chloroform	<1.0		1.0	0.20	ug/L			08/29/12 16:02	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			08/29/12 16:02	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			08/29/12 16:02	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			08/29/12 16:02	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			08/29/12 16:02	1
Trichloroethene	0.52		0.50	0.19	ug/L			08/29/12 16:02	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			08/29/12 16:02	1
Dibromomethane	<1.0		1.0	0.33	ug/L			08/29/12 16:02	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			08/29/12 16:02	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			08/29/12 16:02	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			08/29/12 16:02	1
Toluene	<0.50		0.50	0.11	ug/L			08/29/12 16:02	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			08/29/12 16:02	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			08/29/12 16:02	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			08/29/12 16:02	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			08/29/12 16:02	1
2-Hexanone	<5.0		5.0	0.56	ug/L			08/29/12 16:02	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			08/29/12 16:02	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			08/29/12 16:02	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			08/29/12 16:02	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			08/29/12 16:02	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			08/29/12 16:02	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			08/29/12 16:02	1
o-Xylene	<0.50		0.50	0.068	ug/L			08/29/12 16:02	1
Styrene	<1.0		1.0	0.10	ug/L			08/29/12 16:02	1
Bromoform	<1.0		1.0	0.28	ug/L			08/29/12 16:02	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			08/29/12 16:02	1
Bromobenzene	<1.0		1.0	0.25	ug/L			08/29/12 16:02	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			08/29/12 16:02	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			08/29/12 16:02	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			08/29/12 16:02	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			08/29/12 16:02	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			08/29/12 16:02	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			08/29/12 16:02	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: RFW-1B

Lab Sample ID: 500-49626-2

Date Collected: 08/23/12 17:00

Matrix: Water

Date Received: 08/25/12 09:00

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			08/29/12 16:02	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			08/29/12 16:02	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			08/29/12 16:02	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/29/12 16:02	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			08/29/12 16:02	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/29/12 16:02	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			08/29/12 16:02	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			08/29/12 16:02	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			08/29/12 16:02	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			08/29/12 16:02	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			08/29/12 16:02	1
Naphthalene	<1.0		1.0	0.16	ug/L			08/29/12 16:02	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			08/29/12 16:02	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		75 - 131		08/29/12 16:02	1
Toluene-d8 (Surr)	102		80 - 120		08/29/12 16:02	1
4-Bromofluorobenzene (Surr)	101		79 - 120		08/29/12 16:02	1
Dibromofluoromethane	101		74 - 123		08/29/12 16:02	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: RFW-2A
Date Collected: 08/23/12 09:00
Date Received: 08/25/12 09:00

Lab Sample ID: 500-49626-3
Matrix: Water

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			08/29/12 16:26	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			08/29/12 16:26	1
Chloromethane	<1.0		1.0	0.18	ug/L			08/29/12 16:26	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			08/29/12 16:26	1
Bromomethane	<1.0		1.0	0.31	ug/L			08/29/12 16:26	1
Chloroethane	<1.0		1.0	0.34	ug/L			08/29/12 16:26	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			08/29/12 16:26	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			08/29/12 16:26	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			08/29/12 16:26	1
Acetone	<5.0		5.0	1.3	ug/L			08/29/12 16:26	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			08/29/12 16:26	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			08/29/12 16:26	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			08/29/12 16:26	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			08/29/12 16:26	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			08/29/12 16:26	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			08/29/12 16:26	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			08/29/12 16:26	1
Chloroform	<1.0		1.0	0.20	ug/L			08/29/12 16:26	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			08/29/12 16:26	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			08/29/12 16:26	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			08/29/12 16:26	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			08/29/12 16:26	1
Trichloroethene	1.0		0.50	0.19	ug/L			08/29/12 16:26	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			08/29/12 16:26	1
Dibromomethane	<1.0		1.0	0.33	ug/L			08/29/12 16:26	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			08/29/12 16:26	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			08/29/12 16:26	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			08/29/12 16:26	1
Toluene	<0.50		0.50	0.11	ug/L			08/29/12 16:26	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			08/29/12 16:26	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			08/29/12 16:26	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			08/29/12 16:26	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			08/29/12 16:26	1
2-Hexanone	<5.0		5.0	0.56	ug/L			08/29/12 16:26	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			08/29/12 16:26	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			08/29/12 16:26	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			08/29/12 16:26	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			08/29/12 16:26	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			08/29/12 16:26	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			08/29/12 16:26	1
o-Xylene	<0.50		0.50	0.068	ug/L			08/29/12 16:26	1
Styrene	<1.0		1.0	0.10	ug/L			08/29/12 16:26	1
Bromoform	<1.0		1.0	0.28	ug/L			08/29/12 16:26	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			08/29/12 16:26	1
Bromobenzene	<1.0		1.0	0.25	ug/L			08/29/12 16:26	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			08/29/12 16:26	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			08/29/12 16:26	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			08/29/12 16:26	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			08/29/12 16:26	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			08/29/12 16:26	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			08/29/12 16:26	1

Client Sample Results

Client: Weston Solutions, Inc.
 Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: RFW-2A

Lab Sample ID: 500-49626-3

Date Collected: 08/23/12 09:00

Matrix: Water

Date Received: 08/25/12 09:00

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			08/29/12 16:26	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			08/29/12 16:26	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			08/29/12 16:26	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/29/12 16:26	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			08/29/12 16:26	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/29/12 16:26	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			08/29/12 16:26	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			08/29/12 16:26	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			08/29/12 16:26	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			08/29/12 16:26	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			08/29/12 16:26	1
Naphthalene	<1.0		1.0	0.16	ug/L			08/29/12 16:26	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			08/29/12 16:26	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		75 - 131		08/29/12 16:26	1
Toluene-d8 (Surr)	102		80 - 120		08/29/12 16:26	1
4-Bromofluorobenzene (Surr)	101		79 - 120		08/29/12 16:26	1
Dibromofluoromethane	101		74 - 123		08/29/12 16:26	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: RFW-2B

Lab Sample ID: 500-49626-4

Date Collected: 08/23/12 09:20

Matrix: Water

Date Received: 08/25/12 09:00

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			08/29/12 16:51	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			08/29/12 16:51	1
Chloromethane	<1.0		1.0	0.18	ug/L			08/29/12 16:51	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			08/29/12 16:51	1
Bromomethane	<1.0		1.0	0.31	ug/L			08/29/12 16:51	1
Chloroethane	<1.0		1.0	0.34	ug/L			08/29/12 16:51	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			08/29/12 16:51	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			08/29/12 16:51	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			08/29/12 16:51	1
Acetone	<5.0		5.0	1.3	ug/L			08/29/12 16:51	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			08/29/12 16:51	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			08/29/12 16:51	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			08/29/12 16:51	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			08/29/12 16:51	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			08/29/12 16:51	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			08/29/12 16:51	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			08/29/12 16:51	1
Chloroform	<1.0		1.0	0.20	ug/L			08/29/12 16:51	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			08/29/12 16:51	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			08/29/12 16:51	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			08/29/12 16:51	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			08/29/12 16:51	1
Trichloroethene	0.97		0.50	0.19	ug/L			08/29/12 16:51	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			08/29/12 16:51	1
Dibromomethane	<1.0		1.0	0.33	ug/L			08/29/12 16:51	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			08/29/12 16:51	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			08/29/12 16:51	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			08/29/12 16:51	1
Toluene	<0.50		0.50	0.11	ug/L			08/29/12 16:51	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			08/29/12 16:51	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			08/29/12 16:51	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			08/29/12 16:51	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			08/29/12 16:51	1
2-Hexanone	<5.0		5.0	0.56	ug/L			08/29/12 16:51	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			08/29/12 16:51	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			08/29/12 16:51	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			08/29/12 16:51	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			08/29/12 16:51	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			08/29/12 16:51	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			08/29/12 16:51	1
o-Xylene	<0.50		0.50	0.068	ug/L			08/29/12 16:51	1
Styrene	<1.0		1.0	0.10	ug/L			08/29/12 16:51	1
Bromoform	<1.0		1.0	0.28	ug/L			08/29/12 16:51	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			08/29/12 16:51	1
Bromobenzene	<1.0		1.0	0.25	ug/L			08/29/12 16:51	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			08/29/12 16:51	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			08/29/12 16:51	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			08/29/12 16:51	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			08/29/12 16:51	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			08/29/12 16:51	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			08/29/12 16:51	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: RFW-2B

Date Collected: 08/23/12 09:20

Date Received: 08/25/12 09:00

Lab Sample ID: 500-49626-4

Matrix: Water

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			08/29/12 16:51	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			08/29/12 16:51	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			08/29/12 16:51	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/29/12 16:51	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			08/29/12 16:51	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/29/12 16:51	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			08/29/12 16:51	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			08/29/12 16:51	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			08/29/12 16:51	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			08/29/12 16:51	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			08/29/12 16:51	1
Naphthalene	<1.0		1.0	0.16	ug/L			08/29/12 16:51	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			08/29/12 16:51	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		75 - 131		08/29/12 16:51	1
Toluene-d8 (Surr)	98		80 - 120		08/29/12 16:51	1
4-Bromofluorobenzene (Surr)	93		79 - 120		08/29/12 16:51	1
Dibromofluoromethane	98		74 - 123		08/29/12 16:51	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: RFW-3B

Lab Sample ID: 500-49626-5

Date Collected: 08/23/12 15:35

Matrix: Water

Date Received: 08/25/12 09:00

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			08/29/12 17:15	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			08/29/12 17:15	1
Chloromethane	<1.0		1.0	0.18	ug/L			08/29/12 17:15	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			08/29/12 17:15	1
Bromomethane	<1.0		1.0	0.31	ug/L			08/29/12 17:15	1
Chloroethane	<1.0		1.0	0.34	ug/L			08/29/12 17:15	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			08/29/12 17:15	1
1,1-Dichloroethane	<1.0		1.0	0.31	ug/L			08/29/12 17:15	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			08/29/12 17:15	1
Acetone	<5.0		5.0	1.3	ug/L			08/29/12 17:15	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			08/29/12 17:15	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			08/29/12 17:15	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			08/29/12 17:15	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			08/29/12 17:15	1
cis-1,2-Dichloroethene	1.5		1.0	0.12	ug/L			08/29/12 17:15	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			08/29/12 17:15	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			08/29/12 17:15	1
Chloroform	<1.0		1.0	0.20	ug/L			08/29/12 17:15	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			08/29/12 17:15	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			08/29/12 17:15	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			08/29/12 17:15	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			08/29/12 17:15	1
Trichloroethene	0.69		0.50	0.19	ug/L			08/29/12 17:15	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			08/29/12 17:15	1
Dibromomethane	<1.0		1.0	0.33	ug/L			08/29/12 17:15	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			08/29/12 17:15	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			08/29/12 17:15	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			08/29/12 17:15	1
Toluene	0.18	J	0.50	0.11	ug/L			08/29/12 17:15	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			08/29/12 17:15	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			08/29/12 17:15	1
Tetrachloroethene	0.55	J	1.0	0.17	ug/L			08/29/12 17:15	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			08/29/12 17:15	1
2-Hexanone	<5.0		5.0	0.56	ug/L			08/29/12 17:15	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			08/29/12 17:15	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			08/29/12 17:15	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			08/29/12 17:15	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			08/29/12 17:15	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			08/29/12 17:15	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			08/29/12 17:15	1
o-Xylene	<0.50		0.50	0.068	ug/L			08/29/12 17:15	1
Styrene	<1.0		1.0	0.10	ug/L			08/29/12 17:15	1
Bromoform	<1.0		1.0	0.28	ug/L			08/29/12 17:15	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			08/29/12 17:15	1
Bromobenzene	<1.0		1.0	0.25	ug/L			08/29/12 17:15	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			08/29/12 17:15	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			08/29/12 17:15	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			08/29/12 17:15	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			08/29/12 17:15	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			08/29/12 17:15	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			08/29/12 17:15	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: RFW-3B

Lab Sample ID: 500-49626-5

Date Collected: 08/23/12 15:35

Matrix: Water

Date Received: 08/25/12 09:00

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			08/29/12 17:15	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			08/29/12 17:15	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			08/29/12 17:15	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/29/12 17:15	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			08/29/12 17:15	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/29/12 17:15	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			08/29/12 17:15	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			08/29/12 17:15	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			08/29/12 17:15	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			08/29/12 17:15	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			08/29/12 17:15	1
Naphthalene	<1.0		1.0	0.16	ug/L			08/29/12 17:15	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			08/29/12 17:15	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		75 - 131					08/29/12 17:15	1
Toluene-d8 (Surr)	102		80 - 120					08/29/12 17:15	1
4-Bromofluorobenzene (Surr)	99		79 - 120					08/29/12 17:15	1
Dibromofluoromethane	100		74 - 123					08/29/12 17:15	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: RFW-4A

Lab Sample ID: 500-49626-6

Date Collected: 08/24/12 08:30

Matrix: Water

Date Received: 08/25/12 09:00

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			08/29/12 17:39	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			08/29/12 17:39	1
Chloromethane	<1.0		1.0	0.18	ug/L			08/29/12 17:39	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			08/29/12 17:39	1
Bromomethane	<1.0		1.0	0.31	ug/L			08/29/12 17:39	1
Chloroethane	<1.0		1.0	0.34	ug/L			08/29/12 17:39	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			08/29/12 17:39	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			08/29/12 17:39	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			08/29/12 17:39	1
Acetone	<5.0		5.0	1.3	ug/L			08/29/12 17:39	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			08/29/12 17:39	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			08/29/12 17:39	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			08/29/12 17:39	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			08/29/12 17:39	1
cis-1,2-Dichloroethene	0.70	J	1.0	0.12	ug/L			08/29/12 17:39	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			08/29/12 17:39	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			08/29/12 17:39	1
Chloroform	0.64	J	1.0	0.20	ug/L			08/29/12 17:39	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			08/29/12 17:39	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			08/29/12 17:39	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			08/29/12 17:39	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			08/29/12 17:39	1
Trichloroethene	28		0.50	0.19	ug/L			08/29/12 17:39	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			08/29/12 17:39	1
Dibromomethane	<1.0		1.0	0.33	ug/L			08/29/12 17:39	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			08/29/12 17:39	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			08/29/12 17:39	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			08/29/12 17:39	1
Toluene	<0.50		0.50	0.11	ug/L			08/29/12 17:39	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			08/29/12 17:39	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			08/29/12 17:39	1
Tetrachloroethene	20		1.0	0.17	ug/L			08/29/12 17:39	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			08/29/12 17:39	1
2-Hexanone	<5.0		5.0	0.56	ug/L			08/29/12 17:39	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			08/29/12 17:39	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			08/29/12 17:39	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			08/29/12 17:39	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			08/29/12 17:39	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			08/29/12 17:39	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			08/29/12 17:39	1
o-Xylene	<0.50		0.50	0.068	ug/L			08/29/12 17:39	1
Styrene	<1.0		1.0	0.10	ug/L			08/29/12 17:39	1
Bromoform	<1.0		1.0	0.28	ug/L			08/29/12 17:39	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			08/29/12 17:39	1
Bromobenzene	<1.0		1.0	0.25	ug/L			08/29/12 17:39	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			08/29/12 17:39	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			08/29/12 17:39	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			08/29/12 17:39	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			08/29/12 17:39	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			08/29/12 17:39	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			08/29/12 17:39	1

Client Sample Results

Client: Weston Solutions, Inc.
 Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: RFW-4A

Lab Sample ID: 500-49626-6

Date Collected: 08/24/12 08:30

Matrix: Water

Date Received: 08/25/12 09:00

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			08/29/12 17:39	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			08/29/12 17:39	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			08/29/12 17:39	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/29/12 17:39	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			08/29/12 17:39	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/29/12 17:39	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			08/29/12 17:39	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			08/29/12 17:39	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			08/29/12 17:39	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			08/29/12 17:39	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			08/29/12 17:39	1
Naphthalene	<1.0		1.0	0.16	ug/L			08/29/12 17:39	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			08/29/12 17:39	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		75 - 131		08/29/12 17:39	1
Toluene-d8 (Surr)	104		80 - 120		08/29/12 17:39	1
4-Bromofluorobenzene (Surr)	99		79 - 120		08/29/12 17:39	1
Dibromofluoromethane	101		74 - 123		08/29/12 17:39	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: RFW-4A DUP

Lab Sample ID: 500-49626-7

Date Collected: 08/24/12 08:30

Matrix: Water

Date Received: 08/25/12 09:00

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			08/29/12 18:03	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			08/29/12 18:03	1
Chloromethane	<1.0		1.0	0.18	ug/L			08/29/12 18:03	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			08/29/12 18:03	1
Bromomethane	<1.0		1.0	0.31	ug/L			08/29/12 18:03	1
Chloroethane	<1.0		1.0	0.34	ug/L			08/29/12 18:03	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			08/29/12 18:03	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			08/29/12 18:03	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			08/29/12 18:03	1
Acetone	<5.0		5.0	1.3	ug/L			08/29/12 18:03	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			08/29/12 18:03	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			08/29/12 18:03	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			08/29/12 18:03	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			08/29/12 18:03	1
cis-1,2-Dichloroethene	0.66	J	1.0	0.12	ug/L			08/29/12 18:03	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			08/29/12 18:03	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			08/29/12 18:03	1
Chloroform	0.59	J	1.0	0.20	ug/L			08/29/12 18:03	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			08/29/12 18:03	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			08/29/12 18:03	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			08/29/12 18:03	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			08/29/12 18:03	1
Trichloroethene	28		0.50	0.19	ug/L			08/29/12 18:03	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			08/29/12 18:03	1
Dibromomethane	<1.0		1.0	0.33	ug/L			08/29/12 18:03	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			08/29/12 18:03	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			08/29/12 18:03	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			08/29/12 18:03	1
Toluene	<0.50		0.50	0.11	ug/L			08/29/12 18:03	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			08/29/12 18:03	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			08/29/12 18:03	1
Tetrachloroethene	20		1.0	0.17	ug/L			08/29/12 18:03	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			08/29/12 18:03	1
2-Hexanone	<5.0		5.0	0.56	ug/L			08/29/12 18:03	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			08/29/12 18:03	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			08/29/12 18:03	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			08/29/12 18:03	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			08/29/12 18:03	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			08/29/12 18:03	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			08/29/12 18:03	1
o-Xylene	<0.50		0.50	0.068	ug/L			08/29/12 18:03	1
Styrene	<1.0		1.0	0.10	ug/L			08/29/12 18:03	1
Bromoform	<1.0		1.0	0.28	ug/L			08/29/12 18:03	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			08/29/12 18:03	1
Bromobenzene	<1.0		1.0	0.25	ug/L			08/29/12 18:03	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			08/29/12 18:03	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			08/29/12 18:03	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			08/29/12 18:03	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			08/29/12 18:03	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			08/29/12 18:03	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			08/29/12 18:03	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: RFW-4A DUP

Lab Sample ID: 500-49626-7

Date Collected: 08/24/12 08:30

Matrix: Water

Date Received: 08/25/12 09:00

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			08/29/12 18:03	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			08/29/12 18:03	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			08/29/12 18:03	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/29/12 18:03	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			08/29/12 18:03	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/29/12 18:03	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			08/29/12 18:03	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			08/29/12 18:03	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			08/29/12 18:03	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			08/29/12 18:03	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			08/29/12 18:03	1
Naphthalene	<1.0		1.0	0.16	ug/L			08/29/12 18:03	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			08/29/12 18:03	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		75 - 131		08/29/12 18:03	1
Toluene-d8 (Surr)	103		80 - 120		08/29/12 18:03	1
4-Bromofluorobenzene (Surr)	101		79 - 120		08/29/12 18:03	1
Dibromofluoromethane	101		74 - 123		08/29/12 18:03	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: RFW-4B

Lab Sample ID: 500-49626-8

Date Collected: 08/24/12 09:10

Matrix: Water

Date Received: 08/25/12 09:00

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			08/29/12 18:27	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			08/29/12 18:27	1
Chloromethane	<1.0		1.0	0.18	ug/L			08/29/12 18:27	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			08/29/12 18:27	1
Bromomethane	<1.0		1.0	0.31	ug/L			08/29/12 18:27	1
Chloroethane	<1.0		1.0	0.34	ug/L			08/29/12 18:27	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			08/29/12 18:27	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			08/29/12 18:27	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			08/29/12 18:27	1
Acetone	<5.0		5.0	1.3	ug/L			08/29/12 18:27	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			08/29/12 18:27	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			08/29/12 18:27	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			08/29/12 18:27	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			08/29/12 18:27	1
cis-1,2-Dichloroethene	3.1		1.0	0.12	ug/L			08/29/12 18:27	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			08/29/12 18:27	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			08/29/12 18:27	1
Chloroform	<1.0		1.0	0.20	ug/L			08/29/12 18:27	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			08/29/12 18:27	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			08/29/12 18:27	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			08/29/12 18:27	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			08/29/12 18:27	1
Trichloroethene	11		0.50	0.19	ug/L			08/29/12 18:27	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			08/29/12 18:27	1
Dibromomethane	<1.0		1.0	0.33	ug/L			08/29/12 18:27	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			08/29/12 18:27	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			08/29/12 18:27	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			08/29/12 18:27	1
Toluene	<0.50		0.50	0.11	ug/L			08/29/12 18:27	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			08/29/12 18:27	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			08/29/12 18:27	1
Tetrachloroethene	28		1.0	0.17	ug/L			08/29/12 18:27	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			08/29/12 18:27	1
2-Hexanone	<5.0		5.0	0.56	ug/L			08/29/12 18:27	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			08/29/12 18:27	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			08/29/12 18:27	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			08/29/12 18:27	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			08/29/12 18:27	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			08/29/12 18:27	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			08/29/12 18:27	1
o-Xylene	<0.50		0.50	0.068	ug/L			08/29/12 18:27	1
Styrene	<1.0		1.0	0.10	ug/L			08/29/12 18:27	1
Bromoform	<1.0		1.0	0.28	ug/L			08/29/12 18:27	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			08/29/12 18:27	1
Bromobenzene	<1.0		1.0	0.25	ug/L			08/29/12 18:27	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			08/29/12 18:27	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			08/29/12 18:27	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			08/29/12 18:27	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			08/29/12 18:27	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			08/29/12 18:27	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			08/29/12 18:27	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: RFW-4B

Lab Sample ID: 500-49626-8

Date Collected: 08/24/12 09:10

Matrix: Water

Date Received: 08/25/12 09:00

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	DII Fac
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			08/29/12 18:27	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			08/29/12 18:27	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			08/29/12 18:27	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/29/12 18:27	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			08/29/12 18:27	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/29/12 18:27	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			08/29/12 18:27	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			08/29/12 18:27	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			08/29/12 18:27	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			08/29/12 18:27	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			08/29/12 18:27	1
Naphthalene	<1.0		1.0	0.16	ug/L			08/29/12 18:27	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			08/29/12 18:27	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	DII Fac
1,2-Dichloroethane-d4 (Surr)	101		75 - 131		08/29/12 18:27	1
Toluene-d8 (Surr)	101		80 - 120		08/29/12 18:27	1
4-Bromofluorobenzene (Surr)	98		79 - 120		08/29/12 18:27	1
Dibromofluoromethane	98		74 - 123		08/29/12 18:27	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: RFW-6

Lab Sample ID: 500-49626-9

Date Collected: 08/23/12 16:50

Matrix: Water

Date Received: 08/25/12 09:00

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			08/29/12 18:51	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			08/29/12 18:51	1
Chloromethane	<1.0		1.0	0.18	ug/L			08/29/12 18:51	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			08/29/12 18:51	1
Bromomethane	<1.0		1.0	0.31	ug/L			08/29/12 18:51	1
Chloroethane	<1.0		1.0	0.34	ug/L			08/29/12 18:51	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			08/29/12 18:51	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			08/29/12 18:51	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			08/29/12 18:51	1
Acetone	<5.0		5.0	1.3	ug/L			08/29/12 18:51	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			08/29/12 18:51	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			08/29/12 18:51	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			08/29/12 18:51	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			08/29/12 18:51	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			08/29/12 18:51	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			08/29/12 18:51	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			08/29/12 18:51	1
Chloroform	<1.0		1.0	0.20	ug/L			08/29/12 18:51	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			08/29/12 18:51	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			08/29/12 18:51	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			08/29/12 18:51	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			08/29/12 18:51	1
Trichloroethene	0.69		0.50	0.19	ug/L			08/29/12 18:51	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			08/29/12 18:51	1
Dibromomethane	<1.0		1.0	0.33	ug/L			08/29/12 18:51	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			08/29/12 18:51	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			08/29/12 18:51	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			08/29/12 18:51	1
Toluene	<0.50		0.50	0.11	ug/L			08/29/12 18:51	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			08/29/12 18:51	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			08/29/12 18:51	1
Tetrachloroethene	0.61	J	1.0	0.17	ug/L			08/29/12 18:51	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			08/29/12 18:51	1
2-Hexanone	<5.0		5.0	0.56	ug/L			08/29/12 18:51	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			08/29/12 18:51	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			08/29/12 18:51	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			08/29/12 18:51	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			08/29/12 18:51	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			08/29/12 18:51	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			08/29/12 18:51	1
o-Xylene	<0.50		0.50	0.068	ug/L			08/29/12 18:51	1
Styrene	<1.0		1.0	0.10	ug/L			08/29/12 18:51	1
Bromoform	<1.0		1.0	0.28	ug/L			08/29/12 18:51	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			08/29/12 18:51	1
Bromobenzene	<1.0		1.0	0.25	ug/L			08/29/12 18:51	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			08/29/12 18:51	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			08/29/12 18:51	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			08/29/12 18:51	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			08/29/12 18:51	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			08/29/12 18:51	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			08/29/12 18:51	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: RFW-6

Lab Sample ID: 500-49626-9

Date Collected: 08/23/12 16:50

Matrix: Water

Date Received: 08/25/12 09:00

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			08/29/12 18:51	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			08/29/12 18:51	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			08/29/12 18:51	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/29/12 18:51	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			08/29/12 18:51	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/29/12 18:51	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			08/29/12 18:51	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			08/29/12 18:51	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			08/29/12 18:51	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			08/29/12 18:51	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			08/29/12 18:51	1
Naphthalene	<1.0		1.0	0.16	ug/L			08/29/12 18:51	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			08/29/12 18:51	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		75 - 131					08/29/12 18:51	1
Toluene-d8 (Surr)	102		80 - 120					08/29/12 18:51	1
4-Bromofluorobenzene (Surr)	100		79 - 120					08/29/12 18:51	1
Dibromofluoromethane	101		74 - 123					08/29/12 18:51	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: RFW-7
Date Collected: 08/23/12 11:40
Date Received: 08/25/12 09:00

Lab Sample ID: 500-49626-10
Matrix: Water

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.23	J	0.50	0.074	ug/L			08/29/12 19:15	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			08/29/12 19:15	1
Chloromethane	<1.0		1.0	0.18	ug/L			08/29/12 19:15	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			08/29/12 19:15	1
Bromomethane	<1.0		1.0	0.31	ug/L			08/29/12 19:15	1
Chloroethane	<1.0		1.0	0.34	ug/L			08/29/12 19:15	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			08/29/12 19:15	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			08/29/12 19:15	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			08/29/12 19:15	1
Acetone	<5.0		5.0	1.3	ug/L			08/29/12 19:15	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			08/29/12 19:15	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			08/29/12 19:15	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			08/29/12 19:15	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			08/29/12 19:15	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			08/29/12 19:15	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			08/29/12 19:15	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			08/29/12 19:15	1
Chloroform	<1.0		1.0	0.20	ug/L			08/29/12 19:15	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			08/29/12 19:15	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			08/29/12 19:15	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			08/29/12 19:15	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			08/29/12 19:15	1
Trichloroethene	2.2		0.50	0.19	ug/L			08/29/12 19:15	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			08/29/12 19:15	1
Dibromomethane	<1.0		1.0	0.33	ug/L			08/29/12 19:15	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			08/29/12 19:15	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			08/29/12 19:15	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			08/29/12 19:15	1
Toluene	<0.50		0.50	0.11	ug/L			08/29/12 19:15	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			08/29/12 19:15	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			08/29/12 19:15	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			08/29/12 19:15	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			08/29/12 19:15	1
2-Hexanone	<5.0		5.0	0.56	ug/L			08/29/12 19:15	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			08/29/12 19:15	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			08/29/12 19:15	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			08/29/12 19:15	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			08/29/12 19:15	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			08/29/12 19:15	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			08/29/12 19:15	1
o-Xylene	<0.50		0.50	0.068	ug/L			08/29/12 19:15	1
Styrene	<1.0		1.0	0.10	ug/L			08/29/12 19:15	1
Bromoform	<1.0		1.0	0.28	ug/L			08/29/12 19:15	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			08/29/12 19:15	1
Bromobenzene	<1.0		1.0	0.25	ug/L			08/29/12 19:15	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			08/29/12 19:15	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			08/29/12 19:15	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			08/29/12 19:15	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			08/29/12 19:15	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			08/29/12 19:15	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			08/29/12 19:15	1

Client Sample Results

Client: Weston Solutions, Inc.
 Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: RFW-7

Lab Sample ID: 500-49626-10

Date Collected: 08/23/12 11:40

Matrix: Water

Date Received: 08/25/12 09:00

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			08/29/12 19:15	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			08/29/12 19:15	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			08/29/12 19:15	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/29/12 19:15	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			08/29/12 19:15	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/29/12 19:15	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			08/29/12 19:15	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			08/29/12 19:15	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			08/29/12 19:15	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			08/29/12 19:15	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			08/29/12 19:15	1
Naphthalene	<1.0		1.0	0.16	ug/L			08/29/12 19:15	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			08/29/12 19:15	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		75 - 131					08/29/12 19:15	1
Toluene-d8 (Surr)	101		80 - 120					08/29/12 19:15	1
4-Bromofluorobenzene (Surr)	100		79 - 120					08/29/12 19:15	1
Dibromofluoromethane	99		74 - 123					08/29/12 19:15	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: RFW-9
Date Collected: 08/24/12 11:15
Date Received: 08/25/12 09:00

Lab Sample ID: 500-49626-11
Matrix: Water

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			08/29/12 19:39	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			08/29/12 19:39	1
Chloromethane	<1.0		1.0	0.18	ug/L			08/29/12 19:39	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			08/29/12 19:39	1
Bromomethane	<1.0		1.0	0.31	ug/L			08/29/12 19:39	1
Chloroethane	<1.0		1.0	0.34	ug/L			08/29/12 19:39	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			08/29/12 19:39	1
1,1-Dichloroethene	0.84	J	1.0	0.31	ug/L			08/29/12 19:39	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			08/29/12 19:39	1
Acetone	<5.0		5.0	1.3	ug/L			08/29/12 19:39	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			08/29/12 19:39	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			08/29/12 19:39	1
1,1-Dichloroethane	0.81	J	1.0	0.19	ug/L			08/29/12 19:39	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			08/29/12 19:39	1
cis-1,2-Dichloroethene	16		1.0	0.12	ug/L			08/29/12 19:39	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			08/29/12 19:39	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			08/29/12 19:39	1
Chloroform	<1.0		1.0	0.20	ug/L			08/29/12 19:39	1
1,1,1-Trichloroethane	0.87	J	1.0	0.20	ug/L			08/29/12 19:39	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			08/29/12 19:39	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			08/29/12 19:39	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			08/29/12 19:39	1
Trichloroethene	11		0.50	0.19	ug/L			08/29/12 19:39	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			08/29/12 19:39	1
Dibromomethane	<1.0		1.0	0.33	ug/L			08/29/12 19:39	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			08/29/12 19:39	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			08/29/12 19:39	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			08/29/12 19:39	1
Toluene	<0.50		0.50	0.11	ug/L			08/29/12 19:39	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			08/29/12 19:39	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			08/29/12 19:39	1
Tetrachloroethene	6.0		1.0	0.17	ug/L			08/29/12 19:39	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			08/29/12 19:39	1
2-Hexanone	<5.0		5.0	0.56	ug/L			08/29/12 19:39	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			08/29/12 19:39	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			08/29/12 19:39	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			08/29/12 19:39	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			08/29/12 19:39	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			08/29/12 19:39	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			08/29/12 19:39	1
o-Xylene	<0.50		0.50	0.068	ug/L			08/29/12 19:39	1
Styrene	<1.0		1.0	0.10	ug/L			08/29/12 19:39	1
Bromoform	<1.0		1.0	0.28	ug/L			08/29/12 19:39	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			08/29/12 19:39	1
Bromobenzene	<1.0		1.0	0.25	ug/L			08/29/12 19:39	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			08/29/12 19:39	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			08/29/12 19:39	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			08/29/12 19:39	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			08/29/12 19:39	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			08/29/12 19:39	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			08/29/12 19:39	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: RFW-9

Lab Sample ID: 500-49626-11

Date Collected: 08/24/12 11:15

Matrix: Water

Date Received: 08/25/12 09:00

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			08/29/12 19:39	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			08/29/12 19:39	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			08/29/12 19:39	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/29/12 19:39	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			08/29/12 19:39	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/29/12 19:39	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			08/29/12 19:39	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			08/29/12 19:39	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			08/29/12 19:39	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			08/29/12 19:39	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			08/29/12 19:39	1
Naphthalene	<1.0		1.0	0.16	ug/L			08/29/12 19:39	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			08/29/12 19:39	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		75 - 131					08/29/12 19:39	1
Toluene-d8 (Surr)	102		80 - 120					08/29/12 19:39	1
4-Bromofluorobenzene (Surr)	97		79 - 120					08/29/12 19:39	1
Dibromofluoromethane	98		74 - 123					08/29/12 19:39	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: RFW-11B

Lab Sample ID: 500-49626-12

Date Collected: 08/24/12 12:30

Matrix: Water

Date Received: 08/25/12 09:00

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			08/29/12 20:03	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			08/29/12 20:03	1
Chloromethane	<1.0		1.0	0.18	ug/L			08/29/12 20:03	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			08/29/12 20:03	1
Bromomethane	<1.0		1.0	0.31	ug/L			08/29/12 20:03	1
Chloroethane	<1.0		1.0	0.34	ug/L			08/29/12 20:03	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			08/29/12 20:03	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			08/29/12 20:03	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			08/29/12 20:03	1
Acetone	<5.0		5.0	1.3	ug/L			08/29/12 20:03	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			08/29/12 20:03	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			08/29/12 20:03	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			08/29/12 20:03	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			08/29/12 20:03	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			08/29/12 20:03	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			08/29/12 20:03	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			08/29/12 20:03	1
Chloroform	<1.0		1.0	0.20	ug/L			08/29/12 20:03	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			08/29/12 20:03	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			08/29/12 20:03	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			08/29/12 20:03	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			08/29/12 20:03	1
Trichloroethene	3.0	J	0.50	0.19	ug/L			08/29/12 20:03	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			08/29/12 20:03	1
Dibromomethane	<1.0		1.0	0.33	ug/L			08/29/12 20:03	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			08/29/12 20:03	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			08/29/12 20:03	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			08/29/12 20:03	1
Toluene	0.14	J	0.50	0.11	ug/L			08/29/12 20:03	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			08/29/12 20:03	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			08/29/12 20:03	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			08/29/12 20:03	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			08/29/12 20:03	1
2-Hexanone	<5.0		5.0	0.56	ug/L			08/29/12 20:03	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			08/29/12 20:03	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			08/29/12 20:03	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			08/29/12 20:03	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			08/29/12 20:03	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			08/29/12 20:03	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			08/29/12 20:03	1
o-Xylene	<0.50		0.50	0.068	ug/L			08/29/12 20:03	1
Styrene	<1.0		1.0	0.10	ug/L			08/29/12 20:03	1
Bromoform	<1.0		1.0	0.28	ug/L			08/29/12 20:03	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			08/29/12 20:03	1
Bromobenzene	<1.0		1.0	0.25	ug/L			08/29/12 20:03	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			08/29/12 20:03	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			08/29/12 20:03	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			08/29/12 20:03	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			08/29/12 20:03	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			08/29/12 20:03	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			08/29/12 20:03	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: RFW-11B

Lab Sample ID: 500-49626-12

Date Collected: 08/24/12 12:30

Matrix: Water

Date Received: 08/25/12 09:00

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			08/29/12 20:03	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			08/29/12 20:03	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			08/29/12 20:03	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/29/12 20:03	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			08/29/12 20:03	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/29/12 20:03	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			08/29/12 20:03	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			08/29/12 20:03	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			08/29/12 20:03	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			08/29/12 20:03	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			08/29/12 20:03	1
Naphthalene	<1.0		1.0	0.16	ug/L			08/29/12 20:03	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			08/29/12 20:03	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		75 - 131					08/29/12 20:03	1
Toluene-d8 (Surr)	103		80 - 120					08/29/12 20:03	1
4-Bromofluorobenzene (Surr)	100		79 - 120					08/29/12 20:03	1
Dibromofluoromethane	104		74 - 123					08/29/12 20:03	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: RFW-12B

Lab Sample ID: 500-49626-13

Date Collected: 08/23/12 17:45

Matrix: Water

Date Received: 08/25/12 09:00

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			08/29/12 20:27	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			08/29/12 20:27	1
Chloromethane	<1.0		1.0	0.18	ug/L			08/29/12 20:27	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			08/29/12 20:27	1
Bromomethane	<1.0		1.0	0.31	ug/L			08/29/12 20:27	1
Chloroethane	<1.0		1.0	0.34	ug/L			08/29/12 20:27	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			08/29/12 20:27	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			08/29/12 20:27	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			08/29/12 20:27	1
Acetone	<5.0		5.0	1.3	ug/L			08/29/12 20:27	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			08/29/12 20:27	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			08/29/12 20:27	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			08/29/12 20:27	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			08/29/12 20:27	1
cis-1,2-Dichloroethene	1.8		1.0	0.12	ug/L			08/29/12 20:27	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			08/29/12 20:27	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			08/29/12 20:27	1
Chloroform	<1.0		1.0	0.20	ug/L			08/29/12 20:27	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			08/29/12 20:27	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			08/29/12 20:27	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			08/29/12 20:27	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			08/29/12 20:27	1
Trichloroethene	73		0.50	0.19	ug/L			08/29/12 20:27	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			08/29/12 20:27	1
Dibromomethane	<1.0		1.0	0.33	ug/L			08/29/12 20:27	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			08/29/12 20:27	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			08/29/12 20:27	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			08/29/12 20:27	1
Toluene	0.14	J	0.50	0.11	ug/L			08/29/12 20:27	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			08/29/12 20:27	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			08/29/12 20:27	1
Tetrachloroethene	4.7		1.0	0.17	ug/L			08/29/12 20:27	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			08/29/12 20:27	1
2-Hexanone	<5.0		5.0	0.56	ug/L			08/29/12 20:27	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			08/29/12 20:27	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			08/29/12 20:27	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			08/29/12 20:27	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			08/29/12 20:27	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			08/29/12 20:27	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			08/29/12 20:27	1
o-Xylene	<0.50		0.50	0.068	ug/L			08/29/12 20:27	1
Styrene	<1.0		1.0	0.10	ug/L			08/29/12 20:27	1
Bromoform	<1.0		1.0	0.28	ug/L			08/29/12 20:27	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			08/29/12 20:27	1
Bromobenzene	<1.0		1.0	0.25	ug/L			08/29/12 20:27	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			08/29/12 20:27	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			08/29/12 20:27	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			08/29/12 20:27	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			08/29/12 20:27	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			08/29/12 20:27	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			08/29/12 20:27	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: RFW-12B

Lab Sample ID: 500-49626-13

Date Collected: 08/23/12 17:45

Matrix: Water

Date Received: 08/25/12 09:00

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			08/29/12 20:27	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			08/29/12 20:27	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			08/29/12 20:27	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/29/12 20:27	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			08/29/12 20:27	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/29/12 20:27	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			08/29/12 20:27	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			08/29/12 20:27	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			08/29/12 20:27	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			08/29/12 20:27	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			08/29/12 20:27	1
Naphthalene	<1.0		1.0	0.16	ug/L			08/29/12 20:27	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			08/29/12 20:27	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		75 - 131		08/29/12 20:27	1
Toluene-d8 (Surr)	102		80 - 120		08/29/12 20:27	1
4-Bromofluorobenzene (Surr)	99		79 - 120		08/29/12 20:27	1
Dibromofluoromethane	103		74 - 123		08/29/12 20:27	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: RFW-13

Lab Sample ID: 500-49626-14

Date Collected: 08/23/12 16:35

Matrix: Water

Date Received: 08/25/12 09:00

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			08/30/12 10:41	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			08/30/12 10:41	1
Chloromethane	<1.0		1.0	0.18	ug/L			08/30/12 10:41	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			08/30/12 10:41	1
Bromomethane	<1.0		1.0	0.31	ug/L			08/30/12 10:41	1
Chloroethane	<1.0		1.0	0.34	ug/L			08/30/12 10:41	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			08/30/12 10:41	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			08/30/12 10:41	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			08/30/12 10:41	1
Acetone	<5.0		5.0	1.3	ug/L			08/30/12 10:41	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			08/30/12 10:41	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			08/30/12 10:41	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			08/30/12 10:41	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			08/30/12 10:41	1
cis-1,2-Dichloroethene	0.73	J	1.0	0.12	ug/L			08/30/12 10:41	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			08/30/12 10:41	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			08/30/12 10:41	1
Chloroform	<1.0		1.0	0.20	ug/L			08/30/12 10:41	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			08/30/12 10:41	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			08/30/12 10:41	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			08/30/12 10:41	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			08/30/12 10:41	1
Trichloroethene	2.3		0.50	0.19	ug/L			08/30/12 10:41	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			08/30/12 10:41	1
Dibromomethane	<1.0		1.0	0.33	ug/L			08/30/12 10:41	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			08/30/12 10:41	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			08/30/12 10:41	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			08/30/12 10:41	1
Toluene	<0.50		0.50	0.11	ug/L			08/30/12 10:41	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			08/30/12 10:41	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			08/30/12 10:41	1
Tetrachloroethene	13		1.0	0.17	ug/L			08/30/12 10:41	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			08/30/12 10:41	1
2-Hexanone	<5.0		5.0	0.56	ug/L			08/30/12 10:41	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			08/30/12 10:41	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			08/30/12 10:41	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			08/30/12 10:41	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			08/30/12 10:41	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			08/30/12 10:41	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			08/30/12 10:41	1
o-Xylene	<0.50		0.50	0.068	ug/L			08/30/12 10:41	1
Styrene	<1.0		1.0	0.10	ug/L			08/30/12 10:41	1
Bromoform	<1.0		1.0	0.28	ug/L			08/30/12 10:41	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			08/30/12 10:41	1
Bromobenzene	<1.0		1.0	0.25	ug/L			08/30/12 10:41	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			08/30/12 10:41	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			08/30/12 10:41	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			08/30/12 10:41	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			08/30/12 10:41	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			08/30/12 10:41	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			08/30/12 10:41	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: RFW-13

Lab Sample ID: 500-49626-14

Date Collected: 08/23/12 16:35

Matrix: Water

Date Received: 08/25/12 09:00

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			08/30/12 10:41	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			08/30/12 10:41	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			08/30/12 10:41	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/30/12 10:41	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			08/30/12 10:41	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/30/12 10:41	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			08/30/12 10:41	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			08/30/12 10:41	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			08/30/12 10:41	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			08/30/12 10:41	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			08/30/12 10:41	1
Naphthalene	<1.0		1.0	0.16	ug/L			08/30/12 10:41	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			08/30/12 10:41	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		75 - 131		08/30/12 10:41	1
Toluene-d8 (Surr)	102		80 - 120		08/30/12 10:41	1
4-Bromofluorobenzene (Surr)	100		79 - 120		08/30/12 10:41	1
Dibromofluoromethane	95		74 - 123		08/30/12 10:41	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: RFW-17

Lab Sample ID: 500-49626-15

Date Collected: 08/23/12 12:35

Matrix: Water

Date Received: 08/25/12 09:00

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.94		0.50	0.074	ug/L			08/30/12 11:05	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			08/30/12 11:05	1
Chloromethane	<1.0		1.0	0.18	ug/L			08/30/12 11:05	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			08/30/12 11:05	1
Bromomethane	<1.0		1.0	0.31	ug/L			08/30/12 11:05	1
Chloroethane	<1.0		1.0	0.34	ug/L			08/30/12 11:05	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			08/30/12 11:05	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			08/30/12 11:05	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			08/30/12 11:05	1
Acetone	<5.0		5.0	1.3	ug/L			08/30/12 11:05	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			08/30/12 11:05	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			08/30/12 11:05	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			08/30/12 11:05	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			08/30/12 11:05	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			08/30/12 11:05	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			08/30/12 11:05	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			08/30/12 11:05	1
Chloroform	<1.0		1.0	0.20	ug/L			08/30/12 11:05	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			08/30/12 11:05	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			08/30/12 11:05	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			08/30/12 11:05	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			08/30/12 11:05	1
Trichloroethene	<0.50		0.50	0.19	ug/L			08/30/12 11:05	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			08/30/12 11:05	1
Dibromomethane	<1.0		1.0	0.33	ug/L			08/30/12 11:05	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			08/30/12 11:05	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			08/30/12 11:05	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			08/30/12 11:05	1
Toluene	<0.50		0.50	0.11	ug/L			08/30/12 11:05	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			08/30/12 11:05	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			08/30/12 11:05	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			08/30/12 11:05	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			08/30/12 11:05	1
2-Hexanone	<5.0		5.0	0.56	ug/L			08/30/12 11:05	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			08/30/12 11:05	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			08/30/12 11:05	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			08/30/12 11:05	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			08/30/12 11:05	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			08/30/12 11:05	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			08/30/12 11:05	1
o-Xylene	<0.50		0.50	0.068	ug/L			08/30/12 11:05	1
Styrene	<1.0		1.0	0.10	ug/L			08/30/12 11:05	1
Bromoform	<1.0		1.0	0.28	ug/L			08/30/12 11:05	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			08/30/12 11:05	1
Bromobenzene	<1.0		1.0	0.25	ug/L			08/30/12 11:05	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			08/30/12 11:05	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			08/30/12 11:05	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			08/30/12 11:05	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			08/30/12 11:05	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			08/30/12 11:05	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			08/30/12 11:05	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: RFW-17

Lab Sample ID: 500-49626-15

Date Collected: 08/23/12 12:35

Matrix: Water

Date Received: 08/25/12 09:00

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			08/30/12 11:05	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			08/30/12 11:05	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			08/30/12 11:05	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/30/12 11:05	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			08/30/12 11:05	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/30/12 11:05	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			08/30/12 11:05	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			08/30/12 11:05	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			08/30/12 11:05	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			08/30/12 11:05	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			08/30/12 11:05	1
Naphthalene	<1.0		1.0	0.16	ug/L			08/30/12 11:05	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			08/30/12 11:05	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		75 - 131		08/30/12 11:05	1
Toluene-d8 (Surr)	103		80 - 120		08/30/12 11:05	1
4-Bromofluorobenzene (Surr)	101		79 - 120		08/30/12 11:05	1
Dibromofluoromethane	99		74 - 123		08/30/12 11:05	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: TRIP BLANK

Lab Sample ID: 500-49626-16

Date Collected: 08/23/12 00:00

Matrix: Water

Date Received: 08/25/12 09:00

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			08/30/12 10:17	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			08/30/12 10:17	1
Chloromethane	<1.0		1.0	0.18	ug/L			08/30/12 10:17	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			08/30/12 10:17	1
Bromomethane	<1.0		1.0	0.31	ug/L			08/30/12 10:17	1
Chloroethane	<1.0		1.0	0.34	ug/L			08/30/12 10:17	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			08/30/12 10:17	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			08/30/12 10:17	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			08/30/12 10:17	1
Acetone	<5.0		5.0	1.3	ug/L			08/30/12 10:17	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			08/30/12 10:17	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			08/30/12 10:17	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			08/30/12 10:17	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			08/30/12 10:17	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			08/30/12 10:17	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			08/30/12 10:17	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			08/30/12 10:17	1
Chloroform	<1.0		1.0	0.20	ug/L			08/30/12 10:17	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			08/30/12 10:17	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			08/30/12 10:17	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			08/30/12 10:17	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			08/30/12 10:17	1
Trichloroethene	<0.50		0.50	0.19	ug/L			08/30/12 10:17	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			08/30/12 10:17	1
Dibromomethane	<1.0		1.0	0.33	ug/L			08/30/12 10:17	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			08/30/12 10:17	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			08/30/12 10:17	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			08/30/12 10:17	1
Toluene	<0.50		0.50	0.11	ug/L			08/30/12 10:17	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			08/30/12 10:17	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			08/30/12 10:17	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			08/30/12 10:17	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			08/30/12 10:17	1
2-Hexanone	<5.0		5.0	0.56	ug/L			08/30/12 10:17	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			08/30/12 10:17	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			08/30/12 10:17	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			08/30/12 10:17	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			08/30/12 10:17	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			08/30/12 10:17	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			08/30/12 10:17	1
o-Xylene	<0.50		0.50	0.068	ug/L			08/30/12 10:17	1
Styrene	<1.0		1.0	0.10	ug/L			08/30/12 10:17	1
Bromoform	<1.0		1.0	0.28	ug/L			08/30/12 10:17	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			08/30/12 10:17	1
Bromobenzene	<1.0		1.0	0.25	ug/L			08/30/12 10:17	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			08/30/12 10:17	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			08/30/12 10:17	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			08/30/12 10:17	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			08/30/12 10:17	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			08/30/12 10:17	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			08/30/12 10:17	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: TRIP BLANK

Lab Sample ID: 500-49626-16

Date Collected: 08/23/12 00:00

Matrix: Water

Date Received: 08/25/12 09:00

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			08/30/12 10:17	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			08/30/12 10:17	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			08/30/12 10:17	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/30/12 10:17	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			08/30/12 10:17	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/30/12 10:17	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			08/30/12 10:17	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			08/30/12 10:17	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			08/30/12 10:17	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			08/30/12 10:17	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			08/30/12 10:17	1
Naphthalene	<1.0		1.0	0.16	ug/L			08/30/12 10:17	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			08/30/12 10:17	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		75 - 131		08/30/12 10:17	1
Toluene-d8 (Surr)	102		80 - 120		08/30/12 10:17	1
4-Bromofluorobenzene (Surr)	99		79 - 120		08/30/12 10:17	1
Dibromofluoromethane	97		74 - 123		08/30/12 10:17	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: EW-2

Lab Sample ID: 500-49626-17

Date Collected: 08/23/12 17:15

Matrix: Water

Date Received: 08/25/12 09:00

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			08/30/12 11:29	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			08/30/12 11:29	1
Chloromethane	<1.0		1.0	0.18	ug/L			08/30/12 11:29	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			08/30/12 11:29	1
Bromomethane	<1.0		1.0	0.31	ug/L			08/30/12 11:29	1
Chloroethane	<1.0		1.0	0.34	ug/L			08/30/12 11:29	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			08/30/12 11:29	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			08/30/12 11:29	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			08/30/12 11:29	1
Acetone	<5.0		5.0	1.3	ug/L			08/30/12 11:29	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			08/30/12 11:29	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			08/30/12 11:29	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			08/30/12 11:29	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			08/30/12 11:29	1
cis-1,2-Dichloroethene	3.7		1.0	0.12	ug/L			08/30/12 11:29	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			08/30/12 11:29	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			08/30/12 11:29	1
Chloroform	<1.0		1.0	0.20	ug/L			08/30/12 11:29	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			08/30/12 11:29	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			08/30/12 11:29	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			08/30/12 11:29	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			08/30/12 11:29	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			08/30/12 11:29	1
Dibromomethane	<1.0		1.0	0.33	ug/L			08/30/12 11:29	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			08/30/12 11:29	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			08/30/12 11:29	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			08/30/12 11:29	1
Toluene	<0.50		0.50	0.11	ug/L			08/30/12 11:29	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			08/30/12 11:29	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			08/30/12 11:29	1
Tetrachloroethene	51		1.0	0.17	ug/L			08/30/12 11:29	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			08/30/12 11:29	1
2-Hexanone	<5.0		5.0	0.56	ug/L			08/30/12 11:29	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			08/30/12 11:29	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			08/30/12 11:29	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			08/30/12 11:29	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			08/30/12 11:29	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			08/30/12 11:29	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			08/30/12 11:29	1
o-Xylene	<0.50		0.50	0.068	ug/L			08/30/12 11:29	1
Styrene	<1.0		1.0	0.10	ug/L			08/30/12 11:29	1
Bromoform	<1.0		1.0	0.28	ug/L			08/30/12 11:29	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			08/30/12 11:29	1
Bromobenzene	<1.0		1.0	0.25	ug/L			08/30/12 11:29	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			08/30/12 11:29	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			08/30/12 11:29	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			08/30/12 11:29	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			08/30/12 11:29	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			08/30/12 11:29	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			08/30/12 11:29	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			08/30/12 11:29	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: EW-2
Date Collected: 08/23/12 17:15
Date Received: 08/25/12 09:00

Lab Sample ID: 500-49626-17
Matrix: Water

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			08/30/12 11:29	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			08/30/12 11:29	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/30/12 11:29	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			08/30/12 11:29	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/30/12 11:29	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			08/30/12 11:29	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			08/30/12 11:29	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			08/30/12 11:29	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			08/30/12 11:29	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			08/30/12 11:29	1
Naphthalene	<1.0		1.0	0.16	ug/L			08/30/12 11:29	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			08/30/12 11:29	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		75 - 131		08/30/12 11:29	1
Toluene-d8 (Surr)	104		80 - 120		08/30/12 11:29	1
4-Bromofluorobenzene (Surr)	103		79 - 120		08/30/12 11:29	1
Dibromofluoromethane	98		74 - 123		08/30/12 11:29	1

Method: 8260B - VOC - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Trichloroethene	220		2.5	0.95	ug/L			08/31/12 12:17	5

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		75 - 131		08/31/12 12:17	5
Toluene-d8 (Surr)	104		80 - 120		08/31/12 12:17	5
4-Bromofluorobenzene (Surr)	105		79 - 120		08/31/12 12:17	5
Dibromofluoromethane	97		74 - 123		08/31/12 12:17	5

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: EW-3
Date Collected: 08/24/12 12:20
Date Received: 08/25/12 09:00

Lab Sample ID: 500-49626-18
Matrix: Water

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			08/30/12 11:53	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			08/30/12 11:53	1
Chloromethane	<1.0		1.0	0.18	ug/L			08/30/12 11:53	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			08/30/12 11:53	1
Bromomethane	<1.0		1.0	0.31	ug/L			08/30/12 11:53	1
Chloroethane	<1.0		1.0	0.34	ug/L			08/30/12 11:53	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			08/30/12 11:53	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			08/30/12 11:53	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			08/30/12 11:53	1
Acetone	<5.0		5.0	1.3	ug/L			08/30/12 11:53	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			08/30/12 11:53	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			08/30/12 11:53	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			08/30/12 11:53	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			08/30/12 11:53	1
cis-1,2-Dichloroethene	1.7		1.0	0.12	ug/L			08/30/12 11:53	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			08/30/12 11:53	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			08/30/12 11:53	1
Chloroform	<1.0		1.0	0.20	ug/L			08/30/12 11:53	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			08/30/12 11:53	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			08/30/12 11:53	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			08/30/12 11:53	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			08/30/12 11:53	1
Trichloroethene	44		0.50	0.19	ug/L			08/30/12 11:53	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			08/30/12 11:53	1
Dibromomethane	<1.0		1.0	0.33	ug/L			08/30/12 11:53	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			08/30/12 11:53	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			08/30/12 11:53	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			08/30/12 11:53	1
Toluene	<0.50		0.50	0.11	ug/L			08/30/12 11:53	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			08/30/12 11:53	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			08/30/12 11:53	1
Tetrachloroethene	1.4		1.0	0.17	ug/L			08/30/12 11:53	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			08/30/12 11:53	1
2-Hexanone	<5.0		5.0	0.56	ug/L			08/30/12 11:53	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			08/30/12 11:53	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			08/30/12 11:53	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			08/30/12 11:53	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			08/30/12 11:53	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			08/30/12 11:53	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			08/30/12 11:53	1
o-Xylene	<0.50		0.50	0.068	ug/L			08/30/12 11:53	1
Styrene	<1.0		1.0	0.10	ug/L			08/30/12 11:53	1
Bromoform	<1.0		1.0	0.28	ug/L			08/30/12 11:53	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			08/30/12 11:53	1
Bromobenzene	<1.0		1.0	0.25	ug/L			08/30/12 11:53	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			08/30/12 11:53	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			08/30/12 11:53	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			08/30/12 11:53	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			08/30/12 11:53	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			08/30/12 11:53	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			08/30/12 11:53	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: EW-3
Date Collected: 08/24/12 12:20
Date Received: 08/25/12 09:00

Lab Sample ID: 500-49626-18
Matrix: Water

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			08/30/12 11:53	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			08/30/12 11:53	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			08/30/12 11:53	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/30/12 11:53	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			08/30/12 11:53	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/30/12 11:53	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			08/30/12 11:53	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			08/30/12 11:53	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			08/30/12 11:53	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			08/30/12 11:53	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			08/30/12 11:53	1
Naphthalene	<1.0		1.0	0.16	ug/L			08/30/12 11:53	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			08/30/12 11:53	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		75 - 131		08/30/12 11:53	1
Toluene-d8 (Surr)	103		80 - 120		08/30/12 11:53	1
4-Bromofluorobenzene (Surr)	99		79 - 120		08/30/12 11:53	1
Dibromofluoromethane	100		74 - 123		08/30/12 11:53	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: EW-4

Lab Sample ID: 500-49626-19

Date Collected: 08/24/12 11:55

Matrix: Water

Date Received: 08/25/12 09:00

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			08/30/12 12:17	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			08/30/12 12:17	1
Chloromethane	<1.0		1.0	0.18	ug/L			08/30/12 12:17	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			08/30/12 12:17	1
Bromomethane	<1.0		1.0	0.31	ug/L			08/30/12 12:17	1
Chloroethane	<1.0		1.0	0.34	ug/L			08/30/12 12:17	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			08/30/12 12:17	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			08/30/12 12:17	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			08/30/12 12:17	1
Acetone	<5.0		5.0	1.3	ug/L			08/30/12 12:17	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			08/30/12 12:17	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			08/30/12 12:17	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			08/30/12 12:17	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			08/30/12 12:17	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			08/30/12 12:17	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			08/30/12 12:17	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			08/30/12 12:17	1
Chloroform	<1.0		1.0	0.20	ug/L			08/30/12 12:17	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			08/30/12 12:17	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			08/30/12 12:17	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			08/30/12 12:17	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			08/30/12 12:17	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			08/30/12 12:17	1
Dibromomethane	<1.0		1.0	0.33	ug/L			08/30/12 12:17	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			08/30/12 12:17	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			08/30/12 12:17	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			08/30/12 12:17	1
Toluene	<0.50		0.50	0.11	ug/L			08/30/12 12:17	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			08/30/12 12:17	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			08/30/12 12:17	1
Tetrachloroethene	16		1.0	0.17	ug/L			08/30/12 12:17	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			08/30/12 12:17	1
2-Hexanone	<5.0		5.0	0.56	ug/L			08/30/12 12:17	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			08/30/12 12:17	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			08/30/12 12:17	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			08/30/12 12:17	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			08/30/12 12:17	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			08/30/12 12:17	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			08/30/12 12:17	1
o-Xylene	<0.50		0.50	0.068	ug/L			08/30/12 12:17	1
Styrene	<1.0		1.0	0.10	ug/L			08/30/12 12:17	1
Bromoform	<1.0		1.0	0.28	ug/L			08/30/12 12:17	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			08/30/12 12:17	1
Bromobenzene	<1.0		1.0	0.25	ug/L			08/30/12 12:17	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			08/30/12 12:17	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			08/30/12 12:17	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			08/30/12 12:17	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			08/30/12 12:17	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			08/30/12 12:17	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			08/30/12 12:17	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			08/30/12 12:17	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: EW-4

Lab Sample ID: 500-49626-19

Date Collected: 08/24/12 11:55

Matrix: Water

Date Received: 08/25/12 09:00

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			08/30/12 12:17	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			08/30/12 12:17	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/30/12 12:17	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			08/30/12 12:17	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/30/12 12:17	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			08/30/12 12:17	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			08/30/12 12:17	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			08/30/12 12:17	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			08/30/12 12:17	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			08/30/12 12:17	1
Naphthalene	<1.0		1.0	0.16	ug/L			08/30/12 12:17	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			08/30/12 12:17	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		75 - 131		08/30/12 12:17	1
Toluene-d8 (Surr)	101		80 - 120		08/30/12 12:17	1
4-Bromofluorobenzene (Surr)	100		79 - 120		08/30/12 12:17	1
Dibromofluoromethane	100		74 - 123		08/30/12 12:17	1

Method: 8260B - VOC - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Trichloroethene	790		5.0	1.9	ug/L			08/30/12 12:41	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		75 - 131		08/30/12 12:41	10
Toluene-d8 (Surr)	103		80 - 120		08/30/12 12:41	10
4-Bromofluorobenzene (Surr)	101		79 - 120		08/30/12 12:41	10
Dibromofluoromethane	101		74 - 123		08/30/12 12:41	10

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: EW-5
Date Collected: 08/23/12 08:00
Date Received: 08/25/12 09:00

Lab Sample ID: 500-49626-20
Matrix: Water

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			08/30/12 13:05	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			08/30/12 13:05	1
Chloromethane	<1.0		1.0	0.18	ug/L			08/30/12 13:05	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			08/30/12 13:05	1
Bromomethane	<1.0		1.0	0.31	ug/L			08/30/12 13:05	1
Chloroethane	<1.0		1.0	0.34	ug/L			08/30/12 13:05	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			08/30/12 13:05	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			08/30/12 13:05	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			08/30/12 13:05	1
Acetone	<5.0		5.0	1.3	ug/L			08/30/12 13:05	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			08/30/12 13:05	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			08/30/12 13:05	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			08/30/12 13:05	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			08/30/12 13:05	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			08/30/12 13:05	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			08/30/12 13:05	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			08/30/12 13:05	1
Chloroform	<1.0		1.0	0.20	ug/L			08/30/12 13:05	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			08/30/12 13:05	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			08/30/12 13:05	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			08/30/12 13:05	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			08/30/12 13:05	1
Trichloroethene	100		0.50	0.19	ug/L			08/30/12 13:05	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			08/30/12 13:05	1
Dibromomethane	<1.0		1.0	0.33	ug/L			08/30/12 13:05	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			08/30/12 13:05	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			08/30/12 13:05	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			08/30/12 13:05	1
Toluene	<0.50		0.50	0.11	ug/L			08/30/12 13:05	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			08/30/12 13:05	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			08/30/12 13:05	1
Tetrachloroethene	3.2		1.0	0.17	ug/L			08/30/12 13:05	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			08/30/12 13:05	1
2-Hexanone	<5.0		5.0	0.56	ug/L			08/30/12 13:05	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			08/30/12 13:05	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			08/30/12 13:05	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			08/30/12 13:05	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			08/30/12 13:05	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			08/30/12 13:05	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			08/30/12 13:05	1
o-Xylene	<0.50		0.50	0.068	ug/L			08/30/12 13:05	1
Styrene	<1.0		1.0	0.10	ug/L			08/30/12 13:05	1
Bromoform	<1.0		1.0	0.28	ug/L			08/30/12 13:05	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			08/30/12 13:05	1
Bromobenzene	<1.0		1.0	0.25	ug/L			08/30/12 13:05	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			08/30/12 13:05	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			08/30/12 13:05	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			08/30/12 13:05	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			08/30/12 13:05	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			08/30/12 13:05	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			08/30/12 13:05	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: EW-5

Lab Sample ID: 500-49626-20

Date Collected: 08/23/12 08:00

Matrix: Water

Date Received: 08/25/12 09:00

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			08/30/12 13:05	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			08/30/12 13:05	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			08/30/12 13:05	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/30/12 13:05	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			08/30/12 13:05	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/30/12 13:05	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			08/30/12 13:05	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			08/30/12 13:05	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			08/30/12 13:05	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			08/30/12 13:05	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			08/30/12 13:05	1
Naphthalene	<1.0		1.0	0.16	ug/L			08/30/12 13:05	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			08/30/12 13:05	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		75 - 131					08/30/12 13:05	1
Toluene-d8 (Surr)	104		80 - 120					08/30/12 13:05	1
4-Bromofluorobenzene (Surr)	100		79 - 120					08/30/12 13:05	1
Dibromofluoromethane	100		74 - 123					08/30/12 13:05	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: EW-6
Date Collected: 08/23/12 10:35
Date Received: 08/25/12 09:00

Lab Sample ID: 500-49626-21
Matrix: Water

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			08/30/12 13:29	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			08/30/12 13:29	1
Chloromethane	<1.0		1.0	0.18	ug/L			08/30/12 13:29	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			08/30/12 13:29	1
Bromomethane	<1.0		1.0	0.31	ug/L			08/30/12 13:29	1
Chloroethane	<1.0		1.0	0.34	ug/L			08/30/12 13:29	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			08/30/12 13:29	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			08/30/12 13:29	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			08/30/12 13:29	1
Acetone	<5.0		5.0	1.3	ug/L			08/30/12 13:29	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			08/30/12 13:29	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			08/30/12 13:29	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			08/30/12 13:29	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			08/30/12 13:29	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			08/30/12 13:29	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			08/30/12 13:29	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			08/30/12 13:29	1
Chloroform	<1.0		1.0	0.20	ug/L			08/30/12 13:29	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			08/30/12 13:29	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			08/30/12 13:29	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			08/30/12 13:29	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			08/30/12 13:29	1
Trichloroethene	6.3		0.50	0.19	ug/L			08/30/12 13:29	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			08/30/12 13:29	1
Dibromomethane	<1.0		1.0	0.33	ug/L			08/30/12 13:29	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			08/30/12 13:29	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			08/30/12 13:29	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			08/30/12 13:29	1
Toluene	<0.50		0.50	0.11	ug/L			08/30/12 13:29	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			08/30/12 13:29	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			08/30/12 13:29	1
Tetrachloroethene	12		1.0	0.17	ug/L			08/30/12 13:29	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			08/30/12 13:29	1
2-Hexanone	<5.0		5.0	0.56	ug/L			08/30/12 13:29	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			08/30/12 13:29	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			08/30/12 13:29	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			08/30/12 13:29	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			08/30/12 13:29	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			08/30/12 13:29	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			08/30/12 13:29	1
o-Xylene	<0.50		0.50	0.068	ug/L			08/30/12 13:29	1
Styrene	<1.0		1.0	0.10	ug/L			08/30/12 13:29	1
Bromoform	<1.0		1.0	0.28	ug/L			08/30/12 13:29	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			08/30/12 13:29	1
Bromobenzene	<1.0		1.0	0.25	ug/L			08/30/12 13:29	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			08/30/12 13:29	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			08/30/12 13:29	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			08/30/12 13:29	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			08/30/12 13:29	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			08/30/12 13:29	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			08/30/12 13:29	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: EW-6

Lab Sample ID: 500-49626-21

Date Collected: 08/23/12 10:35

Matrix: Water

Date Received: 08/25/12 09:00

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			08/30/12 13:29	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			08/30/12 13:29	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			08/30/12 13:29	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/30/12 13:29	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			08/30/12 13:29	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/30/12 13:29	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			08/30/12 13:29	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			08/30/12 13:29	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			08/30/12 13:29	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			08/30/12 13:29	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			08/30/12 13:29	1
Naphthalene	<1.0		1.0	0.16	ug/L			08/30/12 13:29	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			08/30/12 13:29	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		75 - 131		08/30/12 13:29	1
Toluene-d8 (Surr)	103		80 - 120		08/30/12 13:29	1
4-Bromofluorobenzene (Surr)	102		79 - 120		08/30/12 13:29	1
Dibromofluoromethane	99		74 - 123		08/30/12 13:29	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: EW-7

Lab Sample ID: 500-49626-22

Date Collected: 08/23/12 10:25

Matrix: Water

Date Received: 08/25/12 09:00

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			08/30/12 13:53	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			08/30/12 13:53	1
Chloromethane	<1.0		1.0	0.18	ug/L			08/30/12 13:53	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			08/30/12 13:53	1
Bromomethane	<1.0		1.0	0.31	ug/L			08/30/12 13:53	1
Chloroethane	<1.0		1.0	0.34	ug/L			08/30/12 13:53	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			08/30/12 13:53	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			08/30/12 13:53	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			08/30/12 13:53	1
Acetone	<5.0		5.0	1.3	ug/L			08/30/12 13:53	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			08/30/12 13:53	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			08/30/12 13:53	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			08/30/12 13:53	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			08/30/12 13:53	1
cis-1,2-Dichloroethene	3.9		1.0	0.12	ug/L			08/30/12 13:53	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			08/30/12 13:53	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			08/30/12 13:53	1
Chloroform	<1.0		1.0	0.20	ug/L			08/30/12 13:53	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			08/30/12 13:53	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			08/30/12 13:53	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			08/30/12 13:53	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			08/30/12 13:53	1
Trichloroethene	3.2		0.50	0.19	ug/L			08/30/12 13:53	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			08/30/12 13:53	1
Dibromomethane	<1.0		1.0	0.33	ug/L			08/30/12 13:53	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			08/30/12 13:53	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			08/30/12 13:53	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			08/30/12 13:53	1
Toluene	<0.50		0.50	0.11	ug/L			08/30/12 13:53	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			08/30/12 13:53	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			08/30/12 13:53	1
Tetrachloroethene	7.1		1.0	0.17	ug/L			08/30/12 13:53	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			08/30/12 13:53	1
2-Hexanone	<5.0		5.0	0.56	ug/L			08/30/12 13:53	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			08/30/12 13:53	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			08/30/12 13:53	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			08/30/12 13:53	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			08/30/12 13:53	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			08/30/12 13:53	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			08/30/12 13:53	1
o-Xylene	<0.50		0.50	0.068	ug/L			08/30/12 13:53	1
Styrene	<1.0		1.0	0.10	ug/L			08/30/12 13:53	1
Bromoform	<1.0		1.0	0.28	ug/L			08/30/12 13:53	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			08/30/12 13:53	1
Bromobenzene	<1.0		1.0	0.25	ug/L			08/30/12 13:53	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			08/30/12 13:53	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			08/30/12 13:53	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			08/30/12 13:53	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			08/30/12 13:53	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			08/30/12 13:53	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			08/30/12 13:53	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: EW-7

Lab Sample ID: 500-49626-22

Date Collected: 08/23/12 10:25

Matrix: Water

Date Received: 08/25/12 09:00

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			08/30/12 13:53	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			08/30/12 13:53	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			08/30/12 13:53	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/30/12 13:53	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			08/30/12 13:53	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/30/12 13:53	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			08/30/12 13:53	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			08/30/12 13:53	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			08/30/12 13:53	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			08/30/12 13:53	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			08/30/12 13:53	1
Naphthalene	<1.0		1.0	0.16	ug/L			08/30/12 13:53	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			08/30/12 13:53	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		75 - 131		08/30/12 13:53	1
Toluene-d8 (Surr)	102		80 - 120		08/30/12 13:53	1
4-Bromofluorobenzene (Surr)	101		79 - 120		08/30/12 13:53	1
Dibromofluoromethane	98		74 - 123		08/30/12 13:53	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: EW-8

Lab Sample ID: 500-49626-23

Date Collected: 08/23/12 10:10

Matrix: Water

Date Received: 08/25/12 09:00

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			08/30/12 14:17	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			08/30/12 14:17	1
Chloromethane	<1.0		1.0	0.18	ug/L			08/30/12 14:17	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			08/30/12 14:17	1
Bromomethane	<1.0		1.0	0.31	ug/L			08/30/12 14:17	1
Chloroethane	<1.0		1.0	0.34	ug/L			08/30/12 14:17	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			08/30/12 14:17	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			08/30/12 14:17	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			08/30/12 14:17	1
Acetone	<5.0		5.0	1.3	ug/L			08/30/12 14:17	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			08/30/12 14:17	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			08/30/12 14:17	1
1,1-Dichloroethane	0.68	J	1.0	0.19	ug/L			08/30/12 14:17	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			08/30/12 14:17	1
cis-1,2-Dichloroethene	24		1.0	0.12	ug/L			08/30/12 14:17	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			08/30/12 14:17	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			08/30/12 14:17	1
Chloroform	<1.0		1.0	0.20	ug/L			08/30/12 14:17	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			08/30/12 14:17	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			08/30/12 14:17	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			08/30/12 14:17	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			08/30/12 14:17	1
Trichloroethene	8.5		0.50	0.19	ug/L			08/30/12 14:17	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			08/30/12 14:17	1
Dibromomethane	<1.0		1.0	0.33	ug/L			08/30/12 14:17	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			08/30/12 14:17	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			08/30/12 14:17	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			08/30/12 14:17	1
Toluene	<0.50		0.50	0.11	ug/L			08/30/12 14:17	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			08/30/12 14:17	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			08/30/12 14:17	1
Tetrachloroethene	71		1.0	0.17	ug/L			08/30/12 14:17	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			08/30/12 14:17	1
2-Hexanone	<5.0		5.0	0.56	ug/L			08/30/12 14:17	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			08/30/12 14:17	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			08/30/12 14:17	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			08/30/12 14:17	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			08/30/12 14:17	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			08/30/12 14:17	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			08/30/12 14:17	1
o-Xylene	<0.50		0.50	0.068	ug/L			08/30/12 14:17	1
Styrene	<1.0		1.0	0.10	ug/L			08/30/12 14:17	1
Bromoform	<1.0		1.0	0.28	ug/L			08/30/12 14:17	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			08/30/12 14:17	1
Bromobenzene	<1.0		1.0	0.25	ug/L			08/30/12 14:17	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			08/30/12 14:17	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			08/30/12 14:17	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			08/30/12 14:17	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			08/30/12 14:17	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			08/30/12 14:17	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			08/30/12 14:17	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: EW-8

Lab Sample ID: 500-49626-23

Date Collected: 08/23/12 10:10

Matrix: Water

Date Received: 08/25/12 09:00

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			08/30/12 14:17	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			08/30/12 14:17	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			08/30/12 14:17	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/30/12 14:17	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			08/30/12 14:17	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/30/12 14:17	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			08/30/12 14:17	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			08/30/12 14:17	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			08/30/12 14:17	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			08/30/12 14:17	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			08/30/12 14:17	1
Naphthalene	<1.0		1.0	0.16	ug/L			08/30/12 14:17	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			08/30/12 14:17	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		75 - 131		08/30/12 14:17	1
Toluene-d8 (Surr)	101		80 - 120		08/30/12 14:17	1
4-Bromofluorobenzene (Surr)	98		79 - 120		08/30/12 14:17	1
Dibromofluoromethane	99		74 - 123		08/30/12 14:17	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: EW-9

Lab Sample ID: 500-49626-24

Date Collected: 08/23/12 10:00

Matrix: Water

Date Received: 08/25/12 09:00

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			08/30/12 14:41	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			08/30/12 14:41	1
Chloromethane	<1.0		1.0	0.18	ug/L			08/30/12 14:41	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			08/30/12 14:41	1
Bromomethane	<1.0		1.0	0.31	ug/L			08/30/12 14:41	1
Chloroethane	<1.0		1.0	0.34	ug/L			08/30/12 14:41	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			08/30/12 14:41	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			08/30/12 14:41	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			08/30/12 14:41	1
Acetone	<5.0		5.0	1.3	ug/L			08/30/12 14:41	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			08/30/12 14:41	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			08/30/12 14:41	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			08/30/12 14:41	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			08/30/12 14:41	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			08/30/12 14:41	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			08/30/12 14:41	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			08/30/12 14:41	1
Chloroform	<1.0		1.0	0.20	ug/L			08/30/12 14:41	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			08/30/12 14:41	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			08/30/12 14:41	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			08/30/12 14:41	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			08/30/12 14:41	1
Trichloroethene	0.70		0.50	0.19	ug/L			08/30/12 14:41	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			08/30/12 14:41	1
Dibromomethane	<1.0		1.0	0.33	ug/L			08/30/12 14:41	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			08/30/12 14:41	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			08/30/12 14:41	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			08/30/12 14:41	1
Toluene	<0.50		0.50	0.11	ug/L			08/30/12 14:41	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			08/30/12 14:41	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			08/30/12 14:41	1
Tetrachloroethene	85		1.0	0.17	ug/L			08/30/12 14:41	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			08/30/12 14:41	1
2-Hexanone	<5.0		5.0	0.56	ug/L			08/30/12 14:41	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			08/30/12 14:41	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			08/30/12 14:41	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			08/30/12 14:41	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			08/30/12 14:41	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			08/30/12 14:41	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			08/30/12 14:41	1
o-Xylene	<0.50		0.50	0.068	ug/L			08/30/12 14:41	1
Styrene	<1.0		1.0	0.10	ug/L			08/30/12 14:41	1
Bromoform	<1.0		1.0	0.28	ug/L			08/30/12 14:41	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			08/30/12 14:41	1
Bromobenzene	<1.0		1.0	0.25	ug/L			08/30/12 14:41	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			08/30/12 14:41	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			08/30/12 14:41	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			08/30/12 14:41	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			08/30/12 14:41	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			08/30/12 14:41	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			08/30/12 14:41	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: EW-9
Date Collected: 08/23/12 10:00
Date Received: 08/25/12 09:00

Lab Sample ID: 500-49626-24
Matrix: Water

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			08/30/12 14:41	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			08/30/12 14:41	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			08/30/12 14:41	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/30/12 14:41	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			08/30/12 14:41	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/30/12 14:41	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			08/30/12 14:41	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			08/30/12 14:41	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			08/30/12 14:41	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			08/30/12 14:41	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			08/30/12 14:41	1
Naphthalene	<1.0		1.0	0.16	ug/L			08/30/12 14:41	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			08/30/12 14:41	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		75 - 131		08/30/12 14:41	1
Toluene-d8 (Surr)	102		80 - 120		08/30/12 14:41	1
4-Bromofluorobenzene (Surr)	98		79 - 120		08/30/12 14:41	1
Dibromofluoromethane	98		74 - 123		08/30/12 14:41	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: EW-9 DUP

Lab Sample ID: 500-49626-25

Date Collected: 08/23/12 10:00

Matrix: Water

Date Received: 08/25/12 09:00

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			08/30/12 15:05	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			08/30/12 15:05	1
Chloromethane	<1.0		1.0	0.18	ug/L			08/30/12 15:05	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			08/30/12 15:05	1
Bromomethane	<1.0		1.0	0.31	ug/L			08/30/12 15:05	1
Chloroethane	<1.0		1.0	0.34	ug/L			08/30/12 15:05	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			08/30/12 15:05	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			08/30/12 15:05	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			08/30/12 15:05	1
Acetone	<5.0		5.0	1.3	ug/L			08/30/12 15:05	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			08/30/12 15:05	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			08/30/12 15:05	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			08/30/12 15:05	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			08/30/12 15:05	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			08/30/12 15:05	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			08/30/12 15:05	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			08/30/12 15:05	1
Chloroform	<1.0		1.0	0.20	ug/L			08/30/12 15:05	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			08/30/12 15:05	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			08/30/12 15:05	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			08/30/12 15:05	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			08/30/12 15:05	1
Trichloroethene	0.73		0.50	0.19	ug/L			08/30/12 15:05	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			08/30/12 15:05	1
Dibromomethane	<1.0		1.0	0.33	ug/L			08/30/12 15:05	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			08/30/12 15:05	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			08/30/12 15:05	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			08/30/12 15:05	1
Toluene	<0.50		0.50	0.11	ug/L			08/30/12 15:05	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			08/30/12 15:05	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			08/30/12 15:05	1
Tetrachloroethene	88		1.0	0.17	ug/L			08/30/12 15:05	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			08/30/12 15:05	1
2-Hexanone	<5.0		5.0	0.56	ug/L			08/30/12 15:05	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			08/30/12 15:05	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			08/30/12 15:05	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			08/30/12 15:05	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			08/30/12 15:05	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			08/30/12 15:05	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			08/30/12 15:05	1
o-Xylene	<0.50		0.50	0.068	ug/L			08/30/12 15:05	1
Styrene	<1.0		1.0	0.10	ug/L			08/30/12 15:05	1
Bromoform	<1.0		1.0	0.28	ug/L			08/30/12 15:05	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			08/30/12 15:05	1
Bromobenzene	<1.0		1.0	0.25	ug/L			08/30/12 15:05	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			08/30/12 15:05	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			08/30/12 15:05	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			08/30/12 15:05	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			08/30/12 15:05	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			08/30/12 15:05	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			08/30/12 15:05	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: EW-9 DUP

Lab Sample ID: 500-49626-25

Date Collected: 08/23/12 10:00

Matrix: Water

Date Received: 08/25/12 09:00

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			08/30/12 15:05	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			08/30/12 15:05	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			08/30/12 15:05	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/30/12 15:05	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			08/30/12 15:05	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/30/12 15:05	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			08/30/12 15:05	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			08/30/12 15:05	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			08/30/12 15:05	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			08/30/12 15:05	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			08/30/12 15:05	1
Naphthalene	<1.0		1.0	0.16	ug/L			08/30/12 15:05	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			08/30/12 15:05	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		75 - 131					08/30/12 15:05	1
Toluene-d8 (Surr)	102		80 - 120					08/30/12 15:05	1
4-Bromofluorobenzene (Surr)	96		79 - 120					08/30/12 15:05	1
Dibromofluoromethane	98		74 - 123					08/30/12 15:05	1

Client Sample Results

TestAmerica Job ID: 500-49626-1

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

Client Sample ID: EW-10

Date Collected: 08/23/12 09:30

Date Received: 08/25/12 09:00

Lab Sample ID: 500-49626-26

Matrix: Water

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			08/30/12 15:30	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			08/30/12 15:30	1
Chloromethane	<1.0		1.0	0.18	ug/L			08/30/12 15:30	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			08/30/12 15:30	1
Bromomethane	<1.0		1.0	0.31	ug/L			08/30/12 15:30	1
Chloroethane	<1.0		1.0	0.34	ug/L			08/30/12 15:30	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			08/30/12 15:30	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			08/30/12 15:30	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			08/30/12 15:30	1
Acetone	<5.0		5.0	1.3	ug/L			08/30/12 15:30	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			08/30/12 15:30	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			08/30/12 15:30	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			08/30/12 15:30	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			08/30/12 15:30	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			08/30/12 15:30	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			08/30/12 15:30	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			08/30/12 15:30	1
Chloroform	<1.0		1.0	0.20	ug/L			08/30/12 15:30	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			08/30/12 15:30	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			08/30/12 15:30	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			08/30/12 15:30	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			08/30/12 15:30	1
Trichloroethene	<0.50		0.50	0.19	ug/L			08/30/12 15:30	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			08/30/12 15:30	1
Dibromomethane	<1.0		1.0	0.33	ug/L			08/30/12 15:30	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			08/30/12 15:30	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			08/30/12 15:30	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			08/30/12 15:30	1
Toluene	<0.50		0.50	0.11	ug/L			08/30/12 15:30	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			08/30/12 15:30	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			08/30/12 15:30	1
Tetrachloroethene	0.84	J	1.0	0.17	ug/L			08/30/12 15:30	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			08/30/12 15:30	1
2-Hexanone	<5.0		5.0	0.56	ug/L			08/30/12 15:30	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			08/30/12 15:30	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			08/30/12 15:30	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			08/30/12 15:30	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			08/30/12 15:30	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			08/30/12 15:30	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			08/30/12 15:30	1
o-Xylene	<0.50		0.50	0.068	ug/L			08/30/12 15:30	1
Styrene	<1.0		1.0	0.10	ug/L			08/30/12 15:30	1
Bromoform	<1.0		1.0	0.28	ug/L			08/30/12 15:30	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			08/30/12 15:30	1
Bromobenzene	<1.0		1.0	0.25	ug/L			08/30/12 15:30	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			08/30/12 15:30	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			08/30/12 15:30	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			08/30/12 15:30	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			08/30/12 15:30	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			08/30/12 15:30	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			08/30/12 15:30	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: EW-10

Lab Sample ID: 500-49626-26

Date Collected: 08/23/12 09:30

Matrix: Water

Date Received: 08/25/12 09:00

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			08/30/12 15:30	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			08/30/12 15:30	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			08/30/12 15:30	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/30/12 15:30	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			08/30/12 15:30	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/30/12 15:30	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			08/30/12 15:30	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			08/30/12 15:30	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			08/30/12 15:30	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			08/30/12 15:30	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			08/30/12 15:30	1
Naphthalene	<1.0		1.0	0.16	ug/L			08/30/12 15:30	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			08/30/12 15:30	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		75 - 131					08/30/12 15:30	1
Toluene-d8 (Surr)	103		80 - 120					08/30/12 15:30	1
4-Bromofluorobenzene (Surr)	97		79 - 120					08/30/12 15:30	1
Dibromofluoromethane	100		74 - 123					08/30/12 15:30	1

Definitions/Glossary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☆	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CNF	Contains no Free Liquid
DL, RA, RE, IN	Indicates a Dilution, Reanalysis, Re-extraction, or additional Initial metals/anion analysis of the sample
EDL	Estimated Detection Limit
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RL	Reporting Limit
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

QC Association Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

GC/MS VOA

Analysis Batch: 161010

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-49626-1	RFW-1A	Total/NA	Water	8260B	
500-49626-2	RFW-1B	Total/NA	Water	8260B	
500-49626-3	RFW-2A	Total/NA	Water	8260B	
500-49626-4	RFW-2B	Total/NA	Water	8260B	
500-49626-5	RFW-3B	Total/NA	Water	8260B	
500-49626-6	RFW-4A	Total/NA	Water	8260B	
500-49626-7	RFW-4A DUP	Total/NA	Water	8260B	
500-49626-8	RFW-4B	Total/NA	Water	8260B	
500-49626-9	RFW-6	Total/NA	Water	8260B	
500-49626-10	RFW-7	Total/NA	Water	8260B	
500-49626-11	RFW-9	Total/NA	Water	8260B	
500-49626-12	RFW-11B	Total/NA	Water	8260B	
500-49626-13	RFW-12B	Total/NA	Water	8260B	
LCS 500-161010/4	Lab Control Sample	Total/NA	Water	8260B	
MB 500-161010/6	Method Blank	Total/NA	Water	8260B	

Analysis Batch: 161143

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-49626-14	RFW-13	Total/NA	Water	8260B	
500-49626-15	RFW-17	Total/NA	Water	8260B	
500-49626-16	TRIP BLANK	Total/NA	Water	8260B	
500-49626-17	EW-2	Total/NA	Water	8260B	
500-49626-18	EW-3	Total/NA	Water	8260B	
500-49626-19	EW-4	Total/NA	Water	8260B	
500-49626-19 - DL	EW-4	Total/NA	Water	8260B	
500-49626-20	EW-5	Total/NA	Water	8260B	
500-49626-21	EW-6	Total/NA	Water	8260B	
500-49626-22	EW-7	Total/NA	Water	8260B	
500-49626-23	EW-8	Total/NA	Water	8260B	
500-49626-24	EW-9	Total/NA	Water	8260B	
500-49626-25	EW-9 DUP	Total/NA	Water	8260B	
500-49626-26	EW-10	Total/NA	Water	8260B	
LCS 500-161143/4	Lab Control Sample	Total/NA	Water	8260B	
MB 500-161143/6	Method Blank	Total/NA	Water	8260B	

Analysis Batch: 161317

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-49626-17 - DL	EW-2	Total/NA	Water	8260B	
LCS 500-161317/4	Lab Control Sample	Total/NA	Water	8260B	
MB 500-161317/6	Method Blank	Total/NA	Water	8260B	

Surrogate Summary

Client: Weston Solutions, Inc.
 Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Method: 8260B - VOC

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		12DCE (75-131)	TOL (80-120)	BFB (79-120)	DBFM (74-123)
500-49626-1	RFW-1A	100	101	100	98
500-49626-2	RFW-1B	102	102	101	101
500-49626-3	RFW-2A	104	102	101	101
500-49626-4	RFW-2B	97	98	93	98
500-49626-5	RFW-3B	100	102	99	100
500-49626-6	RFW-4A	101	104	99	101
500-49626-7	RFW-4A DUP	102	103	101	101
500-49626-8	RFW-4B	101	101	98	98
500-49626-9	RFW-6	103	102	100	101
500-49626-10	RFW-7	99	101	100	99
500-49626-11	RFW-9	98	102	97	98
500-49626-12	RFW-11B	104	103	100	104
500-49626-13	RFW-12B	100	102	99	103
500-49626-14	RFW-13	97	102	100	95
500-49626-15	RFW-17	100	103	101	99
500-49626-16	TRIP BLANK	99	102	99	97
500-49626-17	EW-2	101	104	103	98
500-49626-17 - DL	EW-2	97	104	105	97
500-49626-18	EW-3	103	103	99	100
500-49626-19	EW-4	103	101	100	100
500-49626-19 - DL	EW-4	103	103	101	101
500-49626-20	EW-5	101	104	100	100
500-49626-21	EW-6	100	103	102	99
500-49626-22	EW-7	99	102	101	98
500-49626-23	EW-8	101	101	98	99
500-49626-24	EW-9	100	102	98	98
500-49626-25	EW-9 DUP	100	102	96	98
500-49626-26	EW-10	102	103	97	100
LCS 500-161010/4	Lab Control Sample	96	103	101	96
LCS 500-161143/4	Lab Control Sample	98	102	102	95
LCS 500-161317/4	Lab Control Sample	92	102	103	94
MB 500-161010/6	Method Blank	101	102	101	98
MB 500-161143/6	Method Blank	97	100	97	94
MB 500-161317/6	Method Blank	95	99	95	96

Surrogate Legend

- 12DCE = 1,2-Dichloroethane-d4 (Surr)
- TOL = Toluene-d8 (Surr)
- BFB = 4-Bromofluorobenzene (Surr)
- DBFM = Dibromofluoromethane

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Method: 8260B - VOC

Lab Sample ID: MB 500-161010/6

Matrix: Water

Analysis Batch: 161010

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			08/29/12 11:17	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			08/29/12 11:17	1
Chloromethane	<1.0		1.0	0.18	ug/L			08/29/12 11:17	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			08/29/12 11:17	1
Bromomethane	<1.0		1.0	0.31	ug/L			08/29/12 11:17	1
Chloroethane	<1.0		1.0	0.34	ug/L			08/29/12 11:17	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			08/29/12 11:17	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			08/29/12 11:17	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			08/29/12 11:17	1
Acetone	<5.0		5.0	1.3	ug/L			08/29/12 11:17	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			08/29/12 11:17	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			08/29/12 11:17	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			08/29/12 11:17	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			08/29/12 11:17	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			08/29/12 11:17	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			08/29/12 11:17	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			08/29/12 11:17	1
Chloroform	<1.0		1.0	0.20	ug/L			08/29/12 11:17	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			08/29/12 11:17	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			08/29/12 11:17	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			08/29/12 11:17	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			08/29/12 11:17	1
Trichloroethene	<0.50		0.50	0.19	ug/L			08/29/12 11:17	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			08/29/12 11:17	1
Dibromomethane	<1.0		1.0	0.33	ug/L			08/29/12 11:17	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			08/29/12 11:17	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			08/29/12 11:17	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			08/29/12 11:17	1
Toluene	<0.50		0.50	0.11	ug/L			08/29/12 11:17	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			08/29/12 11:17	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			08/29/12 11:17	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			08/29/12 11:17	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			08/29/12 11:17	1
2-Hexanone	<5.0		5.0	0.56	ug/L			08/29/12 11:17	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			08/29/12 11:17	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			08/29/12 11:17	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			08/29/12 11:17	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			08/29/12 11:17	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			08/29/12 11:17	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			08/29/12 11:17	1
o-Xylene	<0.50		0.50	0.068	ug/L			08/29/12 11:17	1
Styrene	<1.0		1.0	0.10	ug/L			08/29/12 11:17	1
Bromoform	<1.0		1.0	0.28	ug/L			08/29/12 11:17	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			08/29/12 11:17	1
Bromobenzene	<1.0		1.0	0.25	ug/L			08/29/12 11:17	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			08/29/12 11:17	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			08/29/12 11:17	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			08/29/12 11:17	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			08/29/12 11:17	1

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Method: 8260B - VOC (Continued)

Lab Sample ID: MB 500-161010/6
Matrix: Water
Analysis Batch: 161010

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			08/29/12 11:17	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			08/29/12 11:17	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			08/29/12 11:17	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			08/29/12 11:17	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			08/29/12 11:17	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/29/12 11:17	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			08/29/12 11:17	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/29/12 11:17	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			08/29/12 11:17	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			08/29/12 11:17	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			08/29/12 11:17	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			08/29/12 11:17	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			08/29/12 11:17	1
Naphthalene	<1.0		1.0	0.16	ug/L			08/29/12 11:17	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			08/29/12 11:17	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	101		75 - 131		08/29/12 11:17	1
Toluene-d8 (Surr)	102		80 - 120		08/29/12 11:17	1
4-Bromofluorobenzene (Surr)	101		79 - 120		08/29/12 11:17	1
Dibromofluoromethane	98		74 - 123		08/29/12 11:17	1

Lab Sample ID: LCS 500-161010/4
Matrix: Water
Analysis Batch: 161010

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Dichlorodifluoromethane	50.0	39.5		ug/L		79	43 - 139
Chloromethane	50.0	34.5		ug/L		69	56 - 144
Vinyl chloride	50.0	40.3		ug/L		81	51 - 149
Bromomethane	50.0	44.1		ug/L		88	47 - 158
Chloroethane	50.0	46.7		ug/L		93	54 - 143
Trichlorofluoromethane	50.0	50.4		ug/L		101	66 - 126
1,1-Dichloroethene	50.0	42.3		ug/L		85	58 - 115
Carbon disulfide	50.0	34.5		ug/L		69	50 - 120
Acetone	50.0	46.4		ug/L		93	41 - 163
Methylene Chloride	50.0	44.4		ug/L		89	63 - 130
trans-1,2-Dichloroethene	50.0	45.4		ug/L		91	74 - 119
1,1-Dichloroethane	50.0	41.2		ug/L		82	66 - 118
2,2-Dichloropropane	50.0	45.2		ug/L		90	70 - 117
cis-1,2-Dichloroethene	50.0	46.1		ug/L		92	75 - 119
Methyl Ethyl Ketone	50.0	36.0		ug/L		72	53 - 140
Bromochloromethane	50.0	43.4		ug/L		87	72 - 119
Chloroform	50.0	44.3		ug/L		89	76 - 117
1,1,1-Trichloroethane	50.0	46.2		ug/L		92	77 - 117
1,1-Dichloropropene	50.0	43.7		ug/L		87	71 - 113
Carbon tetrachloride	50.0	45.8		ug/L		92	72 - 124
1,2-Dichloroethane	50.0	43.1		ug/L		86	76 - 117

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Method: 8260B - VOC (Continued)

Lab Sample ID: LCS 500-161010/4

Matrix: Water

Analysis Batch: 161010

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Trichloroethene	50.0	50.2		ug/L		100	75 - 120
1,2-Dichloropropane	50.0	44.9		ug/L		90	77 - 118
Dibromomethane	50.0	43.5		ug/L		87	76 - 120
Bromodichloromethane	50.0	45.1		ug/L		90	79 - 117
cis-1,3-Dichloropropene	53.8	48.2		ug/L		90	71 - 112
methyl isobutyl ketone	50.0	39.1		ug/L		78	59 - 134
Toluene	50.0	52.0		ug/L		104	80 - 120
trans-1,3-Dichloropropene	48.6	43.8		ug/L		90	66 - 116
1,1,2-Trichloroethane	50.0	44.3		ug/L		89	78 - 121
Tetrachloroethene	50.0	50.4		ug/L		101	71 - 120
1,3-Dichloropropane	50.0	45.8		ug/L		92	79 - 114
2-Hexanone	50.0	40.2		ug/L		80	60 - 134
Dibromochloromethane	50.0	48.5		ug/L		97	73 - 120
1,2-Dibromoethane	50.0	48.1		ug/L		96	79 - 120
Chlorobenzene	50.0	48.2		ug/L		96	80 - 120
1,1,1,2-Tetrachloroethane	50.0	49.3		ug/L		99	80 - 120
Ethylbenzene	50.0	51.5		ug/L		103	79 - 115
m&p-Xylene	100	105		ug/L		105	78 - 120
o-Xylene	50.0	52.4		ug/L		105	78 - 120
Styrene	50.0	52.7		ug/L		105	80 - 120
Bromoform	50.0	49.7		ug/L		99	64 - 127
Isopropylbenzene	50.0	45.3		ug/L		91	68 - 120
Bromobenzene	50.0	50.5		ug/L		101	80 - 120
1,1,2,2-Tetrachloroethane	50.0	45.2		ug/L		90	78 - 123
1,2,3-Trichloropropane	50.0	45.2		ug/L		90	77 - 119
N-Propylbenzene	50.0	50.6		ug/L		101	77 - 114
2-Chlorotoluene	50.0	51.2		ug/L		102	80 - 120
1,3,5-Trimethylbenzene	50.0	55.4		ug/L		111	83 - 120
4-Chlorotoluene	50.0	49.9		ug/L		100	80 - 120
tert-Butylbenzene	50.0	53.2		ug/L		106	80 - 120
1,2,4-Trimethylbenzene	50.0	54.2		ug/L		108	80 - 120
sec-Butylbenzene	50.0	53.3		ug/L		107	79 - 117
1,3-Dichlorobenzene	50.0	50.0		ug/L		100	80 - 120
p-Isopropyltoluene	50.0	52.0		ug/L		104	77 - 120
1,4-Dichlorobenzene	50.0	49.8		ug/L		100	80 - 120
n-Butylbenzene	50.0	52.8		ug/L		106	78 - 119
1,2-Dichlorobenzene	50.0	50.0		ug/L		100	80 - 120
1,2-Dibromo-3-Chloropropane	50.0	43.3		ug/L		87	53 - 133
1,2,4-Trichlorobenzene	50.0	51.2		ug/L		102	70 - 118
Hexachlorobutadiene	50.0	56.8		ug/L		114	71 - 128
Naphthalene	50.0	51.6		ug/L		103	72 - 127
1,2,3-Trichlorobenzene	50.0	53.4		ug/L		107	74 - 126

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	96		75 - 131
Toluene-d8 (Surr)	103		80 - 120
4-Bromofluorobenzene (Surr)	101		79 - 120
Dibromofluoromethane	96		74 - 123

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Method: 8260B - VOC (Continued)

Lab Sample ID: MB 500-161143/6
Matrix: Water
Analysis Batch: 161143

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Benzene	<0.50		0.50	0.074	ug/L			08/30/12 09:51	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			08/30/12 09:51	1
Chloromethane	<1.0		1.0	0.18	ug/L			08/30/12 09:51	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			08/30/12 09:51	1
Bromomethane	<1.0		1.0	0.31	ug/L			08/30/12 09:51	1
Chloroethane	<1.0		1.0	0.34	ug/L			08/30/12 09:51	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			08/30/12 09:51	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			08/30/12 09:51	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			08/30/12 09:51	1
Acetone	<5.0		5.0	1.3	ug/L			08/30/12 09:51	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			08/30/12 09:51	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			08/30/12 09:51	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			08/30/12 09:51	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			08/30/12 09:51	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			08/30/12 09:51	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			08/30/12 09:51	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			08/30/12 09:51	1
Chloroform	<1.0		1.0	0.20	ug/L			08/30/12 09:51	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			08/30/12 09:51	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			08/30/12 09:51	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			08/30/12 09:51	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			08/30/12 09:51	1
Trichloroethene	<0.50		0.50	0.19	ug/L			08/30/12 09:51	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			08/30/12 09:51	1
Dibromomethane	<1.0		1.0	0.33	ug/L			08/30/12 09:51	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			08/30/12 09:51	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			08/30/12 09:51	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			08/30/12 09:51	1
Toluene	<0.50		0.50	0.11	ug/L			08/30/12 09:51	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			08/30/12 09:51	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			08/30/12 09:51	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			08/30/12 09:51	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			08/30/12 09:51	1
2-Hexanone	<5.0		5.0	0.56	ug/L			08/30/12 09:51	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			08/30/12 09:51	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			08/30/12 09:51	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			08/30/12 09:51	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			08/30/12 09:51	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			08/30/12 09:51	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			08/30/12 09:51	1
o-Xylene	<0.50		0.50	0.068	ug/L			08/30/12 09:51	1
Styrene	<1.0		1.0	0.10	ug/L			08/30/12 09:51	1
Bromoform	<1.0		1.0	0.28	ug/L			08/30/12 09:51	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			08/30/12 09:51	1
Bromobenzene	<1.0		1.0	0.25	ug/L			08/30/12 09:51	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			08/30/12 09:51	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			08/30/12 09:51	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			08/30/12 09:51	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			08/30/12 09:51	1

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Method: 8260B - VOC (Continued)

Lab Sample ID: MB 500-161143/6
Matrix: Water
Analysis Batch: 161143

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			08/30/12 09:51	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			08/30/12 09:51	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			08/30/12 09:51	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			08/30/12 09:51	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			08/30/12 09:51	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/30/12 09:51	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			08/30/12 09:51	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/30/12 09:51	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			08/30/12 09:51	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			08/30/12 09:51	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			08/30/12 09:51	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			08/30/12 09:51	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			08/30/12 09:51	1
Naphthalene	<1.0		1.0	0.16	ug/L			08/30/12 09:51	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			08/30/12 09:51	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	97		75 - 131		08/30/12 09:51	1
Toluene-d8 (Surr)	100		80 - 120		08/30/12 09:51	1
4-Bromofluorobenzene (Surr)	97		79 - 120		08/30/12 09:51	1
Dibromofluoromethane	94		74 - 123		08/30/12 09:51	1

Lab Sample ID: LCS 500-161143/4
Matrix: Water
Analysis Batch: 161143

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS LCS		Unit	D	%Rec	%Rec. Limits
		Result	Qualifier				
Benzene	50.0	46.9		ug/L		94	74 - 115
Dichlorodifluoromethane	50.0	32.3		ug/L		65	43 - 139
Chloromethane	50.0	30.7		ug/L		61	56 - 144
Vinyl chloride	50.0	36.9		ug/L		74	51 - 149
Bromomethane	50.0	42.2		ug/L		84	47 - 158
Chloroethane	50.0	44.2		ug/L		88	54 - 143
Trichlorofluoromethane	50.0	48.7		ug/L		97	66 - 126
1,1-Dichloroethene	50.0	39.4		ug/L		79	58 - 115
Carbon disulfide	50.0	32.1		ug/L		64	50 - 120
Acetone	50.0	51.7		ug/L		103	41 - 163
Methylene Chloride	50.0	42.7		ug/L		85	63 - 130
trans-1,2-Dichloroethene	50.0	44.1		ug/L		88	74 - 119
1,1-Dichloroethane	50.0	40.4		ug/L		81	66 - 118
2,2-Dichloropropane	50.0	43.8		ug/L		88	70 - 117
cis-1,2-Dichloroethene	50.0	44.9		ug/L		90	75 - 119
Methyl Ethyl Ketone	50.0	38.8		ug/L		78	53 - 140
Bromochloromethane	50.0	43.6		ug/L		87	72 - 119
Chloroform	50.0	44.1		ug/L		88	76 - 117
1,1,1-Trichloroethane	50.0	45.5		ug/L		91	77 - 117
1,1-Dichloropropene	50.0	42.4		ug/L		85	71 - 113
Carbon tetrachloride	50.0	44.7		ug/L		89	72 - 124
1,2-Dichloroethane	50.0	43.8		ug/L		88	76 - 117

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Method: 8260B - VOC (Continued)

Lab Sample ID: LCS 500-161143/4

Matrix: Water

Analysis Batch: 161143

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Trichloroethene	50.0	49.0		ug/L		98	75 - 120
1,2-Dichloropropane	50.0	43.8		ug/L		88	77 - 118
Dibromomethane	50.0	43.5		ug/L		87	76 - 120
Bromodichloromethane	50.0	45.0		ug/L		90	79 - 117
cis-1,3-Dichloropropene	53.8	48.3		ug/L		90	71 - 112
methyl isobutyl ketone	50.0	39.6		ug/L		79	59 - 134
Toluene	50.0	51.2		ug/L		102	80 - 120
trans-1,3-Dichloropropene	48.6	43.5		ug/L		89	66 - 116
1,1,2-Trichloroethane	50.0	43.7		ug/L		87	78 - 121
Tetrachloroethene	50.0	49.8		ug/L		100	71 - 120
1,3-Dichloropropane	50.0	46.0		ug/L		92	79 - 114
2-Hexanone	50.0	42.0		ug/L		84	60 - 134
Dibromochloromethane	50.0	48.5		ug/L		97	73 - 120
1,2-Dibromoethane	50.0	47.7		ug/L		95	79 - 120
Chlorobenzene	50.0	47.9		ug/L		96	80 - 120
1,1,1,2-Tetrachloroethane	50.0	49.4		ug/L		99	80 - 120
Ethylbenzene	50.0	51.3		ug/L		103	79 - 115
m&p-Xylene	100	104		ug/L		104	78 - 120
o-Xylene	50.0	51.7		ug/L		103	78 - 120
Styrene	50.0	52.1		ug/L		104	80 - 120
Bromoform	50.0	50.8		ug/L		102	64 - 127
Isopropylbenzene	50.0	44.0		ug/L		88	68 - 120
Bromobenzene	50.0	50.2		ug/L		100	80 - 120
1,1,2,2-Tetrachloroethane	50.0	44.8		ug/L		90	78 - 123
1,2,3-Trichloropropane	50.0	45.2		ug/L		90	77 - 119
N-Propylbenzene	50.0	49.4		ug/L		99	77 - 114
2-Chlorotoluene	50.0	49.7		ug/L		99	80 - 120
1,3,5-Trimethylbenzene	50.0	53.7		ug/L		107	83 - 120
4-Chlorotoluene	50.0	48.6		ug/L		97	80 - 120
tert-Butylbenzene	50.0	51.7		ug/L		103	80 - 120
1,2,4-Trimethylbenzene	50.0	53.6		ug/L		107	80 - 120
sec-Butylbenzene	50.0	51.1		ug/L		102	79 - 117
1,3-Dichlorobenzene	50.0	49.2		ug/L		98	80 - 120
p-Isopropyltoluene	50.0	50.7		ug/L		101	77 - 120
1,4-Dichlorobenzene	50.0	48.6		ug/L		97	80 - 120
n-Butylbenzene	50.0	51.3		ug/L		103	78 - 119
1,2-Dichlorobenzene	50.0	49.1		ug/L		98	80 - 120
1,2-Dibromo-3-Chloropropane	50.0	44.9		ug/L		90	53 - 133
1,2,4-Trichlorobenzene	50.0	50.9		ug/L		102	70 - 118
Hexachlorobutadiene	50.0	55.1		ug/L		110	71 - 128
Naphthalene	50.0	51.8		ug/L		104	72 - 127
1,2,3-Trichlorobenzene	50.0	52.6		ug/L		105	74 - 126

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	98		75 - 131
Toluene-d8 (Surr)	102		80 - 120
4-Bromofluorobenzene (Surr)	102		79 - 120
Dibromofluoromethane	95		74 - 123

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Method: 8260B - VOC (Continued)

Lab Sample ID: MB 500-161317/6

Matrix: Water

Analysis Batch: 161317

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			08/31/12 10:16	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			08/31/12 10:16	1
Chloromethane	<1.0		1.0	0.18	ug/L			08/31/12 10:16	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			08/31/12 10:16	1
Bromomethane	<1.0		1.0	0.31	ug/L			08/31/12 10:16	1
Chloroethane	<1.0		1.0	0.34	ug/L			08/31/12 10:16	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			08/31/12 10:16	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			08/31/12 10:16	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			08/31/12 10:16	1
Acetone	<5.0		5.0	1.3	ug/L			08/31/12 10:16	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			08/31/12 10:16	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			08/31/12 10:16	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			08/31/12 10:16	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			08/31/12 10:16	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			08/31/12 10:16	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			08/31/12 10:16	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			08/31/12 10:16	1
Chloroform	<1.0		1.0	0.20	ug/L			08/31/12 10:16	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			08/31/12 10:16	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			08/31/12 10:16	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			08/31/12 10:16	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			08/31/12 10:16	1
Trichloroethene	<0.50		0.50	0.19	ug/L			08/31/12 10:16	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			08/31/12 10:16	1
Dibromomethane	<1.0		1.0	0.33	ug/L			08/31/12 10:16	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			08/31/12 10:16	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			08/31/12 10:16	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			08/31/12 10:16	1
Toluene	<0.50		0.50	0.11	ug/L			08/31/12 10:16	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			08/31/12 10:16	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			08/31/12 10:16	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			08/31/12 10:16	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			08/31/12 10:16	1
2-Hexanone	<5.0		5.0	0.56	ug/L			08/31/12 10:16	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			08/31/12 10:16	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			08/31/12 10:16	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			08/31/12 10:16	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			08/31/12 10:16	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			08/31/12 10:16	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			08/31/12 10:16	1
o-Xylene	<0.50		0.50	0.068	ug/L			08/31/12 10:16	1
Styrene	<1.0		1.0	0.10	ug/L			08/31/12 10:16	1
Bromoform	<1.0		1.0	0.28	ug/L			08/31/12 10:16	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			08/31/12 10:16	1
Bromobenzene	<1.0		1.0	0.25	ug/L			08/31/12 10:16	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			08/31/12 10:16	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			08/31/12 10:16	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			08/31/12 10:16	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			08/31/12 10:16	1

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Method: 8260B - VOC (Continued)

Lab Sample ID: MB 500-161317/6
Matrix: Water
Analysis Batch: 161317

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			08/31/12 10:16	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			08/31/12 10:16	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			08/31/12 10:16	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			08/31/12 10:16	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			08/31/12 10:16	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/31/12 10:16	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			08/31/12 10:16	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			08/31/12 10:16	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			08/31/12 10:16	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			08/31/12 10:16	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			08/31/12 10:16	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			08/31/12 10:16	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			08/31/12 10:16	1
Naphthalene	<1.0		1.0	0.16	ug/L			08/31/12 10:16	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			08/31/12 10:16	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	95		75 - 131		08/31/12 10:16	1
Toluene-d8 (Surr)	99		80 - 120		08/31/12 10:16	1
4-Bromofluorobenzene (Surr)	95		79 - 120		08/31/12 10:16	1
Dibromofluoromethane	96		74 - 123		08/31/12 10:16	1

Lab Sample ID: LCS 500-161317/4
Matrix: Water
Analysis Batch: 161317

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Dichlorodifluoromethane	50.0	30.5		ug/L		61	43 - 139
Chloromethane	50.0	28.8		ug/L		58	56 - 144
Vinyl chloride	50.0	36.4		ug/L		73	51 - 149
Bromomethane	50.0	41.8		ug/L		84	47 - 158
Chloroethane	50.0	43.5		ug/L		87	54 - 143
Trichlorofluoromethane	50.0	47.3		ug/L		95	66 - 126
1,1-Dichloroethene	50.0	37.5		ug/L		75	58 - 115
Carbon disulfide	50.0	30.2		ug/L		60	50 - 120
Acetone	50.0	40.7		ug/L		81	41 - 163
Methylene Chloride	50.0	40.9		ug/L		82	63 - 130
trans-1,2-Dichloroethene	50.0	41.6		ug/L		83	74 - 119
1,1-Dichloroethane	50.0	37.7		ug/L		75	66 - 118
2,2-Dichloropropane	50.0	41.0		ug/L		82	70 - 117
cis-1,2-Dichloroethene	50.0	42.5		ug/L		85	75 - 119
Methyl Ethyl Ketone	50.0	34.8		ug/L		70	53 - 140
Bromochloromethane	50.0	41.9		ug/L		84	72 - 119
Chloroform	50.0	41.0		ug/L		82	76 - 117
1,1,1-Trichloroethane	50.0	41.9		ug/L		84	77 - 117
1,1-Dichloropropene	50.0	40.5		ug/L		81	71 - 113
Carbon tetrachloride	50.0	41.6		ug/L		83	72 - 124
1,2-Dichloroethane	50.0	39.8		ug/L		80	76 - 117

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Method: 8260B - VOC (Continued)

Lab Sample ID: LCS 500-161317/4
Matrix: Water
Analysis Batch: 161317

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Trichloroethene	50.0	47.2		ug/L		94	75 - 120
1,2-Dichloropropane	50.0	41.3		ug/L		83	77 - 118
Dibromomethane	50.0	41.5		ug/L		83	76 - 120
Bromodichloromethane	50.0	41.9		ug/L		84	79 - 117
cis-1,3-Dichloropropene	53.8	46.2		ug/L		86	71 - 112
methyl isobutyl ketone	50.0	38.2		ug/L		76	59 - 134
Toluene	50.0	48.8		ug/L		98	80 - 120
trans-1,3-Dichloropropene	48.6	41.7		ug/L		86	66 - 116
1,1,2-Trichloroethane	50.0	42.6		ug/L		85	78 - 121
Tetrachloroethene	50.0	47.9		ug/L		96	71 - 120
1,3-Dichloropropane	50.0	43.9		ug/L		88	79 - 114
2-Hexanone	50.0	39.3		ug/L		79	60 - 134
Dibromochloromethane	50.0	45.6		ug/L		91	73 - 120
1,2-Dibromoethane	50.0	45.5		ug/L		91	79 - 120
Chlorobenzene	50.0	46.1		ug/L		92	80 - 120
1,1,1,2-Tetrachloroethane	50.0	46.9		ug/L		94	80 - 120
Ethylbenzene	50.0	49.0		ug/L		98	79 - 115
m&p-Xylene	100	99.8		ug/L		100	78 - 120
o-Xylene	50.0	50.2		ug/L		100	78 - 120
Styrene	50.0	50.2		ug/L		100	80 - 120
Bromoform	50.0	49.2		ug/L		98	64 - 127
Isopropylbenzene	50.0	42.2		ug/L		84	68 - 120
Bromobenzene	50.0	48.4		ug/L		97	80 - 120
1,1,2,2-Tetrachloroethane	50.0	43.4		ug/L		87	78 - 123
1,2,3-Trichloropropane	50.0	42.9		ug/L		86	77 - 119
N-Propylbenzene	50.0	47.9		ug/L		96	77 - 114
2-Chlorotoluene	50.0	47.8		ug/L		96	80 - 120
1,3,5-Trimethylbenzene	50.0	51.7		ug/L		103	83 - 120
4-Chlorotoluene	50.0	47.0		ug/L		94	80 - 120
tert-Butylbenzene	50.0	50.1		ug/L		100	80 - 120
1,2,4-Trimethylbenzene	50.0	51.4		ug/L		103	80 - 120
sec-Butylbenzene	50.0	50.0		ug/L		100	79 - 117
1,3-Dichlorobenzene	50.0	48.0		ug/L		96	80 - 120
p-Isopropyltoluene	50.0	49.5		ug/L		99	77 - 120
1,4-Dichlorobenzene	50.0	47.3		ug/L		95	80 - 120
n-Butylbenzene	50.0	50.0		ug/L		100	78 - 119
1,2-Dichlorobenzene	50.0	47.8		ug/L		96	80 - 120
1,2-Dibromo-3-Chloropropane	50.0	41.0		ug/L		82	53 - 133
1,2,4-Trichlorobenzene	50.0	51.2		ug/L		102	70 - 118
Hexachlorobutadiene	50.0	53.7		ug/L		107	71 - 128
Naphthalene	50.0	52.2		ug/L		104	72 - 127
1,2,3-Trichlorobenzene	50.0	52.6		ug/L		105	74 - 126

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	92		75 - 131
Toluene-d8 (Surr)	102		80 - 120
4-Bromofluorobenzene (Surr)	103		79 - 120
Dibromofluoromethane	94		74 - 123

Lab Chronicle

TestAmerica Job ID: 500-49626-1

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

Client Sample ID: RFW-1A
Date Collected: 08/23/12 08:20
Date Received: 08/25/12 09:00

Lab Sample ID: 500-49626-1
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	161010	08/29/12 15:38	BDA	TAL CHI

Client Sample ID: RFW-1B
Date Collected: 08/23/12 17:00
Date Received: 08/25/12 09:00

Lab Sample ID: 500-49626-2
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	161010	08/29/12 16:02	BDA	TAL CHI

Client Sample ID: RFW-2A
Date Collected: 08/23/12 09:00
Date Received: 08/25/12 09:00

Lab Sample ID: 500-49626-3
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	161010	08/29/12 16:26	BDA	TAL CHI

Client Sample ID: RFW-2B
Date Collected: 08/23/12 09:20
Date Received: 08/25/12 09:00

Lab Sample ID: 500-49626-4
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	161010	08/29/12 16:51	BDA	TAL CHI

Client Sample ID: RFW-3B
Date Collected: 08/23/12 15:35
Date Received: 08/25/12 09:00

Lab Sample ID: 500-49626-5
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	161010	08/29/12 17:15	BDA	TAL CHI

Client Sample ID: RFW-4A
Date Collected: 08/24/12 08:30
Date Received: 08/25/12 09:00

Lab Sample ID: 500-49626-6
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	161010	08/29/12 17:39	BDA	TAL CHI

Client Sample ID: RFW-4A DUP
Date Collected: 08/24/12 08:30
Date Received: 08/25/12 09:00

Lab Sample ID: 500-49626-7
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	161010	08/29/12 18:03	BDA	TAL CHI

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: RFW-4B

Date Collected: 08/24/12 09:10
Date Received: 08/25/12 09:00

Lab Sample ID: 500-49626-8

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	161010	08/29/12 18:27	BDA	TAL CHI

Client Sample ID: RFW-6

Date Collected: 08/23/12 16:50
Date Received: 08/25/12 09:00

Lab Sample ID: 500-49626-9

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	161010	08/29/12 18:51	BDA	TAL CHI

Client Sample ID: RFW-7

Date Collected: 08/23/12 11:40
Date Received: 08/25/12 09:00

Lab Sample ID: 500-49626-10

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	161010	08/29/12 19:15	BDA	TAL CHI

Client Sample ID: RFW-9

Date Collected: 08/24/12 11:15
Date Received: 08/25/12 09:00

Lab Sample ID: 500-49626-11

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	161010	08/29/12 19:39	BDA	TAL CHI

Client Sample ID: RFW-11B

Date Collected: 08/24/12 12:30
Date Received: 08/25/12 09:00

Lab Sample ID: 500-49626-12

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	161010	08/29/12 20:03	BDA	TAL CHI

Client Sample ID: RFW-12B

Date Collected: 08/23/12 17:45
Date Received: 08/25/12 09:00

Lab Sample ID: 500-49626-13

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	161010	08/29/12 20:27	BDA	TAL CHI

Client Sample ID: RFW-13

Date Collected: 08/23/12 16:35
Date Received: 08/25/12 09:00

Lab Sample ID: 500-49626-14

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	161143	08/30/12 10:41	BDA	TAL CHI

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: RFW-17

Lab Sample ID: 500-49626-15

Date Collected: 08/23/12 12:35

Matrix: Water

Date Received: 08/25/12 09:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	161143	08/30/12 11:05	BDA	TAL CHI

Client Sample ID: TRIP BLANK

Lab Sample ID: 500-49626-16

Date Collected: 08/23/12 00:00

Matrix: Water

Date Received: 08/25/12 09:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	161143	08/30/12 10:17	BDA	TAL CHI

Client Sample ID: EW-2

Lab Sample ID: 500-49626-17

Date Collected: 08/23/12 17:15

Matrix: Water

Date Received: 08/25/12 09:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	161143	08/30/12 11:29	BDA	TAL CHI
Total/NA	Analysis	8260B	DL	5	161317	08/31/12 12:17	BDA	TAL CHI

Client Sample ID: EW-3

Lab Sample ID: 500-49626-18

Date Collected: 08/24/12 12:20

Matrix: Water

Date Received: 08/25/12 09:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	161143	08/30/12 11:53	BDA	TAL CHI

Client Sample ID: EW-4

Lab Sample ID: 500-49626-19

Date Collected: 08/24/12 11:55

Matrix: Water

Date Received: 08/25/12 09:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	161143	08/30/12 12:17	BDA	TAL CHI
Total/NA	Analysis	8260B	DL	10	161143	08/30/12 12:41	BDA	TAL CHI

Client Sample ID: EW-5

Lab Sample ID: 500-49626-20

Date Collected: 08/23/12 08:00

Matrix: Water

Date Received: 08/25/12 09:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	161143	08/30/12 13:05	BDA	TAL CHI

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Client Sample ID: EW-6
Date Collected: 08/23/12 10:35
Date Received: 08/25/12 09:00

Lab Sample ID: 500-49626-21
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	161143	08/30/12 13:29	BDA	TAL CHI

Client Sample ID: EW-7
Date Collected: 08/23/12 10:25
Date Received: 08/25/12 09:00

Lab Sample ID: 500-49626-22
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	161143	08/30/12 13:53	BDA	TAL CHI

Client Sample ID: EW-8
Date Collected: 08/23/12 10:10
Date Received: 08/25/12 09:00

Lab Sample ID: 500-49626-23
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	161143	08/30/12 14:17	BDA	TAL CHI

Client Sample ID: EW-9
Date Collected: 08/23/12 10:00
Date Received: 08/25/12 09:00

Lab Sample ID: 500-49626-24
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	161143	08/30/12 14:41	BDA	TAL CHI

Client Sample ID: EW-9 DUP
Date Collected: 08/23/12 10:00
Date Received: 08/25/12 09:00

Lab Sample ID: 500-49626-25
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	161143	08/30/12 15:05	BDA	TAL CHI

Client Sample ID: EW-10
Date Collected: 08/23/12 09:30
Date Received: 08/25/12 09:00

Lab Sample ID: 500-49626-26
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	161143	08/30/12 15:30	BDA	TAL CHI

Laboratory References:

TAL CHI = TestAmerica Chicago, 2417 Bond Street, University Park, IL 60484, TEL (708)534-5200

Certification Summary

Client: Weston Solutions, Inc.
 Project/Site: Black and Decker

TestAmerica Job ID: 500-49626-1

Laboratory: TestAmerica Chicago

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Alabama	State Program	4	40461	04-30-13
California	NELAC	9	01132CA	04-30-13
Georgia	State Program	4	N/A	04-30-13
Georgia	State Program	4	939	04-30-13
Hawaii	State Program	9	N/A	04-30-13
Illinois	NELAC	5	100201	04-30-13
Indiana	State Program	5	C-IL-02	04-30-13
Iowa	State Program	7	82	05-01-14
Kansas	NELAC	7	E-10161	10-31-12
Kentucky	State Program	4	90023	12-31-12
Kentucky (UST)	State Program	4	66	04-11-13
L-A-B	DoD ELAP		L2304	01-06-13
L-A-B	ISO/IEC 17025		L2304	01-06-13
Louisiana	NELAC	6	30720	06-30-13
Massachusetts	State Program	1	M-IL035	06-30-13
Mississippi	State Program	4	N/A	04-30-13
North Carolina DENR	State Program	4	291	12-31-12
North Dakota	State Program	8	R-194	04-30-13
Oklahoma	State Program	6	8908	08-31-13
South Carolina	State Program	4	77001	04-30-12
Texas	NELAC	6	T104704252-09-TX	02-28-13
USDA	Federal		P330-12-00038	02-06-15
Virginia	NELAC	3	460142	06-14-13
Wisconsin	State Program	5	999580010	08-31-12
Wyoming	State Program	8	8TMS-Q	04-30-13

13

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

2417 Bond Street, University Park, IL 60484
 Phone: 708.534.5200 Fax: 708.534.5211

Report To _____ (optional)
 Contact: _____
 Company: _____
 Address: _____
 Address: _____
 Phone: _____
 Fax: _____
 E-Mail: _____

Bill To _____ (optional)
 Contact: _____
 Company: _____
 Address: _____
 Address: _____
 Phone: _____
 Fax: _____
 PO#Reference# _____

Chain of Custody Record

Lab Job #: 500-49626
 Chain of Custody Number: _____
 Page 2 of 3
 Temperature °C of Cooler: _____

Client		Client Project #		Preservative		Parameter		Matrix		Preservative Key 1. HCL, Cool to 4° 2. H2SO4, Cool to 4° 3. HNO3, Cool to 4° 4. NaOH, Cool to 4° 5. NaOH/Zn, Cool to 4° 6. NaHSO4 7. Cool to 4° 8. None 9. Other
Project Name		Project Location/State		Lab Project #		Sampler		Lab PM		
Lab ID	MS/MSD	Sample ID	Date	Time	# of Containers	Matrix				
11		RFW-9	8/24/12	1115	3	W	✓			Comments
12		RFW-11B	↓	1030	1		✓			
13		RFW-12B	8/23/12	1745	1		✓			
14		RFW-13	↓	1635	1		✓			
15		RFW-17	↓	1235	1		✓			
16		Trip Blank	↓		1		✓			

Turnaround Time Required (Business Days)
 1 Day 2 Days 5 Days 7 Days 10 Days 15 Days Other

Requested Due Date _____

Sample Disposal
 Return to Client Disposal by Lab Archive for _____ Months (A fee may be assessed if samples are retained longer than 1 month)

Relinquished By: <u>[Signature]</u> Company: <u>Western</u> Date: <u>8/24/12</u> Time: <u>1600</u>	Received By: <u>[Signature]</u> Company: <u>TA</u> Date: <u>8/25/12</u> Time: <u>0900</u>	Lab Courier: _____
Relinquished By: _____ Company: _____ Date: _____ Time: _____	Received By: _____ Company: _____ Date: _____ Time: _____	Shipped: <u>FX</u>
Relinquished By: _____ Company: _____ Date: _____ Time: _____	Received By: _____ Company: _____ Date: _____ Time: _____	Hand Delivered: _____

Matrix Key
 WW - Wastewater SE - Sediment
 W - Water SO - Soil
 S - Soil L - Leachate
 SL - Sludge WI - Wipe
 MS - Miscellaneous DW - Drinking Water
 OL - Oil O - Other
 A - Air

Client Comments: _____

Lab Comments: _____

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

2417 Bond Street, University Park, IL 60484
Phone: 708.534.5200 Fax: 708.534.5211

Report To (optional)
Contact: _____
Company: _____
Address: _____
Address: _____
Phone: _____
Fax: _____
E-Mail: _____

Bill To (optional)
Contact: _____
Company: _____
Address: _____
Address: _____
Phone: _____
Fax: _____
PO#Reference# _____

Chain of Custody Record

Lab Job #: 500-49626
Chain of Custody Number: _____
Page 3 of 3
Temperature °C of Cooler: _____

Client <u>Wester Solutions</u>		Client Project #		Preservative																Preservative Key 1. HCL, Cool to 4° 2. H2SO4, Cool to 4° 3. HNO3, Cool to 4° 4. NaOH, Cool to 4° 5. NaOH/Zn, Cool to 4° 6. NaHSO4 7. Cool to 4° 8. None 9. Other		
Project Name <u>Black + Decker</u>		Lab Project #		Parameter																		
Project Location/State		Lab PM																				
Sampler																						
Lab ID	MS/MSD	Sample ID	Sampling		# of Containers	Matrix	VOA														Comments	
			Date	Time																		
17		EW-2	8/23/12	1715	3	W	✓															
18		EW-3	8/24/12	1220	1		✓															
19		EW-4	1	1155	1		✓															
20		EW-5	8/23/12	800	1		✓															
21		EW-6	1	1025	1		✓															
22		EW-7	1	1025	1		✓															
23		EW-8	1	1010	1		✓															
24		EW-9	1	1000	1		✓															
25		EW-9 Dup	1	1000	1		✓															
26		EW-10	1	930	1		✓															

Turnaround Time Required (Business Days)

1 Day 2 Days 5 Days 7 Days 10 Days 15 Days Other

Sample Disposal

Return to Client Disposal by Lab Archive for _____ Months

(A fee may be assessed if samples are retained longer than 1 month)

Relinquished By <u>[Signature]</u>	Company <u>Wester</u>	Date <u>8/24/12</u>	Time <u>1600</u>	Received By <u>[Signature]</u>	Company <u>WA</u>	Date <u>8/25/12</u>	Time <u>0900</u>
Relinquished by	Company	Date	Time	Received By	Company	Date	Time
Relinquished By	Company	Date	Time	Received By	Company	Date	Time

Lab Courier: _____
Shipped: PK
Hand Delivered: _____

Matrix Key
WW - Wastewater SE - Sediment
W - Water SO - Soil
S - Soil L - Leachate
SL - Sludge WI - Wipe
MS - Miscellaneous DW - Drinking Water
OL - Oil O - Other
A - Air

Client Comments: _____

Lab Comments: _____

Login Sample Receipt Checklist

Client: Weston Solutions, Inc.

Job Number: 500-49626-1

Login Number: 49626

List Source: TestAmerica Chicago

List Number: 1

Creator: Lunt, Jeff T

Question	Answer	Comment
Radioactivity either was not measured or, if measured, is at or below background	True	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	2.1
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	False	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Savannah
5102 LaRoche Avenue
Savannah, GA 31404
Tel: (912)354-7858

TestAmerica Job ID: 680-82374-1
Client Project/Site: Hampstead, MD

For:
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, Pennsylvania 19380

Attn: Greg Flasinski



Authorized for release by:
9/7/2012 1:11:51 PM

Lisa Harvey
Project Manager II
lisa.harvey@testamericainc.com

LINKS

Review your project
results through

Total Access

Have a Question?


Ask
The
Expert

Visit us at:
www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Case Narrative

Client: Weston Solutions, Inc.
Project/Site: Hampstead, MD

TestAmerica Job ID: 680-82374-1

Job ID: 680-82374-1

Laboratory: TestAmerica Savannah

Narrative

CASE NARRATIVE

Client: Weston Solutions, Inc.

Project: Hampstead, MD

Report Number: 680-82374-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The samples were received on 08/25/2012; the samples arrived in good condition, properly preserved and on ice. The temperature of the coolers at receipt was 2.8 C.

VOLATILE ORGANIC COMPOUNDS (GC-MS)

Samples RFW-21 (680-82374-1), Hamp-22 (680-82374-2), Hamp-23 (680-82374-3) and Trip Blank (680-82374-4) were analyzed for Volatile organic Compounds (GC-MS) in accordance with EPA Method 524.2. The samples were analyzed on 08/28/2012 and 08/31/2012.

Method(s) 524.2: The trip blank associated with these samples contained a detection above the reporting limit (RL) for the following analyte: Acetone. Reanalysis confirms results.

Sample Summary

TestAmerica Job ID: 680-82374-1

Client: Weston Solutions, Inc.
Project/Site: Hampstead, MD

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
680-82374-1	RFW-21	Water	08/23/12 13:30	08/25/12 09:20
680-82374-2	Hamp-22	Water	08/24/12 10:00	08/25/12 09:20
680-82374-3	Hamp-23	Water	08/24/12 10:10	08/25/12 09:20
680-82374-4	Trip Blank	Water	08/23/12 07:00	08/25/12 09:20

Method Summary

Client: Weston Solutions, Inc.
Project/Site: Hampstead, MD

TestAmerica Job ID: 680-82374-1

Method	Method Description	Protocol	Laboratory
524.2	Volatile Organic Compounds (GC/MS)	EPA-DW	TAL SAV

Protocol References:

EPA-DW = "Methods For The Determination Of Organic Compounds In Drinking Water", EPA/600/4-88/039, December 1988 And Its Supplements.

Laboratory References:

TAL SAV = TestAmerica Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858



Definitions/Glossary

Client: Weston Solutions, Inc.
Project/Site: Hampstead, MD

TestAmerica Job ID: 680-82374-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☆	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CNF	Contains no Free Liquid
DL, RA, RE, IN	Indicates a Dilution, Reanalysis, Re-extraction, or additional Initial metals/anion analysis of the sample
EDL	Estimated Detection Limit
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RL	Reporting Limit
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Hampstead, MD

TestAmerica Job ID: 680-82374-1

Client Sample ID: RFW-21

Lab Sample ID: 680-82374-1

Date Collected: 08/23/12 13:30

Matrix: Water

Date Received: 08/25/12 09:20

Method: 524.2 - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	<10		10	5.0	ug/L			08/31/12 22:45	1
Benzene	<0.50		0.50	0.18	ug/L			08/31/12 22:45	1
Bromobenzene	<0.50		0.50	0.42	ug/L			08/31/12 22:45	1
Bromoform	<0.50		0.50	0.39	ug/L			08/31/12 22:45	1
Bromomethane	<1.0		1.0	0.45	ug/L			08/31/12 22:45	1
Carbon tetrachloride	<0.50		0.50	0.22	ug/L			08/31/12 22:45	1
Chlorobenzene	<0.50		0.50	0.27	ug/L			08/31/12 22:45	1
Chlorobromomethane	<0.50		0.50	0.30	ug/L			08/31/12 22:45	1
Chlorodibromomethane	<0.50		0.50	0.43	ug/L			08/31/12 22:45	1
Chloroethane	<1.0		1.0	0.33	ug/L			08/31/12 22:45	1
Chloroform	<0.50		0.50	0.29	ug/L			08/31/12 22:45	1
Chloromethane	<0.50		0.50	0.32	ug/L			08/31/12 22:45	1
2-Chlorotoluene	<0.50		0.50	0.17	ug/L			08/31/12 22:45	1
4-Chlorotoluene	<0.50		0.50	0.16	ug/L			08/31/12 22:45	1
cis-1,2-Dichloroethene	<0.50		0.50	0.37	ug/L			08/31/12 22:45	1
cis-1,3-Dichloropropene	<0.50		0.50	0.32	ug/L			08/31/12 22:45	1
1,2-Dibromo-3-Chloropropane	<0.50		0.50	0.30	ug/L			08/31/12 22:45	1
Dibromomethane	<0.50		0.50	0.38	ug/L			08/31/12 22:45	1
1,2-Dichlorobenzene	<0.50		0.50	0.17	ug/L			08/31/12 22:45	1
1,3-Dichlorobenzene	<0.50		0.50	0.14	ug/L			08/31/12 22:45	1
1,4-Dichlorobenzene	<0.50		0.50	0.18	ug/L			08/31/12 22:45	1
Dichlorobromomethane	<1.0		1.0	0.54	ug/L			08/31/12 22:45	1
Dichlorodifluoromethane	<0.50		0.50	0.34	ug/L			08/31/12 22:45	1
1,1-Dichloroethane	<0.50		0.50	0.39	ug/L			08/31/12 22:45	1
1,2-Dichloroethane	<0.50		0.50	0.17	ug/L			08/31/12 22:45	1
1,1-Dichloroethene	<0.50		0.50	0.32	ug/L			08/31/12 22:45	1
1,2-Dichloropropane	<0.50		0.50	0.45	ug/L			08/31/12 22:45	1
1,3-Dichloropropane	<0.50		0.50	0.43	ug/L			08/31/12 22:45	1
2,2-Dichloropropane	<0.50		0.50	0.31	ug/L			08/31/12 22:45	1
1,1-Dichloropropene	<0.50		0.50	0.19	ug/L			08/31/12 22:45	1
1,3-Dichloropropene, Total	<0.50		0.50	0.32	ug/L			08/31/12 22:45	1
Diisopropyl ether	<0.50		0.50	0.28	ug/L			08/31/12 22:45	1
Ethylbenzene	<0.50		0.50	0.12	ug/L			08/31/12 22:45	1
Ethylene Dibromide	<0.50		0.50	0.20	ug/L			08/31/12 22:45	1
Freon 113	<0.50		0.50	0.15	ug/L			08/31/12 22:45	1
Hexachlorobutadiene	<0.50		0.50	0.26	ug/L			08/31/12 22:45	1
2-Hexanone	<10		10	5.0	ug/L			08/31/12 22:45	1
Isopropylbenzene	<0.50		0.50	0.15	ug/L			08/31/12 22:45	1
4-Isopropyltoluene	<0.50		0.50	0.21	ug/L			08/31/12 22:45	1
Methylene Chloride	<0.50		0.50	0.36	ug/L			08/31/12 22:45	1
2-Butanone (MEK)	<10		10	5.0	ug/L			08/31/12 22:45	1
4-Methyl-2-pentanone (MIBK)	<10		10	5.0	ug/L			08/31/12 22:45	1
m-Xylene & p-Xylene	<0.50		0.50	0.42	ug/L			08/31/12 22:45	1
Naphthalene	<1.0		1.0	0.43	ug/L			08/31/12 22:45	1
n-Butylbenzene	<0.50		0.50	0.17	ug/L			08/31/12 22:45	1
N-Propylbenzene	<0.50		0.50	0.17	ug/L			08/31/12 22:45	1
o-Xylene	<0.50		0.50	0.27	ug/L			08/31/12 22:45	1
sec-Butylbenzene	<0.50		0.50	0.14	ug/L			08/31/12 22:45	1
Styrene	<0.50		0.50	0.28	ug/L			08/31/12 22:45	1
Tert-amyl methyl ether	<0.50		0.50	0.20	ug/L			08/31/12 22:45	1
tert-Butyl alcohol	<2.0		2.0	1.6	ug/L			08/31/12 22:45	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Hampstead, MD

TestAmerica Job ID: 680-82374-1

Client Sample ID: RFW-21

Lab Sample ID: 680-82374-1

Date Collected: 08/23/12 13:30

Matrix: Water

Date Received: 08/25/12 09:20

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<0.50		0.50	0.14	ug/L			08/31/12 22:45	1
Tert-butyl ethyl ether	<0.50		0.50	0.26	ug/L			08/31/12 22:45	1
1,1,1,2-Tetrachloroethane	<0.50		0.50	0.16	ug/L			08/31/12 22:45	1
1,1,2,2-Tetrachloroethane	<0.50		0.50	0.18	ug/L			08/31/12 22:45	1
Tetrachloroethene	<0.50		0.50	0.30	ug/L			08/31/12 22:45	1
Toluene	<0.50		0.50	0.23	ug/L			08/31/12 22:45	1
trans-1,2-Dichloroethene	<0.50		0.50	0.24	ug/L			08/31/12 22:45	1
trans-1,3-Dichloropropene	<0.50		0.50	0.48	ug/L			08/31/12 22:45	1
1,2,3-Trichlorobenzene	<0.50		0.50	0.14	ug/L			08/31/12 22:45	1
1,2,4-Trichlorobenzene	<0.50		0.50	0.18	ug/L			08/31/12 22:45	1
1,1,1-Trichloroethane	<0.50		0.50	0.27	ug/L			08/31/12 22:45	1
1,1,2-Trichloroethane	<0.50		0.50	0.22	ug/L			08/31/12 22:45	1
Trichloroethene	<0.50		0.50	0.37	ug/L			08/31/12 22:45	1
Trichlorofluoromethane	<0.50		0.50	0.23	ug/L			08/31/12 22:45	1
1,2,3-Trichloropropane	<0.50		0.50	0.18	ug/L			08/31/12 22:45	1
Trihalomethanes, Total	<0.50		0.50	0.29	ug/L			08/31/12 22:45	1
1,2,4-Trimethylbenzene	<0.50		0.50	0.17	ug/L			08/31/12 22:45	1
1,3,5-Trimethylbenzene	<0.50		0.50	0.16	ug/L			08/31/12 22:45	1
Vinyl chloride	<0.50		0.50	0.33	ug/L			08/31/12 22:45	1
Xylenes, Total	<0.50		0.50	0.27	ug/L			08/31/12 22:45	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	94		70 - 130		08/31/12 22:45	1
1,2-Dichlorobenzene-d4	86		70 - 130		08/31/12 22:45	1

Client Sample ID: Hamp-22

Lab Sample ID: 680-82374-2

Date Collected: 08/24/12 10:00

Matrix: Water

Date Received: 08/25/12 09:20

Method: 524.2 - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	<10		10	5.0	ug/L			08/28/12 22:23	1
Benzene	<0.50		0.50	0.18	ug/L			08/28/12 22:23	1
Bromobenzene	<0.50		0.50	0.42	ug/L			08/28/12 22:23	1
Bromoform	<0.50		0.50	0.39	ug/L			08/28/12 22:23	1
Bromomethane	<1.0		1.0	0.45	ug/L			08/28/12 22:23	1
Carbon tetrachloride	<0.50		0.50	0.22	ug/L			08/28/12 22:23	1
Chlorobenzene	<0.50		0.50	0.27	ug/L			08/28/12 22:23	1
Chlorobromomethane	<0.50		0.50	0.30	ug/L			08/28/12 22:23	1
Chlorodibromomethane	<0.50		0.50	0.43	ug/L			08/28/12 22:23	1
Chloroethane	<1.0		1.0	0.33	ug/L			08/28/12 22:23	1
Chloroform	0.40	J	0.50	0.29	ug/L			08/28/12 22:23	1
Chloromethane	<0.50		0.50	0.32	ug/L			08/28/12 22:23	1
2-Chlorotoluene	<0.50		0.50	0.17	ug/L			08/28/12 22:23	1
4-Chlorotoluene	<0.50		0.50	0.16	ug/L			08/28/12 22:23	1
cis-1,2-Dichloroethene	<0.50		0.50	0.37	ug/L			08/28/12 22:23	1
cis-1,3-Dichloropropene	<0.50		0.50	0.32	ug/L			08/28/12 22:23	1
1,2-Dibromo-3-Chloropropane	<0.50		0.50	0.30	ug/L			08/28/12 22:23	1
Dibromomethane	<0.50		0.50	0.38	ug/L			08/28/12 22:23	1
1,2-Dichlorobenzene	<0.50		0.50	0.17	ug/L			08/28/12 22:23	1
1,3-Dichlorobenzene	<0.50		0.50	0.14	ug/L			08/28/12 22:23	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Hampstead, MD

TestAmerica Job ID: 680-82374-1

Client Sample ID: Hamp-22

Lab Sample ID: 680-82374-2

Date Collected: 08/24/12 10:00

Matrix: Water

Date Received: 08/25/12 09:20

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	DII Fac
1,4-Dichlorobenzene	<0.50		0.50	0.18	ug/L			08/28/12 22:23	1
Dichlorobromomethane	<1.0		1.0	0.54	ug/L			08/28/12 22:23	1
Dichlorodifluoromethane	<0.50		0.50	0.34	ug/L			08/28/12 22:23	1
1,1-Dichloroethane	<0.50		0.50	0.39	ug/L			08/28/12 22:23	1
1,2-Dichloroethane	<0.50		0.50	0.17	ug/L			08/28/12 22:23	1
1,1-Dichloroethene	<0.50		0.50	0.32	ug/L			08/28/12 22:23	1
1,2-Dichloropropane	<0.50		0.50	0.45	ug/L			08/28/12 22:23	1
1,3-Dichloropropane	<0.50		0.50	0.43	ug/L			08/28/12 22:23	1
2,2-Dichloropropane	<0.50		0.50	0.31	ug/L			08/28/12 22:23	1
1,1-Dichloropropene	<0.50		0.50	0.19	ug/L			08/28/12 22:23	1
1,3-Dichloropropene, Total	<0.50		0.50	0.32	ug/L			08/28/12 22:23	1
Diisopropyl ether	<0.50		0.50	0.28	ug/L			08/28/12 22:23	1
Ethylbenzene	<0.50		0.50	0.12	ug/L			08/28/12 22:23	1
Ethylene Dibromide	<0.50		0.50	0.20	ug/L			08/28/12 22:23	1
Freon 113	<0.50		0.50	0.15	ug/L			08/28/12 22:23	1
Hexachlorobutadiene	<0.50		0.50	0.26	ug/L			08/28/12 22:23	1
2-Hexanone	<10		10	5.0	ug/L			08/28/12 22:23	1
Isopropylbenzene	<0.50		0.50	0.15	ug/L			08/28/12 22:23	1
4-Isopropyltoluene	<0.50		0.50	0.21	ug/L			08/28/12 22:23	1
Methylene Chloride	<0.50		0.50	0.36	ug/L			08/28/12 22:23	1
2-Butanone (MEK)	<10		10	5.0	ug/L			08/28/12 22:23	1
4-Methyl-2-pentanone (MIBK)	<10		10	5.0	ug/L			08/28/12 22:23	1
m-Xylene & p-Xylene	<0.50		0.50	0.42	ug/L			08/28/12 22:23	1
Naphthalene	<1.0		1.0	0.43	ug/L			08/28/12 22:23	1
n-Butylbenzene	<0.50		0.50	0.17	ug/L			08/28/12 22:23	1
N-Propylbenzene	<0.50		0.50	0.17	ug/L			08/28/12 22:23	1
o-Xylene	<0.50		0.50	0.27	ug/L			08/28/12 22:23	1
sec-Butylbenzene	<0.50		0.50	0.14	ug/L			08/28/12 22:23	1
Styrene	<0.50		0.50	0.28	ug/L			08/28/12 22:23	1
Tert-amyl methyl ether	<0.50		0.50	0.20	ug/L			08/28/12 22:23	1
tert-Butyl alcohol	<2.0		2.0	1.6	ug/L			08/28/12 22:23	1
tert-Butylbenzene	<0.50		0.50	0.14	ug/L			08/28/12 22:23	1
Tert-butyl ethyl ether	<0.50		0.50	0.26	ug/L			08/28/12 22:23	1
1,1,1,2-Tetrachloroethane	<0.50		0.50	0.16	ug/L			08/28/12 22:23	1
1,1,2,2-Tetrachloroethane	<0.50		0.50	0.18	ug/L			08/28/12 22:23	1
Tetrachloroethene	<0.50		0.50	0.30	ug/L			08/28/12 22:23	1
Toluene	<0.50		0.50	0.23	ug/L			08/28/12 22:23	1
trans-1,2-Dichloroethene	<0.50		0.50	0.24	ug/L			08/28/12 22:23	1
trans-1,3-Dichloropropene	<0.50		0.50	0.48	ug/L			08/28/12 22:23	1
1,2,3-Trichlorobenzene	<0.50		0.50	0.14	ug/L			08/28/12 22:23	1
1,2,4-Trichlorobenzene	<0.50		0.50	0.18	ug/L			08/28/12 22:23	1
1,1,1-Trichloroethane	<0.50		0.50	0.27	ug/L			08/28/12 22:23	1
1,1,2-Trichloroethane	<0.50		0.50	0.22	ug/L			08/28/12 22:23	1
Trichloroethene	<0.50		0.50	0.37	ug/L			08/28/12 22:23	1
Trichlorofluoromethane	<0.50		0.50	0.23	ug/L			08/28/12 22:23	1
1,2,3-Trichloropropane	<0.50		0.50	0.18	ug/L			08/28/12 22:23	1
Trihalomethanes, Total	0.40	J	0.50	0.29	ug/L			08/28/12 22:23	1
1,2,4-Trimethylbenzene	<0.50		0.50	0.17	ug/L			08/28/12 22:23	1
1,3,5-Trimethylbenzene	<0.50		0.50	0.16	ug/L			08/28/12 22:23	1
Vinyl chloride	<0.50		0.50	0.33	ug/L			08/28/12 22:23	1
Xylenes, Total	<0.50		0.50	0.27	ug/L			08/28/12 22:23	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Hampstead, MD

TestAmerica Job ID: 680-82374-1

Client Sample ID: Hamp-22

Lab Sample ID: 680-82374-2

Date Collected: 08/24/12 10:00

Matrix: Water

Date Received: 08/25/12 09:20

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	84		70 - 130		08/28/12 22:23	1
1,2-Dichlorobenzene-d4	73		70 - 130		08/28/12 22:23	1

Client Sample ID: Hamp-23

Lab Sample ID: 680-82374-3

Date Collected: 08/24/12 10:10

Matrix: Water

Date Received: 08/25/12 09:20

Method: 524.2 - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	<10		10	5.0	ug/L			08/28/12 22:50	1
Benzene	<0.50		0.50	0.18	ug/L			08/28/12 22:50	1
Bromobenzene	<0.50		0.50	0.42	ug/L			08/28/12 22:50	1
Bromoform	<0.50		0.50	0.39	ug/L			08/28/12 22:50	1
Bromomethane	<1.0		1.0	0.45	ug/L			08/28/12 22:50	1
Carbon tetrachloride	<0.50		0.50	0.22	ug/L			08/28/12 22:50	1
Chlorobenzene	<0.50		0.50	0.27	ug/L			08/28/12 22:50	1
Chlorobromomethane	<0.50		0.50	0.30	ug/L			08/28/12 22:50	1
Chlorodibromomethane	<0.50		0.50	0.43	ug/L			08/28/12 22:50	1
Chloroethane	<1.0		1.0	0.33	ug/L			08/28/12 22:50	1
Chloroform	<0.50		0.50	0.29	ug/L			08/28/12 22:50	1
Chloromethane	<0.50		0.50	0.32	ug/L			08/28/12 22:50	1
2-Chlorotoluene	<0.50		0.50	0.17	ug/L			08/28/12 22:50	1
4-Chlorotoluene	<0.50		0.50	0.16	ug/L			08/28/12 22:50	1
cis-1,2-Dichloroethene	<0.50		0.50	0.37	ug/L			08/28/12 22:50	1
cis-1,3-Dichloropropene	<0.50		0.50	0.32	ug/L			08/28/12 22:50	1
1,2-Dibromo-3-Chloropropane	<0.50		0.50	0.30	ug/L			08/28/12 22:50	1
Dibromomethane	<0.50		0.50	0.38	ug/L			08/28/12 22:50	1
1,2-Dichlorobenzene	<0.50		0.50	0.17	ug/L			08/28/12 22:50	1
1,3-Dichlorobenzene	<0.50		0.50	0.14	ug/L			08/28/12 22:50	1
1,4-Dichlorobenzene	<0.50		0.50	0.18	ug/L			08/28/12 22:50	1
Dichlorobromomethane	<1.0		1.0	0.54	ug/L			08/28/12 22:50	1
Dichlorodifluoromethane	<0.50		0.50	0.34	ug/L			08/28/12 22:50	1
1,1-Dichloroethane	<0.50		0.50	0.39	ug/L			08/28/12 22:50	1
1,2-Dichloroethane	<0.50		0.50	0.17	ug/L			08/28/12 22:50	1
1,1-Dichloroethene	<0.50		0.50	0.32	ug/L			08/28/12 22:50	1
1,2-Dichloropropane	<0.50		0.50	0.45	ug/L			08/28/12 22:50	1
1,3-Dichloropropane	<0.50		0.50	0.43	ug/L			08/28/12 22:50	1
2,2-Dichloropropane	<0.50		0.50	0.31	ug/L			08/28/12 22:50	1
1,1-Dichloropropene	<0.50		0.50	0.19	ug/L			08/28/12 22:50	1
1,3-Dichloropropene, Total	<0.50		0.50	0.32	ug/L			08/28/12 22:50	1
Diisopropyl ether	<0.50		0.50	0.28	ug/L			08/28/12 22:50	1
Ethylbenzene	<0.50		0.50	0.12	ug/L			08/28/12 22:50	1
Ethylene Dibromide	<0.50		0.50	0.20	ug/L			08/28/12 22:50	1
Freon 113	<0.50		0.50	0.15	ug/L			08/28/12 22:50	1
Hexachlorobutadiene	<0.50		0.50	0.26	ug/L			08/28/12 22:50	1
2-Hexanone	<10		10	5.0	ug/L			08/28/12 22:50	1
Isopropylbenzene	<0.50		0.50	0.15	ug/L			08/28/12 22:50	1
4-Isopropyltoluene	<0.50		0.50	0.21	ug/L			08/28/12 22:50	1
Methylene Chloride	<0.50		0.50	0.36	ug/L			08/28/12 22:50	1
2-Butanone (MEK)	<10		10	5.0	ug/L			08/28/12 22:50	1
4-Methyl-2-pentanone (MIBK)	<10		10	5.0	ug/L			08/28/12 22:50	1
m-Xylene & p-Xylene	<0.50		0.50	0.42	ug/L			08/28/12 22:50	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Hampstead, MD

TestAmerica Job ID: 680-82374-1

Client Sample ID: Hamp-23

Lab Sample ID: 680-82374-3

Date Collected: 08/24/12 10:10

Matrix: Water

Date Received: 08/25/12 09:20

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Naphthalene	<1.0		1.0	0.43	ug/L			08/28/12 22:50	1
n-Butylbenzene	<0.50		0.50	0.17	ug/L			08/28/12 22:50	1
N-Propylbenzene	<0.50		0.50	0.17	ug/L			08/28/12 22:50	1
o-Xylene	<0.50		0.50	0.27	ug/L			08/28/12 22:50	1
sec-Butylbenzene	<0.50		0.50	0.14	ug/L			08/28/12 22:50	1
Styrene	<0.50		0.50	0.28	ug/L			08/28/12 22:50	1
Tert-amyl methyl ether	<0.50		0.50	0.20	ug/L			08/28/12 22:50	1
tert-Butyl alcohol	<2.0		2.0	1.6	ug/L			08/28/12 22:50	1
tert-Butylbenzene	<0.50		0.50	0.14	ug/L			08/28/12 22:50	1
Tert-butyl ethyl ether	<0.50		0.50	0.26	ug/L			08/28/12 22:50	1
1,1,1,2-Tetrachloroethane	<0.50		0.50	0.16	ug/L			08/28/12 22:50	1
1,1,2,2-Tetrachloroethane	<0.50		0.50	0.18	ug/L			08/28/12 22:50	1
Tetrachloroethene	<0.50		0.50	0.30	ug/L			08/28/12 22:50	1
Toluene	<0.50		0.50	0.23	ug/L			08/28/12 22:50	1
trans-1,2-Dichloroethene	<0.50		0.50	0.24	ug/L			08/28/12 22:50	1
trans-1,3-Dichloropropene	<0.50		0.50	0.48	ug/L			08/28/12 22:50	1
1,2,3-Trichlorobenzene	<0.50		0.50	0.14	ug/L			08/28/12 22:50	1
1,2,4-Trichlorobenzene	<0.50		0.50	0.18	ug/L			08/28/12 22:50	1
1,1,1-Trichloroethane	<0.50		0.50	0.27	ug/L			08/28/12 22:50	1
1,1,2-Trichloroethane	<0.50		0.50	0.22	ug/L			08/28/12 22:50	1
Trichloroethene	<0.50		0.50	0.37	ug/L			08/28/12 22:50	1
Trichlorofluoromethane	<0.50		0.50	0.23	ug/L			08/28/12 22:50	1
1,2,3-Trichloropropane	<0.50		0.50	0.18	ug/L			08/28/12 22:50	1
Trihalomethanes, Total	<0.50		0.50	0.29	ug/L			08/28/12 22:50	1
1,2,4-Trimethylbenzene	<0.50		0.50	0.17	ug/L			08/28/12 22:50	1
1,3,5-Trimethylbenzene	<0.50		0.50	0.16	ug/L			08/28/12 22:50	1
Vinyl chloride	<0.50		0.50	0.33	ug/L			08/28/12 22:50	1
Xylenes, Total	<0.50		0.50	0.27	ug/L			08/28/12 22:50	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	83		70 - 130		08/28/12 22:50	1
1,2-Dichlorobenzene-d4	74		70 - 130		08/28/12 22:50	1

Client Sample ID: Trip Blank

Lab Sample ID: 680-82374-4

Date Collected: 08/23/12 07:00

Matrix: Water

Date Received: 08/25/12 09:20

Method: 524.2 - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	14		10	5.0	ug/L			08/28/12 19:41	1
Benzene	<0.50		0.50	0.18	ug/L			08/28/12 19:41	1
Bromobenzene	<0.50		0.50	0.42	ug/L			08/28/12 19:41	1
Bromoform	<0.50		0.50	0.39	ug/L			08/28/12 19:41	1
Bromomethane	<1.0		1.0	0.45	ug/L			08/28/12 19:41	1
Carbon tetrachloride	<0.50		0.50	0.22	ug/L			08/28/12 19:41	1
Chlorobenzene	<0.50		0.50	0.27	ug/L			08/28/12 19:41	1
Chlorobromomethane	<0.50		0.50	0.30	ug/L			08/28/12 19:41	1
Chlorodibromomethane	<0.50		0.50	0.43	ug/L			08/28/12 19:41	1
Chloroethane	<1.0		1.0	0.33	ug/L			08/28/12 19:41	1
Chloroform	<0.50		0.50	0.29	ug/L			08/28/12 19:41	1
Chloromethane	<0.50		0.50	0.32	ug/L			08/28/12 19:41	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Hampstead, MD

TestAmerica Job ID: 680-82374-1

Client Sample ID: Trip Blank

Lab Sample ID: 680-82374-4

Date Collected: 08/23/12 07:00

Matrix: Water

Date Received: 08/25/12 09:20

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2-Chlorotoluene	<0.50		0.50	0.17	ug/L			08/28/12 19:41	1
4-Chlorotoluene	<0.50		0.50	0.16	ug/L			08/28/12 19:41	1
cis-1,2-Dichloroethene	<0.50		0.50	0.37	ug/L			08/28/12 19:41	1
cis-1,3-Dichloropropene	<0.50		0.50	0.32	ug/L			08/28/12 19:41	1
1,2-Dibromo-3-Chloropropane	<0.50		0.50	0.30	ug/L			08/28/12 19:41	1
Dibromomethane	<0.50		0.50	0.38	ug/L			08/28/12 19:41	1
1,2-Dichlorobenzene	<0.50		0.50	0.17	ug/L			08/28/12 19:41	1
1,3-Dichlorobenzene	<0.50		0.50	0.14	ug/L			08/28/12 19:41	1
1,4-Dichlorobenzene	<0.50		0.50	0.18	ug/L			08/28/12 19:41	1
Dichlorobromomethane	<1.0		1.0	0.54	ug/L			08/28/12 19:41	1
Dichlorodifluoromethane	<0.50		0.50	0.34	ug/L			08/28/12 19:41	1
1,1-Dichloroethane	<0.50		0.50	0.39	ug/L			08/28/12 19:41	1
1,2-Dichloroethane	<0.50		0.50	0.17	ug/L			08/28/12 19:41	1
1,1-Dichloroethene	<0.50		0.50	0.32	ug/L			08/28/12 19:41	1
1,2-Dichloropropane	<0.50		0.50	0.45	ug/L			08/28/12 19:41	1
1,3-Dichloropropane	<0.50		0.50	0.43	ug/L			08/28/12 19:41	1
2,2-Dichloropropane	<0.50		0.50	0.31	ug/L			08/28/12 19:41	1
1,1-Dichloropropene	<0.50		0.50	0.19	ug/L			08/28/12 19:41	1
1,3-Dichloropropene, Total	<0.50		0.50	0.32	ug/L			08/28/12 19:41	1
Diisopropyl ether	<0.50		0.50	0.28	ug/L			08/28/12 19:41	1
Ethylbenzene	<0.50		0.50	0.12	ug/L			08/28/12 19:41	1
Ethylene Dibromide	<0.50		0.50	0.20	ug/L			08/28/12 19:41	1
Freon 113	<0.50		0.50	0.15	ug/L			08/28/12 19:41	1
Hexachlorobutadiene	<0.50		0.50	0.26	ug/L			08/28/12 19:41	1
2-Hexanone	<10		10	5.0	ug/L			08/28/12 19:41	1
Isopropylbenzene	<0.50		0.50	0.15	ug/L			08/28/12 19:41	1
4-Isopropyltoluene	<0.50		0.50	0.21	ug/L			08/28/12 19:41	1
Methylene Chloride	<0.50		0.50	0.36	ug/L			08/28/12 19:41	1
2-Butanone (MEK)	<10		10	5.0	ug/L			08/28/12 19:41	1
4-Methyl-2-pentanone (MIBK)	<10		10	5.0	ug/L			08/28/12 19:41	1
m-Xylene & p-Xylene	<0.50		0.50	0.42	ug/L			08/28/12 19:41	1
Naphthalene	<1.0		1.0	0.43	ug/L			08/28/12 19:41	1
n-Butylbenzene	<0.50		0.50	0.17	ug/L			08/28/12 19:41	1
N-Propylbenzene	<0.50		0.50	0.17	ug/L			08/28/12 19:41	1
o-Xylene	<0.50		0.50	0.27	ug/L			08/28/12 19:41	1
sec-Butylbenzene	<0.50		0.50	0.14	ug/L			08/28/12 19:41	1
Styrene	<0.50		0.50	0.28	ug/L			08/28/12 19:41	1
Tert-amyl methyl ether	<0.50		0.50	0.20	ug/L			08/28/12 19:41	1
tert-Butyl alcohol	<2.0		2.0	1.6	ug/L			08/28/12 19:41	1
tert-Butylbenzene	<0.50		0.50	0.14	ug/L			08/28/12 19:41	1
Tert-butyl ethyl ether	<0.50		0.50	0.26	ug/L			08/28/12 19:41	1
1,1,1,2-Tetrachloroethane	<0.50		0.50	0.16	ug/L			08/28/12 19:41	1
1,1,2,2-Tetrachloroethane	<0.50		0.50	0.18	ug/L			08/28/12 19:41	1
Tetrachloroethene	<0.50		0.50	0.30	ug/L			08/28/12 19:41	1
Toluene	<0.50		0.50	0.23	ug/L			08/28/12 19:41	1
trans-1,2-Dichloroethene	<0.50		0.50	0.24	ug/L			08/28/12 19:41	1
trans-1,3-Dichloropropene	<0.50		0.50	0.48	ug/L			08/28/12 19:41	1
1,2,3-Trichlorobenzene	<0.50		0.50	0.14	ug/L			08/28/12 19:41	1
1,2,4-Trichlorobenzene	<0.50		0.50	0.18	ug/L			08/28/12 19:41	1
1,1,1-Trichloroethane	<0.50		0.50	0.27	ug/L			08/28/12 19:41	1
1,1,2-Trichloroethane	<0.50		0.50	0.22	ug/L			08/28/12 19:41	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Hampstead, MD

TestAmerica Job ID: 680-82374-1

Client Sample ID: Trip Blank

Lab Sample ID: 680-82374-4

Date Collected: 08/23/12 07:00

Matrix: Water

Date Received: 08/25/12 09:20

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Trichloroethene	<0.50		0.50	0.37	ug/L			08/28/12 19:41	1
Trichlorofluoromethane	<0.50		0.50	0.23	ug/L			08/28/12 19:41	1
1,2,3-Trichloropropane	<0.50		0.50	0.18	ug/L			08/28/12 19:41	1
Trihalomethanes, Total	<0.50		0.50	0.29	ug/L			08/28/12 19:41	1
1,2,4-Trimethylbenzene	<0.50		0.50	0.17	ug/L			08/28/12 19:41	1
1,3,5-Trimethylbenzene	<0.50		0.50	0.16	ug/L			08/28/12 19:41	1
Vinyl chloride	<0.50		0.50	0.33	ug/L			08/28/12 19:41	1
Xylenes, Total	<0.50		0.50	0.27	ug/L			08/28/12 19:41	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	84		70 - 130		08/28/12 19:41	1
1,2-Dichlorobenzene-d4	73		70 - 130		08/28/12 19:41	1

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Hampstead, MD

TestAmerica Job ID: 680-82374-1

Method: 524.2 - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 680-248040/6

Client Sample ID: Method Blank

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 248040

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Acetone	<10		10	5.0	ug/L			08/28/12 15:59	1
Benzene	<0.50		0.50	0.18	ug/L			08/28/12 15:59	1
Bromobenzene	<0.50		0.50	0.42	ug/L			08/28/12 15:59	1
Bromoform	<0.50		0.50	0.39	ug/L			08/28/12 15:59	1
Bromomethane	<1.0		1.0	0.45	ug/L			08/28/12 15:59	1
Carbon tetrachloride	<0.50		0.50	0.22	ug/L			08/28/12 15:59	1
Chlorobenzene	<0.50		0.50	0.27	ug/L			08/28/12 15:59	1
Chlorobromomethane	<0.50		0.50	0.30	ug/L			08/28/12 15:59	1
Chlorodibromomethane	<0.50		0.50	0.43	ug/L			08/28/12 15:59	1
Chloroethane	<1.0		1.0	0.33	ug/L			08/28/12 15:59	1
Chloroform	<0.50		0.50	0.29	ug/L			08/28/12 15:59	1
Chloromethane	<0.50		0.50	0.32	ug/L			08/28/12 15:59	1
2-Chlorotoluene	<0.50		0.50	0.17	ug/L			08/28/12 15:59	1
4-Chlorotoluene	<0.50		0.50	0.16	ug/L			08/28/12 15:59	1
cis-1,2-Dichloroethene	<0.50		0.50	0.37	ug/L			08/28/12 15:59	1
cis-1,3-Dichloropropene	<0.50		0.50	0.32	ug/L			08/28/12 15:59	1
1,2-Dibromo-3-Chloropropane	<0.50		0.50	0.30	ug/L			08/28/12 15:59	1
Dibromomethane	<0.50		0.50	0.38	ug/L			08/28/12 15:59	1
1,2-Dichlorobenzene	<0.50		0.50	0.17	ug/L			08/28/12 15:59	1
1,3-Dichlorobenzene	<0.50		0.50	0.14	ug/L			08/28/12 15:59	1
1,4-Dichlorobenzene	<0.50		0.50	0.18	ug/L			08/28/12 15:59	1
Dichlorobromomethane	<1.0		1.0	0.54	ug/L			08/28/12 15:59	1
Dichlorodifluoromethane	<0.50		0.50	0.34	ug/L			08/28/12 15:59	1
1,1-Dichloroethane	<0.50		0.50	0.39	ug/L			08/28/12 15:59	1
1,2-Dichloroethane	<0.50		0.50	0.17	ug/L			08/28/12 15:59	1
1,1-Dichloroethene	<0.50		0.50	0.32	ug/L			08/28/12 15:59	1
1,2-Dichloropropane	<0.50		0.50	0.45	ug/L			08/28/12 15:59	1
1,3-Dichloropropane	<0.50		0.50	0.43	ug/L			08/28/12 15:59	1
2,2-Dichloropropane	<0.50		0.50	0.31	ug/L			08/28/12 15:59	1
1,1-Dichloropropene	<0.50		0.50	0.19	ug/L			08/28/12 15:59	1
1,3-Dichloropropene, Total	<0.50		0.50	0.32	ug/L			08/28/12 15:59	1
Diisopropyl ether	<0.50		0.50	0.28	ug/L			08/28/12 15:59	1
Ethylbenzene	<0.50		0.50	0.12	ug/L			08/28/12 15:59	1
Ethylene Dibromide	<0.50		0.50	0.20	ug/L			08/28/12 15:59	1
Freon 113	<0.50		0.50	0.15	ug/L			08/28/12 15:59	1
Hexachlorobutadiene	<0.50		0.50	0.26	ug/L			08/28/12 15:59	1
2-Hexanone	<10		10	5.0	ug/L			08/28/12 15:59	1
Isopropylbenzene	<0.50		0.50	0.15	ug/L			08/28/12 15:59	1
4-Isopropyltoluene	<0.50		0.50	0.21	ug/L			08/28/12 15:59	1
Methylene Chloride	<0.50		0.50	0.36	ug/L			08/28/12 15:59	1
2-Butanone (MEK)	<10		10	5.0	ug/L			08/28/12 15:59	1
4-Methyl-2-pentanone (MIBK)	<10		10	5.0	ug/L			08/28/12 15:59	1
m-Xylene & p-Xylene	<0.50		0.50	0.42	ug/L			08/28/12 15:59	1
Naphthalene	<1.0		1.0	0.43	ug/L			08/28/12 15:59	1
n-Butylbenzene	<0.50		0.50	0.17	ug/L			08/28/12 15:59	1
N-Propylbenzene	<0.50		0.50	0.17	ug/L			08/28/12 15:59	1
o-Xylene	<0.50		0.50	0.27	ug/L			08/28/12 15:59	1
sec-Butylbenzene	<0.50		0.50	0.14	ug/L			08/28/12 15:59	1
Styrene	<0.50		0.50	0.28	ug/L			08/28/12 15:59	1

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Hampstead, MD

TestAmerica Job ID: 680-82374-1

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 680-248040/6
Matrix: Water
Analysis Batch: 248040

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Tert-amyl methyl ether	<0.50		0.50	0.20	ug/L			08/28/12 15:59	1
tert-Butyl alcohol	<2.0		2.0	1.6	ug/L			08/28/12 15:59	1
tert-Butylbenzene	<0.50		0.50	0.14	ug/L			08/28/12 15:59	1
Tert-butyl ethyl ether	<0.50		0.50	0.26	ug/L			08/28/12 15:59	1
1,1,1,2-Tetrachloroethane	<0.50		0.50	0.16	ug/L			08/28/12 15:59	1
1,1,2,2-Tetrachloroethane	<0.50		0.50	0.18	ug/L			08/28/12 15:59	1
Tetrachloroethene	<0.50		0.50	0.30	ug/L			08/28/12 15:59	1
Toluene	<0.50		0.50	0.23	ug/L			08/28/12 15:59	1
trans-1,2-Dichloroethene	<0.50		0.50	0.24	ug/L			08/28/12 15:59	1
trans-1,3-Dichloropropene	<0.50		0.50	0.48	ug/L			08/28/12 15:59	1
1,2,3-Trichlorobenzene	<0.50		0.50	0.14	ug/L			08/28/12 15:59	1
1,2,4-Trichlorobenzene	<0.50		0.50	0.18	ug/L			08/28/12 15:59	1
1,1,1-Trichloroethane	<0.50		0.50	0.27	ug/L			08/28/12 15:59	1
1,1,2-Trichloroethane	<0.50		0.50	0.22	ug/L			08/28/12 15:59	1
Trichloroethene	<0.50		0.50	0.37	ug/L			08/28/12 15:59	1
Trichlorofluoromethane	<0.50		0.50	0.23	ug/L			08/28/12 15:59	1
1,2,3-Trichloropropane	<0.50		0.50	0.18	ug/L			08/28/12 15:59	1
Trihalomethanes, Total	<0.50		0.50	0.29	ug/L			08/28/12 15:59	1
1,2,4-Trimethylbenzene	<0.50		0.50	0.17	ug/L			08/28/12 15:59	1
1,3,5-Trimethylbenzene	<0.50		0.50	0.16	ug/L			08/28/12 15:59	1
Vinyl chloride	<0.50		0.50	0.33	ug/L			08/28/12 15:59	1
Xylenes, Total	<0.50		0.50	0.27	ug/L			08/28/12 15:59	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
4-Bromofluorobenzene	90		70 - 130		08/28/12 15:59	1
1,2-Dichlorobenzene-d4	80		70 - 130		08/28/12 15:59	1

Lab Sample ID: LCS 680-248040/3
Matrix: Water
Analysis Batch: 248040

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS LCS		Unit	D	%Rec	%Rec. Limits
		Result	Qualifier				
Acetone	40.0	41.9		ug/L		105	70 - 130
Benzene	20.0	21.4		ug/L		107	70 - 130
Bromobenzene	20.0	22.3		ug/L		111	70 - 130
Bromoform	20.0	18.6		ug/L		93	70 - 130
Bromomethane	20.0	20.2		ug/L		101	70 - 130
Carbon tetrachloride	20.0	22.1		ug/L		110	70 - 130
Chlorobenzene	20.0	22.4		ug/L		112	70 - 130
Chlorobromomethane	20.0	20.1		ug/L		100	70 - 130
Chlorodibromomethane	20.0	22.5		ug/L		112	70 - 130
Chloroethane	20.0	20.4		ug/L		102	70 - 130
Chloroform	20.0	21.1		ug/L		106	70 - 130
Chloromethane	20.0	19.5		ug/L		98	70 - 130
2-Chlorotoluene	20.0	22.3		ug/L		111	70 - 130
4-Chlorotoluene	20.0	22.2		ug/L		111	70 - 130
cis-1,2-Dichloroethene	20.0	21.3		ug/L		107	70 - 130
cis-1,3-Dichloropropene	20.0	22.4		ug/L		112	70 - 130
1,2-Dibromo-3-Chloropropane	20.0	18.7		ug/L		93	70 - 130

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Hampstead, MD

TestAmerica Job ID: 680-82374-1

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 680-248040/3
Matrix: Water
Analysis Batch: 248040

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Dibromomethane	20.0	21.1		ug/L		106	70 - 130
1,2-Dichlorobenzene	20.0	22.3		ug/L		111	70 - 130
1,3-Dichlorobenzene	20.0	22.2		ug/L		111	70 - 130
1,4-Dichlorobenzene	20.0	22.4		ug/L		112	70 - 130
Dichlorobromomethane	20.0	20.9		ug/L		104	70 - 130
Dichlorodifluoromethane	20.0	20.4		ug/L		102	70 - 130
1,1-Dichloroethane	20.0	21.1		ug/L		106	70 - 130
1,2-Dichloroethane	20.0	20.4		ug/L		102	70 - 130
1,1-Dichloroethene	20.0	21.6		ug/L		108	70 - 130
1,2-Dichloropropane	20.0	21.2		ug/L		106	70 - 130
1,3-Dichloropropane	20.0	20.7		ug/L		104	70 - 130
2,2-Dichloropropane	20.0	22.6		ug/L		113	70 - 130
1,1-Dichloropropene	20.0	21.5		ug/L		108	70 - 130
1,3-Dichloropropene, Total	40.0	44.4		ug/L		111	70 - 130
Diisopropyl ether	16.0	17.3		ug/L		108	70 - 130
Ethylbenzene	20.0	22.7		ug/L		114	70 - 130
Ethylene Dibromide	20.0	21.8		ug/L		109	70 - 130
Freon 113	16.0	17.6		ug/L		110	70 - 130
Hexachlorobutadiene	20.0	21.2		ug/L		106	70 - 130
2-Hexanone	40.0	42.4		ug/L		106	70 - 130
Isopropylbenzene	20.0	23.1		ug/L		115	70 - 130
4-Isopropyltoluene	20.0	17.4		ug/L		87	70 - 130
Methylene Chloride	20.0	20.7		ug/L		103	70 - 130
2-Butanone (MEK)	40.0	40.4		ug/L		101	70 - 130
4-Methyl-2-pentanone (MIBK)	40.0	41.5		ug/L		104	70 - 130
m-Xylene & p-Xylene	40.0	47.0		ug/L		117	70 - 130
Naphthalene	20.0	24.4		ug/L		122	70 - 130
n-Butylbenzene	20.0	16.9		ug/L		85	70 - 130
N-Propylbenzene	20.0	22.4		ug/L		112	70 - 130
o-Xylene	20.0	23.3		ug/L		117	70 - 130
sec-Butylbenzene	20.0	18.8		ug/L		94	70 - 130
Styrene	20.0	19.6		ug/L		98	70 - 130
Tert-amyl methyl ether	16.0	17.3		ug/L		108	70 - 130
tert-Butyl alcohol	80.0	80.2		ug/L		100	70 - 130
tert-Butylbenzene	20.0	21.9		ug/L		109	70 - 130
Tert-butyl ethyl ether	16.0	16.5		ug/L		103	70 - 130
1,1,1,2-Tetrachloroethane	20.0	22.9		ug/L		114	70 - 130
1,1,2,2-Tetrachloroethane	20.0	20.2		ug/L		101	70 - 130
Tetrachloroethene	20.0	23.0		ug/L		115	70 - 130
Toluene	20.0	22.9		ug/L		115	70 - 130
trans-1,2-Dichloroethene	20.0	22.2		ug/L		111	70 - 130
trans-1,3-Dichloropropene	20.0	22.0		ug/L		110	70 - 130
1,2,3-Trichlorobenzene	20.0	21.5		ug/L		107	70 - 130
1,2,4-Trichlorobenzene	20.0	21.3		ug/L		106	70 - 130
1,1,1-Trichloroethane	20.0	21.7		ug/L		108	70 - 130
1,1,2-Trichloroethane	20.0	21.4		ug/L		107	70 - 130
Trichloroethene	20.0	21.6		ug/L		108	70 - 130
Trichlorofluoromethane	20.0	21.0		ug/L		105	70 - 130
1,2,3-Trichloropropane	20.0	20.6		ug/L		103	70 - 130
1,2,4-Trimethylbenzene	20.0	18.0		ug/L		90	70 - 130

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Hampstead, MD

TestAmerica Job ID: 680-82374-1

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 680-248040/3

Matrix: Water

Analysis Batch: 248040

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike	LCS	LCS	Unit	D	%Rec	%Rec. Limits
	Added	Result	Qualifier				
1,3,5-Trimethylbenzene	20.0	19.0		ug/L		95	70 - 130
Vinyl chloride	20.0	20.0		ug/L		100	70 - 130
Xylenes, Total	60.0	70.3		ug/L		117	70 - 130

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene	106		70 - 130
1,2-Dichlorobenzene-d4	106		70 - 130

Lab Sample ID: LCS 680-248040/4

Matrix: Water

Analysis Batch: 248040

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike	LCS	LCS	Unit	D	%Rec	%Rec. Limits	RPD	Limit
	Added	Result	Qualifier						
Acetone	40.0	41.8		ug/L		105	70 - 130	0	30
Benzene	20.0	21.4		ug/L		107	70 - 130	0	30
Bromobenzene	20.0	21.7		ug/L		108	70 - 130	3	30
Bromoform	20.0	19.2		ug/L		96	70 - 130	3	30
Bromomethane	20.0	21.5		ug/L		107	70 - 130	6	30
Carbon tetrachloride	20.0	22.4		ug/L		112	70 - 130	1	30
Chlorobenzene	20.0	22.3		ug/L		112	70 - 130	0	30
Chlorobromomethane	20.0	20.0		ug/L		100	70 - 130	0	30
Chlorodibromomethane	20.0	22.5		ug/L		112	70 - 130	0	30
Chloroethane	20.0	19.9		ug/L		100	70 - 130	2	30
Chloroform	20.0	20.7		ug/L		104	70 - 130	2	30
Chloromethane	20.0	19.7		ug/L		98	70 - 130	1	30
2-Chlorotoluene	20.0	21.9		ug/L		109	70 - 130	2	30
4-Chlorotoluene	20.0	21.6		ug/L		108	70 - 130	3	30
cis-1,2-Dichloroethene	20.0	21.6		ug/L		108	70 - 130	1	30
cis-1,3-Dichloropropene	20.0	22.3		ug/L		111	70 - 130	1	30
1,2-Dibromo-3-Chloropropane	20.0	18.6		ug/L		93	70 - 130	0	30
Dibromomethane	20.0	20.9		ug/L		105	70 - 130	1	30
1,2-Dichlorobenzene	20.0	21.3		ug/L		107	70 - 130	4	30
1,3-Dichlorobenzene	20.0	21.4		ug/L		107	70 - 130	4	30
1,4-Dichlorobenzene	20.0	21.9		ug/L		110	70 - 130	2	30
Dichlorobromomethane	20.0	21.2		ug/L		106	70 - 130	1	30
Dichlorodifluoromethane	20.0	20.5		ug/L		103	70 - 130	1	30
1,1-Dichloroethane	20.0	20.9		ug/L		104	70 - 130	1	30
1,2-Dichloroethane	20.0	19.9		ug/L		100	70 - 130	3	30
1,1-Dichloroethene	20.0	21.6		ug/L		108	70 - 130	0	30
1,2-Dichloropropane	20.0	21.2		ug/L		106	70 - 130	0	30
1,3-Dichloropropane	20.0	21.0		ug/L		105	70 - 130	1	30
2,2-Dichloropropane	20.0	22.4		ug/L		112	70 - 130	1	30
1,1-Dichloropropene	20.0	21.3		ug/L		106	70 - 130	1	30
1,3-Dichloropropene, Total	40.0	44.4		ug/L		111	70 - 130	0	30
Diisopropyl ether	16.0	17.2		ug/L		108	70 - 130	1	30
Ethylbenzene	20.0	22.7		ug/L		113	70 - 130	0	30
Ethylene Dibromide	20.0	21.4		ug/L		107	70 - 130	2	30
Freon 113	16.0	17.1		ug/L		107	70 - 130	3	30
Hexachlorobutadiene	20.0	21.3		ug/L		106	70 - 130	0	30

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Hampstead, MD

TestAmerica Job ID: 680-82374-1

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 680-248040/4
Matrix: Water
Analysis Batch: 248040

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
2-Hexanone	40.0	43.8		ug/L		109	70 - 130	3	30
Isopropylbenzene	20.0	23.1		ug/L		115	70 - 130	0	30
4-Isopropyltoluene	20.0	17.0		ug/L		85	70 - 130	2	30
Methylene Chloride	20.0	20.4		ug/L		102	70 - 130	1	30
2-Butanone (MEK)	40.0	40.6		ug/L		102	70 - 130	1	30
4-Methyl-2-pentanone (MIBK)	40.0	42.2		ug/L		105	70 - 130	2	30
m-Xylene & p-Xylene	40.0	46.5		ug/L		116	70 - 130	1	30
Naphthalene	20.0	25.0		ug/L		125	70 - 130	2	30
n-Butylbenzene	20.0	16.9		ug/L		84	70 - 130	0	30
N-Propylbenzene	20.0	21.9		ug/L		109	70 - 130	2	30
o-Xylene	20.0	23.3		ug/L		117	70 - 130	0	30
sec-Butylbenzene	20.0	18.5		ug/L		93	70 - 130	2	30
Styrene	20.0	19.3		ug/L		97	70 - 130	2	30
Tert-amyl methyl ether	16.0	17.4		ug/L		108	70 - 130	0	30
tert-Butyl alcohol	80.0	82.8		ug/L		103	70 - 130	3	30
tert-Butylbenzene	20.0	21.3		ug/L		106	70 - 130	3	30
Tert-butyl ethyl ether	16.0	16.7		ug/L		104	70 - 130	1	30
1,1,1,2-Tetrachloroethane	20.0	22.7		ug/L		113	70 - 130	1	30
1,1,2,2-Tetrachloroethane	20.0	20.6		ug/L		103	70 - 130	2	30
Tetrachloroethene	20.0	22.7		ug/L		113	70 - 130	1	30
Toluene	20.0	22.8		ug/L		114	70 - 130	0	30
trans-1,2-Dichloroethene	20.0	21.9		ug/L		109	70 - 130	1	30
trans-1,3-Dichloropropene	20.0	22.2		ug/L		111	70 - 130	1	30
1,2,3-Trichlorobenzene	20.0	21.5		ug/L		108	70 - 130	0	30
1,2,4-Trichlorobenzene	20.0	21.3		ug/L		106	70 - 130	0	30
1,1,1-Trichloroethane	20.0	21.5		ug/L		107	70 - 130	1	30
1,1,2-Trichloroethane	20.0	21.8		ug/L		109	70 - 130	2	30
Trichloroethene	20.0	21.5		ug/L		108	70 - 130	0	30
Trichlorofluoromethane	20.0	20.4		ug/L		102	70 - 130	3	30
1,2,3-Trichloropropane	20.0	20.7		ug/L		103	70 - 130	1	30
1,2,4-Trimethylbenzene	20.0	17.6		ug/L		88	70 - 130	2	30
1,3,5-Trimethylbenzene	20.0	18.6		ug/L		93	70 - 130	2	30
Vinyl chloride	20.0	19.5		ug/L		98	70 - 130	3	30
Xylenes, Total	60.0	69.8		ug/L		116	70 - 130	1	30

Surrogate	LCSD		Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene	106		70 - 130
1,2-Dichlorobenzene-d4	104		70 - 130

Lab Sample ID: MB 680-248480/6
Matrix: Water
Analysis Batch: 248480

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Acetone	<10		10	5.0	ug/L			08/31/12 15:25	1
Benzene	<0.50		0.50	0.18	ug/L			08/31/12 15:25	1
Bromobenzene	<0.50		0.50	0.42	ug/L			08/31/12 15:25	1
Bromoform	<0.50		0.50	0.39	ug/L			08/31/12 15:25	1
Bromomethane	<1.0		1.0	0.45	ug/L			08/31/12 15:25	1

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Hampstead, MD

TestAmerica Job ID: 680-82374-1

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 680-248480/6

Matrix: Water

Analysis Batch: 248480

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Carbon tetrachloride	<0.50		0.50	0.22	ug/L			08/31/12 15:25	1
Chlorobenzene	<0.50		0.50	0.27	ug/L			08/31/12 15:25	1
Chlorobromomethane	<0.50		0.50	0.30	ug/L			08/31/12 15:25	1
Chlorodibromomethane	<0.50		0.50	0.43	ug/L			08/31/12 15:25	1
Chloroethane	<1.0		1.0	0.33	ug/L			08/31/12 15:25	1
Chloroform	<0.50		0.50	0.29	ug/L			08/31/12 15:25	1
Chloromethane	<0.50		0.50	0.32	ug/L			08/31/12 15:25	1
2-Chlorotoluene	<0.50		0.50	0.17	ug/L			08/31/12 15:25	1
4-Chlorotoluene	<0.50		0.50	0.16	ug/L			08/31/12 15:25	1
cis-1,2-Dichloroethene	<0.50		0.50	0.37	ug/L			08/31/12 15:25	1
cis-1,3-Dichloropropene	<0.50		0.50	0.32	ug/L			08/31/12 15:25	1
1,2-Dibromo-3-Chloropropane	<0.50		0.50	0.30	ug/L			08/31/12 15:25	1
Dibromomethane	<0.50		0.50	0.38	ug/L			08/31/12 15:25	1
1,2-Dichlorobenzene	<0.50		0.50	0.17	ug/L			08/31/12 15:25	1
1,3-Dichlorobenzene	<0.50		0.50	0.14	ug/L			08/31/12 15:25	1
1,4-Dichlorobenzene	<0.50		0.50	0.18	ug/L			08/31/12 15:25	1
Dichlorobromomethane	<1.0		1.0	0.54	ug/L			08/31/12 15:25	1
Dichlorodifluoromethane	<0.50		0.50	0.34	ug/L			08/31/12 15:25	1
1,1-Dichloroethane	<0.50		0.50	0.39	ug/L			08/31/12 15:25	1
1,2-Dichloroethane	<0.50		0.50	0.17	ug/L			08/31/12 15:25	1
1,1-Dichloroethene	<0.50		0.50	0.32	ug/L			08/31/12 15:25	1
1,2-Dichloropropane	<0.50		0.50	0.45	ug/L			08/31/12 15:25	1
1,3-Dichloropropane	<0.50		0.50	0.43	ug/L			08/31/12 15:25	1
2,2-Dichloropropane	<0.50		0.50	0.31	ug/L			08/31/12 15:25	1
1,1-Dichloropropene	<0.50		0.50	0.19	ug/L			08/31/12 15:25	1
1,3-Dichloropropene, Total	<0.50		0.50	0.32	ug/L			08/31/12 15:25	1
Diisopropyl ether	<0.50		0.50	0.28	ug/L			08/31/12 15:25	1
Ethylbenzene	<0.50		0.50	0.12	ug/L			08/31/12 15:25	1
Ethylene Dibromide	<0.50		0.50	0.20	ug/L			08/31/12 15:25	1
Freon 113	<0.50		0.50	0.15	ug/L			08/31/12 15:25	1
Hexachlorobutadiene	<0.50		0.50	0.26	ug/L			08/31/12 15:25	1
2-Hexanone	<10		10	5.0	ug/L			08/31/12 15:25	1
Isopropylbenzene	<0.50		0.50	0.15	ug/L			08/31/12 15:25	1
4-Isopropyltoluene	<0.50		0.50	0.21	ug/L			08/31/12 15:25	1
Methylene Chloride	<0.50		0.50	0.36	ug/L			08/31/12 15:25	1
2-Butanone (MEK)	<10		10	5.0	ug/L			08/31/12 15:25	1
4-Methyl-2-pentanone (MIBK)	<10		10	5.0	ug/L			08/31/12 15:25	1
m-Xylene & p-Xylene	<0.50		0.50	0.42	ug/L			08/31/12 15:25	1
Naphthalene	<1.0		1.0	0.43	ug/L			08/31/12 15:25	1
n-Butylbenzene	<0.50		0.50	0.17	ug/L			08/31/12 15:25	1
N-Propylbenzene	<0.50		0.50	0.17	ug/L			08/31/12 15:25	1
o-Xylene	<0.50		0.50	0.27	ug/L			08/31/12 15:25	1
sec-Butylbenzene	<0.50		0.50	0.14	ug/L			08/31/12 15:25	1
Styrene	<0.50		0.50	0.28	ug/L			08/31/12 15:25	1
Tert-amyl methyl ether	<0.50		0.50	0.20	ug/L			08/31/12 15:25	1
tert-Butyl alcohol	<2.0		2.0	1.6	ug/L			08/31/12 15:25	1
tert-Butylbenzene	<0.50		0.50	0.14	ug/L			08/31/12 15:25	1
Tert-butyl ethyl ether	<0.50		0.50	0.26	ug/L			08/31/12 15:25	1
1,1,1,2-Tetrachloroethane	<0.50		0.50	0.16	ug/L			08/31/12 15:25	1
1,1,2,2-Tetrachloroethane	<0.50		0.50	0.18	ug/L			08/31/12 15:25	1

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Hampstead, MD

TestAmerica Job ID: 680-82374-1

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 680-248480/6
Matrix: Water
Analysis Batch: 248480

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Tetrachloroethene	<0.50		0.50	0.30	ug/L			08/31/12 15:25	1
Toluene	<0.50		0.50	0.23	ug/L			08/31/12 15:25	1
trans-1,2-Dichloroethene	<0.50		0.50	0.24	ug/L			08/31/12 15:25	1
trans-1,3-Dichloropropene	<0.50		0.50	0.48	ug/L			08/31/12 15:25	1
1,2,3-Trichlorobenzene	<0.50		0.50	0.14	ug/L			08/31/12 15:25	1
1,2,4-Trichlorobenzene	<0.50		0.50	0.18	ug/L			08/31/12 15:25	1
1,1,1-Trichloroethane	<0.50		0.50	0.27	ug/L			08/31/12 15:25	1
1,1,2-Trichloroethane	<0.50		0.50	0.22	ug/L			08/31/12 15:25	1
Trichloroethene	<0.50		0.50	0.37	ug/L			08/31/12 15:25	1
Trichlorofluoromethane	<0.50		0.50	0.23	ug/L			08/31/12 15:25	1
1,2,3-Trichloropropane	<0.50		0.50	0.18	ug/L			08/31/12 15:25	1
Trihalomethanes, Total	<0.50		0.50	0.29	ug/L			08/31/12 15:25	1
1,2,4-Trimethylbenzene	<0.50		0.50	0.17	ug/L			08/31/12 15:25	1
1,3,5-Trimethylbenzene	<0.50		0.50	0.16	ug/L			08/31/12 15:25	1
Vinyl chloride	<0.50		0.50	0.33	ug/L			08/31/12 15:25	1
Xylenes, Total	<0.50		0.50	0.27	ug/L			08/31/12 15:25	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
4-Bromofluorobenzene	94		70 - 130		08/31/12 15:25	1
1,2-Dichlorobenzene-d4	89		70 - 130		08/31/12 15:25	1

Lab Sample ID: LCS 680-248480/3
Matrix: Water
Analysis Batch: 248480

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec.
							Limits
Acetone	40.0	42.5		ug/L		106	70 - 130
Benzene	20.0	20.6		ug/L		103	70 - 130
Bromobenzene	20.0	20.8		ug/L		104	70 - 130
Bromoform	20.0	21.0		ug/L		105	70 - 130
Bromomethane	20.0	19.0		ug/L		95	70 - 130
Carbon tetrachloride	20.0	22.1		ug/L		111	70 - 130
Chlorobenzene	20.0	21.0		ug/L		105	70 - 130
Chlorobromomethane	20.0	19.1		ug/L		96	70 - 130
Chlorodibromomethane	20.0	22.1		ug/L		110	70 - 130
Chloroethane	20.0	21.7		ug/L		108	70 - 130
Chloroform	20.0	20.3		ug/L		101	70 - 130
Chloromethane	20.0	20.4		ug/L		102	70 - 130
2-Chlorotoluene	20.0	22.2		ug/L		111	70 - 130
4-Chlorotoluene	20.0	19.9		ug/L		99	70 - 130
cis-1,2-Dichloroethene	20.0	21.0		ug/L		105	70 - 130
cis-1,3-Dichloropropene	20.0	22.5		ug/L		113	70 - 130
1,2-Dibromo-3-Chloropropane	20.0	21.7		ug/L		108	70 - 130
Dibromomethane	20.0	20.6		ug/L		103	70 - 130
1,2-Dichlorobenzene	20.0	21.5		ug/L		108	70 - 130
1,3-Dichlorobenzene	20.0	22.0		ug/L		110	70 - 130
1,4-Dichlorobenzene	20.0	22.1		ug/L		110	70 - 130
Dichlorobromomethane	20.0	21.0		ug/L		105	70 - 130
Dichlorodifluoromethane	20.0	21.1		ug/L		106	70 - 130

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Hampstead, MD

TestAmerica Job ID: 680-82374-1

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 680-248480/3
Matrix: Water
Analysis Batch: 248480

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethane	20.0	20.8		ug/L		104	70 - 130
1,2-Dichloroethane	20.0	19.3		ug/L		97	70 - 130
1,1-Dichloroethene	20.0	20.8		ug/L		104	70 - 130
1,2-Dichloropropane	20.0	20.7		ug/L		104	70 - 130
1,3-Dichloropropane	20.0	20.1		ug/L		100	70 - 130
2,2-Dichloropropane	20.0	23.5		ug/L		117	70 - 130
1,1-Dichloropropene	20.0	22.2		ug/L		111	70 - 130
1,3-Dichloropropene, Total	40.0	44.9		ug/L		112	70 - 130
Diisopropyl ether	16.0	17.5		ug/L		109	70 - 130
Ethylbenzene	20.0	21.7		ug/L		108	70 - 130
Ethylene Dibromide	20.0	20.5		ug/L		102	70 - 130
Freon 113	16.0	15.7		ug/L		98	70 - 130
Hexachlorobutadiene	20.0	20.2		ug/L		101	70 - 130
2-Hexanone	40.0	46.4		ug/L		116	70 - 130
Isopropylbenzene	20.0	20.6		ug/L		103	70 - 130
4-Isopropyltoluene	20.0	19.7		ug/L		99	70 - 130
Methylene Chloride	20.0	19.6		ug/L		98	70 - 130
2-Butanone (MEK)	40.0	44.6		ug/L		112	70 - 130
4-Methyl-2-pentanone (MIBK)	40.0	43.6		ug/L		109	70 - 130
m-Xylene & p-Xylene	40.0	44.5		ug/L		111	70 - 130
Naphthalene	20.0	19.5		ug/L		97	70 - 130
n-Butylbenzene	20.0	19.9		ug/L		100	70 - 130
N-Propylbenzene	20.0	20.2		ug/L		101	70 - 130
o-Xylene	20.0	21.9		ug/L		109	70 - 130
sec-Butylbenzene	20.0	19.6		ug/L		98	70 - 130
Styrene	20.0	20.5		ug/L		103	70 - 130
Tert-amyl methyl ether	16.0	17.6		ug/L		110	70 - 130
tert-Butyl alcohol	80.0	87.0		ug/L		109	70 - 130
tert-Butylbenzene	20.0	19.8		ug/L		99	70 - 130
Tert-butyl ethyl ether	16.0	18.4		ug/L		115	70 - 130
1,1,1,2-Tetrachloroethane	20.0	20.8		ug/L		104	70 - 130
1,1,2,2-Tetrachloroethane	20.0	20.3		ug/L		102	70 - 130
Tetrachloroethene	20.0	21.4		ug/L		107	70 - 130
Toluene	20.0	21.3		ug/L		107	70 - 130
trans-1,2-Dichloroethene	20.0	21.2		ug/L		106	70 - 130
trans-1,3-Dichloropropene	20.0	22.4		ug/L		112	70 - 130
1,2,3-Trichlorobenzene	20.0	19.6		ug/L		98	70 - 130
1,2,4-Trichlorobenzene	20.0	19.7		ug/L		99	70 - 130
1,1,1-Trichloroethane	20.0	22.2		ug/L		111	70 - 130
1,1,2-Trichloroethane	20.0	19.9		ug/L		100	70 - 130
Trichloroethene	20.0	20.9		ug/L		104	70 - 130
Trichlorofluoromethane	20.0	20.3		ug/L		101	70 - 130
1,2,3-Trichloropropane	20.0	19.6		ug/L		98	70 - 130
1,2,4-Trimethylbenzene	20.0	19.4		ug/L		97	70 - 130
1,3,5-Trimethylbenzene	20.0	20.0		ug/L		100	70 - 130
Vinyl chloride	20.0	21.9		ug/L		109	70 - 130
Xylenes, Total	60.0	66.4		ug/L		111	70 - 130

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Hampstead, MD

TestAmerica Job ID: 680-82374-1

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 680-248480/3
Matrix: Water
Analysis Batch: 248480

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene	101		70 - 130
1,2-Dichlorobenzene-d4	105		70 - 130

Lab Sample ID: LCSD 680-248480/4
Matrix: Water
Analysis Batch: 248480

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec.		RPD	RPD Limit
							Limits	RPD		
Acetone	40.0	43.5		ug/L		109	70 - 130	2	30	
Benzene	20.0	20.8		ug/L		104	70 - 130	1	30	
Bromobenzene	20.0	20.8		ug/L		104	70 - 130	0	30	
Bromoform	20.0	20.9		ug/L		105	70 - 130	0	30	
Bromomethane	20.0	22.7		ug/L		114	70 - 130	18	30	
Carbon tetrachloride	20.0	21.8		ug/L		109	70 - 130	2	30	
Chlorobenzene	20.0	20.9		ug/L		105	70 - 130	1	30	
Chlorobromomethane	20.0	19.7		ug/L		99	70 - 130	3	30	
Chlorodibromomethane	20.0	21.5		ug/L		108	70 - 130	3	30	
Chloroethane	20.0	21.6		ug/L		108	70 - 130	0	30	
Chloroform	20.0	20.3		ug/L		102	70 - 130	0	30	
Chloromethane	20.0	20.6		ug/L		103	70 - 130	1	30	
2-Chlorotoluene	20.0	22.0		ug/L		110	70 - 130	1	30	
4-Chlorotoluene	20.0	19.8		ug/L		99	70 - 130	1	30	
cis-1,2-Dichloroethene	20.0	20.5		ug/L		102	70 - 130	3	30	
cis-1,3-Dichloropropene	20.0	22.3		ug/L		111	70 - 130	1	30	
1,2-Dibromo-3-Chloropropane	20.0	21.0		ug/L		105	70 - 130	3	30	
Dibromomethane	20.0	20.7		ug/L		104	70 - 130	0	30	
1,2-Dichlorobenzene	20.0	21.0		ug/L		105	70 - 130	3	30	
1,3-Dichlorobenzene	20.0	21.5		ug/L		108	70 - 130	2	30	
1,4-Dichlorobenzene	20.0	21.8		ug/L		109	70 - 130	1	30	
Dichlorobromomethane	20.0	21.3		ug/L		107	70 - 130	1	30	
Dichlorodifluoromethane	20.0	20.5		ug/L		102	70 - 130	3	30	
1,1-Dichloroethane	20.0	20.8		ug/L		104	70 - 130	0	30	
1,2-Dichloroethane	20.0	19.5		ug/L		98	70 - 130	1	30	
1,1-Dichloroethene	20.0	20.8		ug/L		104	70 - 130	0	30	
1,2-Dichloropropane	20.0	20.3		ug/L		102	70 - 130	2	30	
1,3-Dichloropropane	20.0	20.1		ug/L		101	70 - 130	0	30	
2,2-Dichloropropane	20.0	23.0		ug/L		115	70 - 130	2	30	
1,1-Dichloropropene	20.0	21.9		ug/L		110	70 - 130	1	30	
1,3-Dichloropropene, Total	40.0	44.4		ug/L		111	70 - 130	1	30	
Diisopropyl ether	16.0	17.7		ug/L		111	70 - 130	2	30	
Ethylbenzene	20.0	21.8		ug/L		109	70 - 130	0	30	
Ethylene Dibromide	20.0	20.8		ug/L		104	70 - 130	2	30	
Freon 113	16.0	14.9		ug/L		93	70 - 130	5	30	
Hexachlorobutadiene	20.0	18.3		ug/L		91	70 - 130	10	30	
2-Hexanone	40.0	47.4		ug/L		118	70 - 130	2	30	
Isopropylbenzene	20.0	20.1		ug/L		100	70 - 130	3	30	
4-Isopropyltoluene	20.0	19.2		ug/L		96	70 - 130	3	30	
Methylene Chloride	20.0	19.7		ug/L		99	70 - 130	1	30	
2-Butanone (MEK)	40.0	46.4		ug/L		116	70 - 130	4	30	

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Hampstead, MD

TestAmerica Job ID: 680-82374-1

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 680-248480/4

Matrix: Water

Analysis Batch: 248480

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD
									Limit
4-Methyl-2-pentanone (MIBK)	40.0	43.8		ug/L		109	70 - 130	0	30
m-Xylene & p-Xylene	40.0	43.7		ug/L		109	70 - 130	2	30
Naphthalene	20.0	19.0		ug/L		95	70 - 130	2	30
n-Butylbenzene	20.0	19.1		ug/L		96	70 - 130	4	30
N-Propylbenzene	20.0	20.0		ug/L		100	70 - 130	1	30
o-Xylene	20.0	21.9		ug/L		110	70 - 130	0	30
sec-Butylbenzene	20.0	19.3		ug/L		97	70 - 130	1	30
Styrene	20.0	19.8		ug/L		99	70 - 130	4	30
Tert-amyl methyl ether	16.0	17.6		ug/L		110	70 - 130	0	30
tert-Butyl alcohol	80.0	90.8		ug/L		114	70 - 130	4	30
tert-Butylbenzene	20.0	19.5		ug/L		97	70 - 130	2	30
Tert-butyl ethyl ether	16.0	18.7		ug/L		117	70 - 130	1	30
1,1,1,2-Tetrachloroethane	20.0	20.6		ug/L		103	70 - 130	1	30
1,1,2,2-Tetrachloroethane	20.0	21.0		ug/L		105	70 - 130	3	30
Tetrachloroethene	20.0	20.8		ug/L		104	70 - 130	3	30
Toluene	20.0	21.5		ug/L		108	70 - 130	1	30
trans-1,2-Dichloroethene	20.0	21.0		ug/L		105	70 - 130	1	30
trans-1,3-Dichloropropene	20.0	22.2		ug/L		111	70 - 130	1	30
1,2,3-Trichlorobenzene	20.0	19.0		ug/L		95	70 - 130	3	30
1,2,4-Trichlorobenzene	20.0	18.9		ug/L		95	70 - 130	4	30
1,1,1-Trichloroethane	20.0	22.1		ug/L		111	70 - 130	0	30
1,1,2-Trichloroethane	20.0	20.3		ug/L		102	70 - 130	2	30
Trichloroethene	20.0	20.3		ug/L		102	70 - 130	3	30
Trichlorofluoromethane	20.0	19.7		ug/L		98	70 - 130	3	30
1,2,3-Trichloropropane	20.0	19.4		ug/L		97	70 - 130	1	30
1,2,4-Trimethylbenzene	20.0	19.0		ug/L		95	70 - 130	2	30
1,3,5-Trimethylbenzene	20.0	19.5		ug/L		97	70 - 130	2	30
Vinyl chloride	20.0	21.9		ug/L		110	70 - 130	0	30
Xylenes, Total	60.0	65.6		ug/L		109	70 - 130	1	30

Surrogate	LCSD		Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene	101		70 - 130
1,2-Dichlorobenzene-d4	102		70 - 130

QC Association Summary

TestAmerica Job ID: 680-82374-1

Client: Weston Solutions, Inc.
Project/Site: Hampstead, MD

GC/MS VOA

Analysis Batch: 248040

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-82374-2	Hamp-22	Total/NA	Water	524.2	
680-82374-3	Hamp-23	Total/NA	Water	524.2	
680-82374-4	Trip Blank	Total/NA	Water	524.2	
LCS 680-248040/3	Lab Control Sample	Total/NA	Water	524.2	
LCSD 680-248040/4	Lab Control Sample Dup	Total/NA	Water	524.2	
MB 680-248040/6	Method Blank	Total/NA	Water	524.2	

Analysis Batch: 248480

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-82374-1	RFW-21	Total/NA	Water	524.2	
LCS 680-248480/3	Lab Control Sample	Total/NA	Water	524.2	
LCSD 680-248480/4	Lab Control Sample Dup	Total/NA	Water	524.2	
MB 680-248480/6	Method Blank	Total/NA	Water	524.2	

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Hampstead, MD

TestAmerica Job ID: 680-82374-1

Client Sample ID: RFW-21

Lab Sample ID: 680-82374-1

Date Collected: 08/23/12 13:30

Matrix: Water

Date Received: 08/25/12 09:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	524.2		1	5 mL	5 mL	248480	08/31/12 22:45	WJC	TAL SAV

Client Sample ID: Hamp-22

Lab Sample ID: 680-82374-2

Date Collected: 08/24/12 10:00

Matrix: Water

Date Received: 08/25/12 09:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	524.2		1	5 mL	5 mL	248040	08/28/12 22:23	WJC	TAL SAV

Client Sample ID: Hamp-23

Lab Sample ID: 680-82374-3

Date Collected: 08/24/12 10:10

Matrix: Water

Date Received: 08/25/12 09:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	524.2		1	5 mL	5 mL	248040	08/28/12 22:50	WJC	TAL SAV

Client Sample ID: Trip Blank

Lab Sample ID: 680-82374-4

Date Collected: 08/23/12 07:00

Matrix: Water

Date Received: 08/25/12 09:20

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	524.2		1	5 mL	5 mL	248040	08/28/12 19:41	WJC	TAL SAV

Laboratory References:

TAL SAV = TestAmerica Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

2417 Bond Street, University Park, IL 60484
Phone: 708.534.5200 Fax: 708.534.5211

Report To _____ (optional)
Contact: _____
Company: _____
Address: _____
Address: _____
Phone: _____
Fax: _____
E-Mail: _____

Bill To _____ (optional)
Contact: _____
Company: _____
Address: _____
Address: _____
Phone: _____
Fax: _____
PO#/Reference# _____

Chain of Custody Record

Lab Job #: _____

Chain of Custody Number: _____

Page _____ of _____

Temperature °C of Cooler: _____

Client		Client Project #		Preservative		Parameter													
Western				HCl															
Project Name		Lab Project #		Sampling		Matrix													
Black + Decker				Date		Time		# of Containers		Matrix									
Project Location/State		Lab PM																	
Hampstead, MD		Beth Daughtry																	
Sampler																			
Greg Flaszuk																			
Lab ID	MS/MSD	Sample ID	Date	Time	# of Containers	Matrix													
		RFW-21	8/23/12	1330	3	W													
		Hamp-22	8/24/12	1000	1														
		Hamp-23	8/24/12	1010	1														
		Trip Blank	8/23/12	700	1														
<p>Preservative Key</p> <ol style="list-style-type: none"> 1. HCL, Cool to 4° 2. H2SO4, Cool to 4° 3. HNO3, Cool to 4° 4. NaOH, Cool to 4° 5. NaOH/Zn, Cool to 4° 6. NaHSO4 7. Cool to 4° 8. None 9. Other 																			
Comments																			

Turnaround Time Required (Business Days)
 1 Day 2 Days 5 Days 7 Days 10 Days 15 Days Other
 Requested Due Date _____

Sample Disposal
 Return to Client Disposal by Lab Archive for _____ Months (A fee may be assessed if samples are retained longer than 1 month)

Relinquished By <i>[Signature]</i>	Company Western	Date 8/24/12	Time 1600	Received By <i>[Signature]</i>	Company TMA	Date 8/25/12	Time 0920	Lab Courier	
Relinquished By	Company	Date	Time	Received By	Company	Date	Time	Shipped	
Relinquished By	Company	Date	Time	Received By	Company	Date	Time	Hand Delivered	

- Matrix Key
- WW - Wastewater
 - W - Water
 - S - Soil
 - SL - Sludge
 - MS - Miscellaneous
 - OL - Oil
 - A - Air
 - SE - Sediment
 - SO - Soil
 - L - Leachate
 - WI - Wipe
 - DW - Drinking Water
 - O - Other

Client Comments

Lab Comments:
680-82374
2.8°C

Page 25 of 27

Login Sample Receipt Checklist

Client: Weston Solutions, Inc.

Job Number: 680-82374-1


Login Number: 82374

List Source: TestAmerica Savannah

List Number: 1

Creator: Conner, Keaton

Question	Answer	Comment
Radioactivity either was not measured or, if measured, is at or below background	N/A	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
Multiphasic samples are not present.	N/A	
Samples do not require splitting or compositing.	N/A	
Residual Chlorine Checked.	N/A	



Certification Summary

Client: Weston Solutions, Inc.
Project/Site: Hampstead, MD

TestAmerica Job ID: 680-82374-1

Laboratory: TestAmerica Savannah

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
A2LA	DoD ELAP		0399-01	02-28-13
A2LA	ISO/IEC 17025		399.01	02-28-13
Alabama	State Program	4	41450	06-30-13
Alaska (UST)	State Program	10	UST-104	06-19-13
Arkansas DEQ	State Program	6	88-0692	02-01-13
California	NELAC	9	3217CA	07-31-13
Colorado	State Program	8	N/A	12-31-12
Connecticut	State Program	1	PH-0161	03-31-13
Florida	NELAC	4	E87052	06-30-13
GA Dept. of Agriculture	State Program	4	N/A	12-31-12
Georgia	State Program	4	N/A	06-30-13
Georgia	State Program	4	803	06-30-13
Guam	State Program	9	09-005r	04-17-13
Hawaii	State Program	9	N/A	06-30-13
Illinois	NELAC	5	200022	11-30-12
Indiana	State Program	5	N/A	06-30-13
Iowa	State Program	7	353	07-01-13
Kentucky	State Program	4	90084	12-31-12
Kentucky (UST)	State Program	4	18	02-28-13
Louisiana	NELAC	6	30690	06-30-13
Louisiana	NELAC	6	LA100015	12-31-12
Maine	State Program	1	GA00006	08-16-14
Maryland	State Program	3	250	12-31-12
Massachusetts	State Program	1	M-GA006	06-30-13
Michigan	State Program	5	9925	06-30-13
Mississippi	State Program	4	N/A	06-30-13
Montana	State Program	8	CERT0081	12-31-12
Nebraska	State Program	7	TestAmerica-Savannah	06-30-13
New Jersey	NELAC	2	GA769	06-30-13
New Mexico	State Program	6	N/A	06-30-13
New York	NELAC	2	10842	04-01-13
North Carolina DENR	State Program	4	269	12-31-13
North Carolina DHHS	State Program	4	13701	07-31-13
Oklahoma	State Program	6	9984	08-31-13
Pennsylvania	NELAC	3	68-00474	06-30-13
Puerto Rico	State Program	2	GA00006	01-01-13
Rhode Island	State Program	1	LAO00244	12-30-12
South Carolina	State Program	4	98001	06-30-13
Tennessee	State Program	4	TN02961	06-30-13
Texas	NELAC	6	T104704185-08-TX	11-30-12
USDA	Federal		SAV 3-04	04-07-14
Vermont	State Program	1	87052	11-16-12
Virginia	NELAC	3	460161	06-14-13
Washington	State Program	10	C1794	06-10-13
West Virginia	State Program	3	9950C	12-31-12
West Virginia DEP	State Program	3	94	06-30-13
Wisconsin	State Program	5	999819810	08-31-13
Wyoming	State Program	8	8TMS-Q	06-30-13