

Quarterly Groundwater Monitoring Report

Prepared for
Black & Decker (U.S.) Inc.

Hampstead, Maryland

January 2006

Prepared by

WESTON SOLUTIONS, INC.
West Chester, Pennsylvania 19380-1499

TABLE OF CONTENTS

Section	Page
1. INTRODUCTION.....	1-1
2. SITE CHARACTERISTICS.....	2-1
2.1 HYDRAULIC PROPERTIES	2-1
2.2 EFFLUENT CHARACTERISTICS	2-1
2.3 GROUNDWATER QUALITY DATA	2-1
3. OPERATION AND MAINTENANCE OF THE TREATMENT SYSTEM.....	3-1
4. RECOMMENDATIONS.....	4-1

LIST OF APPENDICES

APPENDIX A - GROUNDWATER TREATMENT SYSTEM PUMPING RECORDS

APPENDIX B - DISCHARGE MONITORING REPORTS

APPENDIX C - GROUNDWATER TREATMENT SYSTEM ANALYTICAL RESULTS

APPENDIX D - GROUNDWATER ANALYTICAL DATA PACKAGE

LIST OF TABLES

Table	Page
Table 2-1 Treatment System Pumping Records – 4 th Quarter 2005.....	2-2
Table 2-2 Groundwater Elevation Data – 4 th Quarter 2005.....	2-3
Table 2-3 Effluent Characteristics Summary – 4 th Quarter 2005.....	2-4
Table 2-4 Summary of Groundwater Analytical Results - November 2005.....	2-5
Table 3-1 Treatment System Maintenance Activities – 4 th Quarter 2005.....	3-2

1. INTRODUCTION

This Groundwater Monitoring Report has been prepared to meet the requirements of Condition IV.G of the Administrative Consent Order between the State of Maryland Department of the Environment (MDE) and Black & Decker (U.S.) Inc. (April 1995) (Consent Order). Specifically, Condition IV.G calls for preparation of a Groundwater Monitoring Report containing the following information for each reporting period:

- The quantities of groundwater pumped, treated, and discharged.
- The calculation of quantities of contaminants removed from groundwater.
- A summary of all sampling analyses.
- An explanation of all operational or other problems encountered, and the manner in which each problem was resolved.
- Copies of all reports submitted to the Department of Natural Resources in conjunction with the Groundwater Appropriations Permit.
- Recommendations for changes to the Interim Groundwater Treatment System.

This document is one of several which are being prepared in response to the Consent Order; each of these documents are to be submitted to the MDE in accordance with the schedule outlined in the Consent Order. This document will become part of the Administrative Record for the site, which is maintained at the Hampstead Public Library.

2. SITE CHARACTERISTICS

2.1 HYDRAULIC PROPERTIES

In accordance with the Consent Order and the Water Appropriation Permit issued to the Black and Decker (U.S.) Inc. Hampstead, Maryland, facility, the following pumping and water level information is included for the period of October through December 2005.

Pumping records showing the total gallons pumped per month of treatment system operation are presented in Table 2-1. The complete groundwater treatment system pumping records are included in Appendix A.

Monthly water levels for wells included in the water level monitoring plan are presented in Table 2-2. For the reporting period of October through December 2005, the extraction wells were pumping at an average combined rate of approximately 176 gallons per minute (gpm).

2.2 EFFLUENT CHARACTERISTICS

Effluent characteristics of the NPDES discharge points are recorded monthly on Discharge Monitoring Reports (DMRs) and are submitted to MDE, Water Management Administration, on a quarterly basis. A summary of the sample results from the DMRs is presented in Table 2-3. DMRs for the period of October through December 2005 are included in Appendix B.

2.3 GROUNDWATER QUALITY DATA

For the reporting period of October through December 2005, approximately 29 pounds of total volatile organic compounds (VOCs) were removed from the groundwater by the extraction and treatment system. In general, the total VOCs removed from the groundwater were comprised primarily of trichloroethene (TCE) (67 %) and tetrachloroethene (PCE) (33 %). Analytical results of the groundwater collected at the inlet to the air stripper for the period of October through December 2005 are included in Appendix C.

A summary of the analytical results from the fourth quarter (November 2005) groundwater sampling round of the extraction and monitor wells is included in Table 2-4. The complete

Table 2-1
Treatment System Pumping Records - 4th Quarter 2005
Black & Decker
Hampstead, Maryland

Date	Water Pumped (gallons)
October 2005	6,891,562
November 2005	6,662,063
December 2005	6,522,500

Table 2-2
Groundwater Elevation Data - 4th Quarter 2005
Black & Decker
Hampstead, Maryland

WELL NO.	TOC ELEV.	TOTAL DEPTH	10/26/2005		11/29/2005		12/15/2005	
			DTW	ELEV	DTW	ELEV	DTW	ELEV
EW-1	847.21	55	DRY	NA	DRY	NA	DRY	NA
EW-2	849.21	110	92.00	757.21	95.46	753.75	88.22	760.99
EW-3	846.64	118	90.80	755.84	78.81	767.83	81.42	765.22
EW-4	858.01	97.5	NA	NA	NA	NA	NA	NA
EW-5	864.17	98	79.43	784.74	82.06	782.11	82.99	781.18
EW-6	831.98	115	86.48	745.50	92.40	739.58	91.00	740.98
EW-7	818.38	78	42.14	776.24	43.50	774.88	44.72	773.66
EW-8	811.13	98	49.18	761.95	48.95	762.18	51.11	760.02
EW-9	811.35	141	102.57	708.78	103.20	708.15	100.84	710.51
EW-10	807.74	NA	50.97	756.77	52.47	755.27	51.71	756.03
RFW-1A	864.37	78	50.81	813.56	51.67	812.70	51.60	812.77
RFW-1B	864.23	200	50.87	813.36	51.73	812.50	51.62	812.61
RFW-2A	857.41	35	12.26	845.15	15.55	841.86	15.30	842.11
RFW-2B	857.73	75	12.93	844.80	16.28	841.45	15.99	841.74
RFW-3B	839.21	153	27.84	811.37	33.08	806.13	32.98	806.23
RFW-4A	830.37	62	28.08	802.29	38.53	791.84	38.21	792.16
RFW-4B	830.37	120	38.03	792.34	38.33	792.04	38.06	792.31
RFW-5A	817.50	30	DRY	NA	DRY	NA	DRY	NA
RFW-6	785.04	120	3.51	781.53	4.41	780.63	2.43	782.61
RFW-7	805.14	29	6.89	798.25	7.10	798.04	7.94	797.20
RFW-8	860.07	56	DRY	NA	DRY	NA	DRY	NA
RFW-9	862.02	49	26.87	835.15	26.50	835.52	26.41	835.61
RFW-10	852.06	58	DRY	NA	DRY	NA	DRY	NA
RFW-11A	849.32	72	NA	NA	NA	NA	NA	NA
RFW-11B	849.62	116	72.22	777.40	69.18	780.44	70.14	779.48
RFW-12B	844.87	264	55.11	789.76	53.67	791.20	53.61	791.26
RFW-13	849.11	150	60.42	788.69	62.05	787.06	61.89	787.22
RFW-14B	812.39	281	34.11	778.28	35.88	776.51	35.94	776.45
RFW-16	856.14	41	DRY	NA	DRY	NA	DRY	NA
RFW-17	834.66	60.5	26.88	807.78	27.86	806.80	27.81	806.85
RFW-20	842.49	142	34.01	808.48	32.62	809.87	32.64	809.85
RFW-21	832.65	102	22.37	810.28	22.52	810.13	22.45	810.20
PH-7	805.94	89	20.02	785.92	24.11	781.83	23.98	781.96
PH-9	814.94	98	36.26	778.68	37.04	777.90	37.13	777.81
PH-11	820.68	78	42.41	778.27	42.55	778.13	42.47	778.21
PH-12	828.35	87	42.87	785.48	42.98	785.37	42.63	785.72
B-3	803.02	83	NA	NA	NA	NA	NA	NA
Amoco	842.29	NA	NA	NA	NA	NA	NA	NA
Hamp. Town #22	804.96	NA	27.11	777.85	24.00	780.96	33.02	771.94
Pembroke #1	NA	NA	NA	NA	12.37	NA	11.78	NA
Pembroke #2	NA	NA	NA	NA	NA	NA	NA	NA
N. Houcks. Rd.	NA	NA	9.89	NA	9.41	NA	10.40	NA
E. Century St.	NA	NA	19.94	NA	29.21	NA	27.59	NA
Lwr. Beckleys. Rd.	NA	NA	55.89	NA	55.17	NA	53.98	NA

NA - Not Available/Not Accessible

Table 2-3
Effluent Characteristics Summary - 4th Quarter 2005
Black & Decker
Hampstead, Maryland

Discharge Number	Parameter	Units	Permit Limits	DMR DATE			
				October 2005	November 2005	December 2005	
001	FLOW	average	MGD	NA	0.326	0.129	0.147
		maximum	MGD	NA	0.739	0.300	0.308
	1,1,1-Trichloroethane		ug/l	5	< 5	< 5	< 5
	Tetrachloroethylene		ug/l	5	< 5	< 5	< 5
	Trichloroethylene		ug/l	5	< 5	< 5	< 5
	Total Residual Chlorine		mg/l	< 0.1	< 0.1	< 0.1	< 0.1
	Oil & Grease	maximum	mg/l	15	< 5	< 5	< 5
		quarterly average	mg/l	10	NR	NR	< 5
	pH	minimum	STD	6.0	6.10	6.10	6.00
		maximum	STD	8.5	7.30	7.10	7.40
	BOD		mg/l	15	< 2	3.0	< 2
TSS	maximum	mg/l	30	9.5	4.5	5.5	
	quarterly average	mg/l	20	NR	NR	2.5	
101 (Monitoring Point)	FLOW	average	MGD	NA	0.224	0.217	0.245
		maximum	MGD	NA	0.235	0.232	0.253
	Fecal Coliform		MPN/100ml	200	< 2	< 2	< 2
201 (Monitoring Point)	FLOW	average	MGD	NA	0.222	0.222	0.210
		maximum	MGD	NA	0.244	0.259	0.247
	1,1,1-Trichloroethane		ug/l	NA	< 5	< 5	< 5
	Tetrachloroethylene		ug/l	NA	< 5	< 5	< 5
	Trichloroethylene		ug/l	NA	< 5	< 5	< 5

DMR - Discharge Monitoring Report

NA - Not Applicable

NR - Not Reported

Table 2-4
 Summary of Groundwater Analytical Results - November 2005
 Black & Decker
 Hampstead, Maryland

PARAMETER	Units	EW-1	EW-2	EW-3	EW-4	EW-5	EW-6	EW-7	EW-8	EW-9	EW-9 (DUP)	EW-10
			(2)		(2)	(2)						
Chloromethane	ug/L	NS	2 U	1 U	2 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromomethane	ug/L	NS	2 U	1 U	2 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	2 U	1 U	2 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U
Chloroethane	ug/L	NS	2 U	1 U	2 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	2 U	1 U	2 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U
Acetone	ug/L	NS	10 U	5 U	10 U	10 U	5 U	5 U	5 U	5 U	5 U	5 U
Carbon Disulfide	ug/L	NS	10 U	5 U	10 U	10 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1-Dichloroethene	ug/L	NS	2 U	1 U	2 U	2 U	1 U	0.9 J	0.9 J	1 U	1 U	1 U
1,1-Dichloroethane	ug/L	NS	2 U	1 U	2 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethene (total)	ug/L	NS	3.6	1.9	2 U	2 U	.1 U	6.9	22	1.1	1.3	1 U
Chloroform	ug/L	NS	2 U	1 U	2 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethane	ug/L	NS	2 U	1 U	2 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U
2-Butanone	ug/L	NS	10 U	5 U	10 U	10 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1,1-Trichloroethane	ug/L	NS	2 U	1 U	2 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U
Carbon Tetrachloride	ug/L	NS	2 U	1 U	2 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromodichloromethane	ug/L	NS	2 U	1 U	2 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloropropane	ug/L	NS	2 U	1 U	2 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U
cis-1,3-Dichloropropene	ug/L	NS	2 U	1 U	2 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U
Trichloroethene	ug/L	NS	620	210	800	280	11	6.6	14	2.1	2.2	1 U
Dibromochloromethane	ug/L	NS	2 U	1 U	2 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	ug/L	NS	2 U	1 U	2 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U
Benzene	ug/L	NS	2 U	1 U	2 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U
Trans-1,3-Dichloropropene	ug/L	NS	2 U	1 U	2 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromoform	ug/L	NS	2 U	1 U	2 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U
4-Methyl-2-pentanone	ug/L	NS	10 U	5 U	10 U	10 U	5 U	5 U	5 U	5 U	5 U	5 U
2-Hexanone	ug/L	NS	10 U	5 U	10 U	10 U	5 U	5 U	5 U	5 U	5 U	5 U
Tetrachloroethene	ug/L	NS	79	6.2	19	11	26	13	92	310	300	11
1,1,2,2-Tetrachloroethane	ug/L	NS	2 U	1 U	2 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U
Toluene	ug/L	NS	2 U	1 U	2 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U
Chlorobenzene	ug/L	NS	2 U	1 U	2 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U
Ethylbenzene	ug/L	NS	2 U	1 U	2 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U
Styrene	ug/L	NS	2 U	1 U	2 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U
Xylene (total)	ug/L	NS	2 U	1 U	2 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U

Notes: U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.
 J = Indicates an estimated value.

Table 2-4
 Summary of Groundwater Analytical Results - November 2005
 Black & Decker
 Hampstead, Maryland

PARAMETER	Units	RFW-1A	RFW-1B	RFW-2A	RFW-2B	RFW-3B	RFW-4A	RFW-4A (DUP)	RFW-4B	RFW-5A	RFW-6	RFW-7	RFW-8	RFW-9	RFW-10
Chloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromomethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Vinyl Chloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Methylene Chloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Acetone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
Carbon Disulfide	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1-Dichloroethene	ug/L	1 U	1 U	1 U	1 U	1.1	1 U	1 U	1 U	NS	1 U	1 U	NS	1.1	NS
1,1-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloroethene (total)	ug/L	1 U	1 U	1 U	1 U	8.2	1.4	1.2	5.7	NS	1.3	1 U	NS	6.2	NS
Chloroform	ug/L	1 U	1 U	1 U	1 U	1 U	1	0.9 J	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
2-Butanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1,1-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1.5	1 U	1 U	1 U	NS	1 U	1 U	NS	1.5	NS
Carbon Tetrachloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromodichloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloropropane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
cis-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Trichloroethene	ug/L	1 U	1 U	1.8	1.9	7.8	48	46	8.6	NS	8.9	6.7	NS	19	NS
Dibromochloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,1,2-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Benzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Trans-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromoform	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
4-Methyl-2-pentanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
2-Hexanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
Tetrachloroethene	ug/L	1 U	1 U	1 U	1 U	8.1	62	59	59	NS	7.3	1 U	NS	3.9	NS
1,1,2,2-Tetrachloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Toluene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chlorobenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Ethylbenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Styrene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Xylene (total)	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS

Notes: DUP = Duplicate sample
 NS = Not sampled

U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.
 J = Indicates an estimated value.

Table 2-4
Summary of Groundwater Analytical Results - November 2005
Black & Decker
Hampstead, Maryland

PARAMETER	Units	RFW-11A	RFW-11B	RFW-12B	RFW-13	RFW-16	RFW-17	RFW-20	RFW-21	Town #22	Town #23	Leister Dairy	Leister Res. #1	Leister Res. #2	Trip Blank
Chloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
Bromomethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
Chloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
Acetone	ug/L	NS	5 U	5 U	5 U	NS	5 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	5 U
Carbon Disulfide	ug/L	NS	5 U	5 U	5 U	NS	5 U	NA	NA	NA	NA	5 U	5 U	5 U	5 U
1,1-Dichloroethene	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
1,1-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
1,2-Dichloroethene (total)	ug/L	NS	1 U	4.2	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
Chloroform	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
1,2-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
2-Butanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	5 U
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
Carbon Tetrachloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
Bromodichloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
1,2-Dichloropropane	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
Trichloroethene	ug/L	NS	20	660	14	NS	1 U	1.5	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
Dibromochloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
Benzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
Bromoform	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	5 U
2-Hexanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	5 U
Tetrachloroethene	ug/L	NS	1 U	54	45	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	2	1 U	1 U	1 U
1,1,2,2-Tetrachloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
Toluene	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
Chlorobenzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
Ethylbenzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
Styrene	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
Xylene (total)	ug/L	NS	1 U	1 U	1 U	NS	1 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U

Notes: Samples from wells RFW-20 & 21, Town-22&23 are analyzed with the USEPA drinking water method 524.2 at the request of the MDE Source Protection and Appropriation Division. Samples from all of the other wells are analyzed with USEPA Method 8260.

NS = Not sampled

U = Compound was analyzed but not detected.

analytical data package is included in Appendix D.

As found in earlier sampling events at the Black & Decker facility, TCE and PCE were the VOCs detected at the highest concentrations in the groundwater samples. The highest concentration of TCE was detected in the groundwater samples collected from wells RFW-12B and EW-4 and the highest concentration of PCE was detected in the groundwater sample collected from well EW-9. The remainder of VOCs present were detected at levels below the Federal Maximum Contaminant Levels (MCL).

3. OPERATION AND MAINTENANCE OF THE TREATMENT SYSTEM

A summary of the maintenance activities which were undertaken with the extraction and treatment system during the reporting period (October through December 2005) is provided in Table 3-1. This table is comprehensive in summarizing significant maintenance events or activities, while not including those activities considered unworthy of note (such as replacement of light bulbs, lubrication of moving parts as appropriate or other routine activities).

Table 3-1
Treatment System Maintenance Activities - 4th Quarter 2005
Black & Decker
Hampstead, Maryland

Date	Event/Corrective Action
Dec-05	Alarm at EW-2, well shutdown due to low temperature. Heater in the well house shorted out. Heater has been replaced and the well is back online.
Dec-05	December 15, 2005 an alarm sounds at EW-10. The well will not run in auto mode. Micro Tech found that there is a broken control wire. EW-10 is being run in hand mode for approximately 12 hours a day, while Black & Decker personnel are onsite. The control wire was repaired January 9, 2006 and the well no longer requires hand-mode operation.

4. RECOMMENDATIONS

For the reporting period of October through December 2005, the treatment system continued to create a hydraulic boundary preventing off-site migration of groundwater. The extraction system will continue to operate as currently configured to pump and treat contaminated groundwater. Depth-to-water measurements will continue to be collected on a monthly basis in all site monitor wells to construct a groundwater elevation contour map for the site. The groundwater elevation contour map will be used to verify that the required area of groundwater capture is being maintained. If necessary, pumping rates will be adjusted to maintain groundwater capture due to seasonal fluctuations in groundwater elevations. The treatment system will also continue to operate as currently configured, as data collected have proven that the treatment system is fully effective in removing VOCs from the extracted groundwater.

APPENDIX A
GROUNDWATER TREATMENT SYSTEM PUMPING RECORDS
(OCTOBER – DECEMBER 2005)

Month / Year

Oct. 2005

Black & Decker
Air Stripper # 2
Operating Record

Past Month Reading

58717096

Date	Day	Time	Integ. Reading	GPD	Pump # 11	Pump # 12
1				↑		
2				451962		
3	M	1325	59395038	214547	27074	27027
4	T	1240	59609585	224558	27074	27050
5	W	1305	59834143	213233	27074	27074
6	T	1220	60047376	209078	27074	27098
7	F	1105	60256454	↑	27074	27120
8						
9				645571		
10	M	0900	60902025	243683	27074	27190
11	T	1120	61145708	211142	27101	27190
12	W	1010	61356850	229517	27123	27190
13	T	1055	61586367	237026	27148	27190
14	F	1235	61823393	↑	27174	27190
15						
16				692850		
17	M	1525	62516243	206942	27249	27190
18	T	1345	62723185	206717	27249	27213
19	W	1210	62929899	206375	27249	27235
20	T	1035	63136272	227515	27249	27257
21	F	1110	63363787	↑	27249	27282
22						
23				668860		
24	M	1145	64032647	210770	27249	27355
25	T	1035	64243417	235164	27272	27355
26	W	1200	64478581	235238	27297	27355
27	T	1300	64713819	214179	27322	27355
28	F	1150	64927998	↑	27345	27355
29						
30				688706		
31	M	1215	65616704	217954	27478	27355
Total				6891562		
Average				222.308		

Next Month Reading 65834658

Date 11-1-05

Month / Year
Nov. 2005

Black & Decker
 Air Stripper # 2
 Operating Record

Past Month Reading
65616704

Date	Day	Time	Integ. Reading	GPD	Pump # 11	Pump # 12
1	T	1135	65834658	235811	27418	27378
2	W	1245	66070469	227634	27418	27403
3	T	1305	66298103	216676	27418	27427
4	F	1220	66514779	↑	27418	27451
5						
6				669282		
7	M	1205	67184061	227546	27418	27522
8	T	1230	67411607	201311	27443	27522
9	W	1010	67612918	213072	27464	27522
10	T	0900	67825990	224408	27487	27522
11	F	0910	68050398	↑	27511	27522
12						
13				672416		
14	M	0935	68722814	223180	27584	27522
15	T	0940	68945944	225325	27584	27546
16	W	1000	69171319	217744	27584	27571
17	T	0935	69389063	235884	27584	27594
18	F	1220	69624947	↑	27584	27620
19						
20				701501		
21	M	1600	70326448	↑	27584	27695
22	T			406985		
23	W	1155	70733433	↑	27628	27695
24						
25						
26						
27				1076004		
28	M	0825	71889437	259039	27744	27695
29	T	1235	72068476	219135	27744	27723
30	W	1225	72287611	209110	27744	27747
31						
Total	MG	=		6.662063		
Average	MG	=		0.222069		

Next Month Reading 72496721

Date 12-1-05

Month / Year

Dec. 2005

Black & Decker
Air Stripper # 2
Operating Record

Past Month Reading

72287611

Date	Day	Time	Integ. Reading	GPD	Pump # 11	Pump # 12
1	T	1110	72496721	229062	27744	27770
2	F	1155	72725783	↑	27744	27795
3				↑		
4				638189		
5	M	0915	73363772	227798	27744	27864
6	T	0950	73591777	223641	27744	27889
7	W	1005	73815418	228709	27769	27889
8	T	1050	74044127	218568	27744	27889
9	F	1040	74262695	↑	27817	27889
10				↑		
11				678602		
12	M	1215	74941297	219512	27891	27889
13	T	1205	75160809	215645	27891	27912
14	W	1135	75376454	191329	27891	27936
15	T	830	75567783	227765	27891	27957
16	F	1025	75795548	↑	27891	27983
17				↑		
18				676401		
19	M	1255	76471949	205225	27891	28057
20	T	1325	76677174	179580	27915	28057
21	W	1120	76856754	203897	27937	28057
22	T	1150	77060651	↑	27962	28057
23				↑		
24				↑		
25				↑		
26				971514		
27	T	1255	78032165	146515	28083	28059
28	W	1130	78218680	247237	28083	28080
29	T	1630	78465917	170531	28083	28109
30	F	1250	78636248	↑	28083	28129
31	S			382780		
Total				6522500		
Average				210403		

Next Month Reading 79019028

Date Jan. 1, 2006

**APPENDIX B
DISCHARGE MONITORING REPORTS
(OCTOBER - DECEMBER 2005)**

PERMITTEE NAME/ADDRESS: (Include Facility Name/Location if different)

NAME: **BTR CAPITAL GROUP**
 ADDRESS: **555 13th Street., NW**
Suite 420E
Washington, DC 20004

FACILITY: **Hampstead, Maryland 21074**

LOCATION: **CARROLL COUNTY**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)


MD0001881
 PERMIT NUMBER

001
 DISCHARGE NUMBER

MONITORING PERIOD					
FROM			TO		
YEAR	MO	DAY	YEAR	MO	DAY
2005	10	01	05	10	31

FORM APPROVED
 OMB No.2040-0004

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	X	(3 Card Only) (46-53) QUANTITY OR LOADING (54-61)			(4 Card Only) QUALITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW		0.326	0.739	MGD					0	Measured/Recorded	
	PERMIT REQUIREMENT	NO LIMIT	NO LIMIT							Measured/Recorded	
1,1,1-TRICHLOROETHANE	SAMPLE MEASUREMENT						<5	ppb	0	1/MONTH	GRAB
	PERMIT REQUIREMENT						5			1/MONTH	GRAB
TETRACHLOROETHYLENE	SAMPLE MEASUREMENT						<5	ppb	0	1/MONTH	GRAB
	PERMIT REQUIREMENT						5			1/MONTH	GRAB
TRICHLOROETHYLENE	SAMPLE MEASUREMENT						<5	ppb	0	1/MONTH	GRAB
	PERMIT REQUIREMENT						5			1/MONTH	GRAB
TOTAL RESIDUAL CHLORINE	SAMPLE MEASUREMENT						<0.1	mg/l	0	1/MONTH	GRAB
	PERMIT REQUIREMENT						0.011	0.019		1/MONTH	GRAB
OIL & GREASE	SAMPLE MEASUREMENT						<5	mg/l	0	1/MONTH	GRAB
	PERMIT REQUIREMENT						10	<5		1/MONTH	GRAB
pH	SAMPLE MEASUREMENT				6.10		7.30	STD	0	2/WEEK	GRAB
	PERMIT REQUIREMENT				6.00		8.50			2/WEEK	GRAB
NAME / TITLE PRINCIPAL EXECUTIVE OFFICER		I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)							TELEPHONE	DATE	
Michael A. Clark Principal									 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		
TYPED OR PRINTED									AREA CODE-NUMBER	YEAR MO DAY	

COMMENT AND EXPLANATION OF ANY VIOLATIONS

(Reference all attachments here)

*Averages for TSS and Oil & Grease are reported quarterly.

PERMITTEE NAME/ADDRESS: (Include Facility Name/Location if different)

NAME: **BTR CAPITAL GROUP**
 ADDRESS: **555 13th Street., NW**
Suite 420E
Washington, DC 20004
 FACILITY: **Hampstead, Maryland 21074**
 LOCATION: **CARROLL COUNTY**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

FORM APPROVED
 OMB No.2040-0004


MD0001881
 PERMIT NUMBER
 (2-16)

101
 DISCHARGE NUMBER
 (17-19)

MONITORING PERIOD

FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY
	2005	10	01		05	10	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	X	(3 Card Only) QUANTITY OR LOADING (46-53) (54-61)			(4 Card Only) QUALITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)						
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS									
FLOW	SAMPLE MEASUREMENT	0.224	0.235	MGD					0	Cont Measure/Record							
	PERMIT REQUIREMENT	NO LIMIT	NO LIMIT							Cont Measure/Record							
FECAL COLIFORM	SAMPLE MEASUREMENT						<2	MPN/100ml	0	1/WEEK GRAB							
	PERMIT REQUIREMENT						200			1/WEEK GRAB							
	SAMPLE MEASUREMENT																
	PERMIT REQUIREMENT																
	SAMPLE MEASUREMENT																
	PERMIT REQUIREMENT																
	SAMPLE MEASUREMENT																
	PERMIT REQUIREMENT																
	SAMPLE MEASUREMENT																
	PERMIT REQUIREMENT																
	SAMPLE MEASUREMENT																
	PERMIT REQUIREMENT																
NAME / TITLE PRINCIPAL EXECUTIVE OFFICER		I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)						TELEPHONE		DATE							
Michael A. Clark Principal								 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT						410-374-9025		05 11 01	
TYPED OR PRINTED																	

COMMENT AND EXPLANATION OF ANY VIOLATIONS

(Reference all attachments here)

PERMITTEE NAME/ADDRESS: (Include Facility Name/Location if different)

NAME: **BTR CAPITAL GROUP**
 ADDRESS: **555 13th Street., NW**
Suite 420E
Washington, DC 20004
 FACILITY: **Hampstead, Maryland 21074**
 LOCATION: **CARROLL COUNTY**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

MD0001881
 PERMIT NUMBER
 (2-16)

201
 DISCHARGE NUMBER
 (17-18)

FORM APPROVED
 OMB No.2040-0004

MONITORING PERIOD
 FROM YEAR MO DAY TO YEAR MO DAY
 2005 10 01 TO 05 10 31
 (20-21) (22-23) (24-25) (26-27) (28-29) (30-31)

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	X	(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUALITY OR CONCENTRATION				NO. EX (82-83)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW	SAMPLE MEASUREMENT	0.222	0.244	MGD					0	Cont Measure/Record	
	PERMIT REQUIREMENT	NO LIMIT	NO LIMIT							Cont Measure/Record	
1,1,1-TRICHLOROETHANE	SAMPLE MEASUREMENT						<5	ppb	0	1/MONTH GRAB	
	PERMIT REQUIREMENT						N/A			1/MONTH GRAB	
TETRACHLOROETHYLENE	SAMPLE MEASUREMENT						<5	ppb	0	1/MONTH GRAB	
	PERMIT REQUIREMENT						N/A			1/MONTH GRAB	
TRICHLOROETHYLENE	SAMPLE MEASUREMENT						<5	ppb	0	1/MONTH GRAB	
	PERMIT REQUIREMENT						N/A			1/MONTH GRAB	
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME / TITLE PRINCIPAL EXECUTIVE OFFICER

Michael A. Clark
 Principal

TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN, AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)

Emil Weddle

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE: 410-374-9025
 DATE: 05 | 11 | 01
 AREA CODE-NUMBER: YEAR | MO | DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS

(Reference all attachments here)

PERMITTEE NAME/ADDRESS: (Include Facility Name/Location if different)

NAME: **BTR CAPITAL GROUP**
 ADDRESS: **555 13th Street., NW**
Suite 420E
Washington, DC 20004

FACILITY: **Hampstead, Maryland 21074**

LOCATION: **CARROLL COUNTY**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)


FORM APPROVED
 OMB No. 2040-0004

MD0001881
 PERMIT NUMBER

001
 DISCHARGE NUMBER

MONITORING PERIOD
 FROM YEAR 2005 MO 11 DAY 01 TO YEAR 05 MO 11 DAY 30

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	X	(3 Card Only) (46-53) QUANTITY OR LOADING (54-61)			(4 Card Only) QUALITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW		0.129	0.300	MGD					0	Measured/Recorded	
	PERMIT REQUIREMENT	NO LIMIT	NO LIMIT								
1,1,1-TRICHLOROETHANE	SAMPLE MEASUREMENT						<5	ppb	0	1/MONTH	GRAB
	PERMIT REQUIREMENT						5			1/MONTH	GRAB
TETRACHLOROETHYLENE	SAMPLE MEASUREMENT						<5	ppb	0	1/MONTH	GRAB
	PERMIT REQUIREMENT						5			1/MONTH	GRAB
TRICHLOROETHYLENE	SAMPLE MEASUREMENT						<5	ppb	0	1/MONTH	GRAB
	PERMIT REQUIREMENT						5			1/MONTH	GRAB
TOTAL RESIDUAL CHLORINE	SAMPLE MEASUREMENT						<0.1	mg/l	0	1/MONTH	GRAB
	PERMIT REQUIREMENT					0.011	0.019			1/MONTH	GRAB
OIL & GREASE	SAMPLE MEASUREMENT						<5	mg/l	0	1/MONTH	GRAB
	PERMIT REQUIREMENT					10	<5			1/MONTH	GRAB
pH	SAMPLE MEASUREMENT				6.10		7.10	STD	0	2/WEEK	GRAB
	PERMIT REQUIREMENT				6.00		8.50			2/WEEK	GRAB
NAME / TITLE PRINCIPAL EXECUTIVE OFFICER		I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)							TELEPHONE	DATE	
Michael A. Clark Principal									 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		
TYPED OR PRINTED									AREA CODE-NUMBER	YEAR MO DAY	
COMMENT AND EXPLANATION OF ANY VIOLATIONS											

(Reference all attachments here)

*Averages for TSS and Oil & Grease are reported quarterly.

EPA Form 3320-1 (Rev. 9-88) Previous edition to be used until supply is exhausted.

(REPLACES EPA FORM T-40 WHICH MAY NOT BE USED.)

PERMITTEE NAME/ADDRESS: (Include Facility Name/Location if different)

NAME: **BTR CAPITAL GROUP**
 ADDRESS: **555 13th Street., NW**
Suite 420E
Washington, DC 20004
 FACILITY: **Hampstead, Maryland, 21074**
 LOCATION: **CARROLL COUNTY**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

FORM APPROVED
 OMB No.2040-0004

MD0001881
 PERMIT NUMBER (2-18)

001
 DISCHARGE NUMBER (17-19)

MONITORING PERIOD

YEAR	MO	DAY	YEAR	MO	DAY
2005	11	01	05	11	30

FROM TO

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	X	(3 Card Only) (46-53) QUANTITY OR LOADING (54-61)			(4 Card Only) QUALITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS				
BOD	SAMPLE MEASUREMENT							3.0	mg/l	0	1/MONTH	GRAB
	PERMIT REQUIREMENT							15			1/MONTH	GRAB
TOTAL SUSPENDED SOLIDS	SAMPLE MEASUREMENT							4.5	mg/l	0	1/MONTH	GRAB
	PERMIT REQUIREMENT					20	30				1/MONTH	GRAB
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
NAME / TITLE PRINCIPAL EXECUTIVE OFFICER		I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)						TELEPHONE		DATE		
Michael A. Clark Principal TYPED OR PRINTED								Earl Weddle SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		410-374-9025 AREA CODE-NUMBER		05 12 01 YEAR MO DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS

(Reference all attachments here)

*Averages for TSS and Oil & Grease are reported quarterly.

PERMITTEE NAME/ADDRESS: (Include Facility Name/Location if different)

NAME: **BTR CAPITAL GROUP**
 ADDRESS: **555 13th Street., NW**
Suite 420E
Washington, DC 20004
 FACILITY: **Hampstead, Maryland 21074**
 LOCATION: **CARROLL COUNTY**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

FORM APPROVED
 OMB No.2040-0004

MD0001881 **101**
 PERMIT NUMBER DISCHARGE NUMBER

(2-18) (17-19)

MONITORING PERIOD

FROM YEAR MO DAY TO YEAR MO DAY
 2005 11 01 TO 05 11 30
 (20-21) (22-23) (24-25) (26-27) (28-29) (30-31)

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUALITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW	SAMPLE MEASUREMENT	0.217	0.232	MGD					0	Cont Measure/Record	
	PERMIT REQUIREMENT	NO LIMIT	NO LIMIT							Cont Measure/Record	
FECAL COLIFORM	SAMPLE MEASUREMENT						<2	MPN/100ml	0	1/WEEK	GRAB
	PERMIT REQUIREMENT						200			1/WEEK	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME / TITLE PRINCIPAL EXECUTIVE OFFICER: **Michael A. Clark**, Principal
 I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)
 SIGNATURE OF PRINCIPAL EXECUTIVE: *Earl Weddler*
 OFFICER OR AUTHORIZED AGENT
 TELEPHONE: 410-374-9025
 DATE: 05 | 12 | 01
 AREA CODE-NUMBER: 410-374-9025
 YEAR | MO | DAY: 05 | 12 | 01

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS: (Include Facility Name/Location if different)

NAME: **BTR CAPITAL GROUP**
 ADDRESS: **555 13th Street, NW**
Suite 420E
Washington, DC 20004
 FACILITY: **Hampstead, Maryland 21074**
 LOCATION: **CARROLL COUNTY**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

FORM APPROVED
 OMB No.2040-0004

MD0001881
 PERMIT NUMBER
 (2-16)

201
 DISCHARGE NUMBER
 (17-19)

MONITORING PERIOD

FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY
	2005	11	01		05	11	30
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUALITY OR CONCENTRATION				NO. EX (82-83)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW		0.222	0.259	MGD					0	Cont Measure/Record	
	PERMIT REQUIREMENT	NO LIMIT	NO LIMIT							Cont Measure/Record	
1,1,1-TRICHLOROETHANE	SAMPLE MEASUREMENT						<5	ppb	0	1/MONTH	GRAB
	PERMIT REQUIREMENT						N/A			1/MONTH	GRAB
TETRACHLOROETHYLENE	SAMPLE MEASUREMENT						<5	ppb	0	1/MONTH	GRAB
	PERMIT REQUIREMENT						N/A			1/MONTH	GRAB
TRICHLOROETHYLENE	SAMPLE MEASUREMENT						<5	ppb	0	1/MONTH	GRAB
	PERMIT REQUIREMENT						N/A			1/MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME / TITLE PRINCIPAL EXECUTIVE OFFICER
Michael A. Clark
 Principal
 TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN, AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1219. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)

Earl Wedder
 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE
410-374-9025
 AREA CODE-NUMBER

DATE
05 | 12 | 01
 YEAR | MO | DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS
 (Reference all attachments here)

PERMITTEE NAME/ADDRESS: (Include Facility Name/Location if different)

NAME: **BTR CAPITAL GROUP**

ADDRESS: **555 13th Street., NW**

Suite 420E

Washington, DC 20004

FACILITY: **Hampstead, Maryland 21074**

LOCATION: **CARROLL COUNTY**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

FORM APPROVED

OMB No.2040-0004

MD0001881

PERMIT NUMBER

(2-16)

001

DISCHARGE NUMBER

(17-19)

MONITORING PERIOD

YEAR	MO	DAY
2005	12	01

FROM

YEAR	MO	DAY
05	12	31

TO

(20-21)

(22-23)

(24-25)

(26-27)

(28-29)

(30-31)

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	X	(3 Card Only) (46-53) QUANTITY OR LOADING (54-61)			(4 Card Only) (38-45) QUALITY OR CONCENTRATION (46-53) (54-61)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS				
FLOW		0.147	0.308	MGD					0	Measured/Recorded		
	PERMIT REQUIREMENT	NO LIMIT	NO LIMIT								Measured/Recorded	
1,1,1-TRICHLOROETHANE	SAMPLE MEASUREMENT						<5	ppb	0	1/MONTH	GRAB	
	PERMIT REQUIREMENT						5		1/MONTH	GRAB		
TETRACHLOROETHYLENE	SAMPLE MEASUREMENT						<5	ppb	0	1/MONTH	GRAB	
	PERMIT REQUIREMENT						5		1/MONTH	GRAB		
TRICHLOROETHYLENE	SAMPLE MEASUREMENT						<5	ppb	0	1/MONTH	GRAB	
	PERMIT REQUIREMENT						5		1/MONTH	GRAB		
TOTAL RESIDUAL CHLORINE	SAMPLE MEASUREMENT					<0.1	<0.1	mg/l	0	1/MONTH	GRAB	
	PERMIT REQUIREMENT					0.011	0.019		1/MONTH	GRAB		
OIL & GREASE	SAMPLE MEASUREMENT					<5	<5	mg/l	0	1/MONTH	GRAB	
	PERMIT REQUIREMENT					10	<5		1/MONTH	GRAB		
pH	SAMPLE MEASUREMENT				6.00		7.40	STD	0	2/WEEK	GRAB	
	PERMIT REQUIREMENT				6.00		8.50		2/WEEK	GRAB		
NAME / TITLE PRINCIPAL EXECUTIVE OFFICER		I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)							TELEPHONE		DATE	
Michael A. Clark Principal		<i>Earl Waddles</i> SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT							410-374-9025		06 01 04	
TYPED OR PRINTED									AREA CODE-NUMBER		YEAR MO DAY	

COMMENT AND EXPLANATION OF ANY VIOLATIONS

(Reference all attachments here)

*Averages for TSS and Oil & Grease are reported quarterly.

EPA Form 3320-1 (Rev. 9-88) Previous edition to be used until supply is exhausted.

(REPLACES EPA FORM T-40 WHICH MAY NOT BE USED.)

PERMITTEE NAME/ADDRESS: (Include Facility Name/Location if different)

NAME: **BTR CAPITAL GROUP**
 ADDRESS: **555 13th Street., NW**
Suite 420E
Washington, DC 20004
 FACILITY: **Hampstead, Maryland, 21074**
 LOCATION: **CARROLL COUNTY**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

FORM APPROVED
 OMB No.2040-0004

MD0001881
 PERMIT NUMBER (2-16)

001
 DISCHARGE NUMBER (17-19)

MONITORING PERIOD

FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY
	2005	12	01		05	12	31

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	X	(3 Card Only) (46-53) QUANTITY OR LOADING (54-61)			(4 Card Only) (38-45) QUALITY OR CONCENTRATION (46-53) (54-61)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
BOD	SAMPLE MEASUREMENT								0	1/MONTH	GRAB
	PERMIT REQUIREMENT							mg/l		1/MONTH	GRAB
TOTAL SUSPENDED SOLIDS	SAMPLE MEASUREMENT					5.5	2.5		0	1/MONTH	GRAB
	PERMIT REQUIREMENT					20	30	mg/l		1/MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME / TITLE PRINCIPAL EXECUTIVE OFFICER
Michael A. Clark
 Principal
 TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)

Earl Weddell
 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE: 410-374-9025
 DATE: 06 | 01 | 04
 AREA CODE-NUMBER: 410-374-9025
 YEAR | MO | DAY: 06 | 01 | 04

COMMENT AND EXPLANATION OF ANY VIOLATIONS

(Reference all attachments here)

*Averages for TSS and Oil & Grease are reported quarterly.

PERMITTEE NAME/ADDRESS: (Include Facility Name/Location if different)

NAME: **BTR CAPITAL GROUP**
 ADDRESS: **555 13th Street., NW**
Suite 420E
Washington, DC 20004
 FACILITY: **Hampstead, Maryland 21074**
 LOCATION: **CARROLL COUNTY**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

FORM APPROVED
 OMB No.2040-0004

MD0001881 **101**
 PERMIT NUMBER DISCHARGE NUMBER

(2-16) (17-19)

MONITORING PERIOD


FROM

YEAR	MO	DAY
2005	12	01

 TO

YEAR	MO	DAY
05	12	31

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	X	(3 Card Only) (48-53) QUANTITY OR LOADING (54-61)			(4 Card Only) (38-45) QUALITY OR CONCENTRATION (46-53) (54-61)			NO. EX (82-83)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)						
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM				UNITS					
FLOW	SAMPLE MEASUREMENT	0.245	0.253	MGD				0	Cont Measure/Record							
	PERMIT REQUIREMENT	NO LIMIT	NO LIMIT						Cont Measure/Record							
FECAL COLIFORM	SAMPLE MEASUREMENT					<2	MPN/ 100ml	0	1/WEEK	GRAB						
	PERMIT REQUIREMENT					200			1/WEEK	GRAB						
	SAMPLE MEASUREMENT															
	PERMIT REQUIREMENT															
	SAMPLE MEASUREMENT															
	PERMIT REQUIREMENT															
	SAMPLE MEASUREMENT															
	PERMIT REQUIREMENT															
	SAMPLE MEASUREMENT															
	PERMIT REQUIREMENT															
NAME / TITLE PRINCIPAL EXECUTIVE OFFICER		I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)						TELEPHONE	DATE							
Michael A. Clark Principal								 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT						410-374-9025	06 01 04	
TYPED OR PRINTED																

COMMENT AND EXPLANATION OF ANY VIOLATIONS

(Reference all attachments here)

PERMITTEE NAME/ADDRESS: (Include Facility Name/Location if different)

NAME: **BTR CAPITAL GROUP**
 ADDRESS: **555 13th Street., NW**
Suite 420E
Washington, DC 20004
 FACILITY: **Hampstead, Maryland 21074**
 LOCATION: **CARROLL COUNTY**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

MD0001881
 PERMIT NUMBER

201
 DISCHARGE NUMBER

FORM APPROVED
 OMB No.2040-0004

MONITORING PERIOD

FROM: YEAR **2005** MO **12** DAY **01** TO: YEAR **06** MO **12** DAY **31**

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	X	(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUALITY OR CONCENTRATION (38-45)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW	SAMPLE MEASUREMENT	0.210	0.247	MGD					0	Cont Measure/Record	
	PERMIT REQUIREMENT	NO LIMIT	NO LIMIT								
1,1,1-TRICHLOROETHANE	SAMPLE MEASUREMENT						<5	ppb	0	1/MONTH	GRAB
	PERMIT REQUIREMENT						N/A				
TETRACHLOROETHYLENE	SAMPLE MEASUREMENT						<5	ppb	0	1/MONTH	GRAB
	PERMIT REQUIREMENT						N/A				
TRICHLOROETHYLENE	SAMPLE MEASUREMENT						<5	ppb	0	1/MONTH	GRAB
	PERMIT REQUIREMENT						N/A				
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME / TITLE PRINCIPAL EXECUTIVE OFFICER
Michael A. Clark
 Principal
 TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)

Earl Weddlee
 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE: 410-374-9025
 DATE: 06 | 01 | 04
 AREA CODE-NUMBER: YEAR | MO | DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

APPENDIX C
GROUNDWATER TREATMENT SYSTEM ANALYTICAL RESULTS
(OCTOBER - DECEMBER 2005)

CERTIFICATE OF ANALYSIS

Page 1 of 4

BTR Hampstead, LLC
 555 13 St. NW
 Suite 420 E
 Washington, DC 20004
 Attn: Mike Clark

Report No: 0510144
 Date Received: 10/5/2005
 Date Reported: 10/28/2005

Project: Hampstead-Monthly

Test	Result	Units	Reporting Limit	Date/Time of Analysis	Analyst
Lab ID: 0510144-002					
Client Sample ID: Air Stripper 2 (Pre)					
Collection Date: 10/5/2005 11:46:00 AM					
Matrix: WASTEWATER					
VOLATILE ORGANIC COMPOUNDS (METHOD: EPA 624)					
Prep. Method: <u>NA</u>		Prep. Date: <u>NA</u>		Prep Analyst <u>NA</u>	
Chloromethane	< 10	µg/L	10	10/13/2005 3:44	MLS
Vinyl chloride	< 10	µg/L	10	10/13/2005 3:44	MLS
Bromomethane	< 10	µg/L	10	10/13/2005 3:44	MLS
Chloroethane	< 10	µg/L	10	10/13/2005 3:44	MLS
Acrolein	< 100	µg/L	100	10/13/2005 3:44	MLS
1,1-Dichloroethene	< 5.0	µg/L	5.0	10/13/2005 3:44	MLS
Methylene chloride	< 5.0	µg/L	5.0	10/13/2005 3:44	MLS
Acrylonitrile	< 100	µg/L	100	10/13/2005 3:44	MLS
trans-1,2-Dichloroethene	< 5.0	µg/L	5.0	10/13/2005 3:44	MLS
1,1-Dichloroethane	< 5.0	µg/L	5.0	10/13/2005 3:44	MLS
Chloroform	< 5.0	µg/L	5.0	10/13/2005 3:44	MLS
1,1,1-Trichloroethane	< 5.0	µg/L	5.0	10/13/2005 3:44	MLS
Carbon tetrachloride	< 5.0	µg/L	5.0	10/13/2005 3:44	MLS
Benzene	< 5.0	µg/L	5.0	10/13/2005 3:44	MLS
1,2-Dichloroethane	< 5.0	µg/L	5.0	10/13/2005 3:44	MLS
Trichloroethene	130	µg/L	5.0	10/13/2005 3:44	MLS
1,2-Dichloropropane	< 5.0	µg/L	5.0	10/13/2005 3:44	MLS
Bromodichloromethane	< 5.0	µg/L	5.0	10/13/2005 3:44	MLS
2-Chloroethyl vinyl ether	< 10	µg/L	10	10/13/2005 3:44	MLS
cis-1,3-Dichloropropene	< 5.0	µg/L	5.0	10/13/2005 3:44	MLS
Toluene	< 5.0	µg/L	5.0	10/13/2005 3:44	MLS
trans-1,3-Dichloropropene	< 5.0	µg/L	5.0	10/13/2005 3:44	MLS
1,1,2-Trichloroethane	< 5.0	µg/L	5.0	10/13/2005 3:44	MLS
Tetrachloroethene	65	µg/L	5.0	10/13/2005 3:44	MLS
Dibromochloromethane	< 5.0	µg/L	5.0	10/13/2005 3:44	MLS
Chlorobenzene	< 5.0	µg/L	5.0	10/13/2005 3:44	MLS
Ethylbenzene	< 5.0	µg/L	5.0	10/13/2005 3:44	MLS
Bromoform	< 5.0	µg/L	5.0	10/13/2005 3:44	MLS
1,1,2,2-Tetrachloroethane	< 5.0	µg/L	5.0	10/13/2005 3:44	MLS
1,3-Dichlorobenzene	< 5.0	µg/L	5.0	10/13/2005 3:44	MLS
1,4-Dichlorobenzene	< 5.0	µg/L	5.0	10/13/2005 3:44	MLS
1,2-Dichlorobenzene	< 5.0	µg/L	5.0	10/13/2005 3:44	MLS

Lab ID: 0510144-003

Collection Date: 10/5/2005 11:45:00 AM



CERTIFICATE OF ANALYSIS

BTR Hampstead, LLC
555 13 St. NW
Suite 420 E
Washington, DC 20004
Attn: Mike Clark

Report No: 0510144
Date Received: 10/5/2005
Date Reported: 10/28/2005

Project: Hampstead-Monthly

Table with columns: Test, Result, Units, Reporting Limit, Date/Time of Analysis, Analyst. Includes data for Volatile Organic Compounds (METHOD: EPA 624) such as Chloromethane, Vinyl chloride, Bromomethane, etc.

Lab ID: 0510144-004
Client Sample ID: Outfall 001

Collection Date: 10/5/2005 11:53:00 AM
Matrix: WASTEWATER

Test Results

Client: BTR Hampstead, Inc.
Report No: 0511087
Project: Hampstead-Monthly
Matrix: WASTEWATER

Client Sample ID: Air Stripper 2 (Pre)
Lab ID: 0511087-002
Collection Date: 11/2/2005 11:49

Analyses	Test Results	Reporting Limit	Units	Date/Time Analyzed
----------	--------------	-----------------	-------	--------------------

VOLATILE ORGANIC COMPOUNDS (EPA 624)

Analyst: MLS

Prep. Method: NA

Prep. Date: NA

Prep Analyst NA

Chloromethane	< 10	10	µg/L	11/4/2005 5:33
Vinyl chloride	< 10	10	µg/L	11/4/2005 5:33
Bromomethane	< 10	10	µg/L	11/4/2005 5:33
Chloroethane	< 10	10	µg/L	11/4/2005 5:33
Acrolein	< 100	100	µg/L	11/4/2005 5:33
1,1-Dichloroethene	< 5.0	5.0	µg/L	11/4/2005 5:33
Methylene chloride	< 5.0	5.0	µg/L	11/4/2005 5:33
Acrylonitrile	< 100	100	µg/L	11/4/2005 5:33
trans-1,2-Dichloroethene	< 5.0	5.0	µg/L	11/4/2005 5:33
1,1-Dichloroethane	< 5.0	5.0	µg/L	11/4/2005 5:33
Chloroform	< 5.0	5.0	µg/L	11/4/2005 5:33
1,1,1-Trichloroethane	< 5.0	5.0	µg/L	11/4/2005 5:33
Carbon tetrachloride	< 5.0	5.0	µg/L	11/4/2005 5:33
Benzene	< 5.0	5.0	µg/L	11/4/2005 5:33
1,2-Dichloroethane	< 5.0	5.0	µg/L	11/4/2005 5:33
Trichloroethene	110	5.0	µg/L	11/4/2005 5:33
1,2-Dichloropropane	< 5.0	5.0	µg/L	11/4/2005 5:33
Bromodichloromethane	< 5.0	5.0	µg/L	11/4/2005 5:33
2-Chloroethyl vinyl ether	< 10	10	µg/L	11/4/2005 5:33
cis-1,3-Dichloropropene	< 5.0	5.0	µg/L	11/4/2005 5:33
Toluene	< 5.0	5.0	µg/L	11/4/2005 5:33
trans-1,3-Dichloropropene	< 5.0	5.0	µg/L	11/4/2005 5:33
1,1,2-Trichloroethane	< 5.0	5.0	µg/L	11/4/2005 5:33
Tetrachloroethene	68	5.0	µg/L	11/4/2005 5:33
Dibromochloromethane	< 5.0	5.0	µg/L	11/4/2005 5:33
Chlorobenzene	< 5.0	5.0	µg/L	11/4/2005 5:33
Ethylbenzene	< 5.0	5.0	µg/L	11/4/2005 5:33
Bromoform	< 5.0	5.0	µg/L	11/4/2005 5:33
1,1,2,2-Tetrachloroethane	< 5.0	5.0	µg/L	11/4/2005 5:33
1,3-Dichlorobenzene	< 5.0	5.0	µg/L	11/4/2005 5:33
1,4-Dichlorobenzene	< 5.0	5.0	µg/L	11/4/2005 5:33

Test Results

Page 2

Client:	BTR Hampstead, Inc.	Client Sample ID:	Air Stripper 2 (Pre)
Report No:	0511087	Lab ID:	0511087-002
Project:	Hampstead-Monthly	Collection Date:	11/2/2005 11:49
Matrix:	WASTEWATER		

Analyses	Test Results	Reporting Limit	Units	Date/Time Analyzed
1,2-Dichlorobenzene	< 5.0	5.0	µg/L	11/4/2005 5:33

Test Results

Client:	BTR Hampstead, Inc.	Client Sample ID:	Outfall 201 (Post)
Report No:	0511087	Lab ID:	0511087-003
Project:	Hampstead-Monthly	Collection Date:	11/2/2005 11:48
Matrix:	WASTEWATER		

Analyses	Test Results	Reporting Limit	Units	Date/Time Analyzed
VOLATILE ORGANIC COMPOUNDS (EPA 624)				Analyst: MLS
Prep. Method: <u>NA</u>	Prep. Date: <u>NA</u>		Prep Analyst <u>NA</u>	
Chloromethane	< 10	10	µg/L	11/4/2005 6:06
Vinyl chloride	< 10	10	µg/L	11/4/2005 6:06
Bromomethane	< 10	10	µg/L	11/4/2005 6:06
Chloroethane	< 10	10	µg/L	11/4/2005 6:06
Acrolein	< 100	100	µg/L	11/4/2005 6:06
1,1-Dichloroethene	< 5.0	5.0	µg/L	11/4/2005 6:06
Methylene chloride	< 5.0	5.0	µg/L	11/4/2005 6:06
Acrylonitrile	< 100	100	µg/L	11/4/2005 6:06
trans-1,2-Dichloroethene	< 5.0	5.0	µg/L	11/4/2005 6:06
1,1-Dichloroethane	< 5.0	5.0	µg/L	11/4/2005 6:06
Chloroform	< 5.0	5.0	µg/L	11/4/2005 6:06
1,1,1-Trichloroethane	< 5.0	5.0	µg/L	11/4/2005 6:06
Carbon tetrachloride	< 5.0	5.0	µg/L	11/4/2005 6:06
Benzene	< 5.0	5.0	µg/L	11/4/2005 6:06
1,2-Dichloroethane	< 5.0	5.0	µg/L	11/4/2005 6:06
Trichloroethene	< 5.0	5.0	µg/L	11/4/2005 6:06
1,2-Dichloropropane	< 5.0	5.0	µg/L	11/4/2005 6:06
Bromodichloromethane	< 5.0	5.0	µg/L	11/4/2005 6:06
2-Chloroethyl vinyl ether	< 10	10	µg/L	11/4/2005 6:06
cis-1,3-Dichloropropene	< 5.0	5.0	µg/L	11/4/2005 6:06
Toluene	< 5.0	5.0	µg/L	11/4/2005 6:06
trans-1,3-Dichloropropene	< 5.0	5.0	µg/L	11/4/2005 6:06
1,1,2-Trichloroethane	< 5.0	5.0	µg/L	11/4/2005 6:06
Tetrachloroethene	< 5.0	5.0	µg/L	11/4/2005 6:06
Dibromochloromethane	< 5.0	5.0	µg/L	11/4/2005 6:06
Chlorobenzene	< 5.0	5.0	µg/L	11/4/2005 6:06
Ethylbenzene	< 5.0	5.0	µg/L	11/4/2005 6:06
Bromoform	< 5.0	5.0	µg/L	11/4/2005 6:06
1,1,2,2-Tetrachloroethane	< 5.0	5.0	µg/L	11/4/2005 6:06
1,3-Dichlorobenzene	< 5.0	5.0	µg/L	11/4/2005 6:06
1,4-Dichlorobenzene	< 5.0	5.0	µg/L	11/4/2005 6:06

Test Results

Page 4

Client:	BTR Hampstead, Inc.	Client Sample ID:	Outfall 201 (Post)
Report No:	0511087	Lab ID:	0511087-003
Project:	Hampstead-Monthly	Collection Date:	11/2/2005 11:48
Matrix:	WASTEWATER		

Analyses	Test Results	Reporting Limit	Units	Date/Time Analyzed
1,2-Dichlorobenzene	< 5.0	5.0	µg/L	11/4/2005 6:06

Test Results

Client: BTR Hampstead, Inc.	Client Sample ID: Air Stripper 2 (Pre)
Report No: 0512155	
Project: Hampstead-Monthly	Lab ID: 0512155-002
Matrix: WASTEWATER	Collection Date: 12/7/2005 12:33

Analyses	Test Results	Reporting Limit	Units	Date/Time Analyzed
----------	--------------	-----------------	-------	--------------------

VOLATILE ORGANIC COMPOUNDS (EPA 624)

Analyst: MLS

Prep. Method: NA

Prep. Date: NA

Prep Analyst: NA

Chloromethane	< 10	10	µg/L	12/16/2005 10:58
Vinyl chloride	< 10	10	µg/L	12/16/2005 10:58
Bromomethane	< 10	10	µg/L	12/16/2005 10:58
Chloroethane	< 10	10	µg/L	12/16/2005 10:58
Acrolein	< 100	100	µg/L	12/16/2005 10:58
1,1-Dichloroethene	< 5.0	5.0	µg/L	12/16/2005 10:58
Methylene chloride	< 5.0	5.0	µg/L	12/16/2005 10:58
Acrylonitrile	< 100	100	µg/L	12/16/2005 10:58
trans-1,2-Dichloroethene	< 5.0	5.0	µg/L	12/16/2005 10:58
1,1-Dichloroethane	< 5.0	5.0	µg/L	12/16/2005 10:58
Chloroform	< 5.0	5.0	µg/L	12/16/2005 10:58
1,1,1-Trichloroethane	< 5.0	5.0	µg/L	12/16/2005 10:58
Carbon tetrachloride	< 5.0	5.0	µg/L	12/16/2005 10:58
Benzene	< 5.0	5.0	µg/L	12/16/2005 10:58
1,2-Dichloroethane	< 5.0	5.0	µg/L	12/16/2005 10:58
Trichloroethene	110	5.0	µg/L	12/16/2005 10:58
1,2-Dichloropropane	< 5.0	5.0	µg/L	12/16/2005 10:58
Bromodichloromethane	< 5.0	5.0	µg/L	12/16/2005 10:58
2-Chloroethyl vinyl ether	< 10	10	µg/L	12/16/2005 10:58
cis-1,3-Dichloropropene	< 5.0	5.0	µg/L	12/16/2005 10:58
Toluene	< 5.0	5.0	µg/L	12/16/2005 10:58
trans-1,3-Dichloropropene	< 5.0	5.0	µg/L	12/16/2005 10:58
1,1,2-Trichloroethane	< 5.0	5.0	µg/L	12/16/2005 10:58
Tetrachloroethene	39	5.0	µg/L	12/16/2005 10:58
Dibromochloromethane	< 5.0	5.0	µg/L	12/16/2005 10:58
Chlorobenzene	< 5.0	5.0	µg/L	12/16/2005 10:58
Ethylbenzene	< 5.0	5.0	µg/L	12/16/2005 10:58
Bromoform	< 5.0	5.0	µg/L	12/16/2005 10:58
1,1,2,2-Tetrachloroethane	< 5.0	5.0	µg/L	12/16/2005 10:58
1,3-Dichlorobenzene	< 5.0	5.0	µg/L	12/16/2005 10:58
1,4-Dichlorobenzene	< 5.0	5.0	µg/L	12/16/2005 10:58



Microbac Laboratories, Inc.

Gascoyne Division

2101 Van Deman Street • Baltimore, MD 21224

Phone: 410-633-1800
Fax: 410-633-6553
www.gascoyne.com

Test Results

Page 3

Client:	BTR Hampstead, Inc.	Client Sample ID:	Air Stripper 2 (Pre)
Report No:	0512155	Lab ID:	0512155-002
Project:	Hampstead-Monthly	Collection Date:	12/7/2005 12:33
Matrix:	WASTEWATER		

Analyses	Test Results	Reporting Limit	Units	Date/Time Analyzed
1,2-Dichlorobenzene	< 5.0	5.0	µg/L	12/16/2005 10:58



Microbac Laboratories, Inc.

Gascoyne Division

Phone: 410-633-1800

Fax: 410-633-6553

www.gascoyne.com

2101 Van Deman Street • Baltimore, MD 21224

Test Results

Page 4

Client: BTR Hampstead, Inc. Client Sample ID: Outfall 201 (Post)
 Report No: 0512155
 Project: Hampstead-Monthly Lab ID: 0512155-003
 Matrix: WASTEWATER Collection Date: 12/7/2005 12:32

Analyses	Test Results	Reporting Limit	Units	Date/Time Analyzed
VOLATILE ORGANIC COMPOUNDS (EPA 624)				
Prep. Method: <u>NA</u>	Prep. Date: <u>NA</u>		Prep Analyst: <u>NA</u>	Analyst: <u>MLS</u>
Chloromethane	< 10	10	µg/L	12/16/2005 11:32
Vinyl chloride	< 10	10	µg/L	12/16/2005 11:32
Bromomethane	< 10	10	µg/L	12/16/2005 11:32
Chloroethane	< 10	10	µg/L	12/16/2005 11:32
Acrolein	< 100	100	µg/L	12/16/2005 11:32
1,1-Dichloroethene	< 5.0	5.0	µg/L	12/16/2005 11:32
Methylene chloride	< 5.0	5.0	µg/L	12/16/2005 11:32
Acrylonitrile	< 100	100	µg/L	12/16/2005 11:32
trans-1,2-Dichloroethene	< 5.0	5.0	µg/L	12/16/2005 11:32
1,1-Dichloroethane	< 5.0	5.0	µg/L	12/16/2005 11:32
Chloroform	< 5.0	5.0	µg/L	12/16/2005 11:32
1,1,1-Trichloroethane	< 5.0	5.0	µg/L	12/16/2005 11:32
Carbon tetrachloride	< 5.0	5.0	µg/L	12/16/2005 11:32
Benzene	< 5.0	5.0	µg/L	12/16/2005 11:32
1,2-Dichloroethane	< 5.0	5.0	µg/L	12/16/2005 11:32
Trichloroethene	< 5.0	5.0	µg/L	12/16/2005 11:32
1,2-Dichloropropane	< 5.0	5.0	µg/L	12/16/2005 11:32
Bromodichloromethane	< 5.0	5.0	µg/L	12/16/2005 11:32
2-Chloroethyl vinyl ether	< 10	10	µg/L	12/16/2005 11:32
cis-1,3-Dichloropropene	< 5.0	5.0	µg/L	12/16/2005 11:32
Toluene	< 5.0	5.0	µg/L	12/16/2005 11:32
trans-1,3-Dichloropropene	< 5.0	5.0	µg/L	12/16/2005 11:32
1,1,2-Trichloroethane	< 5.0	5.0	µg/L	12/16/2005 11:32
Tetrachloroethene	< 5.0	5.0	µg/L	12/16/2005 11:32
Dibromochloromethane	< 5.0	5.0	µg/L	12/16/2005 11:32
Chlorobenzene	< 5.0	5.0	µg/L	12/16/2005 11:32
Ethylbenzene	< 5.0	5.0	µg/L	12/16/2005 11:32
Bromoform	< 5.0	5.0	µg/L	12/16/2005 11:32
1,1,2,2-Tetrachloroethane	< 5.0	5.0	µg/L	12/16/2005 11:32
1,3-Dichlorobenzene	< 5.0	5.0	µg/L	12/16/2005 11:32
1,4-Dichlorobenzene	< 5.0	5.0	µg/L	12/16/2005 11:32



Microbac Laboratories, Inc.

Gascoyne Division

2101 Van Deman Street • Baltimore, MD 21224

Phone: 410-633-1800

Fax: 410-633-6553

www.gascoyne.com

Test Results

Page 5

Client:	BTR Hampstead, Inc.	Client Sample ID:	Outfall 201 (Post)
Report No:	0512155	Lab ID:	0512155-003
Project:	Hampstead-Monthly	Collection Date:	12/7/2005 12:32
Matrix:	WASTEWATER		

Analyses	Test Results	Reporting Limit	Units	Date/Time Analyzed
1,2-Dichlorobenzene	< 5.0	5.0	µg/L	12/16/2005 11:32

**APPENDIX D
GROUNDWATER ANALYTICAL DATA PACKAGE
(NOVEMBER 2005)**



STL Chicago
2417 Bond Street
University Park, IL 60466

Tel: 708 534 5200 Fax: 708 534 5211
www.stl-inc.com

SEVERN TRENT LABORATORIES ANALYTICAL REPORT

JOB NUMBER: 242506


Prepared For:

Weston Solutions, Inc.
Building 5-2
1400 Weston Way
West Chester, PA 19380-1499

Project: Black & Decker

Attention: Tom Cornuet

Date: 12/14/2005



Signature

Name: Richard C. Wright

Title: Project Manager

E-Mail: rwright@stl-inc.com

12/14/05

Date

STL Chicago
2417 Bond Street
University Park, IL 60466


PHONE: (708) 534-5200
FAX...: (708) 534-5211

This Report Contains (109) Pages

**Severn Trent Laboratories Chicago
GC/MS Case Narrative**

Weston Solutions
Black and Decker
JOB Number: 242506
VOA DATA:

1. All samples were analyzed within the 14-day hold time from the date of collection.
2. All Method Blank target compounds were below reporting limits.
3. All controlled spike recoveries were within the in-house generated QC limits in the LCS samples.
4. Matrix Spike/Matrix Spike Duplicate analyses were not performed on this sample set.
5. The volatile samples had all surrogate recoveries within the in-house generated QC limits.
6. The water samples were prepared using Method 5030 and analyzed following SW846 Method 8260B and 8000B. All calibration criteria are met per method or SOP (for minimum R values for certain compounds). The low point in the initial calibration verifies the base reporting limits. The target compounds were quantitated using the initial calibration.
7. The volatile samples had all internal standard areas and retention times within the SOP acceptance limits as compared to the corresponding calibration verification standard.
8. The water samples were analyzed using a 10-mL purge volume. Initial dilutions were required on samples 16, 18, and 19 due to sample matrix. Secondary dilutions were required on samples 13, 16, 17, 18, 19, 23, and 24 for target compounds. The results and reporting limits were adjusted to account for the dilutions performed.



John Nagel
GC/MS VOA Dept.

12-13-05
Date

STL Chicago is part of Severn Trent Laboratories, Inc.

SAMPLE INFORMATION
Date: 12/14/2005

Job Number.: 242506
Customer...: Weston Solutions, Inc.
Attn.....: Tom Cornuet

Project Number.....: 20005711
Customer Project ID....: BLACK AND DECKER
Project Description....: Black & Decker

Laboratory Sample ID	Customer Sample ID	Sample Matrix	Date Sampled	Time Sampled	Date Received	Time Received
242506-1	RFW-1A	Water	11/29/2005	10:00	12/02/2005	10:00
242506-2	RFW-1B	Water	11/30/2005	11:50	12/02/2005	10:00
242506-3	RFW-2A	Water	11/29/2005	08:45	12/02/2005	10:00
242506-4	RFW-2B	Water	11/29/2005	09:05	12/02/2005	10:00
242506-5	RFW-3B	Water	11/30/2005	08:40	12/02/2005	10:00
242506-6	RFW-4A	Water	11/30/2005	08:15	12/02/2005	10:00
242506-7	RFW-4ADUP	Water	11/30/2005	08:15	12/02/2005	10:00
242506-8	RFW-4B	Water	11/30/2005	08:25	12/02/2005	10:00
242506-9	RFW-6	Water	11/30/2005	08:30	12/02/2005	10:00
242506-10	RFW-7	Water	11/29/2005	08:10	12/02/2005	10:00
242506-11	RFW-9	Water	11/30/2005	11:30	12/02/2005	10:00
242506-12	RFW-11B	Water	11/30/2005	12:30	12/02/2005	10:00
242506-13	RFW-12B	Water	11/30/2005	12:15	12/02/2005	10:00
242506-14	RFW-13	Water	11/29/2005	16:25	12/02/2005	10:00
242506-15	RFW-17	Water	11/29/2005	10:50	12/02/2005	10:00
242506-16	EW-2	Water	11/29/2005	17:45	12/02/2005	10:00
242506-17	EW-3	Water	11/29/2005	17:50	12/02/2005	10:00
242506-18	EW-4	Water	11/30/2005	10:30	12/02/2005	10:00
242506-19	EW-5	Water	11/30/2005	12:00	12/02/2005	10:00
242506-20	EW-6	Water	11/29/2005	15:30	12/02/2005	10:00
242506-21	EW-7	Water	11/29/2005	15:40	12/02/2005	10:00
242506-22	EW-8	Water	11/29/2005	15:45	12/02/2005	10:00
242506-23	EW-9	Water	11/29/2005	15:55	12/02/2005	10:00
242506-24	EW-9 DUP	Water	11/29/2005	15:55	12/02/2005	10:00
242506-25	EW-10	Water	11/29/2005	16:05	12/02/2005	10:00
242506-26	LEISTER-1	Water	11/30/2005	13:30	12/02/2005	10:00

STL Chicago is part of Severn Trent Laboratories, Inc.

SAMPLE INFORMATION

Date:

Job Number.: 242506

Customer...: Weston Solutions, Inc.

Attn.....: Tom Cornuet

Project Number.....: 20005711

Customer Project ID....: BLACK AND DECKER

Project Description....: Black & Decker

Laboratory Sample ID	Customer Sample ID	Sample Matrix	Date Sampled	Time Sampled	Date Received	Time Received
242506-27	LEISTER-2	Water	11/30/2005	13:45	12/02/2005	10:00
242506-28	LEISTER-DAIRY	Water	11/30/2005	13:55	12/02/2005	10:00
242506-29	TRIP BLANK	Water	11/29/2005	08:00	12/02/2005	10:00

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 242506

Date: 12/14/2005

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: RFW-1A
 Date Sampled.....: 11/29/2005
 Time Sampled.....: 10:00
 Sample Matrix.....: Water

Laboratory Sample ID: 242506-1
 Date Received.....: 12/02/2005
 Time Received.....: 10:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Dichlorodifluoromethane	1.0	U		0.12	1.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	Chloromethane	1.0	U		0.20	1.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	Vinyl chloride	1.0	U		0.16	1.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	Bromomethane	1.0	U		0.59	1.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	Chloroethane	1.0	U		0.32	1.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	Trichlorofluoromethane	1.0	U		0.14	1.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	1,1-Dichloroethane	1.0	U		0.25	1.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	Carbon disulfide	5.0	U		0.15	5.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	Acetone	5.0	U		1.4	5.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	Methylene chloride	1.0	U		0.24	1.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	trans-1,2-Dichloroethane	1.0	U		0.29	1.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	1,1-Dichloroethane	1.0	U		0.15	1.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	2,2-Dichloropropane	1.0	U		0.17	1.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	cis-1,2-Dichloroethene	1.0	U		0.20	1.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	2-Butanone (MEK)	5.0	U		1.0	5.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	Bromochloromethane	1.0	U		0.27	1.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	Chloroform	1.0	U		0.14	1.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	1,1,1-Trichloroethane	1.0	U		0.17	1.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	1,1-Dichloropropene	1.0	U		0.38	1.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	Carbon tetrachloride	1.0	U		0.34	1.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	Benzene	1.0	U		0.23	1.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	1,2-Dichloroethane	1.0	U		0.25	1.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	Trichloroethene	1.0	U		0.13	1.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	1,2-Dichloropropane	1.0	U		0.19	1.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	Dibromomethane	1.0	U		0.21	1.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	Bromodichloromethane	1.0	U		0.22	1.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	cis-1,3-Dichloropropene	1.0	U		0.15	1.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	4-Methyl-2-pentanone (MIBK)	5.0	U		0.92	5.0	1.00000	ug/L	167905		12/08/05 2106	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 242506

Date: 12/14/2005

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: RFW-1A
 Date Sampled.....: 11/29/2005
 Time Sampled.....: 10:00
 Sample Matrix.....: Water

Laboratory Sample ID: 242506-1
 Date Received.....: 12/02/2005
 Time Received.....: 10:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Toluene	1.0	U		0.18	1.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	trans-1,3-Dichloropropene	1.0	U		0.16	1.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	1,1,2-Trichloroethane	1.0	U		0.24	1.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	Tetrachloroethane	1.0	U		0.18	1.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	1,3-Dichloropropane	1.0	U		0.22	1.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	2-Hexanone	5.0	U		0.99	5.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	Dibromochloromethane	1.0	U		0.22	1.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	1,2-Dibromoethane (EDB)	1.0	U		0.33	1.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	Chlorobenzene	1.0	U		0.15	1.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	1,1,1,2-Tetrachloroethane	1.0	U		0.33	1.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	Ethylbenzene	1.0	U		0.21	1.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	m&p-Xylenes	2.0	U		0.36	2.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	o-Xylene	1.0	U		0.19	1.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	Styrene	1.0	U		0.18	1.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	Bromoform	1.0	U		0.32	1.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	Isopropylbenzene	1.0	U		0.20	1.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	Bromobenzene	1.0	U		0.22	1.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	1,1,1,2-Tetrachloroethane	1.0	U		0.34	1.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	1,2,3-Trichloropropane	1.0	U		0.35	1.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	n-Propylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	2-Chlorotoluene	1.0	U		0.16	1.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	1,3,5-Trimethylbenzene	1.0	U		0.18	1.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	4-Chlorotoluene	1.0	U		0.18	1.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	tert-Butylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	1,2,4-Trimethylbenzene	1.0	U		0.26	1.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	sec-Butylbenzene	1.0	U		0.19	1.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	1,3-Dichlorobenzene	1.0	U		0.21	1.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	p-Isopropyltoluene	1.0	U		0.29	1.0	1.00000	ug/L	167905		12/08/05 2106	jdn
	1,4-Dichlorobenzene	1.0	U		0.25	1.0	1.00000	ug/L	167905		12/08/05 2106	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

Job Number: 242506		LABORATORY TEST RESULTS						Date: 12/14/2005				
CUSTOMER: Weston Solutions, Inc.			PROJECT: BLACK AND DECKER				ATTN: Tom Cornuet					
Customer Sample ID: RFW-1A Date Sampled.....: 11/29/2005 Time Sampled.....: 10:00 Sample Matrix.....: Water			Laboratory Sample ID: 242506-1 Date Received.....: 12/02/2005 Time Received.....: 10:00									
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	n-Butylbenzene	1.0	U		0.35	1.0	1.00000	ug/L	167905		12/08/05 2106	jdj
	1,2-Dichlorobenzene	1.0	U		0.29	1.0	1.00000	ug/L	167905		12/08/05 2106	jdj
	1,2-Dibromo-3-chloropropane	1.0	U		0.41	1.0	1.00000	ug/L	167905		12/08/05 2106	jdj
	1,2,4-Trichlorobenzene	1.0	U		0.36	1.0	1.00000	ug/L	167905		12/08/05 2106	jdj
	Hexachlorobutadiene	1.0	U		0.36	1.0	1.00000	ug/L	167905		12/08/05 2106	jdj
	Naphthalene	1.0	U		0.37	1.0	1.00000	ug/L	167905		12/08/05 2106	jdj
	1,2,3-Trichlorobenzene	1.0	U		0.43	1.0	1.00000	ug/L	167905		12/08/05 2106	jdj

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 242506

Date: 12/14/2005

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: RFW-1B
 Date Sampled.....: 11/30/2005
 Time Sampled.....: 11:50
 Sample Matrix.....: Water

Laboratory Sample ID: 242506-2
 Date Received.....: 12/02/2005
 Time Received.....: 10:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Dichlorodifluoromethane	1.0	U		0.12	1.0	1.00000	ug/L	167905		12/08/05 2129	jd
	Chloromethane	1.0	U		0.20	1.0	1.00000	ug/L	167905		12/08/05 2129	jd
	Vinyl chloride	1.0	U		0.16	1.0	1.00000	ug/L	167905		12/08/05 2129	jd
	Bromomethane	1.0	U		0.59	1.0	1.00000	ug/L	167905		12/08/05 2129	jd
	Chloroethane	1.0	U		0.32	1.0	1.00000	ug/L	167905		12/08/05 2129	jd
	Trichlorofluoromethane	1.0	U		0.14	1.0	1.00000	ug/L	167905		12/08/05 2129	jd
	1,1-Dichloroethene	1.0	U		0.25	1.0	1.00000	ug/L	167905		12/08/05 2129	jd
	Carbon disulfide	5.0	U		0.15	5.0	1.00000	ug/L	167905		12/08/05 2129	jd
	Acetone	5.0	U		1.4	5.0	1.00000	ug/L	167905		12/08/05 2129	jd
	Methylene chloride	1.0	U		0.24	1.0	1.00000	ug/L	167905		12/08/05 2129	jd
	trans-1,2-Dichloroethene	1.0	U		0.29	1.0	1.00000	ug/L	167905		12/08/05 2129	jd
	1,1-Dichloroethane	1.0	U		0.15	1.0	1.00000	ug/L	167905		12/08/05 2129	jd
	2,2-Dichloropropane	1.0	U		0.17	1.0	1.00000	ug/L	167905		12/08/05 2129	jd
	cis-1,2-Dichloroethene	1.0	U		0.20	1.0	1.00000	ug/L	167905		12/08/05 2129	jd
	2-Butanone (MEK)	5.0	U		1.0	5.0	1.00000	ug/L	167905		12/08/05 2129	jd
	Bromochloromethane	1.0	U		0.27	1.0	1.00000	ug/L	167905		12/08/05 2129	jd
	Chloroform	1.0	U		0.14	1.0	1.00000	ug/L	167905		12/08/05 2129	jd
	1,1,1-Trichloroethane	1.0	U		0.17	1.0	1.00000	ug/L	167905		12/08/05 2129	jd
	1,1-Dichloropropene	1.0	U		0.38	1.0	1.00000	ug/L	167905		12/08/05 2129	jd
	Carbon tetrachloride	1.0	U		0.34	1.0	1.00000	ug/L	167905		12/08/05 2129	jd
	Benzene	1.0	U		0.23	1.0	1.00000	ug/L	167905		12/08/05 2129	jd
	1,2-Dichloroethane	1.0	U		0.25	1.0	1.00000	ug/L	167905		12/08/05 2129	jd
	Trichloroethene	1.0	U		0.13	1.0	1.00000	ug/L	167905		12/08/05 2129	jd
	1,2-Dichloropropane	1.0	U		0.19	1.0	1.00000	ug/L	167905		12/08/05 2129	jd
	Dibromomethane	1.0	U		0.21	1.0	1.00000	ug/L	167905		12/08/05 2129	jd
	Bromodichloromethane	1.0	U		0.22	1.0	1.00000	ug/L	167905		12/08/05 2129	jd
	cis-1,3-Dichloropropene	1.0	U		0.15	1.0	1.00000	ug/L	167905		12/08/05 2129	jd
	4-Methyl-2-pentanone (MIBK)	5.0	U		0.92	5.0	1.00000	ug/L	167905		12/08/05 2129	jd

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 242506

Date: 12/14/2005

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: RFW-1B
 Date Sampled.....: 11/30/2005
 Time Sampled.....: 11:50
 Sample Matrix.....: Water

Laboratory Sample ID: 242506-2
 Date Received.....: 12/02/2005
 Time Received.....: 10:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Toluene	1.0	U		0.18	1.0	1.00000	ug/L	167905		12/08/05 2129	jdj
	trans-1,3-Dichloropropene	1.0	U		0.16	1.0	1.00000	ug/L	167905		12/08/05 2129	jdj
	1,1,2-Trichloroethane	1.0	U		0.24	1.0	1.00000	ug/L	167905		12/08/05 2129	jdj
	Tetrachloroethane	1.0	U		0.18	1.0	1.00000	ug/L	167905		12/08/05 2129	jdj
	1,3-Dichloropropane	1.0	U		0.22	1.0	1.00000	ug/L	167905		12/08/05 2129	jdj
	2-Hexanone	5.0	U		0.99	5.0	1.00000	ug/L	167905		12/08/05 2129	jdj
	Dibromochloromethane	1.0	U		0.22	1.0	1.00000	ug/L	167905		12/08/05 2129	jdj
	1,2-Dibromoethane (EDB)	1.0	U		0.33	1.0	1.00000	ug/L	167905		12/08/05 2129	jdj
	Chlorobenzene	1.0	U		0.15	1.0	1.00000	ug/L	167905		12/08/05 2129	jdj
	1,1,1,2-Tetrachloroethane	1.0	U		0.33	1.0	1.00000	ug/L	167905		12/08/05 2129	jdj
	Ethylbenzene	1.0	U		0.21	1.0	1.00000	ug/L	167905		12/08/05 2129	jdj
	m&p-Xylenes	2.0	U		0.36	2.0	1.00000	ug/L	167905		12/08/05 2129	jdj
	o-Xylene	1.0	U		0.19	1.0	1.00000	ug/L	167905		12/08/05 2129	jdj
	Styrene	1.0	U		0.18	1.0	1.00000	ug/L	167905		12/08/05 2129	jdj
	Bromoform	1.0	U		0.32	1.0	1.00000	ug/L	167905		12/08/05 2129	jdj
	Isopropylbenzene	1.0	U		0.20	1.0	1.00000	ug/L	167905		12/08/05 2129	jdj
	Bromobenzene	1.0	U		0.22	1.0	1.00000	ug/L	167905		12/08/05 2129	jdj
	1,1,2,2-Tetrachloroethane	1.0	U		0.34	1.0	1.00000	ug/L	167905		12/08/05 2129	jdj
	1,2,3-Trichloropropane	1.0	U		0.35	1.0	1.00000	ug/L	167905		12/08/05 2129	jdj
	n-Propylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	167905		12/08/05 2129	jdj
	2-Chlorotoluene	1.0	U		0.16	1.0	1.00000	ug/L	167905		12/08/05 2129	jdj
	1,3,5-Trimethylbenzene	1.0	U		0.18	1.0	1.00000	ug/L	167905		12/08/05 2129	jdj
	4-Chlorotoluene	1.0	U		0.18	1.0	1.00000	ug/L	167905		12/08/05 2129	jdj
	tert-Butylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	167905		12/08/05 2129	jdj
	1,2,4-Trimethylbenzene	1.0	U		0.26	1.0	1.00000	ug/L	167905		12/08/05 2129	jdj
	sec-Butylbenzene	1.0	U		0.19	1.0	1.00000	ug/L	167905		12/08/05 2129	jdj
	1,3-Dichlorobenzene	1.0	U		0.21	1.0	1.00000	ug/L	167905		12/08/05 2129	jdj
	p-Isopropyltoluene	1.0	U		0.29	1.0	1.00000	ug/L	167905		12/08/05 2129	jdj
	1,4-Dichlorobenzene	1.0	U		0.25	1.0	1.00000	ug/L	167905		12/08/05 2129	jdj

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS												
Job Number: 242506								Date: 12/14/2005				
CUSTOMER: Weston Solutions, Inc.				PROJECT: BLACK AND DECKER				ATTN: Tom Cornuet				
Customer Sample ID: RFW-1B Date Sampled.....: 11/30/2005 Time Sampled.....: 11:50 Sample Matrix.....: Water				Laboratory Sample ID: 242506-2 Date Received.....: 12/02/2005 Time Received.....: 10:00								
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	n-Butylbenzene	1.0	U		0.35	1.0	1.00000	ug/L	167905		12/08/05 2129	jdj
	1,2-Dichlorobenzene	1.0	U		0.29	1.0	1.00000	ug/L	167905		12/08/05 2129	jdj
	1,2-Dibromo-3-chloropropane	1.0	U		0.41	1.0	1.00000	ug/L	167905		12/08/05 2129	jdj
	1,2,4-Trichlorobenzene	1.0	U		0.36	1.0	1.00000	ug/L	167905		12/08/05 2129	jdj
	Hexachlorobutadiene	1.0	U		0.36	1.0	1.00000	ug/L	167905		12/08/05 2129	jdj
	Naphthalene	1.0	U		0.37	1.0	1.00000	ug/L	167905		12/08/05 2129	jdj
	1,2,3-Trichlorobenzene	1.0	U		0.43	1.0	1.00000	ug/L	167905		12/08/05 2129	jdj

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 242506

Date: 12/14/2005

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: RFW-2A
 Date Sampled.....: 11/29/2005
 Time Sampled.....: 08:45
 Sample Matrix.....: Water

Laboratory Sample ID: 242506-3
 Date Received.....: 12/02/2005
 Time Received.....: 10:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Dichlorodifluoromethane	1.0	U		0.12	1.0	1.00000	ug/L	167905		12/08/05 2152	jd
	Chloromethane	1.0	U		0.20	1.0	1.00000	ug/L	167905		12/08/05 2152	jd
	Vinyl chloride	1.0	U		0.16	1.0	1.00000	ug/L	167905		12/08/05 2152	jd
	Bromomethane	1.0	U		0.59	1.0	1.00000	ug/L	167905		12/08/05 2152	jd
	Chloroethane	1.0	U		0.32	1.0	1.00000	ug/L	167905		12/08/05 2152	jd
	Trichlorofluoromethane	1.0	U		0.14	1.0	1.00000	ug/L	167905		12/08/05 2152	jd
	1,1-Dichloroethene	1.0	U		0.25	1.0	1.00000	ug/L	167905		12/08/05 2152	jd
	Carbon disulfide	5.0	U		0.15	5.0	1.00000	ug/L	167905		12/08/05 2152	jd
	Acetone	5.0	U		1.4	5.0	1.00000	ug/L	167905		12/08/05 2152	jd
	Methylene chloride	1.0	U		0.24	1.0	1.00000	ug/L	167905		12/08/05 2152	jd
	trans-1,2-Dichloroethene	1.0	U		0.29	1.0	1.00000	ug/L	167905		12/08/05 2152	jd
	1,1-Dichloroethane	1.0	U		0.15	1.0	1.00000	ug/L	167905		12/08/05 2152	jd
	2,2-Dichloropropane	1.0	U		0.17	1.0	1.00000	ug/L	167905		12/08/05 2152	jd
	cis-1,2-Dichloroethene	1.0	U		0.20	1.0	1.00000	ug/L	167905		12/08/05 2152	jd
	2-Butanone (MEK)	5.0	U		1.0	5.0	1.00000	ug/L	167905		12/08/05 2152	jd
	Bromochloromethane	1.0	U		0.27	1.0	1.00000	ug/L	167905		12/08/05 2152	jd
	Chloroform	1.0	U		0.14	1.0	1.00000	ug/L	167905		12/08/05 2152	jd
	1,1,1-Trichloroethane	1.0	U		0.17	1.0	1.00000	ug/L	167905		12/08/05 2152	jd
	1,1-Dichloropropene	1.0	U		0.38	1.0	1.00000	ug/L	167905		12/08/05 2152	jd
	Carbon tetrachloride	1.0	U		0.34	1.0	1.00000	ug/L	167905		12/08/05 2152	jd
	Benzene	1.0	U		0.23	1.0	1.00000	ug/L	167905		12/08/05 2152	jd
	1,2-Dichloroethane	1.0	U		0.25	1.0	1.00000	ug/L	167905		12/08/05 2152	jd
	Trichloroethene	1.8	U		0.13	1.0	1.00000	ug/L	167905		12/08/05 2152	jd
	1,2-Dichloropropane	1.0	U		0.19	1.0	1.00000	ug/L	167905		12/08/05 2152	jd
	Dibromomethane	1.0	U		0.21	1.0	1.00000	ug/L	167905		12/08/05 2152	jd
	Bromodichloromethane	1.0	U		0.22	1.0	1.00000	ug/L	167905		12/08/05 2152	jd
	cis-1,3-Dichloropropene	1.0	U		0.15	1.0	1.00000	ug/L	167905		12/08/05 2152	jd
	4-Methyl-2-pentanone (MIBK)	5.0	U		0.92	5.0	1.00000	ug/L	167905		12/08/05 2152	jd

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 242506

Date: 12/14/2005

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: RFW-2A
 Date Sampled.....: 11/29/2005
 Time Sampled.....: 08:45
 Sample Matrix.....: Water

Laboratory Sample ID: 242506-3
 Date Received.....: 12/02/2005
 Time Received.....: 10:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Toluene	1.0	U		0.18	1.0	1.00000	ug/L	167905		12/08/05 2152	jd
	trans-1,3-Dichloropropene	1.0	U		0.16	1.0	1.00000	ug/L	167905		12/08/05 2152	jd
	1,1,2-Trichloroethane	1.0	U		0.24	1.0	1.00000	ug/L	167905		12/08/05 2152	jd
	Tetrachloroethene	1.0	U		0.18	1.0	1.00000	ug/L	167905		12/08/05 2152	jd
	1,3-Dichloropropane	1.0	U		0.22	1.0	1.00000	ug/L	167905		12/08/05 2152	jd
	2-Hexanone	5.0	U		0.99	5.0	1.00000	ug/L	167905		12/08/05 2152	jd
	Dibromochloromethane	1.0	U		0.22	1.0	1.00000	ug/L	167905		12/08/05 2152	jd
	1,2-Dibromoethane (EDB)	1.0	U		0.33	1.0	1.00000	ug/L	167905		12/08/05 2152	jd
	Chlorobenzene	1.0	U		0.15	1.0	1.00000	ug/L	167905		12/08/05 2152	jd
	1,1,1,2-Tetrachloroethane	1.0	U		0.33	1.0	1.00000	ug/L	167905		12/08/05 2152	jd
	Ethylbenzene	1.0	U		0.21	1.0	1.00000	ug/L	167905		12/08/05 2152	jd
	m&p-Xylenes	2.0	U		0.36	2.0	1.00000	ug/L	167905		12/08/05 2152	jd
	o-Xylene	1.0	U		0.19	1.0	1.00000	ug/L	167905		12/08/05 2152	jd
	Styrene	1.0	U		0.18	1.0	1.00000	ug/L	167905		12/08/05 2152	jd
	Bromoform	1.0	U		0.32	1.0	1.00000	ug/L	167905		12/08/05 2152	jd
	Isopropylbenzene	1.0	U		0.20	1.0	1.00000	ug/L	167905		12/08/05 2152	jd
	Bromobenzene	1.0	U		0.22	1.0	1.00000	ug/L	167905		12/08/05 2152	jd
	1,1,2,2-Tetrachloroethane	1.0	U		0.34	1.0	1.00000	ug/L	167905		12/08/05 2152	jd
	1,2,3-Trichloropropane	1.0	U		0.35	1.0	1.00000	ug/L	167905		12/08/05 2152	jd
	n-Propylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	167905		12/08/05 2152	jd
	2-Chlorotoluene	1.0	U		0.16	1.0	1.00000	ug/L	167905		12/08/05 2152	jd
	1,3,5-Trimethylbenzene	1.0	U		0.18	1.0	1.00000	ug/L	167905		12/08/05 2152	jd
	4-Chlorotoluene	1.0	U		0.18	1.0	1.00000	ug/L	167905		12/08/05 2152	jd
	tert-Butylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	167905		12/08/05 2152	jd
	1,2,4-Trimethylbenzene	1.0	U		0.26	1.0	1.00000	ug/L	167905		12/08/05 2152	jd
	sec-Butylbenzene	1.0	U		0.19	1.0	1.00000	ug/L	167905		12/08/05 2152	jd
	1,3-Dichlorobenzene	1.0	U		0.21	1.0	1.00000	ug/L	167905		12/08/05 2152	jd
	p-Isopropyltoluene	1.0	U		0.29	1.0	1.00000	ug/L	167905		12/08/05 2152	jd
	1,4-Dichlorobenzene	1.0	U		0.25	1.0	1.00000	ug/L	167905		12/08/05 2152	jd

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

Job Number: 242506		LABORATORY TEST RESULTS						Date: 12/14/2005				
CUSTOMER: Weston Solutions, Inc			PROJECT: BLACK AND DECKER				ATTN: Tom Cornuet					
Customer Sample ID: RFW-2A			Laboratory Sample ID: 242506-3									
Date Sampled.....: 11/29/2005			Date Received.....: 12/02/2005									
Time Sampled.....: 08:45			Time Received.....: 10:00									
Sample Matrix.....: Water												
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	n-Butylbenzene	1.0	U		0.35	1.0	1.00000	ug/L	167905		12/08/05 2152	jd n
	1,2-Dichlorobenzene	1.0	U		0.29	1.0	1.00000	ug/L	167905		12/08/05 2152	jd n
	1,2-Dibromo-3-chloropropane	1.0	U		0.41	1.0	1.00000	ug/L	167905		12/08/05 2152	jd n
	1,2,4-Trichlorobenzene	1.0	U		0.36	1.0	1.00000	ug/L	167905		12/08/05 2152	jd n
	Hexachlorobutadiene	1.0	U		0.36	1.0	1.00000	ug/L	167905		12/08/05 2152	jd n
	Naphthalene	1.0	U		0.37	1.0	1.00000	ug/L	167905		12/08/05 2152	jd n
	1,2,3-Trichlorobenzene	1.0	U		0.43	1.0	1.00000	ug/L	167905		12/08/05 2152	jd n

* In Description = Dry Wgt.

Job Number: 242506		LABORATORY TEST RESULTS						Date: 12/14/2005				
CUSTOMER: Weston Solutions, Inc.			PROJECT: BLACK AND DECKER			ATTN: Tom Cornuet						
Customer Sample ID: RFW-2B Date Sampled.....: 11/29/2005 Time Sampled.....: 09:05 Sample Matrix.....: Water			Laboratory Sample ID: 242506-4 Date Received.....: 12/02/2005 Time Received.....: 10:00									
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Dichlorodifluoromethane	1.0	U		0.12	1.0	1.00000	ug/L	167905		12/08/05 2214	jdj
	Chloromethane	1.0	U		0.20	1.0	1.00000	ug/L	167905		12/08/05 2214	jdj
	Vinyl chloride	1.0	U		0.16	1.0	1.00000	ug/L	167905		12/08/05 2214	jdj
	Bromomethane	1.0	U		0.59	1.0	1.00000	ug/L	167905		12/08/05 2214	jdj
	Chloroethane	1.0	U		0.32	1.0	1.00000	ug/L	167905		12/08/05 2214	jdj
	Trichlorofluoromethane	1.0	U		0.14	1.0	1.00000	ug/L	167905		12/08/05 2214	jdj
	1,1-Dichloroethene	1.0	U		0.25	1.0	1.00000	ug/L	167905		12/08/05 2214	jdj
	Carbon disulfide	5.0	U		0.15	5.0	1.00000	ug/L	167905		12/08/05 2214	jdj
	Acetone	5.0	U		1.4	5.0	1.00000	ug/L	167905		12/08/05 2214	jdj
	Methylene chloride	1.0	U		0.24	1.0	1.00000	ug/L	167905		12/08/05 2214	jdj
	trans-1,2-Dichloroethene	1.0	U		0.29	1.0	1.00000	ug/L	167905		12/08/05 2214	jdj
	1,1-Dichloroethane	1.0	U		0.15	1.0	1.00000	ug/L	167905		12/08/05 2214	jdj
	2,2-Dichloropropane	1.0	U		0.17	1.0	1.00000	ug/L	167905		12/08/05 2214	jdj
	cis-1,2-Dichloroethene	1.0	U		0.20	1.0	1.00000	ug/L	167905		12/08/05 2214	jdj
	2-Butanone (MEK)	5.0	U		1.0	5.0	1.00000	ug/L	167905		12/08/05 2214	jdj
	Bromochloromethane	1.0	U		0.27	1.0	1.00000	ug/L	167905		12/08/05 2214	jdj
	Chloroform	1.0	U		0.14	1.0	1.00000	ug/L	167905		12/08/05 2214	jdj
	1,1,1-Trichloroethane	1.0	U		0.17	1.0	1.00000	ug/L	167905		12/08/05 2214	jdj
	1,1-Dichloropropene	1.0	U		0.38	1.0	1.00000	ug/L	167905		12/08/05 2214	jdj
	Carbon tetrachloride	1.0	U		0.34	1.0	1.00000	ug/L	167905		12/08/05 2214	jdj
	Benzene	1.0	U		0.23	1.0	1.00000	ug/L	167905		12/08/05 2214	jdj
	1,2-Dichloroethane	1.0	U		0.25	1.0	1.00000	ug/L	167905		12/08/05 2214	jdj
	Trichloroethene	1.9	U		0.13	1.0	1.00000	ug/L	167905		12/08/05 2214	jdj
	1,2-Dichloropropane	1.0	U		0.19	1.0	1.00000	ug/L	167905		12/08/05 2214	jdj
	Dibromomethane	1.0	U		0.21	1.0	1.00000	ug/L	167905		12/08/05 2214	jdj
	Bromodichloromethane	1.0	U		0.22	1.0	1.00000	ug/L	167905		12/08/05 2214	jdj
	cis-1,3-Dichloropropene	1.0	U		0.15	1.0	1.00000	ug/L	167905		12/08/05 2214	jdj
	4-Methyl-2-pentanone (MIBK)	5.0	U		0.92	5.0	1.00000	ug/L	167905		12/08/05 2214	jdj

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS												
Job Number: 242506								Date: 12/14/2005				
CUSTOMER: Weston Solutions, Inc				PROJECT: BLACK AND DECKER				ATTN: Tom Cornuet				
Customer Sample ID: RFW-2B Date Sampled.....: 11/29/2005 Time Sampled.....: 09:05 Sample Matrix.....: Water						Laboratory Sample ID: 242506-4 Date Received.....: 12/02/2005 Time Received.....: 10:00						
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Toluene	1.0	U		0.18	1.0	1.00000	ug/L	167905		12/08/05 2214	jd
	trans-1,3-Dichloropropene	1.0	U		0.16	1.0	1.00000	ug/L	167905		12/08/05 2214	jd
	1,1,2-Trichloroethane	1.0	U		0.24	1.0	1.00000	ug/L	167905		12/08/05 2214	jd
	Tetrachloroethane	1.0	U		0.18	1.0	1.00000	ug/L	167905		12/08/05 2214	jd
	1,3-Dichloropropane	1.0	U		0.22	1.0	1.00000	ug/L	167905		12/08/05 2214	jd
	2-Hexanone	5.0	U		0.99	5.0	1.00000	ug/L	167905		12/08/05 2214	jd
	Dibromochloromethane	1.0	U		0.22	1.0	1.00000	ug/L	167905		12/08/05 2214	jd
	1,2-Dibromoethane (EDB)	1.0	U		0.33	1.0	1.00000	ug/L	167905		12/08/05 2214	jd
	Chlorobenzene	1.0	U		0.15	1.0	1.00000	ug/L	167905		12/08/05 2214	jd
	1,1,1,2-Tetrachloroethane	1.0	U		0.33	1.0	1.00000	ug/L	167905		12/08/05 2214	jd
	Ethylbenzene	1.0	U		0.21	1.0	1.00000	ug/L	167905		12/08/05 2214	jd
	m&p-Xylenes	2.0	U		0.36	2.0	1.00000	ug/L	167905		12/08/05 2214	jd
	o-Xylene	1.0	U		0.19	1.0	1.00000	ug/L	167905		12/08/05 2214	jd
	Styrene	1.0	U		0.18	1.0	1.00000	ug/L	167905		12/08/05 2214	jd
	Bromoform	1.0	U		0.32	1.0	1.00000	ug/L	167905		12/08/05 2214	jd
	Isopropylbenzene	1.0	U		0.20	1.0	1.00000	ug/L	167905		12/08/05 2214	jd
	Bromobenzene	1.0	U		0.22	1.0	1.00000	ug/L	167905		12/08/05 2214	jd
	1,1,2,2-Tetrachloroethane	1.0	U		0.34	1.0	1.00000	ug/L	167905		12/08/05 2214	jd
	1,2,3-Trichloropropane	1.0	U		0.35	1.0	1.00000	ug/L	167905		12/08/05 2214	jd
	n-Propylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	167905		12/08/05 2214	jd
	2-Chlorotoluene	1.0	U		0.16	1.0	1.00000	ug/L	167905		12/08/05 2214	jd
	1,3,5-Trimethylbenzene	1.0	U		0.18	1.0	1.00000	ug/L	167905		12/08/05 2214	jd
	4-Chlorotoluene	1.0	U		0.18	1.0	1.00000	ug/L	167905		12/08/05 2214	jd
	tert-Butylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	167905		12/08/05 2214	jd
	1,2,4-Trimethylbenzene	1.0	U		0.26	1.0	1.00000	ug/L	167905		12/08/05 2214	jd
	sec-Butylbenzene	1.0	U		0.19	1.0	1.00000	ug/L	167905		12/08/05 2214	jd
	1,3-Dichlorobenzene	1.0	U		0.21	1.0	1.00000	ug/L	167905		12/08/05 2214	jd
	p-Isopropyltoluene	1.0	U		0.29	1.0	1.00000	ug/L	167905		12/08/05 2214	jd
	1,4-Dichlorobenzene	1.0	U		0.25	1.0	1.00000	ug/L	167905		12/08/05 2214	jd

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 242506 Date: 12/14/2005

CUSTOMER: Weston Solutions, Inc. PROJECT: BLACK AND DECKER ATTN: Tom Cornuet

Customer Sample ID: RFW-2B
 Date Sampled.....: 11/29/2005
 Time Sampled.....: 09:05
 Sample Matrix.....: Water

Laboratory Sample ID: 242506-4
 Date Received.....: 12/02/2005
 Time Received.....: 10:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	n-Butylbenzene	1.0	U		0.35	1.0	1.00000	ug/L	167905		12/08/05 2214	jdj
	1,2-Dichlorobenzene	1.0	U		0.29	1.0	1.00000	ug/L	167905		12/08/05 2214	jdj
	1,2-Dibromo-3-chloropropane	1.0	U		0.41	1.0	1.00000	ug/L	167905		12/08/05 2214	jdj
	1,2,4-Trichlorobenzene	1.0	U		0.36	1.0	1.00000	ug/L	167905		12/08/05 2214	jdj
	Hexachlorobutadiene	1.0	U		0.36	1.0	1.00000	ug/L	167905		12/08/05 2214	jdj
	Naphthalene	1.0	U		0.37	1.0	1.00000	ug/L	167905		12/08/05 2214	jdj
	1,2,3-Trichlorobenzene	1.0	U		0.43	1.0	1.00000	ug/L	167905		12/08/05 2214	jdj

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 242506

Date: 12/14/2005

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: RFW-3B
 Date Sampled.....: 11/30/2005
 Time Sampled.....: 08:40
 Sample Matrix.....: Water

Laboratory Sample ID: 242506-5
 Date Received.....: 12/02/2005
 Time Received.....: 10:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Dichlorodifluoromethane	1.0	U		0.12	1.0	1.00000	ug/L	167905		12/08/05 2237	jd
	Chloromethane	1.0	U		0.20	1.0	1.00000	ug/L	167905		12/08/05 2237	jd
	Vinyl chloride	1.0	U		0.16	1.0	1.00000	ug/L	167905		12/08/05 2237	jd
	Bromomethane	1.0	U		0.59	1.0	1.00000	ug/L	167905		12/08/05 2237	jd
	Chloroethane	1.0	U		0.32	1.0	1.00000	ug/L	167905		12/08/05 2237	jd
	Trichlorofluoromethane	1.0	U		0.14	1.0	1.00000	ug/L	167905		12/08/05 2237	jd
	1,1-Dichloroethene	1.1	U		0.25	1.0	1.00000	ug/L	167905		12/08/05 2237	jd
	Carbon disulfide	5.0	U		0.15	5.0	1.00000	ug/L	167905		12/08/05 2237	jd
	Acetone	5.0	U		1.4	5.0	1.00000	ug/L	167905		12/08/05 2237	jd
	Methylene chloride	1.0	U		0.24	1.0	1.00000	ug/L	167905		12/08/05 2237	jd
	trans-1,2-Dichloroethene	1.0	U		0.29	1.0	1.00000	ug/L	167905		12/08/05 2237	jd
	1,1-Dichloroethane	1.0	U		0.15	1.0	1.00000	ug/L	167905		12/08/05 2237	jd
	2,2-Dichloropropane	1.0	U		0.17	1.0	1.00000	ug/L	167905		12/08/05 2237	jd
	cis-1,2-Dichloroethene	8.2	U		0.20	1.0	1.00000	ug/L	167905		12/08/05 2237	jd
	2-Butanone (MEK)	5.0	U		1.0	5.0	1.00000	ug/L	167905		12/08/05 2237	jd
	Bromochloromethane	1.0	U		0.27	1.0	1.00000	ug/L	167905		12/08/05 2237	jd
	Chloroform	1.0	U		0.14	1.0	1.00000	ug/L	167905		12/08/05 2237	jd
	1,1,1-Trichloroethane	1.5	U		0.17	1.0	1.00000	ug/L	167905		12/08/05 2237	jd
	1,1-Dichloropropene	1.0	U		0.38	1.0	1.00000	ug/L	167905		12/08/05 2237	jd
	Carbon tetrachloride	1.0	U		0.34	1.0	1.00000	ug/L	167905		12/08/05 2237	jd
	Benzene	1.0	U		0.23	1.0	1.00000	ug/L	167905		12/08/05 2237	jd
	1,2-Dichloroethane	1.0	U		0.25	1.0	1.00000	ug/L	167905		12/08/05 2237	jd
	Trichloroethene	7.8	U		0.13	1.0	1.00000	ug/L	167905		12/08/05 2237	jd
	1,2-Dichloropropane	1.0	U		0.19	1.0	1.00000	ug/L	167905		12/08/05 2237	jd
	Dibromomethane	1.0	U		0.21	1.0	1.00000	ug/L	167905		12/08/05 2237	jd
	Bromodichloromethane	1.0	U		0.22	1.0	1.00000	ug/L	167905		12/08/05 2237	jd
	cis-1,3-Dichloropropene	1.0	U		0.15	1.0	1.00000	ug/L	167905		12/08/05 2237	jd
	4-Methyl-2-pentanone (MIBK)	5.0	U		0.92	5.0	1.00000	ug/L	167905		12/08/05 2237	jd

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 242506

Date: 12/14/2005

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: RFW-3B
 Date Sampled.....: 11/30/2005
 Time Sampled.....: 08:40
 Sample Matrix.....: Water

Laboratory Sample ID: 242506-5
 Date Received.....: 12/02/2005
 Time Received.....: 10:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Toluene	1.0	U		0.18	1.0	1.00000	ug/L	167905		12/08/05 2237	jd
	trans-1,3-Dichloropropene	1.0	U		0.16	1.0	1.00000	ug/L	167905		12/08/05 2237	jd
	1,1,2-Trichloroethane	1.0	U		0.24	1.0	1.00000	ug/L	167905		12/08/05 2237	jd
	Tetrachloroethene	8.1			0.18	1.0	1.00000	ug/L	167905		12/08/05 2237	jd
	1,3-Dichloropropane	1.0	U		0.22	1.0	1.00000	ug/L	167905		12/08/05 2237	jd
	2-Hexanone	5.0	U		0.99	5.0	1.00000	ug/L	167905		12/08/05 2237	jd
	Dibromochloromethane	1.0	U		0.22	1.0	1.00000	ug/L	167905		12/08/05 2237	jd
	1,2-Dibromoethane (EDB)	1.0	U		0.33	1.0	1.00000	ug/L	167905		12/08/05 2237	jd
	Chlorobenzene	1.0	U		0.15	1.0	1.00000	ug/L	167905		12/08/05 2237	jd
	1,1,1,2-Tetrachloroethane	1.0	U		0.33	1.0	1.00000	ug/L	167905		12/08/05 2237	jd
	Ethylbenzene	1.0	U		0.21	1.0	1.00000	ug/L	167905		12/08/05 2237	jd
	m&p-Xylenes	2.0	U		0.36	2.0	1.00000	ug/L	167905		12/08/05 2237	jd
	o-Xylene	1.0	U		0.19	1.0	1.00000	ug/L	167905		12/08/05 2237	jd
	Styrene	1.0	U		0.18	1.0	1.00000	ug/L	167905		12/08/05 2237	jd
	Bromoform	1.0	U		0.32	1.0	1.00000	ug/L	167905		12/08/05 2237	jd
	Isopropylbenzene	1.0	U		0.20	1.0	1.00000	ug/L	167905		12/08/05 2237	jd
	Bromobenzene	1.0	U		0.22	1.0	1.00000	ug/L	167905		12/08/05 2237	jd
	1,1,2,2-Tetrachloroethane	1.0	U		0.34	1.0	1.00000	ug/L	167905		12/08/05 2237	jd
	1,2,3-Trichloropropane	1.0	U		0.35	1.0	1.00000	ug/L	167905		12/08/05 2237	jd
	n-Propylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	167905		12/08/05 2237	jd
	2-Chlorotoluene	1.0	U		0.16	1.0	1.00000	ug/L	167905		12/08/05 2237	jd
	1,3,5-Trimethylbenzene	1.0	U		0.18	1.0	1.00000	ug/L	167905		12/08/05 2237	jd
	4-Chlorotoluene	1.0	U		0.18	1.0	1.00000	ug/L	167905		12/08/05 2237	jd
	tert-Butylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	167905		12/08/05 2237	jd
	1,2,4-Trimethylbenzene	1.0	U		0.26	1.0	1.00000	ug/L	167905		12/08/05 2237	jd
	sec-Butylbenzene	1.0	U		0.19	1.0	1.00000	ug/L	167905		12/08/05 2237	jd
	1,3-Dichlorobenzene	1.0	U		0.21	1.0	1.00000	ug/L	167905		12/08/05 2237	jd
	p-Isopropyltoluene	1.0	U		0.29	1.0	1.00000	ug/L	167905		12/08/05 2237	jd
	1,4-Dichlorobenzene	1.0	U		0.25	1.0	1.00000	ug/L	167905		12/08/05 2237	jd

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

Job Number: 242506		LABORATORY TEST RESULTS						Date: 12/14/2005				
CUSTOMER: Weston Solutions, Inc.			PROJECT: BLACK AND DECKER				ATTN: Tom Cornuet					
Customer Sample ID: RFW-3B Date Sampled.....: 11/30/2005 Time Sampled.....: 08:40 Sample Matrix.....: Water			Laboratory Sample ID: 242506-5 Date Received.....: 12/02/2005 Time Received.....: 10:00									
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	n-Butylbenzene	1.0	U		0.35	1.0	1.00000	ug/L	167905		12/08/05 2237	jdj
	1,2-Dichlorobenzene	1.0	U		0.29	1.0	1.00000	ug/L	167905		12/08/05 2237	jdj
	1,2-Dibromo-3-chloropropane	1.0	U		0.41	1.0	1.00000	ug/L	167905		12/08/05 2237	jdj
	1,2,4-Trichlorobenzene	1.0	U		0.36	1.0	1.00000	ug/L	167905		12/08/05 2237	jdj
	Hexachlorobutadiene	1.0	U		0.36	1.0	1.00000	ug/L	167905		12/08/05 2237	jdj
	Naphthalene	1.0	U		0.37	1.0	1.00000	ug/L	167905		12/08/05 2237	jdj
	1,2,3-Trichlorobenzene	1.0	U		0.43	1.0	1.00000	ug/L	167905		12/08/05 2237	jdj

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS												
Job Number: 242506								Date: 12/14/2005				
CUSTOMER: Weston Solutions, Inc.				PROJECT: BLACK AND DECKER				ATTN: Tom Cornuet				
Customer Sample ID: RFW-4A Date Sampled.....: 11/30/2005 Time Sampled.....: 08:15 Sample Matrix.....: Water						Laboratory Sample ID: 242506-6 Date Received.....: 12/02/2005 Time Received.....: 10:00						
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Dichlorodifluoromethane	1.0	U		0.12	1.0	1.00000	ug/L	167905		12/08/05 2300	jd
	Chloromethane	1.0	U		0.20	1.0	1.00000	ug/L	167905		12/08/05 2300	jd
	Vinyl chloride	1.0	U		0.16	1.0	1.00000	ug/L	167905		12/08/05 2300	jd
	Bromomethane	1.0	U		0.59	1.0	1.00000	ug/L	167905		12/08/05 2300	jd
	Chloroethane	1.0	U		0.32	1.0	1.00000	ug/L	167905		12/08/05 2300	jd
	Trichlorofluoromethane	1.0	U		0.14	1.0	1.00000	ug/L	167905		12/08/05 2300	jd
	1,1-Dichloroethene	1.0	U		0.25	1.0	1.00000	ug/L	167905		12/08/05 2300	jd
	Carbon disulfide	5.0	U		0.15	5.0	1.00000	ug/L	167905		12/08/05 2300	jd
	Acetone	5.0	U		1.4	5.0	1.00000	ug/L	167905		12/08/05 2300	jd
	Methylene chloride	1.0	U		0.24	1.0	1.00000	ug/L	167905		12/08/05 2300	jd
	trans-1,2-Dichloroethene	1.0	U		0.29	1.0	1.00000	ug/L	167905		12/08/05 2300	jd
	1,1-Dichloroethane	1.0	U		0.15	1.0	1.00000	ug/L	167905		12/08/05 2300	jd
	2,2-Dichloropropane	1.0	U		0.17	1.0	1.00000	ug/L	167905		12/08/05 2300	jd
	cis-1,2-Dichloroethene	1.4	U		0.20	1.0	1.00000	ug/L	167905		12/08/05 2300	jd
	2-Butanone (MEK)	5.0	U		1.0	5.0	1.00000	ug/L	167905		12/08/05 2300	jd
	Bromochloromethane	1.0	U		0.27	1.0	1.00000	ug/L	167905		12/08/05 2300	jd
	Chloroform	1.0	U		0.14	1.0	1.00000	ug/L	167905		12/08/05 2300	jd
	1,1,1-Trichloroethane	1.0	U		0.17	1.0	1.00000	ug/L	167905		12/08/05 2300	jd
	1,1-Dichloropropene	1.0	U		0.38	1.0	1.00000	ug/L	167905		12/08/05 2300	jd
	Carbon tetrachloride	1.0	U		0.34	1.0	1.00000	ug/L	167905		12/08/05 2300	jd
	Benzene	1.0	U		0.23	1.0	1.00000	ug/L	167905		12/08/05 2300	jd
	1,2-Dichloroethane	1.0	U		0.25	1.0	1.00000	ug/L	167905		12/08/05 2300	jd
	Trichloroethene	48	U		0.13	1.0	1.00000	ug/L	167905		12/08/05 2300	jd
	1,2-Dichloropropane	1.0	U		0.19	1.0	1.00000	ug/L	167905		12/08/05 2300	jd
	Dibromomethane	1.0	U		0.21	1.0	1.00000	ug/L	167905		12/08/05 2300	jd
	Bromodichloromethane	1.0	U		0.22	1.0	1.00000	ug/L	167905		12/08/05 2300	jd
	cis-1,3-Dichloropropene	1.0	U		0.15	1.0	1.00000	ug/L	167905		12/08/05 2300	jd
	4-Methyl-2-pentanone (MIBK)	5.0	U		0.92	5.0	1.00000	ug/L	167905		12/08/05 2300	jd

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 242506

Date: 12/14/2005

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: RFW-4A
 Date Sampled.....: 11/30/2005
 Time Sampled.....: 08:15
 Sample Matrix.....: Water

Laboratory Sample ID: 242506-6
 Date Received.....: 12/02/2005
 Time Received.....: 10:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Toluene	1.0	U		0.18	1.0	1.00000	ug/L	167905		12/08/05 2300	jdn
	trans-1,3-Dichloropropene	1.0	U		0.16	1.0	1.00000	ug/L	167905		12/08/05 2300	jdn
	1,1,2-Trichloroethane	1.0	U		0.24	1.0	1.00000	ug/L	167905		12/08/05 2300	jdn
	Tetrachloroethane	62			0.18	1.0	1.00000	ug/L	167905		12/08/05 2300	jdn
	1,3-Dichloropropane	1.0	U		0.22	1.0	1.00000	ug/L	167905		12/08/05 2300	jdn
	2-Hexanone	5.0	U		0.99	5.0	1.00000	ug/L	167905		12/08/05 2300	jdn
	Dibromochloromethane	1.0	U		0.22	1.0	1.00000	ug/L	167905		12/08/05 2300	jdn
	1,2-Dibromoethane (EDB)	1.0	U		0.33	1.0	1.00000	ug/L	167905		12/08/05 2300	jdn
	Chlorobenzene	1.0	U		0.15	1.0	1.00000	ug/L	167905		12/08/05 2300	jdn
	1,1,1,2-Tetrachloroethane	1.0	U		0.33	1.0	1.00000	ug/L	167905		12/08/05 2300	jdn
	Ethylbenzene	1.0	U		0.21	1.0	1.00000	ug/L	167905		12/08/05 2300	jdn
	m&p-Xylenes	2.0	U		0.36	2.0	1.00000	ug/L	167905		12/08/05 2300	jdn
	o-Xylene	1.0	U		0.19	1.0	1.00000	ug/L	167905		12/08/05 2300	jdn
	Styrene	1.0	U		0.18	1.0	1.00000	ug/L	167905		12/08/05 2300	jdn
	Bromoform	1.0	U		0.32	1.0	1.00000	ug/L	167905		12/08/05 2300	jdn
	Isopropylbenzene	1.0	U		0.20	1.0	1.00000	ug/L	167905		12/08/05 2300	jdn
	Bromobenzene	1.0	U		0.22	1.0	1.00000	ug/L	167905		12/08/05 2300	jdn
	1,1,2,2-Tetrachloroethane	1.0	U		0.34	1.0	1.00000	ug/L	167905		12/08/05 2300	jdn
	1,2,3-Trichloropropane	1.0	U		0.35	1.0	1.00000	ug/L	167905		12/08/05 2300	jdn
	n-Propylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	167905		12/08/05 2300	jdn
	2-Chlorotoluene	1.0	U		0.16	1.0	1.00000	ug/L	167905		12/08/05 2300	jdn
	1,3,5-Trimethylbenzene	1.0	U		0.18	1.0	1.00000	ug/L	167905		12/08/05 2300	jdn
	4-Chlorotoluene	1.0	U		0.18	1.0	1.00000	ug/L	167905		12/08/05 2300	jdn
	tert-Butylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	167905		12/08/05 2300	jdn
	1,2,4-Trimethylbenzene	1.0	U		0.26	1.0	1.00000	ug/L	167905		12/08/05 2300	jdn
	sec-Butylbenzene	1.0	U		0.19	1.0	1.00000	ug/L	167905		12/08/05 2300	jdn
	1,3-Dichlorobenzene	1.0	U		0.21	1.0	1.00000	ug/L	167905		12/08/05 2300	jdn
	p-Isopropyltoluene	1.0	U		0.29	1.0	1.00000	ug/L	167905		12/08/05 2300	jdn
	1,4-Dichlorobenzene	1.0	U		0.25	1.0	1.00000	ug/L	167905		12/08/05 2300	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS												
Job Number: 242506								Date: 12/14/2005				
CUSTOMER: Weston Solutions, Inc.				PROJECT: BLACK AND DECKER				ATTN: Tom Cornuet				
Customer Sample ID: RFW-4A Date Sampled: 11/30/2005 Time Sampled: 08:15 Sample Matrix: Water						Laboratory Sample ID: 242506-6 Date Received: 12/02/2005 Time Received: 10:00						
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	n-Butylbenzene	1.0	U		0.35	1.0	1.00000	ug/L	167905		12/08/05 2300	jdj
	1,2-Dichlorobenzene	1.0	U		0.29	1.0	1.00000	ug/L	167905		12/08/05 2300	jdj
	1,2-Dibromo-3-chloropropane	1.0	U		0.41	1.0	1.00000	ug/L	167905		12/08/05 2300	jdj
	1,2,4-Trichlorobenzene	1.0	U		0.36	1.0	1.00000	ug/L	167905		12/08/05 2300	jdj
	Hexachlorobutadiene	1.0	U		0.36	1.0	1.00000	ug/L	167905		12/08/05 2300	jdj
	Naphthalene	1.0	U		0.37	1.0	1.00000	ug/L	167905		12/08/05 2300	jdj
	1,2,3-Trichlorobenzene	1.0	U		0.43	1.0	1.00000	ug/L	167905		12/08/05 2300	jdj

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 242506

Date: 12/14/2005

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: RFW-4ADUP
 Date Sampled.....: 11/30/2005
 Time Sampled.....: 08:15
 Sample Matrix.....: Water

Laboratory Sample ID: 242506-7
 Date Received.....: 12/02/2005
 Time Received.....: 10:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Dichlorodifluoromethane	1.0	U		0.12	1.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	Chloromethane	1.0	U		0.20	1.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	Vinyl chloride	1.0	U		0.16	1.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	Bromomethane	1.0	U		0.59	1.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	Chloroethane	1.0	U		0.32	1.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	Trichlorofluoromethane	1.0	U		0.14	1.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	1,1-Dichloroethene	1.0	U		0.25	1.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	Carbon disulfide	5.0	U		0.15	5.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	Acetone	5.0	U		1.4	5.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	Methylene chloride	1.0	U		0.24	1.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	trans-1,2-Dichloroethene	1.0	U		0.29	1.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	1,1-Dichloroethane	1.0	U		0.15	1.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	2,2-Dichloropropane	1.0	U		0.17	1.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	cis-1,2-Dichloroethene	1.2	U		0.20	1.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	2-Butanone (MEK)	5.0	U		1.0	5.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	Bromochloromethane	1.0	U		0.27	1.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	Chloroform	0.94	J		0.14	1.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	1,1,1-Trichloroethane	1.0	U		0.17	1.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	1,1-Dichloropropene	1.0	U		0.38	1.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	Carbon tetrachloride	1.0	U		0.34	1.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	Benzene	1.0	U		0.23	1.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	1,2-Dichloroethane	1.0	U		0.25	1.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	Trichloroethene	46	U		0.13	1.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	1,2-Dichloropropane	1.0	U		0.19	1.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	Dibromomethane	1.0	U		0.21	1.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	Bromodichloromethane	1.0	U		0.22	1.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	cis-1,3-Dichloropropene	1.0	U		0.15	1.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	4-Methyl-2-pentanone (MIBK)	5.0	U		0.92	5.0	1.00000	ug/L	167905		12/08/05 2322	jdj

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 242506

Date: 12/14/2005

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: RFW-4ADUP
 Date Sampled.....: 11/30/2005
 Time Sampled.....: 08:15
 Sample Matrix.....: Water

Laboratory Sample ID: 242506-7
 Date Received.....: 12/02/2005
 Time Received.....: 10:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Toluene	1.0	U		0.18	1.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	trans-1,3-Dichloropropene	1.0	U		0.16	1.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	1,1,2-Trichloroethane	1.0	U		0.24	1.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	Tetrachloroethene	59			0.18	1.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	1,3-Dichloropropane	1.0	U		0.22	1.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	2-Hexanone	5.0	U		0.99	5.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	Dibromochloromethane	1.0	U		0.22	1.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	1,2-Dibromoethane (EDB)	1.0	U		0.33	1.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	Chlorobenzene	1.0	U		0.15	1.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	1,1,1,2-Tetrachloroethane	1.0	U		0.33	1.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	Ethylbenzene	1.0	U		0.21	1.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	m&p-Xylenes	2.0	U		0.36	2.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	o-Xylene	1.0	U		0.19	1.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	Styrene	1.0	U		0.18	1.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	Bromoform	1.0	U		0.32	1.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	Isopropylbenzene	1.0	U		0.20	1.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	Bromobenzene	1.0	U		0.22	1.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	1,1,2,2-Tetrachloroethane	1.0	U		0.34	1.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	1,2,3-Trichloropropane	1.0	U		0.35	1.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	n-Propylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	2-Chlorotoluene	1.0	U		0.16	1.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	1,3,5-Trimethylbenzene	1.0	U		0.18	1.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	4-Chlorotoluene	1.0	U		0.18	1.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	tert-Butylbenzene	1.0	U		0.16	1.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	1,2,4-Trimethylbenzene	1.0	U		0.26	1.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	sec-Butylbenzene	1.0	U		0.19	1.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	1,3-Dichlorobenzene	1.0	U		0.21	1.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	p-Isopropyltoluene	1.0	U		0.29	1.0	1.00000	ug/L	167905		12/08/05 2322	jdj
	1,4-Dichlorobenzene	1.0	U		0.25	1.0	1.00000	ug/L	167905		12/08/05 2322	jdj

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

Job Number: 242506		LABORATORY TEST RESULTS						Date: 12/14/2005				
CUSTOMER: Weston Solutions, Inc.			PROJECT: BLACK AND DECKER				ATTN: Tom Cornuet					
Customer Sample ID: RFW-4ADUP Date Sampled.....: 11/30/2005 Time Sampled.....: 08:15 Sample Matrix.....: Water			Laboratory Sample ID: 242506-7 Date Received.....: 12/02/2005 Time Received.....: 10:00									
TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	n-Butylbenzene	1.0	U		0.35	1.0	1.00000	ug/L	167905		12/08/05 2322	jd n
	1,2-Dichlorobenzene	1.0	U		0.29	1.0	1.00000	ug/L	167905		12/08/05 2322	jd n
	1,2-Dibromo-3-chloropropane	1.0	U		0.41	1.0	1.00000	ug/L	167905		12/08/05 2322	jd n
	1,2,4-Trichlorobenzene	1.0	U		0.36	1.0	1.00000	ug/L	167905		12/08/05 2322	jd n
	Hexachlorobutadiene	1.0	U		0.36	1.0	1.00000	ug/L	167905		12/08/05 2322	jd n
	Naphthalene	1.0	U		0.37	1.0	1.00000	ug/L	167905		12/08/05 2322	jd n
	1,2,3-Trichlorobenzene	1.0	U		0.43	1.0	1.00000	ug/L	167905		12/08/05 2322	jd n

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 242506

Date: 12/14/2005

CUSTOMER: Weston Solutions, Inc.

PROJECT: BLACK AND DECKER

ATTN: Tom Cornuet

Customer Sample ID: RFW-4B
 Date Sampled.....: 11/30/2005
 Time Sampled.....: 08:25
 Sample Matrix.....: Water

Laboratory Sample ID: 242506-8
 Date Received.....: 12/02/2005
 Time Received.....: 10:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Dichlorodifluoromethane	1.0	U		0.12	1.0	1.00000	ug/L	167905		12/08/05 2345	jdj
	Chloromethane	1.0	U		0.20	1.0	1.00000	ug/L	167905		12/08/05 2345	jdj
	Vinyl chloride	1.0	U		0.16	1.0	1.00000	ug/L	167905		12/08/05 2345	jdj
	Bromomethane	1.0	U		0.59	1.0	1.00000	ug/L	167905		12/08/05 2345	jdj
	Chloroethane	1.0	U		0.32	1.0	1.00000	ug/L	167905		12/08/05 2345	jdj
	Trichlorofluoromethane	1.0	U		0.14	1.0	1.00000	ug/L	167905		12/08/05 2345	jdj
	1,1-Dichloroethene	1.0	U		0.25	1.0	1.00000	ug/L	167905		12/08/05 2345	jdj
	Carbon disulfide	5.0	U		0.15	5.0	1.00000	ug/L	167905		12/08/05 2345	jdj
	Acetone	5.0	U		1.4	5.0	1.00000	ug/L	167905		12/08/05 2345	jdj
	Methylene chloride	1.0	U		0.24	1.0	1.00000	ug/L	167905		12/08/05 2345	jdj
	trans-1,2-Dichloroethene	1.0	U		0.29	1.0	1.00000	ug/L	167905		12/08/05 2345	jdj
	1,1-Dichloroethane	1.0	U		0.15	1.0	1.00000	ug/L	167905		12/08/05 2345	jdj
	2,2-Dichloropropane	1.0	U		0.17	1.0	1.00000	ug/L	167905		12/08/05 2345	jdj
	cis-1,2-Dichloroethene	5.7	U		0.20	1.0	1.00000	ug/L	167905		12/08/05 2345	jdj
	2-Butanone (MEK)	5.0	U		1.0	5.0	1.00000	ug/L	167905		12/08/05 2345	jdj
	Bromochloromethane	1.0	U		0.27	1.0	1.00000	ug/L	167905		12/08/05 2345	jdj
	Chloroform	1.0	U		0.14	1.0	1.00000	ug/L	167905		12/08/05 2345	jdj
	1,1,1-Trichloroethane	1.0	U		0.17	1.0	1.00000	ug/L	167905		12/08/05 2345	jdj
	1,1-Dichloropropene	1.0	U		0.38	1.0	1.00000	ug/L	167905		12/08/05 2345	jdj
	Carbon tetrachloride	1.0	U		0.34	1.0	1.00000	ug/L	167905		12/08/05 2345	jdj
	Benzene	1.0	U		0.23	1.0	1.00000	ug/L	167905		12/08/05 2345	jdj
	1,2-Dichloroethane	1.0	U		0.25	1.0	1.00000	ug/L	167905		12/08/05 2345	jdj
	Trichloroethene	8.6	U		0.13	1.0	1.00000	ug/L	167905		12/08/05 2345	jdj
	1,2-Dichloropropane	1.0	U		0.19	1.0	1.00000	ug/L	167905		12/08/05 2345	jdj
	Dibromomethane	1.0	U		0.21	1.0	1.00000	ug/L	167905		12/08/05 2345	jdj
	Bromodichloromethane	1.0	U		0.22	1.0	1.00000	ug/L	167905		12/08/05 2345	jdj
	cis-1,3-Dichloropropene	1.0	U		0.15	1.0	1.00000	ug/L	167905		12/08/05 2345	jdj
	4-Methyl-2-pentanone (MIBK)	5.0	U		0.92	5.0	1.00000	ug/L	167905		12/08/05 2345	jdj

* In Description = Dry Wgt.