

Quarterly Groundwater Monitoring Report

Prepared for
Stanley Black & Decker Inc.

Hampstead, Maryland

January 2014

Prepared by

WESTON SOLUTIONS, INC.

West Chester, Pennsylvania 19380-1499

TABLE OF CONTENTS

Section	Page
1. INTRODUCTION.....	1-1
2. SITE CHARACTERISTICS.....	2-1
2.1 HYDRAULIC PROPERTIES	2-1
2.2 EFFLUENT CHARACTERISTICS	2-1
2.3 GROUNDWATER QUALITY DATA	2-1
3. OPERATION AND MAINTENANCE OF THE TREATMENT SYSTEM.....	3-1
4. RECOMMENDATIONS.....	4-1

LIST OF APPENDICES

APPENDIX A - GROUNDWATER TREATMENT SYSTEM PUMPING RECORDS

APPENDIX B - DISCHARGE MONITORING REPORTS

APPENDIX C - GROUNDWATER TREATMENT SYSTEM ANALYTICAL RESULTS

APPENDIX D - GROUNDWATER ANALYTICAL DATA PACKAGE

LIST OF TABLES

Table	Page
Table 2-1 Treatment System Pumping Records – 4th Quarter 2013.....	2-2
Table 2-2 Groundwater Elevation Data – 4th Quarter 2013	2-3
Table 2-3 Effluent Characteristics Summary – 4th Quarter 2013	2-4
Table 2-4 Summary of Groundwater Analytical Results - November 2013	2-5
Table 3-1 Treatment System Maintenance Activities – 4th Quarter 2013	3-2

1. INTRODUCTION

This Groundwater Monitoring Report has been prepared to meet the requirements of Condition IV.G of the Administrative Consent Order between the State of Maryland Department of the Environment (MDE) and Black & Decker (U.S.) Inc. (April 1995) (Consent Order). Specifically, Condition IV.G calls for preparation of a Groundwater Monitoring Report containing the following information for each reporting period:

- The quantities of groundwater pumped, treated, and discharged.
- The calculation of quantities of contaminants removed from groundwater.
- A summary of all sampling analyses.
- An explanation of all operational or other problems encountered, and the manner in which each problem was resolved.
- Copies of all reports submitted to the Department of Natural Resources in conjunction with the Groundwater Appropriations Permit.
- Recommendations for changes to the Interim Groundwater Treatment System.

This document is one of several which are being prepared in response to the Consent Order; each of these documents are to be submitted to the MDE in accordance with the schedule outlined in the Consent Order. This document will become part of the Administrative Record for the site, which is maintained at the Hampstead Public Library.

2. SITE CHARACTERISTICS

2.1 HYDRAULIC PROPERTIES

In accordance with the Consent Order and the Water Appropriation Permit issued to the Black and Decker (U.S.) Inc. Hampstead, Maryland, facility, the following pumping and water level information is included for the period of October through December 2013.

Pumping records showing the total gallons pumped per month of treatment system operation are presented in Table 2-1. The complete groundwater treatment system pumping records are included in Appendix A.

Monthly water levels for wells included in the water level monitoring plan are presented in Table 2-2. For the reporting period of October through December 2013, the extraction wells were pumping at an average combined rate of approximately 181 gallons per minute (gpm).

2.2 EFFLUENT CHARACTERISTICS

Effluent characteristics of the NPDES discharge points are recorded monthly on Discharge Monitoring Reports (DMRs) and are submitted to MDE, Water Management Administration, on a quarterly basis. A summary of the sample results from the DMRs is presented in Table 2-3. DMRs for the period of October through December 2013 are included in Appendix B.

2.3 GROUNDWATER QUALITY DATA

For the reporting period of October through December 2013, approximately 12.93 pounds of total volatile organic compounds (VOCs) were removed from the groundwater by the extraction and treatment system. In general, the total VOCs removed from the groundwater were comprised primarily of trichloroethene (TCE) (75 %) and tetrachloroethene (PCE) (25 %). Analytical results of the groundwater collected from the air stripper for the period of October through December 2013 are included in Appendix C.

A summary of the analytical results from the fourth quarter (November 2013) groundwater sampling round of the extraction and monitor wells is included in Table 2-4. The complete

Table 2-1
Treatment System Pumping Records - 4th Quarter 2013
Stanley Black & Decker
Hampstead, Maryland

Date	Water Pumped (gallons)
October 2012	7,024,572
November 2012	6,600,644
December 2012	6,314,258

Table 2-2
Groundwater Elevation Data - 4th Quarter 2013
Stanley Black & Decker
Hampstead, Maryland

WELL NO.	TOC ELEV.	TOTAL DEPTH	10/10/2013		11/18/2013		12/26/2013	
			DTW	ELEV	DTW	ELEV	DTW	ELEV
EW-1	847.21	55	DRY	NC	DRY	NC	DRY	NC
EW-2	849.21	110	92.94	756.27	93.02	756.19	92.65	756.56
EW-3	846.64	118	84.79	761.85	84.98	761.66	85.25	761.39
EW-4	858.01	97.5	PC	NC	PC	NC	PC	NC
EW-5	864.17	98	90.10	774.07	90.22	773.95	89.40	774.77
EW-6	831.98	115	103.00	728.98	103.00	728.98	103.00	728.98
EW-7	818.38	78	74.50	743.88	74.50	743.88	73.50	744.88
EW-8	811.13	98	95.00	716.13	95.50	715.63	96.00	715.13
EW-9	811.35	141	103.00	708.35	102.80	708.55	103.00	708.35
EW-10	807.74	INA	51.26	756.48	52.13	755.61	53.10	754.64
RFW-1A	864.37	78	50.61	813.76	52.63	811.74	52.48	811.89
RFW-1B	864.23	200	50.64	813.59	52.67	811.56	52.51	811.72
RFW-2A	857.41	35	14.86	842.55	16.40	841.01	16.36	841.05
RFW-2B	857.73	75	15.06	842.67	17.05	840.68	16.94	840.79
RFW-3B	839.21	153	29.75	809.46	36.39	802.82	36.30	802.91
RFW-4A	830.37	62	36.84	793.53	38.18	792.19	38.09	792.28
RFW-4B	830.37	120	36.49	793.88	38.08	792.29	38.01	792.36
RFW-5A	817.50	30	DRY	NC	DRY	NC	DRY	NC
RFW-6	785.04	120	3.99	781.05	4.48	780.56	5.12	779.92
RFW-7	805.14	29	7.51	797.63	6.71	798.43	6.94	798.20
RFW-8	860.07	56	DRY	NC	DRY	NC	DRY	NC
RFW-9	862.02	49	20.21	841.81	27.07	834.95	26.87	835.15
RFW-10	852.06	58	DRY	NC	DRY	NC	DRY	NC
RFW-11A	849.32	72	Damaged	NC	Damaged	NC	Damaged	NC
RFW-11B	849.62	116	62.14	787.48	64.12	785.50	64.42	785.20
RFW-12B	844.87	264	50.83	794.04	51.59	793.28	51.61	793.26
RFW-13	849.11	150	60.72	788.39	63.57	785.54	63.64	785.47
RFW-14B	812.39	281	52.13	760.26	52.59	759.80	760.61	51.78
RFW-16	856.14	41	DRY	NC	DRY	NC	DRY	NC
RFW-17	834.66	60.5	25.98	808.68	27.62	807.04	27.56	807.10
RFW-20	842.49	142	32.88	809.61	35.32	807.17	35.30	807.19
RFW-21	832.65	102	20.02	812.63	22.70	809.95	22.46	810.19
PH-7	805.94	89	25.94	780.00	25.67	780.27	26.39	779.55
PH-9	814.94	98	50.86	764.08	50.80	764.14	51.97	762.97
PH-11	820.68	78	51.09	769.59	50.96	769.72	51.97	768.71
PH-12	828.35	87	51.36	776.99	51.52	776.83	51.41	776.94
B-3	803.02	83	10.59	792.43	10.69	792.33	9.98	793.04
Amoco	842.29	INA	NA	NC	NA	NC	NA	NC
Hamp. Town #22	804.96	INA	0.97	803.99	1.12	803.84	1.43	803.53
Pembroke #1	INA	INA	11.52	NC	11.59	NC	11.63	NC
Pembroke #2	INA	INA	Damaged	NC	Damaged	NC	Damaged	NC
N. Houcks. Rd.	INA	INA	10.14	NC	10.09	NC	10.11	NC
E. Century St.	INA	INA	19.89	NC	19.27	NC	19.28	NC
Lwr. Beckleys. Rd.	INA	INA	56.87	NC	56.73	NC	56.67	NC

NA - Not Available/Not Accessible

NC - Not Calculable

INA - Information not available

PC - Pump Cycles

Table 2-3
Effluent Characteristics Summary - 4th Quarter 2013
Black & Decker
Hampstead, Maryland

Discharge Number	Parameter	Units	Permit Limits	DMR DATE			
				October 2013	November 2013	December 2013	
001	FLOW	average	MGD	NA	0.325	0.159	0.276
		maximum	MGD	NA	1.560	1.030	1.011
	1,1,1-Trichloroethane		ug/l	5	< 1	< 1	< 1
	Tetrachloroethylene		ug/l	5	< 1	< 1	< 1
	Trichloroethylene		ug/l	5	< 1	< 1	< 1
	Total Residual Chlorine		mg/l	< 0.1	< 0.1	< 0.1	< 0.1
	Oil & Grease	maximum	mg/l	15	< 5	< 5	< 5
		monthly average	mg/l	10	< 5	< 5	< 5
	pH	minimum	STD	6.0	6.6	6.7	6.6
		maximum	STD	8.5	7.6	7.5	7.5
	BOD		mg/l	15	< 2	3.0	3.0
TSS	maximum	mg/l	30	7.2	< 1	< 1	
	monthly average	mg/l	20	7.2	< 1	< 1	
101 (Monitoring Point)	FLOW	average	MGD	NA	0.180	0.166	0.157
		maximum	MGD	NA	0.230	0.210	0.245
	Fecal Coliform		MPN/100ml	200	2.0	1.0	1.0
201 (Monitoring Point)	FLOW	average	MGD	NA	NR	NR	0.217
		maximum	MGD	NA	NR	NR	0.257
	1,1,1-Trichloroethane		ug/l	NA	NR	NR	< 1
	Tetrachloroethylene		ug/l	NA	NR	NR	< 1
	Trichloroethylene		ug/l	NA	NR	NR	< 1

DMR - Discharge Monitoring Report

NA - Not Applicable

NR - Not Reported

Table 2-4
Summary of Groundwater Analytical Results - November 2013
Stanley Black & Decker
Hampstead, Maryland

PARAMETER	Units	EW-1	EW-2	EW-3	EW-4	EW-5	EW-6	EW-7	EW-8	EW-9	EW-9 (DUP)	EW-10
Chloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromomethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Acetone	ug/L	NS	5 U	7.6	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Carbon Disulfide	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1-Dichloroethene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1-Dichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethene (total)	ug/L	NS	3.6	1.8	1 U	1 U	1 U	5.7	28	1 U	1 U	1 U
Chloroform	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
2-Butanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Carbon Tetrachloride	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromodichloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloropropane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trichloroethene	ug/L	NS	160	38	500	92	5.8	3.7	8.6	0.7	0.7	1 U
Dibromochloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Benzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromoform	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
2-Hexanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Tetrachloroethene	ug/L	NS	49	1.3	11	3	11	8.8	74	110	110	1.5
1,1,2,2-Tetrachloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Toluene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chlorobenzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Ethylbenzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Styrene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Xylene (total)	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U

Notes: U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.
J = Indicates an estimated value.
NS = Not Sampled

Table 2-4
Summary of Groundwater Analytical Results - November 2013
Stanley Black & Decker
Hampstead, Maryland

PARAMETER	Units	RFW-1A	RFW-1B	RFW-2A	RFW-2B	RFW-3B	RFW-4A	RFW-4A (DUP)	RFW-4B	RFW-5A	RFW-6	RFW-7	RFW-8	RFW-9	RFW-10
Chloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromomethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Vinyl Chloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Methylene Chloride	ug/L	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	NS	2 U	2 U	NS	2 U	NS
Acetone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	7.5	5 U	NS	5 U	NS
Carbon Disulfide	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1-Dichloroethene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	0.7 J	NS
1,1-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloroethene (total)	ug/L	1 U	1 U	1 U	1 U	1.6	0.8 J	0.9 J	3.5	NS	1 U	1 U	NS	5.4	NS
Chloroform	ug/L	1 U	1 U	1 U	1 U	1 U	0.5 J	0.6 J	1.1	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
2-Butanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1,1-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	0.5 J	NS
Carbon Tetrachloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromodichloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloropropane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
cis-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Trichloroethene	ug/L	1 U	1 U	0.6	1 U	1 U	25	25	37	NS	0.4 J	1	NS	6.9	NS
Dibromochloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,1,2-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Benzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Trans-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromoform	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
4-Methyl-2-pentanone	ug/L	5 U	5 U	5 U	1 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
2-Hexanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
Tetrachloroethene	ug/L	1 U	1 U	1 U	1 U	0.9 J	16	17	66	NS	0.8 J	1 U	NS	1.7	NS
1,1,2,2-Tetrachloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Toluene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chlorobenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Ethylbenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Styrene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Xylene (total)	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS

Notes: DUP = Duplicate sample
NS = Not sampled

U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.
J = Indicates an estimated value.

Table 2-4
Summary of Groundwater Analytical Results - November 2013
Stanley Black & Decker
Hampstead, Maryland

PARAMETER	Units	RFW-11A	RFW-11B	RFW-12B	RFW-13	RFW-16	RFW-17	Leister Dairy	Leister Res. #1	Leister Res. #2	Trip Blank	RFW-20	RFW-21	Town #22	Town #23	Trip Blank
		USEPA drinking water method 524.2														
Chloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	1 U	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	2 U	2 U	2 U	NS	2 U	ABD	ABD	ABD	2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Acetone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
Carbon Disulfide	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	NA	NA	NA	NA	NA
1,1-Dichloroethene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethene (total)	ug/L	NS	1 U	1.9	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.51	0.5 U	0.5 U
1,2-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene	ug/L	NS	2.5	67	2.5	NS	1 U	ABD	ABD	ABD	1 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U
Dibromochloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Benzene	ug/L	NS	1 U	1 U	1 U	NS	3.5	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
2-Hexanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
Tetrachloroethene	ug/L	NS	1 U	5	14	NS	0.8 J	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.58	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Styrene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Xylene (total)	ug/L	NS	1 U	1 U	1 U	NS	0.5 J	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

Notes: Samples from wells RFW-20 & 21, Town-22&23 are analyzed with the USEPA drinking water method 524.2 at the request of the MDE Source Protection and Appropriation Division.
Samples from all of the other wells are analyzed with USEPA Method 8260.
NS = Not sampled
U = Compound was analyzed but not detected.
ABD = Well has been abandoned

analytical data package is included in Appendix D.

As found in earlier sampling events at the Stanley Black & Decker facility, TCE and PCE were the VOCs detected at the highest concentrations in the groundwater samples. The highest concentration of TCE was detected in the groundwater samples collected from wells RFW-12B and EW-4 and the highest concentration of PCE was detected in the groundwater sample collected from wells RFW-4B and EW-9. The remainder of VOCs present were detected at levels below the Federal Maximum Contaminant Levels (MCL).

3. OPERATION AND MAINTENANCE OF THE TREATMENT SYSTEM

A summary of the maintenance activities which were undertaken with the extraction and treatment system during the reporting period (October through December 2013) is provided in Table 3-1. This table is comprehensive in summarizing significant maintenance events or activities, while not including those activities considered unworthy of note (such as replacement of light bulbs, lubrication of moving parts as appropriate or other routine activities).

Table 3-1
Treatment System Maintenance Activities - 4th Quarter 2013
Stanley Black & Decker
Hampstead, Maryland

Date	Event/Corrective Action
Dec-13	Alarm at the air stripper, High Column Blower failure. Reset the system, the system is back online.
Dec-13	Alarm at the air stripper, High Column Blower failure. Found that there was a broken airline that was causing the High Column Blower failure. The airline was repaired and the system is back online.
Dec-13	EW-7 tripped off. Replaced the relay switch and the well is back online.
Dec-13	Alarm at the stripper, EW-10 was down. There was a bad contactor in the EW-10 pump motor. The contactor was replaced and the well is back online.

4. RECOMMENDATIONS

For the reporting period of October through December 2013, the treatment system continued to create a hydraulic boundary preventing off-site migration of groundwater. The extraction system will continue to operate as currently configured to pump and treat contaminated groundwater. Depth-to-water measurements will continue to be collected on a monthly basis in all site monitor wells to construct a groundwater elevation contour map for the site. The groundwater elevation contour map will be used to verify that the required area of groundwater capture is being maintained. If necessary, pumping rates will be adjusted to maintain groundwater capture due to seasonal fluctuations in groundwater elevations. The treatment system will also continue to operate as currently configured, as data collected have proven that the treatment system is fully effective in removing VOCs from the extracted groundwater.

APPENDIX A
GROUNDWATER TREATMENT SYSTEM PUMPING RECORDS
(OCTOBER – DECEMBER 2013)

ENT ADMINISTRATION, 1800 WASHINGTON BLVD, BALTIMORE, MD 21230

Operated By:
Maryland Environmental Service
259 Najoles Road, Millersville MD

Facility: BTR Capital Group
Address: 627 Hanover Pike, Hampstead Maryland
Additional Op's & cert # - Dorrance Jones 0763, Gary Dickerson 0782, James Elliott 3738

Permit Number: 07-DP-0022
Superintendent: Earle Villarreal Certification # 1017

Month: October
Year: 2013

Date	Appearance	Discharge MGD	pH	Cl2	Final Effluent outfall 001										Outfall 101					Outfall 202			Operator				
					Temperature	TSS	BOD	SS	TKN	N-N	TP	TN	O&G	eCol	Flow MGD	eCol	Basin	Alum	Hypochlorite	Res Cl2	Temperature	TSS		Flow	Discharge		
1	Clear	0.12700	6.90	0.00	<0.11	<0.13	<0.08	<2	7.20	0.60	1.50	<0.05	2.1	<5	12.4	0.182000	<1	3.0	1.0	1.0	5.0				0.230854	Djones	
2	Clear	0.13600														0.185000		3.0	1.0	1.0	5.0				0.225285	Djones	
3	Clear	0.13300	7.05	0.00												0.172000		3.0	1.0	1.0	5.0				0.228606	Djones	
4	Clear	0.12900														0.184000		3.0	1.0	1.0	5.0				0.223068	Djones	
5	Clear	0.13300														0.176000		3.0	1.0	1.0	5.0				0.211797	Gdickerson	
6	Clear	0.13000														0.162000		3.0	1.0	1.0	5.0				0.228761	Gdickerson	
7	Clear	0.12600														0.200000		2.0	1.0	1.0	5.0				0.246242	Djones	
8	Clear	0.16900	6.85	0.00												0.186000	4.20	0.0	1.0	1.0	5.0				0.227735	Djones	
9	Clear	0.20900														0.181000		0.0	1.0	1.0	5.0				0.224629	Djones	
10	Clear	0.25300	7.00	0.00												0.191000		0.0	1.0	1.0	5.0				0.225335	Djones	
11	Clear	1.51400														0.203000		0.0	1.0	1.0	5.0				0.224719	Djones	
12	Clear	1.28900														0.180000		0.0	1.0	1.0	5.0				0.219834	Djones	
13	Clear	0.55800														0.194000		0.0	1.0	1.0	5.0				0.221347	Djones	
14	Clear	0.32400														0.180000		0.0	1.0	1.0	5.0				0.233736	Jelliott	
15	Clear	0.28400	7.15	0.00												0.177000	<1	0.0	1.0	1.0	5.0				0.230093	Jelliott	
16	Clear	0.26600														0.163000		0.0	1.0	1.0	5.0				0.225443	Jelliott	
17	Clear	0.26500	7.56	0.00												0.170000		0.0	1.0	1.0	5.0				0.211293	Jelliott	
18	Clear	0.31400														0.193000		0.0	1.0	1.0	5.0				0.234306	Gdickerson	
19	Clear	0.25100														0.189000		0.0	1.0	1.0	5.0				0.244830	A.Phillips	
20	Clear	0.29200														0.170000		0.0	1.0	1.0	5.0				0.234400	A.Phillips	
21	Clear	0.20000														0.156000		0.0	1.0	1.0	5.0				0.235181	Djones	
22	Clear	0.21400	6.70	0.00												0.196000	2.00	0.0	1.0	1.0	5.0				0.231297	Djones	
23	Clear	0.18800														0.160000		0.0	1.0	1.0	5.0				0.223438	Djones	
24	Clear	1.56000	6.74	0.00												0.230000		0.0	1.0	1.0	5.0				0.236820	Djones	
25	Clear	0.20800														0.173000		0.0	1.0	1.0	5.0				0.210745	Jelliott	
26	Clear	0.14800														0.168000		0.0	1.0	1.0	5.0				0.218029	Gdickerson	
27	Clear	0.12900														0.179000		0.0	1.0	1.0	5.0				0.214762	Gdickerson	
28	Clear	0.14300														0.181000		2.0	1.0	1.0	5.0				0.248308	Djones	
29	Clear	0.14200	6.60	0.00												0.165000	<1	2.0	1.0	1.0	5.0				0.226115	Djones	
30	Clear	0.12300														0.165000		1.0	1.0	1.0	5.0				0.220170	Djones	
31	Clear	0.12900	6.75	0.00												0.162000		1.0	1.0	1.0	5.0				0.207394	Djones	
Total		10.08600														5.573000										7.004570	
Average		0.32555	6.9	<0.10	0.000	0.000	0.000	0.0	7	0.6	1.5	0.0	2	0.0	12.4	0.179774	2	0.8	1.0	1.0	5.0	#DIV/0!	#DIV/0!	#DIV/0!	0.226599		
Minimum		0.12300	6.6	0.00	0.000	0.000	0.000	0.0	7	0.6	1.5	0.0	2	0.0	12.4	0.156000	0.0	0.0	1.0	1.0	5.0	0.0	0.0	0.0	0.207394		
Maximum		1.56000	7.6	<0.10	0.000	0.000	0.000	0.0	7	0.6	1.5	0.0	2	0.0	12.4	0.230000	4.20	1.0	1.0	1.0	5.0	0.0	0.0	0.0	0.248308	10/14/2013	

COMMENTS:

WATER ADMINISTRATION, 1800 WASHINGTON BLVD, BALTIMORE, MD 21230

Operated By: Facility: BTR Capital Group
 Maryland Environmental Service Address: 627 Hanover Pike, Hampstead Maryland
 259 Najoles Road, Millersville MD Additional Op's & cert # - Dorrance Jones 0763, Gary Dickerson 0782, James Elliott 3738

Permit Number: 07-DP-0022
 Superintendent: Earle Villarreal Certification # 1017

Month: October
 Year: 2013

Date	Appearance	Discharge MGD	pH	Cl2 mg/l	Final Effluent outfall 001										Outfall 101					Outfall 202			Operator					
					Tetrachloroethylene ug/l	1,1,1-Trichloroethane ug/l	Trichloroethene ug/l	BOD ₅ mg/l	TSS mg/l	TKN mg/l	N+N mg/l	TP mg/l	TN mg/l	O&G mg/l	eColi mpn	Flow MGD	eColi mpn	Basin Inches	Alum Gpd	Hypochlorite Gpd	Post Cl2 mg/l	Tetrachloroethylene ug/l		1,1,1-Trichloroethane ug/l	Trichloroethene ug/l	Discharge mgd		
1	Clear	0.12900																0.186000	0.0	1.0	1.0	5.0				0.239325	Djones	
2	Clear	0.11500																0.183000	0.0	1.0	1.0	5.0				0.216731	Mwhitt	
3	Clear	0.10900																0.167000	0.0	1.0	1.0	5.0				0.225772	Mwhitt	
4	Clear	0.10900																0.195000	2.0	1.0	1.0	5.0				0.232378	Djones	
5	Clear	0.11700	6.90	0.00	<1	<1	<1	3.00	<4	0.66	1.81	<0.05	2.5	<5	7.5		0.163000	<1	2.0	1.0	1.0	5.0	<1	<1	<1	0.230261	Djones	
6	Clear	0.10500															0.163000	2.0	1.0	1.0	5.0				0.210972	Mwhitt		
7	Clear	0.10400	6.78	0.00													0.171000	0.0	1.0	1.0	5.0				0.214288	Mwhitt		
8	Clear	0.14200															0.182000	0.0	1.0	1.0	5.0				0.229470	Mwhitt		
9	Clear	0.12100															0.161000	0.0	1.0	1.0	5.0				0.231937	Jelliott		
10	Clear	0.11200															0.153000	0.0	1.0	1.0	5.0				0.217264	Jelliott		
11	Clear	0.10500															0.163000	0.0	1.0	1.0	5.0				0.211042	Gdickerson		
12	Clear	0.13400	7.46	0.00													0.201000	0.0	1.0	1.0	5.0				0.203547	Gdickerson		
13	Clear	0.14400															0.157000	<1	2.0	1.0	1.0	5.0				0.257065	Djones	
14	Clear	0.09200	6.86	0.00													0.160000	2.0	1.0	1.0	5.0				0.187011	Gdickerson		
15	Clear	0.09600															0.174000	2.0	1.0	1.0	5.0				0.235705	Gdickerson		
16	Clear	0.10300															0.145000	2.0	1.0	1.0	5.0				0.222940	APhillips		
17	Clear	0.10000															0.138000	2.0	1.0	1.0	5.0				0.215636	APhillips		
18	Clear	0.18400															0.145000	3.0	1.0	1.0	5.0				0.234117	Djones		
19	Clear	0.14500	6.75	0.00													0.210000	<1	3.0	1.0	1.0	5.0				0.225358	Djones	
20	Clear	0.11900															0.146000	3.0	1.0	1.0	5.0				0.214552	Mwhitt		
21	Clear	0.10700	6.85	0.00													0.143000	3.0	1.0	1.0	5.0				0.219485	Djones		
22	Clear	0.10600															0.173000	3.0	1.0	1.0	5.0				0.201603	Djones		
23	Clear	0.13900															0.166000	3.0	1.0	1.0	5.0				0.236988	Mwhitt		
24	Clear	0.11400															0.161000	3.0	1.0	1.0	5.0				0.209305	Mwhitt		
25	Clear	0.09400															0.141000	3.0	1.0	1.0	5.0				0.223523	Djones		
26	Clear	0.10300	6.65	0.00													0.167000	<1	3.0	1.0	1.0	5.0				0.224674	Djones	
27	Clear	1.03000															0.157000	0.0	1.0	1.0	5.0				0.214822	Djones		
28	Clear	0.28000	6.90	0.00													0.186000	0.0	1.0	1.0	5.0				0.148055	Djones		
29	Clear	0.21200															0.164000	0.0	1.0	1.0	5.0				0.238665	Djones		
30	Clear	0.20000															0.149000	0.0	1.0	1.0	5.0				0.228153	Djones		
31																												
Total		4.77000															4.970000										6.600644	
Average		0.15900	6.9	<0.10	0.000	0.000	0.000	3.0	0.0	0.7	1.8	0.0	2.5	0.0	###	0.165667	1.0	1.4	1.0	1.0	5.0	0.0	0.0	0.0	0.0	0.220021		
Minimum		0.09200	6.7	0.00	0.000	0.000	0.000	3.0	0.0	0.7	1.8	0.0	2.5	0.0	0.0	0.138000	0.0	0.0	1.0	1.0	5.0	0.0	0.0	0.0	0.0	0.148055		
Maximum		1.03000	7.5	<0.10	0.000	0.000	0.000	3.0	0.0	0.7	1.8	0.0	2.5	0.0	0.0	0.210000	0.0	3.0	1.0	1.0	5.0	0.0	0.0	0.0	0.0	0.257065	MOR 11-20-13	

COMMENTS:

ENT ADMINISTRATION, 1800 WASHINGTON BLVD, BALTIMORE, MD 21230

Operated By:

Facility: BTR Capital Group

Permit Number: 07-DP-0022

Month: December

Maryland Environmental Service
259 Najoles Road, Millersville MD

Address: 627 Hanover Pike, Hampstead Maryland

Superintendent: Earle Villarreal Certification # 1017

Year: 2013

Additional Op's & cert # - Dorrance Jones 0763, Gary Dickerson 0782, James Elliott 3738

Date	Appearance	Discharge MGD	pH su	Cl2 mg/l	Final Effluent outfall 001										Outfall 101					Outfall 201			Operator						
					Turbidity ug/l	LLI-Turbidity ug/l	Turbidity ug/l	BOD ₅ mg/l	TSS mg/l	TKN mg/l	N+N mg/l	TP mg/l	TN mg/l	O&G mg/l	eColi mpn	Flow MGD	eColi mpn	Basin Inches	Alum Gpd	Hypochloric Gpd	Post Cl2 mg/l	Turbidity ug/l		LLI-Turbidity ug/l	Turbidity ug/l	Discharge mgd			
1	Clear	0.20700																									0.223164	Jelliott	
2	Clear	0.17500																										0.220686	Gdickerson
3	Clear	0.17100	7.05	0.00																								0.217601	Gdickerson
4	Clear	0.13100																										0.194021	Djones
5	Clear	0.19300	6.95	0.00																								0.244247	Djones
6	Clear	0.24800																										0.199555	Gdickerson
7	Clear	1.01100																										0.222384	Jelliott
8	Clear	0.21800																										0.203240	Jelliott
9	Clear	0.40800																										0.230082	Djones
10	Clear	0.34900	6.87	0.00	<1	<1	<1	3.00	<4	0.35	1.78	<0.05	2.1	<5	3.1	0.194000	<1	0.0	1.0	1.0	5.0						0.159356	Gdickerson	
11	Clear	0.29700																										0.171083	Gdickerson
12	Clear	0.14500	6.75	0.00																								0.247400	Djones
13	Clear	0.17500																										0.190776	Djones
14	Clear	0.16300																										0.173982	Gdickerson
15	Clear	0.41900																										0.189002	Gdickerson
16	Clear	0.30600																										0.193008	Djones
17	Clear	0.17900	6.70	0.00																								0.183774	Djones
18	Clear	0.16900																										0.186485	Djones
19	Clear	0.15200	6.80	0.00																								0.182643	Djones
20	Clear	0.17200																										0.183265	Djones
21	Clear	0.37700																										0.175625	Djones
22	Clear	0.34400																										0.181885	Djones
23	Clear	0.62400																										0.194473	Jelliott
24	Clear	0.42800	6.97	0.00																								0.209746	Jelliott
25	Clear	0.18700																										0.189227	Jelliott
26	Clear	0.23300	7.52	0.00																								0.257071	Jelliott
27	Clear	0.20700																										0.222612	Jelliott
28	Clear	0.19000																										0.212498	Jelliott
29	Clear	0.33200																										0.214366	Jelliott
30	Clear	0.15300																										0.230769	Djones
31	Clear	0.18000	6.60	0.00																								0.210232	Djones
Total		8.54300														4.855000												6.314258	
Average		0.27558	6.9	<0.10	0.000	0.000	0.000	3.0	0.0	0.4	1.8	0.0	2.1	0.0	3.1	0.156613	1.0	0.2	1.0	1.0	5.0	0.0	0.0	0.0	0.0	0.0	0.203686		
Minimum		0.13100	6.6	0.00	0.000	0.000	0.000	3.0	0.0	0.4	1.8	0.0	2.1	0.0	3.1	0.004000	0.0	0.0	1.0	1.0	5.0	0.0	0.0	0.0	0.0	0.0	0.159356		
Maximum		1.01100	7.5	<0.10	0.000	0.000	0.000	3.0	0.0	0.4	1.8	0.0	2.1	0.0	3.1	0.245000	1.0	2.0	1.0	1.0	5.0	0.0	0.0	0.0	0.0	0.0	0.257071	MOR 01-3-14	

COMMENTS:

**APPENDIX B
DISCHARGE MONITORING REPORTS
(OCTOBER - DECEMBER 2013)**

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name **BTR Hampstead, Inc**

Address **c/o BTR Capital Group Management**

222 Courthouse Ct., Suite 300, Towson MD 21204

Facility **Groundwater Remediation and WWTP**

Location **626 Hanover Pike**

Attn:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

001

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
FROM 13	10	01	TO 13	10	31
(20-21)		(22-23)	(24-25)	(26-27)	
		(28-29)	(30-31)		

State Discharge Permit

07-DP-0022

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING			(4 Card Only) QUALITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		AVERAGE (46-53)	MAXIMUM (54-61)	UNITS	MINIMUM (38-45)	AVERAGE (46-53)	MAXIMUM (54-61)	UNITS				
BOD, 5-DAY (20 DEG. C) 00310 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(19)	0	ONCE/MONTH	GRAB	
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	15 DAILY MX	MG/L		ONCE/MONTH	GRAB	
pH	SAMPLE MEASUREMENT	*****	*****	****	6.6	*****	7.6	(12)	0	TWICE/WEEK	GRAB	
00400 1 0 0	PERMIT REQUIREMENT	*****	*****	****	DAILY MN	*****	8.5 DAILY MX	SU		TWICE/WEEK	GRAB	
SOLIDS, TOTAL SUSPENDED 00530 1 0 0	SAMPLE MEASUREMENT	*****	8	Lbs/day	*****	7	7	(19)	0	ONCE/MONTH	GRAB	
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	Req. Mon MO MAX		*****	20 30DA AVG	30 DAILY MX	MG/L		ONCE/MONTH	GRAB	
SOLIDS, TOTAL SUSPENDED 00530 1 1 0	SAMPLE MEASUREMENT	*****	606	Lbs/mo	*****	*****	*****	****	0	ONCE/MONTH	Calculated	
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	Req. Mon MO TOTAL		*****	*****	*****	****		ONCE/MONTH	Calculated	
SOLIDS, TOTAL SUSPENDED 00530 1 2 0	SAMPLE MEASUREMENT	*****	5,189	Lbs/yr	*****	*****	*****	****	0	ONCE/MONTH	Calculated	
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	Req. Mon CUM TOTAL		*****	*****	*****	****		ONCE/MONTH	Calculated	
OIL AND GREASE TOTAL RECOVERABLE 70030 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	(19)	0	ONCE/MONTH	GRAB	
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	10 30DA AVG	15 DAILY MX	MG/L		ONCE/MONTH	GRAB	
NITROGEN, TOTAL (AS N) 00600 1 0 0	SAMPLE MEASUREMENT	*****	2	Lbs/day	*****	2	2	(19)	0	ONCE/MONTH	COMP-8	
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	Req. Mon MO MAX		*****	Req. Mon 30DA AVG	Req. Mon DAILY MX	MG/L		ONCE/MONTH	COMP-8	
NAME/TITLE-PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN, AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.							TELEPHONE		DATE		
TYPED OR PRINTED								410 729-8350		13	11	22
	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT							AREA CODE	NUMBER	YEAR	MONTH	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments he

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name **BTR Hampstead, Inc**

Address **c/o BTR Captial Group Management**

222 Courthouse Ct., Suite 300, Towson MD 21204

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

001

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

Facility **Groundwater Remediation and WWTP**


Location **626 Hanover Pike**

Attn:

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
FROM 13	10	01	TO 13	10	31
(20-21)	(22-23)	(24-25)	(26-27)	(28-29)	(30-31)

State Discharge Permit

07-DP-0022

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING			(4 Card Only) QUALITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(38-45) MINIMUM	(48-53) AVERAGE	(54-61) MAXIMUM	UNITS				
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0	SAMPLE SUREMENT	0.3254	1.5600	(03)	*****	*****	*****	****	0	ONCE/ MONTH	Measured	
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT	REPORT	MGD	*****	*****	*****	****		ONCE/ MONTH	Measured	
CHLORINE, TOTAL RESIDUAL 50060 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	<0.1	<0.1	(19)	0	ONCE/ MONTH	GRAB	
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	0.011 30DA AVG	0.019 DAILY MX	MG/L		ONCE/ MONTH	GRAB	
E. COLI, MPN 51040 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	12	*****	(30)	0	ONCE/ MONTH	GRAB	
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	Req Mon GEO MEAN	*****	MPN		ONCE/ MONTH	GRAB	
TRICHLOROETHENE 78391 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(28)	0	ONCE/ MONTH	GRAB	
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5 DAILY MX	UG/L		ONCE/ MONTH	GRAB	
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
NAME/TI	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUES IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. 551001 AND 33 U.S.C. 55 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.				SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT			TELEPHONE		DATE		
Nicole Finneyrock Property Manager								410	729-8350	13	11	22
TYPED OR PRINTED								AREA CODE	NUMBER	YEAR	MONTH	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name **BTR Hampstead, Inc**

Address **c/o BTR Captial Group Management**

222 Courthouse Ct., Suite 300, Towson MD 21204

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

101

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

Facility **Groundwater Remediation and WWTP**

Location **626 Hanover Pike**

Attn:

MONITORING PERIOD						
YEAR	MO	DAY		YEAR	MO	DAY
FROM 13	10	01	TO	13	10	31
(20-21) (22-23) (24-25)				(26-27) (28-29) (30-31)		

State Discharge Permit

07-DP-0022

PARAMETER (32-37)		(3 Card Only) (45-53) QUANTITY OR LOADING (54-61)			(4 Card Only) (38-45) QUALITY OR CONCENTRATION (46-53) (54-61)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS				
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0	SAMPLE MEASUREMENT	179,774	230,000	(07)	*****	*****	*****	****	0	ONCE/ WEEK	Measured/ Recorded	
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	****		ONCE/ MONTH	Measured/ Recorded	
E. COLI, MPN 51040 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	2	(30)	0	ONCE/ WEEK	GRAB	
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	200 DAILY/MX	MPN		ONCE/ WEEK	GRAB	
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
NAME/TITLE-PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)							TFI PHONE		DATE		
Nicole Finneyrock Property Manager TYPED OR PRINTED								410	729-8350	13	11	22
	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT							AREA CODE	NUMBER	YEAR	MONTH	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name BTR Hampstead, Inc
 Address c/o BTR Captial Group Management
 222 Courthouse Ct., Suite 300, Towson MD 21204

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16) MD0001881 PERMIT NUMBER
 (17-19) 001 DISCHARGE NUMBER

Form Approved.
 OMB No.
 Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

Facility Groundwater Remediation and WWTP
 Location 626 Hanover Pike
 Attn:

MONITORING PERIOD						
YEAR	MO	DAY	YEAR	MO	DAY	
FROM 13	11	01	TO 13	11	30	
(20-21)		(22-23)		(24-25)		(26-27) (28-29) (30-31)

State Discharge Permit
 07-DP-0022

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING			(4 Card Only) QUALITY OR CONCENTRATION			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM				UNITS
BOD, 5-DAY (20 DEG. C) 00310 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	3	(19)	0	ONCE/MONTH	GRAB
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	15 DAILY MX	MG/L		ONCE/MONTH	GRAB
pH 00400 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	6.7	*****	7.5	(12)	0	TWICE/WEEK	GRAB
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	DAILY MN	*****	8.5 DAILY MX	SU		TWICE/WEEK	GRAB
SOLIDS, TOTAL SUSPENDED 00530 1 0 0	SAMPLE MEASUREMENT	*****	0	Lbs/day	*****	0	0	(19)	0	ONCE/MONTH	GRAB
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	Req. Mon. MO MAX		*****	20 30DA AVG	30 DAILY MX	MG/L		ONCE/MONTH	GRAB
SOLIDS, TOTAL SUSPENDED 00530 1 1 0	SAMPLE MEASUREMENT	*****	0	Lbs/mo	*****	*****	*****	****	0	ONCE/MONTH	Calculated
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	Req. Mon. MO TOTAL		*****	*****	*****	****		ONCE/MONTH	Calculated
SOLIDS, TOTAL SUSPENDED 00530 1 2 0	SAMPLE MEASUREMENT	*****	5,189	Lbs/yr	*****	*****	*****	****	0	ONCE/MONTH	Calculated
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	Req. Mon. CUM TOTAL		*****	*****	*****	****		ONCE/MONTH	Calculated
OIL AND GREASE TOTAL RECOVERABLE 70030 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	(19)	0	ONCE/MONTH	GRAB
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	10 30DA AVG	15 DAILY MX	MG/L		ONCE/MONTH	GRAB
NITROGEN, TOTAL (AS N) 00600 1 0 0	SAMPLE MEASUREMENT	*****	2	Lbs/day	*****	2	2	(19)	0	ONCE/MONTH	COMP -8
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	Req. Mon. MO MAX		*****	Req. Mon. 30DA AVG	Req. Mon. DAILY MX	MG/L		ONCE/MONTH	COMP -8
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILAR WITH THE INFORMATION SUBMITTED HEREIN: AND BASED ON MY INQUIRY OF THOSE INDIVIDULES IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)				SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		TFI PHONE		DATE		
Nicole Finneyrock Property Manager TYPED OR PRINTED					410	729-8350	13	12	23		

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments he

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name BTR Hampstead, Inc

Address c/o BTR Captial Group Management

222 Courthouse Ct., Suite 300, Towson MD 21204

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

001

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

Facility Groundwater Remediation and WWTP


Location 626 Hanover Pike

Attn.

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
13	11	01	13	11	30
(20-21)	(22-23)	(24-25)	(26-27)	(28-29)	(30-31)

State Discharge Permit

07-DP-0022

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING			(4 Card Only) QUALITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS				
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0	SAMPLE MEASUREMENT	0.1590	1.0300	(03)	*****	*****	*****	****	0	ONCE/ MONTH	Measured	
	PERMIT REQUIREMENT	REPORT	REPORT	MGD	*****	*****	*****	****		ONCE/ MONTH	Measured	
EFFLUENT GROSS VALUE CHLORINE, TOTAL RESIDUAL 50060 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	<0.1	<0.1	(19)	0	ONCE/ MONTH	GRAB	
	PERMIT REQUIREMENT	*****	*****	****	*****	0.011 30DA AVG	0.019 DAILY MX	MG/L		ONCE/ MONTH	GRAB	
E.COLI, MPN 51040 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	8	*****	(30)	0	ONCE/ MONTH	GRAB	
	PERMIT REQUIREMENT	*****	*****	****	*****	Req. Mon. GEO MEAN	*****	MPN		ONCE/ MONTH	GRAB	
TRICHLOROETHENE 78391 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(28)	0	ONCE/ MONTH	GRAB	
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5 DAILY MX	UG/L		ONCE/ MONTH	GRAB	
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
NAME/TI	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN: AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)				SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT			TELEPHONE	DATE			
Nicole Finneyfrack Property Manager								410 AREA CODE	729-8350 NUMBER	13 YEAR	12 MONTH	23 DAY
TYPED OR PRINTED												

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)

Name BTR Hampstead, Inc

Address c/o BTR Captial Group Management

222 Courthouse Ct., Suite 300, Towson MD 21204

Facility Groundwater Remediation and WWTP

Location 626 Hanover Pike

Attn:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

001

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
13	12	01	13	12	31
FROM				TO	
(20-21)		(22-23)		(24-25)	
				(26-27)	
				(28-29)	
				(30-31)	

State Discharge Permit
07-DP-0022

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING			(4 Card Only) QUALITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS			
BOD, 5-DAY (20 DEG. C) 00310 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	3	(19)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	15 DAILY MX	MG/L		ONCE/ MONTH	GRAB
pH 00400 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	6.6	*****	7.5	(12)	0	TWICE/ WEEK	GRAB
	PERMIT REQUIREMENT	*****	*****	****	DAILY MN	*****	8.5 DAILY MX	SU		TWICE/ WEEK	GRAB
SOLIDS, TOTAL SUSPENDED 00530 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	0	Lbs/day	*****	0	0	(19)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	Req. Mon. MO MAX		*****	20 30DA AVG	30 DAILY MX	MG/L		ONCE/ MONTH	GRAB
SOLIDS, TOTAL SUSPENDED 00530 1 1 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	0	Lbs/mo	*****	*****	*****	****	0	ONCE/ MONTH	Calculated
	PERMIT REQUIREMENT	*****	Req. Mon. MO TOTAL		*****	*****	*****	****		ONCE/ MONTH	Calculated
SOLIDS, TOTAL SUSPENDED 00530 1 2 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	5,189	Lbs/yr	*****	*****	*****	****	0	ONCE/ MONTH	Calculated
	PERMIT REQUIREMENT	*****	Req. Mon. CUM TOTAL		*****	*****	*****	****		ONCE/ MONTH	Calculated
OIL AND GREASE TOTAL RECOVERABLE 70030 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	(19)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	10 30DA AVG	15 DAILY MX	MG/L		ONCE/ MONTH	GRAB
NITROGEN, TOTAL (AS N) 00600 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	6	Lbs/day	*****	2	2	(19)	0	ONCE/ MONTH	COMP -8
	PERMIT REQUIREMENT	*****	Req. Mon. MO MAX		*****	Req. Mon. 30DA AVG	Req. Mon. DAILY MX	MG/L		ONCE/ MONTH	COMP -8
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. 851001 AND 33 U.S.C. 851319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)				TFI PHONE		DATE				
Nicole Finneyfrock Property Manager TYPED OR PRINTED					410	729-8350	14	01	27		
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT					AREA CODE	NUMBER	YEAR	MONTH	DAY		

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments he

PERMITTEE NAME/ADDRESS (Include

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

Facility Name/Location (if different)

DISCHARGE MONITORING REPORT (DMR)

Form Approved.

Name BTR Hampstead, Inc

(2-16)

(17-19)

OMB No.

Address c/o BTR Captial Group Management

MD0001881

001

Approval expires

222 Courthouse Ct., Suite 300, Towson MD 21204

PERMIT NUMBER

DISCHARGE NUMBER

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

Facility Groundwater Remediation and WWTP

MONITORING PERIOD

Location 626 Hanover Pike

YEAR	MO	DAY	YEAR	MO	DAY
13	12	01	13	12	31

State Discharge Permit

Attn:


FROM (20-21) (22-23) (24-25) TO (26-27) (28-29) (30-31)

07-DP-0022

PARAMETER (32-37)		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		(3 Card Only) (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(4 Card Only) (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS			
NITROGEN, TOTAL (AS N) 00600 1 1 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	152	Lbs/mo	*****	*****	*****	****	0	ONCE/MONTH	Calculated
	PERMIT REQUIREMENT	*****	Req. Mon. MO TOTAL		*****	*****	*****		*****	0	ONCE/MONTH
NITROGEN, TOTAL (AS N) 00600 1 2 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	427	Lbs/yr	*****	*****	*****	****	0	ONCE/MONTH	Calculated
	PERMIT REQUIREMENT	*****	Req. Mon. CUM TOTAL		*****	*****	*****		*****	0	ONCE/MONTH
PHOSPHOROUS, TOTAL (AS P) 00665 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	0	Lbs/day	*****	0	0	(19)	0	ONCE/MONTH	COMP -8
	PERMIT REQUIREMENT	*****	Req. Mon. MO MAX		*****	Req. Mon. 30DA AVG	DAILY MX		*****	0	ONCE/MONTH
PHOSPHOROUS, TOTAL (AS P) 00665 1 1 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	0	Lbs/mo	*****	*****	*****	****	0	ONCE/MONTH	Calculated
	PERMIT REQUIREMENT	*****	Req. Mon. MO TOTAL		*****	*****	*****		*****	0	ONCE/MONTH
PHOSPHOROUS, TOTAL (AS P) 00665 1 2 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	0	Lbs/yr	*****	*****	*****	****	0	ONCE/MONTH	Calculated
	PERMIT REQUIREMENT	*****	Req. Mon. CUM TOTAL		*****	*****	*****		*****	0	ONCE/MONTH
TETRACHLOROETHYLE 34475 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(28)	0	ONCE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****		*****	*****	*****		5 DAILY MX	UG/L	0
1,1,1-TRICHLOROETHANE 34506 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(28)	0	ONCE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****		*****	*****	*****		5 DAILY MX	UG/L	0

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
Nicole Finneyfrack
Property Manager
TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)


SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE		DATE		
410	729-8350	14	01	27
AREA CODE	NUMBER	YEAR	MONTH	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name **BTR Hampstead, Inc**

Address **c/o BTR Captial Group Management**

222 Courthouse Ct. Suite 300 Towson MD 21204

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

001

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

Facility **Groundwater Remediation and WWTP**

Location **626 Hanover Pike.**

Attn:

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
13	12	01	TO	13	12	31
(20-21)		(22-23)	(24-25)	(26-27)		(28-29) (30-31)

State Discharge Permit

07-DP-0022

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING			(4 Card Only) QUALITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		(48-53) AVERAGE	(54-61) MAXIMUM	UNITS	(38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS			
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	0.2756	1.0110	(03)	*****	*****	*****	****	0	ONCE/ MONTH	Measured
	PERMIT REQUIREMENT	REPORT	REPORT	MGD	*****	*****	*****	****		ONCE/ MONTH	Measured
CHLORINE, TOTAL RESIDUAL 50060 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	<0.1	<0.1	(19)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	0.011 30DAAVG	0.019 DAILY MX	MG/L		ONCE/ MONTH	GRAB
E.COLI, MPN 51040 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	3	*****	(30)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	Req. Mon. GEO MEAN	*****	MPN		ONCE/ MONTH	GRAB
TRICHLOROETHENE 78391 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(28)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5 DAILY MX	UG/L		ONCE/ MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/IT
Nicole Finneyfrock
Property Manager
TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN, AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)

SIGNATURE OF PRINCIPAL EXECUTIVE
OFFICER OR AUTHORIZED AGENT

TELEPHONE

DATE

410

729-8350

14

01

27

AREA
CODE

NUMBER

YEAR

MONTH

DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name **BTR Hampstead, Inc**

Address **c/o BTR Captial Group Management**

222 Courthouse Ct., Suite 300, Towson MD 21204

Facility **Groundwater Remediation and WWTP**

Location **626 Hanover Pike**

Attn:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-18)

(17-19)

MD0001881

201

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

MONITORING PERIOD

FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY
	13	10	01		13	12	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

State Discharge Permit

07-DP-0022

PARAMETER (32-37)		QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		(3 Card Only) (48-53) AVERAGE	(54-61) MAXIMUM	UNITS	(4 Card Only) (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM				UNITS
TETRACHLOROETHYLENE 34475 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	(28)	0	One/Quarter	Grab
	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT	REPORT	UG/L		One/Quarter	Grab
1,1,1-TRICHLOROETHANE 34506 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	(28)	0	One/Quarter	Grab
	PREMIT REQUIREMENT	*****	*****	****	*****	REPORT	REPORT	UG/L		One/Quarter	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	216,733	257,071	(07)	*****	*****	*****	****	0	Measured	Record
	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	****		Measured	Record
Total Volatile Organics (VOC) 51415 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	(28)	0	One/Quarter	Grab
	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT	100	UG/L		One/Quarter	Grab
TRICHLOROETHENE 78391 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	(28)	0	One/Quarter	Grab
	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT	REPORT	UG/L		One/Quarter	Grab
	SAMPLE MEASUREMENT										
	PREMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
Nicole Finneyfrock
Property Manager
TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUES IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. 831001 AND 33 U.S.C. 83 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TFI PHONE		DATE		
410	729-8350	14	01	27
AREA CODE	NUMBER	YFAR	MONTH	DAY

COMMENT AND EXPANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name **BTR Hampstead, Inc**

Address **c/o BTR Captial Group Management**

222 Courthouse Ct., Suite 300, Towson MD 21204

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

101

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

Facility **Groundwater Remediation and WWTP**

Location **626 Hanover Pike**


Attn:

MONITORING PERIOD

FROM			TO		
YEAR	MO	DAY	YEAR	MO	DAY
13	12	01	13	12	31
(20-21) (22-23) (24-25)			(26-27) (28-29) (30-31)		

State Discharge Permit

07-DP-0022

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUALITY OR CONCENTRATION (46-53)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS				
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	156,613	245,000	(07)	*****	*****	*****	****	0	ONCE/ WEEK	Measured/ Recorded	
	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	****		ONCE/ MONTH	Measured/ Recorded	
	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	1	(30)	0	ONCE/ WEEK	GRAB	
E. COLI, MPN 51040 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	200 DAILY MX	MPN		ONCE/ WEEK	GRAB	
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. 551001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)							TFI PHONE		DATE		
Nicole Finneyfrack Property Manager								410	729-8350	14	01	27
TYPED OR PRINTED								AREA CODE	NUMBER	YFAR	MONTH	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

APPENDIX C
GROUNDWATER TREATMENT SYSTEM ANALYTICAL RESULTS
(OCTOBER - DECEMBER 2013)

CHERYL GRIFFIN
 MARYLAND ENVIRONMENTAL SERVICE A
 259 NAJILES ROAD
 RE: BLACK & DECKER WWTP
 MILLERSVILLE, MD 21108

Order Number: L4768794
 Project Name: BLACK & DECKER WWTP
 Receive Date: 10-01-2013
 Client Code: MES_A
 Project Location: BLACK & DECKER WWTP

Sample ID L4768794-1 Sample Description FINAL 001 GRAB
 Received Date/Time/Temp 10/01/13 05:00pm 2.7 C Iced (Y/N): Y
 Samp. Date/Time/Temp 10/01/13 10:00am NA C Sampled by Customer

Parameter	Method	Result	RLs	Test Date, Time, Analyst
GENERAL CHEMISTRY				
TOTAL NITRATE/NITRITE (DELAWARE)	EPA 300.0	1.50 mg/l	0.500 mg/l	10/02/13 04:29PM SLD
BIOCHEMICAL OXYGEN DEMAND (DELAWARE)	SM 5210B	ND mg/l	2.00 mg/l	10/02/13 12:30PM SKJ
KJELDAHL NITROGEN (DELAWARE)	EPA 365.4	0.602 mg/l	0.200 mg/l	10/15/13 12:02PM ALW
PHOSPHORUS TOTAL (DELAWARE)	EPA 365.4	ND mg/l	0.0500 mg/l	10/15/13 12:02PM ALW
AMMONIA NITROGEN AS N (DELAWARE)	SM 4500NH3-G	ND mg/l	0.200 mg/l	10/03/13 02:58PM ALW
TOTAL SUSPENDED SOLIDS (DELAWARE)	SM 2540D	7.20 mg/l	4.00 mg/l	10/03/13 12:00AM MS3
HEXANE EXTR.-HEM (OIL+GREASE)	1664A HEM	ND mg/l	5.00 mg/l	10/10/13 02:05PM NMW
GAS CHROMATOGRAPHY MASS SPECTROMETRY; VOLATILES				
1,1,1-TRICHLOROETHANE	EPA 624	ND ug/l	0.130 ug/l*	10/04/13 01:55AM EEW
TRICHLOROETHENE	EPA 624	ND ug/l	0.0800 ug/l*	10/04/13 01:55AM EEW
TETRACHLOROETHENE	EPA 624	ND ug/l	0.110 ug/l*	10/04/13 01:55AM EEW
DIBROMOFLUOROMETHANE	EPA 624	110 %		10/04/13 01:55AM EEW
TOLUENE-D8 (SURR)	EPA 624	101 %		10/04/13 01:55AM EEW
4-BROMOFLUOROBENZENE	EPA 624	103 %		10/04/13 01:55AM EEW

Sample Comments:

L4768794-1 :
 For the BOD 5 test on this day, the batch control sample recovered at 256 mg/l, outside the acceptance range of 168 to 228 mg/l. Reported BOD 5 results may be biased high.

General Notes:

A result of "ND" indicates that the analyte tested was either not detected or the concentration was below the RLs.
 Definitions: NEG=negative; POS=positive; COL=colonies; RLs=laboratory reporting limits; L/A=laboratory accident; TNTC= Too numerous to count; pres=presumptive
 MCL= EPA recommended "maximum contaminant level", PLs = Customer-specific permit limits.
 The test results meet all requirements of NELAC unless otherwise specified.
 The report shall not be reproduced except in full without the written consent of the laboratory.
 Unless otherwise specified, the Environmental and Food Chemistry Testing except field parameters were

Printed 10/15/13 10:59

CHERYL GRIFFIN
MARYLAND ENVIRONMENTAL SERVICE A
259 NAJOLE ROAD
RE: BLACK & DECKER WWTP
MILLERSVILLE, MD 21108

Order Number: L4796103
Project Name: BLACK & DECKER WWTP
Receive Date: 10-14-2013
Client Code: MES_A
Project Location: BLACK & DECKER WWTP

Sample ID Sample Description Samp. Date/Time/Temp Sampled by
L4796103-1 BLACK & DECKER 101 10/08/13 09:02am NA C Customer
Received Date/Time 10/14/13 01:00pm

Parameter	Method	Result	RLs	Test Date, Time, Analyst
ENVIRONMENTAL MICROBIOLOGY				
FECAL COLIFORM-MPN CEL(DELAWARE)	SM 9221E	2.0 MPN/100ml	MPN/100ml	10/08/13 02:25PM SUB

Fecal coliform was analyzed by Chesapeake Environmental Lab, Inc. in Stevensville, MD.

General Notes:

A result of "ND" indicates that the analyte tested was either not detected or the concentration was below the RLs.
Definitions: NEG=negative; POS=positive; COL=colonies; RLs=laboratory reporting limits; L/A=laboratory accident; TNTC= Too numerous to count; pres=presumptive
MCL= EPA recommended "maximum contaminant level", PLs = Customer-specific permit limits.
The test results meet all requirements of NELAC unless otherwise specified.
The report shall not be reproduced except in full without the written consent of the laboratory.
Unless otherwise specified, the Environmental and Food Chemistry Testing except field parameters were performed by QC Inc. located at 1205 Industrial Blvd., Southampton, PA 18966; Pharmaceutical, Dairy and Food Microbiological tests were performed by QC Inc. located at 702 Electronic Drive, Horsham, PA 19044.
The reported results relate only to the samples.
All samples are collected as "grab" samples unless otherwise identified.
A result marked with "DRY" indicates that the result was calculated and reported on a dry weight basis.
The following personnel or their deputies have approved the results of the tests performed by QC Inc.: Nicki Smith (Environmental & Food Chemistry), Amanda Lukaszewski (Pharmaceutical), John Pcsolar (Dairy & Food Microbiology),
QCL Accreditations: Southampton Div: EPA ID PA00018; NELAP ID's: PA 09-00131, NJ PA166, NY 11223
State ID's: CT PH-0768, DE PA-018, MD 206, SC 89021001; FDA Reg. # : 2515238
E. Rutherford Div: State ID: NJ 02015; Vineland Div: State ID: NJ 06005; Reading Div: State ID: PA 06-03543

Regulatory authorities are assessing substantial fines for testing omissions. Please track your sample collections and results on a weekly, monthly, or quarterly basis to ensure compliance. QC's internet program 'LIVE ACCESS' will provide you with real-time access to collection dates and results. Please contact Customer Service for further information on acquiring LIVE ACCESS.



QC Laboratories

Analytical Report

Printed 11/20/13 14:33

CHERYL GRIFFIN
 MARYLAND ENVIRONMENTAL SERVICE A
 259 NAJONES ROAD
 RE: BLACK & DECKER WWTP
 MILLERSVILLE, MD 21108

Order Number: L4800097
 Project Name: BLACK & DECKER WWTP
 Receive Date: 11-05-2013
 Client Code: MES_A
 Project Location: BLACK & DECKER WWTP

Sample ID L4800097-1 Sample Description FINAL 001 GRAB
 Received Date/Time/Temp 11/05/13 05:00pm 3.3 C Iced (Y/N): Y
 Samp. Date/Time/Temp 11/05/13 09:33am NA C Customer

Parameter	Method	Result	RLs	Test Date, Time, Analyst
GENERAL CHEMISTRY				
TOTAL NITRATE/NITRITE (DELAWARE)	EPA 300.0	1.81 mg/l	0.500 mg/l	11/07/13 05:42AM SLD
BIOCHEMICAL OXYGEN DEMAND (DELAWARE)	SM 5210B	3.00 mg/l	2.00 mg/l	11/06/13 12:15PM SKJ
KJELDAHL NITROGEN (DELAWARE)	EPA 351.2	0.655 mg/l	0.200 mg/l	11/13/13 03:45PM ALW
PHOSPHORUS TOTAL (DELAWARE)	EPA 365.4	ND mg/l	0.0500 mg/l	11/13/13 03:45PM ALW
AMMONIA NITROGEN AS N (DELAWARE)	SM 4500NH3-G	ND mg/l	0.200 mg/l	11/07/13 03:24PM ALW
TOTAL SUSPENDED SOLIDS (DELAWARE)	SM 2540D	ND mg/l	4.00 mg/l	11/08/13 12:00AM MS3
HEXANE EXTR.-HEM (OIL+GREASE)	1664A HEM	ND mg/l	5.00 mg/l	11/12/13 10:10AM NMW
GAS CHROMATOGRAPHY MASS SPECTROMETRY; VOLATILES				
1,1,1-TRICHLOROETHANE	EPA 624	ND ug/l	1.00 ug/l	11/18/13 07:10PM JAD
TRICHLOROETHENE	EPA 624	ND ug/l	1.00 ug/l	11/18/13 07:10PM JAD
TETRACHLOROETHENE	EPA 624	ND ug/l	1.00 ug/l	11/18/13 07:10PM JAD
DIBROMOFLUOROMETHANE	EPA 624	129 %		11/18/13 07:10PM JAD
TOLUENE-D8 (SURR)	EPA 624	111 %		11/18/13 07:10PM JAD
4-BROMOFLUOROBENZENE	EPA 624	92 %		11/18/13 07:10PM JAD

Sample Comments:

L4800097-1 :
 For the BOD 5 test on this day, the nutrient blank was 0.53 mg/l, above the acceptance limit of 0.30 mg/l DO depletion. All Batch control samples (GGA) were within acceptance limits.

General Notes:

A result of "ND" indicates that the analyte tested was either not detected or the concentration was below the RLs.
 Definitions: NEG=negative; POS=positive; COL=colonies; RLs=laboratory reporting limits; L/A=laboratory accident; TNTC= Too numerous to count; pres=presumptive
 MCL= EPA recommended "maximum contaminant level", PLs = Customer-specific permit limits.
 The test results meet all requirements of NELAC unless otherwise specified.
 The report shall not be reproduced except in full without the written consent of the laboratory.
 Unless otherwise specified, the Environmental and Food Chemistry Testing except field parameters were

PP 38133

Serial Number: 3220445

CHERYL GRIFFIN
 MARYLAND ENVIRONMENTAL SERVICE A
 259 NAJOLES ROAD
 RE: BLACK & DECKER WWTP
 MILLERSVILLE, MD 21108

Order Number: L4841052
 Project Name: BLACK & DECKER WWTP
 Receive Date: 11-26-2013
 Client Code: MES_A
 Project Location: BLACK & DECKER WWTP

Sample ID	Sample Description	Samp. Date/Time/Temp	Sampled by
L4841052-1	BLACK & DECKER 101	11/13/13 09:20am	NA C Customer
	Received Date/Time	11/26/13 02:45pm	

Parameter	Method	Result	RLs	Test Date, Time, Analyst
ENVIRONMENTAL MICROBIOLOGY				
FECAL COLIFORM-MPN CEL(DELAWARE)	SM 9221E	<1.8 MPN/100ml	MPN/100ml	11/13/13 02:18PM SUB

Fecal coliform was analyzed by Chesapeake Environmental Lab, Inc. in Stevensville, MD.

General Notes:

A result of "ND" indicates that the analyte tested was either not detected or the concentration was below the RLs.
 Definitions: NEG=negative; POS=positive; COL=colonies; RLs=laboratory reporting limits; L/A=laboratory accident; TNTC= Too numerous to count; pres=presumptive
 MCL= EPA recommended "maximum contaminant level", PLs = Customer-specific permit limits.
 The test results meet all requirements of NELAC unless otherwise specified.
 The report shall not be reproduced except in full without the written consent of the laboratory.
 Unless otherwise specified, the Environmental and Food Chemistry Testing except field parameters were performed by QC Inc. located at 1205 Industrial Blvd., Southampton, PA 18966; Pharmaceutical, Dairy and Food Microbiological tests were performed by QC Inc. located at 702 Electronic Drive, Horsham, PA 19044.
 The reported results relate only to the samples.
 All samples are collected as "grab" samples unless otherwise identified.
 A result marked with "DRY" indicates that the result was calculated and reported on a dry weight basis.
 The following personnel or their deputies have approved the results of the tests performed by QC Inc.: Nicki Smith (Environmental & Food Chemistry), Amanda Lukaszewski (Pharmaceutical), John Pcsolar (Dairy & Food Microbiology),
 QCL Accreditations: Southampton Div: EPA ID PA00018; NELAP ID's: PA 09-00131, NJ PA166, NY 11223
 State ID's: CT PH-0768, DE PA-018, MD 206, SC 89021001; FDA Reg. # : 2515238
 E. Rutherford Div: State ID: NJ 02015; Vineland Div: State ID: NJ 06005; Reading Div: State ID: PA 06-03543

Regulatory authorities are assessing substantial fines for testing omissions. Please track your sample collections and results on a weekly, monthly, or quarterly basis to ensure compliance. QC's internet program 'LIVE ACCESS' will provide you with real-time access to collection dates and results. Please contact Customer Service for further information on acquiring LIVE ACCESS.



QC Laboratories

Analytical Report

Printed 12/30/13 15:19

CHERYL GRIFFIN
 MARYLAND ENVIRONMENTAL SERVICE A
 259 NAJILES ROAD
 RE: BLACK & DECKER WWTP
 MILLERSVILLE, MD 21108

Order Number: L4831042
 Project Name: BLACK & DECKER WWTP
 Receive Date: 12-10-2013
 Client Code: MES_A
 Project Location: BLACK & DECKER WWTP

Sample ID L4831042-1 Sample Description BLACK AND DECK 001 COMP
 Received Date/Time/Temp 12/10/13 04:00pm 2.2 C Iced (Y/N): Y
 Satellite Received Temp 2.2C Iced (Y/N): Y
 Samp. Date/Time/Temp 12/10/13 09:14am NA C Sampled by Customer

Parameter	Method	Result	RLs	Test Date, Time, Analyst
GENERAL CHEMISTRY				
Nitrate/nitrite, total as N (Delaware)	EPA 300.0	1.78 mg/l	0.500 mg/l	12/11/13 02:18AM SLD
Kjeldahl nitrogen, as N (Delaware)	EPA 351.2	0.354 mg/l	0.200 mg/l	12/13/13 12:19PM ALW
Phosphorus total as P (Delaware)	EPA 365.4	ND mg/l	0.0500 mg/l	12/13/13 12:19PM ALW

Sample ID L4831042-2 Sample Description BLACK-AND DECK 001 GRAB
 Received Date/Time/Temp 12/10/13 04:00pm 2.9 C Iced (Y/N): Y
 Samp. Date/Time/Temp 12/10/13 09:16am NA C Sampled by Customer

Parameter	Method	Result	RLs	Test Date, Time, Analyst
GENERAL CHEMISTRY				
Biochemical Oxygen Demand, 5 Day (DE)	SM 5210B	3.00 mg/l	2.00 mg/l	12/11/13 09:00AM SKJ
Total Suspended Solids (Delaware)	SM 2540D	ND mg/l	4.00 mg/l	12/11/13 12:00AM MS3
Hexane Ext. Material-HEM (oil+grease)	1664A HEM	ND mg/l	5.00 mg/l	12/16/13 04:00PM AGM

GAS CHROMATOGRAPHY MASS SPECTROMETRY; VOLATILES

1,1,1-Trichloroethane	EPA 624	ND ug/l	1.00 ug/l	12/17/13 07:53AM JSH
Trichloroethene	EPA 624	ND ug/l	1.00 ug/l	12/17/13 07:53AM JSH
Tetrachloroethene	EPA 624	ND ug/l	1.00 ug/l	12/17/13 07:53AM JSH
Dibromofluoromethane	EPA 624	97 %		12/17/13 07:53AM JSH
Toluene-D8 (Surr)	EPA 624	100 %		12/17/13 07:53AM JSH
4-Bromofluorobenzene	EPA 624	99 %		12/17/13 07:53AM JSH

PP 38133

Serial Number: 3290150

QC Laboratories

Analytical Report

Printed 12/09/13 09:39

CHERYL GRIFFIN
MARYLAND ENVIRONMENTAL SERVICE A
259 NAJILES ROAD
RE: BLACK & DECKER WWTP
MILLERSVILLE, MD 21108

Order Number: L4857090
Project Name: BLACK & DECKER WWTP
Receive Date: 12-06-2013
Client Code: MES_A
Project Location: BLACK & DECKER WWTP

Sample ID	Sample Description	Samp. Date/Time/Temp	Sampled by
L4857090-1	BLACK & DECKER 101	11/19/13 09:03am	NA C Customer
	Received Date/Time 12/06/13 11:00am		

Parameter	Method	Result	RLs	Test Date, Time, Analyst
ENVIRONMENTAL MICROBIOLOGY				
FECAL COLIFORM-MPN CEL(DELAWARE)	SM 9221E	<1.8 MPN/100ml	MPN/100ml	11/19/13 02:05PM SUB

Fecal coliform was analyzed by Chesapeake Environmental Lab, Inc. in Stevensville, MD.

General Notes:

A result of "ND" indicates that the analyte tested was either not detected or the concentration was below the RLs.
Definitions: NEG=negative; POS=positive; COL=colonies; RLs=laboratory reporting limits; L/A=laboratory accident; TNTC= Too numerous to count; pres=presumptive
MCL= EPA recommended "maximum contaminant level", PLs = Customer-specific permit limits.
The test results meet all requirements of NELAC unless otherwise specified.
The report shall not be reproduced except in full without the written consent of the laboratory.
Unless otherwise specified, the Environmental and Food Chemistry Testing except field parameters were performed by QC Inc. located at 1205 Industrial Blvd., Southampton, PA 18966; Pharmaceutical, Dairy and Food Microbiological tests were performed by QC Inc. located at 702 Electronic Drive, Horsham, PA 19044.
The reported results relate only to the samples.
All samples are collected as "grab" samples unless otherwise identified.
A result marked with "DRY" indicates that the result was calculated and reported on a dry weight basis.
The following personnel or their deputies have approved the results of the tests performed by QC Inc.: Nicki Smith (Environmental & Food Chemistry), Amanda Lukaszewski (Pharmaceutical), John Pcsolar (Dairy & Food Microbiology),
QCL Accreditations: Southampton Div: EPA ID PA00018; NELAP ID's: PA 09-00131, NJ PA166, NY 11223
State ID's: CT PH-0768, DE PA-018, MD 206, SC 89021001; FDA Reg. #: 2515238
E. Rutherford Div: State ID: NJ 02015; Vineland Div: State ID: NJ 06005; Reading Div: State ID: PA 06-03543

Regulatory authorities are assessing substantial fines for testing omissions. Please track your sample collections and results on a weekly, monthly, or quarterly basis to ensure compliance. QC's internet program 'LIVE ACCESS' will provide you with real-time access to collection dates and results. Please contact Customer Service for further information on acquiring LIVE ACCESS.



PP 38133

Serial Number: 3250489

QC Laboratories

Analytical Report

Printed 12/17/13 11:33

CHERYL GRIFFIN
 MARYLAND ENVIRONMENTAL SERVICE A
 259 NAJILES ROAD
 RE: BLACK & DECKER WWTP
 MILLERSVILLE, MD 21108

Order Number: L4855267
 Project Name: BLACK & DECKER WWTP
 Receive Date: 12-03-2013
 Client Code: MES_A
 Project Location: BLACK & DECKER WWTP

Sample ID L4855267-1 Sample Description BTR-201
 Received Date/Time/Temp 12/03/13 04:40pm 3.1 C Iced (Y/N): Y
 Samp. Date/Time/Temp 12/03/13 08:45am NA C Customer

Parameter	Method	Result	RLs	Test Date, Time, Analyst
GAS CHROMATOGRAPHY MASS SPECTROMETRY; VOLATILES				
CHLOROMETHANE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
VINYL CHLORIDE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
BROMOMETHANE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
CHLOROETHANE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
TRICHLOROFLUOROMETHANE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
1,1-DICHLOROETHENE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
METHYLENE CHLORIDE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
TRANS-1,2-DICHLOROETHENE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
1,1-DICHLOROETHANE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
CARBON TETRACHLORIDE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
CHLOROFORM	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
1,1,1-TRICHLOROETHANE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
BENZENE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
1,2-DICHLOROETHANE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
TRICHLOROETHENE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
1,2-DICHLOROPROPANE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
BROMODICHLOROMETHANE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
TOLUENE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
TRANS-1,3-DICHLOROPROPENE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
CIS-1,3-DICHLOROPROPENE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
1,1,2-TRICHLOROETHANE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
2-CHLOROETHYL VINYL ETHER	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
DIBROMOCHLOROMETHANE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
TETRACHLOROETHENE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
CHLOROBENZENE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
ETHYL BENZENE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
BROMOFORM	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
1,1,2,2-TETRACHLOROETHANE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
1,3-DICHLOROBENZENE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
1,4-DICHLOROBENZENE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
1,2-DICHLOROBENZENE	EPA 624	ND ug/l	1.00 ug/l	12/13/13 06:50PM JSH
DIBROMOFLUOROMETHANE	EPA 624	99 %		12/13/13 06:50PM JSH
TOLUENE-D8 (SURR)	EPA 624	100 %		12/13/13 06:50PM JSH
4-BROMOFLUOROBENZENE	EPA 624	100 %		12/13/13 06:50PM JSH



PP 38133

Serial Number: 3266765

**APPENDIX D
GROUNDWATER ANALYTICAL DATA PACKAGE
(NOVEMBER 2013)**

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Chicago
2417 Bond Street
University Park, IL 60484
Tel: (708)534-5200

TestAmerica Job ID: 500-67178-1
Client Project/Site: Black and Decker

For:
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, Pennsylvania 19380

Attn: Mr. Tom Cornuet



Authorized for release by:
12/3/2013 11:36:40 AM

Richard Wright, Senior Project Manager
(708)534-5200
richard.wright@testamericainc.com

LINKS

Review your project
results through
Total Access

Have a Question?

 **Ask
The
Expert**

Visit us at:
www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.




Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Detection Summary	4
Method Summary	8
Sample Summary	9
Client Sample Results	10
Definitions	62
QC Association	63
Surrogate Summary	64
QC Sample Results	65
Chronicle	78
Certification Summary	83
Chain of Custody	84
Receipt Checklists	87



Case Narrative

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Job ID: 500-67178-1

Laboratory: TestAmerica Chicago

Narrative

Job Narrative
500-67178-1

Comments

No additional comments.

Receipt

The samples were received on 11/20/2013 9:10 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 4.6° C.

GC/MS VOA

Method(s) 8260B: The MSD (matrix spike duplicate) associated with analytical batch 214294 was analyzed outside of the method specified 12 hour tune time.

No other analytical or quality issues were noted.



Detection Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: EW-2

Lab Sample ID: 500-67178-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	3.6		1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	160		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	49		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: EW-3

Lab Sample ID: 500-67178-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Acetone	7.6		5.0	1.3	ug/L	1		8260B	Total/NA
cis-1,2-Dichloroethene	1.8		1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	38		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	1.3		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: EW-4

Lab Sample ID: 500-67178-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Tetrachloroethene	11		1.0	0.17	ug/L	1		8260B	Total/NA
Trichloroethene - DL	500		10	3.8	ug/L	20		8260B	Total/NA

Client Sample ID: EW-5

Lab Sample ID: 500-67178-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	92		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	3.0		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: EW-6

Lab Sample ID: 500-67178-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	5.8		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	11		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: EW-7

Lab Sample ID: 500-67178-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	5.7		1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	3.7		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	8.8		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: EW-8

Lab Sample ID: 500-67178-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	28		1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	8.6		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	74		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: EW-9

Lab Sample ID: 500-67178-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	0.71		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	110		1.0	0.17	ug/L	1		8260B	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Chicago

Detection Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: EW-9 DUP

Lab Sample ID: 500-67178-9

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	0.69		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	110		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: EW-10

Lab Sample ID: 500-67178-10

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Tetrachloroethene	1.5		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-1A

Lab Sample ID: 500-67178-11

No Detections.

Client Sample ID: RFW-1B

Lab Sample ID: 500-67178-12

No Detections.

Client Sample ID: RFW-2A

Lab Sample ID: 500-67178-13

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	0.58		0.50	0.19	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-2B

Lab Sample ID: 500-67178-14

No Detections.

Client Sample ID: RFW-3B

Lab Sample ID: 500-67178-15

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	1.6		1.0	0.12	ug/L	1		8260B	Total/NA
Tetrachloroethene	0.88	J	1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-4A

Lab Sample ID: 500-67178-16

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	0.84	J	1.0	0.12	ug/L	1		8260B	Total/NA
Chloroform	0.54	J	1.0	0.20	ug/L	1		8260B	Total/NA
Trichloroethene	25		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	16		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-4A DUP

Lab Sample ID: 500-67178-17

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	0.87	J	1.0	0.12	ug/L	1		8260B	Total/NA
Chloroform	0.58	J	1.0	0.20	ug/L	1		8260B	Total/NA
Trichloroethene	25		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	17		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-4B

Lab Sample ID: 500-67178-18

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	3.5		1.0	0.12	ug/L	1		8260B	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Chicago

Detection Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: RFW-4B (Continued)

Lab Sample ID: 500-67178-18

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloroform	1.1		1.0	0.20	ug/L	1		8260B	Total/NA
Trichloroethene	37		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	66		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-6

Lab Sample ID: 500-67178-19

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Acetone	7.5		5.0	1.3	ug/L	1		8260B	Total/NA
Trichloroethene	0.39	J	0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	0.75	J	1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-7

Lab Sample ID: 500-67178-20

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	0.97		0.50	0.19	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-9

Lab Sample ID: 500-67178-21

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,1-Dichloroethene	0.66	J	1.0	0.31	ug/L	1		8260B	Total/NA
cis-1,2-Dichloroethene	5.4		1.0	0.12	ug/L	1		8260B	Total/NA
1,1,1-Trichloroethane	0.51	J	1.0	0.20	ug/L	1		8260B	Total/NA
Trichloroethene	6.9		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	1.7		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-12B

Lab Sample ID: 500-67178-22

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	1.9		1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	67		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	5.0		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-11B

Lab Sample ID: 500-67178-23

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	2.5		0.50	0.19	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-13

Lab Sample ID: 500-67178-24

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	2.5		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	14		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-17

Lab Sample ID: 500-67178-25

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	3.5		0.50	0.074	ug/L	1		8260B	Total/NA
Tetrachloroethene	0.79	J	1.0	0.17	ug/L	1		8260B	Total/NA
o-Xylene	0.47	J	0.50	0.068	ug/L	1		8260B	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Chicago

Detection Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: Trip Blank

Lab Sample ID: 500-67178-26

No Detections.



This Detection Summary does not include radiochemical test results.

TestAmerica Chicago

Method Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Method	Method Description	Protocol	Laboratory
8260B	VOC	SW846	TAL CHI

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CHI = TestAmerica Chicago, 2417 Bond Street, University Park, IL 60484, TEL (708)534-5200



Sample Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
500-67178-1	EW-2	Water	11/19/13 12:00	11/20/13 09:10
500-67178-2	EW-3	Water	11/19/13 10:00	11/20/13 09:10
500-67178-3	EW-4	Water	11/18/13 12:40	11/20/13 09:10
500-67178-4	EW-5	Water	11/18/13 09:30	11/20/13 09:10
500-67178-5	EW-6	Water	11/18/13 11:50	11/20/13 09:10
500-67178-6	EW-7	Water	11/18/13 11:40	11/20/13 09:10
500-67178-7	EW-8	Water	11/18/13 11:30	11/20/13 09:10
500-67178-8	EW-9	Water	11/18/13 11:25	11/20/13 09:10
500-67178-9	EW-9 DUP	Water	11/18/13 11:25	11/20/13 09:10
500-67178-10	EW-10	Water	11/18/13 11:15	11/20/13 09:10
500-67178-11	RFW-1A	Water	11/18/13 10:05	11/20/13 09:10
500-67178-12	RFW-1B	Water	11/18/13 17:30	11/20/13 09:10
500-67178-13	RFW-2A	Water	11/18/13 11:05	11/20/13 09:10
500-67178-14	RFW-2B	Water	11/18/13 11:15	11/20/13 09:10
500-67178-15	RFW-3B	Water	11/18/13 16:35	11/20/13 09:10
500-67178-16	RFW-4A	Water	11/19/13 08:15	11/20/13 09:10
500-67178-17	RFW-4A DUP	Water	11/19/13 08:15	11/20/13 09:10
500-67178-18	RFW-4B	Water	11/19/13 08:40	11/20/13 09:10
500-67178-19	RFW-6	Water	11/18/13 17:25	11/20/13 09:10
500-67178-20	RFW-7	Water	11/18/13 13:15	11/20/13 09:10
500-67178-21	RFW-9	Water	11/18/13 17:10	11/20/13 09:10
500-67178-22	RFW-12B	Water	11/19/13 11:45	11/20/13 09:10
500-67178-23	RFW-11B	Water	11/19/13 09:50	11/20/13 09:10
500-67178-24	RFW-13	Water	11/18/13 14:45	11/20/13 09:10
500-67178-25	RFW-17	Water	11/18/13 15:35	11/20/13 09:10
500-67178-26	Trip Blank	Water	11/18/13 07:00	11/20/13 09:10

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: EW-2

Lab Sample ID: 500-67178-1

Date Collected: 11/19/13 12:00

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			11/30/13 11:40	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/30/13 11:40	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/30/13 11:40	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/30/13 11:40	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/30/13 11:40	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/30/13 11:40	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			11/30/13 11:40	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/30/13 11:40	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/30/13 11:40	1
Acetone	<5.0		5.0	1.3	ug/L			11/30/13 11:40	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/30/13 11:40	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/30/13 11:40	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/30/13 11:40	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/30/13 11:40	1
cis-1,2-Dichloroethene	3.6		1.0	0.12	ug/L			11/30/13 11:40	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/30/13 11:40	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			11/30/13 11:40	1
Chloroform	<1.0		1.0	0.20	ug/L			11/30/13 11:40	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/30/13 11:40	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/30/13 11:40	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			11/30/13 11:40	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 11:40	1
Trichloroethene	160		0.50	0.19	ug/L			11/30/13 11:40	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/30/13 11:40	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/30/13 11:40	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/30/13 11:40	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/30/13 11:40	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/30/13 11:40	1
Toluene	<0.50		0.50	0.11	ug/L			11/30/13 11:40	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/30/13 11:40	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 11:40	1
Tetrachloroethene	49		1.0	0.17	ug/L			11/30/13 11:40	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/30/13 11:40	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/30/13 11:40	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/30/13 11:40	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/30/13 11:40	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/30/13 11:40	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/30/13 11:40	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/30/13 11:40	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/30/13 11:40	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/30/13 11:40	1
Styrene	<1.0		1.0	0.10	ug/L			11/30/13 11:40	1
Bromoform	<1.0		1.0	0.28	ug/L			11/30/13 11:40	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 11:40	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/30/13 11:40	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/30/13 11:40	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			11/30/13 11:40	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 11:40	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/30/13 11:40	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: EW-2

Lab Sample ID: 500-67178-1

Date Collected: 11/19/13 12:00

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			11/30/13 11:40	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			11/30/13 11:40	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 11:40	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 11:40	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			11/30/13 11:40	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 11:40	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			11/30/13 11:40	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 11:40	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 11:40	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			11/30/13 11:40	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			11/30/13 11:40	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			11/30/13 11:40	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			11/30/13 11:40	1
Naphthalene	<1.0		1.0	0.16	ug/L			11/30/13 11:40	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			11/30/13 11:40	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		75 - 125		11/30/13 11:40	1
Toluene-d8 (Surr)	101		75 - 120		11/30/13 11:40	1
4-Bromofluorobenzene (Surr)	94		75 - 120		11/30/13 11:40	1
Dibromofluoromethane	93		75 - 120		11/30/13 11:40	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: EW-3

Lab Sample ID: 500-67178-2

Date Collected: 11/19/13 10:00

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			11/30/13 12:34	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/30/13 12:34	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/30/13 12:34	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/30/13 12:34	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/30/13 12:34	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/30/13 12:34	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			11/30/13 12:34	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/30/13 12:34	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/30/13 12:34	1
Acetone	7.6		5.0	1.3	ug/L			11/30/13 12:34	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/30/13 12:34	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/30/13 12:34	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/30/13 12:34	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/30/13 12:34	1
cis-1,2-Dichloroethene	1.8		1.0	0.12	ug/L			11/30/13 12:34	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/30/13 12:34	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			11/30/13 12:34	1
Chloroform	<1.0		1.0	0.20	ug/L			11/30/13 12:34	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/30/13 12:34	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/30/13 12:34	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			11/30/13 12:34	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 12:34	1
Trichloroethene	38		0.50	0.19	ug/L			11/30/13 12:34	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/30/13 12:34	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/30/13 12:34	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/30/13 12:34	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/30/13 12:34	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/30/13 12:34	1
Toluene	<0.50		0.50	0.11	ug/L			11/30/13 12:34	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/30/13 12:34	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 12:34	1
Tetrachloroethene	1.3		1.0	0.17	ug/L			11/30/13 12:34	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/30/13 12:34	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/30/13 12:34	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/30/13 12:34	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/30/13 12:34	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/30/13 12:34	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/30/13 12:34	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/30/13 12:34	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/30/13 12:34	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/30/13 12:34	1
Styrene	<1.0		1.0	0.10	ug/L			11/30/13 12:34	1
Bromoform	<1.0		1.0	0.28	ug/L			11/30/13 12:34	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 12:34	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/30/13 12:34	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/30/13 12:34	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			11/30/13 12:34	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 12:34	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/30/13 12:34	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: EW-3

Lab Sample ID: 500-67178-2

Date Collected: 11/19/13 10:00

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			11/30/13 12:34	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			11/30/13 12:34	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 12:34	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 12:34	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			11/30/13 12:34	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 12:34	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			11/30/13 12:34	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 12:34	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 12:34	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			11/30/13 12:34	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			11/30/13 12:34	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			11/30/13 12:34	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			11/30/13 12:34	1
Naphthalene	<1.0		1.0	0.16	ug/L			11/30/13 12:34	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			11/30/13 12:34	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		75 - 125		11/30/13 12:34	1
Toluene-d8 (Surr)	100		75 - 120		11/30/13 12:34	1
4-Bromofluorobenzene (Surr)	93		75 - 120		11/30/13 12:34	1
Dibromofluoromethane	93		75 - 120		11/30/13 12:34	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: EW-4

Lab Sample ID: 500-67178-3

Date Collected: 11/18/13 12:40

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			12/02/13 14:42	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			12/02/13 14:42	1
Chloromethane	<1.0		1.0	0.18	ug/L			12/02/13 14:42	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			12/02/13 14:42	1
Bromomethane	<1.0		1.0	0.31	ug/L			12/02/13 14:42	1
Chloroethane	<1.0		1.0	0.34	ug/L			12/02/13 14:42	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			12/02/13 14:42	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			12/02/13 14:42	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			12/02/13 14:42	1
Acetone	<5.0		5.0	1.3	ug/L			12/02/13 14:42	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			12/02/13 14:42	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			12/02/13 14:42	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			12/02/13 14:42	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			12/02/13 14:42	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			12/02/13 14:42	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			12/02/13 14:42	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			12/02/13 14:42	1
Chloroform	<1.0		1.0	0.20	ug/L			12/02/13 14:42	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			12/02/13 14:42	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			12/02/13 14:42	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			12/02/13 14:42	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			12/02/13 14:42	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			12/02/13 14:42	1
Dibromomethane	<1.0		1.0	0.33	ug/L			12/02/13 14:42	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			12/02/13 14:42	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			12/02/13 14:42	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			12/02/13 14:42	1
Toluene	<0.50		0.50	0.11	ug/L			12/02/13 14:42	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			12/02/13 14:42	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			12/02/13 14:42	1
Tetrachloroethene	11		1.0	0.17	ug/L			12/02/13 14:42	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			12/02/13 14:42	1
2-Hexanone	<5.0		5.0	0.56	ug/L			12/02/13 14:42	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			12/02/13 14:42	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			12/02/13 14:42	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			12/02/13 14:42	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			12/02/13 14:42	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			12/02/13 14:42	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			12/02/13 14:42	1
o-Xylene	<0.50		0.50	0.068	ug/L			12/02/13 14:42	1
Styrene	<1.0		1.0	0.10	ug/L			12/02/13 14:42	1
Bromoform	<1.0		1.0	0.28	ug/L			12/02/13 14:42	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			12/02/13 14:42	1
Bromobenzene	<1.0		1.0	0.25	ug/L			12/02/13 14:42	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			12/02/13 14:42	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			12/02/13 14:42	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			12/02/13 14:42	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			12/02/13 14:42	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			12/02/13 14:42	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: EW-4
Date Collected: 11/18/13 12:40
Date Received: 11/20/13 09:10

Lab Sample ID: 500-67178-3
Matrix: Water

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			12/02/13 14:42	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			12/02/13 14:42	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			12/02/13 14:42	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			12/02/13 14:42	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			12/02/13 14:42	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			12/02/13 14:42	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			12/02/13 14:42	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			12/02/13 14:42	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			12/02/13 14:42	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			12/02/13 14:42	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			12/02/13 14:42	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			12/02/13 14:42	1
Naphthalene	<1.0		1.0	0.16	ug/L			12/02/13 14:42	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			12/02/13 14:42	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		75 - 125		12/02/13 14:42	1
Toluene-d8 (Surr)	102		75 - 120		12/02/13 14:42	1
4-Bromofluorobenzene (Surr)	95		75 - 120		12/02/13 14:42	1
Dibromofluoromethane	92		75 - 120		12/02/13 14:42	1

Method: 8260B - VOC - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Trichloroethene	500		10	3.8	ug/L			11/30/13 13:28	20

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		75 - 125		11/30/13 13:28	20
Toluene-d8 (Surr)	104		75 - 120		11/30/13 13:28	20
4-Bromofluorobenzene (Surr)	96		75 - 120		11/30/13 13:28	20
Dibromofluoromethane	91		75 - 120		11/30/13 13:28	20

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: EW-5

Lab Sample ID: 500-67178-4

Date Collected: 11/18/13 09:30

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			11/30/13 13:55	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/30/13 13:55	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/30/13 13:55	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/30/13 13:55	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/30/13 13:55	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/30/13 13:55	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			11/30/13 13:55	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/30/13 13:55	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/30/13 13:55	1
Acetone	<5.0		5.0	1.3	ug/L			11/30/13 13:55	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/30/13 13:55	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/30/13 13:55	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/30/13 13:55	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/30/13 13:55	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			11/30/13 13:55	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/30/13 13:55	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			11/30/13 13:55	1
Chloroform	<1.0		1.0	0.20	ug/L			11/30/13 13:55	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/30/13 13:55	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/30/13 13:55	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			11/30/13 13:55	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 13:55	1
Trichloroethene	92		0.50	0.19	ug/L			11/30/13 13:55	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/30/13 13:55	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/30/13 13:55	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/30/13 13:55	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/30/13 13:55	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/30/13 13:55	1
Toluene	<0.50		0.50	0.11	ug/L			11/30/13 13:55	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/30/13 13:55	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 13:55	1
Tetrachloroethene	3.0		1.0	0.17	ug/L			11/30/13 13:55	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/30/13 13:55	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/30/13 13:55	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/30/13 13:55	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/30/13 13:55	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/30/13 13:55	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/30/13 13:55	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/30/13 13:55	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/30/13 13:55	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/30/13 13:55	1
Styrene	<1.0		1.0	0.10	ug/L			11/30/13 13:55	1
Bromoform	<1.0		1.0	0.28	ug/L			11/30/13 13:55	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 13:55	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/30/13 13:55	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/30/13 13:55	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			11/30/13 13:55	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 13:55	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/30/13 13:55	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: EW-5
Date Collected: 11/18/13 09:30
Date Received: 11/20/13 09:10

Lab Sample ID: 500-67178-4
Matrix: Water

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			11/30/13 13:55	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			11/30/13 13:55	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 13:55	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 13:55	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			11/30/13 13:55	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 13:55	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			11/30/13 13:55	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 13:55	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 13:55	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			11/30/13 13:55	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			11/30/13 13:55	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			11/30/13 13:55	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			11/30/13 13:55	1
Naphthalene	<1.0		1.0	0.16	ug/L			11/30/13 13:55	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			11/30/13 13:55	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		75 - 125		11/30/13 13:55	1
Toluene-d8 (Surr)	102		75 - 120		11/30/13 13:55	1
4-Bromofluorobenzene (Surr)	93		75 - 120		11/30/13 13:55	1
Dibromofluoromethane	93		75 - 120		11/30/13 13:55	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: EW-6

Lab Sample ID: 500-67178-5

Date Collected: 11/18/13 11:50

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			11/30/13 14:23	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/30/13 14:23	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/30/13 14:23	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/30/13 14:23	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/30/13 14:23	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/30/13 14:23	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			11/30/13 14:23	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/30/13 14:23	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/30/13 14:23	1
Acetone	<5.0		5.0	1.3	ug/L			11/30/13 14:23	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/30/13 14:23	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/30/13 14:23	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/30/13 14:23	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/30/13 14:23	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			11/30/13 14:23	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/30/13 14:23	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			11/30/13 14:23	1
Chloroform	<1.0		1.0	0.20	ug/L			11/30/13 14:23	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/30/13 14:23	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/30/13 14:23	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			11/30/13 14:23	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 14:23	1
Trichloroethene	5.8		0.50	0.19	ug/L			11/30/13 14:23	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/30/13 14:23	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/30/13 14:23	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/30/13 14:23	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/30/13 14:23	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/30/13 14:23	1
Toluene	<0.50		0.50	0.11	ug/L			11/30/13 14:23	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/30/13 14:23	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 14:23	1
Tetrachloroethene	11		1.0	0.17	ug/L			11/30/13 14:23	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/30/13 14:23	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/30/13 14:23	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/30/13 14:23	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/30/13 14:23	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/30/13 14:23	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/30/13 14:23	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/30/13 14:23	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/30/13 14:23	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/30/13 14:23	1
Styrene	<1.0		1.0	0.10	ug/L			11/30/13 14:23	1
Bromoform	<1.0		1.0	0.28	ug/L			11/30/13 14:23	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 14:23	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/30/13 14:23	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/30/13 14:23	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			11/30/13 14:23	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 14:23	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/30/13 14:23	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: EW-6

Lab Sample ID: 500-67178-5

Date Collected: 11/18/13 11:50

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			11/30/13 14:23	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			11/30/13 14:23	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 14:23	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 14:23	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			11/30/13 14:23	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 14:23	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			11/30/13 14:23	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 14:23	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 14:23	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			11/30/13 14:23	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			11/30/13 14:23	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			11/30/13 14:23	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			11/30/13 14:23	1
Naphthalene	<1.0		1.0	0.16	ug/L			11/30/13 14:23	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			11/30/13 14:23	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		75 - 125		11/30/13 14:23	1
Toluene-d8 (Sum)	101		75 - 120		11/30/13 14:23	1
4-Bromofluorobenzene (Surr)	95		75 - 120		11/30/13 14:23	1
Dibromofluoromethane	92		75 - 120		11/30/13 14:23	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: EW-7

Lab Sample ID: 500-67178-6

Date Collected: 11/18/13 11:40

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			11/30/13 14:50	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/30/13 14:50	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/30/13 14:50	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/30/13 14:50	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/30/13 14:50	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/30/13 14:50	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			11/30/13 14:50	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/30/13 14:50	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/30/13 14:50	1
Acetone	<5.0		5.0	1.3	ug/L			11/30/13 14:50	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/30/13 14:50	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/30/13 14:50	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/30/13 14:50	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/30/13 14:50	1
cis-1,2-Dichloroethene	5.7		1.0	0.12	ug/L			11/30/13 14:50	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/30/13 14:50	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			11/30/13 14:50	1
Chloroform	<1.0		1.0	0.20	ug/L			11/30/13 14:50	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/30/13 14:50	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/30/13 14:50	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			11/30/13 14:50	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 14:50	1
Trichloroethene	3.7		0.50	0.19	ug/L			11/30/13 14:50	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/30/13 14:50	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/30/13 14:50	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/30/13 14:50	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/30/13 14:50	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/30/13 14:50	1
Toluene	<0.50		0.50	0.11	ug/L			11/30/13 14:50	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/30/13 14:50	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 14:50	1
Tetrachloroethene	8.8		1.0	0.17	ug/L			11/30/13 14:50	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/30/13 14:50	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/30/13 14:50	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/30/13 14:50	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/30/13 14:50	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/30/13 14:50	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/30/13 14:50	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/30/13 14:50	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/30/13 14:50	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/30/13 14:50	1
Styrene	<1.0		1.0	0.10	ug/L			11/30/13 14:50	1
Bromoform	<1.0		1.0	0.28	ug/L			11/30/13 14:50	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 14:50	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/30/13 14:50	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/30/13 14:50	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			11/30/13 14:50	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 14:50	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/30/13 14:50	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: EW-7

Lab Sample ID: 500-67178-6

Date Collected: 11/18/13 11:40

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			11/30/13 14:50	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			11/30/13 14:50	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 14:50	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 14:50	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			11/30/13 14:50	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 14:50	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			11/30/13 14:50	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 14:50	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 14:50	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			11/30/13 14:50	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			11/30/13 14:50	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			11/30/13 14:50	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			11/30/13 14:50	1
Naphthalene	<1.0		1.0	0.16	ug/L			11/30/13 14:50	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			11/30/13 14:50	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		75 - 125		11/30/13 14:50	1
Toluene-d8 (Surr)	102		75 - 120		11/30/13 14:50	1
4-Bromofluorobenzene (Surr)	95		75 - 120		11/30/13 14:50	1
Dibromofluoromethane	91		75 - 120		11/30/13 14:50	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: EW-8

Lab Sample ID: 500-67178-7

Date Collected: 11/18/13 11:30

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			11/30/13 15:17	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/30/13 15:17	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/30/13 15:17	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/30/13 15:17	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/30/13 15:17	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/30/13 15:17	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			11/30/13 15:17	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/30/13 15:17	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/30/13 15:17	1
Acetone	<5.0		5.0	1.3	ug/L			11/30/13 15:17	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/30/13 15:17	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/30/13 15:17	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/30/13 15:17	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/30/13 15:17	1
cis-1,2-Dichloroethene	28		1.0	0.12	ug/L			11/30/13 15:17	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/30/13 15:17	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			11/30/13 15:17	1
Chloroform	<1.0		1.0	0.20	ug/L			11/30/13 15:17	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/30/13 15:17	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/30/13 15:17	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			11/30/13 15:17	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 15:17	1
Trichloroethene	8.6		0.50	0.19	ug/L			11/30/13 15:17	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/30/13 15:17	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/30/13 15:17	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/30/13 15:17	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/30/13 15:17	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/30/13 15:17	1
Toluene	<0.50		0.50	0.11	ug/L			11/30/13 15:17	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/30/13 15:17	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 15:17	1
Tetrachloroethene	74		1.0	0.17	ug/L			11/30/13 15:17	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/30/13 15:17	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/30/13 15:17	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/30/13 15:17	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/30/13 15:17	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/30/13 15:17	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/30/13 15:17	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/30/13 15:17	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/30/13 15:17	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/30/13 15:17	1
Styrene	<1.0		1.0	0.10	ug/L			11/30/13 15:17	1
Bromoform	<1.0		1.0	0.28	ug/L			11/30/13 15:17	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 15:17	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/30/13 15:17	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/30/13 15:17	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			11/30/13 15:17	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 15:17	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/30/13 15:17	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
 Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: EW-8

Lab Sample ID: 500-67178-7

Date Collected: 11/18/13 11:30

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			11/30/13 15:17	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			11/30/13 15:17	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 15:17	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 15:17	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			11/30/13 15:17	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 15:17	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			11/30/13 15:17	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 15:17	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 15:17	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			11/30/13 15:17	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			11/30/13 15:17	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			11/30/13 15:17	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			11/30/13 15:17	1
Naphthalene	<1.0		1.0	0.16	ug/L			11/30/13 15:17	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			11/30/13 15:17	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		75 - 125		11/30/13 15:17	1
Toluene-d8 (Surr)	100		75 - 120		11/30/13 15:17	1
4-Bromofluorobenzene (Surr)	94		75 - 120		11/30/13 15:17	1
Dibromofluoromethane	93		75 - 120		11/30/13 15:17	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: EW-9

Lab Sample ID: 500-67178-8

Date Collected: 11/18/13 11:25

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			11/30/13 15:44	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/30/13 15:44	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/30/13 15:44	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/30/13 15:44	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/30/13 15:44	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/30/13 15:44	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			11/30/13 15:44	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/30/13 15:44	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/30/13 15:44	1
Acetone	<5.0		5.0	1.3	ug/L			11/30/13 15:44	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/30/13 15:44	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/30/13 15:44	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/30/13 15:44	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/30/13 15:44	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			11/30/13 15:44	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/30/13 15:44	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			11/30/13 15:44	1
Chloroform	<1.0		1.0	0.20	ug/L			11/30/13 15:44	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/30/13 15:44	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/30/13 15:44	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			11/30/13 15:44	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 15:44	1
Trichloroethene	0.71		0.50	0.19	ug/L			11/30/13 15:44	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/30/13 15:44	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/30/13 15:44	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/30/13 15:44	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/30/13 15:44	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/30/13 15:44	1
Toluene	<0.50		0.50	0.11	ug/L			11/30/13 15:44	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/30/13 15:44	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 15:44	1
Tetrachloroethene	110		1.0	0.17	ug/L			11/30/13 15:44	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/30/13 15:44	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/30/13 15:44	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/30/13 15:44	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/30/13 15:44	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/30/13 15:44	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/30/13 15:44	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/30/13 15:44	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/30/13 15:44	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/30/13 15:44	1
Styrene	<1.0		1.0	0.10	ug/L			11/30/13 15:44	1
Bromoform	<1.0		1.0	0.28	ug/L			11/30/13 15:44	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 15:44	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/30/13 15:44	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/30/13 15:44	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			11/30/13 15:44	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 15:44	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/30/13 15:44	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: EW-9

Lab Sample ID: 500-67178-8

Date Collected: 11/18/13 11:25

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			11/30/13 15:44	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			11/30/13 15:44	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 15:44	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 15:44	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			11/30/13 15:44	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 15:44	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			11/30/13 15:44	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 15:44	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 15:44	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			11/30/13 15:44	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			11/30/13 15:44	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			11/30/13 15:44	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			11/30/13 15:44	1
Naphthalene	<1.0		1.0	0.16	ug/L			11/30/13 15:44	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			11/30/13 15:44	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		75 - 125		11/30/13 15:44	1
Toluene-d8 (Surr)	100		75 - 120		11/30/13 15:44	1
4-Bromofluorobenzene (Surr)	94		75 - 120		11/30/13 15:44	1
Dibromofluoromethane	94		75 - 120		11/30/13 15:44	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: EW-9 DUP

Lab Sample ID: 500-67178-9

Date Collected: 11/18/13 11:25

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			11/30/13 16:11	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/30/13 16:11	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/30/13 16:11	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/30/13 16:11	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/30/13 16:11	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/30/13 16:11	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			11/30/13 16:11	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/30/13 16:11	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/30/13 16:11	1
Acetone	<5.0		5.0	1.3	ug/L			11/30/13 16:11	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/30/13 16:11	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/30/13 16:11	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/30/13 16:11	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/30/13 16:11	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			11/30/13 16:11	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/30/13 16:11	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			11/30/13 16:11	1
Chloroform	<1.0		1.0	0.20	ug/L			11/30/13 16:11	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/30/13 16:11	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/30/13 16:11	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			11/30/13 16:11	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 16:11	1
Trichloroethene	0.69		0.50	0.19	ug/L			11/30/13 16:11	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/30/13 16:11	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/30/13 16:11	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/30/13 16:11	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/30/13 16:11	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/30/13 16:11	1
Toluene	<0.50		0.50	0.11	ug/L			11/30/13 16:11	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/30/13 16:11	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 16:11	1
Tetrachloroethene	110		1.0	0.17	ug/L			11/30/13 16:11	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/30/13 16:11	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/30/13 16:11	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/30/13 16:11	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/30/13 16:11	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/30/13 16:11	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/30/13 16:11	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/30/13 16:11	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/30/13 16:11	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/30/13 16:11	1
Styrene	<1.0		1.0	0.10	ug/L			11/30/13 16:11	1
Bromoform	<1.0		1.0	0.28	ug/L			11/30/13 16:11	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 16:11	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/30/13 16:11	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/30/13 16:11	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			11/30/13 16:11	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 16:11	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/30/13 16:11	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: EW-9 DUP

Lab Sample ID: 500-67178-9

Date Collected: 11/18/13 11:25

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			11/30/13 16:11	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			11/30/13 16:11	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 16:11	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 16:11	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			11/30/13 16:11	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 16:11	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			11/30/13 16:11	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 16:11	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 16:11	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			11/30/13 16:11	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			11/30/13 16:11	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			11/30/13 16:11	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			11/30/13 16:11	1
Naphthalene	<1.0		1.0	0.16	ug/L			11/30/13 16:11	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			11/30/13 16:11	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		75 - 125		11/30/13 16:11	1
Toluene-d8 (Surr)	99		75 - 120		11/30/13 16:11	1
4-Bromofluorobenzene (Surr)	94		75 - 120		11/30/13 16:11	1
Dibromofluoromethane	92		75 - 120		11/30/13 16:11	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: EW-10

Lab Sample ID: 500-67178-10

Date Collected: 11/18/13 11:15

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			11/30/13 16:38	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/30/13 16:38	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/30/13 16:38	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/30/13 16:38	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/30/13 16:38	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/30/13 16:38	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			11/30/13 16:38	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/30/13 16:38	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/30/13 16:38	1
Acetone	<5.0		5.0	1.3	ug/L			11/30/13 16:38	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/30/13 16:38	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/30/13 16:38	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/30/13 16:38	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/30/13 16:38	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			11/30/13 16:38	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/30/13 16:38	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			11/30/13 16:38	1
Chloroform	<1.0		1.0	0.20	ug/L			11/30/13 16:38	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/30/13 16:38	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/30/13 16:38	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			11/30/13 16:38	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 16:38	1
Trichloroethene	<0.50		0.50	0.19	ug/L			11/30/13 16:38	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/30/13 16:38	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/30/13 16:38	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/30/13 16:38	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/30/13 16:38	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/30/13 16:38	1
Toluene	<0.50		0.50	0.11	ug/L			11/30/13 16:38	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/30/13 16:38	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 16:38	1
Tetrachloroethene	1.5		1.0	0.17	ug/L			11/30/13 16:38	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/30/13 16:38	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/30/13 16:38	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/30/13 16:38	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/30/13 16:38	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/30/13 16:38	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/30/13 16:38	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/30/13 16:38	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/30/13 16:38	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/30/13 16:38	1
Styrene	<1.0		1.0	0.10	ug/L			11/30/13 16:38	1
Bromoform	<1.0		1.0	0.28	ug/L			11/30/13 16:38	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 16:38	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/30/13 16:38	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/30/13 16:38	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			11/30/13 16:38	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 16:38	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/30/13 16:38	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: EW-10

Lab Sample ID: 500-67178-10

Date Collected: 11/18/13 11:15

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			11/30/13 16:38	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			11/30/13 16:38	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 16:38	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 16:38	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			11/30/13 16:38	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 16:38	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			11/30/13 16:38	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 16:38	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 16:38	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			11/30/13 16:38	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			11/30/13 16:38	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			11/30/13 16:38	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			11/30/13 16:38	1
Naphthalene	<1.0		1.0	0.16	ug/L			11/30/13 16:38	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			11/30/13 16:38	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		75 - 125		11/30/13 16:38	1
Toluene-d8 (Surr)	100		75 - 120		11/30/13 16:38	1
4-Bromofluorobenzene (Surr)	97		75 - 120		11/30/13 16:38	1
Dibromofluoromethane	94		75 - 120		11/30/13 16:38	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: RFW-1A

Lab Sample ID: 500-67178-11

Date Collected: 11/18/13 10:05

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			11/30/13 17:05	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/30/13 17:05	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/30/13 17:05	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/30/13 17:05	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/30/13 17:05	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/30/13 17:05	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			11/30/13 17:05	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/30/13 17:05	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/30/13 17:05	1
Acetone	<5.0		5.0	1.3	ug/L			11/30/13 17:05	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/30/13 17:05	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/30/13 17:05	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/30/13 17:05	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/30/13 17:05	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			11/30/13 17:05	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/30/13 17:05	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			11/30/13 17:05	1
Chloroform	<1.0		1.0	0.20	ug/L			11/30/13 17:05	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/30/13 17:05	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/30/13 17:05	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			11/30/13 17:05	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 17:05	1
Trichloroethene	<0.50		0.50	0.19	ug/L			11/30/13 17:05	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/30/13 17:05	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/30/13 17:05	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/30/13 17:05	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/30/13 17:05	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/30/13 17:05	1
Toluene	<0.50		0.50	0.11	ug/L			11/30/13 17:05	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/30/13 17:05	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 17:05	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			11/30/13 17:05	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/30/13 17:05	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/30/13 17:05	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/30/13 17:05	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/30/13 17:05	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/30/13 17:05	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/30/13 17:05	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/30/13 17:05	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/30/13 17:05	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/30/13 17:05	1
Styrene	<1.0		1.0	0.10	ug/L			11/30/13 17:05	1
Bromoform	<1.0		1.0	0.28	ug/L			11/30/13 17:05	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 17:05	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/30/13 17:05	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/30/13 17:05	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			11/30/13 17:05	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 17:05	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/30/13 17:05	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: RFW-1A

Lab Sample ID: 500-67178-11

Date Collected: 11/18/13 10:05

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			11/30/13 17:05	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			11/30/13 17:05	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 17:05	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 17:05	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			11/30/13 17:05	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 17:05	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			11/30/13 17:05	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 17:05	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 17:05	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			11/30/13 17:05	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			11/30/13 17:05	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			11/30/13 17:05	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			11/30/13 17:05	1
Naphthalene	<1.0		1.0	0.16	ug/L			11/30/13 17:05	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			11/30/13 17:05	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		75 - 125		11/30/13 17:05	1
Toluene-d8 (Surr)	101		75 - 120		11/30/13 17:05	1
4-Bromofluorobenzene (Surr)	96		75 - 120		11/30/13 17:05	1
Dibromofluoromethane	92		75 - 120		11/30/13 17:05	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: RFW-1B

Lab Sample ID: 500-67178-12

Date Collected: 11/18/13 17:30

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			11/30/13 17:32	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/30/13 17:32	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/30/13 17:32	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/30/13 17:32	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/30/13 17:32	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/30/13 17:32	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			11/30/13 17:32	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/30/13 17:32	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/30/13 17:32	1
Acetone	<5.0		5.0	1.3	ug/L			11/30/13 17:32	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/30/13 17:32	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/30/13 17:32	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/30/13 17:32	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/30/13 17:32	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			11/30/13 17:32	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/30/13 17:32	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			11/30/13 17:32	1
Chloroform	<1.0		1.0	0.20	ug/L			11/30/13 17:32	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/30/13 17:32	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/30/13 17:32	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			11/30/13 17:32	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 17:32	1
Trichloroethene	<0.50		0.50	0.19	ug/L			11/30/13 17:32	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/30/13 17:32	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/30/13 17:32	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/30/13 17:32	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/30/13 17:32	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/30/13 17:32	1
Toluene	<0.50		0.50	0.11	ug/L			11/30/13 17:32	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/30/13 17:32	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 17:32	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			11/30/13 17:32	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/30/13 17:32	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/30/13 17:32	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/30/13 17:32	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/30/13 17:32	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/30/13 17:32	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/30/13 17:32	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/30/13 17:32	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/30/13 17:32	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/30/13 17:32	1
Styrene	<1.0		1.0	0.10	ug/L			11/30/13 17:32	1
Bromoform	<1.0		1.0	0.28	ug/L			11/30/13 17:32	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 17:32	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/30/13 17:32	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/30/13 17:32	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			11/30/13 17:32	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 17:32	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/30/13 17:32	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: RFW-1B

Lab Sample ID: 500-67178-12

Date Collected: 11/18/13 17:30

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			11/30/13 17:32	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			11/30/13 17:32	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 17:32	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 17:32	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			11/30/13 17:32	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 17:32	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			11/30/13 17:32	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 17:32	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 17:32	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			11/30/13 17:32	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			11/30/13 17:32	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			11/30/13 17:32	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			11/30/13 17:32	1
Naphthalene	<1.0		1.0	0.16	ug/L			11/30/13 17:32	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			11/30/13 17:32	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		75 - 125		11/30/13 17:32	1
Toluene-d8 (Surr)	102		75 - 120		11/30/13 17:32	1
4-Bromofluorobenzene (Surr)	94		75 - 120		11/30/13 17:32	1
Dibromofluoromethane	92		75 - 120		11/30/13 17:32	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: RFW-2A

Lab Sample ID: 500-67178-13

Date Collected: 11/18/13 11:05

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			11/30/13 17:59	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/30/13 17:59	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/30/13 17:59	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/30/13 17:59	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/30/13 17:59	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/30/13 17:59	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			11/30/13 17:59	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/30/13 17:59	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/30/13 17:59	1
Acetone	<5.0		5.0	1.3	ug/L			11/30/13 17:59	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/30/13 17:59	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/30/13 17:59	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/30/13 17:59	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/30/13 17:59	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			11/30/13 17:59	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/30/13 17:59	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			11/30/13 17:59	1
Chloroform	<1.0		1.0	0.20	ug/L			11/30/13 17:59	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/30/13 17:59	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/30/13 17:59	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			11/30/13 17:59	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 17:59	1
Trichloroethene	0.58		0.50	0.19	ug/L			11/30/13 17:59	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/30/13 17:59	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/30/13 17:59	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/30/13 17:59	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/30/13 17:59	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/30/13 17:59	1
Toluene	<0.50		0.50	0.11	ug/L			11/30/13 17:59	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/30/13 17:59	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 17:59	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			11/30/13 17:59	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/30/13 17:59	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/30/13 17:59	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/30/13 17:59	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/30/13 17:59	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/30/13 17:59	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/30/13 17:59	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/30/13 17:59	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/30/13 17:59	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/30/13 17:59	1
Styrene	<1.0		1.0	0.10	ug/L			11/30/13 17:59	1
Bromoform	<1.0		1.0	0.28	ug/L			11/30/13 17:59	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 17:59	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/30/13 17:59	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/30/13 17:59	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			11/30/13 17:59	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 17:59	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/30/13 17:59	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: RFW-2A

Lab Sample ID: 500-67178-13

Date Collected: 11/18/13 11:05

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			11/30/13 17:59	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			11/30/13 17:59	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 17:59	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 17:59	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			11/30/13 17:59	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 17:59	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			11/30/13 17:59	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 17:59	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 17:59	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			11/30/13 17:59	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			11/30/13 17:59	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			11/30/13 17:59	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			11/30/13 17:59	1
Naphthalene	<1.0		1.0	0.16	ug/L			11/30/13 17:59	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			11/30/13 17:59	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		75 - 125		11/30/13 17:59	1
Toluene-d8 (Surr)	99		75 - 120		11/30/13 17:59	1
4-Bromofluorobenzene (Surr)	95		75 - 120		11/30/13 17:59	1
Dibromofluoromethane	91		75 - 120		11/30/13 17:59	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: RFW-2B

Lab Sample ID: 500-67178-14

Date Collected: 11/18/13 11:15

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil-Fac
Benzene	<0.50		0.50	0.074	ug/L			11/30/13 18:27	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/30/13 18:27	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/30/13 18:27	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/30/13 18:27	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/30/13 18:27	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/30/13 18:27	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			11/30/13 18:27	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/30/13 18:27	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/30/13 18:27	1
Acetone	<5.0		5.0	1.3	ug/L			11/30/13 18:27	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/30/13 18:27	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/30/13 18:27	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/30/13 18:27	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/30/13 18:27	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			11/30/13 18:27	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/30/13 18:27	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			11/30/13 18:27	1
Chloroform	<1.0		1.0	0.20	ug/L			11/30/13 18:27	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/30/13 18:27	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/30/13 18:27	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			11/30/13 18:27	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 18:27	1
Trichloroethene	<0.50		0.50	0.19	ug/L			11/30/13 18:27	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/30/13 18:27	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/30/13 18:27	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/30/13 18:27	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/30/13 18:27	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/30/13 18:27	1
Toluene	<0.50		0.50	0.11	ug/L			11/30/13 18:27	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/30/13 18:27	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 18:27	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			11/30/13 18:27	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/30/13 18:27	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/30/13 18:27	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/30/13 18:27	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/30/13 18:27	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/30/13 18:27	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/30/13 18:27	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/30/13 18:27	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/30/13 18:27	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/30/13 18:27	1
Styrene	<1.0		1.0	0.10	ug/L			11/30/13 18:27	1
Bromoform	<1.0		1.0	0.28	ug/L			11/30/13 18:27	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 18:27	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/30/13 18:27	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/30/13 18:27	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			11/30/13 18:27	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 18:27	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/30/13 18:27	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: RFW-2B

Lab Sample ID: 500-67178-14

Date Collected: 11/18/13 11:15

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			11/30/13 18:27	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			11/30/13 18:27	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 18:27	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 18:27	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			11/30/13 18:27	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 18:27	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			11/30/13 18:27	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 18:27	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 18:27	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			11/30/13 18:27	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			11/30/13 18:27	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			11/30/13 18:27	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			11/30/13 18:27	1
Naphthalene	<1.0		1.0	0.16	ug/L			11/30/13 18:27	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			11/30/13 18:27	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		75 - 125		11/30/13 18:27	1
Toluene-d8 (Surr)	100		75 - 120		11/30/13 18:27	1
4-Bromofluorobenzene (Surr)	93		75 - 120		11/30/13 18:27	1
Dibromofluoromethane	93		75 - 120		11/30/13 18:27	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: RFW-3B

Lab Sample ID: 500-67178-15

Date Collected: 11/18/13 16:35

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			11/30/13 18:54	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/30/13 18:54	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/30/13 18:54	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/30/13 18:54	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/30/13 18:54	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/30/13 18:54	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			11/30/13 18:54	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/30/13 18:54	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/30/13 18:54	1
Acetone	<5.0		5.0	1.3	ug/L			11/30/13 18:54	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/30/13 18:54	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/30/13 18:54	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/30/13 18:54	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/30/13 18:54	1
cis-1,2-Dichloroethene	1.6		1.0	0.12	ug/L			11/30/13 18:54	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/30/13 18:54	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			11/30/13 18:54	1
Chloroform	<1.0		1.0	0.20	ug/L			11/30/13 18:54	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/30/13 18:54	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/30/13 18:54	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			11/30/13 18:54	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 18:54	1
Trichloroethene	<0.50		0.50	0.19	ug/L			11/30/13 18:54	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/30/13 18:54	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/30/13 18:54	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/30/13 18:54	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/30/13 18:54	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/30/13 18:54	1
Toluene	<0.50		0.50	0.11	ug/L			11/30/13 18:54	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/30/13 18:54	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 18:54	1
Tetrachloroethene	0.88	J	1.0	0.17	ug/L			11/30/13 18:54	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/30/13 18:54	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/30/13 18:54	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/30/13 18:54	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/30/13 18:54	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/30/13 18:54	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/30/13 18:54	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/30/13 18:54	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/30/13 18:54	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/30/13 18:54	1
Styrene	<1.0		1.0	0.10	ug/L			11/30/13 18:54	1
Bromoform	<1.0		1.0	0.28	ug/L			11/30/13 18:54	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 18:54	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/30/13 18:54	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/30/13 18:54	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			11/30/13 18:54	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 18:54	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/30/13 18:54	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: RFW-3B

Lab Sample ID: 500-67178-15

Date Collected: 11/18/13 16:35

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			11/30/13 18:54	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			11/30/13 18:54	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 18:54	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 18:54	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			11/30/13 18:54	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 18:54	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			11/30/13 18:54	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 18:54	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 18:54	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			11/30/13 18:54	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			11/30/13 18:54	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			11/30/13 18:54	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			11/30/13 18:54	1
Naphthalene	<1.0		1.0	0.16	ug/L			11/30/13 18:54	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			11/30/13 18:54	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		75 - 125		11/30/13 18:54	1
Toluene-d8 (Surr)	100		75 - 120		11/30/13 18:54	1
4-Bromofluorobenzene (Surr)	97		75 - 120		11/30/13 18:54	1
Dibromofluoromethane	94		75 - 120		11/30/13 18:54	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: RFW-4A

Lab Sample ID: 500-67178-16

Date Collected: 11/19/13 08:15

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			11/30/13 19:21	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/30/13 19:21	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/30/13 19:21	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/30/13 19:21	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/30/13 19:21	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/30/13 19:21	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			11/30/13 19:21	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/30/13 19:21	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/30/13 19:21	1
Acetone	<5.0		5.0	1.3	ug/L			11/30/13 19:21	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/30/13 19:21	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/30/13 19:21	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/30/13 19:21	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/30/13 19:21	1
cis-1,2-Dichloroethene	0.84	J	1.0	0.12	ug/L			11/30/13 19:21	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/30/13 19:21	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			11/30/13 19:21	1
Chloroform	0.54	J	1.0	0.20	ug/L			11/30/13 19:21	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/30/13 19:21	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/30/13 19:21	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			11/30/13 19:21	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 19:21	1
Trichloroethene	25		0.50	0.19	ug/L			11/30/13 19:21	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/30/13 19:21	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/30/13 19:21	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/30/13 19:21	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/30/13 19:21	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/30/13 19:21	1
Toluene	<0.50		0.50	0.11	ug/L			11/30/13 19:21	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/30/13 19:21	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/30/13 19:21	1
Tetrachloroethene	16		1.0	0.17	ug/L			11/30/13 19:21	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/30/13 19:21	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/30/13 19:21	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/30/13 19:21	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/30/13 19:21	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/30/13 19:21	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/30/13 19:21	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/30/13 19:21	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/30/13 19:21	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/30/13 19:21	1
Styrene	<1.0		1.0	0.10	ug/L			11/30/13 19:21	1
Bromoform	<1.0		1.0	0.28	ug/L			11/30/13 19:21	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 19:21	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/30/13 19:21	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/30/13 19:21	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			11/30/13 19:21	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 19:21	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/30/13 19:21	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-67178-1

Client Sample ID: RFW-4A

Lab Sample ID: 500-67178-16

Date Collected: 11/19/13 08:15

Matrix: Water

Date Received: 11/20/13 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			11/30/13 19:21	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			11/30/13 19:21	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 19:21	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			11/30/13 19:21	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			11/30/13 19:21	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 19:21	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			11/30/13 19:21	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/30/13 19:21	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			11/30/13 19:21	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			11/30/13 19:21	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			11/30/13 19:21	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			11/30/13 19:21	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			11/30/13 19:21	1
Naphthalene	<1.0		1.0	0.16	ug/L			11/30/13 19:21	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			11/30/13 19:21	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		75 - 125		11/30/13 19:21	1
Toluene-d8 (Surr)	100		75 - 120		11/30/13 19:21	1
4-Bromofluorobenzene (Surr)	95		75 - 120		11/30/13 19:21	1
Dibromofluoromethane	93		75 - 120		11/30/13 19:21	1