

Quarterly Groundwater Monitoring Report

Prepared for
Stanley Black & Decker Inc.

Hampstead, Maryland

January 2015

Prepared by

WESTON SOLUTIONS, INC.
West Chester, Pennsylvania 19380-1499

TABLE OF CONTENTS

Section	Page
1. INTRODUCTION.....	1-1
2. SITE CHARACTERISTICS.....	2-1
2.1 HYDRAULIC PROPERTIES	2-1
2.2 EFFLUENT CHARACTERISTICS	2-1
2.3 GROUNDWATER QUALITY DATA	2-1
3. OPERATION AND MAINTENANCE OF THE TREATMENT SYSTEM.....	3-1
4. RECOMMENDATIONS.....	4-1

LIST OF APPENDICES

APPENDIX A - GROUNDWATER TREATMENT SYSTEM PUMPING RECORDS

APPENDIX B - DISCHARGE MONITORING REPORTS

APPENDIX C - GROUNDWATER TREATMENT SYSTEM ANALYTICAL RESULTS

APPENDIX D - GROUNDWATER ANALYTICAL DATA PACKAGE

LIST OF TABLES

Table	Page
Table 2-1 Treatment System Pumping Records – 4th Quarter 2014.....	2-2
Table 2-2 Groundwater Elevation Data – 4th Quarter 2014.....	2-3
Table 2-3 Effluent Characteristics Summary – 4th Quarter 2014.....	2-4
Table 2-4 Summary of Groundwater Analytical Results - November 2014	2-5
Table 3-1 Treatment System Maintenance Activities – 4th Quarter 2014	3-2

1. INTRODUCTION

This Groundwater Monitoring Report has been prepared to meet the requirements of Condition IV.G of the Administrative Consent Order between the State of Maryland Department of the Environment (MDE) and Black & Decker (U.S.) Inc. (April 1995) (Consent Order). Specifically, Condition IV.G calls for preparation of a Groundwater Monitoring Report containing the following information for each reporting period:

- The quantities of groundwater pumped, treated, and discharged.
- The calculation of quantities of contaminants removed from groundwater.
- A summary of all sampling analyses.
- An explanation of all operational or other problems encountered, and the manner in which each problem was resolved.
- Copies of all reports submitted to the Department of Natural Resources in conjunction with the Groundwater Appropriations Permit.
- Recommendations for changes to the Interim Groundwater Treatment System.

This document is one of several which are being prepared in response to the Consent Order; each of these documents are to be submitted to the MDE in accordance with the schedule outlined in the Consent Order. This document will become part of the Administrative Record for the site, which is maintained at the Hampstead Public Library.

2. SITE CHARACTERISTICS

2.1 HYDRAULIC PROPERTIES

In accordance with the Consent Order and the Water Appropriation Permit issued to the Black and Decker (U.S.) Inc. Hampstead, Maryland, facility, the following pumping and water level information is included for the period of October through December 2014.

Pumping records showing the total gallons pumped per month of treatment system operation are presented in Table 2-1. The complete groundwater treatment system pumping records are included in Appendix A.

Monthly water levels for wells included in the water level monitoring plan are presented in Table 2-2. For the reporting period of October through December 2014, the extraction wells were pumping at an average combined rate of approximately 171 gallons per minute (gpm).

2.2 EFFLUENT CHARACTERISTICS

Effluent characteristics of the NPDES discharge points are recorded monthly on Discharge Monitoring Reports (DMRs) and are submitted to MDE, Water Management Administration, on a quarterly basis. A summary of the sample results from the DMRs is presented in Table 2-3. DMRs for the period of October through December 2014 are included in Appendix B.

2.3 GROUNDWATER QUALITY DATA

For the reporting period of October through December 2014, approximately 11.97 pounds of total volatile organic compounds (VOCs) were removed from the groundwater by the extraction and treatment system. In general, the total VOCs removed from the groundwater were comprised primarily of trichloroethene (TCE) (76.8 %) and tetrachloroethene (PCE) (23.2 %). Analytical results of the groundwater collected from the air stripper for the period of October through December 2014 are included in Appendix C.

A summary of the analytical results from the fourth quarter (November 2014) groundwater sampling round of the extraction and monitor wells is included in Table 2-4. The complete

Table 2-1
Treatment System Pumping Records - 4th Quarter 2014
Stanley Black & Decker
Hampstead, Maryland

Date	Water Pumped (gallons)
October 2014	7,657,996
November 2014	7,136,612
December 2014	7,189,909

Table 2-2
Groundwater Elevation Data - 4th Quarter 2014
Stanley Black & Decker
Hampstead, Maryland

WELL NO.	TOC ELEV.	TOTAL DEPTH	10/14/2014		11/24/2014		12/12/2014	
			DTW	ELEV.	DTW	ELEV.	DTW	ELEV.
EW-1	847.21	55	DRY	NC	DRY	NC	DRY	NC
EW-2	849.21	110	79.40	769.81	81.03	768.18	83.50	765.71
EW-3	846.64	118	85.60	761.04	89.26	757.38	90.10	756.54
EW-4	858.01	97.5	PC	NC	PC	NC	PC	NC
EW-5	864.17	98	90.10	774.07	89.91	774.26	90.25	773.92
EW-6	831.98	115	84.21	747.77	78.00	753.98	83.24	748.74
EW-7	818.38	78	59.77	758.61	55.43	762.95	58.71	759.67
EW-8	811.13	98	91.53	719.60	93.00	718.13	93.00	718.13
EW-9	811.35	141	97.00	714.35	95.44	715.91	100.30	711.05
EW-10	807.74	INA	55.71	752.03	54.57	753.17	55.84	751.90
RFW-1A	864.37	78	48.36	816.01	51.87	812.50	52.01	812.36
RFW-1B	864.23	200	48.41	815.82	51.91	812.32	52.03	812.20
RFW-2A	857.41	35	14.81	842.60	16.73	840.68	16.81	840.60
RFW-2B	857.73	75	15.40	842.33	17.40	840.33	17.52	840.21
RFW-3B	839.21	153	31.02	808.19	31.36	807.85	32.40	806.81
RFW-4A	830.37	62	36.22	794.15	37.83	792.54	38.19	792.18
RFW-4B	830.37	120	36.41	793.96	37.71	792.66	37.94	792.43
RFW-5A	817.50	30	DRY	NC	DRY	NC	DRY	NC
RFW-6	785.04	120	4.11	780.93	4.03	781.01	5.10	779.94
RFW-7	805.14	29	7.53	797.61	6.74	798.40	7.47	797.67
RFW-8	860.07	56	DRY	NC	DRY	NC	DRY	NC
RFW-9	862.02	49	26.12	835.90	26.94	835.08	27.02	835.00
RFW-10	852.06	58	DRY	NC	DRY	NC	DRY	NC
RFW-11A	849.32	72	Damaged	NC	Damaged	NC	Damaged	NC
RFW-11B	849.62	116	59.13	790.49	59.22	790.40	60.83	788.79
RFW-12B	844.87	264	48.98	795.89	50.89	793.98	51.01	793.86
RFW-13	849.11	150	59.21	789.90	60.90	788.21	59.41	789.70
RFW-14B	812.39	281	51.87	760.52	52.35	760.04	52.44	759.95
RFW-16	856.14	41	DRY	NC	DRY	NC	DRY	NC
RFW-17	834.66	60.5	30.26	804.40	29.26	805.40	27.41	807.25
RFW-20	842.49	142	32.43	810.06	34.38	808.11	34.61	807.88
RFW-21	832.65	102	20.36	812.29	21.77	810.88	22.01	810.64
PH-7	805.94	89	29.74	776.20	28.68	777.26	29.43	776.51
PH-9	814.94	98	45.15	769.79	50.80	764.14	50.57	764.37
PH-11	820.68	78	48.71	771.97	50.96	769.72	50.89	769.79
PH-12	828.35	87	49.36	778.99	51.52	776.83	51.43	776.92
B-3	803.02	83	10.24	792.78	10.69	792.33	10.28	792.74
Amoco	842.29	INA	NA	NC	NA	NC	NA	NC
Hamp. Town #22	804.96	INA	1.19	803.77	1.12	803.84	1.62	803.34
Pembroke #1	INA	INA	11.80	NC	11.59	NC	11.56	NC
Pembroke #2	INA	INA	Damaged	NC	Damaged	NC	Damaged	NC
N. Houcks. Rd.	INA	INA	9.98	NC	10.09	NC	10.34	NC
E. Century St.	INA	INA	19.26	NC	19.27	NC	19.26	NC
Lwr. Beckleys. Rd.	INA	INA	55.47	NC	56.73	NC	55.89	NC

NA - Not Available/Not Accessible

NC - Not Calculable

INA - Information not available

PC - Pump Cycles

Table 2-3
Effluent Characteristics Summary - 4th Quarter 2014
Black & Decker
Hampstead, Maryland

Discharge Number	Parameter	Units	Permit Limits	DMR DATE		
				October 2014	November 2014	December 2014
001	FLOW	average	MGD	0.220	0.203	0.238
		maximum	MGD	0.855	0.609	0.684
	1,1,1-Trichloroethane	ug/l	5	< 1	< 1	< 1
	Tetrachloroethylene	ug/l	5	< 1	< 1	< 1
	Trichloroethylene	ug/l	5	< 1	< 1	< 1
	Total Residual Chlorine	mg/l	< 0.1	< 0.1	< 0.1	< 0.1
	Oil & Grease	maximum	mg/l	< 5	< 5	< 5
		monthly average	mg/l	< 5	< 5	< 5
	pH	minimum	STD	6.0	7.1	7.2
		maximum	STD	8.5	8.3	7.6
	BOD	mg/l	15	7.0	< 1	3.0
	TSS	maximum	mg/l	30	< 1	< 1
		monthly average	mg/l	20	< 1	< 1
101 (Monitoring Point)	FLOW	average	MGD	0.142	0.118	0.125
		maximum	MGD	0.246	0.174	0.311
	Fecal Coliform	MPN/100ml	200	1.0	1.0	1.0
201 (Monitoring Point)	FLOW	average	MGD	NR	NR	0.239
		maximum	MGD	NR	NR	0.289
	1,1,1-Trichloroethane	ug/l	NA	NR	NR	< 1
	Tetrachloroethylene	ug/l	NA	NR	NR	< 1
	Trichloroethylene	ug/l	NA	NR	NR	< 1

DMR - Discharge Monitoring Report

NA - Not Applicable

NR - Not Reported

Table 2-4
Summary of Groundwater Analytical Results - November 2014
Stanley Black & Decker
Hampstead, Maryland

PARAMETER	UNITS	EW-1	EW-2	EW-3	EW-4	EW-5	EW-6	EW-7	EW-8	EW-9	EW-9 (DUP)	EW-10
Chloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromomethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Acetone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Carbon Disulfide	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5.4	5 U	5 U
1,1-Dichloroethene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1-Dichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethene (total)	ug/L	NS	3.8	2.2	1 U	1 U	1 U	3.9	18	1 U	1 U	1 U
Chloroform	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
2-Butanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Carbon Tetrachloride	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromodichloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloropropane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trichloroethene	ug/L	NS	140	43	660	110	6.4	2.7	5.9	0.6	0.5 J	1 U
Dibromo-chloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Benzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromoform	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
2-Hexanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Tetrachloroethene	ug/L	NS	57	1.9	13	3.2	13	6.3	57	120	110	3.2
1,1,2,2-Tetrachloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Toluene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chlorobenzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Ethylbenzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Styrene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Xylene (total)	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U

Notes: U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.

J = Indicates an estimated value.

NS = Not Sampled

Table 2-4
Summary of Groundwater Analytical Results - November 2014
Stanley Black & Decker
Hampstead, Maryland

PARAMETER	Units	RFW-1A	RFW-1B	RFW-2A	RFW-2B	RFW-3B	RFW-4A	RFW-4A (DUP)	RFW-4B	RFW-5A	RFW-6	RFW-7	RFW-8	RFW-9	RFW-10
Chloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromomethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Vinyl Chloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Methylene Chloride	ug/L	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	NS	2 U	2 U	NS	2 U	NS
Acetone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
Carbon Disulfide	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1-Dichloroethene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	0.7 J	NS
1,1-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloroethene (total)	ug/L	1 U	1 U	1 U	1 U	1.2	0.7 J	0.6 J	3	NS	0.6 J	1 U	NS	12	NS
Chloroform	ug/L	1 U	1 U	1 U	1 U	1 U	0.6 J	0.6 J	1.2	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
2-Butanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1,1-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	0.6 J	NS
Carbon Tetrachloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromodichloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloropropane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
cis-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Trichloroethene	ug/L	1 U	1 U	1 U	1 U	1 U	27	27	46	NS	1.2	1.1	NS	7.9	NS
Dibromochloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,1,2-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Benzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Trans-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromoform	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
4-Methyl-2-pentanone	ug/L	5 U	5 U	5 U	1 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
2-Hexanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
Tetrachloroethene	ug/L	1 U	1 U	1 U	1 U	1 U	21	22	78	NS	1.7	1 U	NS	3.5	NS
1,1,2,2-Tetrachloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Toluene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chlorobenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Ethylbenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Styrene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Xylene (total)	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS

Notes: DUP = Duplicate sample

NS = Not sampled

U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.

J = Indicates an estimated value.

Table 2-4
Summary of Groundwater Analytical Results - November 2014
Stanley Black & Decker
Hampstead, Maryland

PARAMETER	Units	RFW-11A	RFW-11B	RFW-12B	RFW-13	RFW-16	RFW-17	Leister Dairy	Leister Res. #1	Leister Res. #2	Trip Blank	RFW-20	RFW-21	Town #22	Town #23	Trip Blank
		USEPA drinking water method 524.2														
Chloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	1 U	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	2 U	2 U	2 U	NS	2 U	ABD	ABD	ABD	2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Acetone	ug/L	NS	5 U	5 U	9.9	NS	5.6	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
Carbon Disulfide	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	NA	NA	NA	NA	NA
1,1-Dichloroethene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethene (total)	ug/L	NS	1 U	0.7 J	0.8 J	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.29 J	0.5 U	0.5 U
1,2-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene	ug/L	NS	2.7	170	2.9	NS	1 U	ABD	ABD	ABD	1 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U
Dibromochloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Benzene	ug/L	NS	1 U	1 U	1 U	NS	0.6	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
2-Hexanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
Tetrachloroethene	ug/L	NS	1 U	10	17	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.58	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Styrene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Xylene (total)	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

Notes: Samples from wells RFW-20 & 21, Town-22&23 are analyzed with the USEPA drinking water method 524.2 at the request of the MDE Source Protection and Appropriation Division.
Samples from all of the other wells are analyzed with USEPA Method 8260.

NS = Not sampled

U = Compound was analyzed but not detected.

ABD = Well has been abandoned

analytical data package is included in Appendix D.

As found in earlier sampling events at the Stanley Black & Decker facility, TCE and PCE were the VOCs detected at the highest concentrations in the groundwater samples. The highest concentration of TCE was detected in the groundwater samples collected from wells RFW-12B and EW-4 and the highest concentration of PCE was detected in the groundwater sample collected from wells RFW-4B and EW-9. The remainder of VOCs present were detected at levels below the Federal Maximum Contaminant Levels (MCL).

3. OPERATION AND MAINTENANCE OF THE TREATMENT SYSTEM

A summary of the maintenance activities which were undertaken with the extraction and treatment system during the reporting period (October through December 2014) is provided in Table 3-1. This table is comprehensive in summarizing significant maintenance events or activities, while not including those activities considered unworthy of note (such as replacement of light bulbs, lubrication of moving parts as appropriate or other routine activities).

Table 3-1
Treatment System Maintenance Activities - 4th Quarter 2014
Stanley Black & Decker
Hampstead, Maryland

Date	Event/Corrective Action
Dec-14	There was a power outage at the site caused by a local automobile accident, the system was reset and is back online.

4. RECOMMENDATIONS

For the reporting period of October through December 2014, the treatment system continued to create a hydraulic boundary preventing off-site migration of groundwater. The extraction system will continue to operate as currently configured to pump and treat contaminated groundwater. Depth-to-water measurements will continue to be collected on a monthly basis in all site monitor wells to construct a groundwater elevation contour map for the site. The groundwater elevation contour map will be used to verify that the required area of groundwater capture is being maintained. If necessary, pumping rates will be adjusted to maintain groundwater capture due to seasonal fluctuations in groundwater elevations. The treatment system will also continue to operate as currently configured, as data collected have proven that the treatment system is fully effective in removing VOCs from the extracted groundwater.

APPENDIX A
GROUNDWATER TREATMENT SYSTEM PUMPING RECORDS
(OCTOBER – DECEMBER 2014)

MARYLAND DEPARTMENT of the ENVIRONMENT, WATER MANAGEMENT ADMINISTRATION, 1800 WASHINGTON BLVD, BALTIMORE, MD 21230

Operated By:
 Maryland Environmental Service
 259 Najeles Road, Millersville MD

Facility: BTR Capital Group
 Address: 627 Hanover Pike, Hampstead Maryland

Additional O Dorrance Jones 0763 James Elliott 3738, Chris Dallas 6202, Ryan Thomas 0781, Anthony Phillips 3001

Perm: 07-DP-0022
 Super: Earle Villarreal
 Certif: 1017

Month: Oct
 Year: 2014

Date	Appearance	Final Effluent outfall 001												Outfall 101					Outfall 201					Operator					
		Discharge MGD	pH su	Cl2 mg/l	Trichloroethyl ug/l	1-Trichloroethyl ug/l	Chloroethane ug/l	BOD ₅ mg/l	TSS mg/l	TKN mg/l	N+N mg/l	TP mg/l	TN mg/l	O&G mg/l	eColi mpn	Flow MGD	eColi mpn	Basin Inch	Alum Gpd	Hypochlorite mg/l	Post Cl2 ug/l	Trichloroethyl ug/l	1-Trichloroethyl ug/l	Chloroethane ug/l	Discharge mgd				
1	Clear	0.33400														0.117000		0.0	5.0	1.0	5.0					0.259318	Rthomas		
2	Clear	0.08900	7.80	0.00												0.152000		5.0	5.0	1.0	5.0						0.208569	Djones	
3	Clear	0.17300														0.141000		5.0	5.0	1.0	5.0						0.270058	Djones	
4	Clear	0.55800														0.157000		5.0	5.0	1.0	5.0						0.278784	Rthomas	
5	Clear	0.13300														0.145000		5.0	5.0	1.0	5.0						0.252390	Rthomas	
6	Clear	0.12800														0.125000		4.0	5.0	1.0	5.0						0.251010	Cdallas	
7	Clear	0.14000	7.29	0.00												0.157000	<1	1.0	5.0	1.0	5.0						0.252080	Cdallas	
8	Clear	0.19000														0.145000		1.0	5.0	1.0	5.0						0.201808	Cdallas	
9	Clear	0.14800	8.29	0.00												0.146000		1.0	5.0	1.0	5.0						0.260231	Cdallas	
10	Clear	0.14000														0.147000		1.0	5.0	1.0	5.0						0.233472	phillips	
11	Clear	0.36000														0.148000		0.0	5.0	1.0	5.0						0.258528	Djones	
12	Clear	0.21200														0.152000		0.0	5.0	1.0	5.0						0.246089	Djones	
13	Clear	0.16000														0.119000		0.0	5.0	1.0	5.0						0.251057	Jelliott	
14	Clear	0.15300	7.69	0.00	<1	<1	<1	7.00	5.60	0.77	1.52	<0.05	2.3	<5	5.3	0.134000	<1	0.0	5.0	1.0	5.0						0.226421	Jelliott	
15	Clear	0.22800														0.121000		0.0	5.0	1.0	5.0						0.281121	Jelliott	
16	Clear	0.85500	7.07	0.00												0.155000		0.0	5.0	1.0	5.0						0.230798	Jelliott	
17	Clear	0.20700														0.131000		0.0	5.0	1.0	5.0						0.268351	Jelliott	
18	Clear	0.16700														0.141000		0.0	5.0	1.0	5.0						0.243201	Jelliott	
19	Clear	0.12500														0.167000		0.0	5.0	1.0	5.0						0.231815	Jelliott	
20	Clear	0.13300														0.128000		0.0	5.0	1.0	5.0						0.278858	Aphillips	
21	Clear	0.13200														0.246000		0.0	5.0	1.0	5.0						0.243762	Cdallas	
22	Clear	0.63200														0.135000	<1	0.0	5.0	1.0	5.0						0.253884	Jelliott	
23	Clear	0.30100	7.47	0.00												0.128000		0.0	5.0	1.0	5.0						0.232287	Jelliott	
24	Clear	0.13700	7.33	0.00												0.131000		0.0	5.0	1.0	5.0						0.228965	Jelliott	
25	Clear	0.12600														0.117000		0.0	5.0	1.0	5.0						0.260212	Rthomas	
26	Clear	0.12900														0.144000		0.0	5.0	1.0	5.0						0.237475	Rthomas	
27	Clear	0.11300														0.126000		0.0	5.0	1.0	5.0						0.251951	Rthomas	
28	Clear	0.11800	7.52	0.00												0.106000	<1	0.0	5.0	1.0	5.0						0.231541	Rthomas	
29	Clear	0.14500														0.155000		0.0	5.0	1.0	5.0	<1	<1	<1			0.221745	Rthomas	
30	Clear	0.20600	7.61	0.00												0.135000		0.0	5.0	1.0	5.0						0.271159	Jelliott	
31	Clear	0.14900														0.141000		0.0	5.0	1.0	5.0						0.241056	Jelliott	
Total		6.8210														4.392000											7.657996		
Average		0.2200	7.6	<0.10	0	0	0	7	6	1	2	0	2	0	5	0.141677	1.0	0.9	5.0	1.0	5.0	0	0	0	0	0	0.247032		
Minimum		0.0890	7.1	0.00	0	0	0	7	6	1	2	0	2	0	5	0.106000	0.0	0	5.0	1.0	5.0	0	0	0	0	0	0.201808		
Maximum		0.8550	8.3	<0.10	0	0	0	0	7	6	1	2	0	2	0	5	0.246000	0.0	5.0	5.0	1.0	5.0	0	0	0	0	0	0.281121	DR 01-3

ENT ADMINISTRATION, 1800 WASHINGTON BLVD, BALTIMORE, MD 21230

Operated By:
 Maryland Environmental Service
 259 Nokes Road, Millersville MD

Facility: BTR Capital Group
 Address: 627 Hanover Pike, Hampstead Maryland

Permit Number: MD0001881

Superintendent: Earle Villarreal Certification # 1017

Additional Op's & cert #: Dorrance Jones 0763, James Elliott 3738, Ryan Thomas 0781, Martin Whitt 0666, Keith White 4609, Anthony Phillips 3001

Month: November
 Year: 2014

Date	Appearance	Final Effluent outfall 001												Outfall 101					Outfall 201					Operator	
		Discharge MGD	pH su	C12 mg/l	Tot Alkalinity ug/l	1,1,1-Trichloroethane ug/l	Endosulfan ug/l	BOD ₅ mg/l	TSS mg/l	N+N mg/l	TP mg/l	TN mg/l	O&G mg/l	eColi mpn	Flow MGD	eColi mpn	Basin Inches	Alum Gpd	Hypochlorite ug/l	Pred C12 mg/l	1,1,1-Trichloroethane ug/l	Endosulfan ug/l	Discharge mgd		
1	Clear	0.14100												0.141000		0.0	1.0	1.0	5.0				0.253431	Djones	
2	Clear	0.12800												0.115000		0.0	1.0	1.0	5.0				0.240769	Djones	
3	Clear	0.08400												0.111000		0.0	1.0	1.0	5.0				0.232886	RThomas	
4	Clear	0.10600	7.64	0.00										0.122000	<1	0.0	1.0	1.0	5.0				0.248972	RThomas	
5	Clear	0.10400												0.094000		0.0	1.0	1.0	5.0				0.213899	J. Elliott	
6	Clear	0.60900	7.51	0.00										0.105000		0.0	1.0	1.0	5.0				0.260542	J. Elliott	
7	Clear	0.20300												0.079000		0.0	1.0	1.0	5.0				0.204387	J. Elliott	
8	Clear	0.16000												0.164000		0.0	1.0	1.0	5.0				0.288963	Kwhite	
9	Clear	0.14000												0.130000		0.0	1.0	1.0	5.0				0.238210	Kwhite	
10	Clear	0.12300												0.123000		0.0	5.0	1.0	5.0				0.223816	Aphillips	
11	Clear	0.13000	7.40	0.00										0.124000		0.0	5.0	1.0	5.0				0.225428	J. Elliott	
12	Clear	0.15200			<1	<1	<1	<2	<5	0.63	2.20	<0.2	2.8	<5	<1	0.100000	<1	0.0	5.0	1.0	5.0			0.254981	J. Elliott
13	Clear	0.14400	7.25	0.00										0.127000		0.0	5.0	1.0	5.0				0.229140	J. Elliott	
14	Clear	0.16100												0.155000		0.0	5.0	1.0	5.0				0.235072	J. Elliott	
15	Clear	0.14200												0.148000		0.0	5.0	1.0	5.0				0.249746	J. Elliott	
16	Clear	0.13100												0.125000		0.0	5.0	1.0	5.0				0.229824	J. Elliott	
17	Clear	0.36800												0.095000		0.0	5.0	1.0	5.0				0.225100	M. Whitt	
18	Clear	0.39200	7.31	0.00										0.102000	<1.0	0.0	5.0	1.0	5.0				0.221150	A. Phillips	
19	Clear	0.12100												0.160000		0.0	5.0	1.0	5.0				0.245864	J. Elliott	
20	Clear	0.13700	7.37	0.00										0.122000		0.0	5.0	1.0	5.0				0.232863	J. Elliott	
21	Clear	0.15000												0.143000		0.0	5.0	1.0	5.0				0.248493	J. Elliott	
22	Clear	0.12800												0.129000		0.0	5.0	1.0	5.0				0.233623	A. Phillips	
23	Clear	0.14000												0.096000		0.0	5.0	1.0	5.0				0.224883	A. Phillips	
24	Clear	0.34500												0.011000		0.0	5.0	1.0	5.0				0.273983	Kwhite	
25	Clear	0.17700	7.44	0.00										0.069000	<1.0	0.0	5.0	1.0	5.0				0.211438	J. Elliott	
26	Clear	0.28500	7.22	0.00										0.113000		0.0	5.0	1.0	5.0				0.224051	J. Elliott	
27	Clear	0.56600												0.111000		0.0	5.0	1.0	5.0				0.203700	Kwhite	
28	Clear	0.28000												0.174000		0.0	5.0	1.0	5.0				0.281542	J. Elliott	
29	Clear	0.14300												0.125000		0.0	5.0	1.0	5.0				0.227096	Djones	
30	Clear	0.19400												0.119000		0.0	5.0	1.0	5.0				0.252760	Djones	
31														3.532000									7.136612		
Total		6.08400																							
Average		0.20280	7.4	<0.10	0.000	0.000	0.000	0.0	0.6	2.2	0.0	3	0.0	1.0	0.117733	1.0	0.0	3.8	1.0	5.0	#DIV/0!	#DIV/0!	#DIV/0!	0.237887	
Minimum		0.08400	7.2	0.00	0.000	0.000	0.000	0.0	0.6	2.2	0.0	3	0.0	0.0	0.011000	0.0	0.0	1.0	1.0	5.0	0.0	0.0	0.0	0.203700	
Maximum		0.60900	7.6	<0.10	0.000	0.000	0.000	0.0	0.6	2.2	0.0	3	0.0	0.0	0.174000	0.0	0.0	5.0	1.0	5.0	0.0	0.0	0.0	0.288963	

MOR-01-3-14

MARYLAND DEPARTMENT of the ENVIRONMENT, WATER MANAGEMENT ADMINISTRATION, 1800 WASHINGTON BLVD, BALTIMORE, MD 21230

Superintendent: Earle Villarreal

Certification # 1017

42

Black & Decker WTPOperated by
Maryland Environmental Service**PWSID # 106 0004**

County: Carroll

Address: BTR CAPITAL GROUP, Hampstead, MD 21073
625 Hanover Pike, Hampstead, Carroll County, Maryland

Month: December

Year: 2014

GENERAL (DOMESTIC WATER)			CHEMICAL						MONITORING			DISTRIBUTION			RAW WATER				
Date	Day	Weather	Flow meter reading 0	MGD Total FQIR	pH P.O.E	Free Cl2	Na2CO3 Level	Na2CO3 (gpd)	NaOCL Level	NaOCL (gpd)	VOC/S (ppb)	Bact/ Pos/Neg	pH su	TRC mg/l	DISTRIBUTION LOCATION	Operator Initials	pH su	TOTAL RAW WATER WELL (mgd)	Comments
1	Mon	Clear	0	0.0038	7.57	1.68	10.00	0.00	30.00	1.00					AP	5.67	0.236043		
2	Tue	Cloudy	0	0.0065	7.91	1.93	10.00	0.00	28.00	2.00			7.12	1.12	1st Floor	MW		0.233582	
3	Wed	Rain	0	0.0061	7.45	1.99	10.00	0.00	26.00	2.00					JE		0.235961		
4	Thu	Clear	0	0.0047	7.36	1.82	10.00	0.00	24.00	2.00			7.64	2.04	Loading Dock	JE		0.231319	
5	Fri	Clear	0	0.0049	7.50	2.12	10.00	0.00	22.00	2.00			7.45	2.06	1st Floor	CD		0.220618	
6	Sat	Rain	0	0.0050	7.39	1.71	10.00	0.00	21.00	1.00					KW		0.264394		
7	Sun	Clear	0	0.0012	7.20	1.92	10.00	0.00	20.00	1.00					KW		0.216020		
8	Mon	Snow	0	0.0057	7.54	1.83	10.00	0.00	19.00	1.00			7.50	1.76	Loading Dock	CD		0.236472	
9	Tue	Rain	0	0.0045	7.27	1.23	10.00	0.00	18.00	1.00					CD		0.217716		
10	Wed	Clear	0	0.0053	7.38	1.47	10.00	0.00	16.00	2.00					JE		0.245856		
11	Thu	Snow	0	0.0049	7.75	1.80	10.00	0.00	15.00	1.00			6.79	1.49	1st Floor	MW	5.49	0.236840	
12	Fri	Cloudy	0	0.0064	7.25	1.87	10.00	0.00	13.00	2.00					DJ		0.241762		
13	Sat	Cloudy	0	0.0038	7.28	1.94	10.00	0.00	37.00	1.00					RT		0.236407		
14	Sun	Cloudy	0	0.0025	7.34	2.00	10.00	0.00	36.00	1.00					RT		0.224030		
15	Mon	Clear	0	0.0035	7.91	1.93	10.00	0.00	34.00	2.00			7.49	1.58	1st Floor	JE		0.206416	
16	Tue	Rain	0	0.0056	7.61	1.62	10.00	0.00	32.00	2.00					JE		0.243490		
17	Wed	Clear	0	0.0057	7.52	1.63	10.00	0.00	30.00	2.00			7.36	1.55	1st Floor	JE		0.244187	
18	Thu	Clear	0	0.0054	7.54	1.51	10.00	0.00	28.00	2.00					JE	5.89	0.229657		
19	Fri	Clear	0	0.0045	7.55	1.46	10.00	0.00	26.00	2.00			7.49	1.21	1st Floor	JE		0.232875	
20	Sat	Cloudy	0	0.0036	7.34	1.49	10.00	0.00	25.00	1.00					DJ		0.226601		
21	Sun	Clear	0	0.0021	7.48	1.46	10.00	0.00	24.00	1.00					DJ		0.226326		
22	Mon	Cloudy	0	0.0047	7.89	1.32	10.00	0.00	23.00	1.00			7.53	1.14	Loading Dock	RT		0.230633	
23	Tue	Rain	0	0.0060	7.73	1.27	10.00	0.00	22.00	1.00					RT		0.253713		
24	Wed	Rain	0	0.0012	7.43	1.17	10.00	0.00	21.00	1.00					AP		0.194188		
25	Thu	Cloudy	0	0.0005	7.50	1.33	10.00	0.00	20.00	1.00					KW		0.235919		
26	Fri	Clear	0	0.0019	7.52	1.28	10.00	0.00	19.00	1.00					JE	5.71	0.231494		
27	Sat	Clear	0	0.0005	7.48	1.19	10.00	0.00	18.00	1.00					KW		0.237233		
28	Sun	Cloudy	0	0.0010	7.31	1.26	10.00	0.00	17.00	1.00					KW		0.223594		
29	Mon	Clear	0	0.0033	7.88	0.90	10.00	0.00	16.00	1.00			8.17	0.85	Loading Dock	CD		0.236466	
30	Tue	Clear	0	0.0030	7.34	1.03	10.00	0.00	15.00	1.00					RT		0.250742		
31	Wed	Clear	0	0.0034	7.70	1.26	10.00	0.00	14.00	1.00			7.53	0.93	1st Floor	JE		0.209355	
Total				0.1212	232.9	48.42	310.0	0.00	709.0	42.00	0.0	0.0	82	16			7.189909		
Average				0.0039	7.51	1.56	10.00	0.00	22.87	1.35	0.0	0.0	7.46	1.43			0.231933		
Minimum				0.0005	7.20	0.90	10.00	0.00	13.00	1.00	0.0	0.0	6.79	0.85			0.194188	Central MOR	
Maximum				0.0065	7.91	2.12	10.00	0.00	37.00	2.00	0.0	0.0	8.17	2.06			0.264394	02/02/12	

APPENDIX B
DISCHARGE MONITORING REPORTS
(OCTOBER - DECEMBER 2014)

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name BTR Hampstead, Inc

Address c/o BTR Capital Group Management

222 Courthouse Ct., Suite 300, Towson MD 21204

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDE)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

001

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

Facility Groundwater Remediation and WWTP

Location 626 Hanover Pike

Attn:

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
FROM 14	10	01	TO 14	10	31
(20-21)	(22-23)	(24-25)	(26-27)	(28-29)	(30-31)

State Discharge Permit
07-DP-0022

(20-21) (22-23) (24-25) (26-27) (28-29) (30-31)

PARAMETER (32-37)	SAMPLE MEASUREMENT	(3 Card Only) (46-53)			QUALITY OR CONCENTRATION (4 Card Only) (38-45)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS				
BOD, 5-DAY (20 DEG. C) 00310 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	7	(19)	0	ONCE/ MONTH	GRAB	
	PERMIT REQUIREMENT	*****	*****		*****	*****	15		MG/L	ONCE/ MONTH	GRAB	
pH 00400 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	7.1	*****	8.3	(12)	0	TWICE/ WEEK	GRAB	
	PERMIT REQUIREMENT	*****	*****		*****	*****	8.5		SU	TWICE/ WEEK	GRAB	
SOLIDS, TOTAL SUSPENDED 00530 1 0 C EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	7	Lbs/day	*****	6	6	(19)	0	ONCE/ MONTH	GRAB	
	PERMIT REQUIREMENT	*****	Req. Mon. MO MAX		*****	20	30		MG/L	ONCE/ MONTH	GRAB	
SOLIDS, TOTAL SUSPENDED 00530 1 1 C EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	319	Lbs/mo	*****	*****	*****	****	0	ONCE/ MONTH	Calculated	
	PERMIT REQUIREMENT	*****	Req. Mon. MO TOTAL		*****	*****	*****			ONCE/ MONTH	Calculated	
SOLIDS, TOTAL SUSPENDED 00530 1 2 C EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	3,994	Lbs/yr	*****	*****	*****	****	0	ONCE/ MONTH	Calculated	
	PERMIT REQUIREMENT	*****	Req. Mon. CUM TOTAL		*****	*****	*****			ONCE/ MONTH	Calculated	
OIL AND GREASE TOTAL RECOVERABLE 70030 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	(19)	0	ONCE/ MONTH	GRAB	
	PERMIT REQUIREMENT	*****	*****		*****	10	15		MG/L	ONCE/ MONTH	GRAB	
NITROGEN, TOTAL (AS N) 00600 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	3	Lbs/day	*****	2	2	(19)	0	ONCE/ MONTH	COMP -8	
	PERMIT REQUIREMENT	*****	Req. Mon. MO MAX		*****	Req. Mon. 30DAVG	Req. Mon. DAILY MX		MG/L	ONCE/ MONTH	COMP -8	
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN, AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THIS INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. §91001 AND 33 U.S.C. §91319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)						TFI PHONE	DATE				
Nicole Finneyfrock Property Manager							410	729-8350	14	11	18	
TYPED OR PRINTED	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT						AREA CODE	NUMBER	YEAR	MONTH	DAY	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name BTR Hampstead, Inc

Address c/o BTR Capital Group Management

222 Courthouse Ct., Suite 300, Towson MD 21204

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

001

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

Facility Groundwater Remediation and WWTP

Location 626 Hanover Pike

Attn:

MONITORING PERIOD											
FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY				
	(20-21)	(22-23)	(24-25)	(26-27)	(28-29)	(30-31)					

State Discharge Permit

07-DP-0022

PARAMETER (32-37)	SAMPLE MEASUREMENT	(3 Card Only) (46-53)			QUANTITY OR LOADING (54-61)			QUALITY OR CONCENTRATION (4 Card Only) (38-45)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)		
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS								
NITROGEN, TOTAL (AS N) 00600 1 1 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	130	Lbs/mo	*****	*****	*****	*****	****	****	****	0	ONCE/ MONTH	Calculated		
	PERMIT REQUIREMENT	*****	Req. Mon. MO TOTAL		*****	*****	*****	*****								
NITROGEN, TOTAL (AS N) 00600 1 2 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	2,160	Lbs/yr	*****	*****	*****	*****	****	****	****	0	ONCE/ MONTH	Calculated		
	PERMIT REQUIREMENT	*****	Req. Mon. CUM TOTAL		*****	*****	*****	*****								
PHOSPHOROUS, TOTAL (AS P) 00665 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	0	Lbs/day	*****	0	0	(19)	MG/L	0	ONCE/ MONTH	COMP -8	COMP -8	Calculated		
	PERMIT REQUIREMENT	*****	Req. Mon. MO MAX		*****	Req. Mon. 30DA/AVG	DAILY MX									
PHOSPHOROUS, TOTAL (AS P) 00665 1 1 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	0	Lbs/mo	*****	*****	*****	*****	****	****	****	0	ONCE/ MONTH	Calculated		
	PERMIT REQUIREMENT	*****	Req. Mon. MO TOTAL		*****	*****	*****	*****								
PHOSPHOROUS, TOTAL (AS P) 00665 1 2 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	26	Lbs/yr	*****	*****	*****	*****	****	****	****	0	ONCE/ MONTH	Calculated		
	PERMIT REQUIREMENT	*****	Req. Mon. CUM TOTAL		*****	*****	*****	*****								
TETRACHLOROETHYLENE 34475 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	0	(28)	UG/L	0	ONCE/ MONTH	GRAB	GRAB	Calculated		
	PERMIT REQUIREMENT	*****	*****		*****	*****	5	DAILY MX								
1,1,1-TRICHLOROETHANE 34506 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	0	(28)	UG/L	0	ONCE/ MONTH	GRAB	GRAB	Calculated		
	PERMIT REQUIREMENT	*****	*****		*****	*****	5	DAILY MX								
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)									TFI PHON#	DATE					
Nicole Finneyfrock Property Manager	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT									410 729-8350	14 11 18					
TYPED OR PRINTED	AREA CODE NUMBER YEAR MONTH DAY															

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include
Facility Name/Location if different)
Name BTR Hampstead, Inc
Address c/o BTR Capital Group Management
222 Courthouse Ct., Suite 300, Towson MD 21204

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881
PERMIT NUMBER001
DISCHARGE NUMBER

Form Approved.
OMB No.
Approval expires

*** NO DISCHARGE ***


Facility Groundwater Remediation and WWTP
Location 626 Hanover Pike
Attn:

FROM

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
14	10	01	14	10	31
(20-21)	(22-23)	(24-25)	(26-27)	(28-29)	(30-31)

NOTE: Read instructions before completing this form

State Discharge Permit
07-DP-0022

PARAMETER (32-37)		(3 Card Only) (46-53)			(4 Card Only) (38-45)			QUALITY OR CONCENTRATION (46-53) (54-61)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)			
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS								
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0	SAMPLE SUREMENT	0.2200	0.8550	(03)	*****	*****	*****	*****	*****	*****	0	ONCE/ MONTH	Measured			
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT	REPORT	MGD	*****	*****	*****	*****	*****	*****	****	ONCE/ MONTH	Measured			
CHLORINE, TOTAL RESIDUAL 50060 1 0 0	SAMPLE MEASUREMENT	*****	*****	***	*****	<0.1	<0.1	(19)	0	ONCE/ MONTH	GRAB					
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	***	*****	0.011 30DA AVG	0.019 DAILY MX	MG/L	0	ONCE/ MONTH	GRAB					
E.COLI, MPN 51040 1 0 1	SAMPLE MEASUREMENT	*****	*****	***	*****	5	*****	(30)	0	ONCE/ MONTH	GRAB					
EFFLUENT GROSS VALUE	PREMIT REQUIREMENT	*****	*****	***	*****	Req. Mon. GEO MEAN	*****	MPN	0	ONCE/ MONTH	GRAB					
TRICHLOROETHENE 78391 1 0 0	SAMPLE MEASUREMENT	*****	*****	***	*****	*****	0	(28)	0	ONCE/ MONTH	GRAB					
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	***	*****	*****	5 DAILY MX	UG/L	0	ONCE/ MONTH	GRAB					
	SAMPLE MEASUREMENT															
	PERMIT REQUIREMENT															
	SAMPLE MEASUREMENT															
	PERMIT REQUIREMENT															
	SAMPLE MEASUREMENT															
	PERMIT REQUIREMENT															
	SAMPLE MEASUREMENT															
	PERMIT REQUIREMENT															
NAME/TI	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)											TELEPHONE	DATE			
Nicole Finneyfrock Property Manager												410	729-8350	14	11	18
TYPED OR PRINTED	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT											AREA CODE	NUMBER	YEAR	MONTH	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include facility Name/Location if different)

Name BTR Hampstead, Inc
Address c/o BTR Capital Group Management
222 Courthouse Ct., Suite 300, Towson MD 21204

Facility Groundwater Remediation and WWTP
Location 626 Hanover Pike
Attn:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

101

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.


OMB No.

Approval expires

*** NO DISCHARGE ***
NOTE: Read instructions before completing this form

State Discharge Permit
07-DP-0022

FROM			TO			MONITORING PERIOD		
YEAR	MO	DAY	YEAR	MO	DAY	(20-21)	(22-23)	(24-25)
14	10	01	14	10	31	(26-27)	(28-29)	(30-31)

PARAMETER (32-37)		QUANTITY OR LOADING (46-53) (54-61)			QUALITY OR CONCENTRATION (4 Card Only) (38-45) (46-53) (54-61)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)		
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM				UNITS	
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	141,677	246,000	(07) GPD	*****	*****	*****	****	0	ONCE/ WEEK	Measured/ Recorded	
	PERMIT REQUIREMENT	REPORT	REPORT		*****	*****	*****			*****	****	****
E.COLI, MPN 51040 1 0 1 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	**** MPN	*****	*****	1	(30)	0	ONCE/ WEEK	GRAB	
	PERMIT REQUIREMENT	*****	*****		*****	*****	126			DAILY MX	MPN	ONCE/ WEEK
	SAMPLE MEASUREMENT											
	PREMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. §51001 AND 33 U.S.C. §51319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)						TFF PPHONF		DATE		
Nicole Finneyfrock Property Manager								410	729-8350	14	11	18
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT						AREA CODE	NUMBER	YEAR	MONTH	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include
Facility Name/Location if different)

Name BTR Hampstead, Inc

Address c/o BTR Capital Group Management
222 Courthouse Ct., Suite 300, Towson MD 21204

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

001

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

State Discharge Permit
07-DP-0022

Facility Groundwater Remediation and WWTP

Location 626 Hanover Pike

Attn:

MONITORING PERIOD							
YEAR	MO	DAY	YEAR	MO	DAY		
FROM	14	11	01	TO	14	11	30
(20-21)	(22-23)	(24-25)	(26-27)	(28-29)	(30-31)		

PARAMETER (32-37)		QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)		
		(3 Card Only) (46-53)	(54-61)		(4 Card Only) (38-45)	(46-53)	(54-61)					
BOD, 5-DAY (20 DEG. C) 00310 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	***	*****	*****	0	(19)	0	ONCE/ MONTH		
	PERMIT REQUIREMENT	*****	*****	***	*****	*****	15		MG/L	ONCE/ MONTH		
pH 00400 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	***	7.2	*****	7.6	(12)	0	TWICE/ WEEK		
	PERMIT REQUIREMENT	*****	*****	***	DAILY MN	*****	8.5		SU	TWICE/ WEEK		
SOLIDS, TOTAL SUSPENDED 00530 1 0 C EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	0	Lbs/day	*****	0	0	(19)	0	ONCE/ MONTH		
	PREMIT	*****	Req. Mon. MO MAX		*****	20	30		MG/L	ONCE/ MONTH		
SOLIDS, TOTAL SUSPENDED 00530 1 1 C EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	0	Lbs/mo	*****	30DA AVG	DAILY MX	0	Calculated	Calculated		
	PERMIT REQUIREMENT	*****	Req. Mon. MO TOTAL		*****	*****	*****		***	ONCE/ MONTH		
SOLIDS, TOTAL SUSPENDED 00530 1 2 C EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	3,994	Lbs/yr	*****	*****	*****	0	ONCE/ MONTH	Calculated		
	PERMIT REQUIREMENT	*****	Req. Mon. CUM TOTAL		*****	*****	*****		***	ONCE/ MONTH		
OIL AND GREASE TOTAL RECOVERABLE 70030 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	***	*****	0	0	(19)	0	ONCE/ MONTH		
	PERMIT REQUIREMENT	*****	*****	***	*****	10	15		MG/L	ONCE/ MONTH		
NITROGEN, TOTAL (AS N) 00600 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	4	Lbs/day	*****	3	3	(19)	0	COMP -8		
	PERMIT REQUIREMENT	*****	Req. Mon. MO MAX		*****	Req. Mon. 30DA AVG	Req. Mon. DAILY MX		MG/L	ONCE/ MONTH		
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)						T/F/I PPHONE				
Nicole Finneyfrock Property Manager		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT						410	729-8350	14	12	17
TYPED OR PRINTED								AREA CODE	NUMBER	YEAR	MONTH	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name BTR Hampstead, Inc

Address c/o BTR Capital Group Management

222 Courthouse Ct., Suite 300, Towson MD 21204

Facility Groundwater Remediation and WWTP

Location 626 Hanover Pike

Attn:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

001

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

State Discharge Permit

07-DP-0022

MONITORING PERIOD							
YEAR	MO	DAY	YEAR	MO	DAY		
FROM	14	11	01	TO	14	11	30
(20-21)	(22-23)	(24-25)	(26-27)	(28-29)	(30-31)		

PARAMETER (32-37)	SAMPLE MEASUREMENT	(3 Card Only) (46-53)			QUANTITY OR LOADING (54-61)			QUALITY OR CONCENTRATION (4 Card Only) (38-45)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS						
NITROGEN, TOTAL (AS N) 00600 1 1 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	144	Lbs/mo	*****	*****	*****	*****	*****	0	ONCE/ MONTH	Calculated		
	PERMIT REQUIREMENT	*****	Req. Mon. MO TOTAL		*****	*****	*****	*****	*****	***	ONCE/ MONTH	Calculated		
NITROGEN, TOTAL (AS N) 00600 1 2 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	2,304	Lbs/yr	*****	*****	*****	*****	*****	0	ONCE/ MONTH	Calculated		
	PERMIT REQUIREMENT	*****	Req. Mon. CUM TOTAL		*****	*****	*****	*****	*****	***	ONCE/ MONTH	Calculated		
PHOSPHOROUS, TOTAL (AS P) 00665 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	0	Lbs/day	*****	0	0	0	0	(19)	0	ONCE/ MONTH	COMP -8	
	PERMIT REQUIREMENT	*****	Req. Mon. MO MAX		*****	Req. Mon. 30DA AVG	DAILY MX			MG/L	ONCE/ MONTH	COMP -8		
PHOSPHOROUS, TOTAL (AS P) 00665 1 1 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	0	Lbs/mo	*****	*****	*****	*****	*****	0	ONCE/ MONTH	Calculated		
	PERMIT REQUIREMENT	*****	Req. Mon. MO TOTAL		*****	*****	*****	*****	*****	***	ONCE/ MONTH	Calculated		
PHOSPHOROUS, TOTAL (AS P) 00665 1 2 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	26	Lbs/yr	*****	*****	*****	*****	*****	0	ONCE/ MONTH	Calculated		
	PERMIT REQUIREMENT	*****	Req. Mon. CUM TOTAL		*****	*****	*****	*****	*****	***	ONCE/ MONTH	Calculated		
TETRACHLOROETHYLENE 34475 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	***	*****	*****	0	0	0	(28)	0	ONCE/ MONTH	GRAB	
	PERMIT REQUIREMENT	*****	*****	***	*****	*****	5	5	5	UG/L	ONCE/ MONTH	GRAB		
1,1,1-TRICHLOROETHANE 34506 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	***	*****	*****	0	0	0	(28)	0	ONCE/ MONTH	GRAB	
	PERMIT REQUIREMENT	*****	*****	***	*****	*****	5	5	5	UG/L	ONCE/ MONTH	GRAB		
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)						SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		TFFPHONE		DATE		
Nicole Finneyfrock Property Manager										410	729-8350	14	12	17
TYPED OR PRINTED										AREA CODE	NUMBER	YFAR	MONTH	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include
Facility Name/Location if different)
Name BTR Hampstead, Inc.
Address c/o BTR Capital Group Management
222 Courthouse Ct., Suite 300, Towson MD 21204

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)
(2-16) (17-19)
MD0001881 PERMIT NUMBER 001 DISCHARGE NUMBER

Form Approved.
OMB No.
Approval expires

*** NO DISCHARGE ***

Facility Groundwater Remediation and WWTP
Location 626 Hanover Pike
Attn:

FROM MONITORING PERIOD
YEAR MO DAY TO YEAR MO DAY
(20-21) (22-23) (24-25) (26-27) (28-29) (30-31)

NOTE: Read instructions before completing this form

State Discharge Permit
07-DP-0022

PARAMETER (32-37)	SAMPLE SUREMENT	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		(46-53)	(54-61)	UNITS	(38-45)	(46-53)	(54-61)				
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0	SAMPLE PERMIT REPORT	0.2028	0.6090	(03)	*****	*****	*****	0	ONCE/ MONTH	Measured	
EFFLUENT GROSS VALUE	REQUIREMENT			MGD	*****	*****	*****	***	ONCE/ MONTH	Measured	
CHLORINE, TOTAL RESIDUAL 50060 1 0 0	SAMPLE MEASUREMENT	*****	*****	***	*****	<0.1	<0.1	(19)	0	ONCE/ MONTH	GRAB
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	***	*****	0.011	0.019	MG/L	ONCE/ MONTH	GRAB	
E.COLI, MPN 51040 1 0 1	SAMPLE MEASUREMENT	*****	*****	***	*****	30DA AVG	DAILY MX	(30)	0	ONCE/ MONTH	GRAB
EFFLUENT GROSS VALUE	PREMIT REQUIREMENT	*****	*****	***	*****	1	*****	MPN	ONCE/ MONTH	GRAB	
TRICHLOROETHENE 78391 1 0 0	SAMPLE MEASUREMENT	*****	*****	***	*****	0	0	(28)	0	ONCE/ MONTH	GRAB
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	***	*****	5	DAILY MX	UG/L	ONCE/ MONTH	GRAB	
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
NAME/TI	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN: AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)			SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT			TELEPHONE	DATE			
Nicole Finneyfrock Property Manager				410	729-8350	14	12	17			
TYPED OR PRINTED				AREA CODE	NUMBER	YEAR	MONTH	DAY			

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name BTR Hampstead, Inc

Address c/o BTR Capital Group Management
222 Courthouse Ct., Suite 300, Towson MD 21204

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDE)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

101

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

Facility Groundwater Remediation and WWTP

Location 626 Hanover Pike

Attn:

MONITORING PERIOD								
FROM	YEAR 14	MO 11	DAY 01	TO	YEAR 14	MO 11	DAY 30	
								(20-21) (22-23) (24-25) (26-27) (28-29) (30-31)

State Discharge Permit

07-DP-0022

PARAMETER (32-37)		(3 Card Only) (46-53)			QUANTITY OR LOADING (54-61)			(4 Card Only) (38-45)			QUALITY OR CONCENTRATION (46-53)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS	(54-61)								
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	117,733	174,000	(07)	*****	*****	*****	*****	*****	*****	*****	0	ONCE/ WEEK	Measured/ Recorded			
	PERMIT REQUIREMENT	REPORT	REPORT		GPD	*****	*****	*****	*****	*****	*****	*****	0	ONCE/ MONTH	Measured/ Recorded		
E.COLI, MPN 51040 1 0 1 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	*****	*****	*****	*****	1	(30)	0	ONCE/ WEEK	GRAB		
	PERMIT REQUIREMENT	*****	*****		****	*****	*****	*****	*****	*****	*****		126	MPN	0	ONCE/ WEEK	GRAB
	SAMPLE MEASUREMENT																
	PERMIT REQUIREMENT																
	SAMPLE MEASUREMENT																
	PERMIT REQUIREMENT																
	SAMPLE MEASUREMENT																
	PERMIT REQUIREMENT																
	SAMPLE MEASUREMENT																
	PERMIT REQUIREMENT																
	SAMPLE MEASUREMENT																
	PERMIT REQUIREMENT																
	SAMPLE MEASUREMENT																
	PERMIT REQUIREMENT																
	SAMPLE MEASUREMENT																
	PERMIT REQUIREMENT																
	SAMPLE MEASUREMENT																
	PERMIT REQUIREMENT																
	SAMPLE MEASUREMENT																
	PERMIT REQUIREMENT																
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)											TFI FPHONF		DATE		
Nicole Finneyfrock Property Manager													410	729-8350	14	12	17
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT											AREA CODE	NUMBER	YEAR	MONTH	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name BTR Hampstead, Inc

Address c/o BTR Capital Group Management

222 Courthouse Ct., Suite 300, Towson MD 21204

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

Form Approved

OMB No.

Approval expires

MD0001881

001

PERMIT NUMBER

DISCHARGE NUMBER

Facility Groundwater Remediation and WWTP

Location 626 Hanover Pike

Attn:

MONITORING PERIOD							
YEAR	MO	DAY	YEAR	MO	DAY		
FROM	14	12	01	TO	14	12	31
(20-21)	(22-23)	(24-25)	(26-27)	(28-29)	(30-31)		

*** NO DISCHARGE ***
NOTE: Read instructions before completing this form

State Discharge Permit

07-DP-0022

PARAMETER (32-37)		(3 Card Only) (46-53)			(4 Card Only) (54-61)			QUALITY OR CONCENTRATION (38-45)			NO. (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS					
BOD, 5-DAY (20 DEG. C)	SAMPLE MEASUREMENT	*****	*****	****	*****	3	(19)	0	ONCE/ MONTH	GRAB			
00310 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	15	MG/L		ONCE/ MONTH				
pH	SAMPLE MEASUREMENT	*****	*****	****	6.8	*****	8.2	(12)	0	TWICE/ WEEK	GRAB		
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	DAILY MN	*****	8.5	SU		TWICE/ WEEK	GRAB		
SOLIDS, TOTAL SUSPENDED	SAMPLE MEASUREMENT	*****	0	Lbs/day	*****	0	0	(19)	0	ONCE/ MONTH	GRAB		
00530 1 0 C EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	Req. Mon. MO MAX		*****	20	30	MG/L		ONCE/ MONTH	GRAB		
SOLIDS, TOTAL SUSPENDED	SAMPLE MEASUREMENT	*****	0	Lbs/mo	*****	*****	*****	***	0	ONCE/ MONTH	Calculated		
00530 1 1 C EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	Req. Mon. MO TOTAL		*****	*****	*****	***		ONCE/ MONTH	Calculated		
SOLIDS, TOTAL SUSPENDED	SAMPLE MEASUREMENT	*****	3,994	Lbs/yr	*****	*****	*****	***	0	ONCE/ MONTH	Calculated		
00530 1 2 C EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	Req. Mon. CUM TOTAL		*****	*****	*****	***		ONCE/ MONTH	Calculated		
OIL AND GREASE TOTAL RECOVERABLE	MEASUREMENT	*****	*****	***	*****	0	0	(19)	0	ONCE/ MONTH	GRAB		
70030 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	***	*****	10	15	MG/L		ONCE/ MONTH	GRAB		
NITROGEN, TOTAL (AS N)	SAMPLE MEASUREMENT	*****	5	Lbs/day	*****	3	3	(19)	0	ONCE/ MONTH	COMP -8		
00600 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	Req. Mon. MO MAX		*****	Req. Mon. 30DA AVG	Req. Mon. DAILY MX	MG/L		ONCE/ MONTH	COMP -8		
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN, AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)				TFI FPHONF		DATE					
Nicole Finneyfrock Property Manager						410	729-8350	15	01	21			
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT				AREA CODE	NUMBER	YEAR	MONTH	DAY			

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDE)

Facility Name/Location if different

Name BTR Hampstead, Inc

Address c/o BTR Capital Group Management

222 Courthouse Ct., Suite 300, Towson MD 21204

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

Form Approved.

OMB No.

Approval expires

MD0001881

001

PERMIT NUMBER

DISCHARGE NUMBER

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

Facility Groundwater Remediation and WWTP

Location 626 Hanover Pike

Attn:

MONITORING PERIOD						
	YEAR 14	MO 12	DAY 01	YEAR 14	MO 12	DAY 31
	(20-21)	(22-23)	(24-25)	(26-27)	(28-29)	(30-31)

FROM

TO

State Discharge Permit

07-DP-0022

PARAMETER (32-37)		(3 Card Only) (46-53)			QUANTITY OR LOADING (54-61)			(4 Card Only) (38-45)			QUALITY OR CONCENTRATION (46-53)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE			
NITROGEN, TOTAL (AS N)	SAMPLE MEASUREMENT	*****	161	Lbs/mo	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0	ONCE/ MONTH	Calculated
00600 1 1 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	Req. Mon. MO TOTAL		*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	****	ONCE/ MONTH	Calculated
NITROGEN, TOTAL (AS N)	SAMPLE MEASUREMENT	*****	2,465	Lbs/yr	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0	ONCE/ MONTH	Calculated
00600 1 2 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	Req. Mon. CUM TOTAL		*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	****	ONCE/ MONTH	Calculated
PHOSPHOROUS, TOTAL (AS P)	SAMPLE MEASUREMENT	*****	0	Lbs/day	*****	*****	0	0	0	0	0	(19)	0	0	0	ONCE/ MONTH	COMP -8
00665 1 0 0 EFFLUENT GROSS VALUE	PREMIT REQUIREMENT	*****	Req. Mon. MO MAX		*****	*****	Req. Mon. 30DA AVG	DAILY MX	*****	*****	*****	*****	*****	*****	MG/L	ONCE/ MONTH	COMP -8
PHOSPHOROUS, TOTAL (AS P)	SAMPLE MEASUREMENT	*****	0	Lbs/mo	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0	ONCE/ MONTH	Calculated
00665 1 1 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	Req. Mon. MO TOTAL		*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	****	ONCE/ MONTH	Calculated
PHOSPHOROUS, TOTAL (AS P)	SAMPLE MEASUREMENT	*****	26	Lbs/yr	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0	ONCE/ MONTH	Calculated
00665 1 2 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	Req. Mon. CUM TOTAL		*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	****	ONCE/ MONTH	Calculated
TETRACHLOROETHYLE 34475 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	***	*****	*****	*****	0	0	0	0	(28)	0	0	0	ONCE/ MONTH	GRAB
1,1,1-TRICHLOROETHANE 34506 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	***	*****	*****	*****	5	5	DAILY MX	DAILY MX	UG/L	0	0	0	ONCE/ MONTH	GRAB
TYPED OR PRINTED	NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)					SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	410	729-8350	15	01	21	TFI FPHONE	DATE			
								AREA CODE	NUMBER	YFAR	MONTH	DAY					

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include
Facility Name/Location if different)
Name BTR Hampstead, Inc
Address c/o BTR Capital Group Management
222 Courthouse Ct. Suite 300, Towson MD 21204

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

001

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.
OMB No.
Approval expires

*** NO DISCHARGE ***

Facility Groundwater Remediation and WWTP
Location 626 Hanover Pike
Attn:

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
FROM 14	12	01	TO 14	12	31
(20-21)	(22-23)	(24-25)	(26-27)	(28-29)	(30-31)

NOTE: Read instructions before completing this form

State Discharge Permit
07-DP-0022

PARAMETER (32-37)	SAMPLE (46-53)	QUANTITY OR LOADING (54-61)			QUALITY OR CONCENTRATION (38-45)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM				UNITS
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0	SAMPLE UREMENT	0.2375	0.6840	(03)	*****	*****	*****	0	ONCE/ MONTH	Measured	
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT	REPORT	MGD	*****	*****	*****	***	ONCE/ MONTH	Measured	
CHLORINE, TOTAL RESIDUAL 50060 1 0 0	SAMPLE MEASUREMENT	*****	*****	***	*****	<0.1	<0.1	(19)	0	ONCE/ MONTH	
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT	REPORT	MG/L	*****	0.011	0.019	0	ONCE/ MONTH	GRAB	
E.COLI, MPN 51040 1 0 0	SAMPLE MEASUREMENT	*****	*****	***	*****	1	*****	(30)	0	ONCE/ MONTH	
EFFLUENT GROSS VALUE	PREMIT REQUIREMENT	*****	*****	***	*****	Req. Mon. GEO MEAN	*****	MPN	ONCE/ MONTH	GRAB	
TRICHLOROETHENE 78391 1 0 0	SAMPLE MEASUREMENT	*****	*****	***	*****	*****	0	(28)	0	ONCE/ MONTH	
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	***	*****	*****	5	UG/L	ONCE/ MONTH	GRAB	
	SAMPLE MEASUREMENT	*****	*****		*****	*****	DAILY MX				
	PERMIT REQUIREMENT	*****	*****		*****	*****					
	SAMPLE MEASUREMENT	*****	*****		*****	*****					
	PERMIT REQUIREMENT	*****	*****		*****	*****					
	SAMPLE MEASUREMENT	*****	*****		*****	*****					
	PERMIT REQUIREMENT	*****	*****		*****	*****					
	SAMPLE MEASUREMENT	*****	*****		*****	*****					
	PERMIT REQUIREMENT	*****	*****		*****	*****					
NAME/TI	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)						TELEPHONE	DATE			
Nicole Finneyfrock Property Manager							410	729-8350	15	01	21
TYPED OR PRINTED	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT						AREA CODE	NUMBER	YEAR	MONTH	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PJ

PERMITTEE NAME/ADDRESS (Include
Facility Name/Location if different)

Name BTR Hampstead, Inc
Address c/o BTR Capital Group Management
222 Courthouse Ct., Suite 300, Towson MD 21204

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881
PERMIT NUMBER

101
DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

Facility Groundwater Remediation and WWTP
Location 626 Hanover Pike
Attn:

MONITORING PERIOD							
FROM	YEAR 14	MO 12	DAY 01	TO	YEAR 14	MO 12	DAY 31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE ***
NOTE: Read instructions before completing this form

State Discharge Permit
07-DP-0022

PARAMETER (32-37)		(3 Card Only) (46-53)			(4 Card Only) (38-45)			QUALITY OR CONCENTRATION (46-53) (54-61)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS					
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	SAMPLE MEASUREMENT	125,484	311,000	(07)	*****	*****	*****	*****	*****	*****	0	ONCE/ WEEK	Measured/ Recorded
50050 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	*****	*****	*****	***	ONCE/ MONTH	Measured/ Recorded
E.COLI, MPN	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	*****	*****	1	(30)	0	ONCE/ WEEK	GRAB
51040 1 0 1 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	*****	*****	126 DAILY MX	MPN	***	ONCE/ WEEK	GRAB
	SAMPLE MEASUREMENT												
	PERMIT REQUIREMENT												
	SAMPLE MEASUREMENT												
	PERMIT REQUIREMENT												
	SAMPLE MEASUREMENT												
	PERMIT REQUIREMENT												
	SAMPLE MEASUREMENT												
	PERMIT REQUIREMENT												
	SAMPLE MEASUREMENT												
	PERMIT REQUIREMENT												
	SAMPLE MEASUREMENT												
	PERMIT REQUIREMENT												
	SAMPLE MEASUREMENT												
	PERMIT REQUIREMENT												
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)					TFF PPHONF		DATE					
Nicole Finneyfrock Property Manager	TYPED OR PRINTED					410	729-8350	15	01	21			
		AREA CODE	NUMBER	YFAR	MONTH	DAY							

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name BTR Hampstead, Inc

Address c/o BTR Capital Group Management
222 Courthouse Ct., Suite 300, Towson MD 21204

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

Form Approved.

OMB No

Approval expires

MD0001881

201

PERMIT NUMBER

DISCHARGE NUMBER

Facility Groundwater Remediation and WWTP

Location 626 Hanover Pike

Attn:

MONITORING PERIOD								
FROM	YEAR 14	MO 10	DAY 01	TO	YEAR 14	MO 12	DAY 31	
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)	


*** NO DISCHARGE ***
NOTE: Read instructions before completing this form

State Discharge Permit

07-DP-0022

PARAMETER (32-37)		(3 Card Only) (46-53)			(4 Card Only) (38-45)			QUALITY OR CONCENTRATION (46-53) (54-61)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS					
TETRACHLOROETHYLENE	SAMPLE MEASUREMENT	*****	*****	*****	0	0	(28)	0	One/ Quarter	Grab			
34475 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	REPORT	REPORT	UG/L		One/ Quarter	Grab			
1,1,1-TRICHLOROETHANE	SAMPLE MEASUREMENT	*****	*****	*****	0	0	(28)	0	One/ Quarter	Grab			
34506 1 0 0 EFFLUENT GROSS VALUE	PREMIT REQUIREMENT	*****	*****	*****	REPORT	REPORT	UG/L		One/ Quarter	Grab			
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	SAMPLE MEASUREMENT	238,962	288,963	(07)	*****	*****	*****	0	Measured	Record			
50050 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	*****	Measured	Record			
Total Volatile Organics (VOC)	AMPLE MEASUREMENT	*****	*****	*****	0	0	(28)	0	One/ Quarter	Grab			
51415 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	REPORT	100	UG/L		One/ Quarter	Grab			
TRICHLOROETHENE	SAMPLE MEASUREMENT	*****	*****	*****	0	0	(28)	0	One/ Quarter	Grab			
78391 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	REPORT	REPORT	UG/L		One/ Quarter	Grab			
	SAMPLE MEASUREMENT												
	PREMIT REQUIREMENT												
	SAMPLE MEASUREMENT												
	PERMIT REQUIREMENT												
	SAMPLE MEASUREMENT												
	PERMIT REQUIREMENT												
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)					TFI FPHONE		DATE				
Nicole Finneyfrock Property Manager							410	729-8350	15	01	21		
TYPED OR PRINTED							AREA CODE	NUMBER	YEAR	MONTH	DAY		

SIGNATURE OF PRINCIPAL EXECUTIVE
OFFICER OR AUTHORIZED AGENT



COMMENT AND EXPANATION OF ANY VIOLATIONS (Reference all attachments here)

PQ

APPENDIX C
GROUNDWATER TREATMENT SYSTEM ANALYTICAL RESULTS
(OCTOBER - DECEMBER 2014)

QC Laboratories

Analytical Report

Printed 10/28/14 14:50 DE36

CHERYL GRIFFIN
MARYLAND ENVIRONMENTAL SERVICE A
259 NAJOLES ROAD
RE: BLACK & DECKER WWTP
MILLERSVILLE, MD 21108

Order Number: L5248653
Project Name: BLACK & DECKER WWTP
Receive Date: 10-14-2014
Client Code: MES_A
Project Location: BLACK & DECKER WWTP

Account No: AL0341, MARYLAND ENVIRONMENTAL SERVICE A
Project No: AL0341 BLK DECK WWTP, BLACK & DECKER WWTP

P.O. No: Inv. No: MES_AL0341
PWSID No:

Sample ID	Sample Description	Samp. Date/Time/Temp	Sampled by
L5248653-1	BTR 001 GRAB	10/14/14 09:20am	NA C Customer
Received Date/Time/Temp 10/14/14 04:30pm 1.4 C		Iced (Y/N): Y	

Satellite Received Temp 2.6 C Iced (Y/N): Y

Parameter	Result	RL	Units	Method	DF	Qual Test Date, Time, Analyst
GENERAL CHEMISTRY						
Hexane Ext. Material-HEM (oil-grease)	ND	5.00	mg/l	1664B HEM	1	10/24/14 03:20PM RSK
Total Suspended Solids (Delaware)	5.60	4.00	mg/l	SM 2540D	1	10/15/14 02:17PM MS3
Biochemical Oxygen Demand, 5 Day (DE)	7.00	2.00	mg/l	SM 5210B	1.5	10/15/14 08:20AM SKJ

GAS CHROMATOGRAPHY MASS SPECTROMETRY; VOLATILES

1,1,1-Trichloroethane	ND	1.00	ug/l	EPA 624	1	10/15/14 11:26PM JAD
Tetrachloroethene	ND	1.00	ug/l	EPA 624	1	10/15/14 11:26PM JAD
Trichloroethene	ND	1.00	ug/l	EPA 624	1	10/15/14 11:26PM JAD

Sample ID	Sample Description	Samp. Date/Time/Temp	Sampled by
L5248653-2	BTR 001 COMP	10/14/14 09:20am	NA C Customer
Received Date/Time/Temp 10/14/14 04:30pm 1.4 C		Iced (Y/N): Y	

Satellite Received Temp 2.6 C Iced (Y/N): Y

Parameter	Result	RL	Units	Method	DF	Qual Test Date, Time, Analyst
-----------	--------	----	-------	--------	----	-------------------------------

PIN: 17237

Serial Number: 4158446

QC Laboratories

Analytical Report

Printed 10/29/14 13:01 DE36

CHERYL GRIFFIN
MARYLAND ENVIRONMENTAL SERVICE A
259 NAJOLES ROAD
RE: BLACK & DECKER WWTP
MILLERSVILLE, MD 21108

Order Number: L5294734
Project Name: BLACK & DECKER WWTP
Receive Date: 10-27-2014
Client Code: MES_A
Project Location: BLACK & DECKER WWTP

Account No: AL0341, MARYLAND ENVIRONMENTAL SERVICE A
Project No: AL0341 BLK DECK WWTP, BLACK & DECKER WWTP

P.O. No: Inv. No: MES_AL0341
PWSID No:

Sample ID	Sample Description	Samp. Date/Time/Temp Sampled by					
L5294734-1	BLACK & DECKER 001 Received Date/Time 10/27/14 10:00am	10/14/14	09:40am	NA C Customer			
Parameter	Result	RL	Units	Method	DF	Qual	Test Date, Time, Analyst
ENVIRONMENTAL MICROBIOLOGY							
E. Coli, MPN Cel(Delaware)	5.3		MPN/100ml	SM 9221F			10/14/14 02:35PM SUB

Sample Comments:

L5294734-1 :
E. coli was analyzed by Chesapeake Environmental Lab, Inc in Stevensville, MD.



PIN: 17237

Serial Number: 4161205

QC Laboratories

Analytical Report

Printed 10/24/14 15:29 DE36

CHERYL GRIFFIN
MARYLAND ENVIRONMENTAL SERVICE A
259 NAJOLES ROAD
RE: BLACK & DECKER WWTP
MILLERSVILLE, MD 21108

Order Number: L5293468
Project Name: BLACK & DECKER WWTP
Receive Date: 10-22-2014
Client Code: MES_A
Project Location: BLACK & DECKER WWTP

Account No: AL0341, MARYLAND ENVIRONMENTAL SERVICE A
Project No: AL0341 BLK DECK WWTP, BLACK & DECKER WWTP

P.O. No: Inv. No: MES_AL0341
PWSID No:

Sample ID	Sample Description	Samp. Date/Time/Temp	Temp	Sampled by
L5293468-1	BLACK N DECKER 101 FECAL	10/22/14 12:00pm	NA C	Customer
	Received Date/Time/Temp	10/22/14 04:30pm	5.0 C	Iced (Y/N): Y

Parameter	Result	RL	Units	Method	DF	Qual	Test Date, Time, Analyst
ENVIRONMENTAL MICROBIOLOGY							
Fecal Coliform, MPN (Delaware)	<1.8	1.8	MPN/100ml	SM 9221E	1		10/22/14 05:00PM ANW



PIN: 17237

Serial Number: 4151725

QC Laboratories

Analytical Report

Printed 11/24/14 17:49 DE36

CHERYL GRIFFIN
MARYLAND ENVIRONMENTAL SERVICE A
259 NAJOLES ROAD
RE: BLACK & DECKER WWTP
MILLERSVILLE, MD 21108

Order Number: L5285573
Project Name: BLACK & DECKER WWTP
Receive Date: 11-12-2014
Client Code: MES_A
Project Location: BLACK & DECKER WWTP

Account No: AL0341, MARYLAND ENVIRONMENTAL SERVICE A
Project No: AL0341 BLK DECK WWTP, BLACK & DECKER WWTP

P.O. No: Inv. No: MES_AL0341
PWSID No:

Sample ID	Sample Description	Samp. Date/Time/Temp Sampled by		
L5285573-1	BTR 001 GRAB	11/12/14 09:00am	NA C	Customer
Received Date/Time/Temp 11/12/14 04:30pm 3.8 C			Iced (Y/N): Y	

Satellite Received Temp 4.5 C Iced (Y/N): Y

Parameter	Result	RL	Units	Method	DF	Qual	Test Date, Time, Analyst
GENERAL CHEMISTRY							
Hexane Ext. Material-HEM (oil+grease)	ND	5.00	mg/l	1664B HEM	1		11/21/14 03:20PM RSK
Total Suspended Solids (Delaware)	ND	5.00	mg/l	SM 2540D	1		11/14/14 02:22PM BLR
Biochemical Oxygen Demand, 5 Day (DE)	ND	2.00	mg/l	SM 5210B	0		11/13/14 11:30AM SKJ

GAS CHROMATOGRAPHY MASS SPECTROMETRY; VOLATILES

1,1,1-Trichloroethane	ND	1.00	ug/l	EPA 624	1	11/14/14 07:57PM	JAD
Tetrachloroethene	ND	1.00	ug/l	EPA 624	1	11/14/14 07:57PM	JAD
Trichloroethene	ND	1.00	ug/l	EPA 624	1	11/14/14 07:57PM	JAD

Sample ID	Sample Description	Samp. Date/Time/Temp Sampled by		
L5285573-2	BTR 001 COMP	11/12/14 09:05am	NA C	Customer
Received Date/Time 11/12/14 04:30pm			Iced (Y/N): Y	

Satellite Received Temp 4.5 C Iced (Y/N): Y

Parameter	Result	RL	Units	Method	DF	Qual	Test Date, Time, Analyst
GENERAL CHEMISTRY							

PIN: 17237

Serial Number: 4223612

QC Laboratories

Analytical Report

Printed 11/19/14 11:59 DE36

CHERYL GRIFFIN
MARYLAND ENVIRONMENTAL SERVICE A
259 NAJOLES ROAD
RE: BLACK & DECKER WWTP
MILLERSVILLE, MD 21108

Order Number: L5327630
Project Name: BLACK & DECKER WWTP
Receive Date: 11-18-2014
Client Code: MES_A
Project Location: BLACK & DECKER WWTP

Account No: AL0341, MARYLAND ENVIRONMENTAL SERVICE A
Project No: AL0341 BLK DECK WWTP, BLACK & DECKER WWTP

P.O. No: Inv. No: MES_AL0341
PWSID No:

Sample ID	Sample Description	Samp. Date/Time/Temp Sampled by
L5327630-1	BLACK & DECKER 101 Received Date/Time 11/18/14 11:00am	11/12/14 09:20am NA C Customer

Parameter	Result	RL	Units	Method	DF	Qual	Test Date, Time, Analyst
-----------	--------	----	-------	--------	----	------	--------------------------

ENVIRONMENTAL MICROBIOLOGY

Fecal Coliform, MPN (Delaware)	<1.8	1.8	MPN/100ml	SM 9221E			11/12/14 02:15PM SUB
-----------------------------------	------	-----	-----------	----------	--	--	----------------------

Sample Comments:

L5327630-1 :
Fecal coliform was analyzed by Chesapeake Environmental Lab, Inc. in Stevensville, MD.



PIN: 17237

Serial Number: 4210853

QC Laboratories

Analytical Report

Printed 11/19/14 11:56 DE36

CHERYL GRIFFIN
MARYLAND ENVIRONMENTAL SERVICE A
259 NAJOLE'S ROAD
RE: BLACK & DECKER WWTP
MILLERSVILLE, MD 21108

Order Number: L5327615
Project Name: BLACK & DECKER WWTP
Receive Date: 11-18-2014
Client Code: MES_A
Project Location: BLACK & DECKER WWTP

Account No: AL0341, MARYLAND ENVIRONMENTAL SERVICE A
Project No: AL0341 BLK DECK WWTP, BLACK & DECKER WWTP

P.O. No: Inv. No: MES_AL0341
PWSID No:

Sample ID	Sample Description	Samp. Date/Time/Temp	Sampled by				
L5327615-1	BLACK & DECKER 001 Received Date/Time 11/18/14 11:00am	11/12/14 09:10am	NA C Customer				
Parameter	Result	RL	Units	Method	DF	Qual	Test Date, Time, Analyst
ENVIRONMENTAL MICROBIOLOGY							
E. Coli, MPN Cel(Delaware)	<1.0		MPN/100ml	SM 9221F			11/12/14 03:00PM SUB

Sample Comments:

L5327615-1 :
E. coli was analyzed by Chesapeake Environmental Lab, Inc in Stevensville, MD.



PIN: 17237

Serial Number: 4210849

QC Laboratories

Analytical Report

Printed 12/16/14 15:52 DE36

CHERYL GRIFFIN
MARYLAND ENVIRONMENTAL SERVICE A
259 NAJOLES ROAD
RE: BLACK & DECKER WWTP
MILLERSVILLE, MD 21108

Order Number: L5321518
Project Name: BLACK & DECKER WWTP
Receive Date: 12-02-2014
Client Code: MES_A
Project Location: BLACK & DECKER WWTP

Account No: AL0341, MARYLAND ENVIRONMENTAL SERVICE A
Project No: AL0341 BLK DECK WWTP, BLACK & DECKER WWTP

P.O. No: Inv. No: MES_AL0341
PWSID No:

Sample ID	Sample Description	Samp. Date/Time/Temp	Temp Sampled by
L5321518-1	BTR 001 GRAB	12/02/14 09:00am	NA C Customer

Received Date/Time/Temp 12/02/14 04:30pm 0.9 C Iced (Y/N): Y

Satellite Received Temp 2.8 C Iced (Y/N): Y

Parameter	Result	RL	Units	Method	DF	Qual	Test Date, Time, Analyst
GENERAL CHEMISTRY							
Hexane Ext. Material-HEM (oil+grease)	ND	5.00	mg/l	1664B HEM	1	12/08/14 06:20PM	RSK
Total Suspended Solids (Delaware)	ND	4.00	mg/l	SM 2540D	1	12/04/14 01:02PM	MS3
Biochemical Oxygen Demand, 5 Day (DE)	3.00	2.00	mg/l	SM 5210B	1.5	12/03/14 11:45AM	SKJ

GAS CHROMATOGRAPHY MASS SPECTROMETRY; VOLATILES

1,1,1-Trichloroethane	ND	1.00	ug/l	EPA 624	1	12/03/14 05:38PM	JAD
Tetrachloroethene	ND	1.00	ug/l	EPA 624	1	12/03/14 05:38PM	JAD
Trichloroethene	ND	1.00	ug/l	EPA 624	1	12/03/14 05:38PM	JAD

Sample ID	Sample Description	Samp. Date/Time/Temp	Temp Sampled by
L5321518-2	BTR 001 COMP	12/02/14 09:00am	NA C Customer

Received Date/Time/Temp 12/02/14 04:30pm 0.9 C Iced (Y/N): Y

Satellite Received Temp 2.8 C Iced (Y/N): Y

Parameter	Result	RL	Units	Method	DF	Qual	Test Date, Time, Analyst
GENERAL CHEMISTRY							

PIN: 17237

Serial Number: 4264463

QC Laboratories

Analytical Report

Printed 10/31/14 16:57 DE36

CHERYL GRIFFIN
MARYLAND ENVIRONMENTAL SERVICE A
259 NAJOLES ROAD
RE: BLACK & DECKER WWTP
MILLERSVILLE, MD 21108

Order Number: L5299265
Project Name: BLACK & DECKER WWTP
Receive Date: 10-29-2014
Client Code: MES_A
Project Location: BLACK & DECKER WWTP

Account No: AL0341, MARYLAND ENVIRONMENTAL SERVICE A
Project No: AL0341 BLK DECK WWTP, BLACK & DECKER WWTP

P.O. No: Inv. No: MES_AL0341
PWSID No:

Sample ID	Sample Description	Samp. Date/Time/Temp	Sampled by
L5299265-1	BTR-1 (BTR-201)	10/29/14 09:30am NA C	Customer
Received Date/Time/Temp		10/29/14 04:30pm 2.9 C	Iced (Y/N): Y

Satellite Received Temp 4.1 C Iced (Y/N): Y

Parameter	Result	RL	Units	Method	DF	Qual	Test Date, Time, Analyst
-----------	--------	----	-------	--------	----	------	--------------------------

GAS CHROMATOGRAPHY MASS SPECTROMETRY; VOLATILES

1,1,1-Trichloroethane	ND	1.00	ug/l	EPA 624	1		10/30/14 08:14PM JAD
1,1,2,2-Tetrachloroethane	ND	1.00	ug/l	EPA 624	1		10/30/14 08:14PM JAD
1,1,2-Trichloroethane	ND	1.00	ug/l	EPA 624	1		10/30/14 08:14PM JAD
1,1-Dichloroethane	ND	1.00	ug/l	EPA 624	1		10/30/14 08:14PM JAD
1,1-Dichloroethene	ND	1.00	ug/l	EPA 624	1		10/30/14 08:14PM JAD
1,2-Dichlorobenzene	ND	1.00	ug/l	EPA 624	1		10/30/14 08:14PM JAD
1,2-Dichloroethane	ND	1.00	ug/l	EPA 624	1		10/30/14 08:14PM JAD
1,2-Dichloropropane	ND	1.00	ug/l	EPA 624	1		10/30/14 08:14PM JAD
1,3-Dichlorobenzene	ND	1.00	ug/l	EPA 624	1		10/30/14 08:14PM JAD
1,4-Dichlorobenzene	ND	1.00	ug/l	EPA 624	1		10/30/14 08:14PM JAD
2-Chloroethyl vinyl ether	ND	1.00	ug/l	EPA 624	1		10/30/14 08:14PM JAD
Benzene	ND	1.00	ug/l	EPA 624	1		10/30/14 08:14PM JAD
Bromodichloromethane	ND	1.00	ug/l	EPA 624	1		10/30/14 08:14PM JAD
Bromoform	ND	1.00	ug/l	EPA 624	1		10/30/14 08:14PM JAD
Bromomethane	ND	1.00	ug/l	EPA 624	1		10/30/14 08:14PM JAD
Carbon tetrachloride	ND	1.00	ug/l	EPA 624	1		10/30/14 08:14PM JAD
Chlorobenzene	ND	1.00	ug/l	EPA 624	1		10/30/14 08:14PM JAD
Chloroethane	ND	1.00	ug/l	EPA 624	1		10/30/14 08:14PM JAD
Chloroform	ND	1.00	ug/l	EPA 624	1		10/30/14 08:14PM JAD
Chloromethane	ND	1.00	ug/l	EPA 624	1		10/30/14 08:14PM JAD
cis-1,3-Dichloropropene	ND	1.00	ug/l	EPA 624	1		10/30/14 08:14PM JAD
Dibromochloromethane	ND	1.00	ug/l	EPA 624	1		10/30/14 08:14PM JAD
Ethylbenzene	ND	1.00	ug/l	EPA 624	1		10/30/14 08:14PM JAD
Methylene chloride	ND	1.00	ug/l	EPA 624	1		10/30/14 08:14PM JAD
Tetrachloroethene	ND	1.00	ug/l	EPA 624	1		10/30/14 08:14PM JAD
Toluene	ND	1.00	ug/l	EPA 624	1		10/30/14 08:14PM JAD
trans-1,2-Dichloroethene	ND	1.00	ug/l	EPA 624	1		10/30/14 08:14PM JAD
trans-1,3-Dichloropropene	ND	1.00	ug/l	EPA 624	1		10/30/14 08:14PM JAD
Trichloroethene	ND	1.00	ug/l	EPA 624	1		10/30/14 08:14PM JAD

PIN: 17237

Serial Number: 4170106

QC Laboratories

Analytical Report

Printed 10/31/14 16:57

Account No: AL0341, MARYLAND ENVIRONMENTAL SERVICE A
Project No: AL0341 BLK DECK WWTP, BLACK & DECKER WWTP

P.O. No:

Inv. No: MES_AL0341
PWSID No:

Sample ID Sample Description Samp. Date/Time/Temp Sampled by
L5299265-1 BTR-1 (BTR-201) 10/29/14 09:30am NA C Customer
Received Date/Time/Temp 10/29/14 04:30pm 2.9 C Iced (Y/N): Y

Satellite Received Temp 4.1 C Iced (Y/N): Y

Parameter	Result	RL	Units	Method	DF	Qual	Test Date, Time, Analyst
GAS CHROMATOGRAPHY MASS SPECTROMETRY; VOLATILES continued							
Trichlorofluoromethane	ND	1.00	ug/l	EPA 624	1		10/30/14 08:14PM JAD
Vinyl chloride	ND	1.00	ug/l	EPA 624	1		10/30/14 08:14PM JAD



PIN: 17237

Serial Number: 4170106

QC Laboratories

Analytical Report

Printed 01/13/15 09:38 DE36

CHERYL GRIFFIN
MARYLAND ENVIRONMENTAL SERVICE A
259 NAJOLES ROAD
RE: BLACK & DECKER WWTP
MILLERSVILLE, MD 21108

Order Number: L5401959
Project Name: BLACK & DECKER WWTP
Receive Date: 01-12-2015
Client Code: MES_A
Project Location: BLACK & DECKER WWTP

**Account No: AL0341, MARYLAND ENVIRONMENTAL SERVICE A
Project No: AL0341 BLK DECK WWTP, BLACK & DECKER WWTP**

P.O. No: Inv. No: MES_AL0341
PWSID No:

Sample ID L5401959-1	Sample Description BLACK & DECKER 101 Received Date/Time 01/12/15 11:00am	Samp. Date/Time/Temp 12/30/14 01:45pm NA C	Sampled by Customer
Parameter	Result	RL	Units Method DF Qual Test Date, Time, Analyst

ENVIRONMENTAL MICROBIOLOGY

Fecal Coliform, MPN (Delaware) <1.8 1.8 MPN/100ml SM 9221E 12/30/14 01:45PM SUB

Sample Comments:

L5401959-1 :
Fecal coliform was analyzed by Chesapeake Environmental Lab, Inc. in Stevensville, MD



PIN: 17237

Serial Number: 4305585

QC Laboratories

Analytical Report

Printed 12/19/14 09:48 DE36

CHERYL GRIFFIN
MARYLAND ENVIRONMENTAL SERVICE A
259 NAJOLE'S ROAD
RE: BLACK & DECKER WWTP
MILLERSVILLE, MD 21108

Order Number: L5363053
Project Name: BLACK & DECKER WWTP
Receive Date: 12-18-2014
Client Code: MES_A
Project Location: BLACK & DECKER WWTP

Account No: AL0341, MARYLAND ENVIRONMENTAL SERVICE A
Project No: AL0341 BLK DECK WWTP, BLACK & DECKER WWTP

P.O. No: Inv. No: MES_AL0341
PWSID No:

Sample ID	Sample Description	Samp. Date/Time/Temp Sampled by
L5363053-1	BLACK & DECKER 001 Received Date/Time 12/18/14 09:30am	12/02/14 09:00am NA C Customer

Parameter	Result	RL	Units	Method	DF	Qual	Test Date, Time, Analyst
ENVIRONMENTAL MICROBIOLOGY							
E. Coli, MPN Cel(Delaware)	<1.0		MPN/100ml	SM 9221F			12/02/14 01:42PM SUB

Sample Comments:

L5363053-1 :
E. coli was analyzed by Chesapeake Environmental Lab, Inc in Stevensville, MD.



PIN: 17237

Serial Number: 4270745

APPENDIX D
GROUNDWATER ANALYTICAL DATA PACKAGE
(NOVEMBER 2014)

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Chicago
2417 Bond Street
University Park, IL 60484
Tel: (708)534-5200

TestAmerica Job ID: 500-88506-1
Client Project/Site: Black and Decker

For:
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, Pennsylvania 19380

Attn: Mr. Tom Cornuet



Authorized for release by:
12/1/2014 1:37:47 PM

Richard Wright, Senior Project Manager
(708)534-5200
richard.wright@testamericainc.com

LINKS

Review your project
results through:

Total Access

Have a Question?
ASK
The
Expert

Visit us at:
www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Detection Summary	4
Method Summary	8
Sample Summary	9
Client Sample Results	10
Definitions	62
QC Association	63
Surrogate Summary	64
QC Sample Results	65
Chronicle	84
Certification Summary	89
Chain of Custody	90
Receipt Checklists	93

Case Narrative

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Job ID: 500-88506-1

Laboratory: TestAmerica Chicago

Narrative

Job Narrative
500-88506-1

Comments

No additional comments.

Receipt

The samples were received on 11/26/2014 10:25 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 1.7° C.

GC/MS VOA

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Detection Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: RFW-1A

Lab Sample ID: 500-88506-1

No Detections.

Client Sample ID: RFW-1B

Lab Sample ID: 500-88506-2

No Detections.

Client Sample ID: RFW-2A

Lab Sample ID: 500-88506-3

No Detections.

Client Sample ID: RFW-2B

Lab Sample ID: 500-88506-4

No Detections.

Client Sample ID: RFW-3B

Lab Sample ID: 500-88506-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	1.2		1.0	0.12	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-4A

Lab Sample ID: 500-88506-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	0.68	J	1.0	0.12	ug/L	1		8260B	Total/NA
Chloroform	0.59	J	1.0	0.20	ug/L	1		8260B	Total/NA
Trichloroethene	27		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	21		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-4ADUP

Lab Sample ID: 500-88506-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	0.62	J	1.0	0.12	ug/L	1		8260B	Total/NA
Chloroform	0.58	J	1.0	0.20	ug/L	1		8260B	Total/NA
Trichloroethene	27		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	22		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-4B

Lab Sample ID: 500-88506-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	3.0		1.0	0.12	ug/L	1		8260B	Total/NA
Chloroform	1.2		1.0	0.20	ug/L	1		8260B	Total/NA
Trichloroethene	46		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	78		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-6

Lab Sample ID: 500-88506-9

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	0.56	J	1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	1.2		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	1.7		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-7

Lab Sample ID: 500-88506-10

This Detection Summary does not include radiochemical test results.

TestAmerica Chicago

Detection Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: RFW-7 (Continued)

Lab Sample ID: 500-88506-10

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	1.1		0.50	0.19	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-9

Lab Sample ID: 500-88506-11

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,1-Dichloroethene	0.67	J	1.0	0.31	ug/L	1		8260B	Total/NA
cis-1,2-Dichloroethene	12		1.0	0.12	ug/L	1		8260B	Total/NA
1,1,1-Trichloroethane	0.61	J	1.0	0.20	ug/L	1		8260B	Total/NA
Trichloroethene	7.9		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	3.5		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-11B

Lab Sample ID: 500-88506-12

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	2.7		0.50	0.19	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-12B

Lab Sample ID: 500-88506-13

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	0.68	J	1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	170		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	10		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-13

Lab Sample ID: 500-88506-14

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Acetone	9.9		5.0	1.3	ug/L	1		8260B	Total/NA
cis-1,2-Dichloroethene	0.83	J	1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	2.9		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	17		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-17

Lab Sample ID: 500-88506-15

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	0.55		0.50	0.074	ug/L	1		8260B	Total/NA
Acetone	5.6		5.0	1.3	ug/L	1		8260B	Total/NA

Client Sample ID: Trip Blank

Lab Sample ID: 500-88506-16

No Detections.

Client Sample ID: EW-2

Lab Sample ID: 500-88506-17

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	3.8		1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	140		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	57		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: EW-3

Lab Sample ID: 500-88506-18

This Detection Summary does not include radiochemical test results.

TestAmerica Chicago

Detection Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: EW-3 (Continued)

Lab Sample ID: 500-88506-18

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	2.2		1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	43		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	1.9		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: EW-4

Lab Sample ID: 500-88506-19

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Tetrachloroethene	13		1.0	0.17	ug/L	1		8260B	Total/NA
Trichloroethene - DL	660		2.5	0.95	ug/L	5		8260B	Total/NA

Client Sample ID: EW-5

Lab Sample ID: 500-88506-20

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	110		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	3.2		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: EW-6

Lab Sample ID: 500-88506-21

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	6.4		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	13		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: EW-7

Lab Sample ID: 500-88506-22

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	3.9		1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	2.7		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	6.3		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: EW-8

Lab Sample ID: 500-88506-23

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	18		1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	5.9		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	57		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: EW-9

Lab Sample ID: 500-88506-24

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Acetone	5.4		5.0	1.3	ug/L	1		8260B	Total/NA
Trichloroethene	0.59		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	120		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: EW-9DUP

Lab Sample ID: 500-88506-25

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	0.48	J	0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	110		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: EW-10

Lab Sample ID: 500-88506-26

This Detection Summary does not include radiochemical test results.

TestAmerica Chicago

Detection Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: EW-10 (Continued)

Lab Sample ID: 500-88506-26

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Tetrachloroethene	3.2		1.0	0.17	ug/L	1		8260B	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Chicago

Method Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Method	Method Description	Protocol	Laboratory
8260B	VOC	SW846	TAL CHI

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CHI = TestAmerica Chicago, 2417 Bond Street, University Park, IL 60484, TEL (708)534-5200

5

TestAmerica Chicago

Sample Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1



Lab Sample ID	Client Sample ID	Matrix	Collected	Received
500-88506-1	RFW-1A	Water	11/24/14 10:15	11/26/14 10:25
500-88506-2	RFW-1B	Water	11/24/14 17:00	11/26/14 10:25
500-88506-3	RFW-2A	Water	11/24/14 11:10	11/26/14 10:25
500-88506-4	RFW-2B	Water	11/24/14 11:15	11/26/14 10:25
500-88506-5	RFW-3B	Water	11/24/14 15:15	11/26/14 10:25
500-88506-6	RFW-4A	Water	11/25/14 08:45	11/26/14 10:25
500-88506-7	RFW-4ADUP	Water	11/25/14 08:45	11/26/14 10:25
500-88506-8	RFW-4B	Water	11/25/14 07:55	11/26/14 10:25
500-88506-9	RFW-6	Water	11/24/14 12:15	11/26/14 10:25
500-88506-10	RFW-7	Water	11/24/14 13:15	11/26/14 10:25
500-88506-11	RFW-9	Water	11/24/14 16:55	11/26/14 10:25
500-88506-12	RFW-11B	Water	11/25/14 10:40	11/26/14 10:25
500-88506-13	RFW-12B	Water	11/25/14 12:00	11/26/14 10:25
500-88506-14	RFW-13	Water	11/24/14 16:45	11/26/14 10:25
500-88506-15	RFW-17	Water	11/24/14 14:05	11/26/14 10:25
500-88506-16	Trip Blank	Water	11/24/14 06:00	11/26/14 10:25
500-88506-17	EW-2	Water	11/25/14 10:30	11/26/14 10:25
500-88506-18	EW-3	Water	11/25/14 10:20	11/26/14 10:25
500-88506-19	EW-4	Water	11/25/14 11:35	11/26/14 10:25
500-88506-20	EW-5	Water	11/25/14 11:45	11/26/14 10:25
500-88506-21	EW-6	Water	11/24/14 11:35	11/26/14 10:25
500-88506-22	EW-7	Water	11/24/14 11:25	11/26/14 10:25
500-88506-23	EW-8	Water	11/24/14 11:20	11/26/14 10:25
500-88506-24	EW-9	Water	11/24/14 11:10	11/26/14 10:25
500-88506-25	EW-9DUP	Water	11/24/14 11:10	11/26/14 10:25
500-88506-26	EW-10	Water	11/24/14 11:00	11/26/14 10:25

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1



Client Sample ID: RFW-1A

Date Collected: 11/24/14 10:15

Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-1

Matrix: Water



Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			11/28/14 16:24	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/28/14 16:24	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/28/14 16:24	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/28/14 16:24	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/28/14 16:24	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/28/14 16:24	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			11/28/14 16:24	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/28/14 16:24	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/28/14 16:24	1
Acetone	<5.0		5.0	1.3	ug/L			11/28/14 16:24	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/28/14 16:24	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/28/14 16:24	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/28/14 16:24	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/28/14 16:24	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			11/28/14 16:24	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/28/14 16:24	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			11/28/14 16:24	1
Chloroform	<1.0		1.0	0.20	ug/L			11/28/14 16:24	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/28/14 16:24	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/28/14 16:24	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			11/28/14 16:24	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			11/28/14 16:24	1
Trichloroethene	<0.50		0.50	0.19	ug/L			11/28/14 16:24	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/28/14 16:24	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/28/14 16:24	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/28/14 16:24	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/28/14 16:24	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/28/14 16:24	1
Toluene	<0.50		0.50	0.11	ug/L			11/28/14 16:24	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/28/14 16:24	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/28/14 16:24	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			11/28/14 16:24	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/28/14 16:24	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/28/14 16:24	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/28/14 16:24	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/28/14 16:24	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/28/14 16:24	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/28/14 16:24	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/28/14 16:24	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/28/14 16:24	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/28/14 16:24	1
Styrene	<1.0		1.0	0.10	ug/L			11/28/14 16:24	1
Bromoform	<1.0		1.0	0.28	ug/L			11/28/14 16:24	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/28/14 16:24	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/28/14 16:24	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/28/14 16:24	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			11/28/14 16:24	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/28/14 16:24	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/28/14 16:24	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: RFW-1A

Date Collected: 11/24/14 10:15

Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-1

Matrix: Water

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			11/28/14 16:24	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			11/28/14 16:24	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			11/28/14 16:24	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			11/28/14 16:24	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			11/28/14 16:24	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/28/14 16:24	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			11/28/14 16:24	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/28/14 16:24	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			11/28/14 16:24	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			11/28/14 16:24	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			11/28/14 16:24	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			11/28/14 16:24	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			11/28/14 16:24	1
Naphthalene	<1.0		1.0	0.16	ug/L			11/28/14 16:24	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			11/28/14 16:24	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Sur)	95		75 - 125					11/28/14 16:24	1
Toluene-d8 (Sur)	99		75 - 120					11/28/14 16:24	1
4-Bromofluorobenzene (Sur)	103		75 - 120					11/28/14 16:24	1
Dibromofluoromethane	87		75 - 120					11/28/14 16:24	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: RFW-1B

Date Collected: 11/24/14 17:00

Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-2

Matrix: Water

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L		11/28/14 16:50		1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L		11/28/14 16:50		1
Chloromethane	<1.0		1.0	0.18	ug/L		11/28/14 16:50		1
Vinyl chloride	<0.50		0.50	0.10	ug/L		11/28/14 16:50		1
Bromomethane	<1.0		1.0	0.31	ug/L		11/28/14 16:50		1
Chloroethane	<1.0		1.0	0.34	ug/L		11/28/14 16:50		1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L		11/28/14 16:50		1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L		11/28/14 16:50		1
Carbon disulfide	<5.0		5.0	0.43	ug/L		11/28/14 16:50		1
Acetone	<5.0		5.0	1.3	ug/L		11/28/14 16:50		1
Methylene Chloride	<5.0		5.0	0.68	ug/L		11/28/14 16:50		1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L		11/28/14 16:50		1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L		11/28/14 16:50		1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L		11/28/14 16:50		1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L		11/28/14 16:50		1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L		11/28/14 16:50		1
Bromochloromethane	<1.0		1.0	0.40	ug/L		11/28/14 16:50		1
Chloroform	<1.0		1.0	0.20	ug/L		11/28/14 16:50		1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L		11/28/14 16:50		1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L		11/28/14 16:50		1
Carbon tetrachloride	<1.0		1.0	0.34	ug/L		11/28/14 16:50		1
1,2-Dichloroethane	<1.0		1.0	0.26	ug/L		11/28/14 16:50		1
Trichloroethene	<0.50		0.50	0.19	ug/L		11/28/14 16:50		1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L		11/28/14 16:50		1
Dibromomethane	<1.0		1.0	0.33	ug/L		11/28/14 16:50		1
Bromodichloromethane	<1.0		1.0	0.17	ug/L		11/28/14 16:50		1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L		11/28/14 16:50		1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L		11/28/14 16:50		1
Toluene	<0.50		0.50	0.11	ug/L		11/28/14 16:50		1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L		11/28/14 16:50		1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L		11/28/14 16:50		1
Tetrachloroethene	<1.0		1.0	0.17	ug/L		11/28/14 16:50		1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L		11/28/14 16:50		1
2-Hexanone	<5.0		5.0	0.56	ug/L		11/28/14 16:50		1
Dibromochloromethane	<1.0		1.0	0.32	ug/L		11/28/14 16:50		1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L		11/28/14 16:50		1
Chlorobenzene	<1.0		1.0	0.14	ug/L		11/28/14 16:50		1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L		11/28/14 16:50		1
Ethylbenzene	<0.50		0.50	0.13	ug/L		11/28/14 16:50		1
m&p-Xylene	<1.0		1.0	0.26	ug/L		11/28/14 16:50		1
o-Xylene	<0.50		0.50	0.068	ug/L		11/28/14 16:50		1
Styrene	<1.0		1.0	0.10	ug/L		11/28/14 16:50		1
Bromoform	<1.0		1.0	0.28	ug/L		11/28/14 16:50		1
Isopropylbenzene	<1.0		1.0	0.14	ug/L		11/28/14 16:50		1
Bromobenzene	<1.0		1.0	0.25	ug/L		11/28/14 16:50		1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L		11/28/14 16:50		1
1,2,3-Trichloropropene	<1.0		1.0	0.45	ug/L		11/28/14 16:50		1
N-Propylbenzene	<1.0		1.0	0.13	ug/L		11/28/14 16:50		1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L		11/28/14 16:50		1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: RFW-1B

Date Collected: 11/24/14 17:00

Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-2

Matrix: Water

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			11/28/14 16:50	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			11/28/14 16:50	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			11/28/14 16:50	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			11/28/14 16:50	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			11/28/14 16:50	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/28/14 16:50	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			11/28/14 16:50	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/28/14 16:50	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			11/28/14 16:50	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			11/28/14 16:50	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			11/28/14 16:50	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			11/28/14 16:50	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			11/28/14 16:50	1
Naphthalene	<1.0		1.0	0.16	ug/L			11/28/14 16:50	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			11/28/14 16:50	1

Surrogate

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surrogate)	96		75 - 125			1
Toluene-d8 (Surrogate)	99		75 - 120			1
4-Bromofluorobenzene (Surrogate)	104		75 - 120			1
Dibromofluoromethane	89		75 - 120			1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: RFW-2A

Date Collected: 11/24/14 11:10

Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-3

Matrix: Water

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			11/28/14 17:16	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/28/14 17:16	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/28/14 17:16	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/28/14 17:16	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/28/14 17:16	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/28/14 17:16	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			11/28/14 17:16	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/28/14 17:16	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/28/14 17:16	1
Acetone	<5.0		5.0	1.3	ug/L			11/28/14 17:16	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/28/14 17:16	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/28/14 17:16	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/28/14 17:16	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/28/14 17:16	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			11/28/14 17:16	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/28/14 17:16	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			11/28/14 17:16	1
Chloroform	<1.0		1.0	0.20	ug/L			11/28/14 17:16	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/28/14 17:16	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/28/14 17:16	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			11/28/14 17:16	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			11/28/14 17:16	1
Trichloroethene	<0.50		0.50	0.19	ug/L			11/28/14 17:16	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/28/14 17:16	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/28/14 17:16	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/28/14 17:16	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/28/14 17:16	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/28/14 17:16	1
Toluene	<0.50		0.50	0.11	ug/L			11/28/14 17:16	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/28/14 17:16	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/28/14 17:16	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			11/28/14 17:16	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/28/14 17:16	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/28/14 17:16	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/28/14 17:16	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/28/14 17:16	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/28/14 17:16	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/28/14 17:16	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/28/14 17:16	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/28/14 17:16	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/28/14 17:16	1
Styrene	<1.0		1.0	0.10	ug/L			11/28/14 17:16	1
Bromoform	<1.0		1.0	0.28	ug/L			11/28/14 17:16	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/28/14 17:16	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/28/14 17:16	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/28/14 17:16	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			11/28/14 17:16	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/28/14 17:16	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/28/14 17:16	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: RFW-2A

Date Collected: 11/24/14 11:10

Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-3

Matrix: Water

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L		11/28/14 17:16	11/28/14 17:16	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L		11/28/14 17:16	11/28/14 17:16	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L		11/28/14 17:16	11/28/14 17:16	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L		11/28/14 17:16	11/28/14 17:16	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L		11/28/14 17:16	11/28/14 17:16	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L		11/28/14 17:16	11/28/14 17:16	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L		11/28/14 17:16	11/28/14 17:16	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L		11/28/14 17:16	11/28/14 17:16	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L		11/28/14 17:16	11/28/14 17:16	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L		11/28/14 17:16	11/28/14 17:16	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L		11/28/14 17:16	11/28/14 17:16	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L		11/28/14 17:16	11/28/14 17:16	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L		11/28/14 17:16	11/28/14 17:16	1
Naphthalene	<1.0		1.0	0.16	ug/L		11/28/14 17:16	11/28/14 17:16	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L		11/28/14 17:16	11/28/14 17:16	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
1,2-Dichloroethane-d4 (Sum)	97		75 - 125			11/28/14 17:16	11/28/14 17:16	1	
Toluene-d8 (Sum)	97		75 - 120			11/28/14 17:16	11/28/14 17:16	1	
4-Bromofluorobenzene (Sum)	105		75 - 120			11/28/14 17:16	11/28/14 17:16	1	
Dibromofluoromethane	88		75 - 120			11/28/14 17:16	11/28/14 17:16	1	

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: RFW-2B

Date Collected: 11/24/14 11:15

Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-4

Matrix: Water

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L		11/28/14 14:25		1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L		11/28/14 14:25		1
Chloromethane	<1.0		1.0	0.18	ug/L		11/28/14 14:25		1
Vinyl chloride	<0.50		0.50	0.10	ug/L		11/28/14 14:25		1
Bromomethane	<1.0		1.0	0.31	ug/L		11/28/14 14:25		1
Chloroethane	<1.0		1.0	0.34	ug/L		11/28/14 14:25		1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L		11/28/14 14:25		1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L		11/28/14 14:25		1
Carbon disulfide	<5.0		5.0	0.43	ug/L		11/28/14 14:25		1
Acetone	<5.0		5.0	1.3	ug/L		11/28/14 14:25		1
Methylene Chloride	<5.0		5.0	0.68	ug/L		11/28/14 14:25		1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L		11/28/14 14:25		1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L		11/28/14 14:25		1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L		11/28/14 14:25		1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L		11/28/14 14:25		1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L		11/28/14 14:25		1
Bromochloromethane	<1.0		1.0	0.40	ug/L		11/28/14 14:25		1
Chloroform	<1.0		1.0	0.20	ug/L		11/28/14 14:25		1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L		11/28/14 14:25		1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L		11/28/14 14:25		1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L		11/28/14 14:25		1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L		11/28/14 14:25		1
Trichloroethene	<0.50		0.50	0.19	ug/L		11/28/14 14:25		1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L		11/28/14 14:25		1
Dibromomethane	<1.0		1.0	0.33	ug/L		11/28/14 14:25		1
Bromodichloromethane	<1.0		1.0	0.17	ug/L		11/28/14 14:25		1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L		11/28/14 14:25		1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L		11/28/14 14:25		1
Toluene	<0.50		0.50	0.11	ug/L		11/28/14 14:25		1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L		11/28/14 14:25		1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L		11/28/14 14:25		1
Tetrachloroethene	<1.0		1.0	0.17	ug/L		11/28/14 14:25		1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L		11/28/14 14:25		1
2-Hexanone	<5.0		5.0	0.56	ug/L		11/28/14 14:25		1
Dibromochloromethane	<1.0		1.0	0.32	ug/L		11/28/14 14:25		1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L		11/28/14 14:25		1
Chlorobenzene	<1.0		1.0	0.14	ug/L		11/28/14 14:25		1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L		11/28/14 14:25		1
Ethylbenzene	<0.50		0.50	0.13	ug/L		11/28/14 14:25		1
m&p-Xylene	<1.0		1.0	0.26	ug/L		11/28/14 14:25		1
o-Xylene	<0.50		0.50	0.068	ug/L		11/28/14 14:25		1
Styrene	<1.0		1.0	0.10	ug/L		11/28/14 14:25		1
Bromoform	<1.0		1.0	0.28	ug/L		11/28/14 14:25		1
Isopropylbenzene	<1.0		1.0	0.14	ug/L		11/28/14 14:25		1
Bromobenzene	<1.0		1.0	0.25	ug/L		11/28/14 14:25		1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L		11/28/14 14:25		1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L		11/28/14 14:25		1
N-Propylbenzene	<1.0		1.0	0.13	ug/L		11/28/14 14:25		1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L		11/28/14 14:25		1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: RFW-2B

Date Collected: 11/24/14 11:15

Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-4

Matrix: Water

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L		11/28/14 14:25	11/28/14 14:25	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L		11/28/14 14:25	11/28/14 14:25	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L		11/28/14 14:25	11/28/14 14:25	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L		11/28/14 14:25	11/28/14 14:25	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L		11/28/14 14:25	11/28/14 14:25	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L		11/28/14 14:25	11/28/14 14:25	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L		11/28/14 14:25	11/28/14 14:25	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L		11/28/14 14:25	11/28/14 14:25	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L		11/28/14 14:25	11/28/14 14:25	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L		11/28/14 14:25	11/28/14 14:25	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L		11/28/14 14:25	11/28/14 14:25	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L		11/28/14 14:25	11/28/14 14:25	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L		11/28/14 14:25	11/28/14 14:25	1
Naphthalene	<1.0		1.0	0.16	ug/L		11/28/14 14:25	11/28/14 14:25	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L		11/28/14 14:25	11/28/14 14:25	1
Surrogate	%Recovery	Qualifier		Limits			Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surrogate)	87			75 - 125			11/28/14 14:25	11/28/14 14:25	1
Toluene-d8 (Surrogate)	91			75 - 120			11/28/14 14:25	11/28/14 14:25	1
4-Bromofluorobenzene (Surrogate)	94			75 - 120			11/28/14 14:25	11/28/14 14:25	1
Dibromofluoromethane	86			75 - 120			11/28/14 14:25	11/28/14 14:25	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: RFW-3B

Date Collected: 11/24/14 15:15

Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-5

Matrix: Water

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			11/28/14 14:50	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/28/14 14:50	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/28/14 14:50	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/28/14 14:50	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/28/14 14:50	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/28/14 14:50	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			11/28/14 14:50	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/28/14 14:50	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/28/14 14:50	1
Acetone	<5.0		5.0	1.3	ug/L			11/28/14 14:50	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/28/14 14:50	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/28/14 14:50	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/28/14 14:50	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/28/14 14:50	1
cis-1,2-Dichloroethene	1.2		1.0	0.12	ug/L			11/28/14 14:50	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/28/14 14:50	1
Bromoform	<1.0		1.0	0.40	ug/L			11/28/14 14:50	1
Chloroform	<1.0		1.0	0.20	ug/L			11/28/14 14:50	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/28/14 14:50	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/28/14 14:50	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			11/28/14 14:50	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			11/28/14 14:50	1
Trichloroethene	<0.50		0.50	0.19	ug/L			11/28/14 14:50	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/28/14 14:50	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/28/14 14:50	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/28/14 14:50	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/28/14 14:50	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/28/14 14:50	1
Toluene	<0.50		0.50	0.11	ug/L			11/28/14 14:50	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/28/14 14:50	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/28/14 14:50	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			11/28/14 14:50	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/28/14 14:50	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/28/14 14:50	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/28/14 14:50	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/28/14 14:50	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/28/14 14:50	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/28/14 14:50	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/28/14 14:50	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/28/14 14:50	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/28/14 14:50	1
Styrene	<1.0		1.0	0.10	ug/L			11/28/14 14:50	1
Bromoform	<1.0		1.0	0.28	ug/L			11/28/14 14:50	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/28/14 14:50	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/28/14 14:50	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/28/14 14:50	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			11/28/14 14:50	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/28/14 14:50	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/28/14 14:50	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: RFW-3B
Date Collected: 11/24/14 15:15
Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-5
Matrix: Water

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L		11/28/14 14:50	11/28/14 14:50	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L		11/28/14 14:50	11/28/14 14:50	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L		11/28/14 14:50	11/28/14 14:50	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L		11/28/14 14:50	11/28/14 14:50	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L		11/28/14 14:50	11/28/14 14:50	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L		11/28/14 14:50	11/28/14 14:50	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L		11/28/14 14:50	11/28/14 14:50	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L		11/28/14 14:50	11/28/14 14:50	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L		11/28/14 14:50	11/28/14 14:50	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L		11/28/14 14:50	11/28/14 14:50	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L		11/28/14 14:50	11/28/14 14:50	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L		11/28/14 14:50	11/28/14 14:50	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L		11/28/14 14:50	11/28/14 14:50	1
Naphthalene	<1.0		1.0	0.16	ug/L		11/28/14 14:50	11/28/14 14:50	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L		11/28/14 14:50	11/28/14 14:50	1
Surrogate	%Recovery	Qualifier		Limits			Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Sur)	89			75 - 125			11/28/14 14:50	11/28/14 14:50	1
Toluene-d8 (Sur)	92			75 - 120			11/28/14 14:50	11/28/14 14:50	1
4-Bromofluorobenzene (Sur)	96			75 - 120			11/28/14 14:50	11/28/14 14:50	1
Dibromofluoromethane	88			75 - 120			11/28/14 14:50	11/28/14 14:50	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: RFW-4A

Date Collected: 11/25/14 08:45

Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-6

Matrix: Water

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			11/28/14 15:17	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/28/14 15:17	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/28/14 15:17	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/28/14 15:17	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/28/14 15:17	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/28/14 15:17	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			11/28/14 15:17	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/28/14 15:17	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/28/14 15:17	1
Acetone	<5.0		5.0	1.3	ug/L			11/28/14 15:17	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/28/14 15:17	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/28/14 15:17	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/28/14 15:17	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/28/14 15:17	1
cis-1,2-Dichloroethene	0.68 J		1.0	0.12	ug/L			11/28/14 15:17	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/28/14 15:17	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			11/28/14 15:17	1
Chloroform	0.59 J		1.0	0.20	ug/L			11/28/14 15:17	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/28/14 15:17	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/28/14 15:17	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			11/28/14 15:17	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			11/28/14 15:17	1
Trichloroethene	27		0.50	0.19	ug/L			11/28/14 15:17	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/28/14 15:17	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/28/14 15:17	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/28/14 15:17	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/28/14 15:17	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/28/14 15:17	1
Toluene	<0.50		0.50	0.11	ug/L			11/28/14 15:17	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/28/14 15:17	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/28/14 15:17	1
Tetrachloroethene	21		1.0	0.17	ug/L			11/28/14 15:17	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/28/14 15:17	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/28/14 15:17	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/28/14 15:17	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/28/14 15:17	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/28/14 15:17	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/28/14 15:17	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/28/14 15:17	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/28/14 15:17	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/28/14 15:17	1
Styrene	<1.0		1.0	0.10	ug/L			11/28/14 15:17	1
Bromoform	<1.0		1.0	0.28	ug/L			11/28/14 15:17	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/28/14 15:17	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/28/14 15:17	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/28/14 15:17	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			11/28/14 15:17	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/28/14 15:17	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/28/14 15:17	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: RFW-4A

Date Collected: 11/25/14 08:45

Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-6

Matrix: Water

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L		11/28/14 15:17		1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L		11/28/14 15:17		1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L		11/28/14 15:17		1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L		11/28/14 15:17		1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L		11/28/14 15:17		1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L		11/28/14 15:17		1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L		11/28/14 15:17		1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L		11/28/14 15:17		1
n-Butylbenzene	<1.0		1.0	0.13	ug/L		11/28/14 15:17		1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L		11/28/14 15:17		1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L		11/28/14 15:17		1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L		11/28/14 15:17		1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L		11/28/14 15:17		1
Naphthalene	<1.0		1.0	0.16	ug/L		11/28/14 15:17		1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L		11/28/14 15:17		1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Sur)	89		75 - 125		11/28/14 15:17	1
Toluene-d8 (Sur)	91		75 - 120		11/28/14 15:17	1
4-Bromofluorobenzene (Sur)	94		75 - 120		11/28/14 15:17	1
Dibromofluoromethane	89		75 - 120		11/28/14 15:17	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: RFW-4ADUP

Date Collected: 11/25/14 08:45

Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-7

Matrix: Water

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			11/28/14 15:43	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/28/14 15:43	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/28/14 15:43	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/28/14 15:43	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/28/14 15:43	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/28/14 15:43	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			11/28/14 15:43	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/28/14 15:43	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/28/14 15:43	1
Acetone	<5.0		5.0	1.3	ug/L			11/28/14 15:43	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/28/14 15:43	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/28/14 15:43	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/28/14 15:43	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/28/14 15:43	1
cis-1,2-Dichloroethene	0.62 J		1.0	0.12	ug/L			11/28/14 15:43	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/28/14 15:43	1
Bromoform									
Chloroform	0.58 J		1.0	0.20	ug/L			11/28/14 15:43	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/28/14 15:43	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/28/14 15:43	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			11/28/14 15:43	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			11/28/14 15:43	1
Trichloroethene	27		0.50	0.19	ug/L			11/28/14 15:43	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/28/14 15:43	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/28/14 15:43	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/28/14 15:43	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/28/14 15:43	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/28/14 15:43	1
Toluene	<0.50		0.50	0.11	ug/L			11/28/14 15:43	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/28/14 15:43	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/28/14 15:43	1
Tetrachloroethene	22		1.0	0.17	ug/L			11/28/14 15:43	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/28/14 15:43	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/28/14 15:43	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/28/14 15:43	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/28/14 15:43	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/28/14 15:43	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/28/14 15:43	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/28/14 15:43	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/28/14 15:43	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/28/14 15:43	1
Styrene	<1.0		1.0	0.10	ug/L			11/28/14 15:43	1
Bromoform	<1.0		1.0	0.28	ug/L			11/28/14 15:43	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/28/14 15:43	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/28/14 15:43	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/28/14 15:43	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			11/28/14 15:43	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/28/14 15:43	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/28/14 15:43	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: RFW-4ADUP

Date Collected: 11/25/14 08:45

Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-7

Matrix: Water

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L		11/28/14 15:43	11/28/14 15:43	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L		11/28/14 15:43	11/28/14 15:43	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L		11/28/14 15:43	11/28/14 15:43	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L		11/28/14 15:43	11/28/14 15:43	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L		11/28/14 15:43	11/28/14 15:43	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L		11/28/14 15:43	11/28/14 15:43	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L		11/28/14 15:43	11/28/14 15:43	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L		11/28/14 15:43	11/28/14 15:43	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L		11/28/14 15:43	11/28/14 15:43	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L		11/28/14 15:43	11/28/14 15:43	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L		11/28/14 15:43	11/28/14 15:43	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L		11/28/14 15:43	11/28/14 15:43	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L		11/28/14 15:43	11/28/14 15:43	1
Naphthalene	<1.0		1.0	0.16	ug/L		11/28/14 15:43	11/28/14 15:43	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L		11/28/14 15:43	11/28/14 15:43	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
1,2-Dichloroethane-d4 (Sur)	90		75 - 125				11/28/14 15:43		1
Toluene-d8 (Sur)	91		75 - 120				11/28/14 15:43		1
4-Bromofluorobenzene (Sur)	96		75 - 120				11/28/14 15:43		1
Dibromofluoromethane	89		75 - 120				11/28/14 15:43		1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: RFW-4B

Date Collected: 11/25/14 07:55

Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-8

Matrix: Water

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			11/28/14 16:09	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/28/14 16:09	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/28/14 16:09	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/28/14 16:09	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/28/14 16:09	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/28/14 16:09	1
Trichlorodifluoromethane	<1.0		1.0	0.19	ug/L			11/28/14 16:09	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/28/14 16:09	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/28/14 16:09	1
Acetone	<5.0		5.0	1.3	ug/L			11/28/14 16:09	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/28/14 16:09	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/28/14 16:09	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/28/14 16:09	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/28/14 16:09	1
cis-1,2-Dichloroethene	3.0		1.0	0.12	ug/L			11/28/14 16:09	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/28/14 16:09	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			11/28/14 16:09	1
Chloroform	1.2		1.0	0.20	ug/L			11/28/14 16:09	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/28/14 16:09	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/28/14 16:09	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			11/28/14 16:09	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			11/28/14 16:09	1
Trichloroethene	46		0.50	0.19	ug/L			11/28/14 16:09	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/28/14 16:09	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/28/14 16:09	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/28/14 16:09	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/28/14 16:09	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/28/14 16:09	1
Toluene	<0.50		0.50	0.11	ug/L			11/28/14 16:09	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/28/14 16:09	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/28/14 16:09	1
Tetrachloroethene	78		1.0	0.17	ug/L			11/28/14 16:09	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/28/14 16:09	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/28/14 16:09	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/28/14 16:09	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/28/14 16:09	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/28/14 16:09	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/28/14 16:09	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/28/14 16:09	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/28/14 16:09	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/28/14 16:09	1
Styrene	<1.0		1.0	0.10	ug/L			11/28/14 16:09	1
Bromoform	<1.0		1.0	0.28	ug/L			11/28/14 16:09	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/28/14 16:09	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/28/14 16:09	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/28/14 16:09	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			11/28/14 16:09	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/28/14 16:09	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/28/14 16:09	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: RFW-4B

Date Collected: 11/25/14 07:55

Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-8

Matrix: Water

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			11/28/14 16:09	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			11/28/14 16:09	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			11/28/14 16:09	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			11/28/14 16:09	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			11/28/14 16:09	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/28/14 16:09	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			11/28/14 16:09	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/28/14 16:09	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			11/28/14 16:09	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			11/28/14 16:09	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			11/28/14 16:09	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			11/28/14 16:09	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			11/28/14 16:09	1
Naphthalene	<1.0		1.0	0.16	ug/L			11/28/14 16:09	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			11/28/14 16:09	1
Surrogate	%Recovery	Qualifier		Limits			Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Sur)	92			75 - 125				11/28/14 16:09	1
Toluene-d8 (Sur)	93			75 - 120				11/28/14 16:09	1
4-Bromofluorobenzene (Sur)	97			75 - 120				11/28/14 16:09	1
Dibromofluoromethane	89			75 - 120				11/28/14 16:09	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: RFW-6

Date Collected: 11/24/14 12:15

Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-9

Matrix: Water

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			11/28/14 16:35	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/28/14 16:35	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/28/14 16:35	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/28/14 16:35	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/28/14 16:35	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/28/14 16:35	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			11/28/14 16:35	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/28/14 16:35	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/28/14 16:35	1
Acetone	<5.0		5.0	1.3	ug/L			11/28/14 16:35	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/28/14 16:35	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/28/14 16:35	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/28/14 16:35	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/28/14 16:35	1
cis-1,2-Dichloroethene	0.56 J		1.0	0.12	ug/L			11/28/14 16:35	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/28/14 16:35	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			11/28/14 16:35	1
Chloroform	<1.0		1.0	0.20	ug/L			11/28/14 16:35	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/28/14 16:35	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/28/14 16:35	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			11/28/14 16:35	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			11/28/14 16:35	1
Trichloroethene	1.2		0.50	0.19	ug/L			11/28/14 16:35	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/28/14 16:35	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/28/14 16:35	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/28/14 16:35	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/28/14 16:35	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/28/14 16:35	1
Toluene	<0.50		0.50	0.11	ug/L			11/28/14 16:35	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/28/14 16:35	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/28/14 16:35	1
Tetrachloroethene	1.7		1.0	0.17	ug/L			11/28/14 16:35	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/28/14 16:35	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/28/14 16:35	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/28/14 16:35	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/28/14 16:35	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/28/14 16:35	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/28/14 16:35	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/28/14 16:35	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/28/14 16:35	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/28/14 16:35	1
Styrene	<1.0		1.0	0.10	ug/L			11/28/14 16:35	1
Bromoform	<1.0		1.0	0.28	ug/L			11/28/14 16:35	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/28/14 16:35	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/28/14 16:35	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/28/14 16:35	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			11/28/14 16:35	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/28/14 16:35	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/28/14 16:35	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: RFW-6

Date Collected: 11/24/14 12:15

Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-9

Matrix: Water

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			11/28/14 16:35	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			11/28/14 16:35	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			11/28/14 16:35	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			11/28/14 16:35	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			11/28/14 16:35	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/28/14 16:35	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			11/28/14 16:35	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/28/14 16:35	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			11/28/14 16:35	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			11/28/14 16:35	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			11/28/14 16:35	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			11/28/14 16:35	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			11/28/14 16:35	1
Naphthalene	<1.0		1.0	0.16	ug/L			11/28/14 16:35	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			11/28/14 16:35	1
Surrogate	%Recovery	Qualifier		Limits			Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Sur)	89			75 - 125				11/28/14 16:35	1
Toluene-d8 (Sur)	93			75 - 120				11/28/14 16:35	1
4-Bromofluorobenzene (Sur)	97			75 - 120				11/28/14 16:35	1
Dibromofluoromethane	90			75 - 120				11/28/14 16:35	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: RFW-7

Date Collected: 11/24/14 13:15

Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-10

Matrix: Water

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			11/28/14 17:01	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/28/14 17:01	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/28/14 17:01	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/28/14 17:01	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/28/14 17:01	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/28/14 17:01	1
Trichlorodifluoromethane	<1.0		1.0	0.19	ug/L			11/28/14 17:01	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/28/14 17:01	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/28/14 17:01	1
Acetone	<5.0		5.0	1.3	ug/L			11/28/14 17:01	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/28/14 17:01	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/28/14 17:01	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/28/14 17:01	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/28/14 17:01	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			11/28/14 17:01	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/28/14 17:01	1
Bromoform	<1.0		1.0	0.40	ug/L			11/28/14 17:01	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/28/14 17:01	1
1,1-Dichloropropene	<1.0		1.0	0.20	ug/L			11/28/14 17:01	1
Carbon tetrachloride	<1.0		1.0	0.34	ug/L			11/28/14 17:01	1
1,2-Dichloroethane	<1.0		1.0	0.26	ug/L			11/28/14 17:01	1
Trichloroethene	1.1		0.50	0.19	ug/L			11/28/14 17:01	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/28/14 17:01	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/28/14 17:01	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/28/14 17:01	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/28/14 17:01	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/28/14 17:01	1
Toluene	<0.50		0.50	0.11	ug/L			11/28/14 17:01	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/28/14 17:01	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/28/14 17:01	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			11/28/14 17:01	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/28/14 17:01	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/28/14 17:01	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/28/14 17:01	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/28/14 17:01	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/28/14 17:01	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/28/14 17:01	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/28/14 17:01	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/28/14 17:01	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/28/14 17:01	1
Styrene	<1.0		1.0	0.10	ug/L			11/28/14 17:01	1
Bromoform	<1.0		1.0	0.28	ug/L			11/28/14 17:01	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/28/14 17:01	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/28/14 17:01	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/28/14 17:01	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			11/28/14 17:01	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/28/14 17:01	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/28/14 17:01	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: RFW-7

Lab Sample ID: 500-88506-10

Date Collected: 11/24/14 13:15

Matrix: Water

Date Received: 11/26/14 10:25

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			11/28/14 17:01	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			11/28/14 17:01	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			11/28/14 17:01	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			11/28/14 17:01	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			11/28/14 17:01	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/28/14 17:01	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			11/28/14 17:01	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/28/14 17:01	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			11/28/14 17:01	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			11/28/14 17:01	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			11/28/14 17:01	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			11/28/14 17:01	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			11/28/14 17:01	1
Naphthalene	<1.0		1.0	0.16	ug/L			11/28/14 17:01	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			11/28/14 17:01	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Sur)	89		75 - 125					11/28/14 17:01	1
Toluene-d8 (Sur)	94		75 - 120					11/28/14 17:01	1
4-Bromofluorobenzene (Sur)	95		75 - 120					11/28/14 17:01	1
Dibromofluoromethane	88		75 - 120					11/28/14 17:01	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: RFW-9

Date Collected: 11/24/14 16:55

Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-11

Matrix: Water

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			11/28/14 17:27	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/28/14 17:27	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/28/14 17:27	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/28/14 17:27	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/28/14 17:27	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/28/14 17:27	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			11/28/14 17:27	1
1,1-Dichloroethene	0.67 J		1.0	0.31	ug/L			11/28/14 17:27	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/28/14 17:27	1
Acetone	<5.0		5.0	1.3	ug/L			11/28/14 17:27	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/28/14 17:27	1
trans-1,2-Dichlorethene	<1.0		1.0	0.25	ug/L			11/28/14 17:27	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/28/14 17:27	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/28/14 17:27	1
cis-1,2-Dichloroethene	12		1.0	0.12	ug/L			11/28/14 17:27	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/28/14 17:27	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			11/28/14 17:27	1
Chloroform	<1.0		1.0	0.20	ug/L			11/28/14 17:27	1
1,1,1-Trichloroethane	0.61 J		1.0	0.20	ug/L			11/28/14 17:27	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/28/14 17:27	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			11/28/14 17:27	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			11/28/14 17:27	1
Trichloroethene	7.9		0.50	0.19	ug/L			11/28/14 17:27	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/28/14 17:27	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/28/14 17:27	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/28/14 17:27	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/28/14 17:27	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/28/14 17:27	1
Toluene	<0.50		0.50	0.11	ug/L			11/28/14 17:27	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/28/14 17:27	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/28/14 17:27	1
Tetrachloroethene	3.5		1.0	0.17	ug/L			11/28/14 17:27	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/28/14 17:27	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/28/14 17:27	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/28/14 17:27	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/28/14 17:27	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/28/14 17:27	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/28/14 17:27	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/28/14 17:27	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/28/14 17:27	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/28/14 17:27	1
Styrene	<1.0		1.0	0.10	ug/L			11/28/14 17:27	1
Bromoform	<1.0		1.0	0.28	ug/L			11/28/14 17:27	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/28/14 17:27	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/28/14 17:27	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/28/14 17:27	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			11/28/14 17:27	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/28/14 17:27	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/28/14 17:27	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: RFW-9

Date Collected: 11/24/14 16:55
Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-11

Matrix: Water

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			11/28/14 17:27	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			11/28/14 17:27	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			11/28/14 17:27	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			11/28/14 17:27	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			11/28/14 17:27	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/28/14 17:27	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			11/28/14 17:27	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/28/14 17:27	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			11/28/14 17:27	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			11/28/14 17:27	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			11/28/14 17:27	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			11/28/14 17:27	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			11/28/14 17:27	1
Naphthalene	<1.0		1.0	0.16	ug/L			11/28/14 17:27	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			11/28/14 17:27	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surf)	89		75 - 125					11/28/14 17:27	1
Toluene-d8 (Surf)	91		75 - 120					11/28/14 17:27	1
4-Bromofluorobenzene (Surf)	96		75 - 120					11/28/14 17:27	1
Dibromofluoromethane	90		75 - 120					11/28/14 17:27	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: RFW-11B

Date Collected: 11/25/14 10:40

Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-12

Matrix: Water

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			11/28/14 17:53	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/28/14 17:53	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/28/14 17:53	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/28/14 17:53	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/28/14 17:53	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/28/14 17:53	1
Trichlorodifluoromethane	<1.0		1.0	0.19	ug/L			11/28/14 17:53	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/28/14 17:53	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/28/14 17:53	1
Acetone	<5.0		5.0	1.3	ug/L			11/28/14 17:53	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/28/14 17:53	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/28/14 17:53	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/28/14 17:53	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/28/14 17:53	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			11/28/14 17:53	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/28/14 17:53	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			11/28/14 17:53	1
Chloroform	<1.0		1.0	0.20	ug/L			11/28/14 17:53	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/28/14 17:53	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/28/14 17:53	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			11/28/14 17:53	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			11/28/14 17:53	1
Trichloroethene	2.7		0.50	0.19	ug/L			11/28/14 17:53	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/28/14 17:53	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/28/14 17:53	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/28/14 17:53	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/28/14 17:53	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/28/14 17:53	1
Toluene	<0.50		0.50	0.11	ug/L			11/28/14 17:53	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/28/14 17:53	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/28/14 17:53	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			11/28/14 17:53	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/28/14 17:53	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/28/14 17:53	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/28/14 17:53	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/28/14 17:53	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/28/14 17:53	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/28/14 17:53	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/28/14 17:53	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/28/14 17:53	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/28/14 17:53	1
Styrene	<1.0		1.0	0.10	ug/L			11/28/14 17:53	1
Bromoform	<1.0		1.0	0.28	ug/L			11/28/14 17:53	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/28/14 17:53	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/28/14 17:53	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/28/14 17:53	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			11/28/14 17:53	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/28/14 17:53	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/28/14 17:53	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: RFW-11B

Date Collected: 11/25/14 10:40

Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-12

Matrix: Water

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			11/28/14 17:53	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			11/28/14 17:53	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			11/28/14 17:53	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			11/28/14 17:53	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			11/28/14 17:53	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/28/14 17:53	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			11/28/14 17:53	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/28/14 17:53	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			11/28/14 17:53	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			11/28/14 17:53	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			11/28/14 17:53	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			11/28/14 17:53	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			11/28/14 17:53	1
Naphthalene	<1.0		1.0	0.16	ug/L			11/28/14 17:53	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			11/28/14 17:53	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Sur)	91		75 - 125					11/28/14 17:53	1
Toluene-d8 (Sur)	92		75 - 120					11/28/14 17:53	1
4-Bromofluorobenzene (Sur)	99		75 - 120					11/28/14 17:53	1
Dibromofluoromethane	88		75 - 120					11/28/14 17:53	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: RFW-12B

Date Collected: 11/25/14 12:00

Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-13

Matrix: Water

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			11/29/14 02:46	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/29/14 02:46	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/29/14 02:46	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/29/14 02:46	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/29/14 02:46	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/29/14 02:46	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			11/29/14 02:46	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/29/14 02:46	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/29/14 02:46	1
Acetone	<5.0		5.0	1.3	ug/L			11/29/14 02:46	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/29/14 02:46	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/29/14 02:46	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/29/14 02:46	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/29/14 02:46	1
cis-1,2-Dichloroethene	0.68 J		1.0	0.12	ug/L			11/29/14 02:46	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/29/14 02:46	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			11/29/14 02:46	1
Chloroform	<1.0		1.0	0.20	ug/L			11/29/14 02:46	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/29/14 02:46	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/29/14 02:46	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			11/29/14 02:46	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			11/29/14 02:46	1
Trichloroethene	170		0.50	0.19	ug/L			11/29/14 02:46	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/29/14 02:46	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/29/14 02:46	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/29/14 02:46	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/29/14 02:46	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/29/14 02:46	1
Toluene	<0.50		0.50	0.11	ug/L			11/29/14 02:46	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/29/14 02:46	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/29/14 02:46	1
Tetrachloroethene	10		1.0	0.17	ug/L			11/29/14 02:46	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/29/14 02:46	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/29/14 02:46	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/29/14 02:46	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/29/14 02:46	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/29/14 02:46	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/29/14 02:46	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/29/14 02:46	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/29/14 02:46	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/29/14 02:46	1
Styrene	<1.0		1.0	0.10	ug/L			11/29/14 02:46	1
Bromoform	<1.0		1.0	0.28	ug/L			11/29/14 02:46	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/29/14 02:46	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/29/14 02:46	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/29/14 02:46	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			11/29/14 02:46	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/29/14 02:46	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/29/14 02:46	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: RFW-12B

Date Collected: 11/25/14 12:00

Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-13

Matrix: Water

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L		11/29/14 02:46	11/29/14 02:46	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L		11/29/14 02:46	11/29/14 02:46	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L		11/29/14 02:46	11/29/14 02:46	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L		11/29/14 02:46	11/29/14 02:46	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L		11/29/14 02:46	11/29/14 02:46	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L		11/29/14 02:46	11/29/14 02:46	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L		11/29/14 02:46	11/29/14 02:46	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L		11/29/14 02:46	11/29/14 02:46	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L		11/29/14 02:46	11/29/14 02:46	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L		11/29/14 02:46	11/29/14 02:46	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L		11/29/14 02:46	11/29/14 02:46	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L		11/29/14 02:46	11/29/14 02:46	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L		11/29/14 02:46	11/29/14 02:46	1
Naphthalene	<1.0		1.0	0.16	ug/L		11/29/14 02:46	11/29/14 02:46	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L		11/29/14 02:46	11/29/14 02:46	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surf)	92		75 - 125		11/29/14 02:46	1
Toluene-d8 (Surf)	91		75 - 120		11/29/14 02:46	1
4-Bromofluorobenzene (Surf)	96		75 - 120		11/29/14 02:46	1
Dibromofluoromethane	89		75 - 120		11/29/14 02:46	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: RFW-13

Date Collected: 11/24/14 16:45

Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-14

Matrix: Water

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			11/28/14 22:26	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/28/14 22:26	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/28/14 22:26	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/28/14 22:26	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/28/14 22:26	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/28/14 22:26	1
Trichlorodifluoromethane	<1.0		1.0	0.19	ug/L			11/28/14 22:26	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/28/14 22:26	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/28/14 22:26	1
Acetone	9.9		5.0	1.3	ug/L			11/28/14 22:26	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/28/14 22:26	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/28/14 22:26	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/28/14 22:26	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/28/14 22:26	1
cis-1,2-Dichloroethene	0.83 J		1.0	0.12	ug/L			11/28/14 22:26	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/28/14 22:26	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			11/28/14 22:26	1
Chloroform	<1.0		1.0	0.20	ug/L			11/28/14 22:26	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/28/14 22:26	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/28/14 22:26	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			11/28/14 22:26	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			11/28/14 22:26	1
Trichloroethene	2.9		0.50	0.19	ug/L			11/28/14 22:26	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/28/14 22:26	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/28/14 22:26	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/28/14 22:26	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/28/14 22:26	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/28/14 22:26	1
Toluene	<0.50		0.50	0.11	ug/L			11/28/14 22:26	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/28/14 22:26	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/28/14 22:26	1
Tetrachloroethene	17		1.0	0.17	ug/L			11/28/14 22:26	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/28/14 22:26	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/28/14 22:26	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/28/14 22:26	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/28/14 22:26	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/28/14 22:26	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/28/14 22:26	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/28/14 22:26	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/28/14 22:26	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/28/14 22:26	1
Styrene	<1.0		1.0	0.10	ug/L			11/28/14 22:26	1
Bromoform	<1.0		1.0	0.28	ug/L			11/28/14 22:26	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/28/14 22:26	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/28/14 22:26	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/28/14 22:26	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			11/28/14 22:26	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/28/14 22:26	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/28/14 22:26	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: RFW-13

Date Collected: 11/24/14 16:45

Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-14

Matrix: Water

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L		11/28/14 22:26	11/28/14 22:26	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L		11/28/14 22:26	11/28/14 22:26	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L		11/28/14 22:26	11/28/14 22:26	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L		11/28/14 22:26	11/28/14 22:26	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L		11/28/14 22:26	11/28/14 22:26	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L		11/28/14 22:26	11/28/14 22:26	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L		11/28/14 22:26	11/28/14 22:26	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L		11/28/14 22:26	11/28/14 22:26	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L		11/28/14 22:26	11/28/14 22:26	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L		11/28/14 22:26	11/28/14 22:26	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L		11/28/14 22:26	11/28/14 22:26	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L		11/28/14 22:26	11/28/14 22:26	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L		11/28/14 22:26	11/28/14 22:26	1
Naphthalene	<1.0		1.0	0.16	ug/L		11/28/14 22:26	11/28/14 22:26	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L		11/28/14 22:26	11/28/14 22:26	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	91		75 - 125		11/28/14 22:26	1
Toluene-d8 (Surr)	94		75 - 120		11/28/14 22:26	1
4-Bromofluorobenzene (Surr)	92		75 - 120		11/28/14 22:26	1
Dibromofluoromethane	87		75 - 120		11/28/14 22:26	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: RFW-17

Date Collected: 11/24/14 14:05

Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-15

Matrix: Water

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.55		0.50	0.074	ug/L			11/28/14 22:52	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/28/14 22:52	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/28/14 22:52	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/28/14 22:52	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/28/14 22:52	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/28/14 22:52	1
Trichlorodifluoromethane	<1.0		1.0	0.19	ug/L			11/28/14 22:52	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/28/14 22:52	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/28/14 22:52	1
Acetone	5.6		5.0	1.3	ug/L			11/28/14 22:52	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/28/14 22:52	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/28/14 22:52	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/28/14 22:52	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/28/14 22:52	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			11/28/14 22:52	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/28/14 22:52	1
Bromoform	<1.0		1.0	0.40	ug/L			11/28/14 22:52	1
Chloroform	<1.0		1.0	0.20	ug/L			11/28/14 22:52	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/28/14 22:52	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/28/14 22:52	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			11/28/14 22:52	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			11/28/14 22:52	1
Trichloroethene	<0.50		0.50	0.19	ug/L			11/28/14 22:52	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/28/14 22:52	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/28/14 22:52	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/28/14 22:52	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/28/14 22:52	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/28/14 22:52	1
Toluene	<0.50		0.50	0.11	ug/L			11/28/14 22:52	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/28/14 22:52	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/28/14 22:52	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			11/28/14 22:52	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/28/14 22:52	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/28/14 22:52	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/28/14 22:52	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/28/14 22:52	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/28/14 22:52	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/28/14 22:52	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/28/14 22:52	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/28/14 22:52	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/28/14 22:52	1
Styrene	<1.0		1.0	0.10	ug/L			11/28/14 22:52	1
Bromoform	<1.0		1.0	0.28	ug/L			11/28/14 22:52	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/28/14 22:52	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/28/14 22:52	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/28/14 22:52	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			11/28/14 22:52	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/28/14 22:52	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/28/14 22:52	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: RFW-17

Date Collected: 11/24/14 14:05

Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-15

Matrix: Water

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L		11/28/14 22:52		1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L		11/28/14 22:52		1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L		11/28/14 22:52		1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L		11/28/14 22:52		1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L		11/28/14 22:52		1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L		11/28/14 22:52		1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L		11/28/14 22:52		1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L		11/28/14 22:52		1
n-Butylbenzene	<1.0		1.0	0.13	ug/L		11/28/14 22:52		1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L		11/28/14 22:52		1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L		11/28/14 22:52		1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L		11/28/14 22:52		1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L		11/28/14 22:52		1
Naphthalene	<1.0		1.0	0.16	ug/L		11/28/14 22:52		1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L		11/28/14 22:52		1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Sur)	90		75 - 125				11/28/14 22:52		1
Toluene-d8 (Sur)	92		75 - 120				11/28/14 22:52		1
4-Bromofluorobenzene (Sur)	95		75 - 120				11/28/14 22:52		1
Dibromofluoromethane	89		75 - 120				11/28/14 22:52		1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: Trip Blank

Date Collected: 11/24/14 06:00

Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-16

Matrix: Water

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			11/28/14 22:00	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/28/14 22:00	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/28/14 22:00	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/28/14 22:00	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/28/14 22:00	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/28/14 22:00	1
Trichlorodifluoromethane	<1.0		1.0	0.19	ug/L			11/28/14 22:00	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/28/14 22:00	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/28/14 22:00	1
Acetone	<5.0		5.0	1.3	ug/L			11/28/14 22:00	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/28/14 22:00	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/28/14 22:00	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/28/14 22:00	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/28/14 22:00	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			11/28/14 22:00	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/28/14 22:00	1
Bromoform	<1.0		1.0	0.40	ug/L			11/28/14 22:00	1
Chloroform	<1.0		1.0	0.20	ug/L			11/28/14 22:00	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/28/14 22:00	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/28/14 22:00	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			11/28/14 22:00	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			11/28/14 22:00	1
Trichloroethene	<0.50		0.50	0.19	ug/L			11/28/14 22:00	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/28/14 22:00	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/28/14 22:00	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/28/14 22:00	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/28/14 22:00	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/28/14 22:00	1
Toluene	<0.50		0.50	0.11	ug/L			11/28/14 22:00	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/28/14 22:00	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/28/14 22:00	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			11/28/14 22:00	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/28/14 22:00	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/28/14 22:00	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/28/14 22:00	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/28/14 22:00	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/28/14 22:00	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/28/14 22:00	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/28/14 22:00	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/28/14 22:00	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/28/14 22:00	1
Styrene	<1.0		1.0	0.10	ug/L			11/28/14 22:00	1
Bromoform	<1.0		1.0	0.28	ug/L			11/28/14 22:00	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/28/14 22:00	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/28/14 22:00	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/28/14 22:00	1
1,2,3-Trichloropropene	<1.0		1.0	0.45	ug/L			11/28/14 22:00	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/28/14 22:00	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/28/14 22:00	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1



Client Sample ID: Trip Blank

Date Collected: 11/24/14 06:00

Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-16

Matrix: Water



Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L		11/28/14 22:00		1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L		11/28/14 22:00		1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L		11/28/14 22:00		1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L		11/28/14 22:00		1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L		11/28/14 22:00		1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L		11/28/14 22:00		1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L		11/28/14 22:00		1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L		11/28/14 22:00		1
n-Butylbenzene	<1.0		1.0	0.13	ug/L		11/28/14 22:00		1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L		11/28/14 22:00		1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L		11/28/14 22:00		1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L		11/28/14 22:00		1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L		11/28/14 22:00		1
Naphthalene	<1.0		1.0	0.16	ug/L		11/28/14 22:00		1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L		11/28/14 22:00		1
Surrogate	%Recovery	Qualifier		Limits			Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	88			75 - 125			11/28/14 22:00		1
Toluene-d8 (Surr)	93			75 - 120			11/28/14 22:00		1
4-Bromofluorobenzene (Surr)	97			75 - 120			11/28/14 22:00		1
Dibromofluoromethane	89			75 - 120			11/28/14 22:00		1



TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: EW-2

Date Collected: 11/25/14 10:30

Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-17

Matrix: Water

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			11/29/14 03:38	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/29/14 03:38	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/29/14 03:38	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/29/14 03:38	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/29/14 03:38	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/29/14 03:38	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			11/29/14 03:38	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/29/14 03:38	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/29/14 03:38	1
Acetone	<5.0		5.0	1.3	ug/L			11/29/14 03:38	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/29/14 03:38	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/29/14 03:38	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/29/14 03:38	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/29/14 03:38	1
cis-1,2-Dichloroethene	3.8		1.0	0.12	ug/L			11/29/14 03:38	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/29/14 03:38	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			11/29/14 03:38	1
Chloroform	<1.0		1.0	0.20	ug/L			11/29/14 03:38	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/29/14 03:38	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/29/14 03:38	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			11/29/14 03:38	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			11/29/14 03:38	1
Trichloroethene	140		0.50	0.19	ug/L			11/29/14 03:38	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/29/14 03:38	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/29/14 03:38	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/29/14 03:38	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/29/14 03:38	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/29/14 03:38	1
Toluene	<0.50		0.50	0.11	ug/L			11/29/14 03:38	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/29/14 03:38	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/29/14 03:38	1
Tetrachloroethene	57		1.0	0.17	ug/L			11/29/14 03:38	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/29/14 03:38	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/29/14 03:38	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/29/14 03:38	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/29/14 03:38	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/29/14 03:38	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/29/14 03:38	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/29/14 03:38	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/29/14 03:38	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/29/14 03:38	1
Styrene	<1.0		1.0	0.10	ug/L			11/29/14 03:38	1
Bromoform	<1.0		1.0	0.28	ug/L			11/29/14 03:38	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/29/14 03:38	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/29/14 03:38	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/29/14 03:38	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			11/29/14 03:38	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/29/14 03:38	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/29/14 03:38	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: EW-2

Date Collected: 11/25/14 10:30

Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-17

Matrix: Water

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L		11/29/14 03:38		1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L		11/29/14 03:38		1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L		11/29/14 03:38		1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L		11/29/14 03:38		1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L		11/29/14 03:38		1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L		11/29/14 03:38		1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L		11/29/14 03:38		1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L		11/29/14 03:38		1
n-Butylbenzene	<1.0		1.0	0.13	ug/L		11/29/14 03:38		1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L		11/29/14 03:38		1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L		11/29/14 03:38		1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L		11/29/14 03:38		1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L		11/29/14 03:38		1
Naphthalene	<1.0		1.0	0.16	ug/L		11/29/14 03:38		1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L		11/29/14 03:38		1
Surrogate	%Recovery	Qualifier		Limits			Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Sur)	86			75 - 125			11/29/14 03:38		1
Toluene-d8 (Sur)	93			75 - 120			11/29/14 03:38		1
4-Bromofluorobenzene (Sur)	97			75 - 120			11/29/14 03:38		1
Dibromofluoromethane	88			75 - 120			11/29/14 03:38		1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: EW-3

Date Collected: 11/25/14 10:20

Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-18

Matrix: Water

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			11/28/14 23:18	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/28/14 23:18	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/28/14 23:18	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/28/14 23:18	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/28/14 23:18	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/28/14 23:18	1
Trichlorodifluoromethane	<1.0		1.0	0.19	ug/L			11/28/14 23:18	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/28/14 23:18	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/28/14 23:18	1
Acetone	<5.0		5.0	1.3	ug/L			11/28/14 23:18	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/28/14 23:18	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/28/14 23:18	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/28/14 23:18	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/28/14 23:18	1
cis-1,2-Dichloroethene	2.2		1.0	0.12	ug/L			11/28/14 23:18	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/28/14 23:18	1
Bromoform	<1.0		1.0	0.40	ug/L			11/28/14 23:18	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/28/14 23:18	1
1,1-Dichloropropene	<1.0		1.0	0.20	ug/L			11/28/14 23:18	1
Carbon tetrachloride	<1.0		1.0	0.34	ug/L			11/28/14 23:18	1
1,2-Dichloroethane	<1.0		1.0	0.26	ug/L			11/28/14 23:18	1
Trichloroethene	43		0.50	0.19	ug/L			11/28/14 23:18	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/28/14 23:18	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/28/14 23:18	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/28/14 23:18	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/28/14 23:18	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/28/14 23:18	1
Toluene	<0.50		0.50	0.11	ug/L			11/28/14 23:18	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/28/14 23:18	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/28/14 23:18	1
Tetrachloroethene	1.9		1.0	0.17	ug/L			11/28/14 23:18	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/28/14 23:18	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/28/14 23:18	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/28/14 23:18	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/28/14 23:18	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/28/14 23:18	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/28/14 23:18	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/28/14 23:18	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/28/14 23:18	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/28/14 23:18	1
Styrene	<1.0		1.0	0.10	ug/L			11/28/14 23:18	1
Bromoform	<1.0		1.0	0.28	ug/L			11/28/14 23:18	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/28/14 23:18	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/28/14 23:18	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/28/14 23:18	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			11/28/14 23:18	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/28/14 23:18	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/28/14 23:18	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: EW-3

Date Collected: 11/25/14 10:20

Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-18

Matrix: Water

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L		11/28/14 23:18		1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L		11/28/14 23:18		1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L		11/28/14 23:18		1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L		11/28/14 23:18		1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L		11/28/14 23:18		1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L		11/28/14 23:18		1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L		11/28/14 23:18		1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L		11/28/14 23:18		1
n-Butylbenzene	<1.0		1.0	0.13	ug/L		11/28/14 23:18		1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L		11/28/14 23:18		1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L		11/28/14 23:18		1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L		11/28/14 23:18		1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L		11/28/14 23:18		1
Naphthalene	<1.0		1.0	0.16	ug/L		11/28/14 23:18		1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L		11/28/14 23:18		1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
1,2-Dichloroethane-d4 (Sur)	94		75 - 125			11/28/14 23:18		1	
Toluene-d8 (Sur)	91		75 - 120			11/28/14 23:18		1	
4-Bromofluorobenzene (Sur)	95		75 - 120			11/28/14 23:18		1	
Dibromofluoromethane	87		75 - 120			11/28/14 23:18		1	

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: EW-4

Date Collected: 11/25/14 11:35

Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-19

Matrix: Water

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			11/29/14 04:31	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/29/14 04:31	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/29/14 04:31	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/29/14 04:31	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/29/14 04:31	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/29/14 04:31	1
Trichlorodifluoromethane	<1.0		1.0	0.19	ug/L			11/29/14 04:31	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/29/14 04:31	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/29/14 04:31	1
Acetone	<5.0		5.0	1.3	ug/L			11/29/14 04:31	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/29/14 04:31	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/29/14 04:31	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/29/14 04:31	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/29/14 04:31	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			11/29/14 04:31	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/29/14 04:31	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			11/29/14 04:31	1
Chloroform	<1.0		1.0	0.20	ug/L			11/29/14 04:31	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/29/14 04:31	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/29/14 04:31	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			11/29/14 04:31	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			11/29/14 04:31	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/29/14 04:31	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/29/14 04:31	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/29/14 04:31	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/29/14 04:31	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/29/14 04:31	1
Toluene	<0.50		0.50	0.11	ug/L			11/29/14 04:31	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/29/14 04:31	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/29/14 04:31	1
Tetrachloroethene	13		1.0	0.17	ug/L			11/29/14 04:31	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/29/14 04:31	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/29/14 04:31	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/29/14 04:31	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/29/14 04:31	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/29/14 04:31	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/29/14 04:31	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/29/14 04:31	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/29/14 04:31	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/29/14 04:31	1
Styrene	<1.0		1.0	0.10	ug/L			11/29/14 04:31	1
Bromoform	<1.0		1.0	0.28	ug/L			11/29/14 04:31	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/29/14 04:31	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/29/14 04:31	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/29/14 04:31	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			11/29/14 04:31	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/29/14 04:31	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/29/14 04:31	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			11/29/14 04:31	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: EW-4

Date Collected: 11/25/14 11:35

Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-19

Matrix: Water

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
4-Chlorotoluene	<1.0		1.0	0.20	ug/L		11/29/14 04:31		1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L		11/29/14 04:31		1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L		11/29/14 04:31		1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L		11/29/14 04:31		1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L		11/29/14 04:31		1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L		11/29/14 04:31		1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L		11/29/14 04:31		1
n-Butylbenzene	<1.0		1.0	0.13	ug/L		11/29/14 04:31		1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L		11/29/14 04:31		1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L		11/29/14 04:31		1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L		11/29/14 04:31		1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L		11/29/14 04:31		1
Naphthalene	<1.0		1.0	0.16	ug/L		11/29/14 04:31		1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L		11/29/14 04:31		1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Sur)	93		75 - 125				11/29/14 04:31		1
Toluene-d8 (Sur)	92		75 - 120				11/29/14 04:31		1
4-Bromofluorobenzene (Sur)	99		75 - 120				11/29/14 04:31		1
Dibromofluoromethane	89		75 - 120				11/29/14 04:31		1

Method: 8260B - VOC - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Trichloroethene	660		2.5	0.95	ug/L		11/29/14 04:56		5
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Sur)	91		75 - 125				11/29/14 04:56		5
Toluene-d8 (Sur)	92		75 - 120				11/29/14 04:56		5
4-Bromofluorobenzene (Sur)	95		75 - 120				11/29/14 04:56		5
Dibromofluoromethane	88		75 - 120				11/29/14 04:56		5

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: EW-5

Date Collected: 11/25/14 11:45

Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-20

Matrix: Water

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			11/28/14 23:44	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/28/14 23:44	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/28/14 23:44	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/28/14 23:44	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/28/14 23:44	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/28/14 23:44	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			11/28/14 23:44	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/28/14 23:44	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/28/14 23:44	1
Acetone	<5.0		5.0	1.3	ug/L			11/28/14 23:44	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/28/14 23:44	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/28/14 23:44	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/28/14 23:44	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/28/14 23:44	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			11/28/14 23:44	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/28/14 23:44	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			11/28/14 23:44	1
Chloroform	<1.0		1.0	0.20	ug/L			11/28/14 23:44	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/28/14 23:44	1
1,1-Dichloropropene	<1.0		1.0	0.20	ug/L			11/28/14 23:44	1
Carbon tetrachloride	<1.0		1.0	0.34	ug/L			11/28/14 23:44	1
1,2-Dichloroethane	<1.0		1.0	0.26	ug/L			11/28/14 23:44	1
Trichloroethene	110		0.50	0.19	ug/L			11/28/14 23:44	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/28/14 23:44	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/28/14 23:44	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/28/14 23:44	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/28/14 23:44	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/28/14 23:44	1
Toluene	<0.50		0.50	0.11	ug/L			11/28/14 23:44	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/28/14 23:44	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/28/14 23:44	1
Tetrachloroethene	3.2		1.0	0.17	ug/L			11/28/14 23:44	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/28/14 23:44	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/28/14 23:44	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/28/14 23:44	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/28/14 23:44	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/28/14 23:44	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/28/14 23:44	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/28/14 23:44	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/28/14 23:44	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/28/14 23:44	1
Styrene	<1.0		1.0	0.10	ug/L			11/28/14 23:44	1
Bromoform	<1.0		1.0	0.28	ug/L			11/28/14 23:44	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/28/14 23:44	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/28/14 23:44	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/28/14 23:44	1
1,2,3-Trichloropropane	<1.0		1.0	0.23	ug/L			11/28/14 23:44	1
N-Propylbenzene	<1.0		1.0	0.45	ug/L			11/28/14 23:44	1
2-Chlorotoluene	<1.0		1.0	0.13	ug/L			11/28/14 23:44	1
			1.0	0.21	ug/L			11/28/14 23:44	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: EW-5

Date Collected: 11/25/14 11:45

Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-20

Matrix: Water

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L		11/28/14 23:44	11/28/14 23:44	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L		11/28/14 23:44	11/28/14 23:44	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L		11/28/14 23:44	11/28/14 23:44	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L		11/28/14 23:44	11/28/14 23:44	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L		11/28/14 23:44	11/28/14 23:44	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L		11/28/14 23:44	11/28/14 23:44	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L		11/28/14 23:44	11/28/14 23:44	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L		11/28/14 23:44	11/28/14 23:44	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L		11/28/14 23:44	11/28/14 23:44	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L		11/28/14 23:44	11/28/14 23:44	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L		11/28/14 23:44	11/28/14 23:44	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L		11/28/14 23:44	11/28/14 23:44	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L		11/28/14 23:44	11/28/14 23:44	1
Naphthalene	<1.0		1.0	0.16	ug/L		11/28/14 23:44	11/28/14 23:44	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L		11/28/14 23:44	11/28/14 23:44	1
Surrogate	%Recovery	Qualifier		Limits			Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Sum)	91			75 - 125			11/28/14 23:44	11/28/14 23:44	1
Toluene-d8 (Sum)	91			75 - 120			11/28/14 23:44	11/28/14 23:44	1
4-Bromofluorobenzene (Sum)	96			75 - 120			11/28/14 23:44	11/28/14 23:44	1
Dibromofluoromethane	89			75 - 120			11/28/14 23:44	11/28/14 23:44	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: EW-6
Date Collected: 11/24/14 11:35
Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-21
Matrix: Water

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L		11/29/14 00:10	11/29/14 00:10	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L		11/29/14 00:10	11/29/14 00:10	1
Chloromethane	<1.0		1.0	0.18	ug/L		11/29/14 00:10	11/29/14 00:10	1
Vinyl chloride	<0.50		0.50	0.10	ug/L		11/29/14 00:10	11/29/14 00:10	1
Bromomethane	<1.0		1.0	0.31	ug/L		11/29/14 00:10	11/29/14 00:10	1
Chloroethane	<1.0		1.0	0.34	ug/L		11/29/14 00:10	11/29/14 00:10	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L		11/29/14 00:10	11/29/14 00:10	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L		11/29/14 00:10	11/29/14 00:10	1
Carbon disulfide	<5.0		5.0	0.43	ug/L		11/29/14 00:10	11/29/14 00:10	1
Acetone	<5.0		5.0	1.3	ug/L		11/29/14 00:10	11/29/14 00:10	1
Methylene Chloride	<5.0		5.0	0.68	ug/L		11/29/14 00:10	11/29/14 00:10	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L		11/29/14 00:10	11/29/14 00:10	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L		11/29/14 00:10	11/29/14 00:10	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L		11/29/14 00:10	11/29/14 00:10	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L		11/29/14 00:10	11/29/14 00:10	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L		11/29/14 00:10	11/29/14 00:10	1
Bromochloromethane	<1.0		1.0	0.40	ug/L		11/29/14 00:10	11/29/14 00:10	1
Chloroform	<1.0		1.0	0.20	ug/L		11/29/14 00:10	11/29/14 00:10	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L		11/29/14 00:10	11/29/14 00:10	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L		11/29/14 00:10	11/29/14 00:10	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L		11/29/14 00:10	11/29/14 00:10	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L		11/29/14 00:10	11/29/14 00:10	1
Trichloroethene	6.4		0.50	0.19	ug/L		11/29/14 00:10	11/29/14 00:10	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L		11/29/14 00:10	11/29/14 00:10	1
Dibromomethane	<1.0		1.0	0.33	ug/L		11/29/14 00:10	11/29/14 00:10	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L		11/29/14 00:10	11/29/14 00:10	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L		11/29/14 00:10	11/29/14 00:10	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L		11/29/14 00:10	11/29/14 00:10	1
Toluene	<0.50		0.50	0.11	ug/L		11/29/14 00:10	11/29/14 00:10	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L		11/29/14 00:10	11/29/14 00:10	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L		11/29/14 00:10	11/29/14 00:10	1
Tetrachloroethene	13		1.0	0.17	ug/L		11/29/14 00:10	11/29/14 00:10	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L		11/29/14 00:10	11/29/14 00:10	1
2-Hexanone	<5.0		5.0	0.56	ug/L		11/29/14 00:10	11/29/14 00:10	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L		11/29/14 00:10	11/29/14 00:10	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L		11/29/14 00:10	11/29/14 00:10	1
Chlorobenzene	<1.0		1.0	0.14	ug/L		11/29/14 00:10	11/29/14 00:10	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L		11/29/14 00:10	11/29/14 00:10	1
Ethylbenzene	<0.50		0.50	0.13	ug/L		11/29/14 00:10	11/29/14 00:10	1
m&p-Xylene	<1.0		1.0	0.26	ug/L		11/29/14 00:10	11/29/14 00:10	1
o-Xylene	<0.50		0.50	0.068	ug/L		11/29/14 00:10	11/29/14 00:10	1
Styrene	<1.0		1.0	0.10	ug/L		11/29/14 00:10	11/29/14 00:10	1
Bromoform	<1.0		1.0	0.28	ug/L		11/29/14 00:10	11/29/14 00:10	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L		11/29/14 00:10	11/29/14 00:10	1
Bromobenzene	<1.0		1.0	0.25	ug/L		11/29/14 00:10	11/29/14 00:10	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L		11/29/14 00:10	11/29/14 00:10	1
1,2,3-Trichloropropene	<1.0		1.0	0.45	ug/L		11/29/14 00:10	11/29/14 00:10	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L		11/29/14 00:10	11/29/14 00:10	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L		11/29/14 00:10	11/29/14 00:10	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: EW-6

Date Collected: 11/24/14 11:35

Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-21

Matrix: Water

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			11/29/14 00:10	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			11/29/14 00:10	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			11/29/14 00:10	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			11/29/14 00:10	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			11/29/14 00:10	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/29/14 00:10	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			11/29/14 00:10	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/29/14 00:10	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			11/29/14 00:10	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			11/29/14 00:10	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			11/29/14 00:10	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			11/29/14 00:10	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			11/29/14 00:10	1
Naphthalene	<1.0		1.0	0.16	ug/L			11/29/14 00:10	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			11/29/14 00:10	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Sum)	90		75 - 125		11/29/14 00:10	1
Toluene-d8 (Sur)	92		75 - 120		11/29/14 00:10	1
4-Bromofluorobenzene (Sur)	96		75 - 120		11/29/14 00:10	1
Dibromofluoromethane	89		75 - 120		11/29/14 00:10	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: EW-7
Date Collected: 11/24/14 11:25
Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-22
Matrix: Water

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L		11/29/14 00:36	11/29/14 00:36	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L		11/29/14 00:36	11/29/14 00:36	1
Chloromethane	<1.0		1.0	0.18	ug/L		11/29/14 00:36	11/29/14 00:36	1
Vinyl chloride	<0.50		0.50	0.10	ug/L		11/29/14 00:36	11/29/14 00:36	1
Bromomethane	<1.0		1.0	0.31	ug/L		11/29/14 00:36	11/29/14 00:36	1
Chloroethane	<1.0		1.0	0.34	ug/L		11/29/14 00:36	11/29/14 00:36	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L		11/29/14 00:36	11/29/14 00:36	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L		11/29/14 00:36	11/29/14 00:36	1
Carbon disulfide	<5.0		5.0	0.43	ug/L		11/29/14 00:36	11/29/14 00:36	1
Acetone	<5.0		5.0	1.3	ug/L		11/29/14 00:36	11/29/14 00:36	1
Methylene Chloride	<5.0		5.0	0.68	ug/L		11/29/14 00:36	11/29/14 00:36	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L		11/29/14 00:36	11/29/14 00:36	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L		11/29/14 00:36	11/29/14 00:36	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L		11/29/14 00:36	11/29/14 00:36	1
cis-1,2-Dichloroethene	3.9		1.0	0.12	ug/L		11/29/14 00:36	11/29/14 00:36	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L		11/29/14 00:36	11/29/14 00:36	1
Bromochloromethane	<1.0		1.0	0.40	ug/L		11/29/14 00:36	11/29/14 00:36	1
Chloroform	<1.0		1.0	0.20	ug/L		11/29/14 00:36	11/29/14 00:36	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L		11/29/14 00:36	11/29/14 00:36	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L		11/29/14 00:36	11/29/14 00:36	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L		11/29/14 00:36	11/29/14 00:36	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L		11/29/14 00:36	11/29/14 00:36	1
Trichloroethene	2.7		0.50	0.19	ug/L		11/29/14 00:36	11/29/14 00:36	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L		11/29/14 00:36	11/29/14 00:36	1
Dibromomethane	<1.0		1.0	0.33	ug/L		11/29/14 00:36	11/29/14 00:36	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L		11/29/14 00:36	11/29/14 00:36	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L		11/29/14 00:36	11/29/14 00:36	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L		11/29/14 00:36	11/29/14 00:36	1
Toluene	<0.50		0.50	0.11	ug/L		11/29/14 00:36	11/29/14 00:36	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L		11/29/14 00:36	11/29/14 00:36	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L		11/29/14 00:36	11/29/14 00:36	1
Tetrachloroethene	6.3		1.0	0.17	ug/L		11/29/14 00:36	11/29/14 00:36	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L		11/29/14 00:36	11/29/14 00:36	1
2-Hexanone	<5.0		5.0	0.56	ug/L		11/29/14 00:36	11/29/14 00:36	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L		11/29/14 00:36	11/29/14 00:36	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L		11/29/14 00:36	11/29/14 00:36	1
Chlorobenzene	<1.0		1.0	0.14	ug/L		11/29/14 00:36	11/29/14 00:36	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L		11/29/14 00:36	11/29/14 00:36	1
Ethylbenzene	<0.50		0.50	0.13	ug/L		11/29/14 00:36	11/29/14 00:36	1
m&p-Xylene	<1.0		1.0	0.26	ug/L		11/29/14 00:36	11/29/14 00:36	1
o-Xylene	<0.50		0.50	0.068	ug/L		11/29/14 00:36	11/29/14 00:36	1
Styrene	<1.0		1.0	0.10	ug/L		11/29/14 00:36	11/29/14 00:36	1
Bromoform	<1.0		1.0	0.28	ug/L		11/29/14 00:36	11/29/14 00:36	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L		11/29/14 00:36	11/29/14 00:36	1
Bromobenzene	<1.0		1.0	0.25	ug/L		11/29/14 00:36	11/29/14 00:36	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L		11/29/14 00:36	11/29/14 00:36	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L		11/29/14 00:36	11/29/14 00:36	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L		11/29/14 00:36	11/29/14 00:36	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L		11/29/14 00:36	11/29/14 00:36	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: EW-7

Date Collected: 11/24/14 11:25
Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-22

Matrix: Water

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L		11/29/14 00:36		1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L		11/29/14 00:36		1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L		11/29/14 00:36		1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L		11/29/14 00:36		1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L		11/29/14 00:36		1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L		11/29/14 00:36		1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L		11/29/14 00:36		1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L		11/29/14 00:36		1
n-Butylbenzene	<1.0		1.0	0.13	ug/L		11/29/14 00:36		1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L		11/29/14 00:36		1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L		11/29/14 00:36		1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L		11/29/14 00:36		1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L		11/29/14 00:36		1
Naphthalene	<1.0		1.0	0.16	ug/L		11/29/14 00:36		1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L		11/29/14 00:36		1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Sur)	90		75 - 125				11/29/14 00:36		1
Toluene-d8 (Sur)	92		75 - 120				11/29/14 00:36		1
4-Bromofluorobenzene (Sur)	97		75 - 120				11/29/14 00:36		1
Dibromofluoromethane	90		75 - 120				11/29/14 00:36		1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: EW-8

Date Collected: 11/24/14 11:20

Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-23

Matrix: Water

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			11/29/14 01:02	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/29/14 01:02	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/29/14 01:02	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/29/14 01:02	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/29/14 01:02	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/29/14 01:02	1
Trichlorodifluoromethane	<1.0		1.0	0.19	ug/L			11/29/14 01:02	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/29/14 01:02	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/29/14 01:02	1
Acetone	<5.0		5.0	1.3	ug/L			11/29/14 01:02	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/29/14 01:02	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/29/14 01:02	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/29/14 01:02	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/29/14 01:02	1
cis-1,2-Dichloroethene	18		1.0	0.12	ug/L			11/29/14 01:02	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/29/14 01:02	1
Bromoform	<1.0		1.0	0.40	ug/L			11/29/14 01:02	1
Chloroform	<1.0		1.0	0.20	ug/L			11/29/14 01:02	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/29/14 01:02	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/29/14 01:02	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			11/29/14 01:02	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			11/29/14 01:02	1
Trichloroethene	5.9		0.50	0.19	ug/L			11/29/14 01:02	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/29/14 01:02	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/29/14 01:02	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/29/14 01:02	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/29/14 01:02	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/29/14 01:02	1
Toluene	<0.50		0.50	0.11	ug/L			11/29/14 01:02	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/29/14 01:02	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/29/14 01:02	1
Tetrachloroethene	57		1.0	0.17	ug/L			11/29/14 01:02	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/29/14 01:02	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/29/14 01:02	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/29/14 01:02	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/29/14 01:02	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/29/14 01:02	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/29/14 01:02	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/29/14 01:02	1
m,p-Xylene	<1.0		1.0	0.26	ug/L			11/29/14 01:02	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/29/14 01:02	1
Styrene	<1.0		1.0	0.10	ug/L			11/29/14 01:02	1
Bromoform	<1.0		1.0	0.28	ug/L			11/29/14 01:02	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/29/14 01:02	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/29/14 01:02	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/29/14 01:02	1
1,2,3-Trichloropropene	<1.0		1.0	0.45	ug/L			11/29/14 01:02	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/29/14 01:02	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/29/14 01:02	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: EW-8

Date Collected: 11/24/14 11:20

Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-23

Matrix: Water

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L		11/29/14 01:02	11/29/14 01:02	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L		11/29/14 01:02	11/29/14 01:02	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L		11/29/14 01:02	11/29/14 01:02	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L		11/29/14 01:02	11/29/14 01:02	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L		11/29/14 01:02	11/29/14 01:02	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L		11/29/14 01:02	11/29/14 01:02	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L		11/29/14 01:02	11/29/14 01:02	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L		11/29/14 01:02	11/29/14 01:02	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L		11/29/14 01:02	11/29/14 01:02	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L		11/29/14 01:02	11/29/14 01:02	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L		11/29/14 01:02	11/29/14 01:02	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L		11/29/14 01:02	11/29/14 01:02	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L		11/29/14 01:02	11/29/14 01:02	1
Naphthalene	<1.0		1.0	0.16	ug/L		11/29/14 01:02	11/29/14 01:02	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L		11/29/14 01:02	11/29/14 01:02	1
Surrogate	%Recovery	Qualifier		Limits			Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Sum)	90			75 - 125			11/29/14 01:02	11/29/14 01:02	1
Toluene-d8 (Sum)	90			75 - 120			11/29/14 01:02	11/29/14 01:02	1
4-Bromofluorobenzene (Sum)	96			75 - 120			11/29/14 01:02	11/29/14 01:02	1
Dibromofluoromethane	87			75 - 120			11/29/14 01:02	11/29/14 01:02	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: EW-9
Date Collected: 11/24/14 11:10
Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-24
Matrix: Water

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L		11/29/14 01:29		1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L		11/29/14 01:29		1
Chloromethane	<1.0		1.0	0.18	ug/L		11/29/14 01:29		1
Vinyl chloride	<0.50		0.50	0.10	ug/L		11/29/14 01:29		1
Bromomethane	<1.0		1.0	0.31	ug/L		11/29/14 01:29		1
Chloroethane	<1.0		1.0	0.34	ug/L		11/29/14 01:29		1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L		11/29/14 01:29		1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L		11/29/14 01:29		1
Carbon disulfide	<5.0		5.0	0.43	ug/L		11/29/14 01:29		1
Acetone	5.4		5.0	1.3	ug/L		11/29/14 01:29		1
Methylene Chloride	<5.0		5.0	0.68	ug/L		11/29/14 01:29		1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L		11/29/14 01:29		1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L		11/29/14 01:29		1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L		11/29/14 01:29		1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L		11/29/14 01:29		1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L		11/29/14 01:29		1
Bromochloromethane	<1.0		1.0	0.40	ug/L		11/29/14 01:29		1
Chloroform	<1.0		1.0	0.20	ug/L		11/29/14 01:29		1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L		11/29/14 01:29		1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L		11/29/14 01:29		1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L		11/29/14 01:29		1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L		11/29/14 01:29		1
Trichloroethene	0.59		0.50	0.19	ug/L		11/29/14 01:29		1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L		11/29/14 01:29		1
Dibromomethane	<1.0		1.0	0.33	ug/L		11/29/14 01:29		1
Bromodichloromethane	<1.0		1.0	0.17	ug/L		11/29/14 01:29		1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L		11/29/14 01:29		1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L		11/29/14 01:29		1
Toluene	<0.50		0.50	0.11	ug/L		11/29/14 01:29		1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L		11/29/14 01:29		1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L		11/29/14 01:29		1
Tetrachloroethene	120		1.0	0.17	ug/L		11/29/14 01:29		1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L		11/29/14 01:29		1
2-Hexanone	<5.0		5.0	0.56	ug/L		11/29/14 01:29		1
Dibromochloromethane	<1.0		1.0	0.32	ug/L		11/29/14 01:29		1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L		11/29/14 01:29		1
Chlorobenzene	<1.0		1.0	0.14	ug/L		11/29/14 01:29		1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L		11/29/14 01:29		1
Ethylbenzene	<0.50		0.50	0.13	ug/L		11/29/14 01:29		1
m&p-Xylene	<1.0		1.0	0.26	ug/L		11/29/14 01:29		1
o-Xylene	<0.50		0.50	0.068	ug/L		11/29/14 01:29		1
Styrene	<1.0		1.0	0.10	ug/L		11/29/14 01:29		1
Bromoform	<1.0		1.0	0.28	ug/L		11/29/14 01:29		1
Isopropylbenzene	<1.0		1.0	0.14	ug/L		11/29/14 01:29		1
Bromobenzene	<1.0		1.0	0.25	ug/L		11/29/14 01:29		1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L		11/29/14 01:29		1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L		11/29/14 01:29		1
N-Propylbenzene	<1.0		1.0	0.13	ug/L		11/29/14 01:29		1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L		11/29/14 01:29		1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1



Client Sample ID: EW-9

Date Collected: 11/24/14 11:10

Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-24

Matrix: Water



Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L		11/29/14 01:29		1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L		11/29/14 01:29		1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L		11/29/14 01:29		1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L		11/29/14 01:29		1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L		11/29/14 01:29		1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L		11/29/14 01:29		1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L		11/29/14 01:29		1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L		11/29/14 01:29		1
n-Butylbenzene	<1.0		1.0	0.13	ug/L		11/29/14 01:29		1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L		11/29/14 01:29		1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L		11/29/14 01:29		1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L		11/29/14 01:29		1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L		11/29/14 01:29		1
Naphthalene	<1.0		1.0	0.16	ug/L		11/29/14 01:29		1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L		11/29/14 01:29		1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surrogate)	92		75 - 125		11/29/14 01:29	1
Toluene-d8 (Surrogate)	92		75 - 120		11/29/14 01:29	1
4-Bromofluorobenzene (Surrogate)	99		75 - 120		11/29/14 01:29	1
Dibromofluoromethane	88		75 - 120		11/29/14 01:29	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: EW-9DUP

Date Collected: 11/24/14 11:10

Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-25

Matrix: Water

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			11/29/14 01:54	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/29/14 01:54	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/29/14 01:54	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/29/14 01:54	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/29/14 01:54	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/29/14 01:54	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			11/29/14 01:54	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/29/14 01:54	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/29/14 01:54	1
Acetone	<5.0		5.0	1.3	ug/L			11/29/14 01:54	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/29/14 01:54	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/29/14 01:54	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/29/14 01:54	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/29/14 01:54	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			11/29/14 01:54	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/29/14 01:54	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			11/29/14 01:54	1
Chloroform	<1.0		1.0	0.20	ug/L			11/29/14 01:54	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/29/14 01:54	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/29/14 01:54	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			11/29/14 01:54	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			11/29/14 01:54	1
Trichloroethene	0.48 J		0.50	0.19	ug/L			11/29/14 01:54	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/29/14 01:54	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/29/14 01:54	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/29/14 01:54	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/29/14 01:54	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/29/14 01:54	1
Toluene	<0.50		0.50	0.11	ug/L			11/29/14 01:54	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/29/14 01:54	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/29/14 01:54	1
Tetrachloroethene	110		1.0	0.17	ug/L			11/29/14 01:54	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/29/14 01:54	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/29/14 01:54	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/29/14 01:54	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/29/14 01:54	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/29/14 01:54	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/29/14 01:54	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/29/14 01:54	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/29/14 01:54	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/29/14 01:54	1
Styrene	<1.0		1.0	0.10	ug/L			11/29/14 01:54	1
Bromoform	<1.0		1.0	0.28	ug/L			11/29/14 01:54	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/29/14 01:54	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/29/14 01:54	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/29/14 01:54	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			11/29/14 01:54	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/29/14 01:54	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/29/14 01:54	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: EW-9DUP

Lab Sample ID: 500-88506-25

Matrix: Water

Date Collected: 11/24/14 11:10
Date Received: 11/26/14 10:25

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L		11/29/14 01:54		1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L		11/29/14 01:54		1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L		11/29/14 01:54		1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L		11/29/14 01:54		1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L		11/29/14 01:54		1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L		11/29/14 01:54		1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L		11/29/14 01:54		1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L		11/29/14 01:54		1
n-Butylbenzene	<1.0		1.0	0.13	ug/L		11/29/14 01:54		1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L		11/29/14 01:54		1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L		11/29/14 01:54		1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L		11/29/14 01:54		1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L		11/29/14 01:54		1
Naphthalene	<1.0		1.0	0.16	ug/L		11/29/14 01:54		1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L		11/29/14 01:54		1
Surrogate	%Recovery	Qualifier		Limits			Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Sur)	90			75 - 125			11/29/14 01:54		1
Toluene-d8 (Sur)	92			75 - 120			11/29/14 01:54		1
4-Bromofluorobenzene (Sur)	94			75 - 120			11/29/14 01:54		1
Dibromofluoromethane	90			75 - 120			11/29/14 01:54		1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: EW-10

Date Collected: 11/24/14 11:00

Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-26

Matrix: Water

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			11/29/14 02:20	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/29/14 02:20	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/29/14 02:20	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/29/14 02:20	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/29/14 02:20	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/29/14 02:20	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			11/29/14 02:20	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/29/14 02:20	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/29/14 02:20	1
Acetone	<5.0		5.0	1.3	ug/L			11/29/14 02:20	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/29/14 02:20	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/29/14 02:20	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/29/14 02:20	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/29/14 02:20	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			11/29/14 02:20	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/29/14 02:20	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			11/29/14 02:20	1
Chloroform	<1.0		1.0	0.20	ug/L			11/29/14 02:20	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/29/14 02:20	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/29/14 02:20	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			11/29/14 02:20	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			11/29/14 02:20	1
Trichloroethene	<0.50		0.50	0.19	ug/L			11/29/14 02:20	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/29/14 02:20	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/29/14 02:20	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/29/14 02:20	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/29/14 02:20	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/29/14 02:20	1
Toluene	<0.50		0.50	0.11	ug/L			11/29/14 02:20	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/29/14 02:20	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/29/14 02:20	1
Tetrachloroethene	3.2		1.0	0.17	ug/L			11/29/14 02:20	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/29/14 02:20	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/29/14 02:20	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/29/14 02:20	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/29/14 02:20	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/29/14 02:20	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/29/14 02:20	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/29/14 02:20	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/29/14 02:20	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/29/14 02:20	1
Styrene	<1.0		1.0	0.10	ug/L			11/29/14 02:20	1
Bromoform	<1.0		1.0	0.28	ug/L			11/29/14 02:20	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/29/14 02:20	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/29/14 02:20	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/29/14 02:20	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			11/29/14 02:20	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/29/14 02:20	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/29/14 02:20	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: EW-10

Date Collected: 11/24/14 11:00

Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-26

Matrix: Water

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			11/29/14 02:20	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			11/29/14 02:20	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			11/29/14 02:20	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			11/29/14 02:20	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			11/29/14 02:20	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/29/14 02:20	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			11/29/14 02:20	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/29/14 02:20	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			11/29/14 02:20	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			11/29/14 02:20	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			11/29/14 02:20	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			11/29/14 02:20	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			11/29/14 02:20	1
Naphthalene	<1.0		1.0	0.16	ug/L			11/29/14 02:20	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			11/29/14 02:20	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Sur)	90		75 - 125					11/29/14 02:20	1
Toluene-d8 (Sur)	92		75 - 120					11/29/14 02:20	1
4-Bromofluorobenzene (Sur)	95		75 - 120					11/29/14 02:20	1
Dibromofluoromethane	88		75 - 120					11/29/14 02:20	1

TestAmerica Chicago

Definitions/Glossary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
%R	Listed under the "D" column to designate that the result is reported on a dry weight basis
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

QC Association Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

GC/MS VOA

Analysis Batch: 266240

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-88506-1	RFW-1A	Total/NA	Water	8260B	
500-88506-2	RFW-1B	Total/NA	Water	8260B	
500-88506-3	RFW-2A	Total/NA	Water	8260B	
500-88506-3 MS	RFW-2A	Total/NA	Water	8260B	
500-88506-3 MSD	RFW-2A	Total/NA	Water	8260B	
LCS 500-266240/4	Lab Control Sample	Total/NA	Water	8260B	
MB 500-266240/6	Method Blank	Total/NA	Water	8260B	

Analysis Batch: 266245

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-88506-4	RFW-2B	Total/NA	Water	8260B	
500-88506-5	RFW-3B	Total/NA	Water	8260B	
500-88506-6	RFW-4A	Total/NA	Water	8260B	
500-88506-7	RFW-4ADUP	Total/NA	Water	8260B	
500-88506-8	RFW-4B	Total/NA	Water	8260B	
500-88506-9	RFW-6	Total/NA	Water	8260B	
500-88506-10	RFW-7	Total/NA	Water	8260B	
500-88506-11	RFW-9	Total/NA	Water	8260B	
500-88506-12	RFW-11B	Total/NA	Water	8260B	
500-88506-12 MS	RFW-11B	Total/NA	Water	8260B	
500-88506-12 MSD	RFW-11B	Total/NA	Water	8260B	
LCS 500-266245/4	Lab Control Sample	Total/NA	Water	8260B	
MB 500-266245/6	Method Blank	Total/NA	Water	8260B	

Analysis Batch: 266363

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-88506-13	RFW-12B	Total/NA	Water	8260B	
500-88506-14	RFW-13	Total/NA	Water	8260B	
500-88506-14 MS	RFW-13	Total/NA	Water	8260B	
500-88506-14 MSD	RFW-13	Total/NA	Water	8260B	
500-88506-15	RFW-17	Total/NA	Water	8260B	
500-88506-16	Trip Blank	Total/NA	Water	8260B	
500-88506-17	EW-2	Total/NA	Water	8260B	
500-88506-18	EW-3	Total/NA	Water	8260B	
500-88506-19	EW-4	Total/NA	Water	8260B	
500-88506-19 - DL	EW-4	Total/NA	Water	8260B	
500-88506-20	EW-5	Total/NA	Water	8260B	
500-88506-21	EW-6	Total/NA	Water	8260B	
500-88506-22	EW-7	Total/NA	Water	8260B	
500-88506-23	EW-8	Total/NA	Water	8260B	
500-88506-24	EW-9	Total/NA	Water	8260B	
500-88506-25	EW-9DUP	Total/NA	Water	8260B	
500-88506-26	EW-10	Total/NA	Water	8260B	
LCS 500-266363/4	Lab Control Sample	Total/NA	Water	8260B	
MB 500-266363/6	Method Blank	Total/NA	Water	8260B	

TestAmerica Chicago

Surrogate Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Method: 8260B - VOC

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		12DCE (75-125)	TOL (75-120)	BFB (75-120)	DBFM (75-120)
500-88506-1	RFW-1A	95	99	103	87
500-88506-2	RFW-1B	96	99	104	89
500-88506-3	RFW-2A	97	97	105	88
500-88506-3 MS	RFW-2A	95	97	102	94
500-88506-3 MSD	RFW-2A	96	97	102	93
500-88506-4	RFW-2B	87	91	94	86
500-88506-5	RFW-3B	89	92	96	88
500-88506-6	RFW-4A	89	91	94	89
500-88506-7	RFW-4ADUP	90	91	96	89
500-88506-8	RFW-4B	92	93	97	89
500-88506-9	RFW-6	89	93	97	90
500-88506-10	RFW-7	89	94	95	88
500-88506-11	RFW-9	89	91	96	90
500-88506-12	RFW-11B	91	92	99	88
500-88506-12 MS	RFW-11B	90	94	95	91
500-88506-12 MSD	RFW-11B	89	93	95	90
500-88506-13	RFW-12B	92	91	96	89
500-88506-14	RFW-13	91	94	92	87
500-88506-14 MS	RFW-13	94	91	96	91
500-88506-14 MSD	RFW-13	89	93	97	92
500-88506-15	RFW-17	90	92	95	89
500-88506-16	Trip Blank	88	93	97	89
500-88506-17	EW-2	86	93	97	88
500-88506-18	EW-3	94	91	95	87
500-88506-19	EW-4	93	92	99	89
500-88506-19 - DL	EW-4	91	92	95	88
500-88506-20	EW-5	91	91	96	89
500-88506-21	EW-6	90	92	96	89
500-88506-22	EW-7	90	92	97	90
500-88506-23	EW-8	90	90	96	87
500-88506-24	EW-9	92	92	99	88
500-88506-25	EW-9DUP	90	92	94	90
500-88506-26	EW-10	90	92	95	88
LCS 500-266240/4	Lab Control Sample	92	98	102	94
LCS 500-266245/4	Lab Control Sample	88	94	95	87
LCS 500-266363/4	Lab Control Sample	90	92	95	93
MB 500-266240/6	Method Blank	94	99	101	89
MB 500-266245/6	Method Blank	87	92	98	89
MB 500-266363/6	Method Blank	94	90	94	91

Surrogate Legend

12DCE = 1,2-Dichloroethane-d4 (Surr)

TOL = Toluene-d8 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

DBFM = Dibromofluoromethane

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Method: 8260B - VOC

Lab Sample ID: MB 500-266240/6

Matrix: Water

Analysis Batch: 266240

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			11/28/14 09:22	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/28/14 09:22	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/28/14 09:22	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/28/14 09:22	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/28/14 09:22	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/28/14 09:22	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			11/28/14 09:22	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/28/14 09:22	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/28/14 09:22	1
Acetone	<5.0		5.0	1.3	ug/L			11/28/14 09:22	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/28/14 09:22	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/28/14 09:22	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/28/14 09:22	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/28/14 09:22	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			11/28/14 09:22	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/28/14 09:22	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			11/28/14 09:22	1
Chloroform	<1.0		1.0	0.20	ug/L			11/28/14 09:22	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/28/14 09:22	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/28/14 09:22	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			11/28/14 09:22	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			11/28/14 09:22	1
Trichloroethene	<0.50		0.50	0.19	ug/L			11/28/14 09:22	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/28/14 09:22	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/28/14 09:22	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/28/14 09:22	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/28/14 09:22	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/28/14 09:22	1
Toluene	<0.50		0.50	0.11	ug/L			11/28/14 09:22	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/28/14 09:22	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/28/14 09:22	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			11/28/14 09:22	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/28/14 09:22	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/28/14 09:22	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/28/14 09:22	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/28/14 09:22	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/28/14 09:22	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/28/14 09:22	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/28/14 09:22	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/28/14 09:22	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/28/14 09:22	1
Styrene	<1.0		1.0	0.10	ug/L			11/28/14 09:22	1
Bromoform	<1.0		1.0	0.28	ug/L			11/28/14 09:22	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/28/14 09:22	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/28/14 09:22	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/28/14 09:22	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			11/28/14 09:22	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/28/14 09:22	1

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Method: 8260B - VOC (Continued)

Lab Sample ID: MB 500-266240/6

Matrix: Water

Analysis Batch: 266240

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/28/14 09:22	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			11/28/14 09:22	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			11/28/14 09:22	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			11/28/14 09:22	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			11/28/14 09:22	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			11/28/14 09:22	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/28/14 09:22	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			11/28/14 09:22	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/28/14 09:22	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			11/28/14 09:22	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			11/28/14 09:22	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			11/28/14 09:22	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			11/28/14 09:22	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			11/28/14 09:22	1
Naphthalene	<1.0		1.0	0.16	ug/L			11/28/14 09:22	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			11/28/14 09:22	1
Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac			
	%Recovery	Qualifier							
1,2-Dichloroethane-d4 (Surr)	94		75 - 125					11/28/14 09:22	1
Toluene-d8 (Surr)	99		75 - 120					11/28/14 09:22	1
4-Bromofluorobenzene (Surr)	101		75 - 120					11/28/14 09:22	1
Dibromofluoromethane	89		75 - 120					11/28/14 09:22	1

Lab Sample ID: LCS 500-266240/4

Matrix: Water

Analysis Batch: 266240

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS		Unit	D	%Rec	Limits
		Result	Qualifier				
Benzene	50.0	45.0		ug/L		90	75 - 120
Dichlorodifluoromethane	50.0	38.1		ug/L		76	41 - 146
Chloromethane	50.0	34.7		ug/L		69	63 - 133
Vinyl chloride	50.0	43.1		ug/L		86	72 - 123
Bromomethane	50.0	43.3		ug/L		87	45 - 169
Chloroethane	50.0	44.5		ug/L		89	58 - 147
Trichlorofluoromethane	50.0	44.4		ug/L		89	71 - 130
1,1-Dichloroethene	50.0	44.8		ug/L		90	69 - 120
Carbon disulfide	50.0	42.3		ug/L		85	56 - 130
Acetone	50.0	36.4		ug/L		73	48 - 149
Methylene Chloride	50.0	45.6		ug/L		91	73 - 130
trans-1,2-Dichloroethene	50.0	45.4		ug/L		91	77 - 120
1,1-Dichloroethane	50.0	46.8		ug/L		94	75 - 120
2,2-Dichloropropane	50.0	47.0		ug/L		94	65 - 132
cis-1,2-Dichloroethene	50.0	47.2		ug/L		94	75 - 120
Methyl Ethyl Ketone	50.0	38.2		ug/L		76	53 - 142
Bromochloromethane	50.0	48.0		ug/L		96	76 - 120
Chloroform	50.0	46.8		ug/L		94	76 - 120
1,1,1-Trichloroethane	50.0	48.8		ug/L		98	72 - 130
1,1-Dichloropropene	50.0	45.4		ug/L		91	75 - 130

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Method: 8260B - VOC (Continued)

Lab Sample ID: LCS 500-266240/4 Matrix: Water Analysis Batch: 266240		Client Sample ID: Lab Control Sample Prep Type: Total/NA							
Analyte		Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec.	Limits
Carbon tetrachloride		50.0	47.9		ug/L		96	70 - 130	
1,2-Dichloroethane		50.0	44.4		ug/L		89	69 - 130	
Trichloroethene		50.0	48.2		ug/L		96	75 - 120	
1,2-Dichloropropane		50.0	47.3		ug/L		95	75 - 120	
Dibromomethane		50.0	48.7		ug/L		97	75 - 120	
Bromodichloromethane		50.0	48.8		ug/L		98	77 - 121	
cis-1,3-Dichloropropene		50.0	49.7		ug/L		99	78 - 130	
methyl isobutyl ketone		50.0	40.8		ug/L		82	58 - 135	
Toluene		50.0	48.1		ug/L		96	75 - 120	
trans-1,3-Dichloropropene		50.0	50.4		ug/L		101	74 - 130	
1,1,2-Trichloroethane		50.0	50.3		ug/L		101	75 - 120	
Tetrachloroethene		50.0	45.8		ug/L		92	75 - 120	
1,3-Dichloropropane		50.0	46.3		ug/L		93	77 - 124	
2-Hexanone		50.0	40.4		ug/L		81	55 - 140	
Dibromochloromethane		50.0	46.9		ug/L		94	71 - 126	
1,2-Dibromoethane		50.0	48.2		ug/L		96	78 - 122	
Chlorobenzene		50.0	46.9		ug/L		94	75 - 120	
1,1,1,2-Tetrachloroethane		50.0	49.2		ug/L		98	75 - 122	
Ethylbenzene		50.0	46.4		ug/L		93	75 - 120	
m&p-Xylene		50.0	48.0		ug/L		96	75 - 120	
o-Xylene		50.0	47.5		ug/L		95	75 - 120	
Styrene		50.0	49.4		ug/L		99	75 - 120	
Bromoform		50.0	53.1		ug/L		106	68 - 126	
Isopropylbenzene		50.0	50.2		ug/L		100	75 - 121	
Bromobenzene		50.0	48.6		ug/L		97	75 - 120	
1,1,2,2-Tetrachloroethane		50.0	51.2		ug/L		102	72 - 130	
1,2,3-Trichloropropane		50.0	50.5		ug/L		101	65 - 132	
N-Propylbenzene		50.0	51.3		ug/L		103	75 - 120	
2-Chlorotoluene		50.0	50.5		ug/L		101	75 - 120	
1,3,5-Trimethylbenzene		50.0	50.4		ug/L		101	75 - 121	
4-Chlorotoluene		50.0	49.8		ug/L		100	75 - 120	
tert-Butylbenzene		50.0	52.4		ug/L		105	75 - 123	
1,2,4-Trimethylbenzene		50.0	50.0		ug/L		100	75 - 121	
sec-Butylbenzene		50.0	51.7		ug/L		103	75 - 120	
1,3-Dichlorobenzene		50.0	48.9		ug/L		98	75 - 120	
p-Isopropyltoluene		50.0	53.4		ug/L		107	75 - 121	
1,4-Dichlorobenzene		50.0	47.4		ug/L		95	75 - 120	
n-Butylbenzene		50.0	53.4		ug/L		107	75 - 121	
1,2-Dichlorobenzene		50.0	49.1		ug/L		98	75 - 120	
1,2-Dibromo-3-Chloropropane		50.0	52.2		ug/L		104	62 - 130	
1,2,4-Trichlorobenzene		50.0	50.8		ug/L		102	73 - 130	
Hexachlorobutadiene		50.0	55.8		ug/L		112	71 - 131	
Naphthalene		50.0	53.7		ug/L		107	69 - 135	
1,2,3-Trichlorobenzene		50.0	50.3		ug/L		101	69 - 131	
Surrogate		LCS	LCS						
		%Recovery	Qualifier		Limits				
1,2-Dichloroethane-d4 (Sur)		92			75 - 125				
Toluene-d8 (Sur)		98			75 - 120				

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Method: 8260B - VOC (Continued)

Lab Sample ID: LCS 500-266240/4

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Matrix: Water

Analysis Batch: 266240

Surrogate	LCS	LCS	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surf)		102			75 - 120
Dibromofluoromethane		94			75 - 120

Lab Sample ID: 500-88506-3 MS

Client Sample ID: RFW-2A
Prep Type: Total/NA

Matrix: Water

Analysis Batch: 266240

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	Limits
	Result	Qualifier	Added	Result	Qualifier				
Benzene	<0.50		50.0	48.5		ug/L	97	75 - 120	
Dichlorodifluoromethane	<1.0		50.0	37.5		ug/L	75	41 - 146	
Chloromethane	<1.0		50.0	35.6		ug/L	71	63 - 133	
Vinyl chloride	<0.50		50.0	44.9		ug/L	90	72 - 123	
Bromomethane	<1.0		50.0	45.7		ug/L	91	45 - 169	
Chloroethane	<1.0		50.0	44.6		ug/L	89	58 - 147	
Trichlorodifluoromethane	<1.0		50.0	41.6		ug/L	83	71 - 130	
1,1-Dichloroethene	<1.0		50.0	45.9		ug/L	92	69 - 120	
Carbon disulfide	<5.0		50.0	42.0		ug/L	84	56 - 130	
Acetone	<5.0		50.0	38.3		ug/L	77	48 - 149	
Methylene Chloride	<5.0		50.0	50.1		ug/L	100	73 - 130	
trans-1,2-Dichloroethene	<1.0		50.0	47.8		ug/L	96	77 - 120	
1,1-Dichloroethane	<1.0		50.0	50.2		ug/L	100	75 - 120	
2,2-Dichloropropane	<1.0		50.0	44.8		ug/L	90	65 - 132	
cis-1,2-Dichloroethene	<1.0		50.0	51.2		ug/L	102	75 - 120	
Methyl Ethyl Ketone	<5.0		50.0	41.7		ug/L	83	53 - 142	
Bromochloromethane	<1.0		50.0	52.6		ug/L	105	76 - 120	
Chloroform	<1.0		50.0	50.3		ug/L	101	76 - 120	
1,1,1-Trichloroethane	<1.0		50.0	50.2		ug/L	100	72 - 130	
1,1-Dichloropropene	<1.0		50.0	46.5		ug/L	93	75 - 130	
Carbon tetrachloride	<1.0		50.0	48.0		ug/L	96	70 - 130	
1,2-Dichloroethane	<1.0		50.0	51.1		ug/L	102	69 - 130	
Trichloroethene	<0.50		50.0	51.9		ug/L	104	75 - 120	
1,2-Dichloropropane	<1.0		50.0	53.5		ug/L	107	75 - 120	
Dibromomethane	<1.0		50.0	55.5		ug/L	111	75 - 120	
Bromodichloromethane	<1.0		50.0	54.5		ug/L	109	77 - 121	
cis-1,3-Dichloropropene	<1.0		50.0	53.1		ug/L	106	78 - 130	
methyl isobutyl ketone	<5.0		50.0	43.5		ug/L	87	58 - 135	
Toluene	<0.50		50.0	51.7		ug/L	103	75 - 120	
trans-1,3-Dichloropropene	<1.0		50.0	55.4		ug/L	111	74 - 130	
1,1,2-Trichloroethane	<1.0		50.0	57.8		ug/L	116	75 - 120	
Tetrachloroethene	<1.0		50.0	47.2		ug/L	94	75 - 120	
1,3-Dichloropropane	<1.0		50.0	53.1		ug/L	106	77 - 124	
2-Hexanone	<5.0		50.0	42.5		ug/L	85	55 - 140	
Dibromochloromethane	<1.0		50.0	53.0		ug/L	106	71 - 126	
1,2-Dibromoethane	<1.0		50.0	55.7		ug/L	111	78 - 122	
Chlorobenzene	<1.0		50.0	51.3		ug/L	103	75 - 120	
1,1,1,2-Tetrachloroethane	<1.0		50.0	53.5		ug/L	107	75 - 122	
Ethylbenzene	<0.50		50.0	50.1		ug/L	100	75 - 120	
m&p-Xylene	<1.0		50.0	51.9		ug/L	104	75 - 120	

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Method: 8260B - VOC (Continued)

Lab Sample ID: 500-88506-3 MS

Matrix: Water

Analysis Batch: 266240

Client Sample ID: RFW-2A
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	Limits
	Result	Qualifier	Added	Result	Qualifier				
o-Xylene	<0.50		50.0	51.5		ug/L		103	75 - 120
Styrene	<1.0		50.0	54.2		ug/L		108	75 - 120
Bromoform	<1.0		50.0	58.3		ug/L		117	68 - 126
Isopropylbenzene	<1.0		50.0	51.8		ug/L		104	75 - 121
Bromobenzene	<1.0		50.0	53.4		ug/L		107	75 - 120
1,1,2,2-Tetrachloroethane	<1.0		50.0	60.2		ug/L		120	72 - 130
1,2,3-Trichloropropane	<1.0		50.0	57.7		ug/L		115	65 - 132
N-Propylbenzene	<1.0		50.0	53.2		ug/L		106	75 - 120
2-Chlorotoluene	<1.0		50.0	53.8		ug/L		108	75 - 120
1,3,5-Trimethylbenzene	<1.0		50.0	53.2		ug/L		106	75 - 121
4-Chlorotoluene	<1.0		50.0	53.2		ug/L		106	75 - 120
tert-Butylbenzene	<1.0		50.0	54.3		ug/L		109	75 - 123
1,2,4-Trimethylbenzene	<1.0		50.0	53.4		ug/L		107	75 - 121
sec-Butylbenzene	<1.0		50.0	52.7		ug/L		105	75 - 120
1,3-Dichlorobenzene	<1.0		50.0	53.1		ug/L		106	75 - 120
p-Isopropyltoluene	<1.0		50.0	54.9		ug/L		110	75 - 121
1,4-Dichlorobenzene	<1.0		50.0	51.8		ug/L		104	75 - 120
n-Butylbenzene	<1.0		50.0	54.3		ug/L		109	75 - 121
1,2-Dichlorobenzene	<1.0		50.0	55.4		ug/L		111	75 - 120
1,2-Dibromo-3-Chloropropane	<2.0		50.0	59.9		ug/L		120	62 - 130
1,2,4-Trichlorobenzene	<1.0		50.0	54.4		ug/L		109	73 - 130
Hexachlorobutadiene	<1.0		50.0	58.5		ug/L		117	71 - 131
Naphthalene	<1.0		50.0	61.7		ug/L		123	69 - 135
1,2,3-Trichlorobenzene	<1.0		50.0	56.9		ug/L		114	69 - 131
MS MS									
Surrogate	%Recovery	Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	95		75 - 125						
Toluene-d8 (Surr)	97		75 - 120						
4-Bromofluorobenzene (Surr)	102		75 - 120						
Dibromofluoromethane	94		75 - 120						

Lab Sample ID: 500-88506-3 MSD

Matrix: Water

Analysis Batch: 266240

Client Sample ID: RFW-2A
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	Limits	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier						
Benzene	<0.50		50.0	48.5		ug/L		97	75 - 120	0	20
Dichlorodifluoromethane	<1.0		50.0	37.7		ug/L		75	41 - 146	0	20
Chloromethane	<1.0		50.0	36.0		ug/L		72	63 - 133	1	20
Vinyl chloride	<0.50		50.0	44.5		ug/L		89	72 - 123	1	20
Bromomethane	<1.0		50.0	43.9		ug/L		88	45 - 169	4	20
Chloroethane	<1.0		50.0	40.8		ug/L		82	58 - 147	9	20
Trichlorofluoromethane	<1.0		50.0	42.5		ug/L		85	71 - 130	2	20
1,1-Dichloroethene	<1.0		50.0	46.9		ug/L		94	69 - 120	2	20
Carbon disulfide	<5.0		50.0	43.9		ug/L		88	56 - 130	5	20
Acetone	<5.0		50.0	38.4		ug/L		77	48 - 149	0	20
Methylene Chloride	<5.0		50.0	50.3		ug/L		101	73 - 130	1	20
trans-1,2-Dichloroethene	<1.0		50.0	48.6		ug/L		97	77 - 120	2	20

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Method: 8260B - VOC (Continued)

Lab Sample ID: 500-88506-3 MSD

Matrix: Water

Analysis Batch: 266240

Client Sample ID: RFW-2A

Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec.	RPD	RPD Limit
	Result	Qualifier	Added	Result	Qualifier				Limits		
1,1-Dichloroethane	<1.0		50.0	51.7		ug/L	103	75 - 120	3	20	
2,2-Dichloropropane	<1.0		50.0	45.8		ug/L	92	65 - 132	2	20	
cis-1,2-Dichloroethene	<1.0		50.0	51.5		ug/L	103	75 - 120	0	20	
Methyl Ethyl Ketone	<5.0		50.0	44.0		ug/L	88	53 - 142	5	20	
Bromoform	<1.0		50.0	54.9		ug/L	110	76 - 120	4	20	
Chloroform	<1.0		50.0	51.4		ug/L	103	76 - 120	2	20	
1,1,1-Trichloroethane	<1.0		50.0	50.8		ug/L	102	72 - 130	1	20	
1,1-Dichloropropene	<1.0		50.0	47.1		ug/L	94	75 - 130	1	20	
Carbon tetrachloride	<1.0		50.0	49.8		ug/L	100	70 - 130	4	20	
1,2-Dichloroethane	<1.0		50.0	50.5		ug/L	101	69 - 130	1	20	
Trichloroethylene	<0.50		50.0	51.8		ug/L	104	75 - 120	0	20	
1,2-Dichloropropane	<1.0		50.0	51.8		ug/L	104	75 - 120	3	20	
Dibromomethane	<1.0		50.0	53.0		ug/L	106	75 - 120	5	20	
Bromodichloromethane	<1.0		50.0	53.6		ug/L	107	77 - 121	2	20	
cis-1,3-Dichloropropene	<1.0		50.0	52.7		ug/L	105	78 - 130	1	20	
methyl isobutyl ketone	<5.0		50.0	44.6		ug/L	89	58 - 135	2	20	
Toluene	<0.50		50.0	51.1		ug/L	102	75 - 120	1	20	
trans-1,3-Dichloropropene	<1.0		50.0	54.3		ug/L	109	74 - 130	2	20	
1,1,2-Trichloroethane	<1.0		50.0	55.4		ug/L	111	75 - 120	4	20	
Tetrachloroethylene	<1.0		50.0	46.7		ug/L	93	75 - 120	1	20	
1,3-Dichloropropane	<1.0		50.0	51.4		ug/L	103	77 - 124	3	20	
2-Hexanone	<5.0		50.0	42.9		ug/L	86	55 - 140	1	20	
Dibromochloromethane	<1.0		50.0	51.3		ug/L	103	71 - 126	3	20	
1,2-Dibromoethane	<1.0		50.0	53.5		ug/L	107	78 - 122	4	20	
Chlorobenzene	<1.0		50.0	50.0		ug/L	100	75 - 120	2	20	
1,1,1,2-Tetrachloroethane	<1.0		50.0	53.2		ug/L	106	75 - 122	1	20	
Ethylbenzene	<0.50		50.0	48.9		ug/L	98	75 - 120	2	20	
m&p-Xylene	<1.0		50.0	50.8		ug/L	102	75 - 120	2	20	
o-Xylene	<0.50		50.0	50.9		ug/L	102	75 - 120	1	20	
Styrene	<1.0		50.0	52.4		ug/L	105	75 - 120	4	20	
Bromoform	<1.0		50.0	56.8		ug/L	114	68 - 126	3	20	
Isopropylbenzene	<1.0		50.0	52.7		ug/L	105	75 - 121	2	20	
Bromobenzene	<1.0		50.0	53.9		ug/L	108	75 - 120	1	20	
1,1,2,2-Tetrachloroethane	<1.0		50.0	58.7		ug/L	117	72 - 130	3	20	
1,2,3-Trichloropropene	<1.0		50.0	55.1		ug/L	110	65 - 132	5	20	
N-Propylbenzene	<1.0		50.0	53.5		ug/L	107	75 - 120	1	20	
2-Chlorotoluene	<1.0		50.0	53.4		ug/L	107	75 - 120	1	20	
1,3,5-Trimethylbenzene	<1.0		50.0	53.4		ug/L	107	75 - 121	0	20	
4-Chlorotoluene	<1.0		50.0	53.3		ug/L	107	75 - 120	0	20	
tert-Butylbenzene	<1.0		50.0	55.3		ug/L	111	75 - 123	2	20	
1,2,4-Trimethylbenzene	<1.0		50.0	53.8		ug/L	108	75 - 121	1	20	
sec-Butylbenzene	<1.0		50.0	54.0		ug/L	108	75 - 120	2	20	
1,3-Dichlorobenzene	<1.0		50.0	52.7		ug/L	105	75 - 120	1	20	
p-Isopropyltoluene	<1.0		50.0	55.9		ug/L	112	75 - 121	2	20	
1,4-Dichlorobenzene	<1.0		50.0	51.3		ug/L	103	75 - 120	1	20	
n-Butylbenzene	<1.0		50.0	55.1		ug/L	110	75 - 121	1	20	
1,2-Dichlorobenzene	<1.0		50.0	54.0		ug/L	108	75 - 120	2	20	
1,2-Dibromo-3-Chloropropane	<2.0		50.0	55.0		ug/L	110	62 - 130	8	20	

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Method: 8260B - VOC (Continued)

Lab Sample ID: 500-88506-3 MSD

Client Sample ID: RFW-2A

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 266240

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	Limits	RPD	RPD Limit
	Result	Qualifier	Added	Result	Qualifier						
1,2,4-Trichlorobenzene	<1.0		50.0	53.5		ug/L	107	73 - 130	2	20	
Hexachlorobutadiene	<1.0		50.0	60.4		ug/L	121	71 - 131	3	20	
Naphthalene	<1.0		50.0	59.4		ug/L	119	69 - 135	4	20	
1,2,3-Trichlorobenzene	<1.0		50.0	53.0		ug/L	106	69 - 131	7	20	

MSD MSD

Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surrt)	96		75 - 125
Toluene-d8 (Surrt)	97		75 - 120
4-Bromofluorobenzene (Surrt)	102		75 - 120
Dibromofluoromethane	93		75 - 120

Lab Sample ID: MB 500-266245/6

Client Sample ID: Method Blank

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 266245

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Benzene	<0.50		0.50	0.074	ug/L			11/28/14 10:04	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/28/14 10:04	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/28/14 10:04	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/28/14 10:04	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/28/14 10:04	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/28/14 10:04	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			11/28/14 10:04	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/28/14 10:04	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/28/14 10:04	1
Acetone	<5.0		5.0	1.3	ug/L			11/28/14 10:04	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/28/14 10:04	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/28/14 10:04	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/28/14 10:04	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/28/14 10:04	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			11/28/14 10:04	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/28/14 10:04	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			11/28/14 10:04	1
Chloroform	<1.0		1.0	0.20	ug/L			11/28/14 10:04	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/28/14 10:04	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/28/14 10:04	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			11/28/14 10:04	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			11/28/14 10:04	1
Trichloroethene	<0.50		0.50	0.19	ug/L			11/28/14 10:04	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			11/28/14 10:04	1
Dibromomethane	<1.0		1.0	0.33	ug/L			11/28/14 10:04	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			11/28/14 10:04	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			11/28/14 10:04	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			11/28/14 10:04	1
Toluene	<0.50		0.50	0.11	ug/L			11/28/14 10:04	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			11/28/14 10:04	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			11/28/14 10:04	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			11/28/14 10:04	1

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Method: 8260B - VOC (Continued)

Lab Sample ID: MB 500-266245/6

Matrix: Water

Analysis Batch: 266245

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			11/28/14 10:04	1
2-Hexanone	<5.0		5.0	0.56	ug/L			11/28/14 10:04	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			11/28/14 10:04	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			11/28/14 10:04	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			11/28/14 10:04	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			11/28/14 10:04	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			11/28/14 10:04	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			11/28/14 10:04	1
o-Xylene	<0.50		0.50	0.068	ug/L			11/28/14 10:04	1
Styrene	<1.0		1.0	0.10	ug/L			11/28/14 10:04	1
Bromoform	<1.0		1.0	0.28	ug/L			11/28/14 10:04	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			11/28/14 10:04	1
Bromobenzene	<1.0		1.0	0.25	ug/L			11/28/14 10:04	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			11/28/14 10:04	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			11/28/14 10:04	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			11/28/14 10:04	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			11/28/14 10:04	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			11/28/14 10:04	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			11/28/14 10:04	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			11/28/14 10:04	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			11/28/14 10:04	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			11/28/14 10:04	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/28/14 10:04	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			11/28/14 10:04	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			11/28/14 10:04	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			11/28/14 10:04	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			11/28/14 10:04	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			11/28/14 10:04	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			11/28/14 10:04	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			11/28/14 10:04	1
Naphthalene	<1.0		1.0	0.16	ug/L			11/28/14 10:04	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			11/28/14 10:04	1
Surrogate	MB %Recovery	MB Qualifier	Limits			D	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Sur)	87		75 - 125					11/28/14 10:04	1
Toluene-d8 (Sur)	92		75 - 120					11/28/14 10:04	1
4-Bromofluorobenzene (Sur)	98		75 - 120					11/28/14 10:04	1
Dibromofluoromethane	89		75 - 120					11/28/14 10:04	1

Lab Sample ID: LCS 500-266245/4

Matrix: Water

Analysis Batch: 266245

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec.	Limits
Benzene	50.0	42.3		ug/L		85		75 - 120
Dichlorodifluoromethane	50.0	38.1		ug/L		76		41 - 146
Chloromethane	50.0	50.0		ug/L		100		63 - 133
Vinyl chloride	50.0	46.7		ug/L		93		72 - 123

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Method: 8260B - VOC (Continued)

Lab Sample ID: LCS 500-266245/4
Matrix: Water
Analysis Batch: 266245

Analyte	Spike Added	LCS			Unit	D	Client Sample ID: Lab Control Sample Prep Type: Total/NA	
		Result	Qualifier	%Rec.			Limits	
Bromomethane	50.0	42.5	ug/L	85	45 - 169			
Chloroethane	50.0	40.0	ug/L	80	58 - 147			
Trichlorofluoromethane	50.0	50.6	ug/L	101	71 - 130			
1,1-Dichloroethene	50.0	39.0	ug/L	78	69 - 120			
Carbon disulfide	50.0	37.4	ug/L	75	56 - 130			
Acetone	50.0	40.7	ug/L	81	48 - 149			
Methylene Chloride	50.0	41.2	ug/L	82	73 - 130			
trans-1,2-Dichloroethene	50.0	42.7	ug/L	85	77 - 120			
1,1-Dichloroethane	50.0	43.1	ug/L	86	75 - 120			
2,2-Dichloropropane	50.0	45.9	ug/L	92	65 - 132			
cis-1,2-Dichloroethene	50.0	42.5	ug/L	85	75 - 120			
Methyl Ethyl Ketone	50.0	41.0	ug/L	82	53 - 142			
Bromochloromethane	50.0	41.3	ug/L	83	76 - 120			
Chloroform	50.0	44.4	ug/L	89	76 - 120			
1,1,1-Trichloroethane	50.0	47.3	ug/L	95	72 - 130			
1,1-Dichloropropene	50.0	43.4	ug/L	87	75 - 130			
Carbon tetrachloride	50.0	47.1	ug/L	94	70 - 130			
1,2-Dichloroethane	50.0	40.9	ug/L	82	69 - 130			
Trichloroethene	50.0	45.7	ug/L	91	75 - 120			
1,2-Dichloropropane	50.0	42.9	ug/L	86	75 - 120			
Dibromomethane	50.0	41.4	ug/L	83	75 - 120			
Bromodichloromethane	50.0	45.9	ug/L	92	77 - 121			
cis-1,3-Dichloropropene	50.0	45.4	ug/L	91	78 - 130			
methyl isobutyl ketone	50.0	43.0	ug/L	86	58 - 135			
Toluene	50.0	44.6	ug/L	89	75 - 120			
trans-1,3-Dichloropropene	50.0	45.5	ug/L	91	74 - 130			
1,1,2-Trichloroethane	50.0	42.2	ug/L	84	75 - 120			
Tetrachloroethene	50.0	46.1	ug/L	92	75 - 120			
1,3-Dichloropropane	50.0	42.1	ug/L	84	77 - 124			
2-Hexanone	50.0	43.2	ug/L	86	55 - 140			
Dibromochloromethane	50.0	47.8	ug/L	96	71 - 126			
1,2-Dibromoethane	50.0	43.8	ug/L	88	78 - 122			
Chlorobenzene	50.0	42.8	ug/L	86	75 - 120			
1,1,1,2-Tetrachloroethane	50.0	47.9	ug/L	96	75 - 122			
Ethylbenzene	50.0	45.6	ug/L	91	75 - 120			
m&p-Xylene	50.0	47.6	ug/L	95	75 - 120			
o-Xylene	50.0	46.7	ug/L	93	75 - 120			
Styrene	50.0	46.3	ug/L	93	75 - 120			
Bromoform	50.0	46.6	ug/L	93	68 - 126			
Isopropylbenzene	50.0	49.8	ug/L	100	75 - 121			
Bromobenzene	50.0	47.3	ug/L	95	75 - 120			
1,1,2,2-Tetrachloroethane	50.0	43.4	ug/L	87	72 - 130			
1,2,3-Trichloropropane	50.0	43.5	ug/L	87	65 - 132			
N-Propylbenzene	50.0	49.6	ug/L	99	75 - 120			
2-Chlorotoluene	50.0	48.1	ug/L	96	75 - 120			
1,3,5-Trimethylbenzene	50.0	49.8	ug/L	100	75 - 121			
4-Chlorotoluene	50.0	48.5	ug/L	97	75 - 120			
tert-Butylbenzene	50.0	50.4	ug/L	101	75 - 123			

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Method: 8260B - VOC (Continued)

Lab Sample ID: LCS 500-266245/4

Matrix: Water

Analysis Batch: 266245

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec.	%Rec. Limits
1,2,4-Trimethylbenzene	50.0	48.6		ug/L		97	75 - 121
sec-Butylbenzene	50.0	50.3		ug/L		101	75 - 120
1,3-Dichlorobenzene	50.0	46.0		ug/L		92	75 - 120
p-Isopropyltoluene	50.0	50.6		ug/L		101	75 - 121
1,4-Dichlorobenzene	50.0	45.4		ug/L		91	75 - 120
n-Butylbenzene	50.0	52.1		ug/L		104	75 - 121
1,2-Dichlorobenzene	50.0	45.7		ug/L		91	75 - 120
1,2-Dibromo-3-Chloropropane	50.0	42.0		ug/L		84	62 - 130
1,2,4-Trichlorobenzene	50.0	46.0		ug/L		92	73 - 130
Hexachlorobutadiene	50.0	49.3		ug/L		99	71 - 131
Naphthalene	50.0	42.3		ug/L		85	69 - 135
1,2,3-Trichlorobenzene	50.0	42.0		ug/L		84	69 - 131
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
1,2-Dichloroethane-d4 (Sur)	88		75 - 125				
Toluene-d8 (Sur)	94		75 - 120				
4-Bromofluorobenzene (Sur)	95		75 - 120				
Dibromofluoromethane	87		75 - 120				

Lab Sample ID: 500-88506-12 MS

Matrix: Water

Analysis Batch: 266245

Client Sample ID: RFW-11B
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec.	%Rec. Limits
Benzene	<0.50		50.0	48.9		ug/L		98	75 - 120
Dichlorodifluoromethane	<1.0		50.0	43.4		ug/L		87	41 - 146
Chloromethane	<1.0		50.0	55.2		ug/L		110	63 - 133
Vinyl chloride	<0.50		50.0	49.6		ug/L		99	72 - 123
Bromomethane	<1.0		50.0	48.5		ug/L		97	45 - 169
Chloroethane	<1.0		50.0	43.1		ug/L		86	58 - 147
Trichlorofluoromethane	<1.0		50.0	55.1		ug/L		110	71 - 130
1,1-Dichloroethene	<1.0		50.0	49.1		ug/L		98	69 - 120
Carbon disulfide	<5.0		50.0	48.3		ug/L		97	56 - 130
Acetone	<5.0		50.0	41.6		ug/L		83	48 - 149
Methylene Chloride	<5.0		50.0	48.8		ug/L		98	73 - 130
trans-1,2-Dichloroethene	<1.0		50.0	50.8		ug/L		102	77 - 120
1,1-Dichloroethane	<1.0		50.0	49.0		ug/L		98	75 - 120
2,2-Dichloropropane	<1.0		50.0	50.4		ug/L		101	65 - 132
cis-1,2-Dichloroethene	<1.0		50.0	48.8		ug/L		98	75 - 120
Methyl Ethyl Ketone	<5.0		50.0	44.0		ug/L		88	53 - 142
Bromochloromethane	<1.0		50.0	49.0		ug/L		98	76 - 120
Chloroform	<1.0		50.0	50.5		ug/L		101	76 - 120
1,1,1-Trichloroethane	<1.0		50.0	54.2		ug/L		108	72 - 130
1,1-Dichloropropene	<1.0		50.0	50.1		ug/L		100	75 - 130
Carbon tetrachloride	<1.0		50.0	53.9		ug/L		108	70 - 130
1,2-Dichloroethane	<1.0		50.0	47.8		ug/L		96	69 - 130
Trichloroethene	2.7		50.0	54.4		ug/L		103	75 - 120
1,2-Dichloropropane	<1.0		50.0	48.7		ug/L		97	75 - 120

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Method: 8260B - VOC (Continued)

Lab Sample ID: 500-88506-12 MS				Client Sample ID: RFW-11B					
Matrix: Water				Prep Type: Total/NA					
Analysis Batch: 266245									
Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits
Dibromomethane	<1.0		50.0	46.8		ug/L	94	75 - 120	
Bromodichloromethane	<1.0		50.0	52.4		ug/L	105	77 - 121	
cis-1,3-Dichloropropene	<1.0		50.0	49.8		ug/L	100	78 - 130	
methyl isobutyl ketone	<5.0		50.0	45.6		ug/L	91	58 - 135	
Toluene	<0.50		50.0	50.6		ug/L	101	75 - 120	
trans-1,3-Dichloropropene	<1.0		50.0	51.9		ug/L	104	74 - 130	
1,1,2-Trichloroethane	<1.0		50.0	48.6		ug/L	97	75 - 120	
Tetrachloroethylene	<1.0		50.0	52.4		ug/L	105	75 - 120	
1,3-Dichloropropane	<1.0		50.0	48.0		ug/L	96	77 - 124	
2-Hexanone	<5.0		50.0	46.3		ug/L	93	55 - 140	
Dibromochloromethane	<1.0		50.0	53.9		ug/L	108	71 - 126	
1,2-Dibromoethane	<1.0		50.0	49.3		ug/L	99	78 - 122	
Chlorobenzene	<1.0		50.0	49.1		ug/L	98	75 - 120	
1,1,1,2-Tetrachloroethane	<1.0		50.0	53.9		ug/L	108	75 - 122	
Ethylbenzene	<0.50		50.0	50.9		ug/L	102	75 - 120	
m&p-Xylene	<1.0		50.0	52.9		ug/L	106	75 - 120	
o-Xylene	<0.50		50.0	52.4		ug/L	105	75 - 120	
Styrene	<1.0		50.0	50.8		ug/L	102	75 - 120	
Bromoform	<1.0		50.0	51.6		ug/L	103	68 - 126	
Isopropylbenzene	<1.0		50.0	55.6		ug/L	111	75 - 121	
Bromobenzene	<1.0		50.0	53.0		ug/L	106	75 - 120	
1,1,2,2-Tetrachloroethane	<1.0		50.0	50.2		ug/L	100	72 - 130	
1,2,3-Trichloropropane	<1.0		50.0	52.1		ug/L	104	65 - 132	
N-Propylbenzene	<1.0		50.0	55.2		ug/L	110	75 - 120	
2-Chlorotoluene	<1.0		50.0	54.2		ug/L	108	75 - 120	
1,3,5-Trimethylbenzene	<1.0		50.0	55.7		ug/L	111	75 - 121	
4-Chlorotoluene	<1.0		50.0	54.3		ug/L	109	75 - 120	
tert-Butylbenzene	<1.0		50.0	57.2		ug/L	114	75 - 123	
1,2,4-Trimethylbenzene	<1.0		50.0	55.2		ug/L	110	75 - 121	
sec-Butylbenzene	<1.0		50.0	55.5		ug/L	111	75 - 120	
1,3-Dichlorobenzene	<1.0		50.0	52.1		ug/L	104	75 - 120	
p-Isopropyltoluene	<1.0		50.0	55.7		ug/L	111	75 - 121	
1,4-Dichlorobenzene	<1.0		50.0	51.2		ug/L	102	75 - 120	
n-Butylbenzene	<1.0		50.0	56.2		ug/L	112	75 - 121	
1,2-Dichlorobenzene	<1.0		50.0	53.4		ug/L	107	75 - 120	
1,2-Dibromo-3-Chloropropane	<2.0		50.0	47.8		ug/L	96	62 - 130	
1,2,4-Trichlorobenzene	<1.0		50.0	50.9		ug/L	102	73 - 130	
Hexachlorobutadiene	<1.0		50.0	55.4		ug/L	111	71 - 131	
Naphthalene	<1.0		50.0	50.0		ug/L	100	69 - 135	
1,2,3-Trichlorobenzene	<1.0		50.0	48.3		ug/L	97	69 - 131	
Surrogate				MS	MS				
	%Recovery	Qualifier	Limits						
1,2-Dichloroethane-d4 (Sur)	90		75 - 125						
Toluene-d8 (Sur)	94		75 - 120						
4-Bromofluorobenzene (Sur)	95		75 - 120						
Dibromofluoromethane	91		75 - 120						

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Method: 8260B - VOC (Continued)

Lab Sample ID: 500-88506-12 MSD

Matrix: Water

Analysis Batch: 266245

Client Sample ID: RFW-11B

Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	Limits	RPD	RPD Limit
	Result	Qualifier	Added	Result	Qualifier						
Benzene	<0.50		50.0	48.9		ug/L	98	75 - 120	0	20	
Dichlorodifluoromethane	<1.0		50.0	40.8		ug/L	82	41 - 146	6	20	
Chloromethane	<1.0		50.0	52.8		ug/L	106	63 - 133	5	20	
Vinyl chloride	<0.50		50.0	48.5		ug/L	97	72 - 123	2	20	
Bromomethane	<1.0		50.0	46.2		ug/L	92	45 - 169	5	20	
Chloroethane	<1.0		50.0	41.8		ug/L	84	58 - 147	3	20	
Trichlorofluoromethane	<1.0		50.0	51.3		ug/L	103	71 - 130	7	20	
1,1-Dichloroethene	<1.0		50.0	48.8		ug/L	98	69 - 120	1	20	
Carbon disulfide	<5.0		50.0	48.0		ug/L	96	56 - 130	1	20	
Acetone	<5.0		50.0	42.3		ug/L	85	48 - 149	2	20	
Methylene Chloride	<5.0		50.0	47.8		ug/L	96	73 - 130	2	20	
trans-1,2-Dichloroethene	<1.0		50.0	49.4		ug/L	99	77 - 120	3	20	
1,1-Dichloroethane	<1.0		50.0	49.1		ug/L	98	75 - 120	0	20	
2,2-Dichloropropane	<1.0		50.0	50.6		ug/L	101	65 - 132	0	20	
cis-1,2-Dichloroethene	<1.0		50.0	47.9		ug/L	96	75 - 120	2	20	
Methyl Ethyl Ketone	<5.0		50.0	43.8		ug/L	88	53 - 142	0	20	
Bromochloromethane	<1.0		50.0	48.7		ug/L	97	76 - 120	1	20	
Chloroform	<1.0		50.0	52.1		ug/L	104	76 - 120	3	20	
1,1,1-Trichloroethane	<1.0		50.0	54.4		ug/L	109	72 - 130	0	20	
1,1-Dichloropropene	<1.0		50.0	49.8		ug/L	100	75 - 130	1	20	
Carbon tetrachloride	<1.0		50.0	52.8		ug/L	106	70 - 130	2	20	
1,2-Dichloroethane	<1.0		50.0	48.1		ug/L	96	69 - 130	1	20	
Trichloroethene	2.7		50.0	54.2		ug/L	103	75 - 120	0	20	
1,2-Dichloropropane	<1.0		50.0	48.5		ug/L	97	75 - 120	0	20	
Dibromomethane	<1.0		50.0	49.5		ug/L	99	75 - 120	6	20	
Bromodichloromethane	<1.0		50.0	53.0		ug/L	106	77 - 121	1	20	
cis-1,3-Dichloropropene	<1.0		50.0	51.4		ug/L	103	78 - 130	3	20	
methyl isobutyl ketone	<5.0		50.0	45.9		ug/L	92	58 - 135	1	20	
Toluene	<0.50		50.0	50.1		ug/L	100	75 - 120	1	20	
trans-1,3-Dichloropropene	<1.0		50.0	52.7		ug/L	105	74 - 130	2	20	
1,1,2-Trichloroethane	<1.0		50.0	48.3		ug/L	97	75 - 120	1	20	
Tetrachloroethene	<1.0		50.0	52.1		ug/L	104	75 - 120	1	20	
1,3-Dichloropropane	<1.0		50.0	50.4		ug/L	101	77 - 124	5	20	
2-Hexanone	<5.0		50.0	46.8		ug/L	94	55 - 140	1	20	
Dibromochloromethane	<1.0		50.0	55.2		ug/L	110	71 - 126	2	20	
1,2-Dibromoethane	<1.0		50.0	52.5		ug/L	105	78 - 122	6	20	
Chlorobenzene	<1.0		50.0	50.0		ug/L	100	75 - 120	2	20	
1,1,1,2-Tetrachloroethane	<1.0		50.0	54.3		ug/L	109	75 - 122	1	20	
Ethylbenzene	<0.50		50.0	50.8		ug/L	102	75 - 120	0	20	
m&p-Xylene	<1.0		50.0	53.1		ug/L	106	75 - 120	0	20	
o-Xylene	<0.50		50.0	52.8		ug/L	106	75 - 120	1	20	
Styrene	<1.0		50.0	51.8		ug/L	104	75 - 120	2	20	
Bromoform	<1.0		50.0	54.8		ug/L	110	68 - 126	6	20	
Isopropylbenzene	<1.0		50.0	55.0		ug/L	110	75 - 121	1	20	
Bromobenzene	<1.0		50.0	54.0		ug/L	108	75 - 120	2	20	
1,1,2,2-Tetrachloroethane	<1.0		50.0	53.3		ug/L	107	72 - 130	6	20	
1,2,3-Trichloropropane	<1.0		50.0	50.7		ug/L	101	65 - 132	3	20	
N-Propylbenzene	<1.0		50.0	54.6		ug/L	109	75 - 120	1	20	

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Method: 8260B - VOC (Continued)

Lab Sample ID: 500-88506-12 MSD

Matrix: Water

Analysis Batch: 266245

Client Sample ID: RFW-11B
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec.	Limits	RPD	RPD Limit
	Result	Qualifier	Added	Result	Qualifier			%Rec			
2-Chlorotoluene	<1.0		50.0	54.3		ug/L		109	75 - 120	0	20
1,3,5-Trimethylbenzene	<1.0		50.0	55.4		ug/L		111	75 - 121	1	20
4-Chlorotoluene	<1.0		50.0	55.1		ug/L		110	75 - 120	1	20
tert-Butylbenzene	<1.0		50.0	55.8		ug/L		112	75 - 123	2	20
1,2,4-Trimethylbenzene	<1.0		50.0	55.0		ug/L		110	75 - 121	0	20
sec-Butylbenzene	<1.0		50.0	54.9		ug/L		110	75 - 120	1	20
1,3-Dichlorobenzene	<1.0		50.0	51.8		ug/L		104	75 - 120	1	20
p-Isopropyltoluene	<1.0		50.0	54.4		ug/L		109	75 - 121	2	20
1,4-Dichlorobenzene	<1.0		50.0	52.0		ug/L		104	75 - 120	2	20
n-Butylbenzene	<1.0		50.0	55.2		ug/L		110	75 - 121	2	20
1,2-Dichlorobenzene	<1.0		50.0	52.9		ug/L		106	75 - 120	1	20
1,2-Dibromo-3-Chloropropane	<2.0		50.0	52.1		ug/L		104	62 - 130	9	20
1,2,4-Trichlorobenzene	<1.0		50.0	51.1		ug/L		102	73 - 130	0	20
Hexachlorobutadiene	<1.0		50.0	52.7		ug/L		105	71 - 131	5	20
Naphthalene	<1.0		50.0	51.1		ug/L		102	69 - 135	2	20
1,2,3-Trichlorobenzene	<1.0		50.0	48.8		ug/L		98	69 - 131	1	20
Surrogate		MSD	MSD								
		%Recovery	Qualifier								
1,2-Dichloroethane-d4 (Surf)	89										
Toluene-d8 (Surf)	93										
4-Bromofluorobenzene (Surf)	95										
Dibromofluoromethane	90										

Lab Sample ID: MB 500-266363/6

Client Sample ID: Method Blank

Prep Type: Total/NA

Matrix: Water

Analysis Batch: 266363

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Benzene	<0.50		0.50	0.074	ug/L			11/28/14 21:34	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			11/28/14 21:34	1
Chloromethane	<1.0		1.0	0.18	ug/L			11/28/14 21:34	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			11/28/14 21:34	1
Bromomethane	<1.0		1.0	0.31	ug/L			11/28/14 21:34	1
Chloroethane	<1.0		1.0	0.34	ug/L			11/28/14 21:34	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			11/28/14 21:34	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			11/28/14 21:34	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			11/28/14 21:34	1
Acetone	<5.0		5.0	1.3	ug/L			11/28/14 21:34	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			11/28/14 21:34	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			11/28/14 21:34	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			11/28/14 21:34	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			11/28/14 21:34	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			11/28/14 21:34	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			11/28/14 21:34	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			11/28/14 21:34	1
Chloroform	<1.0		1.0	0.20	ug/L			11/28/14 21:34	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			11/28/14 21:34	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			11/28/14 21:34	1

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Method: 8260B - VOC (Continued)

Lab Sample ID: MB 500-266363/6

Matrix: Water

Analysis Batch: 266363

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Carbon tetrachloride	<1.0				1.0	0.26	ug/L			11/28/14 21:34	1
1,2-Dichloroethane	<1.0				1.0	0.28	ug/L			11/28/14 21:34	1
Trichloroethene	<0.50				0.50	0.19	ug/L			11/28/14 21:34	1
1,2-Dichloropropane	<1.0				1.0	0.20	ug/L			11/28/14 21:34	1
Dibromomethane	<1.0				1.0	0.33	ug/L			11/28/14 21:34	1
Bromodichloromethane	<1.0				1.0	0.17	ug/L			11/28/14 21:34	1
cis-1,3-Dichloropropene	<1.0				1.0	0.18	ug/L			11/28/14 21:34	1
methyl isobutyl ketone	<5.0				5.0	0.33	ug/L			11/28/14 21:34	1
Toluene	<0.50				0.50	0.11	ug/L			11/28/14 21:34	1
trans-1,3-Dichloropropene	<1.0				1.0	0.21	ug/L			11/28/14 21:34	1
1,1,2-Trichloroethane	<1.0				1.0	0.28	ug/L			11/28/14 21:34	1
Tetrachloroethene	<1.0				1.0	0.17	ug/L			11/28/14 21:34	1
1,3-Dichloropropane	<1.0				1.0	0.13	ug/L			11/28/14 21:34	1
2-Hexanone	<5.0				5.0	0.56	ug/L			11/28/14 21:34	1
Dibromochloromethane	<1.0				1.0	0.32	ug/L			11/28/14 21:34	1
1,2-Dibromoethane	<1.0				1.0	0.36	ug/L			11/28/14 21:34	1
Chlorobenzene	<1.0				1.0	0.14	ug/L			11/28/14 21:34	1
1,1,1,2-Tetrachloroethane	<1.0				1.0	0.25	ug/L			11/28/14 21:34	1
Ethylbenzene	<0.50				0.50	0.13	ug/L			11/28/14 21:34	1
m&p-Xylene	<1.0				1.0	0.26	ug/L			11/28/14 21:34	1
o-Xylene	<0.50				0.50	0.068	ug/L			11/28/14 21:34	1
Styrene	<1.0				1.0	0.10	ug/L			11/28/14 21:34	1
Bromoform	<1.0				1.0	0.28	ug/L			11/28/14 21:34	1
Isopropylbenzene	<1.0				1.0	0.14	ug/L			11/28/14 21:34	1
Bromobenzene	<1.0				1.0	0.25	ug/L			11/28/14 21:34	1
1,1,2,2-Tetrachloroethane	<1.0				1.0	0.23	ug/L			11/28/14 21:34	1
1,2,3-Trichloropropane	<1.0				1.0	0.45	ug/L			11/28/14 21:34	1
N-Propylbenzene	<1.0				1.0	0.13	ug/L			11/28/14 21:34	1
2-Chlorotoluene	<1.0				1.0	0.21	ug/L			11/28/14 21:34	1
1,3,5-Trimethylbenzene	<1.0				1.0	0.18	ug/L			11/28/14 21:34	1
4-Chlorotoluene	<1.0				1.0	0.20	ug/L			11/28/14 21:34	1
tert-Butylbenzene	<1.0				1.0	0.14	ug/L			11/28/14 21:34	1
1,2,4-Trimethylbenzene	<1.0				1.0	0.14	ug/L			11/28/14 21:34	1
sec-Butylbenzene	<1.0				1.0	0.15	ug/L			11/28/14 21:34	1
1,3-Dichlorobenzene	<1.0				1.0	0.15	ug/L			11/28/14 21:34	1
p-Isopropyltoluene	<1.0				1.0	0.17	ug/L			11/28/14 21:34	1
1,4-Dichlorobenzene	<1.0				1.0	0.15	ug/L			11/28/14 21:34	1
n-Butylbenzene	<1.0				1.0	0.13	ug/L			11/28/14 21:34	1
1,2-Dichlorobenzene	<1.0				1.0	0.27	ug/L			11/28/14 21:34	1
1,2-Dibromo-3-Chloropropane	<2.0				2.0	0.87	ug/L			11/28/14 21:34	1
1,2,4-Trichlorobenzene	<1.0				1.0	0.31	ug/L			11/28/14 21:34	1
Hexachlorobutadiene	<1.0				1.0	0.26	ug/L			11/28/14 21:34	1
Naphthalene	<1.0				1.0	0.16	ug/L			11/28/14 21:34	1
1,2,3-Trichlorobenzene	<1.0				1.0	0.24	ug/L			11/28/14 21:34	1

Surrogate	MB	MB	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	94				75 - 125		11/28/14 21:34	1
Toluene-d8 (Surr)	90				75 - 120		11/28/14 21:34	1

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Method: 8260B - VOC (Continued)

Lab Sample ID: MB 500-266363/6

Matrix: Water

Analysis Batch: 266363

Client Sample ID: Method Blank
Prep Type: Total/NA

Surrogate	MB	MB	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surf)			94		75 - 120
Dibromofluoromethane			91		75 - 120

Prepared	Analyzed	Dil Fac
	11/28/14 21:34	1
	11/28/14 21:34	1

Lab Sample ID: LCS 500-266363/4

Matrix: Water

Analysis Batch: 266363

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Benzene	50.0	44.0		ug/L	88	75 - 120	
Dichlorodifluoromethane	50.0	40.6		ug/L	81	41 - 146	
Chloromethane	50.0	52.0		ug/L	104	63 - 133	
Vinyl chloride	50.0	48.0		ug/L	96	72 - 123	
Bromomethane	50.0	48.9		ug/L	98	45 - 169	
Chloroethane	50.0	46.0		ug/L	92	58 - 147	
Trichlorofluoromethane	50.0	54.2		ug/L	108	71 - 130	
1,1-Dichloroethene	50.0	40.5		ug/L	81	69 - 120	
Carbon disulfide	50.0	37.9		ug/L	76	56 - 130	
Acetone	50.0	43.6		ug/L	87	48 - 149	
Methylene Chloride	50.0	41.6		ug/L	83	73 - 130	
trans-1,2-Dichloroethene	50.0	44.2		ug/L	88	77 - 120	
1,1-Dichloroethane	50.0	44.7		ug/L	89	75 - 120	
2,2-Dichloropropane	50.0	50.7		ug/L	101	65 - 132	
cis-1,2-Dichloroethene	50.0	44.5		ug/L	89	75 - 120	
Methyl Ethyl Ketone	50.0	43.9		ug/L	88	53 - 142	
Bromochloromethane	50.0	45.2		ug/L	90	76 - 120	
Chloroform	50.0	47.3		ug/L	95	76 - 120	
1,1,1-Trichloroethane	50.0	49.6		ug/L	99	72 - 130	
1,1-Dichloropropene	50.0	45.6		ug/L	91	75 - 130	
Carbon tetrachloride	50.0	48.8		ug/L	98	70 - 130	
1,2-Dichloroethane	50.0	43.2		ug/L	86	69 - 130	
Trichloroethene	50.0	48.2		ug/L	96	75 - 120	
1,2-Dichloropropane	50.0	43.5		ug/L	87	75 - 120	
Dibromomethane	50.0	42.2		ug/L	84	75 - 120	
Bromodichloromethane	50.0	46.9		ug/L	94	77 - 121	
cis-1,3-Dichloropropene	50.0	45.4		ug/L	91	78 - 130	
methyl isobutyl ketone	50.0	44.8		ug/L	90	58 - 135	
Toluene	50.0	45.2		ug/L	90	75 - 120	
trans-1,3-Dichloropropene	50.0	48.6		ug/L	97	74 - 130	
1,1,2-Trichloroethane	50.0	44.9		ug/L	90	75 - 120	
Tetrachloroethene	50.0	48.1		ug/L	96	75 - 120	
1,3-Dichloropropane	50.0	44.4		ug/L	89	77 - 124	
2-Hexanone	50.0	46.6		ug/L	93	55 - 140	
Dibromochloromethane	50.0	49.3		ug/L	99	71 - 126	
1,2-Dibromoethane	50.0	45.8		ug/L	92	78 - 122	
Chlorobenzene	50.0	44.5		ug/L	89	75 - 120	
1,1,1,2-Tetrachloroethane	50.0	49.9		ug/L	100	75 - 122	
Ethylbenzene	50.0	46.4		ug/L	93	75 - 120	
m-p-Xylene	50.0	48.7		ug/L	97	75 - 120	

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Method: 8260B - VOC (Continued)

Lab Sample ID: LCS 500-266363/4

Matrix: Water

Analysis Batch: 266363

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte		Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
o-Xylene		50.0	48.8		ug/L		98	75 - 120
Styrene		50.0	48.1		ug/L		96	75 - 120
Bromoform		50.0	47.9		ug/L		96	68 - 126
Isopropylbenzene		50.0	50.5		ug/L		101	75 - 121
Bromobenzene		50.0	48.0		ug/L		96	75 - 120
1,1,2,2-Tetrachloroethane		50.0	47.4		ug/L		95	72 - 130
1,2,3-Trichloropropane		50.0	43.0		ug/L		86	65 - 132
N-Propylbenzene		50.0	50.8		ug/L		102	75 - 120
2-Chlorotoluene		50.0	49.0		ug/L		98	75 - 120
1,3,5-Trimethylbenzene		50.0	51.9		ug/L		104	75 - 121
4-Chlorotoluene		50.0	50.3		ug/L		101	75 - 120
tert-Butylbenzene		50.0	52.5		ug/L		105	75 - 123
1,2,4-Trimethylbenzene		50.0	50.8		ug/L		102	75 - 121
sec-Butylbenzene		50.0	51.5		ug/L		103	75 - 120
1,3-Dichlorobenzene		50.0	48.5		ug/L		97	75 - 120
p-Isopropyltoluene		50.0	52.1		ug/L		104	75 - 121
1,4-Dichlorobenzene		50.0	48.2		ug/L		96	75 - 120
n-Butylbenzene		50.0	52.8		ug/L		106	75 - 121
1,2-Dichlorobenzene		50.0	49.5		ug/L		99	75 - 120
1,2-Dibromo-3-Chloropropane		50.0	46.2		ug/L		92	62 - 130
1,2,4-Trichlorobenzene		50.0	47.2		ug/L		94	73 - 130
Hexachlorobutadiene		50.0	48.7		ug/L		97	71 - 131
Naphthalene		50.0	46.4		ug/L		93	69 - 135
1,2,3-Trichlorobenzene		50.0	44.2		ug/L		88	69 - 131
Surrogate		LCS %Recovery	LCS Qualifier	Limits				
1,2-Dichloroethane-d4 (Sur)		90		75 - 125				
Toluene-d8 (Sur)		92		75 - 120				
4-Bromofluorobenzene (Sur)		95		75 - 120				
Dibromofluoromethane		93		75 - 120				

Lab Sample ID: 500-88506-14 MS

Matrix: Water

Analysis Batch: 266363

Client Sample ID: RFW-13

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits
Benzene	<0.50		50.0	43.3		ug/L		87	75 - 120
Dichlorodifluoromethane	<1.0		50.0	38.8		ug/L		78	41 - 146
Chloromethane	<1.0		50.0	48.1		ug/L		96	63 - 133
Vinyl chloride	<0.50		50.0	45.4		ug/L		91	72 - 123
Bromomethane	<1.0		50.0	42.5		ug/L		85	45 - 169
Chloroethane	<1.0		50.0	40.8		ug/L		82	58 - 147
Trichlorofluoromethane	<1.0		50.0	48.8		ug/L		98	71 - 130
1,1-Dichloroethene	<1.0		50.0	40.0		ug/L		80	69 - 120
Carbon disulfide	<5.0		50.0	36.0		ug/L		72	56 - 130
Acetone	9.9		50.0	44.9		ug/L		70	48 - 149
Methylene Chloride	<5.0		50.0	41.4		ug/L		83	73 - 130
trans-1,2-Dichloroethene	<1.0		50.0	42.7		ug/L		85	77 - 120

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Method: 8260B - VOC (Continued)

Lab Sample ID: 500-88506-14 MS

Matrix: Water

Analysis Batch: 266363

Client Sample ID: RFW-13
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	Limits
	Result	Qualifier	Added	Result	Qualifier				
1,1-Dichloroethane	<1.0		50.0	43.4		ug/L		87	75 - 120
2,2-Dichloropropane	<1.0		50.0	44.8		ug/L		90	65 - 132
cis-1,2-Dichloroethene	0.83	J	50.0	44.4		ug/L		87	75 - 120
Methyl Ethyl Ketone	<5.0		50.0	42.8		ug/L		86	53 - 142
Bromochloromethane	<1.0		50.0	42.6		ug/L		85	76 - 120
Chloroform	<1.0		50.0	45.6		ug/L		91	76 - 120
1,1,1-Trichloroethane	<1.0		50.0	47.2		ug/L		94	72 - 130
1,1-Dichloropropene	<1.0		50.0	42.7		ug/L		85	75 - 130
Carbon tetrachloride	<1.0		50.0	46.5		ug/L		93	70 - 130
1,2-Dichloroethane	<1.0		50.0	42.7		ug/L		85	69 - 130
Trichloroethene	2.9		50.0	49.8		ug/L		94	75 - 120
1,2-Dichloropropane	<1.0		50.0	43.6		ug/L		87	75 - 120
Dibromomethane	<1.0		50.0	42.7		ug/L		85	75 - 120
Bromodichloromethane	<1.0		50.0	45.0		ug/L		90	77 - 121
cis-1,3-Dichloropropene	<1.0		50.0	44.0		ug/L		88	78 - 130
methyl isobutyl ketone	<5.0		50.0	41.7		ug/L		83	58 - 135
Toluene	<0.50		50.0	43.6		ug/L		87	75 - 120
trans-1,3-Dichloropropene	<1.0		50.0	44.2		ug/L		88	74 - 130
1,1,2-Trichloroethane	<1.0		50.0	41.4		ug/L		83	75 - 120
Tetrachloroethene	17		50.0	60.5		ug/L		88	75 - 120
1,3-Dichloropropane	<1.0		50.0	43.0		ug/L		86	77 - 124
2-Hexanone	<5.0		50.0	42.0		ug/L		84	55 - 140
Dibromochloromethane	<1.0		50.0	46.5		ug/L		93	71 - 126
1,2-Dibromoethane	<1.0		50.0	42.7		ug/L		85	78 - 122
Chlorobenzene	<1.0		50.0	42.6		ug/L		85	75 - 120
1,1,1,2-Tetrachloroethane	<1.0		50.0	47.1		ug/L		94	75 - 122
Ethylbenzene	<0.50		50.0	43.6		ug/L		87	75 - 120
m&p-Xylene	<1.0		50.0	45.7		ug/L		91	75 - 120
o-Xylene	<0.50		50.0	45.7		ug/L		91	75 - 120
Styrene	<1.0		50.0	45.1		ug/L		90	75 - 120
Bromoform	<1.0		50.0	46.0		ug/L		92	68 - 126
Isopropylbenzene	<1.0		50.0	50.0		ug/L		100	75 - 121
Bromobenzene	<1.0		50.0	47.3		ug/L		95	75 - 120
1,1,2,2-Tetrachloroethane	<1.0		50.0	46.7		ug/L		93	72 - 130
1,2,3-Trichloropropane	<1.0		50.0	46.5		ug/L		93	65 - 132
N-Propylbenzene	<1.0		50.0	48.3		ug/L		97	75 - 120
2-Chlorotoluene	<1.0		50.0	48.4		ug/L		97	75 - 120
1,3,5-Trimethylbenzene	<1.0		50.0	50.1		ug/L		100	75 - 121
4-Chlorotoluene	<1.0		50.0	47.9		ug/L		96	75 - 120
tert-Butylbenzene	<1.0		50.0	50.8		ug/L		102	75 - 123
1,2,4-Trimethylbenzene	<1.0		50.0	48.6		ug/L		97	75 - 121
sec-Butylbenzene	<1.0		50.0	50.5		ug/L		101	75 - 120
1,3-Dichlorobenzene	<1.0		50.0	46.1		ug/L		92	75 - 120
p-Isopropyltoluene	<1.0		50.0	49.5		ug/L		99	75 - 121
1,4-Dichlorobenzene	<1.0		50.0	45.2		ug/L		90	75 - 120
n-Butylbenzene	<1.0		50.0	50.2		ug/L		100	75 - 121
1,2-Dichlorobenzene	<1.0		50.0	49.4		ug/L		99	75 - 120
1,2-Dibromo-3-Chloropropane	<2.0		50.0	48.9		ug/L		98	62 - 130

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Method: 8260B - VOC (Continued)

Lab Sample ID: 500-88506-14 MS

Matrix: Water

Analysis Batch: 266363

Client Sample ID: RFW-13

Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec.
	Result	Qualifier	Added	Result	Qualifier				
1,2,4-Trichlorobenzene	<1.0		50.0	43.9		ug/L	88	73 - 130	
Hexachlorobutadiene	<1.0		50.0	49.1		ug/L	98	71 - 131	
Naphthalene	<1.0		50.0	45.9		ug/L	92	69 - 135	
1,2,3-Trichlorobenzene	<1.0		50.0	42.4		ug/L	85	69 - 131	
Surrogate	MS		MS		Limits				
	%Recovery	Qualifier							
1,2-Dichloroethane-d4 (Sur)	94			75 - 125					
Toluene-d8 (Sur)	91			75 - 120					
4-Bromofluorobenzene (Sur)	96			75 - 120					
Dibromofluoromethane	91			75 - 120					

Lab Sample ID: 500-88506-14 MSD

Matrix: Water

Analysis Batch: 266363

Client Sample ID: RFW-13

Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec.	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier						
Benzene	<0.50		50.0	41.2		ug/L	82	75 - 120	5	20	
Dichlorodifluoromethane	<1.0		50.0	35.1		ug/L	70	41 - 146	10	20	
Chloromethane	<1.0		50.0	46.9		ug/L	94	63 - 133	3	20	
Vinyl chloride	<0.50		50.0	42.5		ug/L	85	72 - 123	7	20	
Bromomethane	<1.0		50.0	44.4		ug/L	89	45 - 169	4	20	
Chloroethane	<1.0		50.0	40.5		ug/L	81	58 - 147	1	20	
Trichlorofluoromethane	<1.0		50.0	46.8		ug/L	94	71 - 130	4	20	
1,1-Dichloroethene	<1.0		50.0	37.3		ug/L	75	69 - 120	7	20	
Carbon disulfide	<5.0		50.0	34.1		ug/L	68	56 - 130	5	20	
Acetone	9.9		50.0	43.9		ug/L	68	48 - 149	2	20	
Methylene Chloride	<5.0		50.0	38.9		ug/L	78	73 - 130	6	20	
trans-1,2-Dichloroethene	<1.0		50.0	40.8		ug/L	82	77 - 120	5	20	
1,1-Dichloroethane	<1.0		50.0	41.5		ug/L	83	75 - 120	5	20	
2,2-Dichloropropane	<1.0		50.0	43.7		ug/L	87	65 - 132	2	20	
cis-1,2-Dichloroethene	0.83 J		50.0	42.4		ug/L	83	75 - 120	4	20	
Methyl Ethyl Ketone	<5.0		50.0	40.6		ug/L	81	53 - 142	5	20	
Bromoform	<1.0		50.0	41.9		ug/L	84	76 - 120	2	20	
1,1,1-Trichloroethane	<1.0		50.0	44.3		ug/L	89	76 - 120	3	20	
1,1-Dichloropropene	<1.0		50.0	45.8		ug/L	92	72 - 130	3	20	
Carbon tetrachloride	<1.0		50.0	39.7		ug/L	79	75 - 130	7	20	
1,2-Dichloroethane	<1.0		50.0	45.4		ug/L	91	70 - 130	2	20	
Trichloroethene	2.9		50.0	42.0		ug/L	84	69 - 130	2	20	
1,2-Dichloropropane	<1.0		50.0	46.8		ug/L	88	75 - 120	6	20	
Dibromomethane	<1.0		50.0	43.3		ug/L	87	75 - 120	1	20	
Bromodichloromethane	<1.0		50.0	42.9		ug/L	86	75 - 120	0	20	
cis-1,3-Dichloropropene	<1.0		50.0	45.9		ug/L	92	77 - 121	2	20	
methyl isobutyl ketone	<5.0		50.0	45.1		ug/L	90	78 - 130	2	20	
Toluene •	<0.50		50.0	42.7		ug/L	85	58 - 135	2	20	
trans-1,3-Dichloropropene	<1.0		50.0	43.8		ug/L	88	75 - 120	1	20	
1,1,2-Trichloroethane	<1.0		50.0	45.2		ug/L	90	74 - 130	2	20	
Tetrachloroethene	17		50.0	43.3		ug/L	87	75 - 120	4	20	
				61.1		ug/L	89	75 - 120	1	20	

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Method: 8260B - VOC (Continued)

Lab Sample ID: 500-88506-14 MSD

Client Sample ID: RFW-13

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 266363

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec.	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier				Limits		
1,3-Dichloropropane	<1.0		50.0	43.5		ug/L		87	77 - 124	1	20
2-Hexanone	<5.0		50.0	44.9		ug/L		90	55 - 140	7	20
Dibromochloromethane	<1.0		50.0	49.2		ug/L		98	71 - 126	6	20
1,2-Dibromoethane	<1.0		50.0	46.3		ug/L		93	78 - 122	8	20
Chlorobenzene	<1.0		50.0	43.6		ug/L		87	75 - 120	2	20
1,1,1,2-Tetrachloroethane	<1.0		50.0	49.2		ug/L		98	75 - 122	4	20
Ethylbenzene	<0.50		50.0	44.4		ug/L		89	75 - 120	2	20
m&p-Xylene	<1.0		50.0	47.2		ug/L		94	75 - 120	3	20
o-Xylene	<0.50		50.0	46.1		ug/L		92	75 - 120	1	20
Styrene	<1.0		50.0	46.4		ug/L		93	75 - 120	3	20
Bromoform	<1.0		50.0	49.6		ug/L		99	68 - 126	8	20
Isopropylbenzene	<1.0		50.0	48.6		ug/L		97	75 - 121	3	20
Bromobenzene	<1.0		50.0	47.5		ug/L		95	75 - 120	1	20
1,1,2,2-Tetrachloroethane	<1.0		50.0	48.0		ug/L		96	72 - 130	3	20
1,2,3-Trichloropropane	<1.0		50.0	47.0		ug/L		94	65 - 132	1	20
N-Propylbenzene	<1.0		50.0	47.9		ug/L		96	75 - 120	1	20
2-Chlorotoluene	<1.0		50.0	48.0		ug/L		96	75 - 120	1	20
1,3,5-Trimethylbenzene	<1.0		50.0	48.7		ug/L		97	75 - 121	3	20
4-Chlorotoluene	<1.0		50.0	48.2		ug/L		96	75 - 120	1	20
tert-Butylbenzene	<1.0		50.0	49.5		ug/L		99	75 - 123	2	20
1,2,4-Trimethylbenzene	<1.0		50.0	48.8		ug/L		98	75 - 121	0	20
sec-Butylbenzene	<1.0		50.0	47.9		ug/L		96	75 - 120	5	20
1,3-Dichlorobenzene	<1.0		50.0	46.4		ug/L		93	75 - 120	1	20
p-Isopropyltoluene	<1.0		50.0	48.1		ug/L		96	75 - 121	3	20
1,4-Dichlorobenzene	<1.0		50.0	45.4		ug/L		91	75 - 120	0	20
n-Butylbenzene	<1.0		50.0	47.7		ug/L		95	75 - 121	5	20
1,2-Dichlorobenzene	<1.0		50.0	47.5		ug/L		95	75 - 120	4	20
1,2-Dibromo-3-Chloropropane	<2.0		50.0	47.7		ug/L		95	62 - 130	2	20
1,2,4-Trichlorobenzene	<1.0		50.0	43.6		ug/L		87	73 - 130	1	20
Hexachlorobutadiene	<1.0		50.0	45.2		ug/L		90	71 - 131	8	20
Naphthalene	<1.0		50.0	45.4		ug/L		91	69 - 135	1	20
1,2,3-Trichlorobenzene	<1.0		50.0	41.7		ug/L		83	69 - 131	2	20

Surrogate	MSD	MSD	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surrogate)	89		75 - 125
Toluene-d8 (Surrogate)	93		75 - 120
4-Bromofluorobenzene (Surrogate)	97		75 - 120
Dibromofluoromethane	92		75 - 120

4

TestAmerica Chicago

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: RFW-1A

Date Collected: 11/24/14 10:15
Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	266240	11/28/14 16:24	EMA	TAL CHI

Client Sample ID: RFW-1B

Date Collected: 11/24/14 17:00
Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	266240	11/28/14 16:50	EMA	TAL CHI

Client Sample ID: RFW-2A

Date Collected: 11/24/14 11:10
Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	266240	11/28/14 17:16	EMA	TAL CHI

Client Sample ID: RFW-2B

Date Collected: 11/24/14 11:15
Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	266245	11/28/14 14:25	EMA	TAL CHI

Client Sample ID: RFW-3B

Date Collected: 11/24/14 15:15
Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	266245	11/28/14 14:50	EMA	TAL CHI

Client Sample ID: RFW-4A

Date Collected: 11/25/14 08:45
Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-6

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	266245	11/28/14 15:17	EMA	TAL CHI

TestAmerica Chicago

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: RFW-4ADUP **Lab Sample ID: 500-88506-7**

Date Collected: 11/25/14 08:45
Date Received: 11/26/14 10:25

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	266245	11/28/14 15:43	EMA	TAL CHI

Client Sample ID: RFW-4B **Lab Sample ID: 500-88506-8**

Date Collected: 11/25/14 07:55
Date Received: 11/26/14 10:25

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	266245	11/28/14 16:09	EMA	TAL CHI

Client Sample ID: RFW-6 **Lab Sample ID: 500-88506-9**

Date Collected: 11/24/14 12:15
Date Received: 11/26/14 10:25

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	266245	11/28/14 16:35	EMA	TAL CHI

Client Sample ID: RFW-7 **Lab Sample ID: 500-88506-10**

Date Collected: 11/24/14 13:15
Date Received: 11/26/14 10:25

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	266245	11/28/14 17:01	EMA	TAL CHI

Client Sample ID: RFW-9 **Lab Sample ID: 500-88506-11**

Date Collected: 11/24/14 16:55
Date Received: 11/26/14 10:25

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	266245	11/28/14 17:27	EMA	TAL CHI

Client Sample ID: RFW-11B **Lab Sample ID: 500-88506-12**

Date Collected: 11/25/14 10:40
Date Received: 11/26/14 10:25

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	266245	11/28/14 17:53	EMA	TAL CHI

TestAmerica Chicago

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: RFW-12B

Date Collected: 11/25/14 12:00
Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-13

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	266363	11/29/14 02:46	DJD	TAL CHI

Client Sample ID: RFW-13

Date Collected: 11/24/14 16:45
Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-14

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	266363	11/28/14 22:26	DJD	TAL CHI

Client Sample ID: RFW-17

Date Collected: 11/24/14 14:05
Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-15

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	266363	11/28/14 22:52	DJD	TAL CHI

Client Sample ID: Trip Blank

Date Collected: 11/24/14 06:00
Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-16

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	266363	11/28/14 22:00	DJD	TAL CHI

Client Sample ID: EW-2

Date Collected: 11/25/14 10:30
Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-17

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	266363	11/29/14 03:38	DJD	TAL CHI

Client Sample ID: EW-3

Date Collected: 11/25/14 10:20
Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-18

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	266363	11/28/14 23:18	DJD	TAL CHI

TestAmerica Chicago

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: EW-4

Date Collected: 11/25/14 11:35

Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-19

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	266363	11/29/14 04:31	DJD	TAL CHI
Total/NA	Analysis	8260B	DL	5	266363	11/29/14 04:56	DJD	TAL CHI

Client Sample ID: EW-5

Date Collected: 11/25/14 11:45

Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-20

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	266363	11/28/14 23:44	DJD	TAL CHI

Client Sample ID: EW-6

Date Collected: 11/24/14 11:35

Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-21

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	266363	11/29/14 00:10	DJD	TAL CHI

Client Sample ID: EW-7

Date Collected: 11/24/14 11:25

Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-22

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	266363	11/29/14 00:36	DJD	TAL CHI

Client Sample ID: EW-8

Date Collected: 11/24/14 11:20

Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-23

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	266363	11/29/14 01:02	DJD	TAL CHI

Client Sample ID: EW-9

Date Collected: 11/24/14 11:10

Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-24

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	266363	11/29/14 01:29	DJD	TAL CHI

TestAmerica Chicago

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Client Sample ID: EW-9DUP

Date Collected: 11/24/14 11:10

Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-25

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	266363	11/29/14 01:54	DJD	TAL CHI

Client Sample ID: EW-10

Date Collected: 11/24/14 11:00

Date Received: 11/26/14 10:25

Lab Sample ID: 500-88506-26

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	266363	11/29/14 02:20	DJD	TAL CHI

Laboratory References:

TAL CHI = TestAmerica Chicago, 2417 Bond Street, University Park, IL 60484, TEL (708)534-5200

TestAmerica Chicago

Certification Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-88506-1

Laboratory: TestAmerica Chicago

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Alabama	State Program	4	40461	04-30-15
California	State Program	9	2903	04-30-15
Georgia	State Program	4	N/A	04-30-15
Georgia	State Program	4	939	04-30-15
Hawaii	State Program	9	N/A	04-30-15
Illinois	NELAP	5	100201	04-30-15
Indiana	State Program	5	C-IL-02	04-30-15
Iowa	State Program	7	82	05-01-16
Kansas	NELAP	7	E-10161	01-31-15 *
Kentucky (UST)	State Program	4	66	04-30-15
Kentucky (WV)	State Program	4	KY90023	12-31-14 *
Massachusetts	State Program	1	M-IL035	06-30-15
Mississippi	State Program	4	N/A	04-30-15
New York	NELAP	2	IL00035	03-31-15
North Carolina (WW/SW)	State Program	4	291	12-31-14 *
North Dakota	State Program	8	R-194	04-30-15
Oklahoma	State Program	6	8908	08-31-15
South Carolina	State Program	4	77001	04-30-15
USDA	Federal		P330-12-00038	02-06-15
Wisconsin	State Program	5	999580010	08-31-15 *
Wyoming	State Program	8	8TMS-Q	04-30-15

* Certification renewal pending - certification considered valid.

TestAmerica Chicago

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

2417 Bond Street, University Park, IL 60484
Phone: 708.534.5200 Fax: 708.534.5211

Report To	(optional)
Contact:	
Company:	
Address:	
Address:	
Phone:	
Fax:	
E-Mail:	

Bill To	(optional)
Contact:	
Company:	
Address:	
Address:	
Phone:	
Fax:	
PO#/Reference#	

Chain of Custody Record

Lab Job #: 500-88506

Chain of Custody Number:

Page 1 of 3

1.7

Temperature °C of Cooler:

Lab ID	MS/SD	Sample ID	Sampling		# of Containers	Matrix	Parameter	Preservative	Preservative Key									
			Date	Time					V	O	C							
1		RFW - 1A	11/24	1015	3	W		HCl										
2		RFW - 1B	11/24	1700	1													
3		RFW - 2A	11/24	1110														
4		RFW - 2B	11/24	1115														
5		RFW - 3B	11/24	1515														
6		RFW - 4A	11/25/14	845														
7		RFW - 4A Dup	11/25/14	845														
8		RFW - 4B	11/25	755														
9		RFW - 6	11/24	1215														
10		RFW - 7	11/24	1315														

Turnaround Time Required (Business Days)

1 Day 2 Days 5 Days 7 Days 10 Days 15 Days Other Return to Client Disposal by Lab Archive for _____ Months (A fee may be assessed if samples are retained longer than 1 month)

Requested Due Date

Relinquished By

Relinquished By

Relinquished By

Sample Disposal

Return to Client Disposal by Lab Archive for _____ Months (A fee may be assessed if samples are retained longer than 1 month)

Company

11/25/14

1600

Date

Time

Received By

Company

Date

Time

Received By

Date

Time

Received By

Company

Date

Time

Received By

Company

Date

Time

Received By

Company

Date

Time

Lab Courier

Shipped

Hand Delivered

Matrix Key

Client Comments

Lab Comments:

WW - Wastewater

SE - Sediment

W - Water

SO - Soil

S - Soil

L - Leachate

SL - Sludge

WI - Wipes

MS - Miscellaneous

DW - Drinking Water

OL - Oil

O - Other

A - Air



THE LEADER IN ENVIRONMENTAL TESTING

2417 Bond Street, University Park, IL 60484
Phone: 708.534.5200 Fax: 708.534.5211

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

2417 Bond Street, University Park, IL 60484
Phone: 708.534.5200 Fax: 708.534.5211

(optional)	
Report To	
Contact:	
Company:	
Address:	
Address:	
Phone:	
Fax:	
E-Mail:	

(optional)	
Bill To	
Contact:	
Company:	
Address:	
Address:	
Phone:	
Fax:	
PO#/Reference#	

Chain of Custody Record

Lab Job #: 500- 88506

Chain of Custody Number: 3

Page 3 of 3

Temperature °C of Cooler: 1.7

- Preservative Key
1. HCl, Cool to 4°
 2. H2SO4, Cool to 4°
 3. HNO3, Cool to 4°
 4. NaOH, Cool to 4°
 5. NaOH/Zn, Cool to 4°
 6. NaHSO4
 7. Cool to 4°
 8. None
 9. Other

Lab ID	NS/NSD	Sample ID	Preservative	Parameter	Sampling		# of Containers	Matrix	Comments						
					Date	Time									
17		EW-2	HCl	V	11/25/14	1030	3	W							
18		EW-3		O		1020									
19		EW-4		C		1135									
20		EW-5				1145									
21		EW-6				11/25/14	1135								
22		EW-7					1125								
23		EW-8					1315								
24		EW-9					1120								
25		EW-9 Dup													
26		EW-10													

Turnaround Time Required (Business Days)

1 Day 2 Days 5 Days 7 Days 10 Days 15 Days Other

Requested Due Date

Sample Disposal

Return to Client Disposal by Lab Archive for _____ Months (A fee may be assessed if samples are retained longer than 1 month)

Relinquished By	Company	Date	Time	Received By	Company	Date	Time	Lab Courier
Relinquished By	Company	Date	Time	Received By	Company	Date	Time	Shipped
Relinquished By	Company	Date	Time	Received By	Company	Date	Time	Hand Delivered

Matrix Key
 WW - Wastewater SE - Sediment
 W - Water SO - Soil
 S - Soil L - Leachate
 SL - Sludge WI - Wipe
 MS - Miscellaneous DW - Drinking Water
 OL - Oil O - Other
 A - Air

Client Comments

Lab Comments:

TAL 11/26/14 500 (1209)
12/1/2014

Login Sample Receipt Checklist

Client: Weston Solutions, Inc.

Job Number: 500-88506-1

Login Number: 88506

List Source: TestAmerica Chicago

List Number: 1

Creator: Kelsey, Shawn M

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	1.7c
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	True	

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Savannah
5102 LaRoche Avenue
Savannah, GA 31404
Tel: (912)354-7858

TestAmerica Job ID: 680-107677-1
Client Project/Site: Black & Decker

For:
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, Pennsylvania 19380

Attn: Greg Flasinski



Authorized for release by:
12/4/2014 5:53:17 PM
Lisa Harvey, Project Manager II
(912)354-7858 e.3221
lisa.harvey@testamericainc.com

LINKS

Review your project
results through

Total Access

Have a Question?

Ask

The
Expert

Visit us at:
www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Case Narrative

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-107677-1

Job ID: 680-107677-1

Laboratory: TestAmerica Savannah

Narrative

CASE NARRATIVE

Client: Weston Solutions, Inc.
Project: Black & Decker
Report Number: 680-107677-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In the event of interference or analytes present at high concentrations, samples may be diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

RECEIPT

The samples were received on 11/26/2014; the samples arrived in good condition, properly preserved and on ice. The temperature of the coolers at receipt was 2.1 C.

VOLATILE ORGANIC COMPOUNDS (GC-MS)

Samples Trip Blank (680-107677-1), RFW-20 (680-107677-2), RFW-21 (680-107677-3), HAMP-22 (680-107677-4) and HAMP-23 (680-107677-5) were analyzed for Volatile organic Compounds (GC-MS) in accordance with EPA Method 524.2. The samples were analyzed on 12/03/2014.

Method(s) 524.2: The method blank for batch 361360 contained 1,2,3-trichlorobenzene and 1,2,4-trichlorobenzene above the method detection limit (MDL). This target analyte concentration was less than half the reporting limit; therefore, re-extraction and/or re-analysis of samples was not performed.

Method(s) 524.2: Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with batch 361360 and batch 361379.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Sample Summary

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-107677-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
680-107677-1	Trip Blank	Water	11/24/14 07:00	11/26/14 09:52
680-107677-2	RFW-20	Water	11/24/14 08:10	11/26/14 09:52
680-107677-3	RFW-21	Water	11/24/14 09:05	11/26/14 09:52
680-107677-4	HAMP-22	Water	11/25/14 09:15	11/26/14 09:52
680-107677-5	HAMP-23	Water	11/25/14 09:20	11/26/14 09:52

TestAmerica Savannah

Method Summary

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-107677-1

Method	Method Description	Protocol	Laboratory
524.2	Volatile Organic Compounds (GC/MS)	EPA-DW	TAL SAV

Protocol References:

EPA-DW = "Methods For The Determination Of Organic Compounds In Drinking Water", EPA/600/4-88/039, December 1988 And Its Supplements.

Laboratory References:

TAL SAV = TestAmerica Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858

TestAmerica Savannah

Definitions/Glossary

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-107677-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
%R	Listed under the "D" column to designate that the result is reported on a dry weight basis
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)



5

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-107677-1

Client Sample ID: Trip Blank

Date Collected: 11/24/14 07:00

Date Received: 11/26/14 09:52

Lab Sample ID: 680-107677-1

Matrix: Water

Method: 524.2 - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	<10		10	5.0	ug/L			12/03/14 00:41	1
Benzene	<0.50		0.50	0.082	ug/L			12/03/14 00:41	1
Bromobenzene	<0.50		0.50	0.091	ug/L			12/03/14 00:41	1
Bromoform	<0.50		0.50	0.17	ug/L			12/03/14 00:41	1
Bromomethane	<1.0		1.0	0.20	ug/L			12/03/14 00:41	1
Carbon tetrachloride	<0.50		0.50	0.11	ug/L			12/03/14 00:41	1
Chlorobenzene	<0.50		0.50	0.14	ug/L			12/03/14 00:41	1
Chlorobromomethane	<0.50		0.50	0.30	ug/L			12/03/14 00:41	1
Chlorodibromomethane	<0.50		0.50	0.13	ug/L			12/03/14 00:41	1
Chloroethane	<1.0		1.0	0.22	ug/L			12/03/14 00:41	1
Chloroform	<0.50		0.50	0.20	ug/L			12/03/14 00:41	1
Chloromethane	<0.50		0.50	0.15	ug/L			12/03/14 00:41	1
2-Chlorotoluene	<0.50		0.50	0.11	ug/L			12/03/14 00:41	1
4-Chlorotoluene	<0.50		0.50	0.13	ug/L			12/03/14 00:41	1
cis-1,2-Dichloroethene	<0.50		0.50	0.090	ug/L			12/03/14 00:41	1
cis-1,3-Dichloropropene	<0.50		0.50	0.081	ug/L			12/03/14 00:41	1
1,2-Dibromo-3-Chloropropane	<0.50		0.50	0.30	ug/L			12/03/14 00:41	1
Dibromomethane	<0.50		0.50	0.16	ug/L			12/03/14 00:41	1
1,2-Dichlorobenzene	<0.50		0.50	0.16	ug/L			12/03/14 00:41	1
1,3-Dichlorobenzene	<0.50		0.50	0.11	ug/L			12/03/14 00:41	1
1,4-Dichlorobenzene	<0.50		0.50	0.13	ug/L			12/03/14 00:41	1
Dichlorobromomethane	<0.50		0.50	0.079	ug/L			12/03/14 00:41	1
Dichlorodifluoromethane	<0.50		0.50	0.34	ug/L			12/03/14 00:41	1
1,1-Dichloroethane	<0.50		0.50	0.078	ug/L			12/03/14 00:41	1
1,2-Dichloroethane	<0.50		0.50	0.086	ug/L			12/03/14 00:41	1
1,1-Dichloroethene	<0.50		0.50	0.15	ug/L			12/03/14 00:41	1
1,2-Dichloropropane	<0.50		0.50	0.096	ug/L			12/03/14 00:41	1
1,3-Dichloropropane	<0.50		0.50	0.10	ug/L			12/03/14 00:41	1
2,2-Dichloropropane	<0.50		0.50	0.20	ug/L			12/03/14 00:41	1
1,1-Dichloropropene	<0.50		0.50	0.095	ug/L			12/03/14 00:41	1
1,3-Dichloropropene, Total	<0.50		0.50	0.081	ug/L			12/03/14 00:41	1
Diisopropyl ether	<0.50		0.50	0.28	ug/L			12/03/14 00:41	1
Ethylbenzene	<0.50		0.50	0.099	ug/L			12/03/14 00:41	1
Ethylene Dibromide	<0.50		0.50	0.20	ug/L			12/03/14 00:41	1
Freon 113	<0.50		0.50	0.15	ug/L			12/03/14 00:41	1
Hexachlorobutadiene	<0.50		0.50	0.26	ug/L			12/03/14 00:41	1
2-Hexanone	<10		10	5.0	ug/L			12/03/14 00:41	1
Isopropylbenzene	<0.50		0.50	0.15	ug/L			12/03/14 00:41	1
4-Isopropyltoluene	<0.50		0.50	0.21	ug/L			12/03/14 00:41	1
Methylene Chloride	<0.50		0.50	0.20	ug/L			12/03/14 00:41	1
2-Butanone (MEK)	<10		10	5.0	ug/L			12/03/14 00:41	1
4-Methyl-2-pentanone (MIBK)	<10		10	5.0	ug/L			12/03/14 00:41	1
m-Xylene & p-Xylene	<0.50		0.50	0.15	ug/L			12/03/14 00:41	1
Naphthalene	<1.0		1.0	0.43	ug/L			12/03/14 00:41	1
n-Butylbenzene	<0.50		0.50	0.17	ug/L			12/03/14 00:41	1
N-Propylbenzene	<0.50		0.50	0.17	ug/L			12/03/14 00:41	1
o-Xylene	<0.50		0.50	0.086	ug/L			12/03/14 00:41	1
sec-Butylbenzene	<0.50		0.50	0.14	ug/L			12/03/14 00:41	1
Styrene	<0.50		0.50	0.089	ug/L			12/03/14 00:41	1

TestAmerica Savannah

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-107677-1

Client Sample ID: Trip Blank

Date Collected: 11/24/14 07:00

Date Received: 11/26/14 09:52

Lab Sample ID: 680-107677-1

Matrix: Water

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tert-amyl methyl ether	<0.50		0.50	0.20	ug/L			12/03/14 00:41	1
tert-Butyl alcohol	<10		10	1.6	ug/L			12/03/14 00:41	1
tert-Butylbenzene	<0.50		0.50	0.14	ug/L			12/03/14 00:41	1
Tert-butyl ethyl ether	<0.50		0.50	0.26	ug/L			12/03/14 00:41	1
1,1,1,2-Tetrachloroethane	<0.50		0.50	0.24	ug/L			12/03/14 00:41	1
1,1,2,2-Tetrachloroethane	<0.50		0.50	0.13	ug/L			12/03/14 00:41	1
Tetrachloroethene	<0.50		0.50	0.18	ug/L			12/03/14 00:41	1
Toluene	<0.50		0.50	0.086	ug/L			12/03/14 00:41	1
trans-1,2-Dichloroethene	<0.50		0.50	0.090	ug/L			12/03/14 00:41	1
trans-1,3-Dichloropropene	<0.50		0.50	0.11	ug/L			12/03/14 00:41	1
1,2,3-Trichlorobenzene	<0.50		0.50	0.14	ug/L			12/03/14 00:41	1
1,2,4-Trichlorobenzene	<0.50		0.50	0.12	ug/L			12/03/14 00:41	1
1,1,1-Trichloroethane	<0.50		0.50	0.15	ug/L			12/03/14 00:41	1
1,1,2-Trichloroethane	<0.50		0.50	0.16	ug/L			12/03/14 00:41	1
Trichloroethene	<0.50		0.50	0.13	ug/L			12/03/14 00:41	1
Trichlorofluoromethane	<0.50		0.50	0.23	ug/L			12/03/14 00:41	1
1,2,3-Trichloropropane	<0.50		0.50	0.17	ug/L			12/03/14 00:41	1
Trihalomethanes, Total	<0.50		0.50	0.079	ug/L			12/03/14 00:41	1
1,2,4-Trimethylbenzene	<0.50		0.50	0.17	ug/L			12/03/14 00:41	1
1,3,5-Trimethylbenzene	<0.50		0.50	0.16	ug/L			12/03/14 00:41	1
Vinyl chloride	<0.50		0.50	0.16	ug/L			12/03/14 00:41	1
Xylenes, Total	<0.50		0.50	0.086	ug/L			12/03/14 00:41	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	97		70 - 130					12/03/14 00:41	1
1,2-Dichlorobenzene-d4	94		70 - 130					12/03/14 00:41	1

TestAmerica Savannah

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-107677-1

Client Sample ID: RFW-20

Date Collected: 11/24/14 08:10

Date Received: 11/26/14 09:52

Lab Sample ID: 680-107677-2

Matrix: Water

Method: 524.2 - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	<10		10	5.0	ug/L			12/03/14 05:46	1
Benzene	<0.50		0.50	0.082	ug/L			12/03/14 05:46	1
Bromobenzene	<0.50		0.50	0.091	ug/L			12/03/14 05:46	1
Bromoform	<0.50		0.50	0.17	ug/L			12/03/14 05:46	1
Bromomethane	<1.0		1.0	0.20	ug/L			12/03/14 05:46	1
Carbon tetrachloride	<0.50		0.50	0.11	ug/L			12/03/14 05:46	1
Chlorobenzene	<0.50		0.50	0.14	ug/L			12/03/14 05:46	1
Chlorobromomethane	<0.50		0.50	0.30	ug/L			12/03/14 05:46	1
Chlorodibromomethane	<0.50		0.50	0.13	ug/L			12/03/14 05:46	1
Chloroethane	<1.0		1.0	0.22	ug/L			12/03/14 05:46	1
Chloroform	<0.50		0.50	0.20	ug/L			12/03/14 05:46	1
Chloromethane	<0.50		0.50	0.15	ug/L			12/03/14 05:46	1
2-Chlorotoluene	<0.50		0.50	0.11	ug/L			12/03/14 05:46	1
4-Chlorotoluene	<0.50		0.50	0.13	ug/L			12/03/14 05:46	1
cis-1,2-Dichloroethene	<0.50		0.50	0.090	ug/L			12/03/14 05:46	1
cis-1,3-Dichloropropene	<0.50		0.50	0.081	ug/L			12/03/14 05:46	1
1,2-Dibromo-3-Chloropropane	<0.50		0.50	0.30	ug/L			12/03/14 05:46	1
Dibromomethane	<0.50		0.50	0.16	ug/L			12/03/14 05:46	1
1,2-Dichlorobenzene	<0.50		0.50	0.16	ug/L			12/03/14 05:46	1
1,3-Dichlorobenzene	<0.50		0.50	0.11	ug/L			12/03/14 05:46	1
1,4-Dichlorobenzene	<0.50		0.50	0.13	ug/L			12/03/14 05:46	1
Dichlorobromomethane	<0.50		0.50	0.079	ug/L			12/03/14 05:46	1
Dichlorodifluoromethane	<0.50		0.50	0.34	ug/L			12/03/14 05:46	1
1,1-Dichloroethane	<0.50		0.50	0.078	ug/L			12/03/14 05:46	1
1,2-Dichloroethane	<0.50		0.50	0.086	ug/L			12/03/14 05:46	1
1,1-Dichloroethene	<0.50		0.50	0.15	ug/L			12/03/14 05:46	1
1,2-Dichloropropane	<0.50		0.50	0.096	ug/L			12/03/14 05:46	1
1,3-Dichloropropane	<0.50		0.50	0.10	ug/L			12/03/14 05:46	1
2,2-Dichloropropane	<0.50		0.50	0.20	ug/L			12/03/14 05:46	1
1,1-Dichloropropene	<0.50		0.50	0.095	ug/L			12/03/14 05:46	1
1,3-Dichloropropene, Total	<0.50		0.50	0.081	ug/L			12/03/14 05:46	1
Diisopropyl ether	<0.50		0.50	0.28	ug/L			12/03/14 05:46	1
Ethylbenzene	<0.50		0.50	0.099	ug/L			12/03/14 05:46	1
Ethylene Dibromide	<0.50		0.50	0.20	ug/L			12/03/14 05:46	1
Freon 113	<0.50		0.50	0.15	ug/L			12/03/14 05:46	1
Hexachlorobutadiene	<0.50		0.50	0.26	ug/L			12/03/14 05:46	1
2-Hexanone	<10		10	5.0	ug/L			12/03/14 05:46	1
Isopropylbenzene	<0.50		0.50	0.15	ug/L			12/03/14 05:46	1
4-Isopropyltoluene	<0.50		0.50	0.21	ug/L			12/03/14 05:46	1
Methylene Chloride	<0.50		0.50	0.20	ug/L			12/03/14 05:46	1
2-Butanone (MEK)	<10		10	5.0	ug/L			12/03/14 05:46	1
4-Methyl-2-pentanone (MIBK)	<10		10	5.0	ug/L			12/03/14 05:46	1
m-Xylene & p-Xylene	<0.50		0.50	0.15	ug/L			12/03/14 05:46	1
Naphthalene	<1.0		1.0	0.43	ug/L			12/03/14 05:46	1
n-Butylbenzene	<0.50		0.50	0.17	ug/L			12/03/14 05:46	1
N-Propylbenzene	<0.50		0.50	0.17	ug/L			12/03/14 05:46	1
o-Xylene	<0.50		0.50	0.086	ug/L			12/03/14 05:46	1
sec-Butylbenzene	<0.50		0.50	0.14	ug/L			12/03/14 05:46	1
Styrene	<0.50		0.50	0.089	ug/L			12/03/14 05:46	1

TestAmerica Savannah

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-107677-1

Client Sample ID: RFW-20

Lab Sample ID: 680-107677-2

Date Collected: 11/24/14 08:10

Matrix: Water

Date Received: 11/26/14 09:52

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tert-amyl methyl ether	<0.50		0.50	0.20	ug/L		12/03/14 05:46	12/03/14 05:46	1
tert-Butyl alcohol	<10		10	1.6	ug/L		12/03/14 05:46	12/03/14 05:46	1
tert-Butylbenzene	<0.50		0.50	0.14	ug/L		12/03/14 05:46	12/03/14 05:46	1
Tert-butyl ethyl ether	<0.50		0.50	0.26	ug/L		12/03/14 05:46	12/03/14 05:46	1
1,1,1,2-Tetrachloroethane	<0.50		0.50	0.24	ug/L		12/03/14 05:46	12/03/14 05:46	1
1,1,2,2-Tetrachloroethane	<0.50		0.50	0.13	ug/L		12/03/14 05:46	12/03/14 05:46	1
Tetrachloroethene	<0.50		0.50	0.18	ug/L		12/03/14 05:46	12/03/14 05:46	1
Toluene	<0.50		0.50	0.086	ug/L		12/03/14 05:46	12/03/14 05:46	1
trans-1,2-Dichloroethene	<0.50		0.50	0.090	ug/L		12/03/14 05:46	12/03/14 05:46	1
trans-1,3-Dichloropropene	<0.50		0.50	0.11	ug/L		12/03/14 05:46	12/03/14 05:46	1
1,2,3-Trichlorobenzene	<0.50		0.50	0.14	ug/L		12/03/14 05:46	12/03/14 05:46	1
1,2,4-Trichlorobenzene	<0.50		0.50	0.12	ug/L		12/03/14 05:46	12/03/14 05:46	1
1,1,1-Trichloroethane	<0.50		0.50	0.15	ug/L		12/03/14 05:46	12/03/14 05:46	1
1,1,2-Trichloroethane	<0.50		0.50	0.16	ug/L		12/03/14 05:46	12/03/14 05:46	1
Trichloroethene	<0.50		0.50	0.13	ug/L		12/03/14 05:46	12/03/14 05:46	1
Trichlorofluoromethane	<0.50		0.50	0.23	ug/L		12/03/14 05:46	12/03/14 05:46	1
1,2,3-Trichloropropane	<0.50		0.50	0.17	ug/L		12/03/14 05:46	12/03/14 05:46	1
Trihalomethanes, Total	<0.50		0.50	0.079	ug/L		12/03/14 05:46	12/03/14 05:46	1
1,2,4-Trimethylbenzene	<0.50		0.50	0.17	ug/L		12/03/14 05:46	12/03/14 05:46	1
1,3,5-Trimethylbenzene	<0.50		0.50	0.16	ug/L		12/03/14 05:46	12/03/14 05:46	1
Vinyl chloride	<0.50		0.50	0.16	ug/L		12/03/14 05:46	12/03/14 05:46	1
Xylenes, Total	<0.50		0.50	0.086	ug/L		12/03/14 05:46	12/03/14 05:46	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene	101		70 - 130				12/03/14 05:46	12/03/14 05:46	1
1,2-Dichlorobenzene-d4	101		70 - 130				12/03/14 05:46	12/03/14 05:46	1

TestAmerica Savannah

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-107677-1

Client Sample ID: RFW-21

Date Collected: 11/24/14 09:05

Date Received: 11/26/14 09:52

Lab Sample ID: 680-107677-3

Matrix: Water

Method: 524.2 - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	<10		10	5.0	ug/L			12/03/14 06:09	1
Benzene	<0.50		0.50	0.082	ug/L			12/03/14 06:09	1
Bromobenzene	<0.50		0.50	0.091	ug/L			12/03/14 06:09	1
Bromoform	<0.50		0.50	0.17	ug/L			12/03/14 06:09	1
Bromomethane	<1.0		1.0	0.20	ug/L			12/03/14 06:09	1
Carbon tetrachloride	<0.50		0.50	0.11	ug/L			12/03/14 06:09	1
Chlorobenzene	<0.50		0.50	0.14	ug/L			12/03/14 06:09	1
Chlorobromomethane	<0.50		0.50	0.30	ug/L			12/03/14 06:09	1
Chlorodibromomethane	<0.50		0.50	0.13	ug/L			12/03/14 06:09	1
Chloroethane	<1.0		1.0	0.22	ug/L			12/03/14 06:09	1
Chloroform	<0.50		0.50	0.20	ug/L			12/03/14 06:09	1
Chloromethane	<0.50		0.50	0.15	ug/L			12/03/14 06:09	1
2-Chlorotoluene	<0.50		0.50	0.11	ug/L			12/03/14 06:09	1
4-Chlorotoluene	<0.50		0.50	0.13	ug/L			12/03/14 06:09	1
cis-1,2-Dichloroethene	<0.50		0.50	0.090	ug/L			12/03/14 06:09	1
cis-1,3-Dichloropropene	<0.50		0.50	0.081	ug/L			12/03/14 06:09	1
1,2-Dibromo-3-Chloropropane	<0.50		0.50	0.30	ug/L			12/03/14 06:09	1
Dibromomethane	<0.50		0.50	0.16	ug/L			12/03/14 06:09	1
1,2-Dichlorobenzene	<0.50		0.50	0.16	ug/L			12/03/14 06:09	1
1,3-Dichlorobenzene	<0.50		0.50	0.11	ug/L			12/03/14 06:09	1
1,4-Dichlorobenzene	<0.50		0.50	0.13	ug/L			12/03/14 06:09	1
Dichlorobromomethane	<0.50		0.50	0.079	ug/L			12/03/14 06:09	1
Dichlorodifluoromethane	<0.50		0.50	0.34	ug/L			12/03/14 06:09	1
1,1-Dichloroethane	<0.50		0.50	0.078	ug/L			12/03/14 06:09	1
1,2-Dichloroethane	<0.50		0.50	0.086	ug/L			12/03/14 06:09	1
1,1-Dichloroethene	<0.50		0.50	0.15	ug/L			12/03/14 06:09	1
1,2-Dichloropropane	<0.50		0.50	0.096	ug/L			12/03/14 06:09	1
1,3-Dichloropropane	<0.50		0.50	0.10	ug/L			12/03/14 06:09	1
2,2-Dichloropropane	<0.50		0.50	0.20	ug/L			12/03/14 06:09	1
1,1-Dichloropropene	<0.50		0.50	0.095	ug/L			12/03/14 06:09	1
1,3-Dichloropropene, Total	<0.50		0.50	0.081	ug/L			12/03/14 06:09	1
Diisopropyl ether	<0.50		0.50	0.28	ug/L			12/03/14 06:09	1
Ethylbenzene	<0.50		0.50	0.099	ug/L			12/03/14 06:09	1
Ethylene Dibromide	<0.50		0.50	0.20	ug/L			12/03/14 06:09	1
Freon 113	<0.50		0.50	0.15	ug/L			12/03/14 06:09	1
Hexachlorobutadiene	<0.50		0.50	0.26	ug/L			12/03/14 06:09	1
2-Hexanone	<10		10	5.0	ug/L			12/03/14 06:09	1
Isopropylbenzene	<0.50		0.50	0.15	ug/L			12/03/14 06:09	1
4-Isopropyltoluene	<0.50		0.50	0.21	ug/L			12/03/14 06:09	1
Methylene Chloride	<0.50		0.50	0.20	ug/L			12/03/14 06:09	1
2-Butanone (MEK)	<10		10	5.0	ug/L			12/03/14 06:09	1
4-Methyl-2-pentanone (MIBK)	<10		10	5.0	ug/L			12/03/14 06:09	1
m-Xylene & p-Xylene	<0.50		0.50	0.15	ug/L			12/03/14 06:09	1
Naphthalene	<1.0		1.0	0.43	ug/L			12/03/14 06:09	1
n-Butylbenzene	<0.50		0.50	0.17	ug/L			12/03/14 06:09	1
N-Propylbenzene	<0.50		0.50	0.17	ug/L			12/03/14 06:09	1
o-Xylene	<0.50		0.50	0.086	ug/L			12/03/14 06:09	1
sec-Butylbenzene	<0.50		0.50	0.14	ug/L			12/03/14 06:09	1
Styrene	<0.50		0.50	0.089	ug/L			12/03/14 06:09	1

TestAmerica Savannah

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-107677-1

Client Sample ID: RFW-21

Lab Sample ID: 680-107677-3

Date Collected: 11/24/14 09:05

Matrix: Water

Date Received: 11/26/14 09:52

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tert-amyl methyl ether	<0.50		0.50	0.20	ug/L			12/03/14 06:09	1
tert-Butyl alcohol	<10		10	1.6	ug/L			12/03/14 06:09	1
tert-Butylbenzene	<0.50		0.50	0.14	ug/L			12/03/14 06:09	1
Tert-butyl ethyl ether	<0.50		0.50	0.26	ug/L			12/03/14 06:09	1
1,1,1,2-Tetrachloroethane	<0.50		0.50	0.24	ug/L			12/03/14 06:09	1
1,1,2,2-Tetrachloroethane	<0.50		0.50	0.13	ug/L			12/03/14 06:09	1
Tetrachloroethene	<0.50		0.50	0.18	ug/L			12/03/14 06:09	1
Toluene	<0.50		0.50	0.086	ug/L			12/03/14 06:09	1
trans-1,2-Dichloroethene	<0.50		0.50	0.090	ug/L			12/03/14 06:09	1
trans-1,3-Dichloropropene	<0.50		0.50	0.11	ug/L			12/03/14 06:09	1
1,2,3-Trichlorobenzene	<0.50		0.50	0.14	ug/L			12/03/14 06:09	1
1,2,4-Trichlorobenzene	<0.50		0.50	0.12	ug/L			12/03/14 06:09	1
1,1,1-Trichloroethane	<0.50		0.50	0.15	ug/L			12/03/14 06:09	1
1,1,2-Trichloroethane	<0.50		0.50	0.16	ug/L			12/03/14 06:09	1
Trichloroethene	<0.50		0.50	0.13	ug/L			12/03/14 06:09	1
Trichlorofluoromethane	<0.50		0.50	0.23	ug/L			12/03/14 06:09	1
1,2,3-Trichloropropane	<0.50		0.50	0.17	ug/L			12/03/14 06:09	1
Trihalomethanes, Total	<0.50		0.50	0.079	ug/L			12/03/14 06:09	1
1,2,4-Trimethylbenzene	<0.50		0.50	0.17	ug/L			12/03/14 06:09	1
1,3,5-Trimethylbenzene	<0.50		0.50	0.16	ug/L			12/03/14 06:09	1
Vinyl chloride	<0.50		0.50	0.16	ug/L			12/03/14 06:09	1
Xylenes, Total	<0.50		0.50	0.086	ug/L			12/03/14 06:09	1
Surrogate	%Recovery	Qualifier		Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	104			70 - 130				12/03/14 06:09	1
1,2-Dichlorobenzene-d4	100			70 - 130				12/03/14 06:09	1

TestAmerica Savannah

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-107677-1

Client Sample ID: HAMP-22

Date Collected: 11/25/14 09:15

Date Received: 11/26/14 09:52

Lab Sample ID: 680-107677-4

Matrix: Water

Method: 524.2 - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	<10		10	5.0	ug/L			12/03/14 15:46	1
Benzene	<0.50		0.50	0.082	ug/L			12/03/14 15:46	1
Bromobenzene	<0.50		0.50	0.091	ug/L			12/03/14 15:46	1
Bromoform	<0.50		0.50	0.17	ug/L			12/03/14 15:46	1
Bromomethane	<1.0		1.0	0.20	ug/L			12/03/14 15:46	1
Carbon tetrachloride	<0.50		0.50	0.11	ug/L			12/03/14 15:46	1
Chlorobenzene	<0.50		0.50	0.14	ug/L			12/03/14 15:46	1
Chlorobromomethane	<0.50		0.50	0.30	ug/L			12/03/14 15:46	1
Chlorodibromomethane	<0.50		0.50	0.13	ug/L			12/03/14 15:46	1
Chloroethane	<1.0		1.0	0.22	ug/L			12/03/14 15:46	1
Chloroform	0.29	J	0.50	0.20	ug/L			12/03/14 15:46	1
Chloromethane	<0.50		0.50	0.15	ug/L			12/03/14 15:46	1
2-Chlorotoluene	<0.50		0.50	0.11	ug/L			12/03/14 15:46	1
4-Chlorotoluene	<0.50		0.50	0.13	ug/L			12/03/14 15:46	1
cis-1,2-Dichloroethene	<0.50		0.50	0.090	ug/L			12/03/14 15:46	1
cis-1,3-Dichloropropene	<0.50		0.50	0.081	ug/L			12/03/14 15:46	1
1,2-Dibromo-3-Chloropropane	<0.50		0.50	0.30	ug/L			12/03/14 15:46	1
Dibromomethane	<0.50		0.50	0.16	ug/L			12/03/14 15:46	1
1,2-Dichlorobenzene	<0.50		0.50	0.16	ug/L			12/03/14 15:46	1
1,3-Dichlorobenzene	<0.50		0.50	0.11	ug/L			12/03/14 15:46	1
1,4-Dichlorobenzene	<0.50		0.50	0.13	ug/L			12/03/14 15:46	1
Dichlorobromomethane	<0.50		0.50	0.079	ug/L			12/03/14 15:46	1
Dichlorodifluoromethane	<0.50		0.50	0.34	ug/L			12/03/14 15:46	1
1,1-Dichloroethane	<0.50		0.50	0.078	ug/L			12/03/14 15:46	1
1,2-Dichloroethane	<0.50		0.50	0.086	ug/L			12/03/14 15:46	1
1,1-Dichloroethene	<0.50		0.50	0.15	ug/L			12/03/14 15:46	1
1,2-Dichloropropene	<0.50		0.50	0.096	ug/L			12/03/14 15:46	1
1,3-Dichloropropene	<0.50		0.50	0.10	ug/L			12/03/14 15:46	1
2,2-Dichloropropane	<0.50		0.50	0.20	ug/L			12/03/14 15:46	1
1,1-Dichloropropene	<0.50		0.50	0.095	ug/L			12/03/14 15:46	1
1,3-Dichloropropene, Total	<0.50		0.50	0.081	ug/L			12/03/14 15:46	1
Diisopropyl ether	<0.50		0.50	0.28	ug/L			12/03/14 15:46	1
Ethylbenzene	<0.50		0.50	0.099	ug/L			12/03/14 15:46	1
Ethylene Dibromide	<0.50		0.50	0.20	ug/L			12/03/14 15:46	1
Freon 113	<0.50		0.50	0.15	ug/L			12/03/14 15:46	1
Hexachlorobutadiene	<0.50		0.50	0.26	ug/L			12/03/14 15:46	1
2-Hexanone	<10		10	5.0	ug/L			12/03/14 15:46	1
Isopropylbenzene	<0.50		0.50	0.15	ug/L			12/03/14 15:46	1
4-Isopropyltoluene	<0.50		0.50	0.21	ug/L			12/03/14 15:46	1
Methylene Chloride	<0.50		0.50	0.20	ug/L			12/03/14 15:46	1
2-Butanone (MEK)	<10		10	5.0	ug/L			12/03/14 15:46	1
4-Methyl-2-pentanone (MIBK)	<10		10	5.0	ug/L			12/03/14 15:46	1
m-Xylene & p-Xylene	<0.50		0.50	0.15	ug/L			12/03/14 15:46	1
Naphthalene	<1.0		1.0	0.43	ug/L			12/03/14 15:46	1
n-Butylbenzene	<0.50		0.50	0.17	ug/L			12/03/14 15:46	1
N-Propylbenzene	<0.50		0.50	0.17	ug/L			12/03/14 15:46	1
o-Xylene	<0.50		0.50	0.086	ug/L			12/03/14 15:46	1
sec-Butylbenzene	<0.50		0.50	0.14	ug/L			12/03/14 15:46	1
Styrene	<0.50		0.50	0.089	ug/L			12/03/14 15:46	1

TestAmerica Savannah

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-107677-1

Client Sample ID: HAMP-22

Date Collected: 11/25/14 09:15

Date Received: 11/26/14 09:52

Lab Sample ID: 680-107677-4

Matrix: Water

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tert-amyl methyl ether	<0.50		0.50	0.20	ug/L		12/03/14 15:46	12/03/14 15:46	1
tert-Butyl alcohol	<10		10	1.6	ug/L		12/03/14 15:46	12/03/14 15:46	1
tert-Butylbenzene	<0.50		0.50	0.14	ug/L		12/03/14 15:46	12/03/14 15:46	1
Tert-butyl ethyl ether	<0.50		0.50	0.26	ug/L		12/03/14 15:46	12/03/14 15:46	1
1,1,1,2-Tetrachloroethane	<0.50		0.50	0.24	ug/L		12/03/14 15:46	12/03/14 15:46	1
1,1,2,2-Tetrachloroethane	<0.50		0.50	0.13	ug/L		12/03/14 15:46	12/03/14 15:46	1
Tetrachloroethene	<0.50		0.50	0.18	ug/L		12/03/14 15:46	12/03/14 15:46	1
Toluene	<0.50		0.50	0.086	ug/L		12/03/14 15:46	12/03/14 15:46	1
trans-1,2-Dichloroethene	<0.50		0.50	0.090	ug/L		12/03/14 15:46	12/03/14 15:46	1
trans-1,3-Dichloropropene	<0.50		0.50	0.11	ug/L		12/03/14 15:46	12/03/14 15:46	1
1,2,3-Trichlorobenzene	<0.50		0.50	0.14	ug/L		12/03/14 15:46	12/03/14 15:46	1
1,2,4-Trichlorobenzene	<0.50		0.50	0.12	ug/L		12/03/14 15:46	12/03/14 15:46	1
1,1,1-Trichloroethane	<0.50		0.50	0.15	ug/L		12/03/14 15:46	12/03/14 15:46	1
1,1,2-Trichloroethane	<0.50		0.50	0.16	ug/L		12/03/14 15:46	12/03/14 15:46	1
Trichloroethene	<0.50		0.50	0.13	ug/L		12/03/14 15:46	12/03/14 15:46	1
Trichlorofluoromethane	<0.50		0.50	0.23	ug/L		12/03/14 15:46	12/03/14 15:46	1
1,2,3-Trichloropropane	<0.50		0.50	0.17	ug/L		12/03/14 15:46	12/03/14 15:46	1
Trihalomethanes, Total	0.29 J		0.50	0.079	ug/L		12/03/14 15:46	12/03/14 15:46	1
1,2,4-Trimethylbenzene	<0.50		0.50	0.17	ug/L		12/03/14 15:46	12/03/14 15:46	1
1,3,5-Trimethylbenzene	<0.50		0.50	0.16	ug/L		12/03/14 15:46	12/03/14 15:46	1
Vinyl chloride	<0.50		0.50	0.16	ug/L		12/03/14 15:46	12/03/14 15:46	1
Xylenes, Total	<0.50		0.50	0.086	ug/L		12/03/14 15:46	12/03/14 15:46	1
Surrogate		%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene		96		70 - 130			12/03/14 15:46	12/03/14 15:46	1
1,2-Dichlorobenzene-d4		100		70 - 130			12/03/14 15:46	12/03/14 15:46	1

TestAmerica Savannah

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-107677-1

Client Sample ID: HAMP-23

Date Collected: 11/25/14 09:20

Date Received: 11/26/14 09:52

Lab Sample ID: 680-107677-5

Matrix: Water

Method: 524.2 - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	<10		10	5.0	ug/L			12/03/14 16:09	1
Benzene	<0.50		0.50	0.082	ug/L			12/03/14 16:09	1
Bromobenzene	<0.50		0.50	0.091	ug/L			12/03/14 16:09	1
Bromoform	<0.50		0.50	0.17	ug/L			12/03/14 16:09	1
Bromomethane	<1.0		1.0	0.20	ug/L			12/03/14 16:09	1
Carbon tetrachloride	<0.50		0.50	0.11	ug/L			12/03/14 16:09	1
Chlorobenzene	<0.50		0.50	0.14	ug/L			12/03/14 16:09	1
Chlorobromomethane	<0.50		0.50	0.30	ug/L			12/03/14 16:09	1
Chlorodibromomethane	<0.50		0.50	0.13	ug/L			12/03/14 16:09	1
Chloroethane	<1.0		1.0	0.22	ug/L			12/03/14 16:09	1
Chloroform	<0.50		0.50	0.20	ug/L			12/03/14 16:09	1
Chloromethane	<0.50		0.50	0.15	ug/L			12/03/14 16:09	1
2-Chlorotoluene	<0.50		0.50	0.11	ug/L			12/03/14 16:09	1
4-Chlorotoluene	<0.50		0.50	0.13	ug/L			12/03/14 16:09	1
cis-1,2-Dichloroethene	<0.50		0.50	0.090	ug/L			12/03/14 16:09	1
cis-1,3-Dichloropropene	<0.50		0.50	0.081	ug/L			12/03/14 16:09	1
1,2-Dibromo-3-Chloropropane	<0.50		0.50	0.30	ug/L			12/03/14 16:09	1
Dibromomethane	<0.50		0.50	0.16	ug/L			12/03/14 16:09	1
1,2-Dichlorobenzene	<0.50		0.50	0.16	ug/L			12/03/14 16:09	1
1,3-Dichlorobenzene	<0.50		0.50	0.11	ug/L			12/03/14 16:09	1
1,4-Dichlorobenzene	<0.50		0.50	0.13	ug/L			12/03/14 16:09	1
Dichlorobromomethane	<0.50		0.50	0.079	ug/L			12/03/14 16:09	1
Dichlorodifluoromethane	<0.50		0.50	0.34	ug/L			12/03/14 16:09	1
1,1-Dichloroethane	<0.50		0.50	0.078	ug/L			12/03/14 16:09	1
1,2-Dichloroethane	<0.50		0.50	0.086	ug/L			12/03/14 16:09	1
1,1-Dichloroethene	<0.50		0.50	0.15	ug/L			12/03/14 16:09	1
1,2-Dichloropropane	<0.50		0.50	0.096	ug/L			12/03/14 16:09	1
1,3-Dichloropropane	<0.50		0.50	0.10	ug/L			12/03/14 16:09	1
2,2-Dichloropropane	<0.50		0.50	0.20	ug/L			12/03/14 16:09	1
1,1-Dichloropropene	<0.50		0.50	0.095	ug/L			12/03/14 16:09	1
1,3-Dichloropropene, Total	<0.50		0.50	0.081	ug/L			12/03/14 16:09	1
Diisopropyl ether	<0.50		0.50	0.28	ug/L			12/03/14 16:09	1
Ethylbenzene	<0.50		0.50	0.099	ug/L			12/03/14 16:09	1
Ethylene Dibromide	<0.50		0.50	0.20	ug/L			12/03/14 16:09	1
Freon 113	<0.50		0.50	0.15	ug/L			12/03/14 16:09	1
Hexachlorobutadiene	<0.50		0.50	0.26	ug/L			12/03/14 16:09	1
2-Hexanone	<10		10	5.0	ug/L			12/03/14 16:09	1
Isopropylbenzene	<0.50		0.50	0.15	ug/L			12/03/14 16:09	1
4-Isopropyltoluene	<0.50		0.50	0.21	ug/L			12/03/14 16:09	1
Methylene Chloride	<0.50		0.50	0.20	ug/L			12/03/14 16:09	1
2-Butanone (MEK)	<10		10	5.0	ug/L			12/03/14 16:09	1
4-Methyl-2-pentanone (MIBK)	<10		10	5.0	ug/L			12/03/14 16:09	1
m-Xylene & p-Xylene	<0.50		0.50	0.15	ug/L			12/03/14 16:09	1
Naphthalene	<1.0		1.0	0.43	ug/L			12/03/14 16:09	1
n-Butylbenzene	<0.50		0.50	0.17	ug/L			12/03/14 16:09	1
N-Propylbenzene	<0.50		0.50	0.17	ug/L			12/03/14 16:09	1
o-Xylene	<0.50		0.50	0.086	ug/L			12/03/14 16:09	1
sec-Butylbenzene	<0.50		0.50	0.14	ug/L			12/03/14 16:09	1
Styrene	<0.50		0.50	0.089	ug/L			12/03/14 16:09	1

TestAmerica Savannah

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-107677-1

Client Sample ID: HAMP-23

Lab Sample ID: 680-107677-5

Date Collected: 11/25/14 09:20

Matrix: Water

Date Received: 11/26/14 09:52

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tert-amyl methyl ether	<0.50		0.50	0.20	ug/L			12/03/14 16:09	1
tert-Butyl alcohol	<10		10	1.6	ug/L			12/03/14 16:09	1
tert-Butylbenzene	<0.50		0.50	0.14	ug/L			12/03/14 16:09	1
Tert-butyl ethyl ether	<0.50		0.50	0.26	ug/L			12/03/14 16:09	1
1,1,1,2-Tetrachloroethane	<0.50		0.50	0.24	ug/L			12/03/14 16:09	1
1,1,2,2-Tetrachloroethane	<0.50		0.50	0.13	ug/L			12/03/14 16:09	1
Tetrachloroethene	<0.50		0.50	0.18	ug/L			12/03/14 16:09	1
Toluene	<0.50		0.50	0.086	ug/L			12/03/14 16:09	1
trans-1,2-Dichloroethene	<0.50		0.50	0.090	ug/L			12/03/14 16:09	1
trans-1,3-Dichloropropene	<0.50		0.50	0.11	ug/L			12/03/14 16:09	1
1,2,3-Trichlorobenzene	<0.50		0.50	0.14	ug/L			12/03/14 16:09	1
1,2,4-Trichlorobenzene	<0.50		0.50	0.12	ug/L			12/03/14 16:09	1
1,1,1-Trichloroethane	<0.50		0.50	0.15	ug/L			12/03/14 16:09	1
1,1,2-Trichloroethane	<0.50		0.50	0.16	ug/L			12/03/14 16:09	1
Trichloroethene	<0.50		0.50	0.13	ug/L			12/03/14 16:09	1
Trichlorofluoromethane	<0.50		0.50	0.23	ug/L			12/03/14 16:09	1
1,2,3-Trichloropropane	<0.50		0.50	0.17	ug/L			12/03/14 16:09	1
Trihalomethanes, Total	<0.50		0.50	0.079	ug/L			12/03/14 16:09	1
1,2,4-Trimethylbenzene	<0.50		0.50	0.17	ug/L			12/03/14 16:09	1
1,3,5-Trimethylbenzene	<0.50		0.50	0.16	ug/L			12/03/14 16:09	1
Vinyl chloride	<0.50		0.50	0.16	ug/L			12/03/14 16:09	1
Xylenes, Total	<0.50		0.50	0.086	ug/L			12/03/14 16:09	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene	102		70 - 130				12/03/14 16:09	1	
1,2-Dichlorobenzene-d4	102		70 - 130				12/03/14 16:09	1	

TestAmerica Savannah

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-107677-1

Method: 524.2 - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 680-361360/36

Matrix: Water

Analysis Batch: 361360

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone			<10		10	5.0	ug/L			12/02/14 23:32	1
Benzene			<0.50		0.50	0.082	ug/L			12/02/14 23:32	1
Bromobenzene			<0.50		0.50	0.091	ug/L			12/02/14 23:32	1
Bromoform			<0.50		0.50	0.17	ug/L			12/02/14 23:32	1
Bromomethane			<1.0		1.0	0.20	ug/L			12/02/14 23:32	1
Carbon tetrachloride			<0.50		0.50	0.11	ug/L			12/02/14 23:32	1
Chlorobenzene			<0.50		0.50	0.14	ug/L			12/02/14 23:32	1
Chlorobromomethane			<0.50		0.50	0.30	ug/L			12/02/14 23:32	1
Chlorodibromomethane			<0.50		0.50	0.13	ug/L			12/02/14 23:32	1
Chloroethane			<1.0		1.0	0.22	ug/L			12/02/14 23:32	1
Chloroform			<0.50		0.50	0.20	ug/L			12/02/14 23:32	1
Chloromethane			<0.50		0.50	0.15	ug/L			12/02/14 23:32	1
2-Chlorotoluene			<0.50		0.50	0.11	ug/L			12/02/14 23:32	1
4-Chlorotoluene			<0.50		0.50	0.13	ug/L			12/02/14 23:32	1
cis-1,2-Dichloroethene			<0.50		0.50	0.090	ug/L			12/02/14 23:32	1
cis-1,3-Dichloropropene			<0.50		0.50	0.081	ug/L			12/02/14 23:32	1
1,2-Dibromo-3-Chloropropane			<0.50		0.50	0.30	ug/L			12/02/14 23:32	1
Dibromomethane			<0.50		0.50	0.16	ug/L			12/02/14 23:32	1
1,2-Dichlorobenzene			<0.50		0.50	0.16	ug/L			12/02/14 23:32	1
1,3-Dichlorobenzene			<0.50		0.50	0.11	ug/L			12/02/14 23:32	1
1,4-Dichlorobenzene			<0.50		0.50	0.13	ug/L			12/02/14 23:32	1
Dichlorobromomethane			<0.50		0.50	0.079	ug/L			12/02/14 23:32	1
Dichlorodifluoromethane			<0.50		0.50	0.34	ug/L			12/02/14 23:32	1
1,1-Dichloroethane			<0.50		0.50	0.078	ug/L			12/02/14 23:32	1
1,2-Dichloroethane			<0.50		0.50	0.086	ug/L			12/02/14 23:32	1
1,1-Dichloroethene			<0.50		0.50	0.15	ug/L			12/02/14 23:32	1
1,2-Dichloropropane			<0.50		0.50	0.096	ug/L			12/02/14 23:32	1
1,3-Dichloropropane			<0.50		0.50	0.10	ug/L			12/02/14 23:32	1
2,2-Dichloropropane			<0.50		0.50	0.20	ug/L			12/02/14 23:32	1
1,1-Dichloropropene			<0.50		0.50	0.095	ug/L			12/02/14 23:32	1
1,3-Dichloropropene, Total			<0.50		0.50	0.081	ug/L			12/02/14 23:32	1
Diisopropyl ether			<0.50		0.50	0.28	ug/L			12/02/14 23:32	1
Ethylbenzene			<0.50		0.50	0.099	ug/L			12/02/14 23:32	1
Ethylene Dibromide			<0.50		0.50	0.20	ug/L			12/02/14 23:32	1
Freon 113			<0.50		0.50	0.15	ug/L			12/02/14 23:32	1
Hexachlorobutadiene			<0.50		0.50	0.26	ug/L			12/02/14 23:32	1
2-Hexanone			<10		10	5.0	ug/L			12/02/14 23:32	1
Isopropylbenzene			<0.50		0.50	0.15	ug/L			12/02/14 23:32	1
4-Isopropyltoluene			<0.50		0.50	0.21	ug/L			12/02/14 23:32	1
Methylene Chloride			<0.50		0.50	0.20	ug/L			12/02/14 23:32	1
2-Butanone (MEK)			<10		10	5.0	ug/L			12/02/14 23:32	1
4-Methyl-2-pentanone (MIBK)			<10		10	5.0	ug/L			12/02/14 23:32	1
m-Xylene & p-Xylene			<0.50		0.50	0.15	ug/L			12/02/14 23:32	1
Naphthalene			<1.0		1.0	0.43	ug/L			12/02/14 23:32	1
n-Butylbenzene			<0.50		0.50	0.17	ug/L			12/02/14 23:32	1
N-Propylbenzene			<0.50		0.50	0.17	ug/L			12/02/14 23:32	1
o-Xylene			<0.50		0.50	0.086	ug/L			12/02/14 23:32	1
sec-Butylbenzene			<0.50		0.50	0.14	ug/L			12/02/14 23:32	1

TestAmerica Savannah

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-107677-1

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 680-361360/36							Client Sample ID: Method Blank		
Matrix: Water							Prep Type: Total/NA		
Analysis Batch: 361360									
Analyte	MB	MB	Result	Qualifier	RL	MDL	Unit	D	Prepared
Styrene	<0.50				0.50	0.089	ug/L		12/02/14 23:32
Tert-amyl methyl ether	<0.50				0.50	0.20	ug/L		12/02/14 23:32
tert-Butyl alcohol	<10				10	1.6	ug/L		12/02/14 23:32
tert-Butylbenzene	<0.50				0.50	0.14	ug/L		12/02/14 23:32
Tert-butyl ethyl ether	<0.50				0.50	0.26	ug/L		12/02/14 23:32
1,1,1,2-Tetrachloroethane	<0.50				0.50	0.24	ug/L		12/02/14 23:32
1,1,2,2-Tetrachloroethane	<0.50				0.50	0.13	ug/L		12/02/14 23:32
Tetrachloroethene	<0.50				0.50	0.18	ug/L		12/02/14 23:32
Toluene	<0.50				0.50	0.086	ug/L		12/02/14 23:32
trans-1,2-Dichloroethene	<0.50				0.50	0.090	ug/L		12/02/14 23:32
trans-1,3-Dichloropropene	<0.50				0.50	0.11	ug/L		12/02/14 23:32
1,2,3-Trichlorobenzene	0.169	J			0.50	0.14	ug/L		12/02/14 23:32
1,2,4-Trichlorobenzene	0.193	J			0.50	0.12	ug/L		12/02/14 23:32
1,1,1-Trichloroethane	<0.50				0.50	0.15	ug/L		12/02/14 23:32
1,1,2-Trichloroethane	<0.50				0.50	0.16	ug/L		12/02/14 23:32
Trichloroethene	<0.50				0.50	0.13	ug/L		12/02/14 23:32
Trichlorofluoromethane	<0.50				0.50	0.23	ug/L		12/02/14 23:32
1,2,3-Trichloropropane	<0.50				0.50	0.17	ug/L		12/02/14 23:32
Trihalomethanes, Total	<0.50				0.50	0.079	ug/L		12/02/14 23:32
1,2,4-Trimethylbenzene	<0.50				0.50	0.17	ug/L		12/02/14 23:32
1,3,5-Trimethylbenzene	<0.50				0.50	0.16	ug/L		12/02/14 23:32
Vinyl chloride	<0.50				0.50	0.16	ug/L		12/02/14 23:32
Xylenes, Total	<0.50				0.50	0.086	ug/L		12/02/14 23:32

Surrogate	MB	MB	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene			102		70 - 130		12/02/14 23:32	1
1,2-Dichlorobenzene-d4			100		70 - 130		12/02/14 23:32	1

Lab Sample ID: LCS 680-361360/3

Matrix: Water							Client Sample ID: Lab Control Sample		
Analysis Batch: 361360							Prep Type: Total/NA		
Analyte	Spike		Added	LCS	LCS		%Rec.	Limits	
Acetone			100	121		ug/L	121	70 - 130	
Benzene			20.0	23.3		ug/L	116	70 - 130	
Bromobenzene			20.0	24.0		ug/L	120	70 - 130	
Bromoform			20.0	24.4		ug/L	122	70 - 130	
Bromomethane			20.0	21.0		ug/L	105	70 - 130	
Carbon tetrachloride			20.0	24.2		ug/L	121	70 - 130	
Chlorobenzene			20.0	23.0		ug/L	115	70 - 130	
Chlorobromomethane			20.0	24.4		ug/L	122	70 - 130	
Chlorodibromomethane			20.0	25.3		ug/L	126	70 - 130	
Chloroethane			20.0	22.2		ug/L	111	70 - 130	
Chloroform			20.0	23.2		ug/L	116	70 - 130	
Chloromethane			20.0	22.8		ug/L	114	70 - 130	
2-Chlorotoluene			20.0	23.8		ug/L	119	70 - 130	
4-Chlorotoluene			20.0	24.0		ug/L	120	70 - 130	
cis-1,2-Dichloroethene			20.0	23.4		ug/L	117	70 - 130	

TestAmerica Savannah

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-107677-1

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 680-361360/3

Matrix: Water

Analysis Batch: 361360

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
cis-1,3-Dichloropropene	20.0	24.1		ug/L	120	70 - 130	
1,2-Dibromo-3-Chloropropane	20.0	24.7		ug/L	124	70 - 130	
Dibromomethane	20.0	22.8		ug/L	114	70 - 130	
1,2-Dichlorobenzene	20.0	24.3		ug/L	121	70 - 130	
1,3-Dichlorobenzene	20.0	23.9		ug/L	119	70 - 130	
1,4-Dichlorobenzene	20.0	23.8		ug/L	119	70 - 130	
Dichlorobromomethane	20.0	24.5		ug/L	123	70 - 130	
Dichlorodifluoromethane	20.0	23.7		ug/L	119	70 - 130	
1,1-Dichloroethane	20.0	22.8		ug/L	114	70 - 130	
1,2-Dichloroethane	20.0	23.5		ug/L	117	70 - 130	
1,1-Dichloroethene	20.0	21.6		ug/L	108	70 - 130	
1,2-Dichloropropane	20.0	23.3		ug/L	116	70 - 130	
1,3-Dichloropropane	20.0	23.4		ug/L	117	70 - 130	
2,2-Dichloropropane	20.0	24.3		ug/L	122	70 - 130	
1,1-Dichloropropene	20.0	23.8		ug/L	119	70 - 130	
1,3-Dichloropropene, Total	40.0	48.0		ug/L	120	70 - 130	
Diisopropyl ether	20.0	22.5		ug/L	113	70 - 130	
Ethylbenzene	20.0	23.6		ug/L	118	70 - 130	
Ethylene Dibromide	20.0	25.2		ug/L	126	70 - 130	
Freon 113	20.0	22.6		ug/L	113	70 - 130	
Hexachlorobutadiene	20.0	25.2		ug/L	126	70 - 130	
2-Hexanone	100	123		ug/L	123	70 - 130	
Isopropylbenzene	20.0	24.3		ug/L	121	70 - 130	
4-Isopropyltoluene	20.0	24.5		ug/L	123	70 - 130	
Methylene Chloride	20.0	20.6		ug/L	103	70 - 130	
2-Butanone (MEK)	100	114		ug/L	114	70 - 130	
4-Methyl-2-pentanone (MIBK)	100	121		ug/L	121	70 - 130	
m-Xylene & p-Xylene	20.0	24.3		ug/L	122	70 - 130	
Naphthalene	20.0	25.0		ug/L	125	70 - 130	
n-Butylbenzene	20.0	24.6		ug/L	123	70 - 130	
N-Propylbenzene	20.0	24.1		ug/L	121	70 - 130	
o-Xylene	20.0	23.4		ug/L	117	70 - 130	
sec-Butylbenzene	20.0	24.4		ug/L	122	70 - 130	
Styrene	20.0	24.2		ug/L	121	70 - 130	
Tert-amyl methyl ether	20.0	23.2		ug/L	116	70 - 130	
tert-Butyl alcohol	200	235		ug/L	118	70 - 130	
tert-Butylbenzene	20.0	24.5		ug/L	123	70 - 130	
Tert-butyl ethyl ether	20.0	21.8		ug/L	109	70 - 130	
1,1,1,2-Tetrachloroethane	20.0	24.8		ug/L	124	70 - 130	
1,1,2,2-Tetrachloroethane	20.0	23.6		ug/L	118	70 - 130	
Tetrachloroethene	20.0	23.3		ug/L	116	70 - 130	
Toluene	20.0	22.5		ug/L	113	70 - 130	
trans-1,2-Dichloroethene	20.0	22.9		ug/L	115	70 - 130	
trans-1,3-Dichloropropene	20.0	23.9		ug/L	120	70 - 130	
1,2,3-Trichlorobenzene	20.0	24.1		ug/L	120	70 - 130	
1,2,4-Trichlorobenzene	20.0	25.0		ug/L	125	70 - 130	
1,1,1-Trichloroethane	20.0	23.7		ug/L	119	70 - 130	
1,1,2-Trichloroethane	20.0	24.1		ug/L	121	70 - 130	

TestAmerica Savannah

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-107677-1

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 680-361360/3			Client Sample ID: Lab Control Sample Prep Type: Total/NA							
Matrix: Water	Analysis Batch: 361360		Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec.	Limits
Trichloroethene			20.0	23.2		ug/L		116	70 - 130	
Trichlorofluoromethane			20.0	25.4		ug/L		127	70 - 130	
1,2,3-Trichloropropane			20.0	24.1		ug/L		121	70 - 130	
Trihalomethanes, Total			80.0	97.4		ug/L		122	70 - 130	
1,2,4-Trimethylbenzene			20.0	24.4		ug/L		122	70 - 130	
1,3,5-Trimethylbenzene			20.0	23.6		ug/L		118	70 - 130	
Vinyl chloride			20.0	22.3		ug/L		112	70 - 130	
Xylenes, Total			40.0	47.8		ug/L		119	70 - 130	
Surrogate			LCS Surrogate	LCS %Recovery	Qualifier	Limits				
4-Bromofluorobenzene			108			70 - 130				
1,2-Dichlorobenzene-d4			110			70 - 130				

Lab Sample ID: LCSD 680-361360/4

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Matrix: Water
Analysis Batch: 361360

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec.	RPD	Limit
Acetone	100	98.4		ug/L		98	70 - 130	21	30
Benzene	20.0	22.2		ug/L		111	70 - 130	5	30
Bromobenzene	20.0	22.4		ug/L		112	70 - 130	7	30
Bromoform	20.0	22.0		ug/L		110	70 - 130	10	30
Bromomethane	20.0	21.8		ug/L		109	70 - 130	3	30
Carbon tetrachloride	20.0	23.0		ug/L		115	70 - 130	5	30
Chlorobenzene	20.0	21.6		ug/L		108	70 - 130	6	30
Chlorobromomethane	20.0	22.4		ug/L		112	70 - 130	8	30
Chlorodibromomethane	20.0	22.5		ug/L		113	70 - 130	11	30
Chloroethane	20.0	22.4		ug/L		112	70 - 130	1	30
Chloroform	20.0	21.5		ug/L		107	70 - 130	8	30
Chloromethane	20.0	20.9		ug/L		104	70 - 130	9	30
2-Chlorotoluene	20.0	22.4		ug/L		112	70 - 130	6	30
4-Chlorotoluene	20.0	22.2		ug/L		111	70 - 130	7	30
cis-1,2-Dichloroethene	20.0	22.4		ug/L		112	70 - 130	4	30
cis-1,3-Dichloropropene	20.0	22.1		ug/L		110	70 - 130	9	30
1,2-Dibromo-3-Chloropropane	20.0	21.9		ug/L		109	70 - 130	12	30
Dibromomethane	20.0	21.0		ug/L		105	70 - 130	8	30
1,2-Dichlorobenzene	20.0	21.7		ug/L		108	70 - 130	11	30
1,3-Dichlorobenzene	20.0	22.6		ug/L		113	70 - 130	6	30
1,4-Dichlorobenzene	20.0	22.1		ug/L		111	70 - 130	7	30
Dichlorobromomethane	20.0	22.2		ug/L		111	70 - 130	10	30
Dichlorodifluoromethane	20.0	22.7		ug/L		114	70 - 130	4	30
1,1-Dichloroethane	20.0	21.5		ug/L		108	70 - 130	6	30
1,2-Dichloroethane	20.0	21.3		ug/L		107	70 - 130	10	30
1,1-Dichloroethene	20.0	21.3		ug/L		106	70 - 130	2	30
1,2-Dichloropropane	20.0	22.0		ug/L		110	70 - 130	6	30
1,3-Dichloropropane	20.0	21.8		ug/L		109	70 - 130	7	30
2,2-Dichloropropane	20.0	23.4		ug/L		117	70 - 130	4	30
1,1-Dichloropropene	20.0	21.8		ug/L		109	70 - 130	9	30

TestAmerica Savannah

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-107677-1

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 680-361360/4

Matrix: Water

Analysis Batch: 361360

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	Limits	RPD	RPD Limit
1,3-Dichloropropene, Total	40.0	44.5		ug/L	111	70 - 130	8	30	
Diisopropyl ether	20.0	20.8		ug/L	104	70 - 130	8	30	
Ethylbenzene	20.0	22.1		ug/L	110	70 - 130	7	30	
Ethylene Dibromide	20.0	22.6		ug/L	113	70 - 130	11	30	
Freon 113	20.0	23.1		ug/L	115	70 - 130	2	30	
Hexachlorobutadiene	20.0	23.0		ug/L	115	70 - 130	9	30	
2-Hexanone	100	122		ug/L	122	70 - 130	0	30	
Isopropylbenzene	20.0	22.9		ug/L	115	70 - 130	6	30	
4-Isopropyltoluene	20.0	23.4		ug/L	117	70 - 130	5	30	
Methylene Chloride	20.0	19.9		ug/L	100	70 - 130	3	30	
2-Butanone (MEK)	100	103		ug/L	103	70 - 130	9	30	
4-Methyl-2-pentanone (MIBK)	100	109		ug/L	109	70 - 130	11	30	
m-Xylene & p-Xylene	20.0	22.3		ug/L	112	70 - 130	9	30	
Naphthalene	20.0	23.5		ug/L	118	70 - 130	6	30	
n-Butylbenzene	20.0	23.6		ug/L	118	70 - 130	4	30	
N-Propylbenzene	20.0	22.6		ug/L	113	70 - 130	7	30	
o-Xylene	20.0	21.8		ug/L	109	70 - 130	7	30	
sec-Butylbenzene	20.0	23.2		ug/L	116	70 - 130	5	30	
Styrene	20.0	22.3		ug/L	112	70 - 130	8	30	
Tert-amyl methyl ether	20.0	21.0		ug/L	105	70 - 130	10	30	
tert-Butyl alcohol	200	206		ug/L	103	70 - 130	13	30	
tert-Butylbenzene	20.0	23.0		ug/L	115	70 - 130	6	30	
Tert-butyl ethyl ether	20.0	20.0		ug/L	100	70 - 130	9	30	
1,1,1,2-Tetrachloroethane	20.0	22.2		ug/L	111	70 - 130	11	30	
1,1,2,2-Tetrachloroethane	20.0	21.2		ug/L	106	70 - 130	10	30	
Tetrachloroethene	20.0	22.0		ug/L	110	70 - 130	6	30	
Toluene	20.0	21.1		ug/L	106	70 - 130	6	30	
trans-1,2-Dichloroethene	20.0	21.5		ug/L	107	70 - 130	7	30	
trans-1,3-Dichloropropene	20.0	22.4		ug/L	112	70 - 130	7	30	
1,2,3-Trichlorobenzene	20.0	22.7		ug/L	113	70 - 130	6	30	
1,2,4-Trichlorobenzene	20.0	23.1		ug/L	116	70 - 130	8	30	
1,1,1-Trichloroethane	20.0	22.4		ug/L	112	70 - 130	6	30	
1,1,2-Trichloroethane	20.0	21.5		ug/L	108	70 - 130	11	30	
Trichloroethene	20.0	22.1		ug/L	111	70 - 130	5	30	
Trichlorofluoromethane	20.0	23.4		ug/L	117	70 - 130	8	30	
1,2,3-Trichloropropane	20.0	22.5		ug/L	112	70 - 130	7	30	
Trihalomethanes, Total	80.0	88.2		ug/L	110	70 - 130	10	30	
1,2,4-Trimethylbenzene	20.0	23.0		ug/L	115	70 - 130	6	30	
1,3,5-Trimethylbenzene	20.0	22.8		ug/L	114	70 - 130	4	30	
Vinyl chloride	20.0	22.1		ug/L	110	70 - 130	1	30	
Xylenes, Total	40.0	44.1		ug/L	110	70 - 130	8	30	

Surrogate	LCSD	LCSD	
	%Recovery	Qualifier	Limits
4-Bromofluorobenzene	106		70 - 130
1,2-Dichlorobenzene-d4	111		70 - 130

TestAmerica Savannah

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-107677-1

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 680-361379/9 Matrix: Water Analysis Batch: 361379							Client Sample ID: Method Blank Prep Type: Total/NA				
Analyte	MB	MB	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone			<10		10	5.0	ug/L			12/03/14 11:56	1
Benzene			<0.50		0.50	0.082	ug/L			12/03/14 11:56	1
Bromobenzene			<0.50		0.50	0.091	ug/L			12/03/14 11:56	1
Bromoform			<0.50		0.50	0.17	ug/L			12/03/14 11:56	1
Bromomethane			<1.0		1.0	0.20	ug/L			12/03/14 11:56	1
Carbon tetrachloride			<0.50		0.50	0.11	ug/L			12/03/14 11:56	1
Chlorobenzene			<0.50		0.50	0.14	ug/L			12/03/14 11:56	1
Chlorobromomethane			<0.50		0.50	0.30	ug/L			12/03/14 11:56	1
Chlorodibromomethane			<0.50		0.50	0.13	ug/L			12/03/14 11:56	1
Chloroethane			<1.0		1.0	0.22	ug/L			12/03/14 11:56	1
Chloroform			<0.50		0.50	0.20	ug/L			12/03/14 11:56	1
Chloromethane			<0.50		0.50	0.15	ug/L			12/03/14 11:56	1
2-Chlorotoluene			<0.50		0.50	0.11	ug/L			12/03/14 11:56	1
4-Chlorotoluene			<0.50		0.50	0.13	ug/L			12/03/14 11:56	1
cis-1,2-Dichloroethene			<0.50		0.50	0.090	ug/L			12/03/14 11:56	1
cis-1,3-Dichloropropene			<0.50		0.50	0.081	ug/L			12/03/14 11:56	1
1,2-Dibromo-3-Chloropropane			<0.50		0.50	0.30	ug/L			12/03/14 11:56	1
Dibromomethane			<0.50		0.50	0.16	ug/L			12/03/14 11:56	1
1,2-Dichlorobenzene			<0.50		0.50	0.16	ug/L			12/03/14 11:56	1
1,3-Dichlorobenzene			<0.50		0.50	0.11	ug/L			12/03/14 11:56	1
1,4-Dichlorobenzene			<0.50		0.50	0.13	ug/L			12/03/14 11:56	1
Dichlorobromomethane			<0.50		0.50	0.079	ug/L			12/03/14 11:56	1
Dichlorodifluoromethane			<0.50		0.50	0.34	ug/L			12/03/14 11:56	1
1,1-Dichloroethane			<0.50		0.50	0.078	ug/L			12/03/14 11:56	1
1,2-Dichloroethane			<0.50		0.50	0.086	ug/L			12/03/14 11:56	1
1,1-Dichloroethene			<0.50		0.50	0.15	ug/L			12/03/14 11:56	1
1,2-Dichloropropane			<0.50		0.50	0.096	ug/L			12/03/14 11:56	1
1,3-Dichloropropane			<0.50		0.50	0.10	ug/L			12/03/14 11:56	1
2,2-Dichloropropane			<0.50		0.50	0.20	ug/L			12/03/14 11:56	1
1,1-Dichloropropene			<0.50		0.50	0.095	ug/L			12/03/14 11:56	1
1,3-Dichloropropene, Total			<0.50		0.50	0.081	ug/L			12/03/14 11:56	1
Diisopropyl ether			<0.50		0.50	0.28	ug/L			12/03/14 11:56	1
Ethylbenzene			<0.50		0.50	0.099	ug/L			12/03/14 11:56	1
Ethylene Dibromide			<0.50		0.50	0.20	ug/L			12/03/14 11:56	1
Freon 113			<0.50		0.50	0.15	ug/L			12/03/14 11:56	1
Hexachlorobutadiene			<0.50		0.50	0.26	ug/L			12/03/14 11:56	1
2-Hexanone			<10		10	5.0	ug/L			12/03/14 11:56	1
Isopropylbenzene			<0.50		0.50	0.15	ug/L			12/03/14 11:56	1
4-Isopropyltoluene			<0.50		0.50	0.21	ug/L			12/03/14 11:56	1
Methylene Chloride			<0.50		0.50	0.20	ug/L			12/03/14 11:56	1
2-Butanone (MEK)			<10		10	5.0	ug/L			12/03/14 11:56	1
4-Methyl-2-pentanone (MIBK)			<10		10	5.0	ug/L			12/03/14 11:56	1
m-Xylene & p-Xylene			<0.50		0.50	0.15	ug/L			12/03/14 11:56	1
Naphthalene			<1.0		1.0	0.43	ug/L			12/03/14 11:56	1
n-Butylbenzene			<0.50		0.50	0.17	ug/L			12/03/14 11:56	1
N-Propylbenzene			<0.50		0.50	0.17	ug/L			12/03/14 11:56	1
o-Xylene			<0.50		0.50	0.086	ug/L			12/03/14 11:56	1
sec-Butylbenzene			<0.50		0.50	0.14	ug/L			12/03/14 11:56	1

TestAmerica Savannah

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-107677-1

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 680-361379/9

Matrix: Water

Analysis Batch: 361379

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Styrene	<0.50				0.50	0.089	ug/L			12/03/14 11:56	1
Tert-amyl methyl ether	<0.50				0.50	0.20	ug/L			12/03/14 11:56	1
tert-Butyl alcohol	<10				10	1.6	ug/L			12/03/14 11:56	1
tert-Butylbenzene	<0.50				0.50	0.14	ug/L			12/03/14 11:56	1
Tert-butyl ethyl ether	<0.50				0.50	0.26	ug/L			12/03/14 11:56	1
1,1,1,2-Tetrachloroethane	<0.50				0.50	0.24	ug/L			12/03/14 11:56	1
1,1,2,2-Tetrachloroethane	<0.50				0.50	0.13	ug/L			12/03/14 11:56	1
Tetrachloroethene	<0.50				0.50	0.18	ug/L			12/03/14 11:56	1
Toluene	<0.50				0.50	0.086	ug/L			12/03/14 11:56	1
trans-1,2-Dichloroethene	<0.50				0.50	0.090	ug/L			12/03/14 11:56	1
trans-1,3-Dichloropropene	<0.50				0.50	0.11	ug/L			12/03/14 11:56	1
1,2,3-Trichlorobenzene	<0.50				0.50	0.14	ug/L			12/03/14 11:56	1
1,2,4-Trichlorobenzene	<0.50				0.50	0.12	ug/L			12/03/14 11:56	1
1,1,1-Trichloroethane	<0.50				0.50	0.15	ug/L			12/03/14 11:56	1
1,1,2-Trichloroethane	<0.50				0.50	0.16	ug/L			12/03/14 11:56	1
Trichloroethene	<0.50				0.50	0.13	ug/L			12/03/14 11:56	1
Trichlorofluoromethane	<0.50				0.50	0.23	ug/L			12/03/14 11:56	1
1,2,3-Trichloropropane	<0.50				0.50	0.17	ug/L			12/03/14 11:56	1
Trihalomethanes, Total	<0.50				0.50	0.079	ug/L			12/03/14 11:56	1
1,2,4-Trimethylbenzene	<0.50				0.50	0.17	ug/L			12/03/14 11:56	1
1,3,5-Trimethylbenzene	<0.50				0.50	0.16	ug/L			12/03/14 11:56	1
Vinyl chloride	<0.50				0.50	0.16	ug/L			12/03/14 11:56	1
Xylenes, Total	<0.50				0.50	0.086	ug/L			12/03/14 11:56	1

MB MB

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	107		70 - 130		12/03/14 11:56	1
1,2-Dichlorobenzene-d4	103		70 - 130		12/03/14 11:56	1

Lab Sample ID: LCS 680-361379/3

Matrix: Water

Analysis Batch: 361379

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec.	Limits
Acetone	100	108		ug/L		108	70 - 130	
Benzene	20.0	22.3		ug/L		111	70 - 130	
Bromobenzene	20.0	22.7		ug/L		113	70 - 130	
Bromoform	20.0	22.7		ug/L		114	70 - 130	
Bromomethane	20.0	21.1		ug/L		105	70 - 130	
Carbon tetrachloride	20.0	23.5		ug/L		117	70 - 130	
Chlorobenzene	20.0	22.6		ug/L		113	70 - 130	
Chlorobromomethane	20.0	23.7		ug/L		118	70 - 130	
Chlorodibromomethane	20.0	22.7		ug/L		113	70 - 130	
Chloroethane	20.0	21.2		ug/L		106	70 - 130	
Chloroform	20.0	22.7		ug/L		113	70 - 130	
Chloromethane	20.0	21.0		ug/L		105	70 - 130	
2-Chlorotoluene	20.0	23.3		ug/L		116	70 - 130	
4-Chlorotoluene	20.0	23.0		ug/L		115	70 - 130	
cis-1,2-Dichloroethene	20.0	22.9		ug/L		115	70 - 130	

TestAmerica Savannah

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-107677-1

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 680-361379/3		Client Sample ID: Lab Control Sample Prep Type: Total/NA					
Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec.
cis-1,3-Dichloropropene	20.0	22.5		ug/L	112	70 - 130	
1,2-Dibromo-3-Chloropropane	20.0	21.7		ug/L	109	70 - 130	
Dibromomethane	20.0	22.0		ug/L	110	70 - 130	
1,2-Dichlorobenzene	20.0	23.0		ug/L	115	70 - 130	
1,3-Dichlorobenzene	20.0	22.8		ug/L	114	70 - 130	
1,4-Dichlorobenzene	20.0	22.9		ug/L	115	70 - 130	
Dichlorobromomethane	20.0	23.1		ug/L	115	70 - 130	
Dichlorodifluoromethane	20.0	23.7		ug/L	119	70 - 130	
1,1-Dichloroethane	20.0	22.6		ug/L	113	70 - 130	
1,2-Dichloroethane	20.0	22.4		ug/L	112	70 - 130	
1,1-Dichloroethene	20.0	21.4		ug/L	107	70 - 130	
1,2-Dichloropropane	20.0	22.5		ug/L	112	70 - 130	
1,3-Dichloropropane	20.0	21.3		ug/L	106	70 - 130	
2,2-Dichloropropane	20.0	23.3		ug/L	116	70 - 130	
1,1-Dichloropropene	20.0	22.5		ug/L	113	70 - 130	
1,3-Dichloropropene, Total	40.0	45.2		ug/L	113	70 - 130	
Diisopropyl ether	20.0	21.3		ug/L	106	70 - 130	
Ethylbenzene	20.0	23.1		ug/L	115	70 - 130	
Ethylene Dibromide	20.0	23.5		ug/L	117	70 - 130	
Freon 113	20.0	23.5		ug/L	117	70 - 130	
Hexachlorobutadiene	20.0	24.7		ug/L	124	70 - 130	
2-Hexanone	100	115		ug/L	115	70 - 130	
Isopropylbenzene	20.0	24.0		ug/L	120	70 - 130	
4-Isopropyltoluene	20.0	24.6		ug/L	123	70 - 130	
Methylene Chloride	20.0	19.7		ug/L	99	70 - 130	
2-Butanone (MEK)	100	107		ug/L	107	70 - 130	
4-Methyl-2-pentanone (MIBK)	100	105		ug/L	105	70 - 130	
m-Xylene & p-Xylene	20.0	23.1		ug/L	116	70 - 130	
Naphthalene	20.0	23.7		ug/L	119	70 - 130	
n-Butylbenzene	20.0	24.2		ug/L	121	70 - 130	
N-Propylbenzene	20.0	23.8		ug/L	119	70 - 130	
o-Xylene	20.0	22.6		ug/L	113	70 - 130	
sec-Butylbenzene	20.0	23.7		ug/L	118	70 - 130	
Styrene	20.0	23.4		ug/L	117	70 - 130	
Tert-amyl methyl ether	20.0	21.9		ug/L	109	70 - 130	
tert-Butyl alcohol	200	212		ug/L	106	70 - 130 ^a	
tert-Butylbenzene	20.0	23.8		ug/L	119	70 - 130	
Tert-butyl ethyl ether	20.0	20.8		ug/L	104	70 - 130	
1,1,1,2-Tetrachloroethane	20.0	24.6		ug/L	123	70 - 130	
1,1,2,2-Tetrachloroethane	20.0	23.1		ug/L	115	70 - 130	
Tetrachloroethene	20.0	22.7		ug/L	114	70 - 130	
Toluene	20.0	21.9		ug/L	110	70 - 130	
trans-1,2-Dichloroethene	20.0	20.9		ug/L	105	70 - 130	
trans-1,3-Dichloropropene	20.0	22.7		ug/L	114	70 - 130	
1,2,3-Trichlorobenzene	20.0	23.7		ug/L	118	70 - 130	
1,2,4-Trichlorobenzene	20.0	24.0		ug/L	120	70 - 130	
1,1,1-Trichloroethane	20.0	23.3		ug/L	117	70 - 130	
1,1,2-Trichloroethane	20.0	23.0		ug/L	115	70 - 130	

TestAmerica Savannah

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-107677-1

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 680-361379/3

Matrix: Water

Analysis Batch: 361379

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec.	Limits
Trichloroethene	20.0	23.4		ug/L		117	70 - 130	
Trichlorofluoromethane	20.0	24.2		ug/L		121	70 - 130	
1,2,3-Trichloropropane	20.0	22.7		ug/L		113	70 - 130	
Trihalomethanes, Total	80.0	91.2		ug/L		114	70 - 130	
1,2,4-Trimethylbenzene	20.0	24.2		ug/L		121	70 - 130	
1,3,5-Trimethylbenzene	20.0	23.8		ug/L		119	70 - 130	
Vinyl chloride	20.0	22.7		ug/L		113	70 - 130	
Xylenes, Total	40.0	45.7		ug/L		114	70 - 130	

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene	110		70 - 130
1,2-Dichlorobenzene-d4	109		70 - 130

Lab Sample ID: LCSD 680-361379/4

Matrix: Water

Analysis Batch: 361379

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec.	RPD	RPD Limit
Acetone	100	102		ug/L		102	70 - 130	6	30
Benzene	20.0	21.6		ug/L		108	70 - 130	3	30
Bromobenzene	20.0	22.9		ug/L		115	70 - 130	1	30
Bromoform	20.0	21.9		ug/L		109	70 - 130	4	30
Bromomethane	20.0	20.7		ug/L		103	70 - 130	2	30
Carbon tetrachloride	20.0	23.1		ug/L		116	70 - 130	1	30
Chlorobenzene	20.0	22.2		ug/L		111	70 - 130	2	30
Chlorobromomethane	20.0	22.1		ug/L		110	70 - 130	7	30
Chlorodibromomethane	20.0	22.7		ug/L		114	70 - 130	0	30
Chloroethane	20.0	22.7		ug/L		113	70 - 130	7	30
Chloroform	20.0	22.5		ug/L		112	70 - 130	1	30
Chloromethane	20.0	19.9		ug/L		99	70 - 130	6	30
2-Chlorotoluene	20.0	22.4		ug/L		112	70 - 130	4	30
4-Chlorotoluene	20.0	22.4		ug/L		112	70 - 130	3	30
cis-1,2-Dichloroethene	20.0	22.5		ug/L		112	70 - 130	2	30
cis-1,3-Dichloropropene	20.0	21.7		ug/L		108	70 - 130	4	30
1,2-Dibromo-3-Chloropropane	20.0	21.1		ug/L		106	70 - 130	3	30
Dibromomethane	20.0	20.9		ug/L		104	70 - 130	5	30
1,2-Dichlorobenzene	20.0	22.3		ug/L		111	70 - 130	3	30
1,3-Dichlorobenzene	20.0	22.8		ug/L		114	70 - 130	0	30
1,4-Dichlorobenzene	20.0	22.0		ug/L		110	70 - 130	4	30
Dichlorobromomethane	20.0	22.8		ug/L		114	70 - 130	1	30
Dichlorodifluoromethane	20.0	23.2		ug/L		116	70 - 130	2	30
1,1-Dichloroethane	20.0	22.5		ug/L		112	70 - 130	0	30
1,2-Dichloroethane	20.0	22.0		ug/L		110	70 - 130	2	30
1,1-Dichloroethene	20.0	21.8		ug/L		109	70 - 130	2	30
1,2-Dichloropropane	20.0	21.2		ug/L		106	70 - 130	6	30
1,3-Dichloropropane	20.0	21.5		ug/L		108	70 - 130	1	30
2,2-Dichloropropane	20.0	23.1		ug/L		115	70 - 130	1	30
1,1-Dichloropropene	20.0	22.9		ug/L		115	70 - 130	2	30

TestAmerica Savannah

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-107677-1

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 680-361379/4			Client Sample ID: Lab Control Sample Dup Prep Type: Total/NA							
Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	Limits	RPD	RPD Limit	
1,3-Dichloropropene, Total	40.0	44.2		ug/L	111	70 - 130	2	30		
Diisopropyl ether	20.0	21.6		ug/L	108	70 - 130	1	30		
Ethylbenzene	20.0	22.4		ug/L	112	70 - 130	3	30		
Ethylene Dibromide	20.0	22.9		ug/L	114	70 - 130	3	30		
Freon 113	20.0	23.0		ug/L	115	70 - 130	2	30		
Hexachlorobutadiene	20.0	24.2		ug/L	121	70 - 130	2	30		
2-Hexanone	100	104		ug/L	104	70 - 130	10	30		
Isopropylbenzene	20.0	23.6		ug/L	118	70 - 130	2	30		
4-Isopropyltoluene	20.0	23.7		ug/L	118	70 - 130	4	30		
Methylene Chloride	20.0	20.0		ug/L	100	70 - 130	1	30		
2-Butanone (MEK)	100	106		ug/L	106	70 - 130	2	30		
4-Methyl-2-pentanone (MIBK)	100	108		ug/L	108	70 - 130	3	30		
m-Xylene & p-Xylene	20.0	22.4		ug/L	112	70 - 130	3	30		
Naphthalene	20.0	23.3		ug/L	117	70 - 130	2	30		
n-Butylbenzene	20.0	24.0		ug/L	120	70 - 130	1	30		
N-Propylbenzene	20.0	23.2		ug/L	116	70 - 130	3	30		
o-Xylene	20.0	22.3		ug/L	111	70 - 130	1	30		
sec-Butylbenzene	20.0	23.7		ug/L	119	70 - 130	0	30		
Styrene	20.0	23.0		ug/L	115	70 - 130	2	30		
Tert-amyl methyl ether	20.0	21.8		ug/L	109	70 - 130	1	30		
tert-Butyl alcohol	200	215		ug/L	107	70 - 130	1	30		
tert-Butylbenzene	20.0	23.1		ug/L	115	70 - 130	3	30		
Tert-butyl ethyl ether	20.0	20.2		ug/L	101	70 - 130	3	30		
1,1,1,2-Tetrachloroethane	20.0	23.0		ug/L	115	70 - 130	7	30		
1,1,2,2-Tetrachloroethane	20.0	21.8		ug/L	109	70 - 130	5	30		
Tetrachloroethene	20.0	21.8		ug/L	109	70 - 130	4	30		
Toluene	20.0	21.9		ug/L	109	70 - 130	0	30		
trans-1,2-Dichloroethene	20.0	21.5		ug/L	108	70 - 130	3	30		
trans-1,3-Dichloropropene	20.0	22.5		ug/L	113	70 - 130	1	30		
1,2,3-Trichlorobenzene	20.0	23.2		ug/L	116	70 - 130	2	30		
1,2,4-Trichlorobenzene	20.0	23.3		ug/L	117	70 - 130	3	30		
1,1,1-Trichloroethane	20.0	23.0		ug/L	115	70 - 130	1	30		
1,1,2-Trichloroethane	20.0	22.1		ug/L	111	70 - 130	4	30		
Trichloroethene	20.0	23.0		ug/L	115	70 - 130	2	30		
Trichlorofluoromethane	20.0	24.0		ug/L	120	70 - 130	1	30		
1,2,3-Trichloropropane	20.0	22.3		ug/L	111	70 - 130	2	30		
Trihalomethanes, Total	80.0	89.9		ug/L	112	70 - 130	1	30		
1,2,4-Trimethylbenzene	20.0	23.3		ug/L	116	70 - 130	4	30		
1,3,5-Trimethylbenzene	20.0	23.3		ug/L	117	70 - 130	2	30		
Vinyl chloride	20.0	21.7		ug/L	109	70 - 130	4	30		
Xylenes, Total	40.0	44.7		ug/L	112	70 - 130	2	30		

Surrogate	LCSD	LCSD	
	%Recovery	Qualifier	Limits
4-Bromofluorobenzene	104		70 - 130
1,2-Dichlorobenzene-d4	107		70 - 130

TestAmerica Savannah

QC Association Summary

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-107677-1

GC/MS VOA

Analysis Batch: 361360

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-107677-1	Trip Blank	Total/NA	Water	524.2	
680-107677-2	RFW-20	Total/NA	Water	524.2	
680-107677-3	RFW-21	Total/NA	Water	524.2	
LCS 680-361360/3	Lab Control Sample	Total/NA	Water	524.2	
LCSD 680-361360/4	Lab Control Sample Dup	Total/NA	Water	524.2	
MB 680-361360/36	Method Blank	Total/NA	Water	524.2	

Analysis Batch: 361379

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-107677-4	HAMP-22	Total/NA	Water	524.2	
680-107677-5	HAMP-23	Total/NA	Water	524.2	
LCS 680-361379/3	Lab Control Sample	Total/NA	Water	524.2	
LCSD 680-361379/4	Lab Control Sample Dup	Total/NA	Water	524.2	
MB 680-361379/9	Method Blank	Total/NA	Water	524.2	

TestAmerica Savannah

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-107677-1

Client Sample ID: Trip Blank

Date Collected: 11/24/14 07:00

Date Received: 11/26/14 09:52

Lab Sample ID: 680-107677-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	524.2		1	5 mL	5 mL	361360	12/03/14 00:41	CAR	TAL SAV

Instrument ID: CMSU

Client Sample ID: RFW-20

Date Collected: 11/24/14 08:10

Date Received: 11/26/14 09:52

Lab Sample ID: 680-107677-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	524.2		1	5 mL	5 mL	361360	12/03/14 05:46	CAR	TAL SAV

Instrument ID: CMSU

Client Sample ID: RFW-21

Date Collected: 11/24/14 09:05

Date Received: 11/26/14 09:52

Lab Sample ID: 680-107677-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	524.2		1	5 mL	5 mL	361360	12/03/14 06:09	CAR	TAL SAV

Instrument ID: CMSU

Client Sample ID: HAMP-22

Date Collected: 11/25/14 09:15

Date Received: 11/26/14 09:52

Lab Sample ID: 680-107677-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	524.2		1	5 mL	5 mL	361379	12/03/14 15:46	CAR	TAL SAV

Instrument ID: CMSU

Client Sample ID: HAMP-23

Date Collected: 11/25/14 09:20

Date Received: 11/26/14 09:52

Lab Sample ID: 680-107677-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	524.2		1	5 mL	5 mL	361379	12/03/14 16:09	CAR	TAL SAV

Instrument ID: CMSU

Laboratory References:

TAL SAV = TestAmerica Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858

TestAmerica Savannah

ANALYSIS REQUEST AND CHAIN OF CUSTODY RECORD					<input type="checkbox"/> TestAmerica Savannah 5102 LaRoche Avenue Savannah, GA 31404		<input type="checkbox"/> Alternate Laboratory Name/Location Phone: Fax:		Website: www.testamericainc.com Phone: (912) 354-7858 Fax: (912) 352-0165		
TestAmerica THE LEADER IN ENVIRONMENTAL TESTING											
PROJECT REFERENCE <i>Black + Decker</i>		PROJECT NO. <i>02501.004.005</i>		PROJECT LOCATION (STATE) <i>MD</i>		MATRIX TYPE		REQUIRED ANALYSIS		PAGE <i>1</i> OF <i>1</i>	
TAL (LAB) PROJECT MANAGER <i>LISA HARVEY</i>		P.O. NUMBER		CONTRACT NO.						STANDARD REPORT DELIVERY <i>D</i>	
CLIENT (SITE) PM <i>Tom Caronet</i>		CLIENT PHONE <i>610.701.3799</i>		CLIENT FAX						DATE DUE	
CLIENT NAME <i>Weston Solutions</i>		CLIENT E-MAIL <i>Grey Fleischk</i>								EXPEDITED REPORT DELIVERY (SURCHARGE) <i>O</i>	
CLIENT ADDRESS										DATE DUE	
COMPANY CONTRACTING THIS WORK (If applicable)										NUMBER OF COOLERS SUBMITTED PER SHIPMENT:	
SAMPLE		SAMPLE IDENTIFICATION				COMPOSITE (C) OR GRAB (G) INDICATE		NUMBER OF CONTAINERS SUBMITTED		REMARKS	
DATE	TIME					AQUEOUS (WATER)	SOLID OR SEMI-SOLID	AIR	NONAQUEOUS LIQUID (OIL, SOLVENT, ...)		
11/24/14	0700	Trip Blank				/			2		
1	810	RFW - 20				/			3		
1	905	RFW - 21				/			3		
11/25/14	915	HAMP- 22				/			3		
1	920	HAMP- 23				/			3		
 680-107677 Chain of Custody											
RELINQUISHED BY: (SIGNATURE)		DATE <i>11/25/14</i>	TIME <i>1600</i>	RELINQUISHED BY: (SIGNATURE) <i>Fed Ex</i>		DATE	TIME	RELINQUISHED BY: (SIGNATURE)		DATE	TIME
RECEIVED BY: (SIGNATURE)		DATE	TIME	RECEIVED BY: (SIGNATURE)		DATE	TIME	RECEIVED BY: (SIGNATURE)		DATE	TIME
LABORATORY USE ONLY											
RECEIVED FOR LABORATORY BY: (SIGNATURE) <i>MH</i>		DATE <i>11/26/14</i>	TIME <i>0952</i>	CUSTODY INTACT YES <input checked="" type="radio"/> NO <input type="radio"/>	CUSTODY SEAL NO.	SAVANNAH LOG NO. <i>680-107677</i>		LABORATORY REMARKS <i>2.9/2.1°C cuirs</i>			
12/4/2014											

TAL8240-680 (1008)



Login Sample Receipt Checklist

Client: Weston Solutions, Inc.

Job Number: 680-107677-1

Login Number: 107677

List Source: TestAmerica Savannah

List Number: 1

Creator: Conner, Keaton

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Certification Summary

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-107677-1

Laboratory: TestAmerica Savannah

The certifications listed below are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Maryland	State Program	3	250	12-31-14 *

* Certification renewal pending - certification considered valid.

TestAmerica Savannah