

Quarterly Groundwater Monitoring Report

Prepared for

Black & Decker (U.S.) Inc.

Hampstead, Maryland

April 2012

Prepared by

WESTON SOLUTIONS, INC.

West Chester, Pennsylvania 19380-1499

TABLE OF CONTENTS

Section	Page
1. INTRODUCTION.....	1-1
2. SITE CHARACTERISTICS.....	2-1
2.1 HYDRAULIC PROPERTIES	2-1
2.2 EFFLUENT CHARACTERISTICS	2-1
2.3 GROUNDWATER QUALITY DATA	2-1
3. OPERATION AND MAINTENANCE OF THE TREATMENT SYSTEM.....	3-1
4. RECOMMENDATIONS.....	4-1

LIST OF APPENDICES

APPENDIX A - GROUNDWATER TREATMENT SYSTEM PUMPING RECORDS

APPENDIX B - DISCHARGE MONITORING REPORTS

APPENDIX C - GROUNDWATER TREATMENT SYSTEM ANALYTICAL RESULTS

APPENDIX D - GROUNDWATER ANALYTICAL DATA PACKAGE

LIST OF TABLES

Table	Page
Table 2-1 Treatment System Pumping Records – 1st Quarter 2012.....	2-2
Table 2-2 Groundwater Elevation Data – 1st Quarter 2012	2-3
Table 2-3 Effluent Characteristics Summary – 1st Quarter 2012	2-4
Table 2-4 Summary of Groundwater Analytical Results - February 2012.....	2-5
Table 3-1 Treatment System Maintenance Activities – 1st Quarter 2012.....	3-2

1. INTRODUCTION

This Groundwater Monitoring Report has been prepared to meet the requirements of Condition IV.G of the Administrative Consent Order between the State of Maryland Department of the Environment (MDE) and Black & Decker (U.S.) Inc. (April 1995) (Consent Order). Specifically, Condition IV.G calls for preparation of a Groundwater Monitoring Report containing the following information for each reporting period:

- The quantities of groundwater pumped, treated, and discharged.
- The calculation of quantities of contaminants removed from groundwater.
- A summary of all sampling analyses.
- An explanation of all operational or other problems encountered, and the manner in which each problem was resolved.
- Copies of all reports submitted to the Department of Natural Resources in conjunction with the Groundwater Appropriations Permit.
- Recommendations for changes to the Interim Groundwater Treatment System.

This document is one of several which are being prepared in response to the Consent Order; each of these documents are to be submitted to the MDE in accordance with the schedule outlined in the Consent Order. This document will become part of the Administrative Record for the site, which is maintained at the Hampstead Public Library.

2. SITE CHARACTERISTICS

2.1 HYDRAULIC PROPERTIES

In accordance with the Consent Order and the Water Appropriation Permit issued to the Black and Decker (U.S.) Inc. Hampstead, Maryland, facility, the following pumping and water level information is included for the period of January through March 2012.

Pumping records showing the total gallons pumped per month of treatment system operation are presented in Table 2-1. The complete groundwater treatment system pumping records are included in Appendix A.

Monthly water levels for wells included in the water level monitoring plan are presented in Table 2-2. For the reporting period of January through March 2012, the extraction wells were pumping at an average combined rate of approximately 186 gallons per minute (gpm).

2.2 EFFLUENT CHARACTERISTICS

Effluent characteristics of the NPDES discharge points are recorded monthly on Discharge Monitoring Reports (DMRs) and are submitted to MDE, Water Management Administration, on a quarterly basis. A summary of the sample results from the DMRs is presented in Table 2-3. DMRs for the period of January through March 2012 are included in Appendix B.

2.3 GROUNDWATER QUALITY DATA

For the reporting period of January through March 2012, approximately 12.7 pounds of total volatile organic compounds (VOCs) were removed from the groundwater by the extraction and treatment system. In general, the total VOCs removed from the groundwater were comprised primarily of trichloroethene (TCE) (83.8%) and tetrachloroethene (PCE) (16.2%). Analytical results of the groundwater collected from the air stripper for the period of January through March 2012 are included in Appendix C.

A summary of the analytical results from the third quarter (February 2012) groundwater sampling round of the extraction and monitor wells is included in Table 2-4. The complete

Table 2-1
Treatment System Pumping Records - 1st Quarter 2012
Black & Decker
Hampstead, Maryland

Date	Water Pumped (gallons)
January 2012	7,785,318
February 2012	7,319,653
March 2012	7,752,273

Table 2-2
Groundwater Elevation Data - 1st Quarter 2012
Black & Decker
Hampstead, Maryland

WELL NO.	TOC ELEV.	TOTAL DEPTH	1/23/2012		2/16/2012		3/23/2012	
			DTW	ELEV	DTW	ELEV	DTW	ELEV
EW-1	847.21	55	DRY	NC	DRY	NC	DRY	NC
EW-2	849.21	110	91.58	757.63	90.78	758.43	91.10	758.11
EW-3	846.64	118	81.70	764.94	86.11	760.53	87.42	759.22
EW-4	858.01	97.5	PC	NC	PC	NC	PC	NC
EW-5	864.17	98	90.36	773.81	90.26	773.91	90.31	773.86
EW-6	831.98	115	94.27	737.71	101.74	730.24	102.02	729.96
EW-7	818.38	78	62.43	755.95	71.00	747.38	71.00	747.38
EW-8	811.13	98	91.42	719.71	93.00	718.13	93.00	718.13
EW-9	811.35	141	103.00	708.35	104.00	707.35	103.50	707.85
EW-10	807.74	INA	44.76	762.98	74.08	733.66	73.98	733.76
RFW-1A	864.37	78	50.11	814.26	47.51	816.86	48.19	816.18
RFW-1B	864.23	200	50.18	814.05	47.61	816.62	48.23	816.00
RFW-2A	857.41	35	12.37	845.04	12.59	844.82	13.12	844.29
RFW-2B	857.73	75	12.88	844.85	13.33	844.40	13.71	844.02
RFW-3B	839.21	153	29.79	809.42	29.36	809.85	29.70	809.51
RFW-4A	830.37	62	35.15	795.22	36.17	794.20	36.43	793.94
RFW-4B	830.37	120	35.03	795.34	35.83	794.54	36.19	794.18
RFW-5A	817.50	30	DRY	NC	DRY	NC	DRY	NC
RFW-6	785.04	120	2.84	782.20	3.08	781.96	4.11	780.93
RFW-7	805.14	29	6.13	799.01	5.09	800.05	7.57	797.57
RFW-8	860.07	56	DRY	NC	DRY	NC	DRY	NC
RFW-9	862.02	49	24.80	837.22	24.38	837.64	25.67	836.35
RFW-10	852.06	58	DRY	NC	DRY	NC	DRY	NC
RFW-11A	849.32	72	Damaged	NC	Damaged	NC	Damaged	NC
RFW-11B	849.62	116	62.09	787.53	63.36	786.26	63.40	786.22
RFW-12B	844.87	264	50.26	794.61	50.89	793.98	50.49	794.38
RFW-13	849.11	150	63.02	786.09	62.27	786.84	64.73	784.38
RFW-14B	812.39	281	52.94	759.45	53.61	758.78	52.91	759.48
RFW-16	856.14	41	DRY	NC	DRY	NC	DRY	NC
RFW-17	834.66	60.5	26.31	808.35	24.55	810.11	26.51	808.15
RFW-20	842.49	142	32.47	810.02	31.58	810.91	32.39	810.10
RFW-21	832.65	102	20.47	812.18	19.81	812.84	21.74	810.91
PH-7	805.94	89	21.31	784.63	20.61	785.33	25.17	780.77
PH-9	814.94	98	50.42	764.52	50.60	764.34	50.70	764.24
PH-11	820.68	78	50.21	770.47	50.42	770.26	51.53	769.15
PH-12	828.35	87	42.47	785.88	43.59	784.76	46.41	781.94
B-3	803.02	83	10.12	792.90	9.96	793.06	9.83	793.19
Amoco	842.29	INA	NA	NC	NA	NC	NA	NC
Hamp. Town #22	804.96	INA	2.12	802.84	1.92	803.04	1.48	803.48
Pembroke #1	INA	INA	10.43	NC	10.89	NC	11.08	NC
Pembroke #2	INA	INA	Damaged	NC	Damaged	NC	Damaged	NC
N. Houcks. Rd.	INA	INA	10.07	NC	10.58	NC	10.41	NC
E. Century St.	INA	INA	19.23	NC	19.21	NC	19.26	NC
Lwr. Beckleys. Rd.	INA	INA	54.89	NC	54.80	NC	55.23	NC

NA - Not Available/Not Accessible
NC - Not Calculable
INA - Information not available
PC - Pump Cycles

Table 2-3
Effluent Characteristics Summary - 1st Quarter 2012
Black & Decker
Hampstead, Maryland

Discharge Number	Parameter	Units	Permit Limits	DMR DATE			
				January 2012	February 2012	March 2012	
001	FLOW	average	MGD	NA	0.187	0.140	0.222
		maximum	MGD	NA	0.668	0.238	0.703
	1,1,1-Trichloroethane		ug/l	5	< 1	< 1	< 1
	Tetrachloroethylene		ug/l	5	< 1	< 1	< 1
	Trichloroethylene		ug/l	5	< 1	< 1	< 1
	Total Residual Chlorine		mg/l	< 0.1	< 0.1	< 0.1	< 0.1
	Oil & Grease	maximum	mg/l	15	< 5	< 5	< 5
		monthly average	mg/l	10	< 5	< 5	< 5
	pH	minimum	STD	6.0	6.4	6.20	6.60
		maximum	STD	8.5	6.9	8.00	7.50
	BOD		mg/l	15	3.0	< 2	2.0
TSS	maximum	mg/l	30	< 4	4.0	4.0	
	monthly average	mg/l	20	< 4	4.0	4.0	
101 (Monitoring Point)	FLOW	average	MGD	NA	0.308	0.286	0.363
		maximum	MGD	NA	0.382	0.407	0.452
	Fecal Coliform		MPN/100ml	200	2.0	2.0	< 1.8
201 (Monitoring Point)	FLOW	average	MGD	NA	NR	NR	0.251
		maximum	MGD	NA	NR	NR	0.297
	1,1,1-Trichloroethane		ug/l	NA	NR	NR	< 1
	Tetrachloroethylene		ug/l	NA	NR	NR	< 1
	Trichloroethylene		ug/l	NA	NR	NR	< 1

DMR - Discharge Monitoring Report

NA - Not Applicable

NR - Not Reported

Table 2-4
Summary of Groundwater Analytical Results - February 2012
Stanley Black & Decker
Hampstead, Maryland

PARAMETER	Units	EW-1	EW-2	EW-3	EW-4	EW-5	EW-6	EW-7	EW-8	EW-9	EW-9 (DUP)	EW-10
Chloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromomethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Acetone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Carbon Disulfide	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1-Dichloroethene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1-Dichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	0.8 J	1 U	1 U	1 U
1,2-Dichloroethene (total)	ug/L	NS	3.5	2	1 U	1 U	1 U	5.5	23	1 U	1 U	1 U
Chloroform	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
2-Butanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Carbon Tetrachloride	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromodichloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloropropane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trichloroethene	ug/L	NS	210	57	730	110	6.5	3.8	7.4	0.7	0.6	1 U
Dibromochloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Benzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromoform	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
2-Hexanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Tetrachloroethene	ug/L	NS	48	1.8	21	3.3	11	8.1	52	83	84	0.6 J
1,1,2,2-Tetrachloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Toluene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chlorobenzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Ethylbenzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Styrene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Xylene (total)	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U

Notes: U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.
J = Indicates an estimated value.
NS = Not Sampled

Table 2-4
Summary of Groundwater Analytical Results - February 2012
Stanley Black & Decker
Hampstead, Maryland

PARAMETER	Units	RFW-1A	RFW-1B	RFW-2A	RFW-2B	RFW-3B	RFW-4A	RFW-4A (DUP)	RFW-4B	RFW-5A	RFW-6	RFW-7	RFW-8	RFW-9	RFW-10
Chloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromomethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Vinyl Chloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Methylene Chloride	ug/L	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	NS	2 U	2 U	NS	2 U	NS
Acetone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
Carbon Disulfide	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1-Dichloroethene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	0.9 J	NS
1,1-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1.2	NS
1,2-Dichloroethene (total)	ug/L	1 U	1 U	1 U	1 U	2.5	0.9 J	1	3.6	NS	1 U	1 U	NS	24	NS
Chloroform	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1.6	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
2-Butanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1,1-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Carbon Tetrachloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromodichloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloropropane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
cis-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Trichloroethene	ug/L	1 U	1 U	0.4 J	0.4 J	0.5	31	30	44	NS	0.6	2.1	NS	10	NS
Dibromochloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,1,2-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Benzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	0.3 J	NS	1 U	NS
Trans-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromoform	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
4-Methyl-2-pentanone	ug/L	5 U	5 U	5 U	1 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
2-Hexanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
Tetrachloroethene	ug/L	1 U	1 U	1 U	1 U	1 J	22	22	66	NS	0.7 J	1 U	NS	6.6	NS
1,1,2,2-Tetrachloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Toluene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chlorobenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Ethylbenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Styrene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Xylene (total)	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS

Notes: DUP = Duplicate sample
NS = Not sampled

U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.
J = Indicates an estimated value.

Table 2-4
Summary of Groundwater Analytical Results - February 2012
Stanley Black & Decker
Hampstead, Maryland

PARAMETER	Units	RFW-11A	RFW-11B	RFW-12B	RFW-13	RFW-16	RFW-17	Leister Dairy	Leister Res. #1	Leister Res. #2	Trip Blank	RFW-20	RFW-21	Town #22	Town #23	Trip Blank
		USEPA drinking water method 524.2														
Chloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	1 U	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	2 U	2 U	2 U	NS	2 U	ABD	ABD	ABD	2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Acetone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
Carbon Disulfide	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	NA	NA	NA	NA	NA
1,1-Dichloroethene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethene (total)	ug/L	NS	1 U	2.4	1.1	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene	ug/L	NS	3.8	82	3	NS	1 U	ABD	ABD	ABD	1 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U
Dibromochloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Benzene	ug/L	NS	1 U	1 U	1 U	NS	0.3 J	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
2-Hexanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
Tetrachloroethene	ug/L	NS	1 U	6.1	16	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Styrene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Xylene (total)	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

Notes: Samples from wells RFW-20 & 21, Town-22&23 are analyzed with the USEPA drinking water method 524.2 at the request of the MDE Source Protection and Appropriation Division. Samples from all of the other wells are analyzed with USEPA Method 8260.

NS = Not sampled

U = Compound was analyzed but not detected.

ABD = Well has been abandoned

analytical data package is included in Appendix D.

As found in earlier sampling events at the Black & Decker facility, TCE and PCE were the VOCs detected at the highest concentrations in the groundwater samples. The highest concentration of TCE was detected in the groundwater samples collected from wells EW-2 and EW-4 and the highest concentration of PCE was detected in the groundwater sample collected from well EW-9. The remainder of VOCs present were detected at levels below the Federal Maximum Contaminant Levels (MCL).

3. OPERATION AND MAINTENANCE OF THE TREATMENT SYSTEM

A summary of the maintenance activities which were undertaken with the extraction and treatment system during the reporting period (January through March 2012) is provided in Table 3-1. This table is comprehensive in summarizing significant maintenance events or activities, while not including those activities considered unworthy of note (such as replacement of light bulbs, lubrication of moving parts as appropriate or other routine activities).

Table 3-1
Treatment System Maintenance Activities - 1st Quarter 2012
Black & Decker
Hampstead, Maryland

Date	Event/Corrective Action
Jan-12	Alarm at air stripper due to high wet well. System reset everything okay.
Jan-12	Alarm at air stripper due to a low hydro tank. An electrical problem was found in old well house #2 that feeds the alarms and the hydro tank. Repairs were made to the electrical system. System is back online.
Jan-12	A leak was detected in EW-6. Wells EW-6 through EW-10 were shut down for two hours while the leak was repaired. All wells back online.
Feb-12	Alarm at stripper, EW-9 went down due to a faulty heater. A temporary heater was installed and the well is back online.
Feb-12	The heating elements were replaced in EW-9.

4. RECOMMENDATIONS

For the reporting period of January through March 2012, the treatment system continued to create a hydraulic boundary preventing off-site migration of groundwater. The extraction system will continue to operate as currently configured to pump and treat contaminated groundwater. Depth-to-water measurements will continue to be collected on a monthly basis in all site monitor wells to construct a groundwater elevation contour map for the site. The groundwater elevation contour map will be used to verify that the required area of groundwater capture is being maintained. If necessary, pumping rates will be adjusted to maintain groundwater capture due to seasonal fluctuations in groundwater elevations. The treatment system will also continue to operate as currently configured, as data collected have proven that the treatment system is fully effective in removing VOCs from the extracted groundwater.

APPENDIX A
GROUNDWATER TREATMENT SYSTEM PUMPING RECORDS
(JANUARY – MARCH 2012)

MARYLAND DEPARTMENT of the ENVIRONMENT, WATER MANAGEMENT ADMINISTRATION, 1800 WASHINGTON BLVD, BALTIMORE, MD 21230

Operated By:

Facility: BTR Capital Group

Permit Number: 02-DP-0022

Month: January

Maryland Environmental Service

Address: 626 Hanover Pike, Hampstead Maryland

Superintendent: Earle Villarreal

Certification # 1017

Year: 2012

259 Najoles Road, Millersville MD

Additional Op's & cert # - Dorrance Jones 0763, Gary Dickerson 0782, Philip Pitts 2999, Brian Musselman 2775, Martin Whitt 0666, David Smith 9153

Date	Appearance	Final Effluent outfall 001									Outfall 101					Outfall 201			Operator		
		Discharge MGD	pH su	Cl2 mg/l	Tetrachloroethylene ug/l	1,1,1-Trichloroethane ug/l	Trichloroethene ug/l	BOD ₅ mg/l	TSS mg/l	O&G mg/l	Flow MGD	Fecal mpn	Basin Inches	Alum Gpd	Hypochlorite Gpd	Post Cl2 mg/l	Tetrachloroethylene ug/l	1,1,1-Trichloroethane ug/l		Trichloroethene ug/l	Discharge mgd
1	Clear	0.14100								0.309000		0.0	1.0	0.5	5.0				0.252240	Djones	
2	Clear	0.15900								0.306000		0.0	2.0	0.5	5.0				0.260924	Gdickerson	
3	Clear	0.18500	6.79	0.00						0.244000		0.0	2.0	0.5	5.0				0.267564	Bmusselman	
4	Clear	0.09800			< 1.00	< 1.00	< 1.00	3.0	< 4.0	< 5.5	0.351000	< 1.8	0.0	2.0	0.5	5.0				0.255232	Djones
5	Clear	0.14800	6.58	0.00						0.331000		0.0	2.0	0.5	5.0				0.244455	Djones	
6	Clear	0.14300								0.327000		0.0	2.0	0.5	5.0				0.254510	Ppitts	
7	Clear	0.13500								0.317000		0.0	2.0	0.5	5.0				0.241096	Ppitts	
8	Clear	0.13100								0.296000		0.0	2.0	0.5	5.0				0.243321	Ppitts	
9	Clear	0.12200	6.50	0.00						0.306000		0.0	2.0	0.5	5.0				0.244875	Djones	
10	Clear	0.10600								0.336000	< 1.8	0.0	2.0	0.5	5.0				0.248435	Bmusselman	
11	Clear	0.13500								0.333000		0.0	2.0	0.5	5.0				0.244680	Djones	
12	Clear	0.66800	6.41	0.00						0.332000		0.0	2.0	0.5	5.0				0.253566	Djones	
13	Clear	0.45700								0.352000		0.0	2.0	0.5	5.0				0.267927	Djones	
14	Clear	0.16700								0.297000		0.0	2.0	0.5	5.0				0.254307	APhillips	
15	Clear	0.11700								0.318000		0.0	2.0	0.5	5.0				0.231372	APhillips	
16	Clear	0.12300								0.307000		0.0	2.0	0.5	5.0				0.263090	Ppitts	
17	Clear	0.16800	6.48	0.00						0.332000		0.0	1.0	0.5	5.0				0.245636	Djones	
18	Clear	0.27000								0.344000	< 1.8	0.0	1.0	0.5	5.0	< 1.0	< 1.0	< 1.0	0.261352	Djones	
19	Clear	0.12000	6.47	0.00						0.329000		0.0	1.0	0.5	5.0				0.236707	Gdickerson	
20	Clear	0.12000								0.297000		0.0	1.0	0.5	5.0				0.249492	Gdickerson	
21	Clear	0.17400								0.382000		0.0	1.0	0.5	5.0				0.211604	Dsmith	
22	Clear	0.20400								0.346000		0.0	1.0	0.5	5.0				0.296633	APhillips	
23	Clear	0.15400								0.244000		0.0	1.0	0.5	5.0				0.261332	Bmusselman	
24	Clear	0.35700	6.42	0.00						0.351000	2.0	0.0	1.0	0.5	5.0				0.251477	Djones	
25	Clear	0.17200								0.276000		0.0	1.0	0.5	5.0				0.249165	Djones	
26	Clear	0.13300	6.89	0.00						0.263000		0.0	2.0	0.5	5.0				0.235015	Djones	
27	Clear	0.24800								0.277000		0.0	2.0	0.5	5.0				0.250955	Djones	
28	Clear	0.24900								0.255000		0.0	2.0	0.5	5.0				0.257309	Djones	
29	Clear	0.13200								0.271000		0.0	2.0	0.5	5.0				0.248291	Djones	
30	Clear	0.13800								0.227000		0.0	2.0	0.5	5.0				0.254247	Mwhitt	
31	Clear	0.12700	6.54	0.00						0.287000	< 1.8	0.0	2.0	0.5	5.0				0.248509	Gdickerson	
Total		5.80100								9.543000									7.785318		
Average		0.18713	6.6	<0.10	0	0	0	3	0	0	0.307839	1	0.0	1.7	0.5	5.0	0	0	0	0.251139	
Minimum		0.09800	6.4	0.00	0	0	0	3	0	0	0.227000	1	0.0	1.0	0.5	5.0	0	0	0	0.211604	
Maximum		0.66800	6.9	<0.10	0	0	0	3	0	0	0.382000	2	0.0	2.0	0.5	5.0	0	0	0	0.296633	MOR 5-11-09

COMMENTS:

MARYLAND DEPARTMENT of the ENVIRONMENT, WATER MANAGEMENT ADMINISTRATION, 1800 WASHINGTON BLVD, BALTIMORE, MD 21230

Operated By:

Facility: BTR Capital Group

Permit Number: 02-DP-0022

Month: February

Maryland Environmental Service

Address: 626 Hanover Pike, Hampstead Maryland

Superintendent: Earle Villarreal

Certification # 1017

Year: 2012

259 Naples Road, Millersville MD

Additional Op's & cert # - Dorrance Jones 0763, Gary Dickerson 0782, Anthony Phillips 3001, Martin Whitt 0666, David Smith 9153, Jamaal Downs 2755

Date	Appearance	Discharge MGD	pH su	Cl2 mg/l	Final Effluent outfall 001						Outfall 101						Outfall 201				Operator
					Tetrahydroxythene ug/l	1,1,1-Trichloroethane ug/l	Trichloroethene ug/l	BOD ₅ mg/l	TSS mg/l	O&G mg/l	Flow MGD	Fecal mpn	Basin Inches	Alum Gpd	Hypochlorite Cpd	Post Cl2 mg/l	Tetrachloroethylene ug/l	1,1,1-Trichloroethane ug/l	Trichloroethene ug/l	Discharge mgd	
1	Clear	0.13400									0.293000		0.0	1.0	0.5	5.0				0.257881	Gdickerson
2	Clear	0.14900	6.20	0.00							0.312000		0.0	1.0	0.5	5.0				0.258514	Djones
3	Clear	0.12200									0.344000		0.0	1.0	0.5	5.0				0.252846	Djones
4	Clear	0.14500									0.319000		0.0	1.0	0.5	5.0				0.247838	APhillips
5	Clear	0.17200									0.219000		0.0	1.0	0.5	5.0				0.247810	APhillips
6	Clear	0.14700									0.279000		0.0	1.0	0.5	5.0				0.270900	Djones
7	Clear	0.10800	6.15	0.00	< 1.00	< 1.00	< 1.00	< 2.0	4.0	< 5.5	0.380000	< 1.8	0.0	1.0	0.5	5.0				0.207933	Djones
8	Clear	0.15000									0.288000		0.0	1.0	0.5	5.0				0.286386	Djones
9	Clear	0.14500	6.37	0.00							0.361000		0.0	1.0	0.5	5.0				0.233809	Djones
10	Clear	0.14800									0.380000		0.0	1.0	0.5	5.0				0.255166	Djones
11	Clear	0.17400									0.319000		0.0	1.0	0.5	5.0				0.269148	Mwhitt
12	Clear	0.17700									0.255000		0.0	1.0	0.5	5.0				0.250352	Mwhitt
13	Clear	0.09900									0.256000		0.0	1.0	0.5	5.0				0.255361	Djones
14	Clear	0.12000	6.70	0.00							0.284000	< 1.8	0.0	1.0	0.5	5.0				0.234793	Djones
15	Clear	0.11800									0.247000		0.0	1.0	0.5	5.0				0.251190	Djones
16	Clear	0.12500	6.31	0.00							0.254000		0.0	1.0	0.5	5.0				0.259609	Gdickerson
17	Clear	0.19400									0.176000		0.0	1.0	0.5	5.0				0.252006	Gdickerson
18	Clear	0.11900									0.127000		0.0	1.0	0.5	5.0				0.260851	Dsmith
19	Clear	0.10800									0.174000		0.0	1.0	0.5	5.0				0.245591	Dsmith
20	Clear	0.12000									0.179000		0.0	1.0	0.5	5.0				0.246788	APhillips
21	Clear	0.12300	6.57	0.00							0.104000		0.0	1.0	0.5	5.0				0.241466	APhillips
22	Clear	0.11400									0.295000	< 1.8	0.0	1.0	0.5	5.0				0.277598	Djones
23	Clear	0.18200	6.53	0.00							0.351000		0.0	1.0	0.5	5.0				0.226599	Gdickerson
24	Clear	0.23800									0.385000		0.0	1.0	0.5	5.0				0.254786	Djones
25	Clear	0.13100									0.290000		0.0	1.0	0.5	5.0				0.272949	Jdowns
26	Clear	0.08700									0.327000		0.0	1.0	0.5	5.0				0.218652	Jdowns
27	Clear	0.11400									0.321000		0.0	1.0	0.5	5.0				0.280627	Djones
28	Clear	0.14600	7.97	0.00							0.407000	2.0	0.0	1.0	0.5	5.0				0.249875	Djones
29	Clear	0.16000									0.368000		0.0	1.0	0.5	5.0				0.252329	Djones
30																					
31																					
Total		4.06900									8.294000									7.319653	
Average		0.14031	6.6	<0.10	0	0	0	2	4	0	0.286000	1	0.0	1.0	0.5	5.0	#DIV/0!	#DIV/0!	#####	0.252402	
Minimum		0.08700	6.2	0.00	0	0	0	2	4	0	0.104000	1	0.0	1.0	0.5	5.0	0	0	0	0.207933	
Maximum		0.23800	8.0	<0.10	0	0	0	0	4	0	0.407000	2	0.0	1.0	0.5	5.0	0	0	0	0.286386	MOR 5-11-09

COMMENTS:

MARYLAND DEPARTMENT of the ENVIRONMENT, WATER MANAGEMENT ADMINISTRATION, 1800 WASHINGTON BLVD, BALTIMORE, MD 21230

Operated By:
Maryland Environmental Service
259 Najoles Road, Millersville MD

Facility: BTR Capital Group
Address: 626 Hanover Pike, Hampstead Maryland
Additional Op's & cert # - Dorrance Jones 0763, Gary Dickerson 0782, Jamaal Downs 2755, Martin Whitt 0666, James Elliott 3738, Anthony Phillips 3001, Phillip Pins,2999

Permit Number: 02-DP-0022
Superintendent: Earle Villarreal

Certification # 1017

Month: March
Year: 2012

Final Effluent outfall 001											Outfall 101					Outfall 201				Operator	
Date	Appearance	Discharge MGD	pH su	Cl2 mg/l	Tetrachloroethylene ug/l	1,1,1-Trichloroethane ug/l	Trichloroethene ug/l	BOD ₅ mg/l	TSS mg/l	O&G mg/l	Flow MGD	Fecal mpn	Basin Inches	Alum Gpd	Hypochlorite Gpd	Post Cl2 mg/l	Tetrachloroethylene ug/l	1,1,1-Trichloroethane ug/l	Trichloroethene ug/l		Discharge mgd
1	Clear	0.70300	7.50	0.00							0.375000		0.0	1.0	0.5	5.0				0.250767	Djones
2	Clear	0.19300									0.416000		0.0	1.0	0.5	5.0				0.249098	Jdowns
3	Clear	0.27200									0.353000		0.0	1.0	0.5	5.0				0.254304	Mwhitt
4	Clear	0.16700									0.321000		0.0	1.0	0.5	5.0				0.243781	Mwhitt
5	Clear	0.12500									0.334000		0.0	1.0	0.5	5.0				0.260911	Djones
6	Clear	0.13000	6.60	0.00	< 1.00	< 1.00	< 1.00	2.0	4.0	< 5.5	0.364000	< 1.8	0.0	1.0	0.5	5.0				0.244212	Djones
7	Clear	0.12300									0.340000		0.0	1.0	0.5	5.0				0.234232	Djones
8	Clear	0.11700	6.77	0.00							0.389000		0.0	1.0	0.5	5.0				0.247959	Djones
9	Clear	0.13500									0.389000		0.0	1.0	0.5	5.0				0.268100	Gdickerson
10	Clear	0.16900									0.332000		0.0	1.0	0.5	5.0				0.249371	Gdickerson
11	Clear	0.13500									0.360000		0.0	1.0	0.5	5.0				0.227747	Djones
12	Clear	0.14700									0.397000		0.0	1.0	0.5	5.0				0.266529	Djones
13	Clear	0.13000	6.65	0.00							0.430000	< 1.8	0.0	1.0	0.5	5.0				0.234275	Jelliott
14	Clear	0.15900									0.347000		0.0	1.0	0.5	5.0				0.280502	Jelliott
15	Clear	0.13700	6.83	0.00							0.452000		0.0	1.0	0.5	5.0				0.241745	Jelliott
16	Clear	0.16300									0.414000		0.0	1.0	0.5	5.0				0.246795	Djones
17	Clear	0.19200									0.373000		0.0	1.0	0.5	5.0				0.241011	Djones
18	Clear	0.16500									0.386000		0.0	1.0	0.5	5.0				0.239940	Gdickerson
19	Clear	0.18200									0.372000		0.0	1.0	0.5	5.0				0.258162	Gdickerson
20	Clear	0.17900	6.78	0.00							0.422000	< 1.8	0.0	1.0	0.5	5.0				0.245750	Djones
21	Clear	0.19700									0.404000		0.0	1.0	0.5	5.0				0.259993	Jelliott
22	Clear	0.20100	7.29	0.00							0.405000		0.0	1.0	0.5	5.0				0.250898	Jelliott
23	Clear	0.27300									0.354000		0.0	1.0	0.5	5.0				0.248169	Jelliott
24	Clear	0.32100									0.333000		0.0	1.0	0.5	5.0				0.249801	Jelliott
25	Clear	0.28100									0.313000		0.0	1.0	0.5	5.0				0.243252	Djones
26	Clear	0.27800									0.334000		0.0	1.0	0.5	5.0				0.260468	Djones
27	Clear	0.29800	6.75	0.00							0.371000	< 1.8	0.0	1.0	0.5	5.0				0.229972	Djones
28	Clear	0.31700									0.275000		0.0	1.0	0.5	5.0				0.269604	Djones
29	Clear	0.30700	6.60	0.00							0.321000		0.0	1.0	0.5	5.0				0.228645	Djones
30	Clear	0.33300									0.357000		0.0	1.0	0.5	5.0				0.259186	Ppitts
31	Clear	0.36000									0.223000		0.0	1.0	0.5	5.0				0.267094	APhillips
Total		6.88900									11.256000									7.752273	
Average		0.22223	6.9	<0.10	0	0	0	2	4	0	0.363097	1	0.0	1.0	0.5	5.0	#DIV/0!	#DIV/0!	#####	0.250073	
Minimum		0.11700	6.6	0.00	0	0	0	2	4	0	0.223000	1	0.0	1.0	0.5	5.0	0	0	0	0.227747	
Maximum		0.70300	7.5	<0.10	0	0	0	2	4	0	0.452000	1	0.0	1.0	0.5	5.0	0	0	0	0.280502	MOR 5-11-09

COMMENTS:

**APPENDIX B
DISCHARGE MONITORING REPORTS
(JANUARY - MARCH 2012)**

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name AG/GFI Hampstead, Inc

Address 626 Hanover Pike

Hampstead, MD 21074

Facility Black and Decker WWTP

Location 626 Hanover Pike

Attn:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

001

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
12	01	01	TO	12	01	31
(20-21)		(22-23)		(24-25)		(26-27)
				(28-29)		(30-31)

State Discharge Permit

02-DP-0022

PARAMETER (32-37)		(3 Card Only)			(4 Card Only)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		QUANTITY OR LOADING		UNITS	QUALITY OR CONCENTRATION			UNITS				
		(46-53) AVERAGE	(54-61) MAXIMUM		(38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM					
BOD, 5-DAY (20 DEG. C) 00310 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	3	(19)	0	ONCE/ MONTH	GRAB	
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	15 DAILY MX	MG/L		ONCE/ MONTH	GRAB	
pH 00400 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	6.4	*****	6.9	(12)	0	TWICE/ WEEK	GRAB	
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	6.0 DAILY MN	*****	8.5 DAILY MX	SU		TWICE/ WEEK	GRAB	
SOLIDS, TOTAL SUSPENDED 00530 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	(19)	0	ONCE/ MONTH	GRAB	
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	20 30DA AVG	30 DAILY MX	MG/L		ONCE/ MONTH	GRAB	
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0	SAMPLE MEASUREMENT	187,129	668,000	(07)	*****	*****	*****	****	0	Measured	RECORD	
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	****		Measured	RECORD	
CHLORINE, TOTAL RESIDUAL 50060 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	<0.1	<0.1	(19)	0	ONCE/ MONTH	GRAB	
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	0.011 30DA AVG	0.019 DAILY MX	MG/L		ONCE/ MONTH	GRAB	
TETRACHLOROETHYLENE 34475 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(28)	0	ONCE/ MONTH	GRAB	
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5 DAILY MX	UG/L		ONCE/ MONTH	GRAB	
1,1,1-TRICHLOROETHANE 34506 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(28)	0	ONCE/ MONTH	GRAB	
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5 DAILY MX	UG/L		ONCE/ MONTH	GRAB	
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN, AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.							TELEPHONE		DATE		
James M. Harkins MES Director TYPED OR PRINTED								SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	410	729-8350	12	02
COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)								AREA CODE	NUMBER	YEAR	MONTH	DAY

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name AG/GFI Hampstead, Inc

Address 626 Hanover Pike

Hampstead, MD 21074

Facility Black and Decker WWTP

Location 626 Hanover Pike

Attn:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

001

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

State Discharge Permit

02-DP-0022

MONITORING PERIOD						
YEAR	MO	DAY		YEAR	MO	DAY
FROM 12	01	01	TO	12	01	31
(20-21)		(22-23)		(24-25)		(26-27)
				(28-29)		(30-31)

PARAMETER (32-37)		(3 Card Only) (46-53)			(4 Card Only) (38-45)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM				UNITS
TRICHLOROETHENE 79141 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(28)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5				
EFFLUENT GROSS VALUE OIL AND GREASE TOTAL RECOVERABLE 70030 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	(19)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	10 30DA AVG	15 DAILY MX				
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)					TFI PHONE		DATE		
James M. Harkins MES Director TYPED OR PRINTED							410 729-8350		12	02	17
		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT					AREA CODE	NUMBER	YEAR	MONTH	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)

Name AG/GFI Hampstead, Inc.
 Address 626 Hanover Pike
Hampstead, MD 21074

Facility Black and Decker WWTP
 Location 626 Hanover Pike
 Attn: _____

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16) (17-19)

MD0001881
 PERMIT NUMBER

101
 DISCHARGE NUMBER

Form Approved.
 OMB No.
 Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
12	01	01	12	01	31
(20-21)		(22-23)	(24-25)	(26-27)	
		(28-29)	(30-31)		

State Discharge Permit
 02-DP-0022

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING			(4 Card Only) QUALITY OR CONCENTRATION			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM			
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	307,839	382,000	(07)	*****	*****	*****	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****			
COLIFORM, FECAL GENERAL 74055 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	2	0	ONCE/ WEEK	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	200 DAILY MX			
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. 551001 AND 33 U.S.C. 55 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.				TELEPHONE		DATE			
James M. Harkins MES Director TYPED OR PRINTED					410 729-8350		12	02	17	
COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT				AREA CODE	NUMBER	YEAR	MONTH	DAY	

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name AG/GFI Hampstead, Inc

Address 626 Hanover Pike

Hampstead, MD 21074

Facility Black and Decker WWTP

Location 626 Hanover Pike

Attn:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

001

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

State Discharge Permit

02-DP-0022

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
FROM 12	02	01	TO 12	02	29
(20-21)	(22-23)	(24-25)	(26-27)	(28-29)	(30-31)

PARAMETER (32-37)		(3 Card Only) (46-53)			(4 Card Only)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		QUANTITY OR LOADING		UNITS	QUALITY OR CONCENTRATION		UNITS				
		AVERAGE (54-51)	MAXIMUM (54-51)		MINIMUM (38-45)	AVERAGE (46-53)					MAXIMUM (54-61)
BOD, 5-DAY (20 DEG. C) 00310 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(19)	0	ONCE/ MONTH	GRAB
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	15 DAILY MX	MG/L		ONCE/ MONTH	GRAB
pH 00400 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	6.2	*****	8.0	(12)	0	TWICE/ WEEK	GRAB
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	6.0 DAILY MN	*****	8.5 DAILY MX	SU		TWICE/ WEEK	GRAB
SOLIDS, TOTAL SUSPENDED 00530 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	4	4	(19)	0	ONCE/ MONTH	GRAB
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	20 30DA.AVG	30 DAILY MX	MG/L		ONCE/ MONTH	GRAB
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0	SAMPLE MEASUREMENT	140,310	238,000	(07)	*****	*****	*****	****	0	Measured	RECORD
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	****		Measured	RECORD
CHLORINE, TOTAL RESIDUAL 50060 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	<0.1	<0.1	(19)	0	ONCE/ MONTH	GRAB
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	0.011 30DA.AVG	0.019 DAILY MX	MG/L		ONCE/ MONTH	GRAB
TETRACHLOROETHYLENE 34475 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(28)	0	ONCE/ MONTH	GRAB
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5 DAILY MX	UG/L		ONCE/ MONTH	GRAB
1,1,1-TRICHLOROETHANE 34506 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(28)	0	ONCE/ MONTH	GRAB
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5 DAILY MX	UG/L		ONCE/ MONTH	GRAB
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUES IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)					TELEPHONE		DATE			
TYPED OR PRINTED						410		729-8350		12	03
COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)						SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT					

PERMITTEE NAME/ADDRESS (Include

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

Facility Name/Location if different)

DISCHARGE MONITORING REPORT (DMR)

Form Approved.

Name AG/GFI Hampstead, Inc

(2-16)

(17-19)

OMB No.

Address 626 Hanover Pike

MD0001881

001

Approval expires

Hampstead, MD 21074

PERMIT NUMBER

DISCHARGE NUMBER

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

Facility Black and Decker WWTP

MONITORING PERIOD

Location 626 Hanover Pike


YEAR	MO	DAY	TO	YEAR	MO	DAY
12	02	01		12	02	29

State Discharge Permit

Attn:

02-DP-0022

(20-21) (22-23) (24-25) (26-27) (28-29) (30-31)

PARAMETER (32-37)		(3 Card Only) (46-53) QUANTITY OR LOADING (54-61)			(4 Card Only) (38-45) QUALITY OR CONCENTRATION (54-61)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS				
TRICHLOROETHENE 79141 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(28)	0	ONCE/ MONTH	GRAB	
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5 DAILY MX	UG/L		ONCE/ MONTH	GRAB	
OIL AND GREASE TOTAL RECOVERABLE 70030 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	(19)	0	ONCE/ MONTH	GRAB	
	PERMIT REQUIREMENT	*****	*****	****	*****	10 30DA AVG	15 DAILY MX	MG/L		ONCE/ MONTH	GRAB	
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)							TELEPHONE		DATE		
James M. Harkins MES Director								410	729-8350	12	03	20
TYPED OR PRINTED								AREA CODE	NUMBER	YFAR	MONTH	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

Form Approved.

OMB No.

Approval expires

Name AG/GFI Hampstead, Inc.
 Address 626 Hanover Pike
Hampstead, MD 21074

(2-16)
 MD0001881
 PERMIT NUMBER

(17-19)
 101
 DISCHARGE NUMBER

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

Facility Black and Decker WWTP
 Location 626 Hanover Pike
 Attn: _____

MONITORING PERIOD						
YEAR	MO	DAY		YEAR	MO	DAY
FROM 12	02	01	TO	12	02	29
(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

State Discharge Permit

02-DP-0022

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING			(4 Card Only) QUALITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS			
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	286,000	407,000	(07)	*****	*****	*****	****	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	****		ONCE/ MONTH	GRAB
COLIFORM, FECAL GENERAL 74055 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	2	(30)	0	ONCE/ WEEK	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	200 DAILY MX	MPN		ONCE/ WEEK	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)				TELEPHONE		DATE				
James M. Harkins MES Director TYPED OR PRINTED					410	729-8350	12	03	20		
	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT				AREA CODE	NUMBER	YEAR	MONTH	DAY		

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name AG/GFI Hampstead, Inc

Address 626 Hanover Pike

Hampstead, MD 21074

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

001

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

Facility Black and Decker WWTP

Location 626 Hanover Pike

Attn:

MONITORING PERIOD

YEAR	MO	DAY	TO	YEAR	MO	DAY
12	03	01		12	03	31
(20-21) (22-23) (24-25)				(26-27) (28-29) (30-31)		

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

State Discharge Permit

02-DP-0022

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING			(4 Card Only) QUALITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS			
BOD, 5-DAY (20 DEG. C) 00310 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	2	(19)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	15 DAILY MX	MG/L		ONCE/ MONTH	GRAB
pH 00400 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	6.6	*****	7.5	(12)	0	TWICE/ WEEK	GRAB
	PERMIT REQUIREMENT	*****	*****	****	6.0 DAILY MN	*****	8.5 DAILY MX	SU		TWICE/ WEEK	GRAB
SOLIDS, TOTAL SUSPENDED 00530 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	4	4	(19)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	20 30DA AVG	30 DAILY MX	MG/L		ONCE/ MONTH	GRAB
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	222,226	703,000	(07)	*****	*****	*****	****	0	Measured	RECORD
	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	****		Measured	RECORD
CHLORINE, TOTAL RESIDUAL 50060 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	<0.1	<0.1	(19)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	0.011 30DA AVG	0.019 DAILY MX	MG/L		ONCE/ MONTH	GRAB
TETRACHLOROETHYLENE 34475 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(28)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5 DAILY MX	UG/L		ONCE/ MONTH	GRAB
1,1,1-TRICHLOROETHANE 34506 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(28)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5 DAILY MX	UG/L		ONCE/ MONTH	GRAB
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)				TFI PHONE		DATE				
TYPED OR PRINTED					410 729-8350		12	04	24		
COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)					SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		AREA CODE	NUMBER	YEAR	MONTH	DAY

PERMITTEE NAME/ADDRESS (Include

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

Facility Name/Location if different)

DISCHARGE MONITORING REPORT (DMR)

Form Approved.

Name AG/GFI Hampstead, Inc

(2-16)

(17-19)

OMB No.

Address 626 Hanover Pike

MD0001881

001

Approval expires

Hampstead, MD 21074

PERMIT NUMBER

DISCHARGE NUMBER

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

Facility Black and Decker WWTP

Location 626 Hanover Pike

Attn:

MONITORING PERIOD

YEAR	MO	DAY	YEAR	MO	DAY
12	03	01	12	03	31


FROM

TO

State Discharge Permit

02-DP-0022

(20-21) (22-23) (24-25) (26-27) (28-29) (30-31)

PARAMETER (32-37)		(3 Card Only) (46-53)			(4 Card Only) (38-45)			QUALITY OR CONCENTRATION (46-53)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS					
TRICHLOROETHENE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(28)	0	ONCE/ MONTH	GRAB		
79141 1 0 0	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5 DAILY MX	UG/L		ONCE/ MONTH	GRAB		
OIL AND GREASE TOTAL RECOVERABLE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	(19)	0	ONCE/ MONTH	GRAB		
70030 1 0 0	PERMIT REQUIREMENT	*****	*****	****	*****	10 30DA AVG	15 DAILY MX	MG/L		ONCE/ MONTH	GRAB		
	SAMPLE MEASUREMENT												
	PERMIT REQUIREMENT												
	SAMPLE MEASUREMENT												
	PERMIT REQUIREMENT												
	SAMPLE MEASUREMENT												
	PERMIT REQUIREMENT												
	SAMPLE MEASUREMENT												
	PERMIT REQUIREMENT												
	SAMPLE MEASUREMENT												
	PERMIT REQUIREMENT												
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)							TELEPHONE		DATE			
James M. Harkins MES Director								410	729-8350	12	04	24	
TYPED OR PRINTED								SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE	NUMBER	YEAR	MONTH	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name AG/GFI Hampstead, Inc.

Address 626 Hanover Pike

Hampstead, MD 21074

Facility Black and Decker WWTP

Location 626 Hanover Pike

Attn:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

101

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

MONITORING PERIOD

FROM			TO		
YEAR	MO	DAY	YEAR	MO	DAY
12	03	01	12	03	31
(20-21) (22-23) (24-25)			(26-27) (28-29) (30-31)		

State Discharge Permit

02-DP-0022

PARAMETER (32-37)		(3 Card Only) (46-53)			(4 Card Only) (38-45)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	363,097	452,000	(07)	*****	*****	*****	****	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	****		ONCE/ MONTH	GRAB
COLIFORM, FECAL GENERAL 74055 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	1	(30)	0	ONCE/ WEEK	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	200 DAILY MX	MPN		ONCE/ WEEK	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 35 U.S.C. SS 4319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)				TELEPHONE		DATE			
James M. Harkins MES Director						410. 729-8350		12	04	24	
TYPED OR PRINTED						AREA CODE NUMBER		YEAR	MONTH	DAY	
COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT									

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name AG/GFI Hampstead, Inc.

Address 626 Hanover Pike

Hampstead, MD 21074

Facility Black and Decker WWTP

Location 626 Hanover Pike

Attn:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

201

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

State Discharge Permit

02-DP-0022

MONITORING PERIOD

YEAR	MO	DAY	YEAR	MO	DAY
12	01	01	12	03	31
FROM (20-21) (22-23) (24-25)			TO (26-27) (28-29) (30-31)		

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING			(4 Card Only) QUALITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS			
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	251,179	296,633	(07)	*****	*****	*****	****	0	Measured	Record
	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	****		Measured	Record
TETRACHLOROETHYLENE 34475 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	(28)	0	One/ Quarter	Grab
	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT	REPORT	UG/L		One/ Quarter	Grab
1,1,1-TRICHLOROETHANE 34506 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	(28)	0	One/ Quarter	Grab
	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT	REPORT	UG/L		One/ Quarter	Grab
TRICHLOROETHENE 79141 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	(28)	0	One/ Quarter	Grab
	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT	REPORT	UG/L		One/ Quarter	Grab
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. 851001 AND 33 U.S.C. 85119. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)				TELEPHONE		DATE				
James M. Harkins MES Director TYPED OR PRINTED					410 729-8350		12	04	25		
	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT				AREA CODE	NUMBER	YEAR	MONTH	DAY		

COMMENT AND EXPANATION OF ANY VIOLATIONS (Reference all attachments here)

APPENDIX C
GROUNDWATER TREATMENT SYSTEM ANALYTICAL RESULTS
(JANUARY - MARCH 2012)



ATLANTIC COAST Laboratories

A Division of QC Laboratories

630 Churchmans Road
Newark, Delaware 19702
302-266-9121 • 454-8720 (FAX)
WWW.ATLANTICCOASTLABS.COM

Maryland Environmental Services (A)

Order Number: A12010279

Sample # A12010279-01

Sample Date: 1/4/2012 9:02

Site: Black & Decker 001

Matrix: Waste Water

Client Sample ID:

Sample Comments: None

<u>Test</u>	<u>Result</u>	<u>Qualifier</u>	<u>RL</u>	<u>Units</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
BOD-5	3	B	2	mg/L	SM 5210 B	1/5/2012 11:20:00 AM	Skent
Total Suspended Solids	<4		4	mg/L	SM 2540D	1/9/2012 2:00:00 PM	FTatis

Sample # A12010279-02

Sample Date: 1/4/2012 9:04

Site: Black & Decker 001

Matrix: Waste Water

Client Sample ID:

Sample Comments: None

<u>Test</u>	<u>Result</u>	<u>Qualifier</u>	<u>RL</u>	<u>Units</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Oil and Grease (HEM)	<5.5		5.5	mg/L	EPA 1664	1/5/2012 2:35:00 PM	JMcGuire

Sample # A12010279-03

Sample Date: 1/4/2012 9:06

Site: Black & Decker 001

Matrix: Waste Water

Client Sample ID:

Sample Comments: None

<u>Test</u>	<u>Result</u>	<u>Qualifier</u>	<u>RL</u>	<u>Units</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
1,1,1-Trichloroethane	<1		1	ug/L	EPA 624	1/6/2012 3:28:00 AM	JKozlowski
Tetrachloroethene	<1		1	ug/L	EPA 624	1/6/2012 3:28:00 AM	JKozlowski
Trichloroethene	<1		1	ug/L	EPA 624	1/6/2012 3:28:00 AM	JKozlowski

Approved:

Keith A. Hausbrecht

General Manager/Technical Director

Reported:

1/16/2012 2:48:39 PM



ATLANTIC COAST Laboratories
A Division of QC Laboratories

630 Churchmans Road
Newark, Delaware 19702
302-266-9121 • 454-8720 (FAX)
WWW.ATLANTICCOASTLABS.COM

Maryland Environmental Services (A)

Order Number: A12020121

Sample # A12020121-01

Sample Date: 1/24/2012 9:08

Site: Black & Decker 101

Matrix: Waste Water

Client Sample ID:

Sample Comments: None

<u>Test</u>	<u>Result</u>	<u>Qualifier</u>	<u>RL</u>	<u>Units</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Fecal Coliform, MPN	2		N/A	MPN/100 mL	SM 9221 E	1/24/2012 2:15:00 PM	ChesapeakeEnvironmentalL

Approved:

Keith A. Hamelrecht

General Manager/Technical Director

Reported:

2/6/2012 11:48:48 AM



ATLANTIC COAST Laboratories

A Division of QC Laboratories

630 Churchmans Road
Newark, Delaware 19702
302-266-9121 • 454-8720 (FAX)
WWW.ATLANTICCOASTLABS.COM

Maryland Environmental Services (A)

Order Number: A12020380

Sample # A12020380-01 **Sample Date: 2/7/2012 9:05**

Site: Black & Decker 001

Matrix: Waste Water

Client Sample ID:

Sample Comments: None

<u>Test</u>	<u>Result</u>	<u>Qualifier</u>	<u>RL</u>	<u>Units</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
BOD-5	<2	YL	2	mg/L	SM 5210 B	2/8/2012 7:00:00 AM	Ythomas
Total Suspended Solids	4		4	mg/L	SM 2540D	2/10/2012 2:15:00 PM	FTatts

Sample # A12020380-02 **Sample Date: 2/7/2012 9:06**

Site: Black & Decker 001

Matrix: Waste Water

Client Sample ID:

Sample Comments: None

<u>Test</u>	<u>Result</u>	<u>Qualifier</u>	<u>RL</u>	<u>Units</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Oil and Grease (HEM)	<5.5		5.5	mg/L	EPA 1664	2/10/2012 1:45:00 PM	JMcGuire

Sample # A12020380-03 **Sample Date: 2/7/2012 9:08**

Site: Black & Decker 001

Matrix: Waste Water

Client Sample ID:

Sample Comments: None

<u>Test</u>	<u>Result</u>	<u>Qualifier</u>	<u>RL</u>	<u>Units</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
1,1,1-Trichloroethane	<1		1	ug/L	EPA 624	2/9/2012 9:51:00 AM	JKozlowski
Tetrachloroethene	<1		1	ug/L	EPA 624	2/9/2012 9:51:00 AM	JKozlowski
Trichloroethene	<1		1	ug/L	EPA 624	2/9/2012 9:51:00 AM	JKozlowski

Approved:

Keith A. Handbrecht

General Manager/Technical Director

Reported:

2/15/2012 11:28:21 AM



ATLANTIC COAST Laboratories

A Division of QC Laboratories

630 Churchmans Road
Newark, Delaware 19702
302-266-9121 • 454-8720 (FAX)
WWW.ATLANTICCOASTLABS.COM

Maryland Environmental Services (A)

Order Number: A12030518

Sample # A12030518-01

Sample Date: 2/28/2012 9:20

Site: Black & Decker 101

Matrix: Waste Water

Client Sample ID:

Sample Comments: None

<u>Test</u>	<u>Result</u>	<u>Qualifier</u>	<u>RL</u>	<u>Units</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Fecal Coliform, MPN	2		N/A	MPN/100 mL	SM 9221 E	2/28/2012 2:09:00 PM	ChesapeakeEnvironmentalL

Approved:

Keith A. Hanselrecht

General Manager/Technical Director

Reported:

3/13/2012 7:23:02 AM



ATLANTIC COAST Laboratories

A Division of QC Laboratories

630 Churchmans Road
Newark, Delaware 19702
302-266-9121 • 454-8720 (FAX)
WWW.ATLANTICCOASTLABS.COM

Maryland Environmental Services (A)

Order Number: A12030219

Sample # A12030219-01

Sample Date: 3/6/2012 9:10

Site: Black & Decker 001

Matrix: Waste Water

Client Sample ID:

Sample Comments: None

Test	Result	Qualifier	RL	Units	Method	Analysis Date	Analyst
BOD-5	2	B	2	mg/L	SM 5210 B	3/7/2012 7:30:00 AM	Ythomas
Total Suspended Solids	4		4	mg/L	SM 2540D	3/7/2012 2:15:00 PM	FTatis

Sample # A12030219-02

Sample Date: 3/6/2012 9:12

Site: Black & Decker 001

Matrix: Waste Water

Client Sample ID:

Sample Comments: None

Test	Result	Qualifier	RL	Units	Method	Analysis Date	Analyst
Oil and Grease (HEM)	< 5.5		5.5	mg/L	EPA 1664	3/9/2012 5:40:00 PM	JMcGuire

Sample # A12030219-03

Sample Date: 3/6/2012 9:14

Site: Black & Decker 001

Matrix: Waste Water

Client Sample ID:

Sample Comments: None

Test	Result	Qualifier	RL	Units	Method	Analysis Date	Analyst
1,1,1-Trichloroethane	< 1		1	ug/L	EPA 624	3/9/2012 4:11:00 AM	JKozlowski
Tetrachloroethene	< 1		1	ug/L	EPA 624	3/9/2012 4:11:00 AM	JKozlowski
Trichloroethene	< 1		1	ug/L	EPA 624	3/9/2012 4:11:00 AM	JKozlowski

Approved:

Keith A. Hambrick

General Manager/Technical Director

Reported:

3/15/2012 2:19:02 PM



ATLANTIC COAST Laboratories

A Division of QC Laboratories

630 Churchmans Road
Newark, Delaware 19702
302-266-9121 • 454-8720 (FAX)
WWW.ATLANTICCOASTLABS.COM

Maryland Environmental Services (A)

Order Number: A12040514

Sample # A12040514-01

Sample Date: 3/27/2012 9:00

Site: Black & Decker 101

Matrix: Waste Water

Client Sample ID:

Sample Comments: None

<u>Test</u>	<u>Result</u>	<u>Qualifier</u>	<u>RL</u>	<u>Units</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Fecal Coliform, MPN	<1.8		N/A	MPN/100 mL	SM 9221 E	3/27/2012 1:55:00 PM	ChesapeakeEnvironmentalL

Approved:

Keith A. Hanselrecht

General Manager/Technical Director

Reported:

4/11/2012 7:08:01 AM

APPENDIX D
GROUNDWATER ANALYTICAL DATA PACKAGE
(FEBRUARY 2012)

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Chicago
2417 Bond Street
University Park, IL 60484
Tel: (708)534-5200

TestAmerica Job ID: 500-44366-1
Client Project/Site: Black and Decker

For:
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, Pennsylvania 19380

Attn: Mr. Tom Cornuet



Authorized for release by:
3/2/2012 2:56:39 PM

Richard Wright
Project Manager II
richard.wright@testamericainc.com

LINKS

Review your project
results through
Total Access

Have a Question?
**Ask
The
Expert**

Visit us at:
www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Detection Summary	4
Method Summary	7
Sample Summary	8
Client Sample Results	9
Definitions	61
QC Association	62
Surrogate Summary	63
QC Sample Results	64
Certification Summary	76
Chain of Custody	77
Receipt Checklists	80



Case Narrative

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-44366-1

Job ID: 500-44366-1

Laboratory: TestAmerica Chicago

Narrative

Job Narrative
500-44366-1

Comments

No additional comments.

Receipt

All samples were received in good condition within temperature requirements.

GC/MS VOA

Method(s) 8260B: The laboratory control sample (LCS) and / or the laboratory control sample duplicate (LCSD) for batch 142044 exceeded control limits for the following analytes: Dichlorodifluoromethane.

Method(s) 8260B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for batch 141854 were outside control limits. The associated laboratory control sample (LCS) recovery met acceptance criteria.

No other analytical or quality issues were noted.

Detection Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-44366-1

Client Sample ID: RFW-1A

Lab Sample ID: 500-44366-1

No Detections

Client Sample ID: RFW-1B

Lab Sample ID: 500-44366-2

No Detections

Client Sample ID: RFW-2A

Lab Sample ID: 500-44366-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	0.42	J	0.50	0.18	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-2B

Lab Sample ID: 500-44366-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	0.44	J	0.50	0.18	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-3B

Lab Sample ID: 500-44366-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	2.5		1.0	0.22	ug/L	1		8260B	Total/NA
Trichloroethene	0.54		0.50	0.18	ug/L	1		8260B	Total/NA
Tetrachloroethene	0.95	J	1.0	0.22	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-4A

Lab Sample ID: 500-44366-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	0.94	J	1.0	0.22	ug/L	1		8260B	Total/NA
Trichloroethene	31		0.50	0.18	ug/L	1		8260B	Total/NA
Tetrachloroethene	22		1.0	0.22	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-4A DUP

Lab Sample ID: 500-44366-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	1.0		1.0	0.22	ug/L	1		8260B	Total/NA
Trichloroethene	30		0.50	0.18	ug/L	1		8260B	Total/NA
Tetrachloroethene	22		1.0	0.22	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-4B

Lab Sample ID: 500-44366-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	3.6		1.0	0.22	ug/L	1		8260B	Total/NA
Chloroform	1.6		1.0	0.25	ug/L	1		8260B	Total/NA
Trichloroethene	44		0.50	0.18	ug/L	1		8260B	Total/NA
Tetrachloroethene	66		1.0	0.22	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-6

Lab Sample ID: 500-44366-9

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	0.63		0.50	0.18	ug/L	1		8260B	Total/NA
Tetrachloroethene	0.69	J	1.0	0.22	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-7

Lab Sample ID: 500-44366-10

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	0.25	J	0.50	0.12	ug/L	1		8260B	Total/NA

Detection Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-44366-1

Client Sample ID: RFW-7 (Continued)

Lab Sample ID: 500-44366-10

Analyte	Result	Qualifier	RL	MDL	Unit	Dil	Fac	D	Method	Prep Type
Trichloroethene	2.1		0.50	0.18	ug/L	1			8260B	Total/NA

Client Sample ID: RFW-9

Lab Sample ID: 500-44366-11

Analyte	Result	Qualifier	RL	MDL	Unit	Dil	Fac	D	Method	Prep Type
1,1-Dichloroethene	0.92	J	1.0	0.29	ug/L	1			8260B	Total/NA
1,1-Dichloroethane	1.2		1.0	0.24	ug/L	1			8260B	Total/NA
cis-1,2-Dichloroethene	24		1.0	0.22	ug/L	1			8260B	Total/NA
Trichloroethene	10		0.50	0.18	ug/L	1			8260B	Total/NA
Tetrachloroethene	6.6		1.0	0.22	ug/L	1			8260B	Total/NA

Client Sample ID: RFW-11B

Lab Sample ID: 500-44366-12

Analyte	Result	Qualifier	RL	MDL	Unit	Dil	Fac	D	Method	Prep Type
Trichloroethene	3.8		0.50	0.18	ug/L	1			8260B	Total/NA

Client Sample ID: RFW-12B

Lab Sample ID: 500-44366-13

Analyte	Result	Qualifier	RL	MDL	Unit	Dil	Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	2.4		1.0	0.22	ug/L	1			8260B	Total/NA
Trichloroethene	82		0.50	0.18	ug/L	1			8260B	Total/NA
Tetrachloroethene	6.1		1.0	0.22	ug/L	1			8260B	Total/NA

Client Sample ID: RFW-13

Lab Sample ID: 500-44366-14

Analyte	Result	Qualifier	RL	MDL	Unit	Dil	Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	1.1		1.0	0.22	ug/L	1			8260B	Total/NA
Trichloroethene	3.0		0.50	0.18	ug/L	1			8260B	Total/NA
Tetrachloroethene	16		1.0	0.22	ug/L	1			8260B	Total/NA

Client Sample ID: RFW-17

Lab Sample ID: 500-44366-15

Analyte	Result	Qualifier	RL	MDL	Unit	Dil	Fac	D	Method	Prep Type
Benzene	0.25	J	0.50	0.12	ug/L	1			8260B	Total/NA

Client Sample ID: TRIP BLANK

Lab Sample ID: 500-44366-16

No Detections

Client Sample ID: EW-2

Lab Sample ID: 500-44366-17

Analyte	Result	Qualifier	RL	MDL	Unit	Dil	Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	3.5		1.0	0.22	ug/L	1			8260B	Total/NA
Tetrachloroethene	48		1.0	0.22	ug/L	1			8260B	Total/NA
Trichloroethene - DL	210		5.0	1.8	ug/L	10			8260B	Total/NA

Client Sample ID: EW-3

Lab Sample ID: 500-44366-18

Analyte	Result	Qualifier	RL	MDL	Unit	Dil	Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	2.0		1.0	0.22	ug/L	1			8260B	Total/NA
Trichloroethene	57		0.50	0.18	ug/L	1			8260B	Total/NA
Tetrachloroethene	1.8		1.0	0.22	ug/L	1			8260B	Total/NA

Detection Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-44366-1

Client Sample ID: EW-4

Lab Sample ID: 500-44366-19

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Tetrachloroethene	21		1.0	0.22	ug/L	1		8260B	Total/NA
Trichloroethene - DL	730		2.5	0.90	ug/L	5		8260B	Total/NA

Client Sample ID: EW-5

Lab Sample ID: 500-44366-20

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	110		0.50	0.18	ug/L	1		8260B	Total/NA
Tetrachloroethene	3.3		1.0	0.22	ug/L	1		8260B	Total/NA

Client Sample ID: EW-6

Lab Sample ID: 500-44366-21

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	6.5		0.50	0.18	ug/L	1		8260B	Total/NA
Tetrachloroethene	11		1.0	0.22	ug/L	1		8260B	Total/NA

Client Sample ID: EW-7

Lab Sample ID: 500-44366-22

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	5.5		1.0	0.22	ug/L	1		8260B	Total/NA
Trichloroethene	3.8		0.50	0.18	ug/L	1		8260B	Total/NA
Tetrachloroethene	8.1		1.0	0.22	ug/L	1		8260B	Total/NA

Client Sample ID: EW-8

Lab Sample ID: 500-44366-23

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,1-Dichloroethane	0.75	J	1.0	0.24	ug/L	1		8260B	Total/NA
cis-1,2-Dichloroethene	23		1.0	0.22	ug/L	1		8260B	Total/NA
Trichloroethene	7.4		0.50	0.18	ug/L	1		8260B	Total/NA
Tetrachloroethene	52		1.0	0.22	ug/L	1		8260B	Total/NA

Client Sample ID: EW-9

Lab Sample ID: 500-44366-24

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	0.70		0.50	0.18	ug/L	1		8260B	Total/NA
Tetrachloroethene	83		1.0	0.22	ug/L	1		8260B	Total/NA

Client Sample ID: EW-9 DUP

Lab Sample ID: 500-44366-25

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	0.64		0.50	0.18	ug/L	1		8260B	Total/NA
Tetrachloroethene	84		1.0	0.22	ug/L	1		8260B	Total/NA

Client Sample ID: EW-10

Lab Sample ID: 500-44366-26

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Tetrachloroethene	0.56	J	1.0	0.22	ug/L	1		8260B	Total/NA

Method Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-44366-1


Method	Method Description	Protocol	Laboratory
8260B	VOC	SW846	TAL CHI

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CHI = TestAmerica Chicago, 2417 Bond Street, University Park, IL 60484, TEL (708)534-5200



Sample Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-44366-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
500-44366-1	RFW-1A	Water	02/16/12 08:00	02/18/12 09:10
500-44366-2	RFW-1B	Water	02/16/12 17:00	02/18/12 09:10
500-44366-3	RFW-2A	Water	02/16/12 08:45	02/18/12 09:10
500-44366-4	RFW-2B	Water	02/16/12 09:10	02/18/12 09:10
500-44366-5	RFW-3B	Water	02/16/12 15:15	02/18/12 09:10
500-44366-6	RFW-4A	Water	02/17/12 07:25	02/18/12 09:10
500-44366-7	RFW-4A DUP	Water	02/17/12 07:25	02/18/12 09:10
500-44366-8	RFW-4B	Water	02/17/12 07:50	02/18/12 09:10
500-44366-9	RFW-6	Water	02/16/12 17:30	02/18/12 09:10
500-44366-10	RFW-7	Water	02/16/12 09:45	02/18/12 09:10
500-44366-11	RFW-9	Water	02/17/12 11:40	02/18/12 09:10
500-44366-12	RFW-11B	Water	02/17/12 11:55	02/18/12 09:10
500-44366-13	RFW-12B	Water	02/16/12 17:30	02/18/12 09:10
500-44366-14	RFW-13	Water	02/16/12 16:20	02/18/12 09:10
500-44366-15	RFW-17	Water	02/16/12 14:05	02/18/12 09:10
500-44366-16	TRIP BLANK	Water	02/16/12 07:00	02/18/12 09:10
500-44366-17	EW-2	Water	02/16/12 17:00	02/18/12 09:10
500-44366-18	EW-3	Water	02/17/12 11:50	02/18/12 09:10
500-44366-19	EW-4	Water	02/17/12 11:10	02/18/12 09:10
500-44366-20	EW-5	Water	02/16/12 08:10	02/18/12 09:10
500-44366-21	EW-6	Water	02/17/12 07:30	02/18/12 09:10
500-44366-22	EW-7	Water	02/16/12 09:45	02/18/12 09:10
500-44366-23	EW-8	Water	02/16/12 10:45	02/18/12 09:10
500-44366-24	EW-9	Water	02/16/12 10:35	02/18/12 09:10
500-44366-25	EW-9 DUP	Water	02/16/12 10:35	02/18/12 09:10
500-44366-26	EW-10	Water	02/16/12 10:25	02/18/12 09:10

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-44366-1

Client Sample ID: RFW-1A

Lab Sample ID: 500-44366-1

Date Collected: 02/16/12 08:00

Matrix: Water

Date Received: 02/18/12 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.12	ug/L			02/29/12 02:33	1
Dichlorodifluoromethane	<1.0		1.0	0.26	ug/L			02/29/12 02:33	1
Chloromethane	<1.0		1.0	0.24	ug/L			02/29/12 02:33	1
Vinyl chloride	<0.50		0.50	0.13	ug/L			02/29/12 02:33	1
Bromomethane	<1.0		1.0	0.49	ug/L			02/29/12 02:33	1
Chloroethane	<1.0		1.0	0.33	ug/L			02/29/12 02:33	1
Trichlorofluoromethane	<1.0		1.0	0.22	ug/L			02/29/12 02:33	1
1,1-Dichloroethene	<1.0		1.0	0.29	ug/L			02/29/12 02:33	1
Carbon disulfide	<5.0		5.0	0.44	ug/L			02/29/12 02:33	1
Acetone	<5.0		5.0	1.9	ug/L			02/29/12 02:33	1
Methylene Chloride	<5.0		5.0	0.63	ug/L			02/29/12 02:33	1
trans-1,2-Dichloroethene	<1.0		1.0	0.27	ug/L			02/29/12 02:33	1
1,1-Dichloroethane	<1.0		1.0	0.24	ug/L			02/29/12 02:33	1
2,2-Dichloropropane	<1.0		1.0	0.31	ug/L			02/29/12 02:33	1
cis-1,2-Dichloroethene	<1.0		1.0	0.22	ug/L			02/29/12 02:33	1
Methyl Ethyl Ketone	<5.0		5.0	1.0	ug/L			02/29/12 02:33	1
Bromochloromethane	<1.0		1.0	0.50	ug/L			02/29/12 02:33	1
Chloroform	<1.0		1.0	0.25	ug/L			02/29/12 02:33	1
1,1,1-Trichloroethane	<1.0		1.0	0.26	ug/L			02/29/12 02:33	1
1,1-Dichloropropene	<1.0		1.0	0.25	ug/L			02/29/12 02:33	1
Carbon tetrachloride	<1.0		1.0	0.28	ug/L			02/29/12 02:33	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			02/29/12 02:33	1
Trichloroethene	<0.50		0.50	0.18	ug/L			02/29/12 02:33	1
1,2-Dichloropropane	<1.0		1.0	0.36	ug/L			02/29/12 02:33	1
Dibromomethane	<1.0		1.0	0.39	ug/L			02/29/12 02:33	1
Bromodichloromethane	<1.0		1.0	0.23	ug/L			02/29/12 02:33	1
cis-1,3-Dichloropropene	<1.0		1.0	0.28	ug/L			02/29/12 02:33	1
methyl isobutyl ketone	<5.0		5.0	0.79	ug/L			02/29/12 02:33	1
Toluene	<0.50		0.50	0.15	ug/L			02/29/12 02:33	1
trans-1,3-Dichloropropene	<1.0		1.0	0.35	ug/L			02/29/12 02:33	1
1,1,2-Trichloroethane	<1.0		1.0	0.30	ug/L			02/29/12 02:33	1
Tetrachloroethene	<1.0		1.0	0.22	ug/L			02/29/12 02:33	1
1,3-Dichloropropane	<1.0		1.0	0.27	ug/L			02/29/12 02:33	1
2-Hexanone	<5.0		5.0	0.56	ug/L			02/29/12 02:33	1
Dibromochloromethane	<1.0		1.0	0.25	ug/L			02/29/12 02:33	1
1,2-Dibromoethane	<1.0		1.0	0.45	ug/L			02/29/12 02:33	1
Chlorobenzene	<1.0		1.0	0.24	ug/L			02/29/12 02:33	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.31	ug/L			02/29/12 02:33	1
Ethylbenzene	<0.50		0.50	0.14	ug/L			02/29/12 02:33	1
m&p-Xylene	<1.0		1.0	0.30	ug/L			02/29/12 02:33	1
o-Xylene	<0.50		0.50	0.13	ug/L			02/29/12 02:33	1
Styrene	<1.0		1.0	0.26	ug/L			02/29/12 02:33	1
Bromoform	<1.0		1.0	0.45	ug/L			02/29/12 02:33	1
Isopropylbenzene	<1.0		1.0	0.21	ug/L			02/29/12 02:33	1
Bromobenzene	<1.0		1.0	0.31	ug/L			02/29/12 02:33	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.35	ug/L			02/29/12 02:33	1
1,2,3-Trichloropropane	<1.0		1.0	0.60	ug/L			02/29/12 02:33	1
N-Propylbenzene	<1.0		1.0	0.19	ug/L			02/29/12 02:33	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/29/12 02:33	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.23	ug/L			02/29/12 02:33	1
4-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/29/12 02:33	1

Client Sample Results

Client: Weston Solutions, Inc.
 Project/Site: Black and Decker

TestAmerica Job ID: 500-44366-1

Client Sample ID: RFW-1A

Lab Sample ID: 500-44366-1

Date Collected: 02/16/12 08:00

Matrix: Water

Date Received: 02/18/12 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.24	ug/L			02/29/12 02:33	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.22	ug/L			02/29/12 02:33	1
sec-Butylbenzene	<1.0		1.0	0.19	ug/L			02/29/12 02:33	1
1,3-Dichlorobenzene	<1.0		1.0	0.26	ug/L			02/29/12 02:33	1
p-Isopropyltoluene	<1.0		1.0	0.24	ug/L			02/29/12 02:33	1
1,4-Dichlorobenzene	<1.0		1.0	0.24	ug/L			02/29/12 02:33	1
n-Butylbenzene	<1.0		1.0	0.21	ug/L			02/29/12 02:33	1
1,2-Dichlorobenzene	<1.0		1.0	0.21	ug/L			02/29/12 02:33	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	1.2	ug/L			02/29/12 02:33	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.22	ug/L			02/29/12 02:33	1
Hexachlorobutadiene	<1.0		1.0	0.45	ug/L			02/29/12 02:33	1
Naphthalene	<1.0		1.0	0.24	ug/L			02/29/12 02:33	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.36	ug/L			02/29/12 02:33	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	94		77 - 124		02/29/12 02:33	1
Toluene-d8 (Surr)	92		80 - 121		02/29/12 02:33	1
4-Bromofluorobenzene (Surr)	100		77 - 112		02/29/12 02:33	1
Dibromofluoromethane	104		78 - 119		02/29/12 02:33	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-44366-1

Client Sample ID: RFW-1B

Lab Sample ID: 500-44366-2

Date Collected: 02/16/12 17:00

Matrix: Water

Date Received: 02/18/12 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.12	ug/L			02/29/12 02:58	1
Dichlorodifluoromethane	<1.0		1.0	0.26	ug/L			02/29/12 02:58	1
Chloromethane	<1.0		1.0	0.24	ug/L			02/29/12 02:58	1
Vinyl chloride	<0.50		0.50	0.13	ug/L			02/29/12 02:58	1
Bromomethane	<1.0		1.0	0.49	ug/L			02/29/12 02:58	1
Chloroethane	<1.0		1.0	0.33	ug/L			02/29/12 02:58	1
Trichlorofluoromethane	<1.0		1.0	0.22	ug/L			02/29/12 02:58	1
1,1-Dichloroethene	<1.0		1.0	0.29	ug/L			02/29/12 02:58	1
Carbon disulfide	<5.0		5.0	0.44	ug/L			02/29/12 02:58	1
Acetone	<5.0		5.0	1.9	ug/L			02/29/12 02:58	1
Methylene Chloride	<5.0		5.0	0.63	ug/L			02/29/12 02:58	1
trans-1,2-Dichloroethene	<1.0		1.0	0.27	ug/L			02/29/12 02:58	1
1,1-Dichloroethane	<1.0		1.0	0.24	ug/L			02/29/12 02:58	1
2,2-Dichloropropane	<1.0		1.0	0.31	ug/L			02/29/12 02:58	1
cis-1,2-Dichloroethene	<1.0		1.0	0.22	ug/L			02/29/12 02:58	1
Methyl Ethyl Ketone	<5.0		5.0	1.0	ug/L			02/29/12 02:58	1
Bromochloromethane	<1.0		1.0	0.50	ug/L			02/29/12 02:58	1
Chloroform	<1.0		1.0	0.25	ug/L			02/29/12 02:58	1
1,1,1-Trichloroethane	<1.0		1.0	0.26	ug/L			02/29/12 02:58	1
1,1-Dichloropropene	<1.0		1.0	0.25	ug/L			02/29/12 02:58	1
Carbon tetrachloride	<1.0		1.0	0.28	ug/L			02/29/12 02:58	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			02/29/12 02:58	1
Trichloroethene	<0.50		0.50	0.18	ug/L			02/29/12 02:58	1
1,2-Dichloropropane	<1.0		1.0	0.36	ug/L			02/29/12 02:58	1
Dibromomethane	<1.0		1.0	0.39	ug/L			02/29/12 02:58	1
Bromodichloromethane	<1.0		1.0	0.23	ug/L			02/29/12 02:58	1
cis-1,3-Dichloropropene	<1.0		1.0	0.28	ug/L			02/29/12 02:58	1
methyl isobutyl ketone	<5.0		5.0	0.79	ug/L			02/29/12 02:58	1
Toluene	<0.50		0.50	0.15	ug/L			02/29/12 02:58	1
trans-1,3-Dichloropropene	<1.0		1.0	0.35	ug/L			02/29/12 02:58	1
1,1,2-Trichloroethane	<1.0		1.0	0.30	ug/L			02/29/12 02:58	1
Tetrachloroethene	<1.0		1.0	0.22	ug/L			02/29/12 02:58	1
1,3-Dichloropropane	<1.0		1.0	0.27	ug/L			02/29/12 02:58	1
2-Hexanone	<5.0		5.0	0.56	ug/L			02/29/12 02:58	1
Dibromochloromethane	<1.0		1.0	0.25	ug/L			02/29/12 02:58	1
1,2-Dibromoethane	<1.0		1.0	0.45	ug/L			02/29/12 02:58	1
Chlorobenzene	<1.0		1.0	0.24	ug/L			02/29/12 02:58	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.31	ug/L			02/29/12 02:58	1
Ethylbenzene	<0.50		0.50	0.14	ug/L			02/29/12 02:58	1
m&p-Xylene	<1.0		1.0	0.30	ug/L			02/29/12 02:58	1
o-Xylene	<0.50		0.50	0.13	ug/L			02/29/12 02:58	1
Styrene	<1.0		1.0	0.26	ug/L			02/29/12 02:58	1
Bromoform	<1.0		1.0	0.45	ug/L			02/29/12 02:58	1
Isopropylbenzene	<1.0		1.0	0.21	ug/L			02/29/12 02:58	1
Bromobenzene	<1.0		1.0	0.31	ug/L			02/29/12 02:58	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.35	ug/L			02/29/12 02:58	1
1,2,3-Trichloropropane	<1.0		1.0	0.60	ug/L			02/29/12 02:58	1
N-Propylbenzene	<1.0		1.0	0.19	ug/L			02/29/12 02:58	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/29/12 02:58	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.23	ug/L			02/29/12 02:58	1
4-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/29/12 02:58	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-44366-1

Client Sample ID: RFW-1B
Date Collected: 02/16/12 17:00
Date Received: 02/18/12 09:10

Lab Sample ID: 500-44366-2
Matrix: Water

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.24	ug/L			02/29/12 02:58	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.22	ug/L			02/29/12 02:58	1
sec-Butylbenzene	<1.0		1.0	0.19	ug/L			02/29/12 02:58	1
1,3-Dichlorobenzene	<1.0		1.0	0.26	ug/L			02/29/12 02:58	1
p-Isopropyltoluene	<1.0		1.0	0.24	ug/L			02/29/12 02:58	1
1,4-Dichlorobenzene	<1.0		1.0	0.24	ug/L			02/29/12 02:58	1
n-Butylbenzene	<1.0		1.0	0.21	ug/L			02/29/12 02:58	1
1,2-Dichlorobenzene	<1.0		1.0	0.21	ug/L			02/29/12 02:58	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	1.2	ug/L			02/29/12 02:58	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.22	ug/L			02/29/12 02:58	1
Hexachlorobutadiene	<1.0		1.0	0.45	ug/L			02/29/12 02:58	1
Naphthalene	<1.0		1.0	0.24	ug/L			02/29/12 02:58	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.36	ug/L			02/29/12 02:58	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	89		77 - 124		02/29/12 02:58	1
Toluene-d8 (Surr)	93		80 - 121		02/29/12 02:58	1
4-Bromofluorobenzene (Surr)	94		77 - 112		02/29/12 02:58	1
Dibromofluoromethane	99		78 - 119		02/29/12 02:58	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-44366-1

Client Sample ID: RFW-2A
Date Collected: 02/16/12 08:45
Date Received: 02/18/12 09:10

Lab Sample ID: 500-44366-3
Matrix: Water

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.12	ug/L			02/29/12 03:23	1
Dichlorodifluoromethane	<1.0		1.0	0.26	ug/L			02/29/12 03:23	1
Chloromethane	<1.0		1.0	0.24	ug/L			02/29/12 03:23	1
Vinyl chloride	<0.50		0.50	0.13	ug/L			02/29/12 03:23	1
Bromomethane	<1.0		1.0	0.49	ug/L			02/29/12 03:23	1
Chloroethane	<1.0		1.0	0.33	ug/L			02/29/12 03:23	1
Trichlorofluoromethane	<1.0		1.0	0.22	ug/L			02/29/12 03:23	1
1,1-Dichloroethene	<1.0		1.0	0.29	ug/L			02/29/12 03:23	1
Carbon disulfide	<5.0		5.0	0.44	ug/L			02/29/12 03:23	1
Acetone	<5.0		5.0	1.9	ug/L			02/29/12 03:23	1
Methylene Chloride	<5.0		5.0	0.63	ug/L			02/29/12 03:23	1
trans-1,2-Dichloroethene	<1.0		1.0	0.27	ug/L			02/29/12 03:23	1
1,1-Dichloroethane	<1.0		1.0	0.24	ug/L			02/29/12 03:23	1
2,2-Dichloropropane	<1.0		1.0	0.31	ug/L			02/29/12 03:23	1
cis-1,2-Dichloroethene	<1.0		1.0	0.22	ug/L			02/29/12 03:23	1
Methyl Ethyl Ketone	<5.0		5.0	1.0	ug/L			02/29/12 03:23	1
Bromochloromethane	<1.0		1.0	0.50	ug/L			02/29/12 03:23	1
Chloroform	<1.0		1.0	0.25	ug/L			02/29/12 03:23	1
1,1,1-Trichloroethane	<1.0		1.0	0.26	ug/L			02/29/12 03:23	1
1,1-Dichloropropene	<1.0		1.0	0.25	ug/L			02/29/12 03:23	1
Carbon tetrachloride	<1.0		1.0	0.28	ug/L			02/29/12 03:23	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			02/29/12 03:23	1
Trichloroethene	0.42	J	0.50	0.18	ug/L			02/29/12 03:23	1
1,2-Dichloropropane	<1.0		1.0	0.36	ug/L			02/29/12 03:23	1
Dibromomethane	<1.0		1.0	0.39	ug/L			02/29/12 03:23	1
Bromodichloromethane	<1.0		1.0	0.23	ug/L			02/29/12 03:23	1
cis-1,3-Dichloropropene	<1.0		1.0	0.28	ug/L			02/29/12 03:23	1
methyl isobutyl ketone	<5.0		5.0	0.79	ug/L			02/29/12 03:23	1
Toluene	<0.50		0.50	0.15	ug/L			02/29/12 03:23	1
trans-1,3-Dichloropropene	<1.0		1.0	0.35	ug/L			02/29/12 03:23	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.30	ug/L			02/29/12 03:23	1
Tetrachloroethene	<1.0		1.0	0.22	ug/L			02/29/12 03:23	1
1,3-Dichloropropane	<1.0		1.0	0.27	ug/L			02/29/12 03:23	1
2-Hexanone	<5.0		5.0	0.56	ug/L			02/29/12 03:23	1
Dibromochloromethane	<1.0		1.0	0.25	ug/L			02/29/12 03:23	1
1,2-Dibromoethane	<1.0		1.0	0.45	ug/L			02/29/12 03:23	1
Chlorobenzene	<1.0		1.0	0.24	ug/L			02/29/12 03:23	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.31	ug/L			02/29/12 03:23	1
Ethylbenzene	<0.50		0.50	0.14	ug/L			02/29/12 03:23	1
m&p-Xylene	<1.0		1.0	0.30	ug/L			02/29/12 03:23	1
o-Xylene	<0.50		0.50	0.13	ug/L			02/29/12 03:23	1
Styrene	<1.0		1.0	0.26	ug/L			02/29/12 03:23	1
Bromoform	<1.0		1.0	0.45	ug/L			02/29/12 03:23	1
Isopropylbenzene	<1.0		1.0	0.21	ug/L			02/29/12 03:23	1
Bromobenzene	<1.0		1.0	0.31	ug/L			02/29/12 03:23	1
1,1,1,2,2-Tetrachloroethane	<1.0		1.0	0.35	ug/L			02/29/12 03:23	1
1,2,3-Trichloropropane	<1.0		1.0	0.60	ug/L			02/29/12 03:23	1
N-Propylbenzene	<1.0		1.0	0.19	ug/L			02/29/12 03:23	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/29/12 03:23	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.23	ug/L			02/29/12 03:23	1
4-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/29/12 03:23	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-44366-1

Client Sample ID: RFW-2A

Lab Sample ID: 500-44366-3

Date Collected: 02/16/12 08:45

Matrix: Water

Date Received: 02/18/12 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.24	ug/L			02/29/12 03:23	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.22	ug/L			02/29/12 03:23	1
sec-Butylbenzene	<1.0		1.0	0.19	ug/L			02/29/12 03:23	1
1,3-Dichlorobenzene	<1.0		1.0	0.26	ug/L			02/29/12 03:23	1
p-Isopropyltoluene	<1.0		1.0	0.24	ug/L			02/29/12 03:23	1
1,4-Dichlorobenzene	<1.0		1.0	0.24	ug/L			02/29/12 03:23	1
n-Butylbenzene	<1.0		1.0	0.21	ug/L			02/29/12 03:23	1
1,2-Dichlorobenzene	<1.0		1.0	0.21	ug/L			02/29/12 03:23	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	1.2	ug/L			02/29/12 03:23	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.22	ug/L			02/29/12 03:23	1
Hexachlorobutadiene	<1.0		1.0	0.45	ug/L			02/29/12 03:23	1
Naphthalene	<1.0		1.0	0.24	ug/L			02/29/12 03:23	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.36	ug/L			02/29/12 03:23	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	86		77 - 124		02/29/12 03:23	1
Toluene-d8 (Surr)	91		80 - 121		02/29/12 03:23	1
4-Bromofluorobenzene (Surr)	95		77 - 112		02/29/12 03:23	1
Dibromofluoromethane	95		78 - 119		02/29/12 03:23	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-44366-1

Client Sample ID: RFW-2B

Lab Sample ID: 500-44366-4

Date Collected: 02/16/12 09:10

Matrix: Water

Date Received: 02/18/12 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.12	ug/L			02/29/12 03:48	1
Dichlorodifluoromethane	<1.0		1.0	0.26	ug/L			02/29/12 03:48	1
Chloromethane	<1.0		1.0	0.24	ug/L			02/29/12 03:48	1
Vinyl chloride	<0.50		0.50	0.13	ug/L			02/29/12 03:48	1
Bromomethane	<1.0		1.0	0.49	ug/L			02/29/12 03:48	1
Chloroethane	<1.0		1.0	0.33	ug/L			02/29/12 03:48	1
Trichlorofluoromethane	<1.0		1.0	0.22	ug/L			02/29/12 03:48	1
1,1-Dichloroethene	<1.0		1.0	0.29	ug/L			02/29/12 03:48	1
Carbon disulfide	<5.0		5.0	0.44	ug/L			02/29/12 03:48	1
Acetone	<5.0		5.0	1.9	ug/L			02/29/12 03:48	1
Methylene Chloride	<5.0		5.0	0.63	ug/L			02/29/12 03:48	1
trans-1,2-Dichloroethene	<1.0		1.0	0.27	ug/L			02/29/12 03:48	1
1,1-Dichloroethane	<1.0		1.0	0.24	ug/L			02/29/12 03:48	1
2,2-Dichloropropane	<1.0		1.0	0.31	ug/L			02/29/12 03:48	1
cis-1,2-Dichloroethene	<1.0		1.0	0.22	ug/L			02/29/12 03:48	1
Methyl Ethyl Ketone	<5.0		5.0	1.0	ug/L			02/29/12 03:48	1
Bromochloromethane	<1.0		1.0	0.50	ug/L			02/29/12 03:48	1
Chloroform	<1.0		1.0	0.25	ug/L			02/29/12 03:48	1
1,1,1-Trichloroethane	<1.0		1.0	0.26	ug/L			02/29/12 03:48	1
1,1-Dichloropropene	<1.0		1.0	0.25	ug/L			02/29/12 03:48	1
Carbon tetrachloride	<1.0		1.0	0.28	ug/L			02/29/12 03:48	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			02/29/12 03:48	1
Trichloroethene	0.44	J	0.50	0.18	ug/L			02/29/12 03:48	1
1,2-Dichloropropane	<1.0		1.0	0.36	ug/L			02/29/12 03:48	1
Dibromomethane	<1.0		1.0	0.39	ug/L			02/29/12 03:48	1
Bromodichloromethane	<1.0		1.0	0.23	ug/L			02/29/12 03:48	1
cis-1,3-Dichloropropene	<1.0		1.0	0.28	ug/L			02/29/12 03:48	1
methyl isobutyl ketone	<5.0		5.0	0.79	ug/L			02/29/12 03:48	1
Toluene	<0.50		0.50	0.15	ug/L			02/29/12 03:48	1
trans-1,3-Dichloropropene	<1.0		1.0	0.35	ug/L			02/29/12 03:48	1
1,1,2-Trichloroethane	<1.0		1.0	0.30	ug/L			02/29/12 03:48	1
Tetrachloroethene	<1.0		1.0	0.22	ug/L			02/29/12 03:48	1
1,3-Dichloropropane	<1.0		1.0	0.27	ug/L			02/29/12 03:48	1
2-Hexanone	<5.0		5.0	0.56	ug/L			02/29/12 03:48	1
Dibromochloromethane	<1.0		1.0	0.25	ug/L			02/29/12 03:48	1
1,2-Dibromoethane	<1.0		1.0	0.45	ug/L			02/29/12 03:48	1
Chlorobenzene	<1.0		1.0	0.24	ug/L			02/29/12 03:48	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.31	ug/L			02/29/12 03:48	1
Ethylbenzene	<0.50		0.50	0.14	ug/L			02/29/12 03:48	1
m&p-Xylene	<1.0		1.0	0.30	ug/L			02/29/12 03:48	1
o-Xylene	<0.50		0.50	0.13	ug/L			02/29/12 03:48	1
Styrene	<1.0		1.0	0.26	ug/L			02/29/12 03:48	1
Bromoform	<1.0		1.0	0.45	ug/L			02/29/12 03:48	1
Isopropylbenzene	<1.0		1.0	0.21	ug/L			02/29/12 03:48	1
Bromobenzene	<1.0		1.0	0.31	ug/L			02/29/12 03:48	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.35	ug/L			02/29/12 03:48	1
1,2,3-Trichloropropane	<1.0		1.0	0.60	ug/L			02/29/12 03:48	1
N-Propylbenzene	<1.0		1.0	0.19	ug/L			02/29/12 03:48	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/29/12 03:48	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.23	ug/L			02/29/12 03:48	1
4-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/29/12 03:48	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-44366-1

Client Sample ID: RFW-2B

Lab Sample ID: 500-44366-4

Date Collected: 02/16/12 09:10

Matrix: Water

Date Received: 02/18/12 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.24	ug/L			02/29/12 03:48	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.22	ug/L			02/29/12 03:48	1
sec-Butylbenzene	<1.0		1.0	0.19	ug/L			02/29/12 03:48	1
1,3-Dichlorobenzene	<1.0		1.0	0.26	ug/L			02/29/12 03:48	1
p-Isopropyltoluene	<1.0		1.0	0.24	ug/L			02/29/12 03:48	1
1,4-Dichlorobenzene	<1.0		1.0	0.24	ug/L			02/29/12 03:48	1
n-Butylbenzene	<1.0		1.0	0.21	ug/L			02/29/12 03:48	1
1,2-Dichlorobenzene	<1.0		1.0	0.21	ug/L			02/29/12 03:48	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	1.2	ug/L			02/29/12 03:48	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.22	ug/L			02/29/12 03:48	1
Hexachlorobutadiene	<1.0		1.0	0.45	ug/L			02/29/12 03:48	1
Naphthalene	<1.0		1.0	0.24	ug/L			02/29/12 03:48	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.36	ug/L			02/29/12 03:48	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	92		77 - 124					02/29/12 03:48	1
Toluene-d8 (Surr)	99		80 - 121					02/29/12 03:48	1
4-Bromofluorobenzene (Surr)	100		77 - 112					02/29/12 03:48	1
Dibromofluoromethane	101		78 - 119					02/29/12 03:48	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-44366-1

Client Sample ID: RFW-3B

Lab Sample ID: 500-44366-5

Date Collected: 02/16/12 15:15

Matrix: Water

Date Received: 02/18/12 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.12	ug/L			02/29/12 04:13	1
Dichlorodifluoromethane	<1.0		1.0	0.26	ug/L			02/29/12 04:13	1
Chloromethane	<1.0		1.0	0.24	ug/L			02/29/12 04:13	1
Vinyl chloride	<0.50		0.50	0.13	ug/L			02/29/12 04:13	1
Bromomethane	<1.0		1.0	0.49	ug/L			02/29/12 04:13	1
Chloroethane	<1.0		1.0	0.33	ug/L			02/29/12 04:13	1
Trichlorofluoromethane	<1.0		1.0	0.22	ug/L			02/29/12 04:13	1
1,1-Dichloroethene	<1.0		1.0	0.29	ug/L			02/29/12 04:13	1
Carbon disulfide	<5.0		5.0	0.44	ug/L			02/29/12 04:13	1
Acetone	<5.0		5.0	1.9	ug/L			02/29/12 04:13	1
Methylene Chloride	<5.0		5.0	0.63	ug/L			02/29/12 04:13	1
trans-1,2-Dichloroethene	<1.0		1.0	0.27	ug/L			02/29/12 04:13	1
1,1-Dichloroethane	<1.0		1.0	0.24	ug/L			02/29/12 04:13	1
2,2-Dichloropropane	<1.0		1.0	0.31	ug/L			02/29/12 04:13	1
cis-1,2-Dichloroethene	2.5		1.0	0.22	ug/L			02/29/12 04:13	1
Methyl Ethyl Ketone	<5.0		5.0	1.0	ug/L			02/29/12 04:13	1
Bromochloromethane	<1.0		1.0	0.50	ug/L			02/29/12 04:13	1
Chloroform	<1.0		1.0	0.25	ug/L			02/29/12 04:13	1
1,1,1-Trichloroethane	<1.0		1.0	0.26	ug/L			02/29/12 04:13	1
1,1-Dichloropropene	<1.0		1.0	0.25	ug/L			02/29/12 04:13	1
Carbon tetrachloride	<1.0		1.0	0.28	ug/L			02/29/12 04:13	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			02/29/12 04:13	1
Trichloroethene	0.54		0.50	0.18	ug/L			02/29/12 04:13	1
1,2-Dichloropropane	<1.0		1.0	0.36	ug/L			02/29/12 04:13	1
Dibromomethane	<1.0		1.0	0.39	ug/L			02/29/12 04:13	1
Bromodichloromethane	<1.0		1.0	0.23	ug/L			02/29/12 04:13	1
cis-1,3-Dichloropropene	<1.0		1.0	0.28	ug/L			02/29/12 04:13	1
methyl isobutyl ketone	<5.0		5.0	0.79	ug/L			02/29/12 04:13	1
Toluene	<0.50		0.50	0.15	ug/L			02/29/12 04:13	1
trans-1,3-Dichloropropene	<1.0		1.0	0.35	ug/L			02/29/12 04:13	1
1,1,2-Trichloroethane	<1.0		1.0	0.30	ug/L			02/29/12 04:13	1
Tetrachloroethene	0.95	J	1.0	0.22	ug/L			02/29/12 04:13	1
1,3-Dichloropropane	<1.0		1.0	0.27	ug/L			02/29/12 04:13	1
2-Hexanone	<5.0		5.0	0.56	ug/L			02/29/12 04:13	1
Dibromochloromethane	<1.0		1.0	0.25	ug/L			02/29/12 04:13	1
1,2-Dibromoethane	<1.0		1.0	0.45	ug/L			02/29/12 04:13	1
Chlorobenzene	<1.0		1.0	0.24	ug/L			02/29/12 04:13	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.31	ug/L			02/29/12 04:13	1
Ethylbenzene	<0.50		0.50	0.14	ug/L			02/29/12 04:13	1
m&p-Xylene	<1.0		1.0	0.30	ug/L			02/29/12 04:13	1
o-Xylene	<0.50		0.50	0.13	ug/L			02/29/12 04:13	1
Styrene	<1.0		1.0	0.26	ug/L			02/29/12 04:13	1
Bromoform	<1.0		1.0	0.45	ug/L			02/29/12 04:13	1
Isopropylbenzene	<1.0		1.0	0.21	ug/L			02/29/12 04:13	1
Bromobenzene	<1.0		1.0	0.31	ug/L			02/29/12 04:13	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.35	ug/L			02/29/12 04:13	1
1,2,3-Trichloropropane	<1.0		1.0	0.60	ug/L			02/29/12 04:13	1
N-Propylbenzene	<1.0		1.0	0.19	ug/L			02/29/12 04:13	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/29/12 04:13	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.23	ug/L			02/29/12 04:13	1
4-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/29/12 04:13	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-44366-1

Client Sample ID: RFW-3B

Lab Sample ID: 500-44366-5

Date Collected: 02/16/12 15:15

Matrix: Water

Date Received: 02/18/12 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.24	ug/L			02/29/12 04:13	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.22	ug/L			02/29/12 04:13	1
sec-Butylbenzene	<1.0		1.0	0.19	ug/L			02/29/12 04:13	1
1,3-Dichlorobenzene	<1.0		1.0	0.26	ug/L			02/29/12 04:13	1
p-Isopropyltoluene	<1.0		1.0	0.24	ug/L			02/29/12 04:13	1
1,4-Dichlorobenzene	<1.0		1.0	0.24	ug/L			02/29/12 04:13	1
n-Butylbenzene	<1.0		1.0	0.21	ug/L			02/29/12 04:13	1
1,2-Dichlorobenzene	<1.0		1.0	0.21	ug/L			02/29/12 04:13	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	1.2	ug/L			02/29/12 04:13	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.22	ug/L			02/29/12 04:13	1
Hexachlorobutadiene	<1.0		1.0	0.45	ug/L			02/29/12 04:13	1
Naphthalene	<1.0		1.0	0.24	ug/L			02/29/12 04:13	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.36	ug/L			02/29/12 04:13	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	96		77 - 124		02/29/12 04:13	1
Toluene-d8 (Surr)	99		80 - 121		02/29/12 04:13	1
4-Bromofluorobenzene (Surr)	100		77 - 112		02/29/12 04:13	1
Dibromofluoromethane	106		78 - 119		02/29/12 04:13	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-44366-1

Client Sample ID: RFW-4A

Lab Sample ID: 500-44366-6

Date Collected: 02/17/12 07:25

Matrix: Water

Date Received: 02/18/12 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.12	ug/L			02/29/12 04:38	1
Dichlorodifluoromethane	<1.0		1.0	0.26	ug/L			02/29/12 04:38	1
Chloromethane	<1.0		1.0	0.24	ug/L			02/29/12 04:38	1
Vinyl chloride	<0.50		0.50	0.13	ug/L			02/29/12 04:38	1
Bromomethane	<1.0		1.0	0.49	ug/L			02/29/12 04:38	1
Chloroethane	<1.0		1.0	0.33	ug/L			02/29/12 04:38	1
Trichlorofluoromethane	<1.0		1.0	0.22	ug/L			02/29/12 04:38	1
1,1-Dichloroethene	<1.0		1.0	0.29	ug/L			02/29/12 04:38	1
Carbon disulfide	<5.0		5.0	0.44	ug/L			02/29/12 04:38	1
Acetone	<5.0		5.0	1.9	ug/L			02/29/12 04:38	1
Methylene Chloride	<5.0		5.0	0.63	ug/L			02/29/12 04:38	1
trans-1,2-Dichloroethene	<1.0		1.0	0.27	ug/L			02/29/12 04:38	1
1,1-Dichloroethane	<1.0		1.0	0.24	ug/L			02/29/12 04:38	1
2,2-Dichloropropane	<1.0		1.0	0.31	ug/L			02/29/12 04:38	1
cis-1,2-Dichloroethene	0.94	J	1.0	0.22	ug/L			02/29/12 04:38	1
Methyl Ethyl Ketone	<5.0		5.0	1.0	ug/L			02/29/12 04:38	1
Bromochloromethane	<1.0		1.0	0.50	ug/L			02/29/12 04:38	1
Chloroform	<1.0		1.0	0.25	ug/L			02/29/12 04:38	1
1,1,1-Trichloroethane	<1.0		1.0	0.26	ug/L			02/29/12 04:38	1
1,1-Dichloropropene	<1.0		1.0	0.25	ug/L			02/29/12 04:38	1
Carbon tetrachloride	<1.0		1.0	0.28	ug/L			02/29/12 04:38	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			02/29/12 04:38	1
Trichloroethene	31		0.50	0.18	ug/L			02/29/12 04:38	1
1,2-Dichloropropane	<1.0		1.0	0.36	ug/L			02/29/12 04:38	1
Dibromomethane	<1.0		1.0	0.39	ug/L			02/29/12 04:38	1
Bromodichloromethane	<1.0		1.0	0.23	ug/L			02/29/12 04:38	1
cis-1,3-Dichloropropene	<1.0		1.0	0.28	ug/L			02/29/12 04:38	1
methyl isobutyl ketone	<5.0		5.0	0.79	ug/L			02/29/12 04:38	1
Toluene	<0.50		0.50	0.15	ug/L			02/29/12 04:38	1
trans-1,3-Dichloropropene	<1.0		1.0	0.35	ug/L			02/29/12 04:38	1
1,1,2-Trichloroethane	<1.0		1.0	0.30	ug/L			02/29/12 04:38	1
Tetrachloroethene	22		1.0	0.22	ug/L			02/29/12 04:38	1
1,3-Dichloropropane	<1.0		1.0	0.27	ug/L			02/29/12 04:38	1
2-Hexanone	<5.0		5.0	0.56	ug/L			02/29/12 04:38	1
Dibromochloromethane	<1.0		1.0	0.25	ug/L			02/29/12 04:38	1
1,2-Dibromoethane	<1.0		1.0	0.45	ug/L			02/29/12 04:38	1
Chlorobenzene	<1.0		1.0	0.24	ug/L			02/29/12 04:38	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.31	ug/L			02/29/12 04:38	1
Ethylbenzene	<0.50		0.50	0.14	ug/L			02/29/12 04:38	1
m&p-Xylene	<1.0		1.0	0.30	ug/L			02/29/12 04:38	1
o-Xylene	<0.50		0.50	0.13	ug/L			02/29/12 04:38	1
Styrene	<1.0		1.0	0.26	ug/L			02/29/12 04:38	1
Bromoform	<1.0		1.0	0.45	ug/L			02/29/12 04:38	1
Isopropylbenzene	<1.0		1.0	0.21	ug/L			02/29/12 04:38	1
Bromobenzene	<1.0		1.0	0.31	ug/L			02/29/12 04:38	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.35	ug/L			02/29/12 04:38	1
1,2,3-Trichloropropane	<1.0		1.0	0.60	ug/L			02/29/12 04:38	1
N-Propylbenzene	<1.0		1.0	0.19	ug/L			02/29/12 04:38	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/29/12 04:38	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.23	ug/L			02/29/12 04:38	1
4-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/29/12 04:38	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-44366-1

Client Sample ID: RFW-4A
Date Collected: 02/17/12 07:25
Date Received: 02/18/12 09:10

Lab Sample ID: 500-44366-6
Matrix: Water

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.24	ug/L			02/29/12 04:38	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.22	ug/L			02/29/12 04:38	1
sec-Butylbenzene	<1.0		1.0	0.19	ug/L			02/29/12 04:38	1
1,3-Dichlorobenzene	<1.0		1.0	0.26	ug/L			02/29/12 04:38	1
p-Isopropyltoluene	<1.0		1.0	0.24	ug/L			02/29/12 04:38	1
1,4-Dichlorobenzene	<1.0		1.0	0.24	ug/L			02/29/12 04:38	1
n-Butylbenzene	<1.0		1.0	0.21	ug/L			02/29/12 04:38	1
1,2-Dichlorobenzene	<1.0		1.0	0.21	ug/L			02/29/12 04:38	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	1.2	ug/L			02/29/12 04:38	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.22	ug/L			02/29/12 04:38	1
Hexachlorobutadiene	<1.0		1.0	0.45	ug/L			02/29/12 04:38	1
Naphthalene	<1.0		1.0	0.24	ug/L			02/29/12 04:38	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.36	ug/L			02/29/12 04:38	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	92		77 - 124					02/29/12 04:38	1
Toluene-d8 (Surr)	97		80 - 121					02/29/12 04:38	1
4-Bromofluorobenzene (Surr)	99		77 - 112					02/29/12 04:38	1
Dibromofluoromethane	104		78 - 119					02/29/12 04:38	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-44366-1

Client Sample ID: RFW-4A DUP

Lab Sample ID: 500-44366-7

Date Collected: 02/17/12 07:25

Matrix: Water

Date Received: 02/18/12 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.12	ug/L			02/29/12 05:03	1
Dichlorodifluoromethane	<1.0		1.0	0.26	ug/L			02/29/12 05:03	1
Chloromethane	<1.0		1.0	0.24	ug/L			02/29/12 05:03	1
Vinyl chloride	<1.0		0.50	0.13	ug/L			02/29/12 05:03	1
Bromomethane	<1.0		1.0	0.49	ug/L			02/29/12 05:03	1
Chloroethane	<1.0		1.0	0.33	ug/L			02/29/12 05:03	1
Trichlorofluoromethane	<1.0		1.0	0.22	ug/L			02/29/12 05:03	1
1,1-Dichloroethene	<1.0		1.0	0.29	ug/L			02/29/12 05:03	1
Carbon disulfide	<5.0		5.0	0.44	ug/L			02/29/12 05:03	1
Acetone	<5.0		5.0	1.9	ug/L			02/29/12 05:03	1
Methylene Chloride	<5.0		5.0	0.63	ug/L			02/29/12 05:03	1
trans-1,2-Dichloroethene	<1.0		1.0	0.27	ug/L			02/29/12 05:03	1
1,1-Dichloroethane	<1.0		1.0	0.24	ug/L			02/29/12 05:03	1
2,2-Dichloropropane	<1.0		1.0	0.31	ug/L			02/29/12 05:03	1
cis-1,2-Dichloroethene	1.0		1.0	0.22	ug/L			02/29/12 05:03	1
Methyl Ethyl Ketone	<5.0		5.0	1.0	ug/L			02/29/12 05:03	1
Bromochloromethane	<1.0		1.0	0.50	ug/L			02/29/12 05:03	1
Chloroform	<1.0		1.0	0.25	ug/L			02/29/12 05:03	1
1,1,1-Trichloroethane	<1.0		1.0	0.26	ug/L			02/29/12 05:03	1
1,1-Dichloropropene	<1.0		1.0	0.25	ug/L			02/29/12 05:03	1
Carbon tetrachloride	<1.0		1.0	0.28	ug/L			02/29/12 05:03	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			02/29/12 05:03	1
Trichloroethene	30		0.50	0.18	ug/L			02/29/12 05:03	1
1,2-Dichloropropane	<1.0		1.0	0.36	ug/L			02/29/12 05:03	1
Dibromomethane	<1.0		1.0	0.39	ug/L			02/29/12 05:03	1
Bromodichloromethane	<1.0		1.0	0.23	ug/L			02/29/12 05:03	1
cis-1,3-Dichloropropene	<1.0		1.0	0.28	ug/L			02/29/12 05:03	1
methyl isobutyl ketone	<5.0		5.0	0.79	ug/L			02/29/12 05:03	1
Toluene	<0.50		0.50	0.15	ug/L			02/29/12 05:03	1
trans-1,3-Dichloropropene	<1.0		1.0	0.35	ug/L			02/29/12 05:03	1
1,1,2-Trichloroethane	<1.0		1.0	0.30	ug/L			02/29/12 05:03	1
Tetrachloroethene	22		1.0	0.22	ug/L			02/29/12 05:03	1
1,3-Dichloropropane	<1.0		1.0	0.27	ug/L			02/29/12 05:03	1
2-Hexanone	<5.0		5.0	0.56	ug/L			02/29/12 05:03	1
Dibromochloromethane	<1.0		1.0	0.25	ug/L			02/29/12 05:03	1
1,2-Dibromoethane	<1.0		1.0	0.45	ug/L			02/29/12 05:03	1
Chlorobenzene	<1.0		1.0	0.24	ug/L			02/29/12 05:03	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.31	ug/L			02/29/12 05:03	1
Ethylbenzene	<0.50		0.50	0.14	ug/L			02/29/12 05:03	1
m&p-Xylene	<1.0		1.0	0.30	ug/L			02/29/12 05:03	1
o-Xylene	<0.50		0.50	0.13	ug/L			02/29/12 05:03	1
Styrene	<1.0		1.0	0.26	ug/L			02/29/12 05:03	1
Bromoform	<1.0		1.0	0.45	ug/L			02/29/12 05:03	1
Isopropylbenzene	<1.0		1.0	0.21	ug/L			02/29/12 05:03	1
Bromobenzene	<1.0		1.0	0.31	ug/L			02/29/12 05:03	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.35	ug/L			02/29/12 05:03	1
1,2,3-Trichloropropane	<1.0		1.0	0.60	ug/L			02/29/12 05:03	1
N-Propylbenzene	<1.0		1.0	0.19	ug/L			02/29/12 05:03	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/29/12 05:03	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.23	ug/L			02/29/12 05:03	1
4-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/29/12 05:03	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-44366-1

Client Sample ID: RFW-4A DUP

Lab Sample ID: 500-44366-7

Date Collected: 02/17/12 07:25

Matrix: Water

Date Received: 02/18/12 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.24	ug/L			02/29/12 05:03	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.22	ug/L			02/29/12 05:03	1
sec-Butylbenzene	<1.0		1.0	0.19	ug/L			02/29/12 05:03	1
1,3-Dichlorobenzene	<1.0		1.0	0.26	ug/L			02/29/12 05:03	1
p-Isopropyltoluene	<1.0		1.0	0.24	ug/L			02/29/12 05:03	1
1,4-Dichlorobenzene	<1.0		1.0	0.24	ug/L			02/29/12 05:03	1
n-Butylbenzene	<1.0		1.0	0.21	ug/L			02/29/12 05:03	1
1,2-Dichlorobenzene	<1.0		1.0	0.21	ug/L			02/29/12 05:03	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	1.2	ug/L			02/29/12 05:03	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.22	ug/L			02/29/12 05:03	1
Hexachlorobutadiene	<1.0		1.0	0.45	ug/L			02/29/12 05:03	1
Naphthalene	<1.0		1.0	0.24	ug/L			02/29/12 05:03	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.36	ug/L			02/29/12 05:03	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	94		77 - 124		02/29/12 05:03	1
Toluene-d8 (Surr)	100		80 - 121		02/29/12 05:03	1
4-Bromofluorobenzene (Surr)	101		77 - 112		02/29/12 05:03	1
Dibromofluoromethane	103		78 - 119		02/29/12 05:03	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-44366-1

Client Sample ID: RFW-4B

Lab Sample ID: 500-44366-8

Date Collected: 02/17/12 07:50

Matrix: Water

Date Received: 02/18/12 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.12	ug/L			02/29/12 05:28	1
Dichlorodifluoromethane	<1.0		1.0	0.26	ug/L			02/29/12 05:28	1
Chloromethane	<1.0		1.0	0.24	ug/L			02/29/12 05:28	1
Vinyl chloride	<0.50		0.50	0.13	ug/L			02/29/12 05:28	1
Bromomethane	<1.0		1.0	0.49	ug/L			02/29/12 05:28	1
Chloroethane	<1.0		1.0	0.33	ug/L			02/29/12 05:28	1
Trichlorofluoromethane	<1.0		1.0	0.22	ug/L			02/29/12 05:28	1
1,1-Dichloroethene	<1.0		1.0	0.29	ug/L			02/29/12 05:28	1
Carbon disulfide	<5.0		5.0	0.44	ug/L			02/29/12 05:28	1
Acetone	<5.0		5.0	1.9	ug/L			02/29/12 05:28	1
Methylene Chloride	<5.0		5.0	0.63	ug/L			02/29/12 05:28	1
trans-1,2-Dichloroethene	<1.0		1.0	0.27	ug/L			02/29/12 05:28	1
1,1-Dichloroethane	<1.0		1.0	0.24	ug/L			02/29/12 05:28	1
2,2-Dichloropropane	<1.0		1.0	0.31	ug/L			02/29/12 05:28	1
cis-1,2-Dichloroethene	3.6		1.0	0.22	ug/L			02/29/12 05:28	1
Methyl Ethyl Ketone	<5.0		5.0	1.0	ug/L			02/29/12 05:28	1
Bromochloromethane	<1.0		1.0	0.50	ug/L			02/29/12 05:28	1
Chloroform	1.6		1.0	0.25	ug/L			02/29/12 05:28	1
1,1,1-Trichloroethane	<1.0		1.0	0.26	ug/L			02/29/12 05:28	1
1,1-Dichloropropene	<1.0		1.0	0.25	ug/L			02/29/12 05:28	1
Carbon tetrachloride	<1.0		1.0	0.28	ug/L			02/29/12 05:28	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			02/29/12 05:28	1
Trichloroethene	44		0.50	0.18	ug/L			02/29/12 05:28	1
1,2-Dichloropropane	<1.0		1.0	0.36	ug/L			02/29/12 05:28	1
Dibromomethane	<1.0		1.0	0.39	ug/L			02/29/12 05:28	1
Bromodichloromethane	<1.0		1.0	0.23	ug/L			02/29/12 05:28	1
cis-1,3-Dichloropropene	<1.0		1.0	0.28	ug/L			02/29/12 05:28	1
methyl isobutyl ketone	<5.0		5.0	0.79	ug/L			02/29/12 05:28	1
Toluene	<0.50		0.50	0.15	ug/L			02/29/12 05:28	1
trans-1,3-Dichloropropene	<1.0		1.0	0.35	ug/L			02/29/12 05:28	1
1,1,2-Trichloroethane	<1.0		1.0	0.30	ug/L			02/29/12 05:28	1
Tetrachloroethene	66		1.0	0.22	ug/L			02/29/12 05:28	1
1,3-Dichloropropane	<1.0		1.0	0.27	ug/L			02/29/12 05:28	1
2-Hexanone	<5.0		5.0	0.56	ug/L			02/29/12 05:28	1
Dibromochloromethane	<1.0		1.0	0.25	ug/L			02/29/12 05:28	1
1,2-Dibromoethane	<1.0		1.0	0.45	ug/L			02/29/12 05:28	1
Chlorobenzene	<1.0		1.0	0.24	ug/L			02/29/12 05:28	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.31	ug/L			02/29/12 05:28	1
Ethylbenzene	<0.50		0.50	0.14	ug/L			02/29/12 05:28	1
m&p-Xylene	<1.0		1.0	0.30	ug/L			02/29/12 05:28	1
o-Xylene	<0.50		0.50	0.13	ug/L			02/29/12 05:28	1
Styrene	<1.0		1.0	0.26	ug/L			02/29/12 05:28	1
Bromoform	<1.0		1.0	0.45	ug/L			02/29/12 05:28	1
Isopropylbenzene	<1.0		1.0	0.21	ug/L			02/29/12 05:28	1
Bromobenzene	<1.0		1.0	0.31	ug/L			02/29/12 05:28	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.35	ug/L			02/29/12 05:28	1
1,2,3-Trichloropropane	<1.0		1.0	0.60	ug/L			02/29/12 05:28	1
N-Propylbenzene	<1.0		1.0	0.19	ug/L			02/29/12 05:28	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/29/12 05:28	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.23	ug/L			02/29/12 05:28	1
4-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/29/12 05:28	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-44366-1

Client Sample ID: RFW-4B

Lab Sample ID: 500-44366-8

Date Collected: 02/17/12 07:50

Matrix: Water

Date Received: 02/18/12 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.24	ug/L			02/29/12 05:28	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.22	ug/L			02/29/12 05:28	1
sec-Butylbenzene	<1.0		1.0	0.19	ug/L			02/29/12 05:28	1
1,3-Dichlorobenzene	<1.0		1.0	0.26	ug/L			02/29/12 05:28	1
p-Isopropyltoluene	<1.0		1.0	0.24	ug/L			02/29/12 05:28	1
1,4-Dichlorobenzene	<1.0		1.0	0.24	ug/L			02/29/12 05:28	1
n-Butylbenzene	<1.0		1.0	0.21	ug/L			02/29/12 05:28	1
1,2-Dichlorobenzene	<1.0		1.0	0.21	ug/L			02/29/12 05:28	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	1.2	ug/L			02/29/12 05:28	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.22	ug/L			02/29/12 05:28	1
Hexachlorobutadiene	<1.0		1.0	0.45	ug/L			02/29/12 05:28	1
Naphthalene	<1.0		1.0	0.24	ug/L			02/29/12 05:28	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.36	ug/L			02/29/12 05:28	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	93		77 - 124		02/29/12 05:28	1
Toluene-d8 (Surr)	98		80 - 121		02/29/12 05:28	1
4-Bromofluorobenzene (Surr)	95		77 - 112		02/29/12 05:28	1
Dibromofluoromethane	99		78 - 119		02/29/12 05:28	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-44366-1

Client Sample ID: RFW-6

Lab Sample ID: 500-44366-9

Date Collected: 02/16/12 17:30

Matrix: Water

Date Received: 02/18/12 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.12	ug/L			02/29/12 05:53	1
Dichlorodifluoromethane	<1.0		1.0	0.26	ug/L			02/29/12 05:53	1
Chloromethane	<1.0		1.0	0.24	ug/L			02/29/12 05:53	1
Vinyl chloride	<0.50		0.50	0.13	ug/L			02/29/12 05:53	1
Bromomethane	<1.0		1.0	0.49	ug/L			02/29/12 05:53	1
Chloroethane	<1.0		1.0	0.33	ug/L			02/29/12 05:53	1
Trichlorofluoromethane	<1.0		1.0	0.22	ug/L			02/29/12 05:53	1
1,1-Dichloroethene	<1.0		1.0	0.29	ug/L			02/29/12 05:53	1
Carbon disulfide	<5.0		5.0	0.44	ug/L			02/29/12 05:53	1
Acetone	<5.0		5.0	1.9	ug/L			02/29/12 05:53	1
Methylene Chloride	<5.0		5.0	0.63	ug/L			02/29/12 05:53	1
trans-1,2-Dichloroethene	<1.0		1.0	0.27	ug/L			02/29/12 05:53	1
1,1-Dichloroethane	<1.0		1.0	0.24	ug/L			02/29/12 05:53	1
2,2-Dichloropropane	<1.0		1.0	0.31	ug/L			02/29/12 05:53	1
cis-1,2-Dichloroethene	<1.0		1.0	0.22	ug/L			02/29/12 05:53	1
Methyl Ethyl Ketone	<5.0		5.0	1.0	ug/L			02/29/12 05:53	1
Bromochloromethane	<1.0		1.0	0.50	ug/L			02/29/12 05:53	1
Chloroform	<1.0		1.0	0.25	ug/L			02/29/12 05:53	1
1,1,1-Trichloroethane	<1.0		1.0	0.26	ug/L			02/29/12 05:53	1
1,1-Dichloropropene	<1.0		1.0	0.25	ug/L			02/29/12 05:53	1
Carbon tetrachloride	<1.0		1.0	0.28	ug/L			02/29/12 05:53	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			02/29/12 05:53	1
Trichloroethene	0.63	J	0.50	0.18	ug/L			02/29/12 05:53	1
1,2-Dichloropropane	<1.0		1.0	0.36	ug/L			02/29/12 05:53	1
Dibromomethane	<1.0		1.0	0.39	ug/L			02/29/12 05:53	1
Bromodichloromethane	<1.0		1.0	0.23	ug/L			02/29/12 05:53	1
cis-1,3-Dichloropropene	<1.0		1.0	0.28	ug/L			02/29/12 05:53	1
methyl isobutyl ketone	<5.0		5.0	0.79	ug/L			02/29/12 05:53	1
Toluene	<0.50		0.50	0.15	ug/L			02/29/12 05:53	1
trans-1,3-Dichloropropene	<1.0		1.0	0.35	ug/L			02/29/12 05:53	1
1,1,2-Trichloroethane	<1.0		1.0	0.30	ug/L			02/29/12 05:53	1
Tetrachloroethene	0.69	J	1.0	0.22	ug/L			02/29/12 05:53	1
1,3-Dichloropropane	<1.0		1.0	0.27	ug/L			02/29/12 05:53	1
2-Hexanone	<5.0		5.0	0.56	ug/L			02/29/12 05:53	1
Dibromochloromethane	<1.0		1.0	0.25	ug/L			02/29/12 05:53	1
1,2-Dibromoethane	<1.0		1.0	0.45	ug/L			02/29/12 05:53	1
Chlorobenzene	<1.0		1.0	0.24	ug/L			02/29/12 05:53	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.31	ug/L			02/29/12 05:53	1
Ethylbenzene	<0.50		0.50	0.14	ug/L			02/29/12 05:53	1
m&p-Xylene	<1.0		1.0	0.30	ug/L			02/29/12 05:53	1
o-Xylene	<0.50		0.50	0.13	ug/L			02/29/12 05:53	1
Styrene	<1.0		1.0	0.26	ug/L			02/29/12 05:53	1
Bromoform	<1.0		1.0	0.45	ug/L			02/29/12 05:53	1
Isopropylbenzene	<1.0		1.0	0.21	ug/L			02/29/12 05:53	1
Bromobenzene	<1.0		1.0	0.31	ug/L			02/29/12 05:53	1
1,1,1,2,2-Tetrachloroethane	<1.0		1.0	0.35	ug/L			02/29/12 05:53	1
1,2,3-Trichloropropane	<1.0		1.0	0.60	ug/L			02/29/12 05:53	1
N-Propylbenzene	<1.0		1.0	0.19	ug/L			02/29/12 05:53	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/29/12 05:53	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.23	ug/L			02/29/12 05:53	1
4-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/29/12 05:53	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-44366-1

Client Sample ID: RFW-6

Lab Sample ID: 500-44366-9

Date Collected: 02/16/12 17:30

Matrix: Water

Date Received: 02/18/12 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.24	ug/L			02/29/12 05:53	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.22	ug/L			02/29/12 05:53	1
sec-Butylbenzene	<1.0		1.0	0.19	ug/L			02/29/12 05:53	1
1,3-Dichlorobenzene	<1.0		1.0	0.26	ug/L			02/29/12 05:53	1
p-Isopropyltoluene	<1.0		1.0	0.24	ug/L			02/29/12 05:53	1
1,4-Dichlorobenzene	<1.0		1.0	0.24	ug/L			02/29/12 05:53	1
n-Butylbenzene	<1.0		1.0	0.21	ug/L			02/29/12 05:53	1
1,2-Dichlorobenzene	<1.0		1.0	0.21	ug/L			02/29/12 05:53	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	1.2	ug/L			02/29/12 05:53	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.22	ug/L			02/29/12 05:53	1
Hexachlorobutadiene	<1.0		1.0	0.45	ug/L			02/29/12 05:53	1
Naphthalene	<1.0		1.0	0.24	ug/L			02/29/12 05:53	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.36	ug/L			02/29/12 05:53	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		77 - 124		02/29/12 05:53	1
Toluene-d8 (Surr)	99		80 - 121		02/29/12 05:53	1
4-Bromofluorobenzene (Surr)	99		77 - 112		02/29/12 05:53	1
Dibromofluoromethane	106		78 - 119		02/29/12 05:53	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-44366-1

Client Sample ID: RFW-7
Date Collected: 02/16/12 09:45
Date Received: 02/18/12 09:10

Lab Sample ID: 500-44366-10
Matrix: Water

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.25	J	0.50	0.12	ug/L			02/29/12 06:18	1
Dichlorodifluoromethane	<1.0		1.0	0.26	ug/L			02/29/12 06:18	1
Chloromethane	<1.0		1.0	0.24	ug/L			02/29/12 06:18	1
Vinyl chloride	<0.50		0.50	0.13	ug/L			02/29/12 06:18	1
Bromomethane	<1.0		1.0	0.49	ug/L			02/29/12 06:18	1
Chloroethane	<1.0		1.0	0.33	ug/L			02/29/12 06:18	1
Trichlorofluoromethane	<1.0		1.0	0.22	ug/L			02/29/12 06:18	1
1,1-Dichloroethene	<1.0		1.0	0.29	ug/L			02/29/12 06:18	1
Carbon disulfide	<5.0		5.0	0.44	ug/L			02/29/12 06:18	1
Acetone	<5.0		5.0	1.9	ug/L			02/29/12 06:18	1
Methylene Chloride	<5.0		5.0	0.63	ug/L			02/29/12 06:18	1
trans-1,2-Dichloroethene	<1.0		1.0	0.27	ug/L			02/29/12 06:18	1
1,1-Dichloroethane	<1.0		1.0	0.24	ug/L			02/29/12 06:18	1
2,2-Dichloropropane	<1.0		1.0	0.31	ug/L			02/29/12 06:18	1
cis-1,2-Dichloroethene	<1.0		1.0	0.22	ug/L			02/29/12 06:18	1
Methyl Ethyl Ketone	<5.0		5.0	1.0	ug/L			02/29/12 06:18	1
Bromochloromethane	<1.0		1.0	0.50	ug/L			02/29/12 06:18	1
Chloroform	<1.0		1.0	0.25	ug/L			02/29/12 06:18	1
1,1,1-Trichloroethane	<1.0		1.0	0.26	ug/L			02/29/12 06:18	1
1,1-Dichloropropene	<1.0		1.0	0.25	ug/L			02/29/12 06:18	1
Carbon tetrachloride	<1.0		1.0	0.28	ug/L			02/29/12 06:18	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			02/29/12 06:18	1
Trichloroethene	2.1		0.50	0.18	ug/L			02/29/12 06:18	1
1,2-Dichloropropane	<1.0		1.0	0.36	ug/L			02/29/12 06:18	1
Dibromomethane	<1.0		1.0	0.39	ug/L			02/29/12 06:18	1
Bromodichloromethane	<1.0		1.0	0.23	ug/L			02/29/12 06:18	1
cis-1,3-Dichloropropene	<1.0		1.0	0.28	ug/L			02/29/12 06:18	1
methyl isobutyl ketone	<5.0		5.0	0.79	ug/L			02/29/12 06:18	1
Toluene	<0.50		0.50	0.15	ug/L			02/29/12 06:18	1
trans-1,3-Dichloropropene	<1.0		1.0	0.35	ug/L			02/29/12 06:18	1
1,1,2-Trichloroethane	<1.0		1.0	0.30	ug/L			02/29/12 06:18	1
Tetrachloroethene	<1.0		1.0	0.22	ug/L			02/29/12 06:18	1
1,3-Dichloropropane	<1.0		1.0	0.27	ug/L			02/29/12 06:18	1
2-Hexanone	<5.0		5.0	0.56	ug/L			02/29/12 06:18	1
Dibromochloromethane	<1.0		1.0	0.25	ug/L			02/29/12 06:18	1
1,2-Dibromoethane	<1.0		1.0	0.45	ug/L			02/29/12 06:18	1
Chlorobenzene	<1.0		1.0	0.24	ug/L			02/29/12 06:18	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.31	ug/L			02/29/12 06:18	1
Ethylbenzene	<0.50		0.50	0.14	ug/L			02/29/12 06:18	1
m&p-Xylene	<1.0		1.0	0.30	ug/L			02/29/12 06:18	1
o-Xylene	<0.50		0.50	0.13	ug/L			02/29/12 06:18	1
Styrene	<1.0		1.0	0.26	ug/L			02/29/12 06:18	1
Bromoform	<1.0		1.0	0.45	ug/L			02/29/12 06:18	1
Isopropylbenzene	<1.0		1.0	0.21	ug/L			02/29/12 06:18	1
Bromobenzene	<1.0		1.0	0.31	ug/L			02/29/12 06:18	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.35	ug/L			02/29/12 06:18	1
1,2,3-Trichloropropane	<1.0		1.0	0.60	ug/L			02/29/12 06:18	1
N-Propylbenzene	<1.0		1.0	0.19	ug/L			02/29/12 06:18	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/29/12 06:18	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.23	ug/L			02/29/12 06:18	1
4-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/29/12 06:18	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-44366-1

Client Sample ID: RFW-7

Lab Sample ID: 500-44366-10

Date Collected: 02/16/12 09:45

Matrix: Water

Date Received: 02/18/12 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.24	ug/L			02/29/12 06:18	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.22	ug/L			02/29/12 06:18	1
sec-Butylbenzene	<1.0		1.0	0.19	ug/L			02/29/12 06:18	1
1,3-Dichlorobenzene	<1.0		1.0	0.26	ug/L			02/29/12 06:18	1
p-Isopropyltoluene	<1.0		1.0	0.24	ug/L			02/29/12 06:18	1
1,4-Dichlorobenzene	<1.0		1.0	0.24	ug/L			02/29/12 06:18	1
n-Butylbenzene	<1.0		1.0	0.21	ug/L			02/29/12 06:18	1
1,2-Dichlorobenzene	<1.0		1.0	0.21	ug/L			02/29/12 06:18	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	1.2	ug/L			02/29/12 06:18	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.22	ug/L			02/29/12 06:18	1
Hexachlorobutadiene	<1.0		1.0	0.45	ug/L			02/29/12 06:18	1
Naphthalene	<1.0		1.0	0.24	ug/L			02/29/12 06:18	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.36	ug/L			02/29/12 06:18	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	93		77 - 124					02/29/12 06:18	1
Toluene-d8 (Surr)	95		80 - 121					02/29/12 06:18	1
4-Bromofluorobenzene (Surr)	95		77 - 112					02/29/12 06:18	1
Dibromofluoromethane	104		78 - 119					02/29/12 06:18	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-44366-1

Client Sample ID: RFW-9

Lab Sample ID: 500-44366-11

Date Collected: 02/17/12 11:40

Matrix: Water

Date Received: 02/18/12 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.12	ug/L			02/29/12 06:43	1
Dichlorodifluoromethane	<1.0		1.0	0.26	ug/L			02/29/12 06:43	1
Chloromethane	<1.0		1.0	0.24	ug/L			02/29/12 06:43	1
Vinyl chloride	<0.50		0.50	0.13	ug/L			02/29/12 06:43	1
Bromomethane	<1.0		1.0	0.49	ug/L			02/29/12 06:43	1
Chloroethane	<1.0		1.0	0.33	ug/L			02/29/12 06:43	1
Trichlorofluoromethane	<1.0		1.0	0.22	ug/L			02/29/12 06:43	1
1,1-Dichloroethene	0.92	J	1.0	0.29	ug/L			02/29/12 06:43	1
Carbon disulfide	<5.0		5.0	0.44	ug/L			02/29/12 06:43	1
Acetone	<5.0		5.0	1.9	ug/L			02/29/12 06:43	1
Methylene Chloride	<5.0		5.0	0.63	ug/L			02/29/12 06:43	1
trans-1,2-Dichloroethene	<1.0		1.0	0.27	ug/L			02/29/12 06:43	1
1,1-Dichloroethane	1.2		1.0	0.24	ug/L			02/29/12 06:43	1
2,2-Dichloropropane	<1.0		1.0	0.31	ug/L			02/29/12 06:43	1
cis-1,2-Dichloroethene	24		1.0	0.22	ug/L			02/29/12 06:43	1
Methyl Ethyl Ketone	<5.0		5.0	1.0	ug/L			02/29/12 06:43	1
Bromochloromethane	<1.0		1.0	0.50	ug/L			02/29/12 06:43	1
Chloroform	<1.0		1.0	0.25	ug/L			02/29/12 06:43	1
1,1,1-Trichloroethane	<1.0		1.0	0.26	ug/L			02/29/12 06:43	1
1,1-Dichloropropene	<1.0		1.0	0.25	ug/L			02/29/12 06:43	1
Carbon tetrachloride	<1.0		1.0	0.28	ug/L			02/29/12 06:43	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			02/29/12 06:43	1
Trichloroethene	10		0.50	0.18	ug/L			02/29/12 06:43	1
1,2-Dichloropropane	<1.0		1.0	0.36	ug/L			02/29/12 06:43	1
Dibromomethane	<1.0		1.0	0.39	ug/L			02/29/12 06:43	1
Bromodichloromethane	<1.0		1.0	0.23	ug/L			02/29/12 06:43	1
cis-1,3-Dichloropropene	<1.0		1.0	0.28	ug/L			02/29/12 06:43	1
methyl isobutyl ketone	<5.0		5.0	0.79	ug/L			02/29/12 06:43	1
Toluene	<0.50		0.50	0.15	ug/L			02/29/12 06:43	1
trans-1,3-Dichloropropene	<1.0		1.0	0.35	ug/L			02/29/12 06:43	1
1,1,2-Trichloroethane	<1.0		1.0	0.30	ug/L			02/29/12 06:43	1
Tetrachloroethene	6.6		1.0	0.22	ug/L			02/29/12 06:43	1
1,3-Dichloropropane	<1.0		1.0	0.27	ug/L			02/29/12 06:43	1
2-Hexanone	<5.0		5.0	0.56	ug/L			02/29/12 06:43	1
Dibromochloromethane	<1.0		1.0	0.25	ug/L			02/29/12 06:43	1
1,2-Dibromoethane	<1.0		1.0	0.45	ug/L			02/29/12 06:43	1
Chlorobenzene	<1.0		1.0	0.24	ug/L			02/29/12 06:43	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.31	ug/L			02/29/12 06:43	1
Ethylbenzene	<0.50		0.50	0.14	ug/L			02/29/12 06:43	1
m&p-Xylene	<1.0		1.0	0.30	ug/L			02/29/12 06:43	1
o-Xylene	<0.50		0.50	0.13	ug/L			02/29/12 06:43	1
Styrene	<1.0		1.0	0.26	ug/L			02/29/12 06:43	1
Bromoform	<1.0		1.0	0.45	ug/L			02/29/12 06:43	1
Isopropylbenzene	<1.0		1.0	0.21	ug/L			02/29/12 06:43	1
Bromobenzene	<1.0		1.0	0.31	ug/L			02/29/12 06:43	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.35	ug/L			02/29/12 06:43	1
1,2,3-Trichloropropane	<1.0		1.0	0.60	ug/L			02/29/12 06:43	1
N-Propylbenzene	<1.0		1.0	0.19	ug/L			02/29/12 06:43	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/29/12 06:43	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.23	ug/L			02/29/12 06:43	1
4-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/29/12 06:43	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-44366-1

Client Sample ID: RFW-9
Date Collected: 02/17/12 11:40
Date Received: 02/18/12 09:10

Lab Sample ID: 500-44366-11
Matrix: Water

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.24	ug/L			02/29/12 06:43	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.22	ug/L			02/29/12 06:43	1
sec-Butylbenzene	<1.0		1.0	0.19	ug/L			02/29/12 06:43	1
1,3-Dichlorobenzene	<1.0		1.0	0.26	ug/L			02/29/12 06:43	1
p-Isopropyltoluene	<1.0		1.0	0.24	ug/L			02/29/12 06:43	1
1,4-Dichlorobenzene	<1.0		1.0	0.24	ug/L			02/29/12 06:43	1
n-Butylbenzene	<1.0		1.0	0.21	ug/L			02/29/12 06:43	1
1,2-Dichlorobenzene	<1.0		1.0	0.21	ug/L			02/29/12 06:43	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	1.2	ug/L			02/29/12 06:43	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.22	ug/L			02/29/12 06:43	1
Hexachlorobutadiene	<1.0		1.0	0.45	ug/L			02/29/12 06:43	1
Naphthalene	<1.0		1.0	0.24	ug/L			02/29/12 06:43	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.36	ug/L			02/29/12 06:43	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	94		77 - 124		02/29/12 06:43	1
Toluene-d8 (Surr)	98		80 - 121		02/29/12 06:43	1
4-Bromofluorobenzene (Surr)	96		77 - 112		02/29/12 06:43	1
Dibromofluoromethane	106		78 - 119		02/29/12 06:43	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-44366-1

Client Sample ID: RFW-11B

Lab Sample ID: 500-44366-12

Date Collected: 02/17/12 11:55

Matrix: Water

Date Received: 02/18/12 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.12	ug/L			02/29/12 07:08	1
Dichlorodifluoromethane	<1.0		1.0	0.26	ug/L			02/29/12 07:08	1
Chloromethane	<1.0		1.0	0.24	ug/L			02/29/12 07:08	1
Vinyl chloride	<0.50		0.50	0.13	ug/L			02/29/12 07:08	1
Bromomethane	<1.0		1.0	0.49	ug/L			02/29/12 07:08	1
Chloroethane	<1.0		1.0	0.33	ug/L			02/29/12 07:08	1
Trichlorofluoromethane	<1.0		1.0	0.22	ug/L			02/29/12 07:08	1
1,1-Dichloroethene	<1.0		1.0	0.29	ug/L			02/29/12 07:08	1
Carbon disulfide	<5.0		5.0	0.44	ug/L			02/29/12 07:08	1
Acetone	<5.0		5.0	1.9	ug/L			02/29/12 07:08	1
Methylene Chloride	<5.0		5.0	0.63	ug/L			02/29/12 07:08	1
trans-1,2-Dichloroethene	<1.0		1.0	0.27	ug/L			02/29/12 07:08	1
1,1-Dichloroethane	<1.0		1.0	0.24	ug/L			02/29/12 07:08	1
2,2-Dichloropropane	<1.0		1.0	0.31	ug/L			02/29/12 07:08	1
cis-1,2-Dichloroethene	<1.0		1.0	0.22	ug/L			02/29/12 07:08	1
Methyl Ethyl Ketone	<5.0		5.0	1.0	ug/L			02/29/12 07:08	1
Bromochloromethane	<1.0		1.0	0.50	ug/L			02/29/12 07:08	1
Chloroform	<1.0		1.0	0.25	ug/L			02/29/12 07:08	1
1,1,1-Trichloroethane	<1.0		1.0	0.26	ug/L			02/29/12 07:08	1
1,1-Dichloropropene	<1.0		1.0	0.25	ug/L			02/29/12 07:08	1
Carbon tetrachloride	<1.0		1.0	0.28	ug/L			02/29/12 07:08	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			02/29/12 07:08	1
Trichloroethene	3.8		0.50	0.18	ug/L			02/29/12 07:08	1
1,2-Dichloropropane	<1.0		1.0	0.36	ug/L			02/29/12 07:08	1
Dibromomethane	<1.0		1.0	0.39	ug/L			02/29/12 07:08	1
Bromodichloromethane	<1.0		1.0	0.23	ug/L			02/29/12 07:08	1
cis-1,3-Dichloropropene	<1.0		1.0	0.28	ug/L			02/29/12 07:08	1
methyl isobutyl ketone	<5.0		5.0	0.79	ug/L			02/29/12 07:08	1
Toluene	<0.50		0.50	0.15	ug/L			02/29/12 07:08	1
trans-1,3-Dichloropropene	<1.0		1.0	0.35	ug/L			02/29/12 07:08	1
1,1,2-Trichloroethane	<1.0		1.0	0.30	ug/L			02/29/12 07:08	1
Tetrachloroethene	<1.0		1.0	0.22	ug/L			02/29/12 07:08	1
1,3-Dichloropropane	<1.0		1.0	0.27	ug/L			02/29/12 07:08	1
2-Hexanone	<5.0		5.0	0.56	ug/L			02/29/12 07:08	1
Dibromochloromethane	<1.0		1.0	0.25	ug/L			02/29/12 07:08	1
1,2-Dibromoethane	<1.0		1.0	0.45	ug/L			02/29/12 07:08	1
Chlorobenzene	<1.0		1.0	0.24	ug/L			02/29/12 07:08	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.31	ug/L			02/29/12 07:08	1
Ethylbenzene	<0.50		0.50	0.14	ug/L			02/29/12 07:08	1
m&p-Xylene	<1.0		1.0	0.30	ug/L			02/29/12 07:08	1
o-Xylene	<0.50		0.50	0.13	ug/L			02/29/12 07:08	1
Styrene	<1.0		1.0	0.26	ug/L			02/29/12 07:08	1
Bromoform	<1.0		1.0	0.45	ug/L			02/29/12 07:08	1
Isopropylbenzene	<1.0		1.0	0.21	ug/L			02/29/12 07:08	1
Bromobenzene	<1.0		1.0	0.31	ug/L			02/29/12 07:08	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.35	ug/L			02/29/12 07:08	1
1,2,3-Trichloropropane	<1.0		1.0	0.60	ug/L			02/29/12 07:08	1
N-Propylbenzene	<1.0		1.0	0.19	ug/L			02/29/12 07:08	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/29/12 07:08	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.23	ug/L			02/29/12 07:08	1
4-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/29/12 07:08	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-44366-1

Client Sample ID: RFW-11B

Lab Sample ID: 500-44366-12

Date Collected: 02/17/12 11:55

Matrix: Water

Date Received: 02/18/12 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.24	ug/L			02/29/12 07:08	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.22	ug/L			02/29/12 07:08	1
sec-Butylbenzene	<1.0		1.0	0.19	ug/L			02/29/12 07:08	1
1,3-Dichlorobenzene	<1.0		1.0	0.26	ug/L			02/29/12 07:08	1
p-Isopropyltoluene	<1.0		1.0	0.24	ug/L			02/29/12 07:08	1
1,4-Dichlorobenzene	<1.0		1.0	0.24	ug/L			02/29/12 07:08	1
n-Butylbenzene	<1.0		1.0	0.21	ug/L			02/29/12 07:08	1
1,2-Dichlorobenzene	<1.0		1.0	0.21	ug/L			02/29/12 07:08	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	1.2	ug/L			02/29/12 07:08	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.22	ug/L			02/29/12 07:08	1
Hexachlorobutadiene	<1.0		1.0	0.45	ug/L			02/29/12 07:08	1
Naphthalene	<1.0		1.0	0.24	ug/L			02/29/12 07:08	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.36	ug/L			02/29/12 07:08	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	95		77 - 124		02/29/12 07:08	1
Toluene-d8 (Surr)	105		80 - 121		02/29/12 07:08	1
4-Bromofluorobenzene (Surr)	95		77 - 112		02/29/12 07:08	1
Dibromofluoromethane	105		78 - 119		02/29/12 07:08	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-44366-1

Client Sample ID: RFW-12B

Lab Sample ID: 500-44366-13

Date Collected: 02/16/12 17:30

Matrix: Water

Date Received: 02/18/12 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.12	ug/L			02/29/12 07:33	1
Dichlorodifluoromethane	<1.0		1.0	0.26	ug/L			02/29/12 07:33	1
Chloromethane	<1.0		1.0	0.24	ug/L			02/29/12 07:33	1
Vinyl chloride	<0.50		0.50	0.13	ug/L			02/29/12 07:33	1
Bromomethane	<1.0		1.0	0.49	ug/L			02/29/12 07:33	1
Chloroethane	<1.0		1.0	0.33	ug/L			02/29/12 07:33	1
Trichlorofluoromethane	<1.0		1.0	0.22	ug/L			02/29/12 07:33	1
1,1-Dichloroethene	<1.0		1.0	0.29	ug/L			02/29/12 07:33	1
Carbon disulfide	<5.0		5.0	0.44	ug/L			02/29/12 07:33	1
Acetone	<5.0		5.0	1.9	ug/L			02/29/12 07:33	1
Methylene Chloride	<5.0		5.0	0.63	ug/L			02/29/12 07:33	1
trans-1,2-Dichloroethene	<1.0		1.0	0.27	ug/L			02/29/12 07:33	1
1,1-Dichloroethane	<1.0		1.0	0.24	ug/L			02/29/12 07:33	1
2,2-Dichloropropane	<1.0		1.0	0.31	ug/L			02/29/12 07:33	1
cis-1,2-Dichloroethene	2.4		1.0	0.22	ug/L			02/29/12 07:33	1
Methyl Ethyl Ketone	<5.0		5.0	1.0	ug/L			02/29/12 07:33	1
Bromochloromethane	<1.0		1.0	0.50	ug/L			02/29/12 07:33	1
Chloroform	<1.0		1.0	0.25	ug/L			02/29/12 07:33	1
1,1,1-Trichloroethane	<1.0		1.0	0.26	ug/L			02/29/12 07:33	1
1,1-Dichloropropene	<1.0		1.0	0.25	ug/L			02/29/12 07:33	1
Carbon tetrachloride	<1.0		1.0	0.28	ug/L			02/29/12 07:33	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			02/29/12 07:33	1
Trichloroethene	82		0.50	0.18	ug/L			02/29/12 07:33	1
1,2-Dichloropropane	<1.0		1.0	0.36	ug/L			02/29/12 07:33	1
Dibromomethane	<1.0		1.0	0.39	ug/L			02/29/12 07:33	1
Bromodichloromethane	<1.0		1.0	0.23	ug/L			02/29/12 07:33	1
cis-1,3-Dichloropropene	<1.0		1.0	0.28	ug/L			02/29/12 07:33	1
methyl isobutyl ketone	<5.0		5.0	0.79	ug/L			02/29/12 07:33	1
Toluene	<0.50		0.50	0.15	ug/L			02/29/12 07:33	1
trans-1,3-Dichloropropene	<1.0		1.0	0.35	ug/L			02/29/12 07:33	1
1,1,2-Trichloroethane	<1.0		1.0	0.30	ug/L			02/29/12 07:33	1
Tetrachloroethene	6.1		1.0	0.22	ug/L			02/29/12 07:33	1
1,3-Dichloropropane	<1.0		1.0	0.27	ug/L			02/29/12 07:33	1
2-Hexanone	<5.0		5.0	0.56	ug/L			02/29/12 07:33	1
Dibromochloromethane	<1.0		1.0	0.25	ug/L			02/29/12 07:33	1
1,2-Dibromoethane	<1.0		1.0	0.45	ug/L			02/29/12 07:33	1
Chlorobenzene	<1.0		1.0	0.24	ug/L			02/29/12 07:33	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.31	ug/L			02/29/12 07:33	1
Ethylbenzene	<0.50		0.50	0.14	ug/L			02/29/12 07:33	1
m&p-Xylene	<1.0		1.0	0.30	ug/L			02/29/12 07:33	1
o-Xylene	<0.50		0.50	0.13	ug/L			02/29/12 07:33	1
Styrene	<1.0		1.0	0.26	ug/L			02/29/12 07:33	1
Bromoform	<1.0		1.0	0.45	ug/L			02/29/12 07:33	1
Isopropylbenzene	<1.0		1.0	0.21	ug/L			02/29/12 07:33	1
Bromobenzene	<1.0		1.0	0.31	ug/L			02/29/12 07:33	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.35	ug/L			02/29/12 07:33	1
1,2,3-Trichloropropane	<1.0		1.0	0.60	ug/L			02/29/12 07:33	1
N-Propylbenzene	<1.0		1.0	0.19	ug/L			02/29/12 07:33	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/29/12 07:33	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.23	ug/L			02/29/12 07:33	1
4-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/29/12 07:33	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-44366-1

Client Sample ID: RFW-12B

Lab Sample ID: 500-44366-13

Date Collected: 02/16/12 17:30

Matrix: Water

Date Received: 02/18/12 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.24	ug/L			02/29/12 07:33	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.22	ug/L			02/29/12 07:33	1
sec-Butylbenzene	<1.0		1.0	0.19	ug/L			02/29/12 07:33	1
1,3-Dichlorobenzene	<1.0		1.0	0.26	ug/L			02/29/12 07:33	1
p-Isopropyltoluene	<1.0		1.0	0.24	ug/L			02/29/12 07:33	1
1,4-Dichlorobenzene	<1.0		1.0	0.24	ug/L			02/29/12 07:33	1
n-Butylbenzene	<1.0		1.0	0.21	ug/L			02/29/12 07:33	1
1,2-Dichlorobenzene	<1.0		1.0	0.21	ug/L			02/29/12 07:33	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	1.2	ug/L			02/29/12 07:33	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.22	ug/L			02/29/12 07:33	1
Hexachlorobutadiene	<1.0		1.0	0.45	ug/L			02/29/12 07:33	1
Naphthalene	<1.0		1.0	0.24	ug/L			02/29/12 07:33	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.36	ug/L			02/29/12 07:33	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	93		77 - 124		02/29/12 07:33	1
Toluene-d8 (Surr)	94		80 - 121		02/29/12 07:33	1
4-Bromofluorobenzene (Surr)	95		77 - 112		02/29/12 07:33	1
Dibromofluoromethane	105		78 - 119		02/29/12 07:33	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-44366-1

Client Sample ID: RFW-13

Lab Sample ID: 500-44366-14

Date Collected: 02/16/12 16:20

Matrix: Water

Date Received: 02/18/12 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.12	ug/L			02/29/12 07:58	1
Dichlorodifluoromethane	<1.0		1.0	0.26	ug/L			02/29/12 07:58	1
Chloromethane	<1.0		1.0	0.24	ug/L			02/29/12 07:58	1
Vinyl chloride	<0.50		0.50	0.13	ug/L			02/29/12 07:58	1
Bromomethane	<1.0		1.0	0.49	ug/L			02/29/12 07:58	1
Chloroethane	<1.0		1.0	0.33	ug/L			02/29/12 07:58	1
Trichlorofluoromethane	<1.0		1.0	0.22	ug/L			02/29/12 07:58	1
1,1-Dichloroethene	<1.0		1.0	0.29	ug/L			02/29/12 07:58	1
Carbon disulfide	<5.0		5.0	0.44	ug/L			02/29/12 07:58	1
Acetone	<5.0		5.0	1.9	ug/L			02/29/12 07:58	1
Methylene Chloride	<5.0		5.0	0.63	ug/L			02/29/12 07:58	1
trans-1,2-Dichloroethene	<1.0		1.0	0.27	ug/L			02/29/12 07:58	1
1,1-Dichloroethane	<1.0		1.0	0.24	ug/L			02/29/12 07:58	1
2,2-Dichloropropane	<1.0		1.0	0.31	ug/L			02/29/12 07:58	1
cis-1,2-Dichloroethene	1.1		1.0	0.22	ug/L			02/29/12 07:58	1
Methyl Ethyl Ketone	<5.0		5.0	1.0	ug/L			02/29/12 07:58	1
Bromochloromethane	<1.0		1.0	0.50	ug/L			02/29/12 07:58	1
Chloroform	<1.0		1.0	0.25	ug/L			02/29/12 07:58	1
1,1,1-Trichloroethane	<1.0		1.0	0.26	ug/L			02/29/12 07:58	1
1,1-Dichloropropene	<1.0		1.0	0.25	ug/L			02/29/12 07:58	1
Carbon tetrachloride	<1.0		1.0	0.28	ug/L			02/29/12 07:58	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			02/29/12 07:58	1
Trichloroethene	3.0		0.50	0.18	ug/L			02/29/12 07:58	1
1,2-Dichloropropane	<1.0		1.0	0.36	ug/L			02/29/12 07:58	1
Dibromomethane	<1.0		1.0	0.39	ug/L			02/29/12 07:58	1
Bromodichloromethane	<1.0		1.0	0.23	ug/L			02/29/12 07:58	1
cis-1,3-Dichloropropene	<1.0		1.0	0.28	ug/L			02/29/12 07:58	1
methyl isobutyl ketone	<5.0		5.0	0.79	ug/L			02/29/12 07:58	1
Toluene	<0.50		0.50	0.15	ug/L			02/29/12 07:58	1
trans-1,3-Dichloropropene	<1.0		1.0	0.35	ug/L			02/29/12 07:58	1
1,1,2-Trichloroethane	<1.0		1.0	0.30	ug/L			02/29/12 07:58	1
Tetrachloroethene	16		1.0	0.22	ug/L			02/29/12 07:58	1
1,3-Dichloropropane	<1.0		1.0	0.27	ug/L			02/29/12 07:58	1
2-Hexanone	<5.0		5.0	0.56	ug/L			02/29/12 07:58	1
Dibromochloromethane	<1.0		1.0	0.25	ug/L			02/29/12 07:58	1
1,2-Dibromoethane	<1.0		1.0	0.45	ug/L			02/29/12 07:58	1
Chlorobenzene	<1.0		1.0	0.24	ug/L			02/29/12 07:58	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.31	ug/L			02/29/12 07:58	1
Ethylbenzene	<0.50		0.50	0.14	ug/L			02/29/12 07:58	1
m&p-Xylene	<1.0		1.0	0.30	ug/L			02/29/12 07:58	1
o-Xylene	<0.50		0.50	0.13	ug/L			02/29/12 07:58	1
Styrene	<1.0		1.0	0.26	ug/L			02/29/12 07:58	1
Bromoform	<1.0		1.0	0.45	ug/L			02/29/12 07:58	1
Isopropylbenzene	<1.0		1.0	0.21	ug/L			02/29/12 07:58	1
Bromobenzene	<1.0		1.0	0.31	ug/L			02/29/12 07:58	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.35	ug/L			02/29/12 07:58	1
1,2,3-Trichloropropane	<1.0		1.0	0.60	ug/L			02/29/12 07:58	1
N-Propylbenzene	<1.0		1.0	0.19	ug/L			02/29/12 07:58	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/29/12 07:58	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.23	ug/L			02/29/12 07:58	1
4-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/29/12 07:58	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-44366-1

Client Sample ID: RFW-13

Lab Sample ID: 500-44366-14

Date Collected: 02/16/12 16:20

Matrix: Water

Date Received: 02/18/12 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.24	ug/L			02/29/12 07:58	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.22	ug/L			02/29/12 07:58	1
sec-Butylbenzene	<1.0		1.0	0.19	ug/L			02/29/12 07:58	1
1,3-Dichlorobenzene	<1.0		1.0	0.26	ug/L			02/29/12 07:58	1
p-Isopropyltoluene	<1.0		1.0	0.24	ug/L			02/29/12 07:58	1
1,4-Dichlorobenzene	<1.0		1.0	0.24	ug/L			02/29/12 07:58	1
n-Butylbenzene	<1.0		1.0	0.21	ug/L			02/29/12 07:58	1
1,2-Dichlorobenzene	<1.0		1.0	0.21	ug/L			02/29/12 07:58	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	1.2	ug/L			02/29/12 07:58	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.22	ug/L			02/29/12 07:58	1
Hexachlorobutadiene	<1.0		1.0	0.45	ug/L			02/29/12 07:58	1
Naphthalene	<1.0		1.0	0.24	ug/L			02/29/12 07:58	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.36	ug/L			02/29/12 07:58	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	92		77 - 124		02/29/12 07:58	1
Toluene-d8 (Surr)	98		80 - 121		02/29/12 07:58	1
4-Bromofluorobenzene (Surr)	95		77 - 112		02/29/12 07:58	1
Dibromofluoromethane	106		78 - 119		02/29/12 07:58	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-44366-1

Client Sample ID: RFW-17

Lab Sample ID: 500-44366-15

Date Collected: 02/16/12 14:05

Matrix: Water

Date Received: 02/18/12 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.25	J	0.50	0.12	ug/L			02/29/12 08:24	1
Dichlorodifluoromethane	<1.0		1.0	0.26	ug/L			02/29/12 08:24	1
Chloromethane	<1.0		1.0	0.24	ug/L			02/29/12 08:24	1
Vinyl chloride	<0.50		0.50	0.13	ug/L			02/29/12 08:24	1
Bromomethane	<1.0		1.0	0.49	ug/L			02/29/12 08:24	1
Chloroethane	<1.0		1.0	0.33	ug/L			02/29/12 08:24	1
Trichlorofluoromethane	<1.0		1.0	0.22	ug/L			02/29/12 08:24	1
1,1-Dichloroethene	<1.0		1.0	0.29	ug/L			02/29/12 08:24	1
Carbon disulfide	<5.0		5.0	0.44	ug/L			02/29/12 08:24	1
Acetone	<5.0		5.0	1.9	ug/L			02/29/12 08:24	1
Methylene Chloride	<5.0		5.0	0.63	ug/L			02/29/12 08:24	1
trans-1,2-Dichloroethene	<1.0		1.0	0.27	ug/L			02/29/12 08:24	1
1,1-Dichloroethane	<1.0		1.0	0.24	ug/L			02/29/12 08:24	1
2,2-Dichloropropane	<1.0		1.0	0.31	ug/L			02/29/12 08:24	1
cis-1,2-Dichloroethene	<1.0		1.0	0.22	ug/L			02/29/12 08:24	1
Methyl Ethyl Ketone	<5.0		5.0	1.0	ug/L			02/29/12 08:24	1
Bromochloromethane	<1.0		1.0	0.50	ug/L			02/29/12 08:24	1
Chloroform	<1.0		1.0	0.25	ug/L			02/29/12 08:24	1
1,1,1-Trichloroethane	<1.0		1.0	0.26	ug/L			02/29/12 08:24	1
1,1-Dichloropropene	<1.0		1.0	0.25	ug/L			02/29/12 08:24	1
Carbon tetrachloride	<1.0		1.0	0.28	ug/L			02/29/12 08:24	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			02/29/12 08:24	1
Trichloroethene	<0.50		0.50	0.18	ug/L			02/29/12 08:24	1
1,2-Dichloropropane	<1.0		1.0	0.36	ug/L			02/29/12 08:24	1
Dibromomethane	<1.0		1.0	0.39	ug/L			02/29/12 08:24	1
Bromodichloromethane	<1.0		1.0	0.23	ug/L			02/29/12 08:24	1
cis-1,3-Dichloropropene	<1.0		1.0	0.28	ug/L			02/29/12 08:24	1
methyl isobutyl ketone	<5.0		5.0	0.79	ug/L			02/29/12 08:24	1
Toluene	<0.50		0.50	0.15	ug/L			02/29/12 08:24	1
trans-1,3-Dichloropropene	<1.0		1.0	0.35	ug/L			02/29/12 08:24	1
1,1,2-Trichloroethane	<1.0		1.0	0.30	ug/L			02/29/12 08:24	1
Tetrachloroethene	<1.0		1.0	0.22	ug/L			02/29/12 08:24	1
1,3-Dichloropropane	<1.0		1.0	0.27	ug/L			02/29/12 08:24	1
2-Hexanone	<5.0		5.0	0.56	ug/L			02/29/12 08:24	1
Dibromochloromethane	<1.0		1.0	0.25	ug/L			02/29/12 08:24	1
1,2-Dibromoethane	<1.0		1.0	0.45	ug/L			02/29/12 08:24	1
Chlorobenzene	<1.0		1.0	0.24	ug/L			02/29/12 08:24	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.31	ug/L			02/29/12 08:24	1
Ethylbenzene	<0.50		0.50	0.14	ug/L			02/29/12 08:24	1
m&p-Xylene	<1.0		1.0	0.30	ug/L			02/29/12 08:24	1
o-Xylene	<0.50		0.50	0.13	ug/L			02/29/12 08:24	1
Styrene	<1.0		1.0	0.26	ug/L			02/29/12 08:24	1
Bromoform	<1.0		1.0	0.45	ug/L			02/29/12 08:24	1
Isopropylbenzene	<1.0		1.0	0.21	ug/L			02/29/12 08:24	1
Bromobenzene	<1.0		1.0	0.31	ug/L			02/29/12 08:24	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.35	ug/L			02/29/12 08:24	1
1,2,3-Trichloropropane	<1.0		1.0	0.60	ug/L			02/29/12 08:24	1
N-Propylbenzene	<1.0		1.0	0.19	ug/L			02/29/12 08:24	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/29/12 08:24	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.23	ug/L			02/29/12 08:24	1
4-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/29/12 08:24	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-44366-1

Client Sample ID: RFW-17

Lab Sample ID: 500-44366-15

Date Collected: 02/16/12 14:05

Matrix: Water

Date Received: 02/18/12 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.24	ug/L			02/29/12 08:24	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.22	ug/L			02/29/12 08:24	1
sec-Butylbenzene	<1.0		1.0	0.19	ug/L			02/29/12 08:24	1
1,3-Dichlorobenzene	<1.0		1.0	0.26	ug/L			02/29/12 08:24	1
p-Isopropyltoluene	<1.0		1.0	0.24	ug/L			02/29/12 08:24	1
1,4-Dichlorobenzene	<1.0		1.0	0.24	ug/L			02/29/12 08:24	1
n-Butylbenzene	<1.0		1.0	0.21	ug/L			02/29/12 08:24	1
1,2-Dichlorobenzene	<1.0		1.0	0.21	ug/L			02/29/12 08:24	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	1.2	ug/L			02/29/12 08:24	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.22	ug/L			02/29/12 08:24	1
Hexachlorobutadiene	<1.0		1.0	0.45	ug/L			02/29/12 08:24	1
Naphthalene	<1.0		1.0	0.24	ug/L			02/29/12 08:24	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.36	ug/L			02/29/12 08:24	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	94		77 - 124		02/29/12 08:24	1
Toluene-d8 (Surr)	100		80 - 121		02/29/12 08:24	1
4-Bromofluorobenzene (Surr)	98		77 - 112		02/29/12 08:24	1
Dibromofluoromethane	105		78 - 119		02/29/12 08:24	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-44366-1

Client Sample ID: TRIP BLANK

Lab Sample ID: 500-44366-16

Date Collected: 02/16/12 07:00

Matrix: Water

Date Received: 02/18/12 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.12	ug/L			02/29/12 08:48	1
Dichlorodifluoromethane	<1.0		1.0	0.26	ug/L			02/29/12 08:48	1
Chloromethane	<1.0		1.0	0.24	ug/L			02/29/12 08:48	1
Vinyl chloride	<0.50		0.50	0.13	ug/L			02/29/12 08:48	1
Bromomethane	<1.0		1.0	0.49	ug/L			02/29/12 08:48	1
Chloroethane	<1.0		1.0	0.33	ug/L			02/29/12 08:48	1
Trichlorofluoromethane	<1.0		1.0	0.22	ug/L			02/29/12 08:48	1
1,1-Dichloroethene	<1.0		1.0	0.29	ug/L			02/29/12 08:48	1
Carbon disulfide	<5.0		5.0	0.44	ug/L			02/29/12 08:48	1
Acetone	<5.0		5.0	1.9	ug/L			02/29/12 08:48	1
Methylene Chloride	<5.0		5.0	0.63	ug/L			02/29/12 08:48	1
trans-1,2-Dichloroethene	<1.0		1.0	0.27	ug/L			02/29/12 08:48	1
1,1-Dichloroethane	<1.0		1.0	0.24	ug/L			02/29/12 08:48	1
2,2-Dichloropropane	<1.0		1.0	0.31	ug/L			02/29/12 08:48	1
cis-1,2-Dichloroethene	<1.0		1.0	0.22	ug/L			02/29/12 08:48	1
Methyl Ethyl Ketone	<5.0		5.0	1.0	ug/L			02/29/12 08:48	1
Bromochloromethane	<1.0		1.0	0.50	ug/L			02/29/12 08:48	1
Chloroform	<1.0		1.0	0.25	ug/L			02/29/12 08:48	1
1,1,1-Trichloroethane	<1.0		1.0	0.26	ug/L			02/29/12 08:48	1
1,1-Dichloropropene	<1.0		1.0	0.25	ug/L			02/29/12 08:48	1
Carbon tetrachloride	<1.0		1.0	0.28	ug/L			02/29/12 08:48	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			02/29/12 08:48	1
Trichloroethene	<0.50		0.50	0.18	ug/L			02/29/12 08:48	1
1,2-Dichloropropane	<1.0		1.0	0.36	ug/L			02/29/12 08:48	1
Dibromomethane	<1.0		1.0	0.39	ug/L			02/29/12 08:48	1
Bromodichloromethane	<1.0		1.0	0.23	ug/L			02/29/12 08:48	1
cis-1,3-Dichloropropene	<1.0		1.0	0.28	ug/L			02/29/12 08:48	1
methyl isobutyl ketone	<5.0		5.0	0.79	ug/L			02/29/12 08:48	1
Toluene	<0.50		0.50	0.15	ug/L			02/29/12 08:48	1
trans-1,3-Dichloropropene	<1.0		1.0	0.35	ug/L			02/29/12 08:48	1
1,1,2-Trichloroethane	<1.0		1.0	0.30	ug/L			02/29/12 08:48	1
Tetrachloroethene	<1.0		1.0	0.22	ug/L			02/29/12 08:48	1
1,3-Dichloropropane	<1.0		1.0	0.27	ug/L			02/29/12 08:48	1
2-Hexanone	<5.0		5.0	0.56	ug/L			02/29/12 08:48	1
Dibromochloromethane	<1.0		1.0	0.25	ug/L			02/29/12 08:48	1
1,2-Dibromoethane	<1.0		1.0	0.45	ug/L			02/29/12 08:48	1
Chlorobenzene	<1.0		1.0	0.24	ug/L			02/29/12 08:48	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.31	ug/L			02/29/12 08:48	1
Ethylbenzene	<0.50		0.50	0.14	ug/L			02/29/12 08:48	1
m&p-Xylene	<1.0		1.0	0.30	ug/L			02/29/12 08:48	1
o-Xylene	<0.50		0.50	0.13	ug/L			02/29/12 08:48	1
Styrene	<1.0		1.0	0.26	ug/L			02/29/12 08:48	1
Bromoform	<1.0		1.0	0.45	ug/L			02/29/12 08:48	1
Isopropylbenzene	<1.0		1.0	0.21	ug/L			02/29/12 08:48	1
Bromobenzene	<1.0		1.0	0.31	ug/L			02/29/12 08:48	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.35	ug/L			02/29/12 08:48	1
1,2,3-Trichloropropane	<1.0		1.0	0.60	ug/L			02/29/12 08:48	1
N-Propylbenzene	<1.0		1.0	0.19	ug/L			02/29/12 08:48	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/29/12 08:48	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.23	ug/L			02/29/12 08:48	1
4-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/29/12 08:48	1

Client Sample Results

Client: Weston Solutions, Inc.
 Project/Site: Black and Decker

TestAmerica Job ID: 500-44366-1

Client Sample ID: TRIP BLANK

Lab Sample ID: 500-44366-16

Date Collected: 02/16/12 07:00

Matrix: Water

Date Received: 02/18/12 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.24	ug/L			02/29/12 08:48	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.22	ug/L			02/29/12 08:48	1
sec-Butylbenzene	<1.0		1.0	0.19	ug/L			02/29/12 08:48	1
1,3-Dichlorobenzene	<1.0		1.0	0.26	ug/L			02/29/12 08:48	1
p-Isopropyltoluene	<1.0		1.0	0.24	ug/L			02/29/12 08:48	1
1,4-Dichlorobenzene	<1.0		1.0	0.24	ug/L			02/29/12 08:48	1
n-Butylbenzene	<1.0		1.0	0.21	ug/L			02/29/12 08:48	1
1,2-Dichlorobenzene	<1.0		1.0	0.21	ug/L			02/29/12 08:48	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	1.2	ug/L			02/29/12 08:48	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.22	ug/L			02/29/12 08:48	1
Hexachlorobutadiene	<1.0		1.0	0.45	ug/L			02/29/12 08:48	1
Naphthalene	<1.0		1.0	0.24	ug/L			02/29/12 08:48	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.36	ug/L			02/29/12 08:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	94		77 - 124		02/29/12 08:48	1
Toluene-d8 (Surr)	100		80 - 121		02/29/12 08:48	1
4-Bromofluorobenzene (Surr)	96		77 - 112		02/29/12 08:48	1
Dibromofluoromethane	106		78 - 119		02/29/12 08:48	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-44366-1

Client Sample ID: EW-2

Lab Sample ID: 500-44366-17

Date Collected: 02/16/12 17:00

Matrix: Water

Date Received: 02/18/12 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.12	ug/L			02/29/12 15:11	1
Dichlorodifluoromethane	<1.0		1.0	0.26	ug/L			02/29/12 15:11	1
Chloromethane	<1.0		1.0	0.24	ug/L			02/29/12 15:11	1
Vinyl chloride	<0.50		0.50	0.13	ug/L			02/29/12 15:11	1
Bromomethane	<1.0		1.0	0.49	ug/L			02/29/12 15:11	1
Chloroethane	<1.0		1.0	0.33	ug/L			02/29/12 15:11	1
Trichlorofluoromethane	<1.0		1.0	0.22	ug/L			02/29/12 15:11	1
1,1-Dichloroethene	<1.0		1.0	0.29	ug/L			02/29/12 15:11	1
Carbon disulfide	<5.0		5.0	0.44	ug/L			02/29/12 15:11	1
Acetone	<5.0		5.0	1.9	ug/L			02/29/12 15:11	1
Methylene Chloride	<5.0		5.0	0.63	ug/L			02/29/12 15:11	1
trans-1,2-Dichloroethene	<1.0		1.0	0.27	ug/L			02/29/12 15:11	1
1,1-Dichloroethane	<1.0		1.0	0.24	ug/L			02/29/12 15:11	1
2,2-Dichloropropane	<1.0		1.0	0.31	ug/L			02/29/12 15:11	1
cis-1,2-Dichloroethene	3.5		1.0	0.22	ug/L			02/29/12 15:11	1
Methyl Ethyl Ketone	<5.0		5.0	1.0	ug/L			02/29/12 15:11	1
Bromochloromethane	<1.0		1.0	0.50	ug/L			02/29/12 15:11	1
Chloroform	<1.0		1.0	0.25	ug/L			02/29/12 15:11	1
1,1,1-Trichloroethane	<1.0		1.0	0.26	ug/L			02/29/12 15:11	1
1,1-Dichloropropene	<1.0		1.0	0.25	ug/L			02/29/12 15:11	1
Carbon tetrachloride	<1.0		1.0	0.28	ug/L			02/29/12 15:11	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			02/29/12 15:11	1
1,2-Dichloropropane	<1.0		1.0	0.36	ug/L			02/29/12 15:11	1
Dibromomethane	<1.0		1.0	0.39	ug/L			02/29/12 15:11	1
Bromodichloromethane	<1.0		1.0	0.23	ug/L			02/29/12 15:11	1
cis-1,3-Dichloropropene	<1.0		1.0	0.28	ug/L			02/29/12 15:11	1
methyl isobutyl ketone	<5.0		5.0	0.79	ug/L			02/29/12 15:11	1
Toluene	<0.50		0.50	0.15	ug/L			02/29/12 15:11	1
trans-1,3-Dichloropropene	<1.0		1.0	0.35	ug/L			02/29/12 15:11	1
1,1,2-Trichloroethane	<1.0		1.0	0.30	ug/L			02/29/12 15:11	1
Tetrachloroethene	48		1.0	0.22	ug/L			02/29/12 15:11	1
1,3-Dichloropropane	<1.0		1.0	0.27	ug/L			02/29/12 15:11	1
2-Hexanone	<5.0		5.0	0.56	ug/L			02/29/12 15:11	1
Dibromochloromethane	<1.0		1.0	0.25	ug/L			02/29/12 15:11	1
1,2-Dibromoethane	<1.0		1.0	0.45	ug/L			02/29/12 15:11	1
Chlorobenzene	<1.0		1.0	0.24	ug/L			02/29/12 15:11	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.31	ug/L			02/29/12 15:11	1
Ethylbenzene	<0.50		0.50	0.14	ug/L			02/29/12 15:11	1
m&p-Xylene	<1.0		1.0	0.30	ug/L			02/29/12 15:11	1
o-Xylene	<0.50		0.50	0.13	ug/L			02/29/12 15:11	1
Styrene	<1.0		1.0	0.26	ug/L			02/29/12 15:11	1
Bromoform	<1.0		1.0	0.45	ug/L			02/29/12 15:11	1
Isopropylbenzene	<1.0		1.0	0.21	ug/L			02/29/12 15:11	1
Bromobenzene	<1.0		1.0	0.31	ug/L			02/29/12 15:11	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.35	ug/L			02/29/12 15:11	1
1,2,3-Trichloropropane	<1.0		1.0	0.60	ug/L			02/29/12 15:11	1
N-Propylbenzene	<1.0		1.0	0.19	ug/L			02/29/12 15:11	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/29/12 15:11	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.23	ug/L			02/29/12 15:11	1
4-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/29/12 15:11	1
tert-Butylbenzene	<1.0		1.0	0.24	ug/L			02/29/12 15:11	1

Client Sample Results

Client: Weston Solutions, Inc.
 Project/Site: Black and Decker

TestAmerica Job ID: 500-44366-1

Client Sample ID: EW-2

Lab Sample ID: 500-44366-17

Date Collected: 02/16/12 17:00

Matrix: Water

Date Received: 02/18/12 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2,4-Trimethylbenzene	<1.0		1.0	0.22	ug/L			02/29/12 15:11	1
sec-Butylbenzene	<1.0		1.0	0.19	ug/L			02/29/12 15:11	1
1,3-Dichlorobenzene	<1.0		1.0	0.26	ug/L			02/29/12 15:11	1
p-Isopropyltoluene	<1.0		1.0	0.24	ug/L			02/29/12 15:11	1
1,4-Dichlorobenzene	<1.0		1.0	0.24	ug/L			02/29/12 15:11	1
n-Butylbenzene	<1.0		1.0	0.21	ug/L			02/29/12 15:11	1
1,2-Dichlorobenzene	<1.0		1.0	0.21	ug/L			02/29/12 15:11	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	1.2	ug/L			02/29/12 15:11	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.22	ug/L			02/29/12 15:11	1
Hexachlorobutadiene	<1.0		1.0	0.45	ug/L			02/29/12 15:11	1
Naphthalene	<1.0		1.0	0.24	ug/L			02/29/12 15:11	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.36	ug/L			02/29/12 15:11	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	93		77 - 124		02/29/12 15:11	1
Toluene-d8 (Surr)	96		80 - 121		02/29/12 15:11	1
4-Bromofluorobenzene (Surr)	101		77 - 112		02/29/12 15:11	1
Dibromofluoromethane	95		78 - 119		02/29/12 15:11	1

Method: 8260B - VOC - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Trichloroethene	210		5.0	1.8	ug/L			02/29/12 15:36	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	89		77 - 124		02/29/12 15:36	10
Toluene-d8 (Surr)	92		80 - 121		02/29/12 15:36	10
4-Bromofluorobenzene (Surr)	99		77 - 112		02/29/12 15:36	10
Dibromofluoromethane	92		78 - 119		02/29/12 15:36	10

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-44366-1

Client Sample ID: EW-3

Lab Sample ID: 500-44366-18

Date Collected: 02/17/12 11:50

Matrix: Water

Date Received: 02/18/12 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.12	ug/L			02/29/12 16:01	1
Dichlorodifluoromethane	<1.0		1.0	0.26	ug/L			02/29/12 16:01	1
Chloromethane	<1.0		1.0	0.24	ug/L			02/29/12 16:01	1
Vinyl chloride	<0.50		0.50	0.13	ug/L			02/29/12 16:01	1
Bromomethane	<1.0		1.0	0.49	ug/L			02/29/12 16:01	1
Chloroethane	<1.0		1.0	0.33	ug/L			02/29/12 16:01	1
Trichlorofluoromethane	<1.0		1.0	0.22	ug/L			02/29/12 16:01	1
1,1-Dichloroethane	<1.0		1.0	0.29	ug/L			02/29/12 16:01	1
Carbon disulfide	<5.0		5.0	0.44	ug/L			02/29/12 16:01	1
Acetone	<5.0		5.0	1.9	ug/L			02/29/12 16:01	1
Methylene Chloride	<5.0		5.0	0.63	ug/L			02/29/12 16:01	1
trans-1,2-Dichloroethene	<1.0		1.0	0.27	ug/L			02/29/12 16:01	1
1,1-Dichloroethane	<1.0		1.0	0.24	ug/L			02/29/12 16:01	1
2,2-Dichloropropane	<1.0		1.0	0.31	ug/L			02/29/12 16:01	1
cis-1,2-Dichloroethene	2.0		1.0	0.22	ug/L			02/29/12 16:01	1
Methyl Ethyl Ketone	<5.0		5.0	1.0	ug/L			02/29/12 16:01	1
Bromochloromethane	<1.0		1.0	0.50	ug/L			02/29/12 16:01	1
Chloroform	<1.0		1.0	0.25	ug/L			02/29/12 16:01	1
1,1,1-Trichloroethane	<1.0		1.0	0.26	ug/L			02/29/12 16:01	1
1,1-Dichloropropene	<1.0		1.0	0.25	ug/L			02/29/12 16:01	1
Carbon tetrachloride	<1.0		1.0	0.28	ug/L			02/29/12 16:01	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			02/29/12 16:01	1
Trichloroethene	57		0.50	0.18	ug/L			02/29/12 16:01	1
1,2-Dichloropropane	<1.0		1.0	0.36	ug/L			02/29/12 16:01	1
Dibromomethane	<1.0		1.0	0.39	ug/L			02/29/12 16:01	1
Bromodichloromethane	<1.0		1.0	0.23	ug/L			02/29/12 16:01	1
cis-1,3-Dichloropropene	<1.0		1.0	0.28	ug/L			02/29/12 16:01	1
methyl isobutyl ketone	<5.0		5.0	0.79	ug/L			02/29/12 16:01	1
Toluene	<0.50		0.50	0.15	ug/L			02/29/12 16:01	1
trans-1,3-Dichloropropene	<1.0		1.0	0.35	ug/L			02/29/12 16:01	1
1,1,2-Trichloroethane	<1.0		1.0	0.30	ug/L			02/29/12 16:01	1
Tetrachloroethene	1.8		1.0	0.22	ug/L			02/29/12 16:01	1
1,3-Dichloropropane	<1.0		1.0	0.27	ug/L			02/29/12 16:01	1
2-Hexanone	<5.0		5.0	0.56	ug/L			02/29/12 16:01	1
Dibromochloromethane	<1.0		1.0	0.25	ug/L			02/29/12 16:01	1
1,2-Dibromoethane	<1.0		1.0	0.45	ug/L			02/29/12 16:01	1
Chlorobenzene	<1.0		1.0	0.24	ug/L			02/29/12 16:01	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.31	ug/L			02/29/12 16:01	1
Ethylbenzene	<0.50		0.50	0.14	ug/L			02/29/12 16:01	1
m&p-Xylene	<1.0		1.0	0.30	ug/L			02/29/12 16:01	1
o-Xylene	<0.50		0.50	0.13	ug/L			02/29/12 16:01	1
Styrene	<1.0		1.0	0.26	ug/L			02/29/12 16:01	1
Bromoform	<1.0		1.0	0.45	ug/L			02/29/12 16:01	1
Isopropylbenzene	<1.0		1.0	0.21	ug/L			02/29/12 16:01	1
Bromobenzene	<1.0		1.0	0.31	ug/L			02/29/12 16:01	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.35	ug/L			02/29/12 16:01	1
1,2,3-Trichloropropane	<1.0		1.0	0.60	ug/L			02/29/12 16:01	1
N-Propylbenzene	<1.0		1.0	0.19	ug/L			02/29/12 16:01	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/29/12 16:01	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.23	ug/L			02/29/12 16:01	1
4-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/29/12 16:01	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-44366-1

Client Sample ID: EW-3

Lab Sample ID: 500-44366-18

Date Collected: 02/17/12 11:50

Matrix: Water

Date Received: 02/18/12 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.24	ug/L			02/29/12 16:01	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.22	ug/L			02/29/12 16:01	1
sec-Butylbenzene	<1.0		1.0	0.19	ug/L			02/29/12 16:01	1
1,3-Dichlorobenzene	<1.0		1.0	0.26	ug/L			02/29/12 16:01	1
p-Isopropyltoluene	<1.0		1.0	0.24	ug/L			02/29/12 16:01	1
1,4-Dichlorobenzene	<1.0		1.0	0.24	ug/L			02/29/12 16:01	1
n-Butylbenzene	<1.0		1.0	0.21	ug/L			02/29/12 16:01	1
1,2-Dichlorobenzene	<1.0		1.0	0.21	ug/L			02/29/12 16:01	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	1.2	ug/L			02/29/12 16:01	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.22	ug/L			02/29/12 16:01	1
Hexachlorobutadiene	<1.0		1.0	0.45	ug/L			02/29/12 16:01	1
Naphthalene	<1.0		1.0	0.24	ug/L			02/29/12 16:01	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.36	ug/L			02/29/12 16:01	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	93		77 - 124					02/29/12 16:01	1
Toluene-d8 (Surr)	97		80 - 121					02/29/12 16:01	1
4-Bromofluorobenzene (Surr)	102		77 - 112					02/29/12 16:01	1
Dibromofluoromethane	97		78 - 119					02/29/12 16:01	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-44366-1

Client Sample ID: EW-4

Lab Sample ID: 500-44366-19

Date Collected: 02/17/12 11:10

Matrix: Water

Date Received: 02/18/12 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.12	ug/L			03/01/12 14:36	1
Dichlorodifluoromethane	<1.0		1.0	0.26	ug/L			03/01/12 14:36	1
Chloromethane	<1.0		1.0	0.24	ug/L			03/01/12 14:36	1
Vinyl chloride	<0.50		0.50	0.13	ug/L			03/01/12 14:36	1
Bromomethane	<1.0		1.0	0.49	ug/L			03/01/12 14:36	1
Chloroethane	<1.0		1.0	0.33	ug/L			03/01/12 14:36	1
Trichlorofluoromethane	<1.0		1.0	0.22	ug/L			03/01/12 14:36	1
1,1-Dichloroethene	<1.0		1.0	0.29	ug/L			03/01/12 14:36	1
Carbon disulfide	<5.0		5.0	0.44	ug/L			03/01/12 14:36	1
Acetone	<5.0		5.0	1.9	ug/L			03/01/12 14:36	1
Methylene Chloride	<5.0		5.0	0.63	ug/L			03/01/12 14:36	1
trans-1,2-Dichloroethene	<1.0		1.0	0.27	ug/L			03/01/12 14:36	1
1,1-Dichloroethane	<1.0		1.0	0.24	ug/L			03/01/12 14:36	1
2,2-Dichloropropane	<1.0		1.0	0.31	ug/L			03/01/12 14:36	1
cis-1,2-Dichloroethene	<1.0		1.0	0.22	ug/L			03/01/12 14:36	1
Methyl Ethyl Ketone	<5.0		5.0	1.0	ug/L			03/01/12 14:36	1
Bromochloromethane	<1.0		1.0	0.50	ug/L			03/01/12 14:36	1
Chloroform	<1.0		1.0	0.25	ug/L			03/01/12 14:36	1
1,1,1-Trichloroethane	<1.0		1.0	0.26	ug/L			03/01/12 14:36	1
1,1-Dichloropropene	<1.0		1.0	0.25	ug/L			03/01/12 14:36	1
Carbon tetrachloride	<1.0		1.0	0.28	ug/L			03/01/12 14:36	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			03/01/12 14:36	1
1,2-Dichloropropane	<1.0		1.0	0.36	ug/L			03/01/12 14:36	1
Dibromomethane	<1.0		1.0	0.39	ug/L			03/01/12 14:36	1
Bromodichloromethane	<1.0		1.0	0.23	ug/L			03/01/12 14:36	1
cis-1,3-Dichloropropene	<1.0		1.0	0.28	ug/L			03/01/12 14:36	1
methyl isobutyl ketone	<5.0		5.0	0.79	ug/L			03/01/12 14:36	1
Toluene	<0.50		0.50	0.15	ug/L			03/01/12 14:36	1
trans-1,3-Dichloropropene	<1.0		1.0	0.35	ug/L			03/01/12 14:36	1
1,1,2-Trichloroethane	<1.0		1.0	0.30	ug/L			03/01/12 14:36	1
Tetrachloroethene	21		1.0	0.22	ug/L			03/01/12 14:36	1
1,3-Dichloropropane	<1.0		1.0	0.27	ug/L			03/01/12 14:36	1
2-Hexanone	<5.0		5.0	0.56	ug/L			03/01/12 14:36	1
Dibromochloromethane	<1.0		1.0	0.25	ug/L			03/01/12 14:36	1
1,2-Dibromoethane	<1.0		1.0	0.45	ug/L			03/01/12 14:36	1
Chlorobenzene	<1.0		1.0	0.24	ug/L			03/01/12 14:36	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.31	ug/L			03/01/12 14:36	1
Ethylbenzene	<0.50		0.50	0.14	ug/L			03/01/12 14:36	1
m&p-Xylene	<1.0		1.0	0.30	ug/L			03/01/12 14:36	1
o-Xylene	<0.50		0.50	0.13	ug/L			03/01/12 14:36	1
Styrene	<1.0		1.0	0.26	ug/L			03/01/12 14:36	1
Bromoform	<1.0		1.0	0.45	ug/L			03/01/12 14:36	1
Isopropylbenzene	<1.0		1.0	0.21	ug/L			03/01/12 14:36	1
Bromobenzene	<1.0		1.0	0.31	ug/L			03/01/12 14:36	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.35	ug/L			03/01/12 14:36	1
1,2,3-Trichloropropane	<1.0		1.0	0.60	ug/L			03/01/12 14:36	1
N-Propylbenzene	<1.0		1.0	0.19	ug/L			03/01/12 14:36	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			03/01/12 14:36	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.23	ug/L			03/01/12 14:36	1
4-Chlorotoluene	<1.0		1.0	0.21	ug/L			03/01/12 14:36	1
tert-Butylbenzene	<1.0		1.0	0.24	ug/L			03/01/12 14:36	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-44366-1

Client Sample ID: EW-4

Lab Sample ID: 500-44366-19

Date Collected: 02/17/12 11:10

Matrix: Water

Date Received: 02/18/12 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2,4-Trimethylbenzene	<1.0		1.0	0.22	ug/L			03/01/12 14:36	1
sec-Butylbenzene	<1.0		1.0	0.19	ug/L			03/01/12 14:36	1
1,3-Dichlorobenzene	<1.0		1.0	0.26	ug/L			03/01/12 14:36	1
p-Isopropyltoluene	<1.0		1.0	0.24	ug/L			03/01/12 14:36	1
1,4-Dichlorobenzene	<1.0		1.0	0.24	ug/L			03/01/12 14:36	1
n-Butylbenzene	<1.0		1.0	0.21	ug/L			03/01/12 14:36	1
1,2-Dichlorobenzene	<1.0		1.0	0.21	ug/L			03/01/12 14:36	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	1.2	ug/L			03/01/12 14:36	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.22	ug/L			03/01/12 14:36	1
Hexachlorobutadiene	<1.0		1.0	0.45	ug/L			03/01/12 14:36	1
Naphthalene	<1.0		1.0	0.24	ug/L			03/01/12 14:36	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.36	ug/L			03/01/12 14:36	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	87		77 - 124		03/01/12 14:36	1
Toluene-d8 (Surr)	95		80 - 121		03/01/12 14:36	1
4-Bromofluorobenzene (Surr)	100		77 - 112		03/01/12 14:36	1
Dibromofluoromethane	93		78 - 119		03/01/12 14:36	1

Method: 8260B - VOC - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Trichloroethene	730		2.5	0.90	ug/L			02/29/12 16:26	5

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	93		77 - 124		02/29/12 16:26	5
Toluene-d8 (Surr)	93		80 - 121		02/29/12 16:26	5
4-Bromofluorobenzene (Surr)	99		77 - 112		02/29/12 16:26	5
Dibromofluoromethane	97		78 - 119		02/29/12 16:26	5

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-44366-1

Client Sample ID: EW-5

Lab Sample ID: 500-44366-20

Date Collected: 02/16/12 08:10

Matrix: Water

Date Received: 02/18/12 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.12	ug/L			02/29/12 17:16	1
Dichlorodifluoromethane	<1.0		1.0	0.26	ug/L			02/29/12 17:16	1
Chloromethane	<1.0		1.0	0.24	ug/L			02/29/12 17:16	1
Vinyl chloride	<0.50		0.50	0.13	ug/L			02/29/12 17:16	1
Bromomethane	<1.0		1.0	0.49	ug/L			02/29/12 17:16	1
Chloroethane	<1.0		1.0	0.33	ug/L			02/29/12 17:16	1
Trichlorofluoromethane	<1.0		1.0	0.22	ug/L			02/29/12 17:16	1
1,1-Dichloroethane	<1.0		1.0	0.29	ug/L			02/29/12 17:16	1
Carbon disulfide	<5.0		5.0	0.44	ug/L			02/29/12 17:16	1
Acetone	<5.0		5.0	1.9	ug/L			02/29/12 17:16	1
Methylene Chloride	<5.0		5.0	0.63	ug/L			02/29/12 17:16	1
trans-1,2-Dichloroethene	<1.0		1.0	0.27	ug/L			02/29/12 17:16	1
1,1-Dichloroethane	<1.0		1.0	0.24	ug/L			02/29/12 17:16	1
2,2-Dichloropropane	<1.0		1.0	0.31	ug/L			02/29/12 17:16	1
cis-1,2-Dichloroethene	<1.0		1.0	0.22	ug/L			02/29/12 17:16	1
Methyl Ethyl Ketone	<5.0		5.0	1.0	ug/L			02/29/12 17:16	1
Bromochloromethane	<1.0		1.0	0.50	ug/L			02/29/12 17:16	1
Chloroform	<1.0		1.0	0.25	ug/L			02/29/12 17:16	1
1,1,1-Trichloroethane	<1.0		1.0	0.26	ug/L			02/29/12 17:16	1
1,1-Dichloropropene	<1.0		1.0	0.25	ug/L			02/29/12 17:16	1
Carbon tetrachloride	<1.0		1.0	0.28	ug/L			02/29/12 17:16	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			02/29/12 17:16	1
Trichloroethene	110		0.50	0.18	ug/L			02/29/12 17:16	1
1,2-Dichloropropane	<1.0		1.0	0.36	ug/L			02/29/12 17:16	1
Dibromomethane	<1.0		1.0	0.39	ug/L			02/29/12 17:16	1
Bromodichloromethane	<1.0		1.0	0.23	ug/L			02/29/12 17:16	1
cis-1,3-Dichloropropene	<1.0		1.0	0.28	ug/L			02/29/12 17:16	1
methyl isobutyl ketone	<5.0		5.0	0.79	ug/L			02/29/12 17:16	1
Toluene	<0.50		0.50	0.15	ug/L			02/29/12 17:16	1
trans-1,3-Dichloropropene	<1.0		1.0	0.35	ug/L			02/29/12 17:16	1
1,1,2-Trichloroethane	<1.0		1.0	0.30	ug/L			02/29/12 17:16	1
Tetrachloroethene	3.3		1.0	0.22	ug/L			02/29/12 17:16	1
1,3-Dichloropropane	<1.0		1.0	0.27	ug/L			02/29/12 17:16	1
2-Hexanone	<5.0		5.0	0.56	ug/L			02/29/12 17:16	1
Dibromochloromethane	<1.0		1.0	0.25	ug/L			02/29/12 17:16	1
1,2-Dibromoethane	<1.0		1.0	0.45	ug/L			02/29/12 17:16	1
Chlorobenzene	<1.0		1.0	0.24	ug/L			02/29/12 17:16	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.31	ug/L			02/29/12 17:16	1
Ethylbenzene	<0.50		0.50	0.14	ug/L			02/29/12 17:16	1
m&p-Xylene	<1.0		1.0	0.30	ug/L			02/29/12 17:16	1
o-Xylene	<0.50		0.50	0.13	ug/L			02/29/12 17:16	1
Styrene	<1.0		1.0	0.26	ug/L			02/29/12 17:16	1
Bromoform	<1.0		1.0	0.45	ug/L			02/29/12 17:16	1
Isopropylbenzene	<1.0		1.0	0.21	ug/L			02/29/12 17:16	1
Bromobenzene	<1.0		1.0	0.31	ug/L			02/29/12 17:16	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.35	ug/L			02/29/12 17:16	1
1,2,3-Trichloropropane	<1.0		1.0	0.60	ug/L			02/29/12 17:16	1
N-Propylbenzene	<1.0		1.0	0.19	ug/L			02/29/12 17:16	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/29/12 17:16	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.23	ug/L			02/29/12 17:16	1
4-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/29/12 17:16	1

Client Sample Results

Client: Weston Solutions, Inc.
 Project/Site: Black and Decker

TestAmerica Job ID: 500-44366-1

Client Sample ID: EW-5

Lab Sample ID: 500-44366-20

Date Collected: 02/16/12 08:10

Matrix: Water

Date Received: 02/18/12 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.24	ug/L			02/29/12 17:16	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.22	ug/L			02/29/12 17:16	1
sec-Butylbenzene	<1.0		1.0	0.19	ug/L			02/29/12 17:16	1
1,3-Dichlorobenzene	<1.0		1.0	0.26	ug/L			02/29/12 17:16	1
p-Isopropyltoluene	<1.0		1.0	0.24	ug/L			02/29/12 17:16	1
1,4-Dichlorobenzene	<1.0		1.0	0.24	ug/L			02/29/12 17:16	1
n-Butylbenzene	<1.0		1.0	0.21	ug/L			02/29/12 17:16	1
1,2-Dichlorobenzene	<1.0		1.0	0.21	ug/L			02/29/12 17:16	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	1.2	ug/L			02/29/12 17:16	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.22	ug/L			02/29/12 17:16	1
Hexachlorobutadiene	<1.0		1.0	0.45	ug/L			02/29/12 17:16	1
Naphthalene	<1.0		1.0	0.24	ug/L			02/29/12 17:16	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.36	ug/L			02/29/12 17:16	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	94		77 - 124		02/29/12 17:16	1
Toluene-d8 (Surr)	95		80 - 121		02/29/12 17:16	1
4-Bromofluorobenzene (Surr)	102		77 - 112		02/29/12 17:16	1
Dibromofluoromethane	102		78 - 119		02/29/12 17:16	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-44366-1

Client Sample ID: EW-6

Lab Sample ID: 500-44366-21

Date Collected: 02/17/12 07:30

Matrix: Water

Date Received: 02/18/12 09:10

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.12	ug/L			02/29/12 18:06	1
Dichlorodifluoromethane	<1.0		1.0	0.26	ug/L			02/29/12 18:06	1
Chloromethane	<1.0		1.0	0.24	ug/L			02/29/12 18:06	1
Vinyl chloride	<0.50		0.50	0.13	ug/L			02/29/12 18:06	1
Bromomethane	<1.0		1.0	0.49	ug/L			02/29/12 18:06	1
Chloroethane	<1.0		1.0	0.33	ug/L			02/29/12 18:06	1
Trichlorofluoromethane	<1.0		1.0	0.22	ug/L			02/29/12 18:06	1
1,1-Dichloroethene	<1.0		1.0	0.29	ug/L			02/29/12 18:06	1
Carbon disulfide	<5.0		5.0	0.44	ug/L			02/29/12 18:06	1
Acetone	<5.0		5.0	1.9	ug/L			02/29/12 18:06	1
Methylene Chloride	<5.0		5.0	0.63	ug/L			02/29/12 18:06	1
trans-1,2-Dichloroethene	<1.0		1.0	0.27	ug/L			02/29/12 18:06	1
1,1-Dichloroethane	<1.0		1.0	0.24	ug/L			02/29/12 18:06	1
2,2-Dichloropropane	<1.0		1.0	0.31	ug/L			02/29/12 18:06	1
cis-1,2-Dichloroethene	<1.0		1.0	0.22	ug/L			02/29/12 18:06	1
Methyl Ethyl Ketone	<5.0		5.0	1.0	ug/L			02/29/12 18:06	1
Bromochloromethane	<1.0		1.0	0.50	ug/L			02/29/12 18:06	1
Chloroform	<1.0		1.0	0.25	ug/L			02/29/12 18:06	1
1,1,1-Trichloroethane	<1.0		1.0	0.26	ug/L			02/29/12 18:06	1
1,1-Dichloropropene	<1.0		1.0	0.25	ug/L			02/29/12 18:06	1
Carbon tetrachloride	<1.0		1.0	0.28	ug/L			02/29/12 18:06	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			02/29/12 18:06	1
Trichloroethene	6.5		0.50	0.18	ug/L			02/29/12 18:06	1
1,2-Dichloropropane	<1.0		1.0	0.36	ug/L			02/29/12 18:06	1
Dibromomethane	<1.0		1.0	0.39	ug/L			02/29/12 18:06	1
Bromodichloromethane	<1.0		1.0	0.23	ug/L			02/29/12 18:06	1
cis-1,3-Dichloropropene	<1.0		1.0	0.28	ug/L			02/29/12 18:06	1
methyl isobutyl ketone	<5.0		5.0	0.79	ug/L			02/29/12 18:06	1
Toluene	<0.50		0.50	0.15	ug/L			02/29/12 18:06	1
trans-1,3-Dichloropropene	<1.0		1.0	0.35	ug/L			02/29/12 18:06	1
1,1,2-Trichloroethane	<1.0		1.0	0.30	ug/L			02/29/12 18:06	1
Tetrachloroethene	11		1.0	0.22	ug/L			02/29/12 18:06	1
1,3-Dichloropropane	<1.0		1.0	0.27	ug/L			02/29/12 18:06	1
2-Hexanone	<5.0		5.0	0.56	ug/L			02/29/12 18:06	1
Dibromochloromethane	<1.0		1.0	0.25	ug/L			02/29/12 18:06	1
1,2-Dibromoethane	<1.0		1.0	0.45	ug/L			02/29/12 18:06	1
Chlorobenzene	<1.0		1.0	0.24	ug/L			02/29/12 18:06	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.31	ug/L			02/29/12 18:06	1
Ethylbenzene	<0.50		0.50	0.14	ug/L			02/29/12 18:06	1
m&p-Xylene	<1.0		1.0	0.30	ug/L			02/29/12 18:06	1
o-Xylene	<0.50		0.50	0.13	ug/L			02/29/12 18:06	1
Styrene	<1.0		1.0	0.26	ug/L			02/29/12 18:06	1
Bromoform	<1.0		1.0	0.45	ug/L			02/29/12 18:06	1
Isopropylbenzene	<1.0		1.0	0.21	ug/L			02/29/12 18:06	1
Bromobenzene	<1.0		1.0	0.31	ug/L			02/29/12 18:06	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.35	ug/L			02/29/12 18:06	1
1,2,3-Trichloropropane	<1.0		1.0	0.60	ug/L			02/29/12 18:06	1
N-Propylbenzene	<1.0		1.0	0.19	ug/L			02/29/12 18:06	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/29/12 18:06	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.23	ug/L			02/29/12 18:06	1
4-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/29/12 18:06	1

Client Sample Results

Client: Weston Solutions, Inc.
 Project/Site: Black and Decker

TestAmerica Job ID: 500-44366-1

Client Sample ID: EW-6

Lab Sample ID: 500-44366-21

Date Collected: 02/17/12 07:30

Matrix: Water

Date Received: 02/18/12 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.24	ug/L			02/29/12 18:06	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.22	ug/L			02/29/12 18:06	1
sec-Butylbenzene	<1.0		1.0	0.19	ug/L			02/29/12 18:06	1
1,3-Dichlorobenzene	<1.0		1.0	0.26	ug/L			02/29/12 18:06	1
p-Isopropyltoluene	<1.0		1.0	0.24	ug/L			02/29/12 18:06	1
1,4-Dichlorobenzene	<1.0		1.0	0.24	ug/L			02/29/12 18:06	1
n-Butylbenzene	<1.0		1.0	0.21	ug/L			02/29/12 18:06	1
1,2-Dichlorobenzene	<1.0		1.0	0.21	ug/L			02/29/12 18:06	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	1.2	ug/L			02/29/12 18:06	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.22	ug/L			02/29/12 18:06	1
Hexachlorobutadiene	<1.0		1.0	0.45	ug/L			02/29/12 18:06	1
Naphthalene	<1.0		1.0	0.24	ug/L			02/29/12 18:06	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.36	ug/L			02/29/12 18:06	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	91		77 - 124		02/29/12 18:06	1
Toluene-d8 (Surr)	95		80 - 121		02/29/12 18:06	1
4-Bromofluorobenzene (Surr)	94		77 - 112		02/29/12 18:06	1
Dibromofluoromethane	95		78 - 119		02/29/12 18:06	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-44366-1

Client Sample ID: EW-7
Date Collected: 02/16/12 09:45
Date Received: 02/18/12 09:10

Lab Sample ID: 500-44366-22
Matrix: Water

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.12	ug/L			02/29/12 18:31	1
Dichlorodifluoromethane	<1.0		1.0	0.26	ug/L			02/29/12 18:31	1
Chloromethane	<1.0		1.0	0.24	ug/L			02/29/12 18:31	1
Vinyl chloride	<0.50		0.50	0.13	ug/L			02/29/12 18:31	1
Bromomethane	<1.0		1.0	0.49	ug/L			02/29/12 18:31	1
Chloroethane	<1.0		1.0	0.33	ug/L			02/29/12 18:31	1
Trichlorofluoromethane	<1.0		1.0	0.22	ug/L			02/29/12 18:31	1
1,1-Dichloroethene	<1.0		1.0	0.29	ug/L			02/29/12 18:31	1
Carbon disulfide	<5.0		5.0	0.44	ug/L			02/29/12 18:31	1
Acetone	<5.0		5.0	1.9	ug/L			02/29/12 18:31	1
Methylene Chloride	<5.0		5.0	0.63	ug/L			02/29/12 18:31	1
trans-1,2-Dichloroethene	<1.0		1.0	0.27	ug/L			02/29/12 18:31	1
1,1-Dichloroethane	<1.0		1.0	0.24	ug/L			02/29/12 18:31	1
2,2-Dichloropropane	<1.0		1.0	0.31	ug/L			02/29/12 18:31	1
cis-1,2-Dichloroethene	5.5		1.0	0.22	ug/L			02/29/12 18:31	1
Methyl Ethyl Ketone	<5.0		5.0	1.0	ug/L			02/29/12 18:31	1
Bromochloromethane	<1.0		1.0	0.50	ug/L			02/29/12 18:31	1
Chloroform	<1.0		1.0	0.25	ug/L			02/29/12 18:31	1
1,1,1-Trichloroethane	<1.0		1.0	0.26	ug/L			02/29/12 18:31	1
1,1-Dichloropropene	<1.0		1.0	0.25	ug/L			02/29/12 18:31	1
Carbon tetrachloride	<1.0		1.0	0.28	ug/L			02/29/12 18:31	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			02/29/12 18:31	1
Trichloroethene	3.8		0.50	0.18	ug/L			02/29/12 18:31	1
1,2-Dichloropropane	<1.0		1.0	0.36	ug/L			02/29/12 18:31	1
Dibromomethane	<1.0		1.0	0.39	ug/L			02/29/12 18:31	1
Bromodichloromethane	<1.0		1.0	0.23	ug/L			02/29/12 18:31	1
cis-1,3-Dichloropropene	<1.0		1.0	0.28	ug/L			02/29/12 18:31	1
methyl isobutyl ketone	<5.0		5.0	0.79	ug/L			02/29/12 18:31	1
Toluene	<0.50		0.50	0.15	ug/L			02/29/12 18:31	1
trans-1,3-Dichloropropene	<1.0		1.0	0.35	ug/L			02/29/12 18:31	1
1,1,2-Trichloroethane	<1.0		1.0	0.30	ug/L			02/29/12 18:31	1
Tetrachloroethene	8.1		1.0	0.22	ug/L			02/29/12 18:31	1
1,3-Dichloropropane	<1.0		1.0	0.27	ug/L			02/29/12 18:31	1
2-Hexanone	<5.0		5.0	0.56	ug/L			02/29/12 18:31	1
Dibromochloromethane	<1.0		1.0	0.25	ug/L			02/29/12 18:31	1
1,2-Dibromoethane	<1.0		1.0	0.45	ug/L			02/29/12 18:31	1
Chlorobenzene	<1.0		1.0	0.24	ug/L			02/29/12 18:31	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.31	ug/L			02/29/12 18:31	1
Ethylbenzene	<0.50		0.50	0.14	ug/L			02/29/12 18:31	1
m&p-Xylene	<1.0		1.0	0.30	ug/L			02/29/12 18:31	1
o-Xylene	<0.50		0.50	0.13	ug/L			02/29/12 18:31	1
Styrene	<1.0		1.0	0.26	ug/L			02/29/12 18:31	1
Bromoform	<1.0		1.0	0.45	ug/L			02/29/12 18:31	1
Isopropylbenzene	<1.0		1.0	0.21	ug/L			02/29/12 18:31	1
Bromobenzene	<1.0		1.0	0.31	ug/L			02/29/12 18:31	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.35	ug/L			02/29/12 18:31	1
1,2,3-Trichloropropane	<1.0		1.0	0.60	ug/L			02/29/12 18:31	1
N-Propylbenzene	<1.0		1.0	0.19	ug/L			02/29/12 18:31	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/29/12 18:31	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.23	ug/L			02/29/12 18:31	1
4-Chlorotoluene	<1.0		1.0	0.21	ug/L			02/29/12 18:31	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-44366-1

Client Sample ID: EW-7

Lab Sample ID: 500-44366-22

Date Collected: 02/16/12 09:45

Matrix: Water

Date Received: 02/18/12 09:10

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	<1.0		1.0	0.24	ug/L			02/29/12 18:31	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.22	ug/L			02/29/12 18:31	1
sec-Butylbenzene	<1.0		1.0	0.19	ug/L			02/29/12 18:31	1
1,3-Dichlorobenzene	<1.0		1.0	0.26	ug/L			02/29/12 18:31	1
p-Isopropyltoluene	<1.0		1.0	0.24	ug/L			02/29/12 18:31	1
1,4-Dichlorobenzene	<1.0		1.0	0.24	ug/L			02/29/12 18:31	1
n-Butylbenzene	<1.0		1.0	0.21	ug/L			02/29/12 18:31	1
1,2-Dichlorobenzene	<1.0		1.0	0.21	ug/L			02/29/12 18:31	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	1.2	ug/L			02/29/12 18:31	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.22	ug/L			02/29/12 18:31	1
Hexachlorobutadiene	<1.0		1.0	0.45	ug/L			02/29/12 18:31	1
Naphthalene	<1.0		1.0	0.24	ug/L			02/29/12 18:31	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.36	ug/L			02/29/12 18:31	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	92		77 - 124					02/29/12 18:31	1
Toluene-d8 (Surr)	96		80 - 121					02/29/12 18:31	1
4-Bromofluorobenzene (Surr)	100		77 - 112					02/29/12 18:31	1
Dibromofluoromethane	97		78 - 119					02/29/12 18:31	1