

**Quarterly Groundwater Monitoring Report**

Prepared for  
**Black & Decker (U.S.) Inc.**

Hampstead, Maryland

April 2014

Prepared by

**WESTON SOLUTIONS, INC.**

West Chester, Pennsylvania 19380-1499

---

## TABLE OF CONTENTS

---

Section	Page
1. INTRODUCTION.....	1-1
2. SITE CHARACTERISTICS.....	2-1
2.1 HYDRAULIC PROPERTIES .....	2-1
2.2 EFFLUENT CHARACTERISTICS .....	2-1
2.3 GROUNDWATER QUALITY DATA .....	2-1
3. OPERATION AND MAINTENANCE OF THE TREATMENT SYSTEM.....	3-1
4. RECOMMENDATIONS.....	4-1

---

## LIST OF APPENDICES

---

APPENDIX A - GROUNDWATER TREATMENT SYSTEM PUMPING RECORDS

APPENDIX B - DISCHARGE MONITORING REPORTS

APPENDIX C - GROUNDWATER TREATMENT SYSTEM ANALYTICAL RESULTS

APPENDIX D - GROUNDWATER ANALYTICAL DATA PACKAGE

---

## LIST OF TABLES

---

<b>Table</b>	<b>Page</b>
Table 2-1 Treatment System Pumping Records – 1st Quarter 2014.....	2-2
Table 2-2 Groundwater Elevation Data – 1st Quarter 2014 .....	2-3
Table 2-3 Effluent Characteristics Summary – 1st Quarter 2014 .....	2-4
Table 2-4 Summary of Groundwater Analytical Results - February 2014.....	2-5
Table 3-1 Treatment System Maintenance Activities – 1st Quarter 2014.....	3-2

## 1. INTRODUCTION

This Groundwater Monitoring Report has been prepared to meet the requirements of Condition IV.G of the Administrative Consent Order between the State of Maryland Department of the Environment (MDE) and Black & Decker (U.S.) Inc. (April 1995) (Consent Order). Specifically, Condition IV.G calls for preparation of a Groundwater Monitoring Report containing the following information for each reporting period:

- The quantities of groundwater pumped, treated, and discharged.
- The calculation of quantities of contaminants removed from groundwater.
- A summary of all sampling analyses.
- An explanation of all operational or other problems encountered, and the manner in which each problem was resolved.
- Copies of all reports submitted to the Department of Natural Resources in conjunction with the Groundwater Appropriations Permit.
- Recommendations for changes to the Interim Groundwater Treatment System.

This document is one of several which are being prepared in response to the Consent Order; each of these documents are to be submitted to the MDE in accordance with the schedule outlined in the Consent Order. This document will become part of the Administrative Record for the site, which is maintained at the Hampstead Public Library.

## **2. SITE CHARACTERISTICS**

### **2.1 HYDRAULIC PROPERTIES**

In accordance with the Consent Order and the Water Appropriation Permit issued to the Black and Decker (U.S.) Inc. Hampstead, Maryland, facility, the following pumping and water level information is included for the period of January through March 2014.

Pumping records showing the total gallons pumped per month of treatment system operation are presented in Table 2-1. The complete groundwater treatment system pumping records are included in Appendix A.

Monthly water levels for wells included in the water level monitoring plan are presented in Table 2-2. For the reporting period of January through March 2014, the extraction wells were pumping at an average combined rate of approximately 166 gallons per minute (gpm).

### **2.2 EFFLUENT CHARACTERISTICS**

Effluent characteristics of the NPDES discharge points are recorded monthly on Discharge Monitoring Reports (DMRs) and are submitted to MDE, Water Management Administration, on a quarterly basis. A summary of the sample results from the DMRs is presented in Table 2-3. DMRs for the period of January through March 2014 are included in Appendix B.

### **2.3 GROUNDWATER QUALITY DATA**

For the reporting period of January through March 2014, approximately 10.16 pounds of total volatile organic compounds (VOCs) were removed from the groundwater by the extraction and treatment system. In general, the total VOCs removed from the groundwater were comprised primarily of trichloroethene (TCE) (77.7%) and tetrachloroethene (PCE) (22.3%) Analytical results of the groundwater collected from the air stripper for the period of January through March 2014 are included in Appendix C.

A summary of the analytical results from the first quarter (February 2014) groundwater sampling round of the extraction and monitor wells is included in Table 2-4. The complete

**Table 2-1**  
**Treatment System Pumping Records - 1st Quarter 2014**  
**Black & Decker**  
**Hampstead, Maryland**

<b>Date</b>	<b>Water Pumped (gallons)</b>
<b>January 2014</b>	5,895,800
<b>February 2014</b>	5,316,166
<b>March 2014</b>	6,772,689

Table 2-2  
Groundwater Elevation Data - 1st Quarter 2014  
Black & Decker  
Hampstead, Maryland

WELL NO.	TOC ELEV.	TOTAL DEPTH	1/21/2014		2/25/2014		3/20/2014	
			DTW	ELEV	DTW	ELEV	DTW	ELEV
EW-1	847.21	55	DRY	NC	DRY	NC	DRY	NC
EW-2	849.21	110	92.47	756.74	92.38	756.83	92.36	756.85
EW-3	846.64	118	85.50	761.14	85.46	761.18	85.50	761.14
EW-4	858.01	97.5	PC	NC	PC	NC	PC	NC
EW-5	864.17	98	89.53	774.64	89.49	774.68	89.27	774.90
EW-6	831.98	115	103.00	728.98	103.00	728.98	103.00	728.98
EW-7	818.38	78	73.50	744.88	73.50	744.88	73.50	744.88
EW-8	811.13	98	96.00	715.13	96.00	715.13	96.00	715.13
EW-9	811.35	141	103.00	708.35	103.00	708.35	103.00	708.35
EW-10	807.74	INA	54.17	753.57	20.49*	807.74	52.71	755.03
RFW-1A	864.37	78	53.47	810.90	53.28	811.09	53.26	811.11
RFW-1B	864.23	200	53.49	810.74	53.31	810.92	53.28	810.95
RFW-2A	857.41	35	17.34	840.07	11.94	845.47	12.01	845.40
RFW-2B	857.73	75	17.96	839.77	12.58	845.15	12.60	845.13
RFW-3B	839.21	153	36.21	803.00	32.08	807.13	33.13	806.08
RFW-4A	830.37	62	38.48	791.89	35.63	794.74	35.60	794.77
RFW-4B	830.37	120	38.40	791.97	35.48	794.89	35.49	794.88
RFW-5A	817.50	30	DRY	NC	DRY	NC	DRY	NC
RFW-6	785.04	120	4.89	780.15	2.86	782.18	3.71	781.33
RFW-7	805.14	29	7.14	798.00	6.98	798.16	7.01	798.13
RFW-8	860.07	56	DRY	NC	DRY	NC	DRY	NC
RFW-9	862.02	49	28.01	834.01	24.54	837.48	24.83	837.19
RFW-10	852.06	58	DRY	NC	DRY	NC	DRY	NC
RFW-11A	849.32	72	Damaged	NC	Damaged	NC	Damaged	NC
RFW-11B	849.62	116	65.39	784.23	60.33	789.29	60.26	789.36
RFW-12B	844.87	264	55.08	789.79	54.68	790.19	55.10	789.77
RFW-13	849.11	150	57.94	791.17	63.87	785.24	63.91	785.20
RFW-14B	812.39	281	52.49	759.90	53.05	759.34	53.24	759.15
RFW-16	856.14	41	DRY	NC	DRY	NC	DRY	NC
RFW-17	834.66	60.5	28.04	806.62	28.24	806.42	27.94	806.72
RFW-20	842.49	142	35.29	807.20	32.98	809.51	33.04	809.45
RFW-21	832.65	102	22.28	810.37	22.33	810.32	23.10	809.55
PH-7	805.94	89	35.23	770.71	21.49	784.45	34.13	771.81
PH-9	814.94	98	52.01	762.93	51.87	763.07	51.87	763.07
PH-11	820.68	78	51.36	769.32	51.29	769.39	51.28	769.40
PH-12	828.35	87	52.43	775.92	52.24	776.11	52.36	775.99
B-3	803.02	83	8.96	794.06	9.54	793.48	9.78	793.24
Amoco	842.29	INA	NA	NC	NA	NC	NA	NC
Hamp. Town #22	804.96	INA	2.29	802.67	2.23	802.73	1.89	803.07
Pembroke #1	INA	INA	10.46	NC	10.98	NC	10.25	NC
Pembroke #2	INA	INA	Damaged	NC	Damaged	NC	Damaged	NC
N. Houcks. Rd.	INA	INA	10.36	NC	10.86	NC	10.76	NC
E. Century St.	INA	INA	19.26	NC	19.20	NC	19.24	NC
Lwr. Beckleys. Rd.	INA	INA	53.47	NC	53.51	NC	53.77	NC

NA - Not Available/Not Accessible

NC - Not Calculable

\* EW-10 down for repairs

PC - Pump Cycles

**Table 2-3  
Effluent Characteristics Summary - 1st Quarter 2014  
Black & Decker  
Hampstead, Maryland**

Discharge Number	Parameter	Units	Permit Limits	DMR DATE			
				January 2014	February 2014	March 2014	
001	FLOW	average	MGD	NA	0.216	0.256	0.236
		maximum	MGD	NA	0.929	0.507	1.373
	1,1,1-Trichloroethane		ug/l	5	< 1	< 1	< 1
	Tetrachloroethylene		ug/l	5	< 1	< 1	< 1
	Trichloroethylene		ug/l	5	< 1	< 1	< 1
	Total Residual Chlorine		mg/l	< 0.1	< 0.1	< 0.1	< 0.1
	Oil & Grease	maximum	mg/l	15	< 5	< 5	< 5
		monthly average	mg/l	10	< 5	< 5	< 5
	pH	minimum	STD	6.0	6.6	6.7	7.7
		maximum	STD	8.5	7.1	8.3	8.4
BOD		mg/l	15	3.0	4.0	9.0	
TSS	maximum	mg/l	30	< 4	6.0	9.0	
	monthly average	mg/l	20	< 4	6.0	9.0	
101 (Monitoring Point)	FLOW	average	MGD	NA	0.198	0.179	0.163
		maximum	MGD	NA	0.297	0.264	0.202
	Fecal Coliform		MPN/100ml	200	1.0	1.0	1.0
201 (Monitoring Point)	FLOW	average	MGD	NA	NR	NR	0.200
		maximum	MGD	NA	NR	NR	0.300
	1,1,1-Trichloroethane		ug/l	NA	NR	NR	< 1
	Tetrachloroethylene		ug/l	NA	NR	NR	< 1
	Trichloroethylene		ug/l	NA	NR	NR	< 1

DMR - Discharge Monitoring Report

NA - Not Applicable

NR - Not Reported



**Table 2-4**  
**Summary of Groundwater Analytical Results - February 2014**  
**Stanley Black & Decker**  
**Hampstead, Maryland**

PARAMETER	Units	EW-1	EW-2	EW-3	EW-4	EW-5	EW-6	EW-7	EW-8	EW-9	EW-9 (DUP)	EW-10
Chloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS
Bromomethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS
Vinyl Chloride	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS
Chloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS
Methylene Chloride	ug/L	NS	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	NS
Acetone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	7.7	5 U	NS
Carbon Disulfide	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS
1,1-Dichloroethene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS
1,1-Dichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	0.7 J	1 U	1 U	NS
1,2-Dichloroethene (total)	ug/L	NS	2.4	1.6	1 U	1 U	1 U	4.2	22	1 U	1 U	NS
Chloroform	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS
1,2-Dichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS
2-Butanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS
Carbon Tetrachloride	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS
Bromodichloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS
1,2-Dichloropropane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS
Trichloroethene	ug/L	NS	83	44	530	100	4.2	3.3	7	0.5 J	0.5 J	NS
Dibromochloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS
Benzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS
Bromoform	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS
2-Hexanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS
Tetrachloroethene	ug/L	NS	26	1.6	12	3	7.1	7.2	64	99	82	NS
1,1,2,2-Tetrachloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS
Toluene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS
Chlorobenzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS
Ethylbenzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS
Styrene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS
Xylene (total)	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS

Notes: U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.  
J = Indicates an estimated value.  
NS = Not Sampled

**Table 2-4**  
**Summary of Groundwater Analytical Results - February 2014**  
**Stanley Black & Decker**  
**Hampstead, Maryland**

PARAMETER	Units	RFW-1A	RFW-1B	RFW-2A	RFW-2B	RFW-3B	RFW-4A	RFW-4A (DUP)	RFW-4B	RFW-5A	RFW-6	RFW-7	RFW-8	RFW-9	RFW-10
Chloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromomethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Vinyl Chloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Methylene Chloride	ug/L	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	NS	2 U	2 U	NS	2 U	NS
Acetone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	1 U	5 U	NS	5 U	NS
Carbon Disulfide	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1-Dichloroethene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	0.5 J	NS
1,1-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloroethene (total)	ug/L	1 U	1 U	1 U	1 U	1 U	0.5 J	1 U	2.4	NS	1 U	1 U	NS	7.9	NS
Chloroform	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1.1	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
2-Butanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1,1-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Carbon Tetrachloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromodichloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloropropane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
cis-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Trichloroethene	ug/L	1 U	1 U	1 U	1 U	1 U	19	21	44	NS	1 U	1.4	NS	7.2	NS
Dibromochloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,1,2-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Benzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	0.2 J	NS	1 U	NS
Trans-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromoform	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
4-Methyl-2-pentanone	ug/L	5 U	5 U	5 U	1 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
2-Hexanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
Tetrachloroethene	ug/L	1 U	1 U	1 U	1 U	1 U	12	13	69	NS	0.5 J	1 U	NS	3.1	NS
1,1,2,2-Tetrachloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Toluene	ug/L	0.5 J	0.4 J	0.3 J	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chlorobenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Ethylbenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Styrene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Xylene (total)	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS

Notes: DUP = Duplicate sample  
 NS = Not sampled

U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.  
 J = Indicates an estimated value.

**Table 2-4**  
**Summary of Groundwater Analytical Results - February 2014**  
**Stanley Black & Decker**  
**Hampstead, Maryland**

PARAMETER	Units	RFW-11A	RFW-11B	RFW-12B	RFW-13	RFW-16	RFW-17	Leister Dairy	Leister Res. #1	Leister Res. #2	Trip Blank	RFW-20	RFW-21	Town #22	Town #23	Trip Blank
		USEPA drinking water method 524.2														
Chloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	1 U	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	2 U	2 U	2 U	NS	2 U	ABD	ABD	ABD	2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Acetone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	25	10 U	10 U	10 U	10 U
Carbon Disulfide	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	NA	NA	NA	NA	NA
1,1-Dichloroethene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethene (total)	ug/L	NS	1 U	1.2	0.7 J	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.38 J	0.5 U	0.5 U
1,2-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	5.5 J	10 U	10 U	10 U	10 U
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene	ug/L	NS	3	60	2.3	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromochloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Benzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
2-Hexanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
Tetrachloroethene	ug/L	NS	1 U	4.9	15	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.58	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	ug/L	NS	1 U	1 U	1 U	NS	0.4 J	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Styrene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Xylene (total)	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

Notes: Samples from wells RFW-20 & 21, Town-22&23 are analyzed with the USEPA drinking water method 524.2 at the request of the MDE Source Protection and Appropriation Division.  
 Samples from all of the other wells are analyzed with USEPA Method 8260.  
 NS = Not sampled  
 U = Compound was analyzed but not detected.  
 ABD = Well has been abandoned

analytical data package is included in Appendix D.

As found in earlier sampling events at the Black & Decker facility, TCE and PCE were the VOCs detected at the highest concentrations in the groundwater samples. The highest concentration of TCE was detected in the groundwater samples collected from wells EW-2 and EW-4 and the highest concentration of PCE was detected in the groundwater sample collected from well EW-9. The remainder of VOCs present were detected at levels below the Federal Maximum Contaminant Levels (MCL).

### 3. OPERATION AND MAINTENANCE OF THE TREATMENT SYSTEM

A summary of the maintenance activities which were undertaken with the extraction and treatment system during the reporting period (January through March 2014) is provided in Table 3-1. This table is comprehensive in summarizing significant maintenance events or activities, while not including those activities considered unworthy of note (such as replacement of light bulbs, lubrication of moving parts as appropriate or other routine activities).

**Table 3-1**  
**Treatment System Maintenance Activities - 1st Quarter 2014**  
**Black & Decker**  
**Hampstead, Maryland**

Date	Event/Corrective Action
Jan-14	Alarm at air stripper, EW-5 tripped off due to bad heating elements. The heating elements were replaced the well is back online.
Jan-14	Alarm at air stripper due to a frozen high column sensor, the sensor was thawed and the system is back online. Wells EW-5 and EW-10 are being run on manual mode due to a control problem.
Jan-14	Wet well supply flow alarm, The lead valve did not open fast enough, switched to the # 2 valve.
Jan-14	EW-5 and EW-10 back in auto mode.
Jan-14	Had to shut down the air stripper for about 6 hours to repair leaks in the air main. System back up and running.
Jan-14	EW-10 is off due to a control problem.
Jan-14	The control sensor that controls the column level froze and broke the pipe. The USP are running in manual and the rest of the air stripper is still running in auto, the pipes were repaired.
Feb-14	The air stripper is down for 16 hours due to a town wide power outage caused by a winter storm. The system is back on line.
Mar-14	EW-10 is back online, EW-2 is off due to a pump motor problem. A new pump motor is ordered.

#### 4. RECOMMENDATIONS

For the reporting period of January through March 2014, the treatment system continued to create a hydraulic boundary preventing off-site migration of groundwater. The extraction system will continue to operate as currently configured to pump and treat contaminated groundwater. Depth-to-water measurements will continue to be collected on a monthly basis in all site monitor wells to construct a groundwater elevation contour map for the site. The groundwater elevation contour map will be used to verify that the required area of groundwater capture is being maintained. If necessary, pumping rates will be adjusted to maintain groundwater capture due to seasonal fluctuations in groundwater elevations. The treatment system will also continue to operate as currently configured, as data collected have proven that the treatment system is fully effective in removing VOCs from the extracted groundwater.

---

**APPENDIX A**  
**GROUNDWATER TREATMENT SYSTEM PUMPING RECORDS**  
**(JANUARY – MARCH 2014)**

---



ENT ADMINISTRATION, 1800 WASHINGTON BLVD, BALTIMORE, MD 21230

Operated By: Facility: BTR Capital Group Permit Number: 07-DP-0022 Month: January  
 Maryland Environmental Service Address: 627 Hanover Pike, Hampstead Maryland Superintendent: Earle Villarreal Certification # 1017 Year: 2014  
 259 Najoles Road, Millersville MD Additional Op's & cert # - Dorrance Jones 0763, Gary Dickerson 0782, James Elliott 3738, Martin Whitt 0666, Anthony Phillips 3001, Dave Coale 1662, Jamaal Downs2755

Date	Appearance	Discharge MGD	pH su	Cl2 mg/l	Final Effluent outfall 001											Outfall 101					Outfall 201			Operator				
					Turbidity ug/l	1,1,1-Trichloroethane ug/l	Trichloroethane ug/l	BOD <sub>5</sub> mg/l	TSS mg/l	TKN mg/l	N+N mg/l	TP mg/l	TN mg/l	O&G mg/l	eColi mpn	Flow MGD	eColi mpn	Basin Inches	Alum Gpd	Hypochlorite Gpd	Post Cl2 mg/l	Turbidity ug/l	1,1,1-Trichloroethane ug/l		Trichloroethane ug/l	Discharge mgd		
1	Clear	0.19100															0.168000		0.0	1.0	1.0	5.0				0.202132	Jelliott	
2	Clear	0.17400	6.58	0.00													0.200000		0.0	1.0	1.0	5.0				0.213961	Djones	
3	Clear	0.28500															0.231000		0.0	1.0	1.0	5.0				0.235913	Djones	
4	Clear	0.19700															0.192000		0.0	1.0	1.0	5.0				0.205812	Gdickerson	
5	Clear	0.19800															0.175000		0.0	1.0	1.0	5.0				0.212133	Gdickerson	
6	Clear	0.60300	6.60	0.00													0.187000		0.0	1.0	1.0	5.0				0.225952	Djones	
7	Clear	0.22700															0.238000	<1	0.0	1.0	1.0	5.0				0.107323	Jelliott	
8	Clear	0.07800															0.186000		0.0	1.0	1.0	5.0				0.168433	Djones	
9	Clear	0.09900	6.90	0.00													0.179000		0.0	1.0	1.0	5.0				0.136964	Djones	
10	Clear	0.09300															0.228000		0.0	1.0	1.0	5.0				0.114448	Djones	
11	Clear	0.92900															0.188000		0.0	1.0	1.0	5.0				0.163410	Mwhitt	
12	Clear	0.79100															0.181000		0.0	1.0	1.0	5.0				0.166830	Mwhitt	
13	Clear	0.14600	6.70	0.00													0.205000		0.0	1.0	1.0	5.0				0.177557	Djones	
14	Clear	0.17300			<1	<1	<1	3.00	<4	0.74	2.33	<0.05	3.1	<5	13.7		0.187000	<1	0.0	1.0	1.0	5.0				0.177559	Djones	
15	Clear	0.29600															0.202000		0.0	1.0	1.0	5.0				0.209762	Djones	
16	Clear	0.19000	6.63	0.00													0.197800		0.0	1.0	1.0	5.0				0.217438	Gdickerson	
17	Clear	0.17400															0.208000		0.0	1.0	1.0	5.0				0.256478	Djones	
18	Clear	0.20000															0.191000		0.0	1.0	1.0	5.0				0.235332	Jelliott	
19	Clear	0.14700															0.201000		0.0	1.0	1.0	5.0				0.219938	Jelliott	
20	Clear	0.14200															0.297000		0.0	1.0	1.0	5.0				0.203531	APhillips	
21	Clear	0.20800															0.165000		0.0	1.0	1.0	5.0				0.242033	Decoale	
22	Clear	0.20900	6.87	0.00													0.203000	<1	0.0	1.0	1.0	5.0				0.159392	Jdowns	
23	Clear	0.02600															0.207000		0.0	1.0	1.0	5.0				0.064554	Djones	
24	Clear	0.07500	7.03	0.00													0.201000		0.0	1.0	1.0	5.0				0.204146	Jelliott	
25	Clear	0.15100															0.191000		0.0	1.0	1.0	5.0				0.209515	APhillips	
26	Clear	0.12900															0.180000		0.0	1.0	1.0	5.0				0.196194	APhillips	
27	Clear	0.13200															0.224000		0.0	1.0	1.0	5.0				0.210123	Djones	
28	Clear	0.11800	6.72	0.00	<1	<1	<1										0.187000	<1	0.0	1.0	1.0	5.0	<1	<1	<1	0.192173	Djones	
29	Clear	0.12000															0.178000		0.0	1.0	1.0	5.0				0.175681	Djones	
30	Clear	0.10000	7.10	0.00													0.178000		0.0	1.0	1.0	5.0				0.177920	Djones	
31	Clear	0.10800															0.171000		0.0	1.0	1.0	5.0				0.213163	Djones	
Total		6.70900															6.126800										5.895800	
Average		0.21642	6.8	<0.10	0	0	0	3	0	1	2	0	3	0	14		0.197639	1.0	0.0	1.0	1.0	5.0	0.0	0.0	0.0	0.190187		
Minimum		0.02600	6.6	0.00	0	0	0	3	0	0	2	0	3	0	14		0.165000	0.0	0.0	1.0	1.0	5.0	0.0	0.0	0.0	0.064554		
Maximum		0.92900	7.1	<0.10	0	0	0	3	0	1	2	0	3	0	14		0.297000	0.0	0.0	1.0	1.0	5.0	0.0	0.0	0.0	0.256478	MOR 01-3-14	

COMMENTS:

ENT ADMINISTRATION, 1800 WASHINGTON BLVD, BALTIMORE, MD 21230

Operated By:

Facility: **BTR Capital Group**

Permit Number: **07-DP-0022**

Month: **February**

Maryland Environmental Service  
259 Najoles Road, Millersville MD

Address: **627 Hanover Pike, Hampstead Maryland**

Superintendent: **Earle Villarreal**

Certification # **1017**

Year: **2014**

Additional Op's & cert # - Dorrance Jones 0763, James Elliott 3738, Anthony Phillips 3001, Martin Whitt 0666

Date	Appearance	Final Effluent outfall 001													Outfall 101					Outfall 201			Operator			
		Discharge MGD	pH su	Cl2 mg/l	Total Ammonia Nitrogen ug/l	1,1,1-Trichloroethane ug/l	Trichloroethene ug/l	BOD <sub>5</sub> mg/l	TSS mg/l	TKN mg/l	N+N mg/l	TP mg/l	TN mg/l	O&G mg/l	eColi mpn	Flow MGD	eColi mpn	Basin Inches	Alum Gpd	Hypochlorite Gpd	Post Cl2 mg/l	Total Ammonia Nitrogen ug/l		1,1,1-Trichloroethane ug/l	Trichloroethene ug/l	Discharge mgd
1	Clear	0.12200													0.152000		0"	1.0	1.0	5.0				0.187461	Djones	
2	Clear	0.13400													0.158000		0"	1.0	1.0	5.0				0.180124	Djones	
3	Clear	0.49600													0.203000		0"	1.0	1.0	5.0				0.182879	Jelliott	
4	Clear	0.37800	7.79	0.00											0.009150	<1	0"	1.0	1.0	5.0				0.212061	Jelliott	
5	Clear	0.29200													0.009150		0"	1.0	1.0	5.0				0.114692	Jelliott	
6	Clear	0.25200	6.90	0.00											0.234000		0"	1.0	1.0	5.0				0.114925	Djones	
7	Clear	0.20700													0.207000		0"	1.0	1.0	5.0				0.200320	Djones	
8	Clear	0.22100													0.188000		0"	1.0	1.0	5.0				0.185707	APhillips	
9	Clear	0.14500													0.186000		0"	1.0	1.0	5.0				0.192228	APhillips	
10	Clear	0.17600													0.204000		0"	1.1	1.0	5.0				0.209417	Djones	
11	Clear	0.16200	6.82	0.00	<1	<1	<1	4.00	6.00	1.44	2.68	0.12	4.1	<5	17.8	0.186000	<1	0"	1.0	1.0	5.0	<1	<1	<1	0.201351	Djones
12	Clear	0.13600	6.70	0.00											0.105000		0"	1.0	1.0	5.0				0.192838	Djones	
13	Clear	0.08400													0.264000		0"	1.0	1.0	5.0				0.089603	Jelliott	
14	Clear	0.49800													0.198000		0"	1.0	1.0	5.0				0.299766	Djones	
15	Clear	0.49800													0.201000		0"	1.0	1.0	5.0				0.184518	Jelliott	
16	Clear	0.21800													0.210000		0"	1.0	1.0	5.0				0.190054	Jelliott	
17	Clear	0.19700													0.180000		0"	1.0	1.0	5.0				0.214546	Mwhitt	
18	Clear	0.17800	6.87	0.00											0.184000		0"	1.0	1.0	5.0				0.185903	Mwhitt	
19	Clear	0.22600													0.181000	<1	0"	1.0	1.0	5.0				0.213246	Jelliott	
20	Clear	0.46400													0.151000		0"	1.0	1.0	5.0				0.187990	Jelliott	
21	Clear	0.35800	7.08	0.00											0.222000		0"	1.0	1.0	5.0				0.168058	Jelliott	
22	Clear	0.50700													0.179000		0"	1.0	1.0	5.0				0.229978	Djones	
23	Clear	0.29700													0.196000		0"	1.0	1.0	5.0				0.189872	Djones	
24	Clear	0.31900													0.185000		0"	1.0	1.0	5.0				0.196935	Mwhitt	
25	Clear	0.15000													0.229000	<1	0"	1.0	1.0	5.0				0.192789	APhillips	
26	Clear	0.16100													0.178000		0"	1.0	1.0	5.0				0.206670	Djones	
27	Clear	0.15600	8.31	0.00											0.199000		0"	1.0	1.0	5.0				0.196710	Djones	
28	Clear	0.13200	8.11	0.00											0.204000		0"	1.0	1.0	5.0				0.195525	Djones	
29																										
30																										
31																										
Total		7.16400													5.002300										5.316166	
Average		0.25586	7.3	<0.10	0	0	0	4.0	6.0	1.4	2.7	0	4	0.0	18	0.178654	1.0	#DIV/0!	1.0	1.0	5.0	0.0	0.0	0.0	0.189863	
Minimum		0.08400	6.7	0.00	0	0	0	4.0	6.0	1.4	2.7	0	4	0.0	18	0.009150	0.0	0.0	1.0	1.0	5.0	0.0	0.0	0.0	0.089603	
Maximum		0.50700	8.3	<0.10	0	0	0	4.0	6.0	1.4	2.7	0	4	0.0	18	0.264000	0.0	0.0	1.1	1.0	5.0	0.0	0.0	0.0	0.299766	MOR 01-3-14

COMMENTS:

ENT ADMINISTRATION, 1800 WASHINGTON BLVD, BALTIMORE, MD 21230

Operated By:

Facility: BTR Capital Group

Permit Number: 07-DP-0022

Month: March

Maryland Environmental Service

Address: 627 Hanover Pike, Hampstead Maryland

Superintendent: Earle Villarreal Certification # 1017

Year: 2014

259 Najoles Road, Millersville MD

Additional Op's & cert # - Dorrance Jones 0763, James Elliott 3738, Anthony Phillips 3001

Date	Appearance	Discharge MGD	pH su	Cl2 mg/l	Final Effluent outfall 001										Outfall 101					Outfall 201			Operator					
					Trichloroethylene ug/l	1,1,1-Trichloroethane ug/l	Trichloroethene ug/l	BOD <sub>5</sub> mg/l	TSS mg/l	TKN mg/l	N+N mg/l	TP mg/l	TN mg/l	O&G mg/l	eColi mpn	Flow MGD	eColi mpn	Basin Inches	Alum Gpd	Hydrochloric Gpd	Post Cl2 mg/l	Trichloroethylene ug/l		1,1,1-Trichloroethane ug/l	Trichloroethene ug/l	Discharge mgd		
1	Clear	0.14000															0.170000		0.0	1.0	1.0	5.0				0.190629	James Elliott	
2	Clear	0.13000															0.177000		0.0	1.0	1.0	5.0				0.189269	James Elliott	
3	Clear	0.27000															0.191000		0.0	1.0	1.0	5.0				0.208528	Mwhitt	
4	Clear	0.15500	8.33	0.00													0.202000		0.0	1.0	1.0	5.0				0.200538	Djones	
5	Clear	0.12700															0.181000	<1	0.0	1.0	1.0	5.0				0.200207	Djones	
6	Clear	0.16000	8.41	0.00													0.180000		0.0	1.0	1.0	5.0				0.195054	Djones	
7	Clear	0.12700															0.185000		0.0	1.0	1.0	5.0				0.191470	Djones	
8	Clear	0.14600															0.168000		0.0	1.0	1.0	5.0				0.193947	APhillips	
9	Clear	0.16000															0.183000		0.0	1.0	1.0	5.0				0.182625	APhillips	
10	Clear	0.15600															0.168000		0.0	1.0	1.0	5.0				0.189861	James Elliott	
11	Clear	0.13800	8.27	0.00	<1	<1	<1	9.00	9.20	2.36	3.04	0.15	5.4	<5	1.0	0.166000	<1	0.0	1.0	1.0	5.0				0.211933	Djones		
12	Clear	0.12100															0.187000		0.0	1.0	1.0	5.0				0.187033	Djones	
13	Clear	0.43400	8.35	0.00													0.183000		0.0	1.0	1.0	5.0				0.199163	Djones	
14	Clear	0.13500															0.158000		0.0	1.0	1.0	5.0				0.184259	Djones	
15	Clear	0.17000															0.154000		0.0	1.0	1.0	5.0				0.239805	Djones	
16	Clear	0.16700															0.153000		0.0	1.0	1.0	5.0				0.235765	Djones	
17	Clear	0.20700															0.156000		0.0	1.0	1.0	5.0				0.243390	James Elliott	
18	Clear	0.19800	7.74	0.00													0.131000		0.0	1.0	1.0	5.0				0.226859	James Elliott	
19	Clear	0.18500															0.143000	<1	0.0	1.0	1.0	5.0				0.244270	Djones	
20	Clear	0.30900	7.75	0.00													0.150000		0.0	1.0	1.0	5.0				0.220721	James Elliott	
21	Clear	0.14300															0.138000		0.0	1.0	1.0	5.0				0.231935	James Elliott	
22	Clear	0.14700															0.141000		0.0	1.0	1.0	5.0				0.251574	James Elliott	
23	Clear	0.12800															0.130000		0.0	1.0	1.0	5.0				0.237348	James Elliott	
24	Clear	0.11800	8.16	0.00													0.132000		0.0	1.0	1.0	5.0				0.243977	Djones	
25	Clear	0.12400															0.173000	<1	0.0	1.0	1.0	5.0				0.235396	Djones	
26	Clear	0.22400															0.176000		0.0	1.0	1.0	5.0				0.240917	Djones	
27	Clear	0.11600	8.28	0.00													0.146000		0.0	1.0	1.0	5.0				0.243626	Djones	
28	Clear	0.12400															0.169000		0.0	1.0	1.0	5.0				0.211938	Djones	
29	Clear	0.25800															0.146000		0.0	1.0	1.0	5.0				0.253579	APhillips	
30	Clear	0.93900															0.148000		0.0	1.0	1.0	5.0				0.232652	APhillips	
31	Clear	1.37300	7.77	0.00													0.159000		0.0	1.0	1.0	5.0				0.254421	Djones	
Total		7.32900															5.044000										6.772689	
Average		0.23642	8.1	<0.10	0.000	0.000	0.000	9	9	2	3	0	5	0	1	0.162710	1.0	0.0	1.0	1.0	5.0	#DIV/0!	#DIV/0!	#DIV/0!		0.218474		
Minimum		0.11600	7.7	0.00	0.000	0.000	0.000	9	9	2	3	0	5	0	1	0.130000	0.0	0.0	1.0	1.0	5.0	0.0	0.0	0.0		0.182625		
Maximum		1.37300	8.4	<0.10	0.000	0.000	0.000	9	9	2	3	0	5	0	1	0.202000	0.0	0.0	1.0	1.0	5.0	0.0	0.0	0.0		0.254421	MOR 01-3-14	

COMMENTS:

---

**APPENDIX B  
DISCHARGE MONITORING REPORTS  
(JANUARY - MARCH 2014)**

---

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)

Name **BTR Hampstead, Inc**  
 Address **c/o BTR Captial Group Management**  
**222 Courthouse Ct., Suite 300, Towson MD 21204**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

**DISCHARGE MONITORING REPORT (DMR)**

(2-16) **MD0001881** (17-19) **001**  
**PERMIT NUMBER** **DISCHARGE NUMBER**

Form Approved.  
 OMB No.  
 Approval expires

Facility **Groundwater Remediation and WWTP**  
 Location **626 Hanover Pike**  
 Attn:

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
14	01	01	14	01	31
(20-21)		(22-23)	(24-25)	(28-27)	
		(28-29)	(30-31)		

\*\*\* NO DISCHARGE  \*\*\*  
 NOTE: Read instructions before completing this form

State Discharge Permit  
 07-DP-0022

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUALITY OR CONCENTRATION (46-53)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE (54-51)	MAXIMUM (54-51)	UNITS	MINIMUM (54-51)	AVERAGE (54-51)	MAXIMUM (54-51)	UNITS			
BOD, 5-DAY (20 DEG. C) 00310 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	3	( 19)	0	ONCE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	15 DAILY MX	MG/L		ONCE/MONTH	GRAB
pH 00400 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	6.6	*****	7.1	( 12)	0	TWICE/WEEK	GRAB
	PERMIT REQUIREMENT	*****	*****	****	DAILY MN	*****	8.5 DAILY MX	SU		TWICE/WEEK	GRAB
SOLIDS, TOTAL SUSPENDED 00530 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	0	Lbs/day	*****	0	0	( 19)	0	ONCE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	Req. Mon. MO MAX		*****	20 30DA AVG	30 DAILY MX	MG/L		ONCE/MONTH	GRAB
SOLIDS, TOTAL SUSPENDED 00530 1 1 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	0	Lbs/mo	*****	*****	*****	****	0	ONCE/MONTH	Calculated
	PERMIT REQUIREMENT	*****	Req. Mon. MO TOTAL		*****	*****	*****	****		ONCE/MONTH	Calculated
SOLIDS, TOTAL SUSPENDED 00530 1 2 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	0	Lbs/yr	*****	*****	*****	****	0	ONCE/MONTH	Calculated
	PERMIT REQUIREMENT	*****	Req. Mon. CUM TOTAL		*****	*****	*****	****		ONCE/MONTH	Calculated
OIL AND GREASE TOTAL RECOVERABLE 70030 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	( 19)	0	ONCE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	10 30DA AVG	15 DAILY MX	MG/L		ONCE/MONTH	GRAB
NITROGEN, TOTAL (AS N) 00600 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	4	Lbs/day	*****	3	3	( 19)	0	ONCE/MONTH	COMP -8
	PERMIT REQUIREMENT	*****	Req. Mon. MO MAX		*****	Req. Mon. 30DA AVG	Req. Mon. DAILY MX	MG/L		ONCE/MONTH	COMP -8

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER  Nicole Finneyrock Property Manager  TYPED OR PRINTED	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUES IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. 551001 AND 33 U.S.C. 551319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)	TELEPHONE		DATE		
		410 AREA CODE	729-8350 NUMBER	14 YEAR	02 MONTH	21 DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments he

PERMITTEE NAME/ADDRESS (Include

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

Facility Name/Location if different)

DISCHARGE MONITORING REPORT (DMR)

Form Approved.

Name BTR Hampstead, Inc

(2-16)

(17-19)

OMB No.

Address c/o BTR Captial Group Management

MD0001881

001

Approval expires

222 Courthouse Ct., Suite 300, Towson MD 21204

PERMIT NUMBER

DISCHARGE NUMBER

\*\*\* NO DISCHARGE [ ] \*\*\*

NOTE: Read instructions before completing this form

Facility Groundwater Remediation and WWTP

Location 626 Hanover Pike

Attn:

MONITORING PERIOD						
YEAR	MO	DAY		YEAR	MO	DAY
14	01	01	TO	14	01	31
(20-21) (22-23) (24-25)				(26-27) (28-29) (30-31)		

State Discharge Permit

07-DP-0022

PARAMETER (32-37)		QUANTITY OR LOADING (3 Card Only) (48-53) (54-61)			QUALITY OR CONCENTRATION (4 Card Only) (38-45) (46-53) (54-61)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
NITROGEN, TOTAL (AS N) 00600 1 1 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	172	Lbs/mo	*****	*****	*****	0	ONCE/ MONTH	Calculated
	PERMIT REQUIREMENT	*****	Req. Mon. MO TOTAL		*****	*****	*****		ONCE/ MONTH	Calculated
NITROGEN, TOTAL (AS N) 00600 1 2 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	172	Lbs/yr	*****	*****	*****	0	ONCE/ MONTH	Calculated
	PERMIT REQUIREMENT	*****	Req. Mon. CUM TOTAL		*****	*****	*****		ONCE/ MONTH	Calculated
PHOSPHOROUS, TOTAL (AS P) 00665 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	0	Lbs/day	*****	0	0	( 19)	ONCE/ MONTH	COMP -8
	PERMIT REQUIREMENT	*****	Req. Mon. MO MAX		*****	Req. Mon. 30DA AVG	DAILY MX	MG/L	ONCE/ MONTH	COMP -8
PHOSPHOROUS, TOTAL (AS P) 00665 1 1 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	0	Lbs/mo	*****	*****	*****	0	ONCE/ MONTH	Calculated
	PERMIT REQUIREMENT	*****	Req. Mon. MO TOTAL		*****	*****	*****		ONCE/ MONTH	Calculated
PHOSPHOROUS, TOTAL (AS P) 00665 1 2 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	0	Lbs/yr	*****	*****	*****	0	ONCE/ MONTH	Calculated
	PERMIT REQUIREMENT	*****	Req. Mon. CUM TOTAL		*****	*****	*****		ONCE/ MONTH	Calculated
TETRACHLOROETHYLE 34475 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	( 28)	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5 DAILY MX	UG/L	ONCE/ MONTH	GRAB
1,1,1-TRICHLOROETHANE 34506 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	( 28)	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5 DAILY MX	UG/L	ONCE/ MONTH	GRAB

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER  Nicole Finneyfrack Property Manager  TYPED OR PRINTED	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILAR WITH THE INFORMATION SUBMITTED HEREIN, AND BASED ON MY INQUIRY OF THOSE INDIVIDUES IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)	TELEPHONE		DATE		
		410 AREA CODE	729-8350 NUMBER	14 YEAR	02 MONTH	21 DAY

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name BTR Hampstead, Inc

Address c/o BTR Captial Group Management

222 Courthouse Ct., Suite 300, Towson MD 21204

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

001

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

\*\*\* NO DISCHARGE  \*\*\*

NOTE: Read instructions before completing this form

Facility Groundwater Remediation and WWTP

Location 626 Hanover Pike

Attn:

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
14	01	01	14	01	31
(20-21)		(22-23)		(24-25)	
				(26-27)	
				(28-29)	
				(30-31)	

State Discharge Permit

07-DP-0022

PARAMETER (32-37)		(3 Card Only) (46-53)			(4 Card Only) (38-45)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM				UNITS
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	0.2164	0.9290	(03)	*****	*****	*****	0	ONCE/ MONTH	Measured	
	PERMIT REQUIREMENT	REPORT	REPORT	MGD	*****	*****	*****		ONCE/ MONTH	Measured	
CHLORINE, TOTAL RESIDUAL 50060 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	<0.1	<0.1	( 19)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	0.011 30DA AVG	0.019 DAILY MX	MG/L		ONCE/ MONTH	GRAB
E. COLI, MPN 51040 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	14	*****	( 30)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	Req. Mon. GEO MEAN	*****	MPN		ONCE/ MONTH	GRAB
TRICHLOROETHENE 78391 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	( 28)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5 DAILY MX	UG/L		ONCE/ MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TI  Nicole Finneyfrack Property Manager  TYPED OR PRINTED	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUES IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)	TELEPHONE		DATE		
		410	729-8350	14	02	21
	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE	NUMBER	YEAR	MONTH	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name BTR Hampstead, Inc

Address c/o BTR Captial Group Management

222 Courthouse Ct., Suite 300, Towson MD 21204

Facility Groundwater Remediation and WWTP

Location 626 Hanover Pike

Attn:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

101

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

\*\*\* NO DISCHARGE  \*\*\*

NOTE: Read instructions before completing this form

MONITORING PERIOD							
YEAR	MO	DAY	TO	YEAR	MO	DAY	
14	01	01	TO	14	01	31	
(20-21)		(22-23)		(24-25)		(26-27) (28-29) (30-31)	

State Discharge Permit

07-DP-0022

PARAMETER (32-37)		(3 Card Only) (46-53)			QUANTITY OR LOADING (54-61)			(4 Card Only) (38-45)			QUALITY OR CONCENTRATION (46-53) (54-61)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS				
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	197,639	297,000	(07)				*****	*****	*****			0	ONCE/ WEEK	Measured/ Recorded	
	PERMIT REQUIREMENT	REPORT	REPORT	GPD				*****	*****	*****				ONCE/ MONTH	Measured/ Recorded	
E. COLI, MPN 51040 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****				*****	*****	1	(30)	0	ONCE/ WEEK	GRAB		
	PERMIT REQUIREMENT	*****	*****	****				*****	*****	200 DAILY MX	MPN		ONCE/ WEEK	GRAB		
	SAMPLE MEASUREMENT															
	PERMIT REQUIREMENT															
	SAMPLE MEASUREMENT															
	PERMIT REQUIREMENT															
	SAMPLE MEASUREMENT															
	PERMIT REQUIREMENT															
	SAMPLE MEASUREMENT															
	PERMIT REQUIREMENT															
	SAMPLE MEASUREMENT															
	PERMIT REQUIREMENT															

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER  Nicole Finneyfrock Property Manager  TYPED OR PRINTED	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)	TELEPHONE		DATE		
		410	729-8350	14	02	21
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		AREA CODE	NUMBER	YEAR	MONTH	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)



PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name BTR Hampstead, Inc

Address c/o BTR Captial Group Management

222 Courthouse Ct., Suite 300, Towson MD 21204

Facility Groundwater Remediation and WWTP

Location 626 Hanover Pike

Attn:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

001

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

\*\*\* NO DISCHARGE  \*\*\*

NOTE: Read instructions before completing this form

MONITORING PERIOD						
YEAR	MO	DAY		YEAR	MO	DAY
FROM 14	02	01	TO	14	02	28
(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

State Discharge Permit

07-DP-0022

PARAMETER (32-37)		(3 Card Only) (46-53) QUANTITY OR LOADING			(4 Card Only) (38-45) QUALITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
BOD, 5-DAY (20 DEG. C) 00310 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	4	( 19)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	15 DAILY MX	MG/L		ONCE/ MONTH	GRAB
pH 00400 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	6.7	*****	8.3	( 12)	0	TWICE/ WEEK	GRAB
	PERMIT REQUIREMENT	*****	*****	****	DAILY MN	*****	8.5 DAILY MX	SU		TWICE/ WEEK	GRAB
SOLIDS, TOTAL SUSPENDED 00530 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	8	Lbs/day	*****	6	6	( 19)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	Req. Mon. MO MAX		*****	20 30DA AVG	30 DAILY MX	MG/L		ONCE/ MONTH	GRAB
SOLIDS, TOTAL SUSPENDED 00530 1 1 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	358	Lbs/mo	*****	*****	*****	****	0	ONCE/ MONTH	Calculated
	PERMIT REQUIREMENT	*****	Req. Mon. MO TOTAL		*****	*****	*****	****		ONCE/ MONTH	Calculated
SOLIDS, TOTAL SUSPENDED 00530 1 2 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	358	Lbs/yr	*****	*****	*****	****	0	ONCE/ MONTH	Calculated
	PERMIT REQUIREMENT	*****	Req. Mon. CUM TOTAL		*****	*****	*****	****		ONCE/ MONTH	Calculated
OIL AND GREASE TOTAL RECOVERABLE 70030 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	( 19)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	10 30DA AVG	15 DAILY MX	MG/L		ONCE/ MONTH	GRAB
NITROGEN, TOTAL (AS N) 00600 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	6	Lbs/day	*****	4	4	( 19)	0	ONCE/ MONTH	COMP -8
	PERMIT REQUIREMENT	*****	Req. Mon. MO MAX		*****	Req. Mon. 30DA AVG	Req. Mon. DAILY MX	MG/L		ONCE/ MONTH	COMP -8

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER  Nicole Finneyrock Property Manager  TYPED OR PRINTED	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUES IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)	TFI PHONE		DATE		
		410	729-8350	14	03	25
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		AREA CODE	NUMBER	YEAR	MONTH	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments he

PERMITTEE NAME/ADDRESS (Include

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

Facility Name/Location if different)

DISCHARGE MONITORING REPORT (DMR)

Form Approved.

Name BTR Hampstead, Inc

(2-16)

(17-19)

OMB No.

Address c/o BTR Captial Group Management

MD0001881

001

Approval expires

222 Courthouse Ct., Suite 300, Towson MD 21204

PERMIT NUMBER

DISCHARGE NUMBER

\*\*\* NO DISCHARGE  \*\*\*

NOTE: Read instructions before completing this form

Facility Groundwater Remediation and WWTP

MONITORING PERIOD

Location 626 Hanover Pike

YEAR	MO	DAY	YEAR	MO	DAY
14	02	01	14	02	28

State Discharge Permit

Attn:

FROM

07-DP-0022

(20-21) (22-23) (24-25) (26-27) (28-29) (30-31)

PARAMETER (32-37)		QUANTITY OR LOADING (46-53)			QUALITY OR CONCENTRATION (38-45)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE (46-53)	MAXIMUM (54-61)	UNITS	MINIMUM (38-45)	AVERAGE (46-53)	MAXIMUM (54-61)	UNITS			
NITROGEN, TOTAL (AS N ) 00600 1 1 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	246	Lbs/mo	*****	*****	*****	****	0	ONCE/ MONTH	Calculated
	PERMIT REQUIREMENT	*****	Req. Mon. MO TOTAL		*****	*****	*****	****		ONCE/ MONTH	Calculated
NITROGEN, TOTAL (AS N ) 00600 1 2 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	418	Lbs/yr	*****	*****	*****	****	0	ONCE/ MONTH	Calculated
	PERMIT REQUIREMENT	*****	Req. Mon. CUM TOTAL		*****	*****	*****	****		ONCE/ MONTH	Calculated
PHOSPHOROUS, TOTAL (AS P ) 00665 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	0	Lbs/day	*****	0	0	( 19)	0	ONCE/ MONTH	COMP -8
	PERMIT REQUIREMENT	*****	Req. Mon. MO MAX		*****	Req. Mon. 30DA AVG	DAILY MX	MG/L		ONCE/ MONTH	COMP -8
PHOSPHOROUS, TOTAL (AS P ) 00665 1 1 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	7	Lbs/mo	*****	*****	*****	****	0	ONCE/ MONTH	Calculated
	PERMIT REQUIREMENT	*****	Req. Mon. MO TOTAL		*****	*****	*****	****		ONCE/ MONTH	Calculated
PHOSPHOROUS, TOTAL (AS P ) 00665 1 2 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	7	Lbs/yr	*****	*****	*****	****	0	ONCE/ MONTH	Calculated
	PERMIT REQUIREMENT	*****	Req. Mon. CUM TOTAL		*****	*****	*****	****		ONCE/ MONTH	Calculated
TETRACHLOROETHYLE 34475 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	( 28)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5 DAILY MX	UG/L		ONCE/ MONTH	GRAB
1,1,1-TRICHLOROETHANE 34506 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	( 28)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5 DAILY MX	UG/L		ONCE/ MONTH	GRAB
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUES IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)				TFI PPHONE			DATE			
Nicole Finneyrock Property Manager TYPED OR PRINTED					SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT			410	729-8350	14	03
					AREA CODE	NUMBER	YEAR	MONTH	DAY		

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name BTR Hampstead, Inc

Address c/o BTR Captial Group Management

222 Courthouse Ct. Suite 300. Towson MD 21204

Facility Groundwater Remediation and WWTP

Location 626 Hanover Pike

Attn: \_\_\_\_\_

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

001

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

\*\*\* NO DISCHARGE  \*\*\*

NOTE: Read instructions before completing this form

MONITORING PERIOD							
FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY
	14	02	01		14	02	28
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

State Discharge Permit

07-DP-0022

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING			(4 Card Only) QUALITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS			
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE SUREMENT	0.2559	0.5070	(03)	*****	*****	*****	****	0	ONCE/ MONTH	Measured
	PERMIT REQUIREMENT	REPORT	REPORT	MGD	*****	*****	*****	****		ONCE/ MONTH	Measured
CHLORINE, TOTAL RESIDUAL 50060 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	<0.1	<0.1	( 19)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	0.011 30DAAVG	0.019 DAILY MX	MG/L		ONCE/ MONTH	GRAB
E.COLI, MPN 51040 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	18	*****	( 30)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	Req. Mon. GEO MEAN	*****	MPN		ONCE/ MONTH	GRAB
TRICHLOROETHENE 78391 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	( 28)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5 DAILY MX	UG/L		ONCE/ MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TI  Nicole Finneyfrock Property Manager  TYPED OR PRINTED	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)	TELEPHONE		DATE		
		410	729-8350	14	03	25
	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE	NUMBER	YEAR	MONTH	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name BTR Hampstead, Inc

Address c/o BTR Captial Group Management

222 Courthouse Ct., Suite 300, Towson MD 21204

Facility Groundwater Remediation and WWTP

Location 626 Hanover Pike

Attn: \_\_\_\_\_

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

101

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

\*\*\* NO DISCHARGE  \*\*\*

NOTE: Read instructions before completing this form

State Discharge Permit

07-DP-0022

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
14	02	01		14	02	28
(20-21) (22-23) (24-25)				(26-27) (28-29) (30-31)		

PARAMETER (32-37)		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		(3 Card Only) (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(4 Card Only) (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS			
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	178,654	264,000	(07)	*****	*****	*****	****	0	ONCE/WEEK	Measured/Recorded
	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	****		ONCE/MONTH	Measured/Recorded
E.COLI, MPN 51040 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	1	(30)	0	ONCE/WEEK	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	200 DAILY MX	MPN		ONCE/WEEK	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)	TFI PHONE		DATE		
Nicole Finneyrock Property Manager TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	410	729-8350	14	03
		AREA CODE	NUMBER	YEAR	MONTH	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name BTR Hampstead, Inc  
 Address c/o BTR Capital Group Management  
222 Courthouse Ct., Suite 300, Towson MD 21204

Facility Groundwater Remediation and WWTP

Location 626 Hanover Pike

Attn:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)	(17-19)
MD0001881	001
PERMIT NUMBER	DISCHARGE NUMBER

Form Approved.  
 OMB No.  
 Approval expires

\*\*\* NO DISCHARGE  \*\*\*

NOTE: Read instructions before completing this form

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
14	03	01	TO	14	03	31
(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

State Discharge Permit  
 07-DP-0022

PARAMETER (32-37)		(3 Card Only) (46-53) QUANTITY OR LOADING			(4 Card Only) (38-45) QUALITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
BOD, 5-DAY (20 DEG. C) 00310 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	9	( 19)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	15 DAILY MX	MG/L		ONCE/ MONTH	GRAB
pH 00400 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	7.7	*****	8.4	( 12)	0	TWICE/ WEEK	GRAB
	PERMIT REQUIREMENT	*****	*****	****	DAILY MN	*****	8.5 DAILY MX	SU		TWICE/ WEEK	GRAB
SOLIDS, TOTAL SUSPENDED 00530 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	11	Lbs/day	*****	9	9	( 19)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	Req. Mon. MO MAX		*****	20 30DAAVG	30 DAILY MX	MG/L		ONCE/ MONTH	GRAB
SOLIDS, TOTAL SUSPENDED 00530 1 1 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	562	Lbs/mo	*****	*****	*****	****	0	ONCE/ MONTH	Calculated
	PERMIT REQUIREMENT	*****	Req. Mon. MO TOTAL		*****	*****	*****	****		ONCE/ MONTH	Calculated
SOLIDS, TOTAL SUSPENDED 00530 1 2 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	921	Lbs/yr	*****	*****	*****	****	0	ONCE/ MONTH	Calculated
	PERMIT REQUIREMENT	*****	Req. Mon. CUM TOTAL		*****	*****	*****	****		ONCE/ MONTH	Calculated
OIL AND GREASE TOTAL RECOVERABLE 70030 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	( 19)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	10 30DAAVG	15 DAILY MX	MG/L		ONCE/ MONTH	GRAB
NITROGEN, TOTAL (AS N) 00600 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	6	Lbs/day	*****	5	5	( 19)	0	ONCE/ MONTH	COMP -8
	PERMIT REQUIREMENT	*****	Req. Mon. MO MAX		*****	Req. Mon. 30DAAVG	Req. Mon. DAILY MX	MG/L		ONCE/ MONTH	COMP -8

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER  Nicole Finneyfrock Property Manager TYPED OR PRINTED	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)	TFI PHONE		DATE		
		410	729-8350	14	04	21
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		AREA CODE	NUMBER	YEAR	MONTH	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments he

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name **BTR Hampstead, Inc**

Address **c/o BTR Captial Group Management**

**222 Courthouse Ct., Suite 300, Towson MD 21204**

Facility **Groundwater Remediation and WWTP**

Location **626 Hanover Pike**

Attn:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

001

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

\*\*\* NO DISCHARGE  \*\*\*

NOTE: Read instructions before completing this form

MONITORING PERIOD						
YEAR	MO	DAY	YEAR	MO	DAY	
FROM 14	03	01	TO 14	03	31	
(20-21)		(22-23)	(24-25)	(26-27)		(28-29) (30-31)

State Discharge Permit

07-DP-0022

PARAMETER (32-37)		QUANTITY OR LOADING (46-53)			QUALITY OR CONCENTRATION (48-53)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		AVERAGE (46-51)	MAXIMUM (54-61)	UNITS	MINIMUM (38-45)	AVERAGE (48-53)	MAXIMUM (54-61)	UNITS				
NITROGEN, TOTAL (AS N) 00600 1 1 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	330	Lbs/mo	*****	*****	*****	****	0	ONCE/ MONTH	Calculated	
	PERMIT REQUIREMENT	*****	Req. Mon. MO TOTAL		*****	*****	*****					
NITROGEN, TOTAL (AS N) 00600 1 2 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	748	Lbs/yr	*****	*****	*****	****	0	ONCE/ MONTH	Calculated	
	PERMIT REQUIREMENT	*****	Req. Mon. CUM TOTAL		*****	*****	*****					
PHOSPHOROUS, TOTAL (AS P) 00665 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	0	Lbs/day	*****	0	0	MG/L	0	ONCE/ MONTH	COMP -8	
	PERMIT REQUIREMENT	*****	Req. Mon. MO MAX		*****	Req. Mon. 30DA AVG	DAILY MX					
PHOSPHOROUS, TOTAL (AS P) 00665 1 1 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	9	Lbs/mo	*****	*****	*****	****	0	ONCE/ MONTH	Calculated	
	PERMIT REQUIREMENT	*****	Req. Mon. MO TOTAL		*****	*****	*****					
PHOSPHOROUS, TOTAL (AS P) 00665 1 2 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	16	Lbs/yr	*****	*****	*****	****	0	ONCE/ MONTH	Calculated	
	PERMIT REQUIREMENT	*****	Req. Mon. CUM TOTAL		*****	*****	*****					
TETRACHLOROETHYLE 34475 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	UG/L	( 28)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5 DAILY MX					
1,1,1-TRICHLOROETHANE 34506 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	UG/L	( 28)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5 DAILY MX					

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER <b>Nicole Finneyrock</b> Property Manager TYPED OR PRINTED	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)	TPI PHONE		DATE		
		410	729-8350	14	04	21
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		AREA CODE	NUMBER	YEAR	MONTH	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)

Name BTR Hampstead, Inc  
 Address c/o BTR Captial Group Management  
222 Courthouse Ct., Suite 300, Towson MD 21204

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16) MD0001881 (17-19) 001  
**PERMIT NUMBER** **DISCHARGE NUMBER**

Form Approved.  
 OMB No.  
 Approval expires

\*\*\* NO DISCHARGE  \*\*\*


NOTE: Read instructions before completing this form

Facility Groundwater Remediation and WWTP  
 Location 626 Hanover Pike  
 Attn: \_\_\_\_\_

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
14	03	01	14	03	31
(20-21)	(22-23)	(24-25)	(26-27)	(28-29)	(30-31)

State Discharge Permit  
 07-DP-0022

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING			(4 Card Only) QUALITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS			
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	0.2364	1.3730	(03)	*****	*****	*****	****	0	ONCE/ MONTH	Measured
	PERMIT REQUIREMENT	REPORT	REPORT	MGD	*****	*****	*****	****		ONCE/ MONTH	Measured
CHLORINE, TOTAL RESIDUAL 50060 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	<0.1	<0.1	( 19)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	0.011 30DA AVG	0.019 DAILY MX	MG/L		ONCE/ MONTH	GRAB
E.COLI, MPN 51040 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	1	*****	( 30)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	Req. Mon. GEO MEAN	*****	MPN		ONCE/ MONTH	GRAB
TRICHLOROETHENE 78391 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	( 28)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5 DAILY MX	UG/L		ONCE/ MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TI  <b>Nicole Finneyrock</b> Property Manager  TYPED OR PRINTED	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUES IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. 551001 AND 33 U.S.C. 551319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)	 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE		DATE		
			410	729-8350	14	04	21
			AREA CODE	NUMBER	YEAR	MONTH	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name BTR Hampstead, Inc

Address c/o BTR Capital Group Management

222 Courthouse Ct., Suite 300, Towson MD 21204

Facility Groundwater Remediation and WWTP

Location 626 Hanover Pike

Attn:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

101

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

\*\*\* NO DISCHARGE  \*\*\*

NOTE: Read instructions before completing this form

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
FROM 14	03	01	TO 14	03	31
(20-21)	(22-23)	(24-25)	(26-27)	(28-29)	(30-31)

State Discharge Permit

07-DP-0022

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING			(4 Card Only) QUALITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS			
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	162,710	202,000	(07)	*****	*****	*****	****	0	ONCE/ WEEK	Measured/ Recorded
	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	****			
E. COLI, MPN 51040 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	1	(30)	0	ONCE/ WEEK	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	200 DAILY MX	MPN			
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)				SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		TFI PHONE		DATE		
Nicole Finneyfrock Property Manager TYPED OR PRINTED							410	729-8350	14	04	21
COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)							AREA CODE	NUMBER	YEAR	MONTH	DAY



PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)

Name BTR Hampstead, Inc  
 Address c/o BTR Capital Group Management  
222 Courthouse Ct., Suite 300, Towson MD 21204

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16) (17-19)  
 MD0001881 201  
 PERMIT NUMBER DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

Facility Groundwater Remediation and WWTP  
 Location 626 Hanover Pike  
 Attn: \_\_\_\_\_

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
14	01	01	14	03	31
(20-21)		(22-23)	(24-25)	(26-27)	(28-29) (30-31)

\*\*\* NO DISCHARGE  \*\*\*

NOTE: Read instructions before completing this form

State Discharge Permit  
 07-DP-0022

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING			(4 Card Only) QUALITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(46-53) MINIMUM	(54-61) AVERAGE	(54-61) MAXIMUM	UNITS			
34475 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	( 28)	0	One/Quarter	Grab
	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT	REPORT	UG/L		One/Quarter	Grab
1,1,1-TRICHLOROETHANE 34506 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	( 28)	0	One/Quarter	Grab
	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT	REPORT	UG/L		One/Quarter	Grab
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	199,830	299,766	(07)	*****	*****	*****	****	0	Measured	Record
	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	****		Measured	Record
Total Volatile Organics (VOC) 51415 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	( 28)	0	One/Quarter	Grab
	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT	100	UG/L		One/Quarter	Grab
TRICHLOROETHENE 78391 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	( 28)	0	One/Quarter	Grab
	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT	REPORT	UG/L		One/Quarter	Grab
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER  
 Nicole Finneyfrock  
 Property Manager  
 TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN, AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TFI PHONE 410 729-8350  
 DATE 14 04 21  
 AREA CODE NUMBER YEAR MONTH DAY

COMMENT AND EXPANATION OF ANY VIOLATIONS (Reference all attachments here)

---

**APPENDIX C**  
**GROUNDWATER TREATMENT SYSTEM ANALYTICAL RESULTS**  
**(JANUARY - MARCH 2014)**

---

# QC Laboratories

# Analytical Report

Printed 01/29/14 16:20

CHERYL GRIFFIN  
 MARYLAND ENVIRONMENTAL SERVICE A  
 259 NAJILES ROAD  
 RE: BLACK & DECKER WWTP  
 MILLERSVILLE, MD 21108

Order Number: L4868038  
 Project Name: BLACK & DECKER WWTP  
 Receive Date: 01-14-2014  
 Client Code: MES\_A  
 Project Location: BLACK & DECKER WWTP

Sample ID	Sample Description	Samp. Date/Time/Temp	Sampled by
L4868038-1	FINAL 001 GRAB	01/14/14 09:39am NA C	Customer
	Received Date/Time/Temp 01/14/14 04:30pm 3.6 C	Iced (Y/N): Y	
	Satellite Received Temp 3.6C	Iced (Y/N): Y	

Parameter	Method	Result	RL	Test Date, Time, Analyst
-----------	--------	--------	----	--------------------------

GENERAL CHEMISTRY

Hexane Ext. Material-HEM (oil+grease)	1664A HEM	ND mg/l	5.00 mg/l	01/16/14 09:15AM NMW
--	-----------	---------	-----------	----------------------

GAS CHROMATOGRAPHY MASS SPECTROMETRY; VOLATILES

1,1,1-Trichloroethane	EPA 624	ND ug/l	1.00 ug/l	01/27/14 05:53PM JSH
Trichloroethene	EPA 624	ND ug/l	1.00 ug/l	01/27/14 05:53PM JSH
Tetrachloroethene	EPA 624	ND ug/l	1.00 ug/l	01/27/14 05:53PM JSH
Dibromofluoromethane	EPA 624	112 %		01/27/14 05:53PM JSH
Toluene-D8 (Surr)	EPA 624	101 %		01/27/14 05:53PM JSH
4-Bromofluorobenzene	EPA 624	94 %		01/27/14 05:53PM JSH

Sample ID	Sample Description	Samp. Date/Time/Temp	Sampled by
L4868038-2	FINAL 001 COMP	01/14/14 09:35am NA C	Customer
	Received Date/Time/Temp 01/14/14 04:30pm 3.6 C	Iced (Y/N): Y	

Parameter	Method	Result	RL	Test Date, Time, Analyst
-----------	--------	--------	----	--------------------------

GENERAL CHEMISTRY

Nitrate/nitrite, total as N (Delaware)	EPA 300.0	2.33 mg/l	0.500 mg/l	01/15/14 03:31AM SLD
Biochemical Oxygen Demand, 5 Day (DE)	SM 5210B	3.00 mg/l	2.00 mg/l	01/15/14 08:30AM SKJ
Phosphorus total as P (Delaware)	EPA 365.4	ND mg/l	0.0500 mg/l	01/17/14 12:39PM ALW
Kjeldahl nitrogen, as N (Delaware)	EPA 351.2	0.743 mg/l	0.200 mg/l	01/17/14 02:35PM ALW
Ammonia, as N (Delaware)	SM 4500NH3-G	ND mg/l	0.200 mg/l	01/16/14 11:06AM ALW
Total Suspended Solids (Delaware)	SM 2540D	ND mg/l	4.00 mg/l	01/21/14 08:46AM MS3

Sample Comments:

L4868038-2 :  
 For the BOD 5 test on this day, the nutrient blank was 0.44 mg/l, above the acceptance limit of 0.30 mg/l.

PP 38133

Serial Number: 3342716

Printed 01/14/14 12:55

CHERYL GRIFFIN  
MARYLAND ENVIRONMENTAL SERVICE A  
259 NAJOLAS ROAD  
RE: BLACK & DECKER WWTP  
MILLERSVILLE, MD 21108

Order Number: L4895382  
Project Name: BLACK & DECKER WWTP  
Receive Date: 01-13-2014  
Client Code: MES\_A  
Project Location: BLACK & DECKER WWTP

---

Sample ID	Sample Description	Samp. Date/Time/Temp	Sampled by
L4895382-1	BLACK & DECKER 101	12/30/13 09:07am	NA C Customer
	Received Date/Time 01/13/14 02:00pm		

Parameter	Method	Result	RLs	Test Date, Time, Analyst
ENVIRONMENTAL MICROBIOLOGY				
E. Coli, MPN Cel(Delaware)	SM 9223B	1.0 MPN/100ml	MPN/100ml	12/30/13 02:47PM SUB

E. coli was analyzed by Chesapeake Environmental Lab, Inc in Stevensville, MD.



Printed 02/21/14 16:17

CHERYL GRIFFIN  
 MARYLAND ENVIRONMENTAL SERVICE A  
 259 NAJILES ROAD  
 RE: BLACK & DECKER WWTP  
 MILLERSVILLE, MD 21108

Order Number: L4936081  
 Project Name: BLACK & DECKER WWTP  
 Receive Date: 02-11-2014  
 Client Code: MES\_A  
 Project Location: BLACK & DECKER WWTP

Sample ID	Sample Description	Samp. Date/Time/Temp	Sampled by
L4936081-1	FINAL 001 GRAB	02/11/14 04:30pm 2.8 C	02/11/14 09:50am NA C Customer
	Received Date/Time/Temp	02/11/14 04:30pm 2.8 C	Iced (Y/N): Y
	Satellite Received Temp	2.1C	Iced (Y/N): Y

Parameter	Method	Result	RL	Test Date, Time, Analyst
-----------	--------	--------	----	--------------------------

GENERAL CHEMISTRY

Hexane Ext. Material-HEM (oil+grease)	1664B HEM	ND mg/l	5.00 mg/l	02/14/14 06:30PM AGM
--	-----------	---------	-----------	----------------------

GAS CHROMATOGRAPHY MASS SPECTROMETRY; VOLATILES

1,1,1-Trichloroethane	EPA 624	ND ug/l	1.00 ug/l	02/21/14 08:36AM JAD
Tetrachloroethene	EPA 624	ND ug/l	1.00 ug/l	02/21/14 08:36AM JAD
Trichloroethene	EPA 624	ND ug/l	1.00 ug/l	02/21/14 08:36AM JAD
4-Bromofluorobenzene	EPA 624	93 %		02/21/14 08:36AM JAD
Dibromofluoromethane	EPA 624	120 %		02/21/14 08:36AM JAD
Toluene-D8 (Surr)	EPA 624	105 %		02/21/14 08:36AM JAD

Sample ID	Sample Description	Samp. Date/Time/Temp	Sampled by
L4936081-2	FINAL 001 COMP	02/11/14 04:30pm 2.1 C	02/11/14 09:50am NA C Customer
	Received Date/Time/Temp	02/11/14 04:30pm 2.1 C	Iced (Y/N): Y

Parameter	Method	Result	RL	Test Date, Time, Analyst
-----------	--------	--------	----	--------------------------

GENERAL CHEMISTRY

Nitrate/nitrite, total as N (Delaware)	EPA 300.0	2.68 mg/l	0.500 mg/l	02/15/14 05:01AM SLD
Biochemical Oxygen Demand, 5 Day (DE)	SM 5210B	4.00 mg/l	2.00 mg/l	02/12/14 12:15PM SKJ
Kjeldahl nitrogen, as N (Delaware)	EPA 351.2	1.44 mg/l	0.200 mg/l	02/14/14 01:03PM ALW
Phosphorus total as P (Delaware)	EPA 365.4	0.122 mg/l	0.0500 mg/l	02/14/14 02:14PM ALW
Ammonia, as N (Delaware)	SM 4500NH3-G	ND mg/l	0.200 mg/l	02/17/14 01:36PM ALW
Total Suspended Solids (Delaware)	SM 2540D	6.00 mg/l	5.00 mg/l	02/14/14 02:24PM MS3



PP 38133

Serial Number: 3380810

Printed 02/11/14 12:57

CHERYL GRIFFIN  
MARYLAND ENVIRONMENTAL SERVICE A  
259 NAJILES ROAD  
RE: BLACK & DECKER WWTP  
MILLERSVILLE, MD 21108

Order Number: L4936345  
Project Name: BLACK & DECKER WWTP  
Receive Date: 02-10-2014  
Client Code: MES\_A  
Project Location: BLACK & DECKER WWTP

---

Sample ID	Sample Description	Samp. Date/Time/Temp	Sampled by
L4936345-1	BLACK & DECKER 101	01/28/14 09:14am NA C	Customer
	Received Date/Time 02/10/14 02:00pm		

Parameter	Method	Result	RL	Test Date, Time, Analyst
ENVIRONMENTAL MICROBIOLOGY				
E. Coli, MPN Cel(Delaware)	SM 9223B	<1.0 MPN/100ml	MPN/100ml	01/28/14 02:26PM SUB

E. coli was analyzed by Chesapeake Environmental Lab, Inc in Stevensville, MD.



# QC Laboratories

# Analytical Report

Printed 02/21/14 16:28

CHERYL GRIFFIN  
 MARYLAND ENVIRONMENTAL SERVICE A  
 259 NAJOLES ROAD  
 RE: BLACK & DECKER WWTP  
 MILLERSVILLE, MD 21108

Order Number: L4938975  
 Project Name: BLACK & DECKER WWTP  
 Receive Date: 02-11-2014  
 Client Code: MES\_A  
 Project Location: BLACK & DECKER WWTP

Sample ID L4938975-1 Sample Description BTR 201  
 Received Date/Time/Temp 02/11/14 04:30pm 2.8 C Iced (Y/N): Y  
 Satellite Received Temp 2.1C Iced (Y/N): Y  
 Samp. Date/Time/Temp 02/11/14 10:20am NA C Customer

Parameter	Method	Result	RL	Test Date, Time, Analyst
<b>GAS CHROMATOGRAPHY MASS SPECTROMETRY; VOLATILES</b>				
1,1,1-Trichloroethane	EPA 624	ND ug/l	1.00 ug/l	02/21/14 09:54AM JAD
1,1,2,2-Tetrachloroethane	EPA 624	ND ug/l	1.00 ug/l	02/21/14 09:54AM JAD
1,1,2-Trichloroethane	EPA 624	ND ug/l	1.00 ug/l	02/21/14 09:54AM JAD
1,1-Dichloroethane	EPA 624	ND ug/l	1.00 ug/l	02/21/14 09:54AM JAD
1,1-Dichloroethene	EPA 624	ND ug/l	1.00 ug/l	02/21/14 09:54AM JAD
1,2-Dichlorobenzene	EPA 624	ND ug/l	1.00 ug/l	02/21/14 09:54AM JAD
1,2-Dichloroethane	EPA 624	ND ug/l	1.00 ug/l	02/21/14 09:54AM JAD
1,2-Dichloropropane	EPA 624	ND ug/l	1.00 ug/l	02/21/14 09:54AM JAD
1,3-Dichlorobenzene	EPA 624	ND ug/l	1.00 ug/l	02/21/14 09:54AM JAD
1,4-Dichlorobenzene	EPA 624	ND ug/l	1.00 ug/l	02/21/14 09:54AM JAD
2-Chloroethyl vinyl ether	EPA 624	ND ug/l	1.00 ug/l	02/21/14 09:54AM JAD
Benzene	EPA 624	ND ug/l	1.00 ug/l	02/21/14 09:54AM JAD
Bromodichloromethane	EPA 624	ND ug/l	1.00 ug/l	02/21/14 09:54AM JAD
Bromoform	EPA 624	ND ug/l	1.00 ug/l	02/21/14 09:54AM JAD
Bromomethane	EPA 624	ND ug/l	1.00 ug/l	02/21/14 09:54AM JAD
Carbon tetrachloride	EPA 624	ND ug/l	1.00 ug/l	02/21/14 09:54AM JAD
Chlorobenzene	EPA 624	ND ug/l	1.00 ug/l	02/21/14 09:54AM JAD
Chloroethane	EPA 624	ND ug/l	1.00 ug/l	02/21/14 09:54AM JAD
Chloroform	EPA 624	ND ug/l	1.00 ug/l	02/21/14 09:54AM JAD
Chloromethane	EPA 624	ND ug/l	1.00 ug/l	02/21/14 09:54AM JAD
cis-1,3-Dichloropropene	EPA 624	ND ug/l	1.00 ug/l	02/21/14 09:54AM JAD
Dibromochloromethane	EPA 624	ND ug/l	1.00 ug/l	02/21/14 09:54AM JAD
Ethylbenzene	EPA 624	ND ug/l	1.00 ug/l	02/21/14 09:54AM JAD
Methylene chloride	EPA 624	ND ug/l	1.00 ug/l	02/21/14 09:54AM JAD
Tetrachloroethene	EPA 624	ND ug/l	1.00 ug/l	02/21/14 09:54AM JAD
Toluene	EPA 624	ND ug/l	1.00 ug/l	02/21/14 09:54AM JAD
trans-1,2-Dichloroethene	EPA 624	ND ug/l	1.00 ug/l	02/21/14 09:54AM JAD
trans-1,3-Dichloropropene	EPA 624	ND ug/l	1.00 ug/l	02/21/14 09:54AM JAD
Trichloroethene	EPA 624	ND ug/l	1.00 ug/l	02/21/14 09:54AM JAD
Trichlorofluoromethane	EPA 624	ND ug/l	1.00 ug/l	02/21/14 09:54AM JAD
Vinyl chloride	EPA 624	ND ug/l	1.00 ug/l	02/21/14 09:54AM JAD
4-Bromofluorobenzene	EPA 624	93 %		02/21/14 09:54AM JAD
Dibromofluoromethane	EPA 624	122 %		02/21/14 09:54AM JAD
Toluene-D8 (Surr)	EPA 624	104 %		02/21/14 09:54AM JAD



PP 38133

Serial Number: 3380867

# QC Laboratories

# Analytical Report

Printed 03/26/14 11:48 DE36

CHERYL GRIFFIN  
 MARYLAND ENVIRONMENTAL SERVICE A  
 259 NAJOLAS ROAD  
 RE: BLACK & DECKER WWTP  
 MILLERSVILLE, MD 21108

Order Number: L4946538  
 Project Name: BLACK & DECKER WWTP  
 Receive Date: 03-11-2014  
 Client Code: MES\_A  
 Project Location: BLACK & DECKER WWTP

Account No: AL0341, MARYLAND ENVIRONMENTAL SERVICE A  
 Project No: AL0341 BLK DECK WWTP, BLACK & DECKER WWTP

P.O. No: Inv. No: MES\_AL0341  
 PWSID No:

Sample ID L4946538-1 Sample Description BTR 001 GRAB  
 Received Date/Time/Temp 03/11/14 04:30pm 4.1 C Iced (Y/N): Y  
 Satellite Received Temp 3.9C Iced (Y/N): Y  
 Samp. Date/Time/Temp 03/11/14 09:55am NA C  
 Sampled by Customer

Parameter	Result	RL	Units	Method	DF	Q	Test Date, Time, Analyst
<b>GENERAL CHEMISTRY</b>							
Hexane Ext. Material-HEM (oil+grease)	ND	5.00	mg/l	1664B HEM	1		03/18/14 03:15PM AGM
Total Suspended Solids (Delaware)	9.20	4.00	mg/l	SM 2540D	1		03/13/14 12:00AM MS3
Biochemical Oxygen Demand, 5 Day (DE)	9.00	2.00	mg/l	SM 5210B	1.5		03/12/14 10:00AM SKJ
<b>GAS CHROMATOGRAPHY MASS SPECTROMETRY; VOLATILES</b>							
1,1,1-Trichloroethane	ND	1.00	ug/l	EPA 624	1		03/20/14 09:02PM JAD
Tetrachloroethene	ND	1.00	ug/l	EPA 624	1		03/20/14 09:02PM JAD
Trichloroethene	ND	1.00	ug/l	EPA 624	1		03/20/14 09:02PM JAD

Sample ID L4946538-2 Sample Description BTR 001 COMP  
 Received Date/Time/Temp 03/11/14 04:30pm 4.1 C Iced (Y/N): Y  
 Samp. Date/Time/Temp 03/11/14 09:55am NA C  
 Sampled by Customer

Parameter	Result	RL	Units	Method	DF	Q	Test Date, Time, Analyst
<b>GENERAL CHEMISTRY</b>							
Nitrate/nitrite, total as N (Delaware)	3.04	0.500	mg/l	EPA 300.0	10		03/13/14 09:53PM SLD
Kjeldahl nitrogen, as N (Delaware)	2.36	0.200	mg/l	EPA 351.2	1		03/14/14 12:53PM ALW
Phosphorus total as P (Delaware)	0.151	0.0500	mg/l	EPA 365.4	1		03/14/14 12:53PM ALW
Ammonia, as N (Delaware)	0.630	0.200	mg/l	SM 4500NH3-G	1		03/17/14 11:03AM ALW

Sample Comments:

PP 38133

Serial Number: 3455525



# QC Laboratories

# Analytical Report

Printed 03/13/14 11:39 DE36

CHERYL GRIFFIN  
MARYLAND ENVIRONMENTAL SERVICE A  
259 NAJOLE'S ROAD  
RE: BLACK & DECKER WWTP  
MILLERSVILLE, MD 21108

Order Number: L4972949  
Project Name: BLACK & DECKER WWTP  
Receive Date: 03-11-2014  
Client Code: MES\_A  
Project Location: BLACK & DECKER WWTP

Account No: AL0341, MARYLAND ENVIRONMENTAL SERVICE A  
Project No: AL0341 BLK DECK WWTP, BLACK & DECKER WWTP

P.O. No: Inv. No: MES\_AL0341  
PWSID No:

Sample ID Sample Description Samp. Date/Time/Temp Sampled by  
L4972949-1 BLACK & DECKER 101 02/19/14 09:23am NA C Customer  
Received Date/Time 03/11/14 11:00am

Parameter	Result	RL	Units	Method	DF	Q	Test Date, Time, Analyst
-----------	--------	----	-------	--------	----	---	--------------------------

## ENVIRONMENTAL MICROBIOLOGY

E. Coli, MPN Cel(Delaware)	<1.0		MPN/100ml	SM 9223B			02/19/14 03:09PM SUB
----------------------------	------	--	-----------	----------	--	--	----------------------

### Sample Comments:

L4972949-1 :  
E. coli was analyzed by Chesapeake Environmental Lab, Inc in Stevensville, MD.



PP 38133

Serial Number: 3422628

---

**APPENDIX D  
GROUNDWATER ANALYTICAL DATA PACKAGE  
(FEBRUARY 2014)**

---

# TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

## ANALYTICAL REPORT

TestAmerica Laboratories, Inc.  
TestAmerica Chicago  
2417 Bond Street  
University Park, IL 60484  
Tel: (708)534-5200

TestAmerica Job ID: 500-72399-1  
Client Project/Site: Black and Decker

For:  
Weston Solutions, Inc.  
1400 Weston Way  
PO BOX 2653  
West Chester, Pennsylvania 19380

Attn: Mr. Tom Cornuet



Authorized for release by:  
3/5/2014 4:33:16 PM

Richard Wright, Senior Project Manager  
(708)534-5200  
richard.wright@testamericainc.com

### LINKS

Review your project  
results through  
**Total Access**

Have a Question?

**Ask  
The  
Expert**

Visit us at:  
[www.testamericainc.com](http://www.testamericainc.com)

*The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.*

*This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.*

*Results relate only to the items tested and the sample(s) as received by the laboratory.*

# Table of Contents

Cover Page .....	1
Table of Contents .....	2
Case Narrative .....	3
Detection Summary .....	4
Method Summary .....	7
Sample Summary .....	8
Client Sample Results .....	9
Definitions .....	59
QC Association .....	60
Surrogate Summary .....	61
QC Sample Results .....	62
Chronicle .....	75
Certification Summary .....	80
Chain of Custody .....	81
Receipt Checklists .....	84



# Case Narrative

Client: Weston Solutions, Inc.  
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

**Job ID: 500-72399-1**

**Laboratory: TestAmerica Chicago**

## Narrative

**Job Narrative**  
500-72399-1

### Comments

No additional comments.

### Receipt

The samples were received on 2/28/2014 10:40 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 4.4° C.

### GC/MS VOA

Method(s) 8260B: The laboratory control sample (LCS) for batch 225355 recovered outside control limits for the following analytes: Naphthalene and 1,2,3-Trichlorobenzene. These analytes were biased high in the LCS and were not detected in the associated samples; therefore, the data have been reported.

No other analytical or quality issues were noted.



## Detection Summary

Client: Weston Solutions, Inc.  
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

**Client Sample ID: RFW-1A**

**Lab Sample ID: 500-72399-1**

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Toluene	0.45	J	0.50	0.11	ug/L	1		8260B	Total/NA

**Client Sample ID: RFW-1B**

**Lab Sample ID: 500-72399-2**

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Toluene	0.43	J	0.50	0.11	ug/L	1		8260B	Total/NA

**Client Sample ID: RFW-2A**

**Lab Sample ID: 500-72399-3**

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	0.31	J	0.50	0.19	ug/L	1		8260B	Total/NA

**Client Sample ID: RFW-2B**

**Lab Sample ID: 500-72399-4**

No Detections.

**Client Sample ID: RFW-3B**

**Lab Sample ID: 500-72399-5**

No Detections.

**Client Sample ID: RFW-4A**

**Lab Sample ID: 500-72399-6**

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	0.53	J	1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	19		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	12		1.0	0.17	ug/L	1		8260B	Total/NA

**Client Sample ID: RFW-4A DUP**

**Lab Sample ID: 500-72399-7**

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	21		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	13		1.0	0.17	ug/L	1		8260B	Total/NA

**Client Sample ID: RFW-4B**

**Lab Sample ID: 500-72399-8**

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	2.4		1.0	0.12	ug/L	1		8260B	Total/NA
Chloroform	1.1		1.0	0.20	ug/L	1		8260B	Total/NA
Trichloroethene	44		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	69		1.0	0.17	ug/L	1		8260B	Total/NA

**Client Sample ID: RFW-6**

**Lab Sample ID: 500-72399-9**

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Tetrachloroethene	0.50	J	1.0	0.17	ug/L	1		8260B	Total/NA

**Client Sample ID: RFW-7**

**Lab Sample ID: 500-72399-10**

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	0.22	J	0.50	0.074	ug/L	1		8260B	Total/NA
Trichloroethene	1.4		0.50	0.19	ug/L	1		8260B	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Chicago

## Detection Summary

Client: Weston Solutions, Inc.  
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

### Client Sample ID: RFW-9

Lab Sample ID: 500-72399-11

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,1-Dichloroethene	0.52	J	1.0	0.31	ug/L	1		8260B	Total/NA
cis-1,2-Dichloroethene	7.9		1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	7.2		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	3.1		1.0	0.17	ug/L	1		8260B	Total/NA

### Client Sample ID: RFW-11B

Lab Sample ID: 500-72399-12

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	3.0		0.50	0.19	ug/L	1		8260B	Total/NA

### Client Sample ID: RFW-12B

Lab Sample ID: 500-72399-13

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	1.2		1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	60		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	4.9		1.0	0.17	ug/L	1		8260B	Total/NA

### Client Sample ID: RFW-13

Lab Sample ID: 500-72399-14

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	0.70	J	1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	2.3		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	15		1.0	0.17	ug/L	1		8260B	Total/NA

### Client Sample ID: RFW-17

Lab Sample ID: 500-72399-15

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Toluene	0.38	J	0.50	0.11	ug/L	1		8260B	Total/NA

### Client Sample ID: Trip Blank

Lab Sample ID: 500-72399-16

No Detections.

### Client Sample ID: EW-2

Lab Sample ID: 500-72399-17

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	2.4		1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	83		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	26		1.0	0.17	ug/L	1		8260B	Total/NA

### Client Sample ID: EW-3

Lab Sample ID: 500-72399-18

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	1.6		1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	44		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	1.6		1.0	0.17	ug/L	1		8260B	Total/NA

### Client Sample ID: EW-4

Lab Sample ID: 500-72399-19

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Tetrachloroethene	12		1.0	0.17	ug/L	1		8260B	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Chicago

## Detection Summary

Client: Weston Solutions, Inc.  
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

### Client Sample ID: EW-4 (Continued)

Lab Sample ID: 500-72399-19

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene - DL	530		5.0	1.9	ug/L	10		8260B	Total/NA

### Client Sample ID: EW-5

Lab Sample ID: 500-72399-20

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	100		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	3.0		1.0	0.17	ug/L	1		8260B	Total/NA

### Client Sample ID: EW-6

Lab Sample ID: 500-72399-21

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	4.2		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	7.1		1.0	0.17	ug/L	1		8260B	Total/NA

### Client Sample ID: EW-7

Lab Sample ID: 500-72399-22

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	4.2		1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	3.3		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	7.2		1.0	0.17	ug/L	1		8260B	Total/NA

### Client Sample ID: EW-8

Lab Sample ID: 500-72399-23

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,1-Dichloroethane	0.70	J	1.0	0.19	ug/L	1		8260B	Total/NA
cis-1,2-Dichloroethene	22		1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	7.0		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	64		1.0	0.17	ug/L	1		8260B	Total/NA

### Client Sample ID: EW-9

Lab Sample ID: 500-72399-24

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Acetone	7.7		5.0	1.3	ug/L	1		8260B	Total/NA
Trichloroethene	0.46	J	0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	99		1.0	0.17	ug/L	1		8260B	Total/NA

### Client Sample ID: EW-9 DUP

Lab Sample ID: 500-72399-25

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	0.48	J	0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	82		1.0	0.17	ug/L	1		8260B	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Chicago



# Method Summary

Client: Weston Solutions, Inc.  
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Method	Method Description	Protocol	Laboratory
8260B	VOC	SW846	TAL CHI

**Protocol References:**

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

TAL CHI = TestAmerica Chicago, 2417 Bond Street, University Park, IL 60484, TEL (708)534-5200



# Sample Summary

Client: Weston Solutions, Inc.  
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
500-72399-1	RFW-1A	Water	02/25/14 14:25	02/28/14 10:40
500-72399-2	RFW-1B	Water	02/25/14 16:10	02/28/14 10:40
500-72399-3	RFW-2A	Water	02/25/14 15:10	02/28/14 10:40
500-72399-4	RFW-2B	Water	02/25/14 15:40	02/28/14 10:40
500-72399-5	RFW-3B	Water	02/26/14 12:50	02/28/14 10:40
500-72399-6	RFW-4A	Water	02/27/14 11:05	02/28/14 10:40
500-72399-7	RFW-4A DUP	Water	02/27/14 11:05	02/28/14 10:40
500-72399-8	RFW-4B	Water	02/27/14 11:50	02/28/14 10:40
500-72399-9	RFW-6	Water	02/26/14 16:25	02/28/14 10:40
500-72399-10	RFW-7	Water	02/25/14 08:30	02/28/14 10:40
500-72399-11	RFW-9	Water	02/27/14 08:50	02/28/14 10:40
500-72399-12	RFW-11B	Water	02/27/14 10:10	02/28/14 10:40
500-72399-13	RFW-12B	Water	02/27/14 08:30	02/28/14 10:40
500-72399-14	RFW-13	Water	02/26/14 13:55	02/28/14 10:40
500-72399-15	RFW-17	Water	02/26/14 10:35	02/28/14 10:40
500-72399-16	Trip Blank	Water	02/25/14 08:00	02/28/14 10:40
500-72399-17	EW-2	Water	02/26/14 12:15	02/28/14 10:40
500-72399-18	EW-3	Water	02/26/14 16:20	02/28/14 10:40
500-72399-19	EW-4	Water	02/26/14 16:15	02/28/14 10:40
500-72399-20	EW-5	Water	02/26/14 16:30	02/28/14 10:40
500-72399-21	EW-6	Water	02/26/14 15:00	02/28/14 10:40
500-72399-22	EW-7	Water	02/26/14 15:10	02/28/14 10:40
500-72399-23	EW-8	Water	02/26/14 15:45	02/28/14 10:40
500-72399-24	EW-9	Water	02/26/14 15:55	02/28/14 10:40
500-72399-25	EW-9 DUP	Water	02/26/14 15:55	02/28/14 10:40

TestAmerica Chicago

# Client Sample Results

Client: Weston Solutions, Inc.  
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

**Client Sample ID: RFW-1A**

**Lab Sample ID: 500-72399-1**

Date Collected: 02/25/14 14:25

Matrix: Water

Date Received: 02/28/14 10:40

**Method: 8260B - VOC**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			03/03/14 13:06	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			03/03/14 13:06	1
Chloromethane	<1.0		1.0	0.18	ug/L			03/03/14 13:06	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			03/03/14 13:06	1
Bromomethane	<1.0		1.0	0.31	ug/L			03/03/14 13:06	1
Chloroethane	<1.0		1.0	0.34	ug/L			03/03/14 13:06	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			03/03/14 13:06	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			03/03/14 13:06	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			03/03/14 13:06	1
Acetone	<5.0		5.0	1.3	ug/L			03/03/14 13:06	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			03/03/14 13:06	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			03/03/14 13:06	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			03/03/14 13:06	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			03/03/14 13:06	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			03/03/14 13:06	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			03/03/14 13:06	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			03/03/14 13:06	1
Chloroform	<1.0		1.0	0.20	ug/L			03/03/14 13:06	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			03/03/14 13:06	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			03/03/14 13:06	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			03/03/14 13:06	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			03/03/14 13:06	1
Trichloroethene	<0.50		0.50	0.19	ug/L			03/03/14 13:06	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			03/03/14 13:06	1
Dibromomethane	<1.0		1.0	0.33	ug/L			03/03/14 13:06	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			03/03/14 13:06	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			03/03/14 13:06	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			03/03/14 13:06	1
<b>Toluene</b>	<b>0.45</b>	<b>J</b>	0.50	0.11	ug/L			03/03/14 13:06	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			03/03/14 13:06	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			03/03/14 13:06	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			03/03/14 13:06	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			03/03/14 13:06	1
2-Hexanone	<5.0		5.0	0.56	ug/L			03/03/14 13:06	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			03/03/14 13:06	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			03/03/14 13:06	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			03/03/14 13:06	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			03/03/14 13:06	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			03/03/14 13:06	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			03/03/14 13:06	1
o-Xylene	<0.50		0.50	0.068	ug/L			03/03/14 13:06	1
Styrene	<1.0		1.0	0.10	ug/L			03/03/14 13:06	1
Bromoform	<1.0		1.0	0.28	ug/L			03/03/14 13:06	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			03/03/14 13:06	1
Bromobenzene	<1.0		1.0	0.25	ug/L			03/03/14 13:06	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			03/03/14 13:06	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			03/03/14 13:06	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			03/03/14 13:06	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			03/03/14 13:06	1

TestAmerica Chicago

# Client Sample Results

Client: Weston Solutions, Inc.  
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: RFW-1A

Lab Sample ID: 500-72399-1

Date Collected: 02/25/14 14:25

Matrix: Water

Date Received: 02/28/14 10:40

**Method: 8260B - VOC (Continued)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			03/03/14 13:06	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			03/03/14 13:06	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			03/03/14 13:06	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			03/03/14 13:06	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			03/03/14 13:06	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			03/03/14 13:06	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			03/03/14 13:06	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			03/03/14 13:06	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			03/03/14 13:06	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			03/03/14 13:06	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			03/03/14 13:06	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			03/03/14 13:06	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			03/03/14 13:06	1
Naphthalene	<1.0		1.0	0.16	ug/L			03/03/14 13:06	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			03/03/14 13:06	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	102		75 - 125					03/03/14 13:06	1
Toluene-d8 (Surr)	97		75 - 120					03/03/14 13:06	1
4-Bromofluorobenzene (Surr)	112		75 - 120					03/03/14 13:06	1
Dibromofluoromethane	89		75 - 120					03/03/14 13:06	1

TestAmerica Chicago

# Client Sample Results

Client: Weston Solutions, Inc.  
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

**Client Sample ID: RFW-1B**

**Lab Sample ID: 500-72399-2**

Date Collected: 02/25/14 16:10

Matrix: Water

Date Received: 02/28/14 10:40

**Method: 8260B - VOC**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			03/03/14 13:31	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			03/03/14 13:31	1
Chloromethane	<1.0		1.0	0.18	ug/L			03/03/14 13:31	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			03/03/14 13:31	1
Bromomethane	<1.0		1.0	0.31	ug/L			03/03/14 13:31	1
Chloroethane	<1.0		1.0	0.34	ug/L			03/03/14 13:31	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			03/03/14 13:31	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			03/03/14 13:31	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			03/03/14 13:31	1
Acetone	<5.0		5.0	1.3	ug/L			03/03/14 13:31	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			03/03/14 13:31	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			03/03/14 13:31	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			03/03/14 13:31	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			03/03/14 13:31	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			03/03/14 13:31	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			03/03/14 13:31	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			03/03/14 13:31	1
Chloroform	<1.0		1.0	0.20	ug/L			03/03/14 13:31	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			03/03/14 13:31	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			03/03/14 13:31	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			03/03/14 13:31	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			03/03/14 13:31	1
Trichloroethene	<0.50		0.50	0.19	ug/L			03/03/14 13:31	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			03/03/14 13:31	1
Dibromomethane	<1.0		1.0	0.33	ug/L			03/03/14 13:31	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			03/03/14 13:31	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			03/03/14 13:31	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			03/03/14 13:31	1
<b>Toluene</b>	<b>0.43</b>	<b>J</b>	0.50	0.11	ug/L			03/03/14 13:31	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			03/03/14 13:31	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			03/03/14 13:31	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			03/03/14 13:31	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			03/03/14 13:31	1
2-Hexanone	<5.0		5.0	0.56	ug/L			03/03/14 13:31	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			03/03/14 13:31	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			03/03/14 13:31	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			03/03/14 13:31	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			03/03/14 13:31	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			03/03/14 13:31	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			03/03/14 13:31	1
o-Xylene	<0.50		0.50	0.068	ug/L			03/03/14 13:31	1
Styrene	<1.0		1.0	0.10	ug/L			03/03/14 13:31	1
Bromoform	<1.0		1.0	0.28	ug/L			03/03/14 13:31	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			03/03/14 13:31	1
Bromobenzene	<1.0		1.0	0.25	ug/L			03/03/14 13:31	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			03/03/14 13:31	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			03/03/14 13:31	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			03/03/14 13:31	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			03/03/14 13:31	1

TestAmerica Chicago

# Client Sample Results

Client: Weston Solutions, Inc.  
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

**Client Sample ID: RFW-1B**

**Lab Sample ID: 500-72399-2**

Date Collected: 02/25/14 16:10

Matrix: Water

Date Received: 02/28/14 10:40

**Method: 8260B - VOC (Continued)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			03/03/14 13:31	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			03/03/14 13:31	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			03/03/14 13:31	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			03/03/14 13:31	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			03/03/14 13:31	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			03/03/14 13:31	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			03/03/14 13:31	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			03/03/14 13:31	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			03/03/14 13:31	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			03/03/14 13:31	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			03/03/14 13:31	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			03/03/14 13:31	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			03/03/14 13:31	1
Naphthalene	<1.0		1.0	0.16	ug/L			03/03/14 13:31	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			03/03/14 13:31	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		75 - 125		03/03/14 13:31	1
Toluene-d8 (Surr)	96		75 - 120		03/03/14 13:31	1
4-Bromofluorobenzene (Surr)	108		75 - 120		03/03/14 13:31	1
Dibromofluoromethane	87		75 - 120		03/03/14 13:31	1

# Client Sample Results

Client: Weston Solutions, Inc.  
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

**Client Sample ID: RFW-2A**

**Lab Sample ID: 500-72399-3**

Date Collected: 02/25/14 15:10

Matrix: Water

Date Received: 02/28/14 10:40

**Method: 8260B - VOC**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			03/03/14 13:56	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			03/03/14 13:56	1
Chloromethane	<1.0		1.0	0.18	ug/L			03/03/14 13:56	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			03/03/14 13:56	1
Bromomethane	<1.0		1.0	0.31	ug/L			03/03/14 13:56	1
Chloroethane	<1.0		1.0	0.34	ug/L			03/03/14 13:56	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			03/03/14 13:56	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			03/03/14 13:56	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			03/03/14 13:56	1
Acetone	<5.0		5.0	1.3	ug/L			03/03/14 13:56	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			03/03/14 13:56	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			03/03/14 13:56	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			03/03/14 13:56	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			03/03/14 13:56	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			03/03/14 13:56	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			03/03/14 13:56	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			03/03/14 13:56	1
Chloroform	<1.0		1.0	0.20	ug/L			03/03/14 13:56	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			03/03/14 13:56	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			03/03/14 13:56	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			03/03/14 13:56	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			03/03/14 13:56	1
<b>Trichloroethene</b>	<b>0.31</b>	<b>J</b>	0.50	0.19	ug/L			03/03/14 13:56	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			03/03/14 13:56	1
Dibromomethane	<1.0		1.0	0.33	ug/L			03/03/14 13:56	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			03/03/14 13:56	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			03/03/14 13:56	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			03/03/14 13:56	1
Toluene	<0.50		0.50	0.11	ug/L			03/03/14 13:56	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			03/03/14 13:56	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			03/03/14 13:56	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			03/03/14 13:56	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			03/03/14 13:56	1
2-Hexanone	<5.0		5.0	0.56	ug/L			03/03/14 13:56	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			03/03/14 13:56	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			03/03/14 13:56	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			03/03/14 13:56	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			03/03/14 13:56	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			03/03/14 13:56	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			03/03/14 13:56	1
o-Xylene	<0.50		0.50	0.068	ug/L			03/03/14 13:56	1
Styrene	<1.0		1.0	0.10	ug/L			03/03/14 13:56	1
Bromoform	<1.0		1.0	0.28	ug/L			03/03/14 13:56	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			03/03/14 13:56	1
Bromobenzene	<1.0		1.0	0.25	ug/L			03/03/14 13:56	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			03/03/14 13:56	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			03/03/14 13:56	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			03/03/14 13:56	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			03/03/14 13:56	1

TestAmerica Chicago

# Client Sample Results

Client: Weston Solutions, Inc.  
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

**Client Sample ID: RFW-2A**

**Lab Sample ID: 500-72399-3**

Date Collected: 02/25/14 15:10

Matrix: Water

Date Received: 02/28/14 10:40

**Method: 8260B - VOC (Continued)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			03/03/14 13:56	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			03/03/14 13:56	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			03/03/14 13:56	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			03/03/14 13:56	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			03/03/14 13:56	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			03/03/14 13:56	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			03/03/14 13:56	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			03/03/14 13:56	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			03/03/14 13:56	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			03/03/14 13:56	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			03/03/14 13:56	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			03/03/14 13:56	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			03/03/14 13:56	1
Naphthalene	<1.0		1.0	0.16	ug/L			03/03/14 13:56	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			03/03/14 13:56	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		75 - 125		03/03/14 13:56	1
Toluene-d8 (Surr)	98		75 - 120		03/03/14 13:56	1
4-Bromofluorobenzene (Surr)	110		75 - 120		03/03/14 13:56	1
Dibromofluoromethane	88		75 - 120		03/03/14 13:56	1

TestAmerica Chicago



# Client Sample Results

Client: Weston Solutions, Inc.  
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

**Client Sample ID: RFW-2B**

**Lab Sample ID: 500-72399-4**

Date Collected: 02/25/14 15:40

Matrix: Water

Date Received: 02/28/14 10:40

**Method: 8260B - VOC**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			03/03/14 14:20	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			03/03/14 14:20	1
Chloromethane	<1.0		1.0	0.18	ug/L			03/03/14 14:20	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			03/03/14 14:20	1
Bromomethane	<1.0		1.0	0.31	ug/L			03/03/14 14:20	1
Chloroethane	<1.0		1.0	0.34	ug/L			03/03/14 14:20	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			03/03/14 14:20	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			03/03/14 14:20	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			03/03/14 14:20	1
Acetone	<5.0		5.0	1.3	ug/L			03/03/14 14:20	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			03/03/14 14:20	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			03/03/14 14:20	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			03/03/14 14:20	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			03/03/14 14:20	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			03/03/14 14:20	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			03/03/14 14:20	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			03/03/14 14:20	1
Chloroform	<1.0		1.0	0.20	ug/L			03/03/14 14:20	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			03/03/14 14:20	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			03/03/14 14:20	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			03/03/14 14:20	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			03/03/14 14:20	1
Trichloroethene	<0.50		0.50	0.19	ug/L			03/03/14 14:20	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			03/03/14 14:20	1
Dibromomethane	<1.0		1.0	0.33	ug/L			03/03/14 14:20	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			03/03/14 14:20	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			03/03/14 14:20	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			03/03/14 14:20	1
Toluene	<0.50		0.50	0.11	ug/L			03/03/14 14:20	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			03/03/14 14:20	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			03/03/14 14:20	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			03/03/14 14:20	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			03/03/14 14:20	1
2-Hexanone	<5.0		5.0	0.56	ug/L			03/03/14 14:20	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			03/03/14 14:20	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			03/03/14 14:20	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			03/03/14 14:20	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			03/03/14 14:20	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			03/03/14 14:20	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			03/03/14 14:20	1
o-Xylene	<0.50		0.50	0.068	ug/L			03/03/14 14:20	1
Styrene	<1.0		1.0	0.10	ug/L			03/03/14 14:20	1
Bromoform	<1.0		1.0	0.28	ug/L			03/03/14 14:20	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			03/03/14 14:20	1
Bromobenzene	<1.0		1.0	0.25	ug/L			03/03/14 14:20	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			03/03/14 14:20	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			03/03/14 14:20	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			03/03/14 14:20	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			03/03/14 14:20	1

TestAmerica Chicago

# Client Sample Results

Client: Weston Solutions, Inc.  
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

**Client Sample ID: RFW-2B**

**Lab Sample ID: 500-72399-4**

Date Collected: 02/25/14 15:40

Matrix: Water

Date Received: 02/28/14 10:40

**Method: 8260B - VOC (Continued)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			03/03/14 14:20	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			03/03/14 14:20	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			03/03/14 14:20	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			03/03/14 14:20	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			03/03/14 14:20	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			03/03/14 14:20	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			03/03/14 14:20	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			03/03/14 14:20	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			03/03/14 14:20	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			03/03/14 14:20	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			03/03/14 14:20	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			03/03/14 14:20	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			03/03/14 14:20	1
Naphthalene	<1.0		1.0	0.16	ug/L			03/03/14 14:20	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			03/03/14 14:20	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		75 - 125		03/03/14 14:20	1
Toluene-d8 (Surr)	95		75 - 120		03/03/14 14:20	1
4-Bromofluorobenzene (Surr)	110		75 - 120		03/03/14 14:20	1
Dibromofluoromethane	88		75 - 120		03/03/14 14:20	1

TestAmerica Chicago

# Client Sample Results

Client: Weston Solutions, Inc.  
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

**Client Sample ID: RFW-3B**

**Lab Sample ID: 500-72399-5**

Date Collected: 02/26/14 12:50

Matrix: Water

Date Received: 02/28/14 10:40

**Method: 8260B - VOC**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			03/03/14 14:45	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			03/03/14 14:45	1
Chloromethane	<1.0		1.0	0.18	ug/L			03/03/14 14:45	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			03/03/14 14:45	1
Bromomethane	<1.0		1.0	0.31	ug/L			03/03/14 14:45	1
Chloroethane	<1.0		1.0	0.34	ug/L			03/03/14 14:45	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			03/03/14 14:45	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			03/03/14 14:45	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			03/03/14 14:45	1
Acetone	<5.0		5.0	1.3	ug/L			03/03/14 14:45	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			03/03/14 14:45	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			03/03/14 14:45	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			03/03/14 14:45	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			03/03/14 14:45	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			03/03/14 14:45	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			03/03/14 14:45	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			03/03/14 14:45	1
Chloroform	<1.0		1.0	0.20	ug/L			03/03/14 14:45	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			03/03/14 14:45	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			03/03/14 14:45	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			03/03/14 14:45	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			03/03/14 14:45	1
Trichloroethene	<0.50		0.50	0.19	ug/L			03/03/14 14:45	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			03/03/14 14:45	1
Dibromomethane	<1.0		1.0	0.33	ug/L			03/03/14 14:45	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			03/03/14 14:45	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			03/03/14 14:45	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			03/03/14 14:45	1
Toluene	<0.50		0.50	0.11	ug/L			03/03/14 14:45	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			03/03/14 14:45	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			03/03/14 14:45	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			03/03/14 14:45	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			03/03/14 14:45	1
2-Hexanone	<5.0		5.0	0.56	ug/L			03/03/14 14:45	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			03/03/14 14:45	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			03/03/14 14:45	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			03/03/14 14:45	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			03/03/14 14:45	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			03/03/14 14:45	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			03/03/14 14:45	1
o-Xylene	<0.50		0.50	0.068	ug/L			03/03/14 14:45	1
Styrene	<1.0		1.0	0.10	ug/L			03/03/14 14:45	1
Bromoform	<1.0		1.0	0.28	ug/L			03/03/14 14:45	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			03/03/14 14:45	1
Bromobenzene	<1.0		1.0	0.25	ug/L			03/03/14 14:45	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			03/03/14 14:45	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			03/03/14 14:45	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			03/03/14 14:45	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			03/03/14 14:45	1

TestAmerica Chicago

# Client Sample Results

Client: Weston Solutions, Inc.  
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

**Client Sample ID: RFW-3B**

**Lab Sample ID: 500-72399-5**

Date Collected: 02/26/14 12:50

Matrix: Water

Date Received: 02/28/14 10:40

**Method: 8260B - VOC (Continued)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			03/03/14 14:45	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			03/03/14 14:45	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			03/03/14 14:45	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			03/03/14 14:45	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			03/03/14 14:45	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			03/03/14 14:45	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			03/03/14 14:45	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			03/03/14 14:45	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			03/03/14 14:45	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			03/03/14 14:45	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			03/03/14 14:45	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			03/03/14 14:45	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			03/03/14 14:45	1
Naphthalene	<1.0		1.0	0.16	ug/L			03/03/14 14:45	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			03/03/14 14:45	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		75 - 125		03/03/14 14:45	1
Toluene-d8 (Surr)	97		75 - 120		03/03/14 14:45	1
4-Bromofluorobenzene (Surr)	110		75 - 120		03/03/14 14:45	1
Dibromofluoromethane	88		75 - 120		03/03/14 14:45	1

TestAmerica Chicago

# Client Sample Results

Client: Weston Solutions, Inc.  
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

**Client Sample ID: RFW-4A**

**Lab Sample ID: 500-72399-6**

Date Collected: 02/27/14 11:05

Matrix: Water

Date Received: 02/28/14 10:40

**Method: 8260B - VOC**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			03/03/14 15:10	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			03/03/14 15:10	1
Chloromethane	<1.0		1.0	0.18	ug/L			03/03/14 15:10	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			03/03/14 15:10	1
Bromomethane	<1.0		1.0	0.31	ug/L			03/03/14 15:10	1
Chloroethane	<1.0		1.0	0.34	ug/L			03/03/14 15:10	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			03/03/14 15:10	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			03/03/14 15:10	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			03/03/14 15:10	1
Acetone	<5.0		5.0	1.3	ug/L			03/03/14 15:10	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			03/03/14 15:10	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			03/03/14 15:10	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			03/03/14 15:10	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			03/03/14 15:10	1
cis-1,2-Dichloroethene	0.53	J	1.0	0.12	ug/L			03/03/14 15:10	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			03/03/14 15:10	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			03/03/14 15:10	1
Chloroform	<1.0		1.0	0.20	ug/L			03/03/14 15:10	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			03/03/14 15:10	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			03/03/14 15:10	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			03/03/14 15:10	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			03/03/14 15:10	1
Trichloroethene	19		0.50	0.19	ug/L			03/03/14 15:10	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			03/03/14 15:10	1
Dibromomethane	<1.0		1.0	0.33	ug/L			03/03/14 15:10	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			03/03/14 15:10	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			03/03/14 15:10	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			03/03/14 15:10	1
Toluene	<0.50		0.50	0.11	ug/L			03/03/14 15:10	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			03/03/14 15:10	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			03/03/14 15:10	1
Tetrachloroethene	12		1.0	0.17	ug/L			03/03/14 15:10	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			03/03/14 15:10	1
2-Hexanone	<5.0		5.0	0.56	ug/L			03/03/14 15:10	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			03/03/14 15:10	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			03/03/14 15:10	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			03/03/14 15:10	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			03/03/14 15:10	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			03/03/14 15:10	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			03/03/14 15:10	1
o-Xylene	<0.50		0.50	0.068	ug/L			03/03/14 15:10	1
Styrene	<1.0		1.0	0.10	ug/L			03/03/14 15:10	1
Bromoform	<1.0		1.0	0.28	ug/L			03/03/14 15:10	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			03/03/14 15:10	1
Bromobenzene	<1.0		1.0	0.25	ug/L			03/03/14 15:10	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			03/03/14 15:10	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			03/03/14 15:10	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			03/03/14 15:10	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			03/03/14 15:10	1

TestAmerica Chicago

# Client Sample Results

Client: Weston Solutions, Inc.  
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

**Client Sample ID: RFW-4A**

**Lab Sample ID: 500-72399-6**

Date Collected: 02/27/14 11:05

Matrix: Water

Date Received: 02/28/14 10:40

**Method: 8260B - VOC (Continued)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			03/03/14 15:10	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			03/03/14 15:10	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			03/03/14 15:10	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			03/03/14 15:10	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			03/03/14 15:10	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			03/03/14 15:10	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			03/03/14 15:10	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			03/03/14 15:10	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			03/03/14 15:10	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			03/03/14 15:10	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			03/03/14 15:10	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			03/03/14 15:10	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			03/03/14 15:10	1
Naphthalene	<1.0		1.0	0.16	ug/L			03/03/14 15:10	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			03/03/14 15:10	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		75 - 125		03/03/14 15:10	1
Toluene-d8 (Surr)	97		75 - 120		03/03/14 15:10	1
4-Bromofluorobenzene (Surr)	109		75 - 120		03/03/14 15:10	1
Dibromofluoromethane	89		75 - 120		03/03/14 15:10	1



# Client Sample Results

Client: Weston Solutions, Inc.  
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

**Client Sample ID: RFW-4A DUP**

**Lab Sample ID: 500-72399-7**

Date Collected: 02/27/14 11:05

Matrix: Water

Date Received: 02/28/14 10:40

**Method: 8260B - VOC**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			03/03/14 15:35	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			03/03/14 15:35	1
Chloromethane	<1.0		1.0	0.18	ug/L			03/03/14 15:35	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			03/03/14 15:35	1
Bromomethane	<1.0		1.0	0.31	ug/L			03/03/14 15:35	1
Chloroethane	<1.0		1.0	0.34	ug/L			03/03/14 15:35	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			03/03/14 15:35	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			03/03/14 15:35	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			03/03/14 15:35	1
Acetone	<5.0		5.0	1.3	ug/L			03/03/14 15:35	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			03/03/14 15:35	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			03/03/14 15:35	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			03/03/14 15:35	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			03/03/14 15:35	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			03/03/14 15:35	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			03/03/14 15:35	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			03/03/14 15:35	1
Chloroform	<1.0		1.0	0.20	ug/L			03/03/14 15:35	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			03/03/14 15:35	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			03/03/14 15:35	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			03/03/14 15:35	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			03/03/14 15:35	1
<b>Trichloroethene</b>	<b>21</b>		0.50	0.19	ug/L			03/03/14 15:35	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			03/03/14 15:35	1
Dibromomethane	<1.0		1.0	0.33	ug/L			03/03/14 15:35	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			03/03/14 15:35	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			03/03/14 15:35	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			03/03/14 15:35	1
Toluene	<0.50		0.50	0.11	ug/L			03/03/14 15:35	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			03/03/14 15:35	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			03/03/14 15:35	1
<b>Tetrachloroethene</b>	<b>13</b>		1.0	0.17	ug/L			03/03/14 15:35	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			03/03/14 15:35	1
2-Hexanone	<5.0		5.0	0.56	ug/L			03/03/14 15:35	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			03/03/14 15:35	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			03/03/14 15:35	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			03/03/14 15:35	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			03/03/14 15:35	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			03/03/14 15:35	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			03/03/14 15:35	1
o-Xylene	<0.50		0.50	0.068	ug/L			03/03/14 15:35	1
Styrene	<1.0		1.0	0.10	ug/L			03/03/14 15:35	1
Bromoform	<1.0		1.0	0.28	ug/L			03/03/14 15:35	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			03/03/14 15:35	1
Bromobenzene	<1.0		1.0	0.25	ug/L			03/03/14 15:35	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			03/03/14 15:35	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			03/03/14 15:35	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			03/03/14 15:35	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			03/03/14 15:35	1

TestAmerica Chicago

# Client Sample Results

Client: Weston Solutions, Inc.  
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

**Client Sample ID: RFW-4A DUP**

**Lab Sample ID: 500-72399-7**

Date Collected: 02/27/14 11:05

Matrix: Water

Date Received: 02/28/14 10:40

**Method: 8260B - VOC (Continued)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			03/03/14 15:35	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			03/03/14 15:35	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			03/03/14 15:35	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			03/03/14 15:35	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			03/03/14 15:35	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			03/03/14 15:35	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			03/03/14 15:35	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			03/03/14 15:35	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			03/03/14 15:35	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			03/03/14 15:35	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			03/03/14 15:35	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			03/03/14 15:35	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			03/03/14 15:35	1
Naphthalene	<1.0		1.0	0.16	ug/L			03/03/14 15:35	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			03/03/14 15:35	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	102		75 - 125					03/03/14 15:35	1
Toluene-d8 (Surr)	96		75 - 120					03/03/14 15:35	1
4-Bromofluorobenzene (Surr)	113		75 - 120					03/03/14 15:35	1
Dibromofluoromethane	87		75 - 120					03/03/14 15:35	1

TestAmerica Chicago



# Client Sample Results

Client: Weston Solutions, Inc.  
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

**Client Sample ID: RFW-4B**

**Lab Sample ID: 500-72399-8**

Date Collected: 02/27/14 11:50

Matrix: Water

Date Received: 02/28/14 10:40

**Method: 8260B - VOC**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			03/03/14 16:00	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			03/03/14 16:00	1
Chloromethane	<1.0		1.0	0.18	ug/L			03/03/14 16:00	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			03/03/14 16:00	1
Bromomethane	<1.0		1.0	0.31	ug/L			03/03/14 16:00	1
Chloroethane	<1.0		1.0	0.34	ug/L			03/03/14 16:00	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			03/03/14 16:00	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			03/03/14 16:00	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			03/03/14 16:00	1
Acetone	<5.0		5.0	1.3	ug/L			03/03/14 16:00	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			03/03/14 16:00	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			03/03/14 16:00	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			03/03/14 16:00	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			03/03/14 16:00	1
cis-1,2-Dichloroethene	2.4		1.0	0.12	ug/L			03/03/14 16:00	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			03/03/14 16:00	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			03/03/14 16:00	1
<b>Chloroform</b>	1.1		1.0	0.20	ug/L			03/03/14 16:00	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			03/03/14 16:00	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			03/03/14 16:00	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			03/03/14 16:00	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			03/03/14 16:00	1
<b>Trichloroethene</b>	44		0.50	0.19	ug/L			03/03/14 16:00	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			03/03/14 16:00	1
Dibromomethane	<1.0		1.0	0.33	ug/L			03/03/14 16:00	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			03/03/14 16:00	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			03/03/14 16:00	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			03/03/14 16:00	1
Toluene	<0.50		0.50	0.11	ug/L			03/03/14 16:00	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			03/03/14 16:00	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			03/03/14 16:00	1
<b>Tetrachloroethene</b>	69		1.0	0.17	ug/L			03/03/14 16:00	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			03/03/14 16:00	1
2-Hexanone	<5.0		5.0	0.56	ug/L			03/03/14 16:00	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			03/03/14 16:00	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			03/03/14 16:00	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			03/03/14 16:00	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			03/03/14 16:00	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			03/03/14 16:00	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			03/03/14 16:00	1
o-Xylene	<0.50		0.50	0.068	ug/L			03/03/14 16:00	1
Styrene	<1.0		1.0	0.10	ug/L			03/03/14 16:00	1
Bromoform	<1.0		1.0	0.28	ug/L			03/03/14 16:00	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			03/03/14 16:00	1
Bromobenzene	<1.0		1.0	0.25	ug/L			03/03/14 16:00	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			03/03/14 16:00	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			03/03/14 16:00	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			03/03/14 16:00	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			03/03/14 16:00	1

TestAmerica Chicago

# Client Sample Results

Client: Weston Solutions, Inc.  
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

**Client Sample ID: RFW-4B**

**Lab Sample ID: 500-72399-8**

Date Collected: 02/27/14 11:50

Matrix: Water

Date Received: 02/28/14 10:40

**Method: 8260B - VOC (Continued)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			03/03/14 16:00	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			03/03/14 16:00	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			03/03/14 16:00	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			03/03/14 16:00	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			03/03/14 16:00	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			03/03/14 16:00	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			03/03/14 16:00	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			03/03/14 16:00	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			03/03/14 16:00	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			03/03/14 16:00	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			03/03/14 16:00	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			03/03/14 16:00	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			03/03/14 16:00	1
Naphthalene	<1.0		1.0	0.16	ug/L			03/03/14 16:00	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			03/03/14 16:00	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	104		75 - 125					03/03/14 16:00	1
Toluene-d8 (Surr)	96		75 - 120					03/03/14 16:00	1
4-Bromofluorobenzene (Surr)	111		75 - 120					03/03/14 16:00	1
Dibromofluoromethane	87		75 - 120					03/03/14 16:00	1

TestAmerica Chicago

# Client Sample Results

Client: Weston Solutions, Inc.  
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

**Client Sample ID: RFW-6**

**Lab Sample ID: 500-72399-9**

Date Collected: 02/26/14 16:25

Matrix: Water

Date Received: 02/28/14 10:40

**Method: 8260B - VOC**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			03/03/14 16:25	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			03/03/14 16:25	1
Chloromethane	<1.0		1.0	0.18	ug/L			03/03/14 16:25	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			03/03/14 16:25	1
Bromomethane	<1.0		1.0	0.31	ug/L			03/03/14 16:25	1
Chloroethane	<1.0		1.0	0.34	ug/L			03/03/14 16:25	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			03/03/14 16:25	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			03/03/14 16:25	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			03/03/14 16:25	1
Acetone	<5.0		5.0	1.3	ug/L			03/03/14 16:25	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			03/03/14 16:25	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			03/03/14 16:25	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			03/03/14 16:25	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			03/03/14 16:25	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			03/03/14 16:25	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			03/03/14 16:25	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			03/03/14 16:25	1
Chloroform	<1.0		1.0	0.20	ug/L			03/03/14 16:25	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			03/03/14 16:25	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			03/03/14 16:25	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			03/03/14 16:25	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			03/03/14 16:25	1
Trichloroethene	<0.50		0.50	0.19	ug/L			03/03/14 16:25	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			03/03/14 16:25	1
Dibromomethane	<1.0		1.0	0.33	ug/L			03/03/14 16:25	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			03/03/14 16:25	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			03/03/14 16:25	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			03/03/14 16:25	1
Toluene	<0.50		0.50	0.11	ug/L			03/03/14 16:25	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			03/03/14 16:25	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			03/03/14 16:25	1
<b>Tetrachloroethene</b>	<b>0.50</b>	<b>J</b>	1.0	0.17	ug/L			03/03/14 16:25	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			03/03/14 16:25	1
2-Hexanone	<5.0		5.0	0.56	ug/L			03/03/14 16:25	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			03/03/14 16:25	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			03/03/14 16:25	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			03/03/14 16:25	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			03/03/14 16:25	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			03/03/14 16:25	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			03/03/14 16:25	1
o-Xylene	<0.50		0.50	0.068	ug/L			03/03/14 16:25	1
Styrene	<1.0		1.0	0.10	ug/L			03/03/14 16:25	1
Bromoform	<1.0		1.0	0.28	ug/L			03/03/14 16:25	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			03/03/14 16:25	1
Bromobenzene	<1.0		1.0	0.25	ug/L			03/03/14 16:25	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			03/03/14 16:25	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			03/03/14 16:25	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			03/03/14 16:25	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			03/03/14 16:25	1

TestAmerica Chicago

# Client Sample Results

Client: Weston Solutions, Inc.  
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

**Client Sample ID: RFW-6**  
**Date Collected: 02/26/14 16:25**  
**Date Received: 02/28/14 10:40**

**Lab Sample ID: 500-72399-9**  
**Matrix: Water**

**Method: 8260B - VOC (Continued)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			03/03/14 16:25	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			03/03/14 16:25	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			03/03/14 16:25	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			03/03/14 16:25	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			03/03/14 16:25	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			03/03/14 16:25	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			03/03/14 16:25	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			03/03/14 16:25	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			03/03/14 16:25	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			03/03/14 16:25	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			03/03/14 16:25	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			03/03/14 16:25	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			03/03/14 16:25	1
Naphthalene	<1.0		1.0	0.16	ug/L			03/03/14 16:25	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			03/03/14 16:25	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		75 - 125		03/03/14 16:25	1
Toluene-d8 (Surr)	96		75 - 120		03/03/14 16:25	1
4-Bromofluorobenzene (Surr)	111		75 - 120		03/03/14 16:25	1
Dibromofluoromethane	89		75 - 120		03/03/14 16:25	1

# Client Sample Results

Client: Weston Solutions, Inc.  
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

**Client Sample ID: RFW-7**

Date Collected: 02/25/14 08:30

Date Received: 02/28/14 10:40

**Lab Sample ID: 500-72399-10**

Matrix: Water

**Method: 8260B - VOC**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.22	J	0.50	0.074	ug/L			03/03/14 16:50	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			03/03/14 16:50	1
Chloromethane	<1.0		1.0	0.18	ug/L			03/03/14 16:50	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			03/03/14 16:50	1
Bromomethane	<1.0		1.0	0.31	ug/L			03/03/14 16:50	1
Chloroethane	<1.0		1.0	0.34	ug/L			03/03/14 16:50	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			03/03/14 16:50	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			03/03/14 16:50	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			03/03/14 16:50	1
Acetone	<5.0		5.0	1.3	ug/L			03/03/14 16:50	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			03/03/14 16:50	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			03/03/14 16:50	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			03/03/14 16:50	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			03/03/14 16:50	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			03/03/14 16:50	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			03/03/14 16:50	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			03/03/14 16:50	1
Chloroform	<1.0		1.0	0.20	ug/L			03/03/14 16:50	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			03/03/14 16:50	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			03/03/14 16:50	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			03/03/14 16:50	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			03/03/14 16:50	1
Trichloroethene	1.4		0.50	0.19	ug/L			03/03/14 16:50	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			03/03/14 16:50	1
Dibromomethane	<1.0		1.0	0.33	ug/L			03/03/14 16:50	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			03/03/14 16:50	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			03/03/14 16:50	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			03/03/14 16:50	1
Toluene	<0.50		0.50	0.11	ug/L			03/03/14 16:50	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			03/03/14 16:50	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			03/03/14 16:50	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			03/03/14 16:50	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			03/03/14 16:50	1
2-Hexanone	<5.0		5.0	0.56	ug/L			03/03/14 16:50	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			03/03/14 16:50	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			03/03/14 16:50	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			03/03/14 16:50	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			03/03/14 16:50	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			03/03/14 16:50	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			03/03/14 16:50	1
o-Xylene	<0.50		0.50	0.068	ug/L			03/03/14 16:50	1
Styrene	<1.0		1.0	0.10	ug/L			03/03/14 16:50	1
Bromoform	<1.0		1.0	0.28	ug/L			03/03/14 16:50	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			03/03/14 16:50	1
Bromobenzene	<1.0		1.0	0.25	ug/L			03/03/14 16:50	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			03/03/14 16:50	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			03/03/14 16:50	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			03/03/14 16:50	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			03/03/14 16:50	1

TestAmerica Chicago

# Client Sample Results

Client: Weston Solutions, Inc.  
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

**Client Sample ID: RFW-7**

**Lab Sample ID: 500-72399-10**

Date Collected: 02/25/14 08:30

Matrix: Water

Date Received: 02/28/14 10:40

**Method: 8260B - VOC (Continued)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			03/03/14 16:50	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			03/03/14 16:50	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			03/03/14 16:50	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			03/03/14 16:50	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			03/03/14 16:50	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			03/03/14 16:50	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			03/03/14 16:50	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			03/03/14 16:50	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			03/03/14 16:50	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			03/03/14 16:50	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			03/03/14 16:50	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			03/03/14 16:50	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			03/03/14 16:50	1
Naphthalene	<1.0		1.0	0.16	ug/L			03/03/14 16:50	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			03/03/14 16:50	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		75 - 125		03/03/14 16:50	1
Toluene-d8 (Surr)	97		75 - 120		03/03/14 16:50	1
4-Bromofluorobenzene (Surr)	109		75 - 120		03/03/14 16:50	1
Dibromofluoromethane	89		75 - 120		03/03/14 16:50	1

TestAmerica Chicago

# Client Sample Results

Client: Weston Solutions, Inc.  
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

**Client Sample ID: RFW-9**

**Lab Sample ID: 500-72399-11**

Date Collected: 02/27/14 08:50

Matrix: Water

Date Received: 02/28/14 10:40

**Method: 8260B - VOC**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			03/03/14 17:15	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			03/03/14 17:15	1
Chloromethane	<1.0		1.0	0.18	ug/L			03/03/14 17:15	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			03/03/14 17:15	1
Bromomethane	<1.0		1.0	0.31	ug/L			03/03/14 17:15	1
Chloroethane	<1.0		1.0	0.34	ug/L			03/03/14 17:15	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			03/03/14 17:15	1
<b>1,1-Dichloroethene</b>	<b>0.52</b>	<b>J</b>	1.0	0.31	ug/L			03/03/14 17:15	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			03/03/14 17:15	1
Acetone	<5.0		5.0	1.3	ug/L			03/03/14 17:15	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			03/03/14 17:15	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			03/03/14 17:15	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			03/03/14 17:15	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			03/03/14 17:15	1
<b>cis-1,2-Dichloroethene</b>	<b>7.9</b>		1.0	0.12	ug/L			03/03/14 17:15	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			03/03/14 17:15	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			03/03/14 17:15	1
Chloroform	<1.0		1.0	0.20	ug/L			03/03/14 17:15	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			03/03/14 17:15	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			03/03/14 17:15	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			03/03/14 17:15	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			03/03/14 17:15	1
<b>Trichloroethene</b>	<b>7.2</b>		0.50	0.19	ug/L			03/03/14 17:15	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			03/03/14 17:15	1
Dibromomethane	<1.0		1.0	0.33	ug/L			03/03/14 17:15	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			03/03/14 17:15	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			03/03/14 17:15	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			03/03/14 17:15	1
Toluene	<0.50		0.50	0.11	ug/L			03/03/14 17:15	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			03/03/14 17:15	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			03/03/14 17:15	1
<b>Tetrachloroethene</b>	<b>3.1</b>		1.0	0.17	ug/L			03/03/14 17:15	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			03/03/14 17:15	1
2-Hexanone	<5.0		5.0	0.56	ug/L			03/03/14 17:15	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			03/03/14 17:15	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			03/03/14 17:15	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			03/03/14 17:15	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			03/03/14 17:15	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			03/03/14 17:15	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			03/03/14 17:15	1
o-Xylene	<0.50		0.50	0.068	ug/L			03/03/14 17:15	1
Styrene	<1.0		1.0	0.10	ug/L			03/03/14 17:15	1
Bromoform	<1.0		1.0	0.28	ug/L			03/03/14 17:15	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			03/03/14 17:15	1
Bromobenzene	<1.0		1.0	0.25	ug/L			03/03/14 17:15	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			03/03/14 17:15	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			03/03/14 17:15	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			03/03/14 17:15	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			03/03/14 17:15	1

TestAmerica Chicago

# Client Sample Results

Client: Weston Solutions, Inc.  
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

**Client Sample ID: RFW-9**  
Date Collected: 02/27/14 08:50  
Date Received: 02/28/14 10:40

**Lab Sample ID: 500-72399-11**  
Matrix: Water

**Method: 8260B - VOC (Continued)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			03/03/14 17:15	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			03/03/14 17:15	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			03/03/14 17:15	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			03/03/14 17:15	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			03/03/14 17:15	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			03/03/14 17:15	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			03/03/14 17:15	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			03/03/14 17:15	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			03/03/14 17:15	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			03/03/14 17:15	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			03/03/14 17:15	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			03/03/14 17:15	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			03/03/14 17:15	1
Naphthalene	<1.0		1.0	0.16	ug/L			03/03/14 17:15	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			03/03/14 17:15	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		75 - 125		03/03/14 17:15	1
Toluene-d8 (Surr)	96		75 - 120		03/03/14 17:15	1
4-Bromofluorobenzene (Surr)	111		75 - 120		03/03/14 17:15	1
Dibromofluoromethane	89		75 - 120		03/03/14 17:15	1

TestAmerica Chicago



# Client Sample Results

Client: Weston Solutions, Inc.  
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

**Client Sample ID: RFW-11B**

**Lab Sample ID: 500-72399-12**

Date Collected: 02/27/14 10:10

Matrix: Water

Date Received: 02/28/14 10:40

**Method: 8260B - VOC**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			03/03/14 17:39	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			03/03/14 17:39	1
Chloromethane	<1.0		1.0	0.18	ug/L			03/03/14 17:39	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			03/03/14 17:39	1
Bromomethane	<1.0		1.0	0.31	ug/L			03/03/14 17:39	1
Chloroethane	<1.0		1.0	0.34	ug/L			03/03/14 17:39	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			03/03/14 17:39	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			03/03/14 17:39	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			03/03/14 17:39	1
Acetone	<5.0		5.0	1.3	ug/L			03/03/14 17:39	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			03/03/14 17:39	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			03/03/14 17:39	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			03/03/14 17:39	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			03/03/14 17:39	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			03/03/14 17:39	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			03/03/14 17:39	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			03/03/14 17:39	1
Chloroform	<1.0		1.0	0.20	ug/L			03/03/14 17:39	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			03/03/14 17:39	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			03/03/14 17:39	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			03/03/14 17:39	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			03/03/14 17:39	1
<b>Trichloroethene</b>	<b>3.0</b>		0.50	0.19	ug/L			03/03/14 17:39	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			03/03/14 17:39	1
Dibromomethane	<1.0		1.0	0.33	ug/L			03/03/14 17:39	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			03/03/14 17:39	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			03/03/14 17:39	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			03/03/14 17:39	1
Toluene	<0.50		0.50	0.11	ug/L			03/03/14 17:39	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			03/03/14 17:39	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			03/03/14 17:39	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			03/03/14 17:39	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			03/03/14 17:39	1
2-Hexanone	<5.0		5.0	0.56	ug/L			03/03/14 17:39	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			03/03/14 17:39	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			03/03/14 17:39	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			03/03/14 17:39	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			03/03/14 17:39	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			03/03/14 17:39	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			03/03/14 17:39	1
o-Xylene	<0.50		0.50	0.068	ug/L			03/03/14 17:39	1
Styrene	<1.0		1.0	0.10	ug/L			03/03/14 17:39	1
Bromoform	<1.0		1.0	0.28	ug/L			03/03/14 17:39	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			03/03/14 17:39	1
Bromobenzene	<1.0		1.0	0.25	ug/L			03/03/14 17:39	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			03/03/14 17:39	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			03/03/14 17:39	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			03/03/14 17:39	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			03/03/14 17:39	1

TestAmerica Chicago

# Client Sample Results

Client: Weston Solutions, Inc.  
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

**Client Sample ID: RFW-11B**

**Lab Sample ID: 500-72399-12**

Date Collected: 02/27/14 10:10

Matrix: Water

Date Received: 02/28/14 10:40

**Method: 8260B - VOC (Continued)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			03/03/14 17:39	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			03/03/14 17:39	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			03/03/14 17:39	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			03/03/14 17:39	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			03/03/14 17:39	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			03/03/14 17:39	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			03/03/14 17:39	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			03/03/14 17:39	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			03/03/14 17:39	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			03/03/14 17:39	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			03/03/14 17:39	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			03/03/14 17:39	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			03/03/14 17:39	1
Naphthalene	<1.0		1.0	0.16	ug/L			03/03/14 17:39	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			03/03/14 17:39	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		75 - 125		03/03/14 17:39	1
Toluene-d8 (Surr)	96		75 - 120		03/03/14 17:39	1
4-Bromofluorobenzene (Surr)	113		75 - 120		03/03/14 17:39	1
Dibromofluoromethane	88		75 - 120		03/03/14 17:39	1

TestAmerica Chicago

# Client Sample Results

Client: Weston Solutions, Inc.  
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

**Client Sample ID: RFW-12B**

**Lab Sample ID: 500-72399-13**

Date Collected: 02/27/14 08:30

Matrix: Water

Date Received: 02/28/14 10:40

**Method: 8260B - VOC**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			03/03/14 18:04	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			03/03/14 18:04	1
Chloromethane	<1.0		1.0	0.18	ug/L			03/03/14 18:04	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			03/03/14 18:04	1
Bromomethane	<1.0		1.0	0.31	ug/L			03/03/14 18:04	1
Chloroethane	<1.0		1.0	0.34	ug/L			03/03/14 18:04	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			03/03/14 18:04	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			03/03/14 18:04	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			03/03/14 18:04	1
Acetone	<5.0		5.0	1.3	ug/L			03/03/14 18:04	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			03/03/14 18:04	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			03/03/14 18:04	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			03/03/14 18:04	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			03/03/14 18:04	1
cis-1,2-Dichloroethene	1.2		1.0	0.12	ug/L			03/03/14 18:04	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			03/03/14 18:04	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			03/03/14 18:04	1
Chloroform	<1.0		1.0	0.20	ug/L			03/03/14 18:04	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			03/03/14 18:04	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			03/03/14 18:04	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			03/03/14 18:04	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			03/03/14 18:04	1
Trichloroethene	60		0.50	0.19	ug/L			03/03/14 18:04	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			03/03/14 18:04	1
Dibromomethane	<1.0		1.0	0.33	ug/L			03/03/14 18:04	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			03/03/14 18:04	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			03/03/14 18:04	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			03/03/14 18:04	1
Toluene	<0.50		0.50	0.11	ug/L			03/03/14 18:04	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			03/03/14 18:04	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			03/03/14 18:04	1
Tetrachloroethene	4.9		1.0	0.17	ug/L			03/03/14 18:04	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			03/03/14 18:04	1
2-Hexanone	<5.0		5.0	0.56	ug/L			03/03/14 18:04	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			03/03/14 18:04	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			03/03/14 18:04	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			03/03/14 18:04	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			03/03/14 18:04	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			03/03/14 18:04	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			03/03/14 18:04	1
o-Xylene	<0.50		0.50	0.068	ug/L			03/03/14 18:04	1
Styrene	<1.0		1.0	0.10	ug/L			03/03/14 18:04	1
Bromoform	<1.0		1.0	0.28	ug/L			03/03/14 18:04	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			03/03/14 18:04	1
Bromobenzene	<1.0		1.0	0.25	ug/L			03/03/14 18:04	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			03/03/14 18:04	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			03/03/14 18:04	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			03/03/14 18:04	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			03/03/14 18:04	1

TestAmerica Chicago

# Client Sample Results

Client: Weston Solutions, Inc.  
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

**Client Sample ID: RFW-12B**

**Lab Sample ID: 500-72399-13**

Date Collected: 02/27/14 08:30

Matrix: Water

Date Received: 02/28/14 10:40

**Method: 8260B - VOC (Continued)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			03/03/14 18:04	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			03/03/14 18:04	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			03/03/14 18:04	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			03/03/14 18:04	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			03/03/14 18:04	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			03/03/14 18:04	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			03/03/14 18:04	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			03/03/14 18:04	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			03/03/14 18:04	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			03/03/14 18:04	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			03/03/14 18:04	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			03/03/14 18:04	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			03/03/14 18:04	1
Naphthalene	<1.0		1.0	0.16	ug/L			03/03/14 18:04	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			03/03/14 18:04	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	106		75 - 125		03/03/14 18:04	1
Toluene-d8 (Surr)	96		75 - 120		03/03/14 18:04	1
4-Bromofluorobenzene (Surr)	112		75 - 120		03/03/14 18:04	1
Dibromofluoromethane	88		75 - 120		03/03/14 18:04	1

TestAmerica Chicago

# Client Sample Results

Client: Weston Solutions, Inc.  
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

**Client Sample ID: RFW-13**

**Lab Sample ID: 500-72399-14**

Date Collected: 02/26/14 13:55

Matrix: Water

Date Received: 02/28/14 10:40

**Method: 8260B - VOC**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			03/03/14 18:29	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			03/03/14 18:29	1
Chloromethane	<1.0		1.0	0.18	ug/L			03/03/14 18:29	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			03/03/14 18:29	1
Bromomethane	<1.0		1.0	0.31	ug/L			03/03/14 18:29	1
Chloroethane	<1.0		1.0	0.34	ug/L			03/03/14 18:29	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			03/03/14 18:29	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			03/03/14 18:29	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			03/03/14 18:29	1
Acetone	<5.0		5.0	1.3	ug/L			03/03/14 18:29	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			03/03/14 18:29	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			03/03/14 18:29	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			03/03/14 18:29	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			03/03/14 18:29	1
cis-1,2-Dichloroethene	0.70	J	1.0	0.12	ug/L			03/03/14 18:29	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			03/03/14 18:29	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			03/03/14 18:29	1
Chloroform	<1.0		1.0	0.20	ug/L			03/03/14 18:29	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			03/03/14 18:29	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			03/03/14 18:29	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			03/03/14 18:29	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			03/03/14 18:29	1
Trichloroethene	2.3		0.50	0.19	ug/L			03/03/14 18:29	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			03/03/14 18:29	1
Dibromomethane	<1.0		1.0	0.33	ug/L			03/03/14 18:29	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			03/03/14 18:29	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			03/03/14 18:29	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			03/03/14 18:29	1
Toluene	<0.50		0.50	0.11	ug/L			03/03/14 18:29	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			03/03/14 18:29	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			03/03/14 18:29	1
Tetrachloroethene	15		1.0	0.17	ug/L			03/03/14 18:29	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			03/03/14 18:29	1
2-Hexanone	<5.0		5.0	0.56	ug/L			03/03/14 18:29	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			03/03/14 18:29	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			03/03/14 18:29	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			03/03/14 18:29	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			03/03/14 18:29	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			03/03/14 18:29	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			03/03/14 18:29	1
o-Xylene	<0.50		0.50	0.068	ug/L			03/03/14 18:29	1
Styrene	<1.0		1.0	0.10	ug/L			03/03/14 18:29	1
Bromoform	<1.0		1.0	0.28	ug/L			03/03/14 18:29	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			03/03/14 18:29	1
Bromobenzene	<1.0		1.0	0.25	ug/L			03/03/14 18:29	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			03/03/14 18:29	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			03/03/14 18:29	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			03/03/14 18:29	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			03/03/14 18:29	1

TestAmerica Chicago

# Client Sample Results

Client: Weston Solutions, Inc.  
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: RFW-13

Lab Sample ID: 500-72399-14

Date Collected: 02/26/14 13:55

Matrix: Water

Date Received: 02/28/14 10:40

**Method: 8260B - VOC (Continued)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			03/03/14 18:29	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			03/03/14 18:29	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			03/03/14 18:29	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			03/03/14 18:29	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			03/03/14 18:29	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			03/03/14 18:29	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			03/03/14 18:29	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			03/03/14 18:29	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			03/03/14 18:29	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			03/03/14 18:29	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			03/03/14 18:29	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			03/03/14 18:29	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			03/03/14 18:29	1
Naphthalene	<1.0		1.0	0.16	ug/L			03/03/14 18:29	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			03/03/14 18:29	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		75 - 125		03/03/14 18:29	1
Toluene-d8 (Surr)	95		75 - 120		03/03/14 18:29	1
4-Bromofluorobenzene (Surr)	111		75 - 120		03/03/14 18:29	1
Dibromofluoromethane	89		75 - 120		03/03/14 18:29	1

TestAmerica Chicago

# Client Sample Results

Client: Weston Solutions, Inc.  
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

**Client Sample ID: RFW-17**

**Lab Sample ID: 500-72399-15**

Date Collected: 02/26/14 10:35

Matrix: Water

Date Received: 02/28/14 10:40

**Method: 8260B - VOC**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			03/03/14 18:54	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			03/03/14 18:54	1
Chloromethane	<1.0		1.0	0.18	ug/L			03/03/14 18:54	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			03/03/14 18:54	1
Bromomethane	<1.0		1.0	0.31	ug/L			03/03/14 18:54	1
Chloroethane	<1.0		1.0	0.34	ug/L			03/03/14 18:54	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			03/03/14 18:54	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			03/03/14 18:54	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			03/03/14 18:54	1
Acetone	<5.0		5.0	1.3	ug/L			03/03/14 18:54	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			03/03/14 18:54	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			03/03/14 18:54	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			03/03/14 18:54	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			03/03/14 18:54	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			03/03/14 18:54	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			03/03/14 18:54	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			03/03/14 18:54	1
Chloroform	<1.0		1.0	0.20	ug/L			03/03/14 18:54	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			03/03/14 18:54	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			03/03/14 18:54	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			03/03/14 18:54	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			03/03/14 18:54	1
Trichloroethene	<0.50		0.50	0.19	ug/L			03/03/14 18:54	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			03/03/14 18:54	1
Dibromomethane	<1.0		1.0	0.33	ug/L			03/03/14 18:54	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			03/03/14 18:54	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			03/03/14 18:54	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			03/03/14 18:54	1
<b>Toluene</b>	<b>0.38</b>	<b>J</b>	0.50	0.11	ug/L			03/03/14 18:54	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			03/03/14 18:54	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			03/03/14 18:54	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			03/03/14 18:54	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			03/03/14 18:54	1
2-Hexanone	<5.0		5.0	0.56	ug/L			03/03/14 18:54	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			03/03/14 18:54	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			03/03/14 18:54	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			03/03/14 18:54	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			03/03/14 18:54	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			03/03/14 18:54	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			03/03/14 18:54	1
o-Xylene	<0.50		0.50	0.068	ug/L			03/03/14 18:54	1
Styrene	<1.0		1.0	0.10	ug/L			03/03/14 18:54	1
Bromoform	<1.0		1.0	0.28	ug/L			03/03/14 18:54	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			03/03/14 18:54	1
Bromobenzene	<1.0		1.0	0.25	ug/L			03/03/14 18:54	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			03/03/14 18:54	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			03/03/14 18:54	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			03/03/14 18:54	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			03/03/14 18:54	1

TestAmerica Chicago

# Client Sample Results

Client: Weston Solutions, Inc.  
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

Client Sample ID: RFW-17

Lab Sample ID: 500-72399-15

Date Collected: 02/26/14 10:35

Matrix: Water

Date Received: 02/28/14 10:40

**Method: 8260B - VOC (Continued)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			03/03/14 18:54	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			03/03/14 18:54	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			03/03/14 18:54	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			03/03/14 18:54	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			03/03/14 18:54	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			03/03/14 18:54	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			03/03/14 18:54	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			03/03/14 18:54	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			03/03/14 18:54	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			03/03/14 18:54	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			03/03/14 18:54	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			03/03/14 18:54	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			03/03/14 18:54	1
Naphthalene	<1.0		1.0	0.16	ug/L			03/03/14 18:54	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			03/03/14 18:54	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		75 - 125		03/03/14 18:54	1
Toluene-d8 (Surr)	97		75 - 120		03/03/14 18:54	1
4-Bromofluorobenzene (Surr)	111		75 - 120		03/03/14 18:54	1
Dibromofluoromethane	89		75 - 120		03/03/14 18:54	1

TestAmerica Chicago



# Client Sample Results

Client: Weston Solutions, Inc.  
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

**Client Sample ID: Trip Blank**

**Lab Sample ID: 500-72399-16**

Date Collected: 02/25/14 08:00

Matrix: Water

Date Received: 02/28/14 10:40

**Method: 8260B - VOC**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			03/04/14 12:40	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			03/04/14 12:40	1
Chloromethane	<1.0		1.0	0.18	ug/L			03/04/14 12:40	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			03/04/14 12:40	1
Bromomethane	<1.0		1.0	0.31	ug/L			03/04/14 12:40	1
Chloroethane	<1.0		1.0	0.34	ug/L			03/04/14 12:40	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			03/04/14 12:40	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			03/04/14 12:40	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			03/04/14 12:40	1
Acetone	<5.0		5.0	1.3	ug/L			03/04/14 12:40	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			03/04/14 12:40	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			03/04/14 12:40	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			03/04/14 12:40	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			03/04/14 12:40	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			03/04/14 12:40	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			03/04/14 12:40	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			03/04/14 12:40	1
Chloroform	<1.0		1.0	0.20	ug/L			03/04/14 12:40	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			03/04/14 12:40	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			03/04/14 12:40	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			03/04/14 12:40	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			03/04/14 12:40	1
Trichloroethene	<0.50		0.50	0.19	ug/L			03/04/14 12:40	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			03/04/14 12:40	1
Dibromomethane	<1.0		1.0	0.33	ug/L			03/04/14 12:40	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			03/04/14 12:40	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			03/04/14 12:40	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			03/04/14 12:40	1
Toluene	<0.50		0.50	0.11	ug/L			03/04/14 12:40	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			03/04/14 12:40	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			03/04/14 12:40	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			03/04/14 12:40	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			03/04/14 12:40	1
2-Hexanone	<5.0		5.0	0.56	ug/L			03/04/14 12:40	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			03/04/14 12:40	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			03/04/14 12:40	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			03/04/14 12:40	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			03/04/14 12:40	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			03/04/14 12:40	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			03/04/14 12:40	1
o-Xylene	<0.50		0.50	0.068	ug/L			03/04/14 12:40	1
Styrene	<1.0		1.0	0.10	ug/L			03/04/14 12:40	1
Bromoform	<1.0		1.0	0.28	ug/L			03/04/14 12:40	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			03/04/14 12:40	1
Bromobenzene	<1.0		1.0	0.25	ug/L			03/04/14 12:40	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			03/04/14 12:40	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			03/04/14 12:40	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			03/04/14 12:40	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			03/04/14 12:40	1

TestAmerica Chicago

# Client Sample Results

Client: Weston Solutions, Inc.  
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

**Client Sample ID: Trip Blank**

**Lab Sample ID: 500-72399-16**

Date Collected: 02/25/14 08:00

Matrix: Water

Date Received: 02/28/14 10:40

**Method: 8260B - VOC (Continued)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			03/04/14 12:40	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			03/04/14 12:40	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			03/04/14 12:40	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			03/04/14 12:40	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			03/04/14 12:40	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			03/04/14 12:40	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			03/04/14 12:40	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			03/04/14 12:40	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			03/04/14 12:40	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			03/04/14 12:40	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			03/04/14 12:40	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			03/04/14 12:40	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			03/04/14 12:40	1
Naphthalene	<1.0		1.0	0.16	ug/L			03/04/14 12:40	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			03/04/14 12:40	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		75 - 125		03/04/14 12:40	1
Toluene-d8 (Surr)	97		75 - 120		03/04/14 12:40	1
4-Bromofluorobenzene (Surr)	112		75 - 120		03/04/14 12:40	1
Dibromofluoromethane	87		75 - 120		03/04/14 12:40	1

TestAmerica Chicago

# Client Sample Results

Client: Weston Solutions, Inc.  
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

**Client Sample ID: EW-2**

**Lab Sample ID: 500-72399-17**

Date Collected: 02/26/14 12:15

Matrix: Water

Date Received: 02/28/14 10:40

**Method: 8260B - VOC**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			03/04/14 00:54	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			03/04/14 00:54	1
Chloromethane	<1.0		1.0	0.18	ug/L			03/04/14 00:54	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			03/04/14 00:54	1
Bromomethane	<1.0		1.0	0.31	ug/L			03/04/14 00:54	1
Chloroethane	<1.0		1.0	0.34	ug/L			03/04/14 00:54	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			03/04/14 00:54	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			03/04/14 00:54	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			03/04/14 00:54	1
Acetone	<5.0		5.0	1.3	ug/L			03/04/14 00:54	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			03/04/14 00:54	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			03/04/14 00:54	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			03/04/14 00:54	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			03/04/14 00:54	1
cis-1,2-Dichloroethene	2.4		1.0	0.12	ug/L			03/04/14 00:54	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			03/04/14 00:54	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			03/04/14 00:54	1
Chloroform	<1.0		1.0	0.20	ug/L			03/04/14 00:54	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			03/04/14 00:54	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			03/04/14 00:54	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			03/04/14 00:54	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			03/04/14 00:54	1
Trichloroethene	83		0.50	0.19	ug/L			03/04/14 00:54	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			03/04/14 00:54	1
Dibromomethane	<1.0		1.0	0.33	ug/L			03/04/14 00:54	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			03/04/14 00:54	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			03/04/14 00:54	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			03/04/14 00:54	1
Toluene	<0.50		0.50	0.11	ug/L			03/04/14 00:54	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			03/04/14 00:54	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			03/04/14 00:54	1
Tetrachloroethene	26		1.0	0.17	ug/L			03/04/14 00:54	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			03/04/14 00:54	1
2-Hexanone	<5.0		5.0	0.56	ug/L			03/04/14 00:54	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			03/04/14 00:54	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			03/04/14 00:54	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			03/04/14 00:54	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			03/04/14 00:54	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			03/04/14 00:54	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			03/04/14 00:54	1
o-Xylene	<0.50		0.50	0.068	ug/L			03/04/14 00:54	1
Styrene	<1.0		1.0	0.10	ug/L			03/04/14 00:54	1
Bromoform	<1.0		1.0	0.28	ug/L			03/04/14 00:54	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			03/04/14 00:54	1
Bromobenzene	<1.0		1.0	0.25	ug/L			03/04/14 00:54	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			03/04/14 00:54	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			03/04/14 00:54	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			03/04/14 00:54	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			03/04/14 00:54	1

TestAmerica Chicago

# Client Sample Results

Client: Weston Solutions, Inc.  
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

**Client Sample ID: EW-2**

**Lab Sample ID: 500-72399-17**

Date Collected: 02/26/14 12:15

Matrix: Water

Date Received: 02/28/14 10:40

**Method: 8260B - VOC (Continued)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			03/04/14 00:54	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			03/04/14 00:54	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			03/04/14 00:54	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			03/04/14 00:54	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			03/04/14 00:54	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			03/04/14 00:54	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			03/04/14 00:54	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			03/04/14 00:54	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			03/04/14 00:54	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			03/04/14 00:54	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			03/04/14 00:54	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			03/04/14 00:54	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			03/04/14 00:54	1
Naphthalene	<1.0 *		1.0	0.16	ug/L			03/04/14 00:54	1
1,2,3-Trichlorobenzene	<1.0 *		1.0	0.24	ug/L			03/04/14 00:54	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		75 - 125		03/04/14 00:54	1
Toluene-d8 (Surr)	98		75 - 120		03/04/14 00:54	1
4-Bromofluorobenzene (Surr)	113		75 - 120		03/04/14 00:54	1
Dibromofluoromethane	89		75 - 120		03/04/14 00:54	1

TestAmerica Chicago

# Client Sample Results

Client: Weston Solutions, Inc.  
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

**Client Sample ID: EW-3**

**Lab Sample ID: 500-72399-18**

Date Collected: 02/26/14 16:20

Matrix: Water

Date Received: 02/28/14 10:40

**Method: 8260B - VOC**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			03/04/14 01:18	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			03/04/14 01:18	1
Chloromethane	<1.0		1.0	0.18	ug/L			03/04/14 01:18	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			03/04/14 01:18	1
Bromomethane	<1.0		1.0	0.31	ug/L			03/04/14 01:18	1
Chloroethane	<1.0		1.0	0.34	ug/L			03/04/14 01:18	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			03/04/14 01:18	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			03/04/14 01:18	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			03/04/14 01:18	1
Acetone	<5.0		5.0	1.3	ug/L			03/04/14 01:18	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			03/04/14 01:18	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			03/04/14 01:18	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			03/04/14 01:18	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			03/04/14 01:18	1
cis-1,2-Dichloroethene	1.6		1.0	0.12	ug/L			03/04/14 01:18	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			03/04/14 01:18	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			03/04/14 01:18	1
Chloroform	<1.0		1.0	0.20	ug/L			03/04/14 01:18	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			03/04/14 01:18	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			03/04/14 01:18	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			03/04/14 01:18	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			03/04/14 01:18	1
<b>Trichloroethene</b>	<b>44</b>		0.50	0.19	ug/L			03/04/14 01:18	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			03/04/14 01:18	1
Dibromomethane	<1.0		1.0	0.33	ug/L			03/04/14 01:18	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			03/04/14 01:18	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			03/04/14 01:18	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			03/04/14 01:18	1
Toluene	<0.50		0.50	0.11	ug/L			03/04/14 01:18	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			03/04/14 01:18	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			03/04/14 01:18	1
<b>Tetrachloroethene</b>	<b>1.6</b>		1.0	0.17	ug/L			03/04/14 01:18	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			03/04/14 01:18	1
2-Hexanone	<5.0		5.0	0.56	ug/L			03/04/14 01:18	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			03/04/14 01:18	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			03/04/14 01:18	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			03/04/14 01:18	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			03/04/14 01:18	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			03/04/14 01:18	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			03/04/14 01:18	1
o-Xylene	<0.50		0.50	0.068	ug/L			03/04/14 01:18	1
Styrene	<1.0		1.0	0.10	ug/L			03/04/14 01:18	1
Bromoform	<1.0		1.0	0.28	ug/L			03/04/14 01:18	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			03/04/14 01:18	1
Bromobenzene	<1.0		1.0	0.25	ug/L			03/04/14 01:18	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			03/04/14 01:18	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			03/04/14 01:18	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			03/04/14 01:18	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			03/04/14 01:18	1

TestAmerica Chicago

# Client Sample Results

Client: Weston Solutions, Inc.  
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

**Client Sample ID: EW-3**

**Lab Sample ID: 500-72399-18**

Date Collected: 02/26/14 16:20

Matrix: Water

Date Received: 02/28/14 10:40

**Method: 8260B - VOC (Continued)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			03/04/14 01:18	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			03/04/14 01:18	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			03/04/14 01:18	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			03/04/14 01:18	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			03/04/14 01:18	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			03/04/14 01:18	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			03/04/14 01:18	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			03/04/14 01:18	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			03/04/14 01:18	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			03/04/14 01:18	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			03/04/14 01:18	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			03/04/14 01:18	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			03/04/14 01:18	1
Naphthalene	<1.0 *		1.0	0.16	ug/L			03/04/14 01:18	1
1,2,3-Trichlorobenzene	<1.0 *		1.0	0.24	ug/L			03/04/14 01:18	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		75 - 125		03/04/14 01:18	1
Toluene-d8 (Surr)	97		75 - 120		03/04/14 01:18	1
4-Bromofluorobenzene (Surr)	111		75 - 120		03/04/14 01:18	1
Dibromofluoromethane	89		75 - 120		03/04/14 01:18	1

TestAmerica Chicago

# Client Sample Results

Client: Weston Solutions, Inc.  
Project/Site: Black and Decker

TestAmerica Job ID: 500-72399-1

**Client Sample ID: EW-4**

**Lab Sample ID: 500-72399-19**

**Date Collected: 02/26/14 16:15**

**Matrix: Water**

**Date Received: 02/28/14 10:40**

**Method: 8260B - VOC**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			03/04/14 01:43	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			03/04/14 01:43	1
Chloromethane	<1.0		1.0	0.18	ug/L			03/04/14 01:43	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			03/04/14 01:43	1
Bromomethane	<1.0		1.0	0.31	ug/L			03/04/14 01:43	1
Chloroethane	<1.0		1.0	0.34	ug/L			03/04/14 01:43	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			03/04/14 01:43	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			03/04/14 01:43	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			03/04/14 01:43	1
Acetone	<5.0		5.0	1.3	ug/L			03/04/14 01:43	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			03/04/14 01:43	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			03/04/14 01:43	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			03/04/14 01:43	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			03/04/14 01:43	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			03/04/14 01:43	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			03/04/14 01:43	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			03/04/14 01:43	1
Chloroform	<1.0		1.0	0.20	ug/L			03/04/14 01:43	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			03/04/14 01:43	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			03/04/14 01:43	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			03/04/14 01:43	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			03/04/14 01:43	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			03/04/14 01:43	1
Dibromomethane	<1.0		1.0	0.33	ug/L			03/04/14 01:43	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			03/04/14 01:43	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			03/04/14 01:43	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			03/04/14 01:43	1
Toluene	<0.50		0.50	0.11	ug/L			03/04/14 01:43	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			03/04/14 01:43	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			03/04/14 01:43	1
<b>Tetrachloroethene</b>	<b>12</b>		1.0	0.17	ug/L			03/04/14 01:43	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			03/04/14 01:43	1
2-Hexanone	<5.0		5.0	0.56	ug/L			03/04/14 01:43	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			03/04/14 01:43	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			03/04/14 01:43	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			03/04/14 01:43	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			03/04/14 01:43	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			03/04/14 01:43	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			03/04/14 01:43	1
o-Xylene	<0.50		0.50	0.068	ug/L			03/04/14 01:43	1
Styrene	<1.0		1.0	0.10	ug/L			03/04/14 01:43	1
Bromoform	<1.0		1.0	0.28	ug/L			03/04/14 01:43	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			03/04/14 01:43	1
Bromobenzene	<1.0		1.0	0.25	ug/L			03/04/14 01:43	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			03/04/14 01:43	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			03/04/14 01:43	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			03/04/14 01:43	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			03/04/14 01:43	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			03/04/14 01:43	1

TestAmerica Chicago