

**Quarterly Groundwater Monitoring Report**

Prepared for

**Black & Decker (U.S.) Inc.**

Hampstead, Maryland

October 2008

Prepared by

**WESTON SOLUTIONS, INC.**

**West Chester, Pennsylvania 19380-1499**

---

## TABLE OF CONTENTS

---

Section	Page
1. INTRODUCTION.....	1-1
2. SITE CHARACTERISTICS.....	2-1
2.1 HYDRAULIC PROPERTIES .....	2-1
2.2 EFFLUENT CHARACTERISTICS .....	2-1
2.3 GROUNDWATER QUALITY DATA .....	2-1
3. OPERATION AND MAINTENANCE OF THE TREATMENT SYSTEM.....	3-1
4. RECOMMENDATIONS.....	4-1

---

## LIST OF APPENDICES

---

APPENDIX A - GROUNDWATER TREATMENT SYSTEM PUMPING RECORDS

APPENDIX B - DISCHARGE MONITORING REPORTS

APPENDIX C - GROUNDWATER TREATMENT SYSTEM ANALYTICAL RESULTS

APPENDIX D - GROUNDWATER ANALYTICAL DATA PACKAGE

---

## LIST OF TABLES

---

Table	Page
Table 2-1 Treatment System Pumping Records – 3rd Quarter 2008 .....	2-2
Table 2-2 Groundwater Elevation Data – 3rd Quarter 2008.....	2-3
Table 2-3 Effluent Characteristics Summary – 3rd Quarter 2008.....	2-4
Table 2-4 Summary of Groundwater Analytical Results - August 2008.....	2-5
Table 3-1 Treatment System Maintenance Activities – 3rd Quarter 2008.....	3-2

## 1. INTRODUCTION

This Groundwater Monitoring Report has been prepared to meet the requirements of Condition IV.G of the Administrative Consent Order between the State of Maryland Department of the Environment (MDE) and Black & Decker (U.S.) Inc. (April 1995) (Consent Order). Specifically, Condition IV.G calls for preparation of a Groundwater Monitoring Report containing the following information for each reporting period:

- The quantities of groundwater pumped, treated, and discharged.
- The calculation of quantities of contaminants removed from groundwater.
- A summary of all sampling analyses.
- An explanation of all operational or other problems encountered, and the manner in which each problem was resolved.
- Copies of all reports submitted to the Department of Natural Resources in conjunction with the Groundwater Appropriations Permit.
- Recommendations for changes to the Interim Groundwater Treatment System.

This document is one of several which are being prepared in response to the Consent Order; each of these documents are to be submitted to the MDE in accordance with the schedule outlined in the Consent Order. This document will become part of the Administrative Record for the site, which is maintained at the Hampstead Public Library.

## **2. SITE CHARACTERISTICS**

### **2.1 HYDRAULIC PROPERTIES**

In accordance with the Consent Order and the Water Appropriation Permit issued to the Black and Decker (U.S.) Inc. Hampstead, Maryland, facility, the following pumping and water level information is included for the period of July through September 2008.

Pumping records showing the total gallons pumped per month of treatment system operation are presented in Table 2-1. The complete groundwater treatment system pumping records are included in Appendix A.

Monthly water levels for wells included in the water level monitoring plan are presented in Table 2-2. For the reporting period of July through September 2008, the extraction wells were pumping at an average combined rate of approximately 147 gallons per minute (gpm).

### **2.2 EFFLUENT CHARACTERISTICS**

Effluent characteristics of the NPDES discharge points are recorded monthly on Discharge Monitoring Reports (DMRs) and are submitted to MDE, Water Management Administration, on a quarterly basis. A summary of the sample results from the DMRs is presented in Table 2-3. DMRs for the period of July through September 2008 are included in Appendix B.

### **2.3 GROUNDWATER QUALITY DATA**

For the reporting period of July through September 2008, approximately 22.3 pounds of total volatile organic compounds (VOCs) were removed from the groundwater by the extraction and treatment system. In general, the total VOCs removed from the groundwater were comprised primarily of trichloroethene (TCE) (85.5 %) and tetrachloroethene (PCE) (14.5 %). Analytical results of the groundwater collected from the air stripper for the period of January through March 2008 are included in Appendix C.

A summary of the analytical results from the third quarter (August 2008) groundwater sampling round of the extraction and monitor wells is included in Table 2-4. The complete

**Table 2-1**  
**Treatment System Pumping Records - 3rd Quarter 2008**  
**Black & Decker**  
**Hampstead, Maryland**

<b>Date</b>	<b>Water Pumped (gallons)</b>
<b>July 2008</b>	6,306,339
<b>August 2008</b>	6,110,707
<b>September 2008</b>	5,079,145

**Table 2-2**  
**Groundwater Elevation Data - 3rd Quarter 2008**  
**Black & Decker**  
**Hampstead, Maryland**

WELL NO	TOC ELEV	TOTAL DEPTH	7/26/2008		8/27/2008		9/29/2008	
			DTW	ELEV	DTW	ELEV	DTW	ELEV
EW-1	847.21	55	DRY	NC	DRY	NC	DRY	NC
EW-2	849.21	110	78.90	770.31	62.10	787.11	72.12	777.09
EW-3	846.64	118	95.78	750.86	97.40	749.24	83.14	763.50
EW-4	858.01	97.5	PC	NC	PC	NC	PC	NC
EW-5	864.17	98	80.71	783.46	64.69	799.48	65.33	798.84
EW-6	831.98	115	94.60	737.38	103.20	728.78	79.08	752.90
EW-7	818.38	78	66.43	751.95	71.71	746.67	71.50	746.88
EW-8	811.13	98	86.11	725.02	91.70	719.43	91.17	719.96
EW-9	811.35	141	102.00	709.35	103.70	707.65	102.30	709.05
EW-10	807.74	INA	58.64	749.10	59.90	747.84	57.82	749.92
RFW-1A	864.37	78	51.65	812.72	48.21	816.16	49.11	815.26
RFW-1B	864.23	200	51.59	812.64	48.24	815.99	49.14	815.09
RFW-2A	857.41	35	14.21	843.20	17.51	839.90	16.84	840.57
RFW-2B	857.73	75	14.82	842.91	18.11	839.62	17.30	840.43
RFW-3B	839.21	153	38.01	801.20	35.86	803.35	37.41	801.80
RFW-4A	830.37	62	37.41	792.96	35.51	794.86	37.79	792.58
RFW-4B	830.37	120	37.30	793.07	35.43	794.94	37.71	792.66
RFW-5A	817.50	30	DRY	NC	DRY	NC	DRY	NC
RFW-6	785.04	120	4.14	780.90	4.85	780.19	4.06	780.98
RFW-7	805.14	29	7.89	797.25	7.51	797.63	7.84	797.30
RFW-8	860.07	56	DRY	NC	DRY	NC	DRY	NC
RFW-9	862.02	49	28.37	833.65	28.16	833.86	28.26	833.76
RFW-10	852.06	58	DRY	NC	DRY	NC	DRY	NC
RFW-11A	849.32	72	Damaged	NC	Damaged	NC	Damaged	NC
RFW-11B	849.62	116	66.75	782.87	65.48	784.14	66.63	782.99
RFW-12B	844.87	264	55.12	789.75	48.90	795.97	51.11	793.76
RFW-13	849.11	150	65.10	784.01	65.46	783.65	65.22	783.89
RFW-14B	812.39	281	54.53	757.86	49.58	762.81	44.83	767.56
RFW-16	856.14	41	DRY	NC	DRY	NC	DRY	NC
RFW-17	834.66	60.5	29.78	804.88	27.41	807.25	27.84	806.82
RFW-20	842.49	142	38.83	803.66	35.63	806.86	35.69	806.80
RFW-21	832.65	102	24.18	808.47	23.18	809.47	24.63	808.02
PH-7	805.94	89	39.31	766.63	37.69	768.25	38.26	767.68
PH-9	814.94	98	47.43	767.51	55.23	759.71	50.09	764.85
PH-11	820.68	78	49.40	771.28	50.78	769.90	51.30	769.38
PH-12	828.35	87	50.66	777.69	51.52	776.83	52.02	776.33
B-3	803.02	83	10.78	792.24	9.17	793.85	9.47	793.55
Amoco	842.29	INA	NA	NC	NA	NC	NA	NC
Hamp. Town #22	804.96	INA	17.14	787.82	17.11	787.85	34.74	770.22
Pembroke #1	INA	INA	14.47	NC	16.00	NC	14.70	NC
Pembroke #2	INA	INA	Damaged	NC	Damaged	NC	Damaged	NC
N. Houcks. Rd.	INA	INA	11.08	NC	12.11	NC	11.08	NC
E. Century St.	INA	INA	22.31	NC	19.46	NC	19.21	NC
Lwr. Beckleys. Rd.	INA	INA	54.83	NC	54.64	NC	53.74	NC

NA - Not Available/Not Accessible  
NC - Not Calculable  
INA - Information not available  
PC - Pump Cycles

**Table 2-3**  
**Effluent Characteristics Summary - 3rd Quarter 2008**  
**Black & Decker**  
**Hampstead, Maryland**

Discharge Number	Parameter	Units	Permit Limits	DMR DATE			
				July 2008	August 2008	September 2008	
001	FLOW	average	MGD	NA	0.097	0.058	0.133
		maximum	MGD	NA	0.151	0.089	0.400
	1,1,1-Trichloroethane	ug/l	5	< 1	< 1	< 1	
	Tetrachloroethylene	ug/l	5	< 1	< 1	< 1	
	Trichloroethylene	ug/l	5	< 1	< 1	< 1	
	Total Residual Chlorine	mg/l	< 0.1	< 0.1	< 0.1	< 0.1	
	Oil & Grease	maximum	mg/l	15	< 5	< 5	< 5
		quarterly average	mg/l	10	< 5	< 5	< 5
	pH	minimum	STD	6.0	6.50	6.20	6.30
		maximum	STD	8.5	7.00	6.80	8.10
BOD		mg/l	15	5.0	4.0	0.0	
TSS	maximum	mg/l	30	14.0	12.0	6.0	
	quarterly average	mg/l	20	14.0	12.0	11.0	
101 (Monitoring Point)	FLOW	average	MGD	NA	0.200	0.234	0.262
		maximum	MGD	NA	0.293	0.367	0.352
	Fecal Coliform	MPN/100ml	200	2.0	1.0	1.0	
201 (Monitoring Point)	FLOW	average	MGD	NA	NR	NR	0.190
		maximum	MGD	NA	NR	NR	0.254
	1,1,1-Trichloroethane	ug/l	NA	NR	NR	< 1	
	Tetrachloroethylene	ug/l	NA	NR	NR	< 1	
	Trichloroethylene	ug/l	NA	NR	NR	< 1	

DMR - Discharge Monitoring Report

NA - Not Applicable

NR - Not Reported



**Table 2-4**  
**Summary of Groundwater Analytical Results - August 2008**  
**Black & Decker**  
**Hampstead, Maryland**

PARAMETER	Units	EW-1	EW-2	EW-3	EW-4	EW-5	EW-6	EW-7	EW-8	EW-9	EW-9 (DUP)	EW-10
Chloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromomethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Acetone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Carbon Disulfide	ug/L	NS	5 U	5 U	5 U	5 U	5 U	1.1	5 U	5 U	5 U	5 U
1,1-Dichloroethene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1-Dichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1	1.1	1 U	1 U	1 U
1,2-Dichloroethene (total)	ug/L	NS	3.1	2.4	1 U	1 U	1 U	9.8	27	1 U	1 U	1 U
Chloroform	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
2-Butanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	1 U	1.8	1 U	1 U	1 U	1 U	1 U	1 U
Carbon Tetrachloride	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromodichloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloropropane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trichloroethene	ug/L	NS	350	150	1600	250	12	7.1	13	1.6	1.5	1 U
Dibromochloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Benzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromoform	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
2-Hexanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Tetrachloroethene	ug/L	NS	74	3.6	36	15	21	14	81	160	170	1 U
1,1,2,2-Tetrachloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Toluene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chlorobenzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Ethylbenzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Styrene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Xylene (total)	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U

Notes: U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.

J = Indicates an estimated value.

NS = Not Sampled

**Table 2-4**  
**Summary of Groundwater Analytical Results - August 2008**  
**Black & Decker**  
**Hampstead, Maryland**

PARAMETER	Units	RFW-1A	RFW-1B	RFW-2A	RFW-2B	RFW-3B	RFW-4A	RFW-4A (DUP)	RFW-4B	RFW-5A	RFW-6	RFW-7	RFW-8	RFW-9	RFW-10
Chloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromomethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Vinyl Chloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Methylene Chloride	ug/L	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	NS	2 U	2 U	NS	2 U	NS
Acetone	ug/L	5 U	6.5	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
Carbon Disulfide	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1-Dichloroethene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1.4	NS
1,1-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1.1	NS
1,2-Dichloroethene (total)	ug/L	1 U	1 U	1 U	1 U	4.5	1 U	1 U	3.7	NS	1 U	1 U	NS	14	NS
Chloroform	ug/L	1 U	1 U	1 U	1 U	1 U	1.3	1.2	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
2-Butanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1,1-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1.6	NS
Carbon Tetrachloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromodichloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloropropane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
cis-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Trichloroethene	ug/L	1 U	1 U	1.5	1.7	1 U	29	28	16	NS	4.8	10	NS	17	NS
Dibromochloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,1,2-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Benzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Trans-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromoform	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
4-Methyl-2-pentanone	ug/L	5 U	5 U	5 U	1 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
2-Hexanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
Tetrachloroethene	ug/L	1 U	1 U	1 U	1 U	1.7	21	20	35	NS	3.9	1 U	NS	6.7	NS
1,1,2,2-Tetrachloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Toluene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chlorobenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Ethylbenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Styrene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Xylene (total)	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS

Notes: DUP = Duplicate sample  
NS = Not sampled

U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.  
J = Indicates an estimated value.

Table 2-4

**Summary of Groundwater Analytical Results - August 2008**  
**Black & Decker**  
**Hampstead, Maryland**

PARAMETER	Units	RFW-11A	RFW-11B	RFW-12B	RFW-13	RFW-16	RFW-17	Leister Dairy	Leister Res. #1	Leister Res. #2	Trip Blank	RFW-20	RFW-21	Town #22	Town #23	Trip Blank
		USEPA drinking water method 524.2														
Chloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	1 U	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	2 U	2 U	2 U	NS	2 U	ABD	ABD	ABD	3.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Acetone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
Carbon Disulfide	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	NA	NA	NA	NA	NA
1,1-Dichloroethene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethene (total)	ug/L	NS	1 U	2.1	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene	ug/L	NS	13	430	5.5	NS	1 U	ABD	ABD	ABD	1 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U
Dibromochloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Benzene	ug/L	NS	1 U	1 U	1 U	NS	1.3	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
2-Hexanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
Tetrachloroethene	ug/L	NS	1 U	36	24	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Styrene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Xylene (total)	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

Notes: Samples from wells RFW-20 & 21, Town-22&23 are analyzed with the USEPA drinking water method 524.2 at the request of the MDE Source Protection and Appropriation Division. Samples from all of the other wells are analyzed with USEPA Method 8260.

NS = Not sampled

U = Compound was analyzed but not detected.

ABD = Well has been abandoned

analytical data package is included in Appendix D.

As found in earlier sampling events at the Black & Decker facility, TCE and PCE were the VOCs detected at the highest concentrations in the groundwater samples. The highest concentration of TCE was detected in the groundwater samples collected from wells RFW-12B and EW-4 and the highest concentration of PCE was detected in the groundwater sample collected from wells RFW-4B and EW-9. The remainder of VOCs present were detected at levels below the Federal Maximum Contaminant Levels (MCL).

### 3. OPERATION AND MAINTENANCE OF THE TREATMENT SYSTEM

A summary of the maintenance activities which were undertaken with the extraction and treatment system during the reporting period (July through September 2008) is provided in Table 3-1. This table is comprehensive in summarizing significant maintenance events or activities, while not including those activities considered unworthy of note (such as replacement of light bulbs, lubrication of moving parts as appropriate or other routine activities).

**Table 3-1**  
**Treatment System Maintenance Activities - 3rd Quarter 2008**  
**Black & Decker**  
**Hampstead, Maryland**

<b>Date</b>	<b>Event/Corrective Action</b>
Jul-08	Alarm at air stripper. High column blower failure, reset the system. System back online.
Aug-08	Alarm at air stripper due to high wet well, reset the system. System back online.
Aug-08	Micro-Tech performed routine calibration of the air stripper.
Aug-08	Power is out to the air stripper building. System is left off for two days prior to Primo Electric arriving onsite to run a temporary 70 AMP electric line from the boiler room to the stripper building.
Sep-08	Alarm at stripper. Circuit breaker in the boiler room tripped. The system is drawing too many Amps from the temporary feed. Wells 5 and 8 are turned off for three days so the system was not pulling as many Amps.
Sep-08	Alarm at stripper. Due to a loose neutral wire on the terminal block in well 2. The wire is reconnected and all wells are back online.
Sep-08	Alarm at stripper. Circuit breaker in the boiler room tripped again. The system is drawing too many Amps from the temporary feed. Wells 7 and 8 were turned off so the system is not pulling as many Amps. Weston directed B&D to turn wells 7 and 8 on and turn off wells 6 and 10.
Sep-08	IES Electric ran a temporary 200 AMP electric feed from the old weld shop to the air stripper. The system was running with 2 wells down for approximately 20 days. All wells are now back online.
Sep-08	Alarm at the stripper, well 6 tripped out. Replaced the timing relay in well 6. All wells are back online.

#### 4. RECOMMENDATIONS

For the reporting period of July through September 2008, the treatment system continued to create a hydraulic boundary preventing off-site migration of groundwater. The extraction system will continue to operate as currently configured to pump and treat contaminated groundwater. Depth-to-water measurements will continue to be collected on a monthly basis in all site monitor wells to construct a groundwater elevation contour map for the site. The groundwater elevation contour map will be used to verify that the required area of groundwater capture is being maintained. If necessary, pumping rates will be adjusted to maintain groundwater capture due to seasonal fluctuations in groundwater elevations. The treatment system will also continue to operate as currently configured, as data collected have proven that the treatment system is fully effective in removing VOCs from the extracted groundwater.

---

**APPENDIX A**  
**GROUNDWATER TREATMENT SYSTEM PUMPING RECORDS**  
**(JULY – SEPTEMBER 2008)**

---



MARYLAND DEPARTMENT of the ENVIRONMENT, WATER MANAGEMENT ADMINISTRATION, 1800 WASHINGTON BLVD, BALTIMORE, MD 21230

Operator Earle Villarreal, ESS Certification # 1017

**Black & Decker WTP**

PWSID # 106-0004 County: Carroll

Month: July

Operated by Maryland Environmental Service

Address: BTR CAPITAL GROUP, Hampstead, MD 21073  
625 Hanover Pike, Hampstead, Carroll County, Maryland

Year: 2008

GENERAL (DOMESTIC WATER)				CHEMICAL							MONITORING			DISTRIBUTION		RAW WATER		Comments	
Date	Day	Weather	Flow meter reading 0	MGD Total FQIR	pH P.O.E	Free Cl <sub>2</sub>	Na <sub>2</sub> CO <sub>3</sub> Level	Na <sub>2</sub> CO <sub>3</sub> (gpd)	NaOCl Level	NaOCl (gpd)	VOC'S (ppb)	Bacti Pos/Neg	pH su	TRC mg/l	DISTRIBUTION LOCATION	Operator Initials	pH su		TOTAL RAW WATER WELL (mgd)
1	tue	clr	0	0.0024	7.4	0.97	42.00	1.00	56.00	0.00						ss		0.166944	
2	wed	clr	0	0.0026	7.1	1.16	41.00	1.00	56.00	0.00						djones		0.211680	
3	thur	clr	0	0.0049	7.5	1.20	40.00	1.00	56.00	0.00			6.90	0.70	Eng Lab	djones	5.10	0.227484	
4	fri	cldy	0	0.0003	7.2	1.15	39.00	1.00	56.00	0.00						ss		0.212144	
5	sat	cldy	0	0.0000	7.1	1.16	38.00	1.00	56.00	0.00						gk		0.198410	
6	sun	cldy	0	0.0007	7.1	1.16	37.00	0.00	56.00	0.00						gk		0.185334	
7	mon	clr	0	0.0042	7.6	1.12	37.00	1.00	56.00	0.00			7.40	1.00	Admin 1st FI	djones		0.206078	
8	tue	clr	0	0.0050	7.4	1.26	36.00	2.00	56.00	0.00						djones		0.223603	
9	wed	clr	0	0.0023	7.3	1.33	34.00	1.00	56.00	0.00			6.70	0.80	Eng Lab	djones	5.10	0.178639	
10	thur	clr	0	0.0050	7.3	1.20	33.00	1.00	56.00	0.00						djones		0.206440	
11	fri	clr	0	0.0035	7.4	1.34	32.00	1.00	56.00	0.00			6.90	0.90	Admin 2nd FI	djones		0.217456	
12	sat	clr	0	0.0000	7.9	1.22	31.00	0.00	56.00	0.00						ss		0.214776	
13	sun	clr	0	0.0027	7.6	1.36	31.00	1.00	56.00	0.00						gk		0.203576	
14	mon	clr	0	0.0027	7.0	1.08	30.00	1.00	56.00	0.00			7.43	0.82	Admin 1st FI	ss		0.182986	
15	tue	clr	0	0.0045	7.4	1.10	29.00	1.00	56.00	0.00						djones		0.213086	
16	wed	clr	0	0.0051	7.4	1.28	28.00	2.00	56.00	0.00			7.05	0.92	Eng Lab	djones	5.10	0.189759	
17	thur	clr	0	0.0026	7.2	1.16	26.00	1.00	56.00	0.00						ss		0.212910	
18	fri	clr	0	0.0021	7.5	1.20	25.00	1.00	56.00	0.00			7.31	1.08	Admin 2nd FI	djones		0.206697	
19	sat	clr	0	0.0023	7.6	1.01	44.00	1.00	56.00	0.00						djones		0.200405	
20	sun	clr	0	0.0080	7.8	1.02	43.00	1.00	56.00	0.00						djones		0.218179	
21	mon	clr	0	0.0029	7.8	1.39	42.00	2.00	56.00	0.00			6.85	0.91	Admin 1st FI	ss		0.206172	
22	tue	clr	0	0.0036	7.4	1.27	40.00	1.00	56.00	5.00						ss		0.187136	
23	wed	cldy	0	0.0050	7.2	1.14	39.00	1.00	51.00	0.00			7.27	1.06	Eng Lab	djones	5.00	0.219718	
24	thur	CLR	0	0.0041	7.0	1.45	38.00	2.00	51.00	0.00						djones		0.205131	
25	fri	CLR	0	0.0000	7.5	1.34	36.00	0.00	51.00	0.00			7.94	0.97	Admin 2nd FI	SS		0.195127	
26	sat	CLR	0	0.0023	7.2	1.10	36.00	1.00	51.00	0.00						SS		0.204407	
27	sun	CLDY	0	0.0027	7.4	1.36	35.00	1.00	51.00	0.00						SS		0.203410	
28	mon	CLR	0	0.0048	8.1	1.41	72.00	1.00	51.00	0.00			7.64	0.80	Eng Lab	GAD		0.208263	
29	tue	CLR	0	0.0026	6.8	0.79	71.00	6.00	51.00	0.00						GAD		0.200477	
30	wed	CLR	0	0.0024	7.8	0.63	65.00	0.00	51.00	0.00			6.84	0.62	Admin 1st FI	SS		0.174221	
31	thur	CLDY	0	0.0052	6.4	0.91	65.00	5.00	51.00	0.00						GAD		0.225691	
Total				0.0965	228.1	36.27	1235.0	40.00	1691.0	5.00	0.0	0.0	86.2	10.6				6.306339	
Average				0.0031	7.36	1.17	39.84	1.29	54.55	0.16	0.0	0.0	7.19	0.88				0.203430	
Minimum				0.0000	6.36	0.63	25.00	0.00	51.00	0.00	0.0	0.0	6.70	0.62				0.166944	MOR
Maximum				0.0080	8.08	1.45	72.00	6.00	56.00	5.00	0.0	0.0	7.94	1.08				0.227484	04/09/07

MARYLAND DEPARTMENT of the ENVIRONMENT, WATER MANAGEMENT ADMINISTRATION, 1800 WASHINGTON BLVD, BALTIMORE, MD 21230

Operator Earle Villarreal ESS Certification # 1017

**Black & Decker WTP**


PWSID # 106-0004

County: Carroll

Month: August

Operated by  
Maryland Environmental Service

Address: BTR CAPITAL GROUP, Hampstead, MD 21073  
625 Hanover Pike, Hampstead, Carroll County, Maryland



Year: 2008

GENERAL (DOMESTIC WATER)				CHEMICAL							MONITORING		DISTRIBUTION			RAW WATER		Comments	
Date	Day	Weather	Flow meter reading o	MGD Total FOIR	pH P.O.E	Free Cl <sub>2</sub>	Na <sub>2</sub> CO <sub>3</sub> Level	Na <sub>2</sub> CO <sub>3</sub> (gpd)	NaOCl Level	NaOCl (gpd)	VOC'S (ppb)	Bacil Pos/Neg	pH su	TRC mg/l	DISTRIBUTION LOCATION	Operator Initials	pH su		TOTAL RAW WATER WELL (mgd)
1	fri	clr	0	0.0024	7.5	0.83	60.00	1.00	51.00	0.00			6.82	0.66	Admin 2nd FI	ss	5.31	0.185971	
2	sat	cldy	0	0.0000	7.5	0.68	59.00	1.00	51.00	0.00						mwhitt		0.204457	
3	sun	clr	0	0.0024	7.3	0.61	58.00	0.00	51.00	0.00						mwhitt		0.186305	
4	mon	clr	0	0.0050	7.2	0.97	58.00	1.00	51.00	0.00						djones		0.198660	
5	tue	cldy	0	0.0049	7.1	1.13	57.00	1.00	51.00	0.00			7.0	0.75	Admin 1st FI	djones		0.217994	
6	wed	clr	0	0.0027	7.1	1.14	56.00	1.00	51.00	0.00			7.2	0.89	Eng Lab	djones		0.185555	
7	thur	clr	0	0.0025	7.1	1.20	55.00	1.00	51.00	0.00			7.1	0.88	Admin 2nd FI	djones	5.06	0.198021	
8	fri	clr	0	0.0051	7.0	1.12	54.00	1.00	51.00	0.00						djones		0.210117	
9	sat	clr	0	0.0000	6.9	1.04	53.00	0.00	51.00	0.00						djones		0.184851	
10	sun	clr	0	0.0025	9.9	1.05	53.00	1.00	51.00	0.00						djones		0.219873	
11	mon	clr	0	0.0057	7.7	1.09	52.00	1.00	51.00	0.00			6.6	0.71	Admin 1st FI	ss		0.200847	
12	tue	clr	0	0.0048	7.1	1.21	51.00	1.00	51.00	0.00						ss		0.197989	
13	wed	clr	0	0.0030	7.6	1.33	50.00	1.00	51.00	0.00			7.1	1.06	Eng Lab	djones		0.179673	
14	thur	cldy	0	0.0044	7.0	1.30	49.00	1.00	51.00	0.00						djones	5.07	0.202063	
15	fri	cldy	0	0.0025	7.0	1.40	48.00	1.00	51.00	0.00			7.1	1.08	Admin 2nd FI	djones		0.224553	
16	sat	clr	0	0.0024	7.2	1.33	47.00	1.00	51.00	0.00						ss		0.193636	
17	sun	clr	0	0.0025	7.0	1.27	46.00	1.00	51.00	0.00						ss		0.197290	
18	mon	clr	0	0.0023	7.0	1.40	45.00	1.00	51.00	0.00			7.4	0.90	Admin 1st FI	djones		0.199241	
19	tue	clr	0	0.0073	7.4	1.30	44.00	2.00	51.00	0.00						djones		0.212617	
20	wed	clr	0	0.0027	7.2	1.40	42.00	1.00	51.00	0.00			7.2	1.14	Eng Lab	djones	5.05	0.188485	
21	thur	clr	0	0.0051	6.8	1.31	41.00	1.00	51.00	0.00						djones		0.202671	
22	fri	clr	0	0.0023	6.8	1.44	40.00	1.00	51.00	0.00			6.7	1.05	Admin 2nd FI	djones		0.210594	
23	sat	clr	0	0.0000	7.0	1.22	39.00	1.00	51.00	0.00						mwhitt		0.198563	
24	sun	clr	0	0.0027	7.1	1.17	38.00	1.00	51.00	0.00						mwhitt		0.190923	
25	mon	rain	0	0.0046	7.1	1.35	37.00	1.00	51.00	0.00			7.2	1.17	Admin 1st FI	djones		0.204212	
26	tue	clr	0	0.0047	6.9	1.32	36.00	2.00	51.00	0.00						djones	4.94	0.203373	
27	wed	clr	0	0.0025	7.1	1.43	34.00	1.00	51.00	0.00			6.9	1.07	Eng Lab	djones		0.194029	
28	thur	rain	0	0.0044	6.9	1.46	33.00	1.00	51.00	0.00						djones		0.209248	
29	fri	clr	0	0.0009	7.0	1.33	32.00	1.00	51.00	0.00			6.8	1.07	Admin 2nd FI	djones		0.214242	
30	sat	clr	0	0.0023	7.3	1.20	31.00	1.00	51.00	0.00						djones		0.205154	
31	sun	clr	0	0.0000	7.3	1.47	30.00	0.00	51.00	0.00						djones		0.089500	Pow outage
Total				0.0946	224.1	37.50	1428.0	30.00	1581.0	0.00	0.0	0.0	91	1.12				6.110707	
Average				0.0031	7.23	1.21	46.06	0.97	51.00	0.00	0.0	0.0	6.99	0.96				0.197120	
Minimum				0.0000	6.80	0.61	30.00	0.00	51.00	0.00	0.0	0.0	6.59	0.66				0.089500	MOR
Maximum				0.0073	9.92	1.47	60.00	2.00	51.00	0.00	0.0	0.0	7.40	1.17				0.224553	04/09/07

# Black & Decker WTP

PWSID # 106-0004

County: Carroll

Month: September

Operated by

Address: BTR CAPITAL GROUP, Hampstead, MD 21073

Maryland Environmental Service

625 Hanover Pike, Hampstead, Carroll County, Maryland

Year: 2008

GENERAL (DOMESTIC WATER)				CHEMICAL							MONITORING			DISTRIBUTION		RAW WATER		Comments	
Date	Day	Weather	Flow meter reading 0	MGD Total FQIR	pH P.O.E	Free Cl <sub>2</sub>	Na <sub>2</sub> CO <sub>3</sub> Level	Na <sub>2</sub> CO <sub>3</sub> (gpd)	NaOCl Level	NaOCl (gpd)	VOC'S (ppb)	Bactl Pos/Neg	pH su	TRC mg/l	DISTRIBUTION LOCATION	Operator Initials	pH su		TOTAL RAW WATER WELL (mgd)
1	mon	clr	0	0.0008	7.48	1.46	51.00	1.00	51.00	0.00						mw		0.089005	
2	tue	clr	0	0.0027	7.32	1.22	50.00	1.00	51.00	0.00						ss		0.074596	
3	wed	clr	0	0.0035	7.31	1.00	49.00	1.00	51.00	0.00			6.94	0.73	Eng Lab	djones		0.204251	
4	thur	clr	0	0.0046	6.90	1.16	48.00	1.00	51.00	0.00						djones	5.01	0.165844	
5	fri	clr	0	0.0039	6.96	1.06	47.00	2.00	51.00	0.00			6.92	0.96	Admin 2nd FI	djones		0.190741	
6	sat	rain	0	0.0000	7.04	1.02	45.00	1.00	51.00	0.00						ss		0.182622	
7	sun	clr	0	0.0027	7.20	1.15	44.00	1.00	51.00	0.00						ss		0.177195	
8	mon	clr	0	0.0054	7.32	1.38	43.00	1.00	51.00	0.00			7.19	1.16	Admin 1st FI	djones		0.163423	
9	tue	rain	0	0.0054	7.00	1.60	42.00	1.00	51.00	0.00						djones		0.152797	
10	wed	clr	0	0.0024	7.42	1.57	41.00	1.00	51.00	0.00			7.07	1.24	Eng Lab	djones	4.76	0.139150	
11	thur	cldy	0	0.0051	7.27	1.48	40.00	1.00	51.00	0.00						djones		0.135494	
12	fri	cldy	0	0.0024	7.10	1.59	39.00	1.00	51.00	0.00			6.92	1.41	Admin 2nd FI	djones		0.209334	
13	sat	clr	0	0.0000	7.28	1.35	38.00	1.00	51.00	0.00						mw		0.172369	
14	sun	clr	0	0.0023	7.18	1.28	37.00	0.00	51.00	0.00						mw		0.168472	
15	mon	clr	0	0.0049	7.57	1.43	37.00	1.00	51.00	0.00			7.40	1.24	Admin 1st FI	djones		0.181709	
16	tue	cldy	0	0.0052	6.95	1.40	36.00	1.00	51.00	0.00						djones	5.10	0.153471	
17	wed	clr	0	0.0049	7.04	1.45	35.00	1.00	51.00	0.00			7.00	1.00	Eng Lab	djones		0.147811	
18	thur	clr	0	0.0024	6.93	1.13	54.00	0.00	51.00	0.00						gd		0.087557	
19	fri	clr	0	0.0048	7.24	1.33	54.00	3.00	51.00	0.00			7.21	1.08	Admin 2nd FI	gd		0.165396	
20	sat	clr	0	0.0000	7.45	1.29	51.00	0.00	51.00	0.00						gd		0.145593	
21	sun	clr	0	0.0025	7.28	1.22	51.00	2.00	51.00	0.00						gd		0.159583	
22	mon	clr	0	0.0052	7.26	1.22	49.00	1.00	51.00	0.00						ss		0.152443	
23	tue	clr	0	0.0050	7.83	1.35	48.00	1.00	51.00	0.00			7.01	1.02	Admin 2nd FI	ss		0.140097	
24	wed	clr	0	0.0026	7.21	1.56	47.00	1.00	51.00	0.00			6.90	1.29	Eng Lab	djones	4.95	0.125280	
25	thur	clr	0	0.0053	6.90	1.51	46.00	1.00	51.00	0.00						djones		0.236241	
26	fri	clr	0	0.0025	7.20	1.47	45.00	1.00	51.00	0.00			7.05	1.24	Admin 1st FI	djones		0.253818	
27	sat	clr	0	0.0024	7.11	1.17	44.00	1.00	51.00	0.00						ss		0.220696	
28	sun	clr	0	0.0027	7.25	1.33	43.00	1.00	51.00	0.00						ss		0.224511	
29	mon	clr	0	0.0024	7.15	1.49	42.00	1.00	51.00	0.00			6.89	1.12	Admin 1st FI	djones		0.232201	
30	tue	clr	0	0.0053	7.05	1.33	41.00	1.00	51.00	0.00						djones		0.227445	
31																			
Total				0.0993	216.2	40.00	1337.0	31.00	1530.0	0.00	0.0	0.0	84.5	13.5				5.079145	
Average				0.0033	7.21	1.33	44.57	1.03	51.00	0.00	0.0	0.0	7.04	1.12				0.169305	
Minimum				0.0000	6.90	1.00	35.00	0.00	51.00	0.00	0.0	0.0	6.89	0.73				0.074596	MOR
Maximum				0.0054	7.83	1.60	54.00	3.00	51.00	0.00	0.0	0.0	7.40	1.41				0.253818	04/09/07

---

**APPENDIX B  
DISCHARGE MONITORING REPORTS  
(JULY - SEPTEMBER 2008)**

---

Facility Name/Location (include address if different)

NAME **AG/GFI Hampstead, Inc**

ADDRESS **626 Hanover Pike**

**Hampstead, MD 21074**

FACILITY **Black and Decker WWTP**

LOCATION **626 Hanover Pike**

ATTN:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)  
**DISCHARGE MONITORING REPORT (DMR)**  
 (2-16) (17-19)

State Discharge Permit  
**02-DP-0022**

**MD0001881**  
 PERMIT NUMBER

**001**  
 DISCHARGE NUMBER

Form Approved. 12345

OMB No. 2040-0004.

Approval expires 05-31-98

MONITORING PERIOD							
YEAR	MO	DAY	TO	YEAR	MO	DAY	
08	07	01	TO	08	07	31	
(20-21)		(22-23)		(24-25)		(26-27)	
				(28-29)		(30-31)	

\*\*\* NO DISCHARGE  \*\*\*  
 NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	QUANTITY OR LOADING (46-53)			QUANTITY OR CONCENTRATION (46-53)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		AVERAGE (46-53)	MAXIMUM (54-61)	UNITS	MINIMUM (38-45)	AVERAGE (46-53)	MAXIMUM (54-61)				UNITS
BOD, 5-DAY (20 DEG. C) 00310 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	5	( 19)	0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	15			ONE/MONTH	GRAB
pH	SAMPLE MEASUREMENT	*****	*****	****	6.5	*****	7.0	( 12)	0	TWO/WEEK	GRAB
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	6.0	*****	6.5			TWO/WEEK	GRAB
SOLIDS, TOTAL SUSPENDED 00530 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	14	14	( 19)	0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	20	30			ONE/MONTH	GRAB
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	96774	151000	( 07)	*****	*****	*****		0	MEASURED	RECORD
	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****			MEASURED	RECORD
CHLORINE, TOTAL RESIDUAL 50060 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	<0.1	<0.1	( 19)	0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	0.01	0.019			ONE/MONTH	GRAB
TETRACHLOROETHYLENE 34475 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0		0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5			ONE/MONTH	GRAB
1,1,1-TRICHLOROETHANE 34506 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0		0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5			ONE/MONTH	GRAB

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER  
**Jim Harkins, Director MES**  
 TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE  
**410 729-8350**  
 AREA CODE NUMBER

DATE  
**08 08 25**  
 YEAR MO DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS( Reference all attachments here )

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)

NAME **AG/GFI Hampstead, Inc**

ADDRESS **626 Hanover Pike**

**Hampstead, MD 21074**

FACILITY **Black and Decker WWTP**

LOCATION **626 Hanover Pike**

ATTN:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)  
**DISCHARGE MONITORING REPORT (DMR)**  
 (2-16) (17-19)

State Discharge Permit  
**02-DP-0022**

**MD0001881**

PERMIT NUMBER

**001**

DISCHARGE NUMBER

Form Approved. 12345

OMB No. 2040-0004.

Approval expires 05-31-98

**MONITORING PERIOD**

FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY
	<b>08</b>	<b>07</b>	<b>01</b>		<b>08</b>	<b>07</b>	<b>31</b>
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

\*\*\* NO DISCHARGE  \*\*\*  
 NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	QUANTITY OR LOADING (54-61)			QUANTITY OR CONCENTRATION (54-61)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE (46-53)	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
TRICHLOROETHENE	SAMPLE MEASUREMENT	*****	*****		*****	*****	0		0	ONE/MONTH	GRAB
79141 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5	ug/l		ONE/MONTH	GRAB
OIL AND GREASE TOTAL RECOVERABLE	SAMPLE MEASUREMENT	*****	*****		*****	0	0	( 19)	0	ONE/MONTH	GRAB
70030 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	10	15	MG/L		ONE/MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER  
**Jim Harkins, Director MES**  
 TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

*[Signature]*  
 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE		DATE		
<b>410</b>	<b>729-8350</b>	<b>08</b>	<b>08</b>	<b>25</b>
AREA CODE	NUMBER	YEAR	MO	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here )

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)

NAME **AG/GFI Hampstead, Inc**

ADDRESS **626 Hanover Pike**

**Hampstead, MD 21074**

FACILITY **Black and Decker WWTP**

LOCATION **626 Hanover Pike**

ATTN:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)  
DISCHARGE MONITORING REPORT (DMR)

State Discharge Permit  
02-DP-0022

MD0001881

PERMIT NUMBER

101

DISCHARGE NUMBER

Form Approved. 12345

OMB No. 2040-0004.

Approval expires 05-31-98

MONITORING PERIOD

FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY
	08	07	01		08	07	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

\*\*\* NO DISCHARGE  \*\*\*

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	QUANTITY OR LOADING (3 Card Only) (46-53)			QUANTITY OR CONCENTRATION (4 Card Only) (38-45)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE		200194	293000	( 07 ) GPD	*****	*****	*****	****	0	ONE/MONTH	GRAB
COLIFORM, FECAL GENERAL 74055 1 0 0 EFFLUENT GROSS VALUE		*****	*****	****	*****	*****	2	( 30 ) MPN	0	ONE/WEEK	GRAB

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE		DATE		
Jim Harkins, Director MES			410	729-8350	08	08	25
TYPED OR PRINTED			AREA CODE	NUMBER	YEAR	MO	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)

NAME **AG/GFI Hampstead, Inc**

ADDRESS **626 Hanover Pike**

**Hampstead, MD 21074**

FACILITY **Black and Decker WWTP**

LOCATION **626 Hanover Pike**

ATTN:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)  
**DISCHARGE MONITORING REPORT (DMR)**  
 (2-16) (17-19)

State Discharge Permit  
**02-DP-0022**

**MD0001881**

PERMIT NUMBER

**001**

DISCHARGE NUMBER

Form Approved. 12345

OMB No. 2040-0004.

Approval expires 05-31-98

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
08	08	01		08	08	31
(20-21)		(22-23)		(24-25)		(26-27) (28-29) (30-31)

\*\*\* NO DISCHARGE  \*\*\*  
 NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	QUANTITY OR LOADING (3 Card Only (46-53) (54-61))			QUANTITY OR CONCENTRATION (4 Card Only (38-45) (46-53) (54-61))				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
BOD, 5-DAY (20 DEG. C) 00310 1 0 0 EFFLUENT GROSS VALUE		*****	*****	****	*****	*****	4	( 19)	0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	15	MG/L		ONE/ MONTH	GRAB
pH 00400 1 0 0 EFFLUENT GROSS VALUE		*****	*****	****	6.2	*****	6.8	( 12)	0	TWO/ WEEK	GRAB
	PERMIT REQUIREMENT	*****	*****	****	6.0	*****	8.5	SU		TWO/ WEEK	GRAB
SOLIDS, TOTAL SUSPENDED 00530 1 0 0 EFFLUENT GROSS VALUE		*****	*****	****	*****	12	12	( .19)	0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	20	30	MG/L		ONE/ MONTH	GRAB
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50060 1 0 0 EFFLUENT GROSS VALUE		58258	89000	( 07)	*****	*****	*****		0	MEASURED	RECORD
	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	****		MEASURED	RECORD
CHLORINE, TOTAL RESIDUAL 50060 1 0 0 EFFLUENT GROSS VALUE		*****	*****	****	*****	<0.1	<0.1	( 19)	0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	0.01	0.019	MG/L		ONE/ MONTH	GRAB
TETRACHLOROETHYLENE 34475 1 0 0 EFFLUENT GROSS VALUE		*****	*****	****	*****	*****	0		0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	0	ug/l		ONE/ MONTH	GRAB
1,1,1-TRICHLOROETHANE 34506 1 0 0 EFFLUENT GROSS VALUE		*****	*****	****	*****	*****	0		0	ONE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	0	ug/l		ONE/ MONTH	GRAB

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER  
**Jim Harkins, Director MES**  
 TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE: **410 729-8350**  
 DATE: **08 09 22**  
 AREA CODE NUMBER YEAR MO DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here )



PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)  
 NAME **AG/GFI Hampstead, Inc**  
 ADDRESS **626 Hanover Pike**

**Hampstead, MD 21074**  
 FACILITY **Black and Decker WWTP**  
 LOCATION **626 Hanover Pike**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)  
**DISCHARGE MONITORING REPORT (DMR)**  
 (2-16) (17-19)

**State Discharge Permit**  
**02-DP-0022**

**MD0001881**  
 PERMIT NUMBER

**001**  
 DISCHARGE NUMBER

Form Approved. 12345  
 OMB No. 2040-0004.  
 Approval expires 05-31-98


MONITORING PERIOD							
YEAR	MO	DAY	TO	YEAR	MO	DAY	
08	08	01		08	08	31	
(20-21)		(22-23)		(24-25)		(26-27) (28-29) (30-31)	

\*\*\* NO DISCHARGE  \*\*\*  
 NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	QUANTITY OR LOADING (34-61)			QUANTITY OR CONCENTRATION (46-53)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE (46-53)	MAXIMUM (54-61)	UNITS	MINIMUM (38-45)	AVERAGE (46-53)	MAXIMUM (54-61)	UNITS			
TRICHLOROETHENE	SAMPLE MEASUREMENT	*****	*****		*****	*****	0		0	ONE/MONTH	GRAB
79141 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT			****			5	ug/l		ONE/MONTH	GRAB
OIL AND GREASE TOTAL RECOVERABLE	SAMPLE MEASUREMENT	*****	*****		*****	0	0	( 19)	0	ONE/MONTH	GRAB
70030 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT			****		10	5	MG/L		ONE/MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER  
**Jim Harkins, Director MES**  
 TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

  
 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE: **410 729-8350**  
 DATE: **08 09 22**  
 AREA CODE NUMBER YEAR MO DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here )

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)  
 NAME **AG/GFI Hampstead, Inc**  
 ADDRESS **626 Hanover Pike**

**Hampstead, MD 21074**

FACILITY **Black and Decker WWTP**

LOCATION **626 Hanover Pike**

ATTN:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)  
**DISCHARGE MONITORING REPORT (DMR)**  
 (2-16) (17-19)

State Discharge Permit  
**02-DP-0022**

**MD0001881**  
 PERMIT NUMBER

**101**  
 DISCHARGE NUMBER

Form Approved. 12345  
 OMB No. 2040-0004.  
 Approval expires 05-31-98

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
08	08	01		08	08	31
(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

\*\*\* NO DISCHARGE  \*\*\*  
 NOTE: Read Instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	QUANTITY OR LOADING (54-61)			QUANTITY OR CONCENTRATION (54-61)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE (46-53)	MAXIMUM	UNITS	MINIMUM (38-45)	AVERAGE (46-53)	MAXIMUM	UNITS			
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE		233645	367000	( 07) GPD	*****	*****	*****	****	0	ONE/MONTH	GRAB
COLIFORM, FECAL GENERAL 74055 1 0 0 EFFLUENT GROSS VALUE		*****	*****	****	*****	*****	1 MPN		0	ONE/WEEK	GRAB

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE	DATE			
<b>Jim Harkins, Director MES</b>			410 729-8350	08	09	22	
TYPED OR PRINTED			AREA CODE	NUMBER	YEAR	MO	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)  
 NAME **AG/GFI Hampstead, Inc**  
 ADDRESS **626 Hanover Pike**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)  
**DISCHARGE MONITORING REPORT (DMR)**  
 (2-16) (17-19)

State Discharge Permit  
**02-DP-0022**

Form Approved. 12345  
 OMB No. 2040-0004.  
 Approval expires 05-31-98


**MD0001881** **001**  
 PERMIT NUMBER DISCHARGE NUMBER

**Hampstead, MD 21074**  
 FACILITY **Black and Decker WWTP**  
 LOCATION **626 Hanover Pike**

MONITORING PERIOD							
YEAR	MO	DAY	TO	YEAR	MO	DAY	
08	09	01	TO	08	09	30	
(20-21)		(22-23)		(24-25)		(26-27)	
		(28-29)		(30-31)			

\*\*\* NO DISCHARGE  \*\*\*  
 NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT / PERMIT REQUIREMENT	QUANTITY OR LOADING (3 Card Only) (46-53) (54-61)			QUANTITY OR CONCENTRATION (4 Card Only) (38-45) (46-53) (54-61)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM				UNITS
BOD, 5-DAY (20 DEG. C) 00310 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	( 19)	0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	15			ONE/MONTH	GRAB
pH	SAMPLE MEASUREMENT	*****	*****	****	6.3	*****	8.1	( 12)	0	TWO/WEEK	GRAB
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	6.0	*****	8.5			TWO/WEEK	GRAB
SOLIDS, TOTAL SUSPENDED 00530 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	6	6	( 19)	0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	20	30			ONE/MONTH	GRAB
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	133100	400000	( 07)	*****	*****	*****		0	MEASURED	RECORD
	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	****		MEASURED	RECORD
CHLORINE, TOTAL RESIDUAL 50060 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	<0.1	<0.1	( 19)	0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	0.011	0.019			ONE/MONTH	GRAB
TETRACHLOROETHYLENE 34475 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0		0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5			ONE/MONTH	GRAB
1,1,1-TRICHLOROETHANE 34506 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0		0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5			ONE/MONTH	GRAB

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER <b>Jim Harkins, Director MES</b>	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT 	TELEPHONE	DATE			
TYPED OR PRINTED			410	729-8350	08	10	22
			AREA CODE	NUMBER	YEAR	MO	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)

NAME **AG/GFI Hampstead, Inc**

ADDRESS **626 Hanover Pike**

**Hampstead, MD 21074**

FACILITY **Black and Decker WWTP**

LOCATION **626 Hanover Pike**

ATTN:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)  
**DISCHARGE MONITORING REPORT (DMR)**  
 (2-16) (17-19)

**State Discharge Permit**  
**02-DP-0022**

**MD0001881**  
 PERMIT NUMBER

**001**  
 DISCHARGE NUMBER

Form Approved. 12345

OMB No. 2040-0004.

Approval expires 05-31-98

MONITORING PERIOD							
YEAR	MO	DAY	TO	YEAR	MO	DAY	
08	09	01		08	09	30	
(20-21)		(22-23)		(24-25)		(26-27) (28-29) (30-31)	

\*\*\* NO DISCHARGE  \*\*\*  
 NOTE: Read Instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT / PERMIT REQUIREMENT	QUANTITY OR LOADING (3 Card Only) (46-53)			QUANTITY OR CONCENTRATION (4 Card Only) (38-45)			UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM				
TRICHLOROETHENE 79141 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****		*****	*****	0	ug/l	0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5				
OIL AND GREASE TOTAL RECOVERABLE 70030 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****		*****	0	0	(19)	0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	10	15				
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE	DATE		
TYPED OR PRINTED			410 729-8350	08	10	22

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)

NAME **AG/GFI Hampstead, Inc**

ADDRESS **626 Hanover Pike**

**Hampstead, MD 21074**

FACILITY **Black and Decker WWTP**

LOCATION **626 Hanover Pike**

ATTN:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)  
**DISCHARGE MONITORING REPORT (DMR)**  
 (2-16) (17-19)

**State Discharge Permit**  
**02-DP-0022**

Form Approved. 12345

OMB No. 2040-0004.

Approval expires 05-31-98

**MD0001881**  
 PERMIT NUMBER

**101**  
 DISCHARGE NUMBER


MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
08	09	01		08	09	30

\*\*\* NO DISCHARGE  \*\*\*  
 NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	QUANTITY OR LOADING- (3 Card Only) (46-53)			QUANTITY OR CONCENTRATION (4 Card Only) (38-45)			UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM				
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	262167	352000	( 07)	*****	*****	*****		0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	REPORT *****	REPORT *****	GPD	*****	*****	*****	****		ONE/MONTH	GRAB
COLIFORM, FECAL GENERAL 74055 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****		*****	*****	1	( 30)	0	ONE/WEEK	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	200	MPN		ONE/WEEK	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER  
**Jim Harkins, Director MES**  
 TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT  


TELEPHONE: **410 729-8350**  
 DATE: **08 10 22**

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here )

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)

NAME **AG/GFI Hampstead, Inc**

ADDRESS **626 Hanover Pike**

**Hampstead, MD 21074**

FACILITY **Black and Decker WWTP**

LOCATION **626 Hanover Pike**

ATTN:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)  
DISCHARGE MONITORING REPORT (DMR)

State Discharge Permit

02-DP-0022

Form Approved. 12345

OMB No. 2040-0004.

Approval expires 05-31-98

**MD0001881**  
PERMIT NUMBER

**201**  
DISCHARGE NUMBER

MONITORING PERIOD							
FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY
	08	07	01		08	09	30
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

\*\*\* NO DISCHARGE  \*\*\*  
NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT / PERMIT REQUIREMENT	QUANTITY OR LOADING (3 Card Only (46-53) / (54-61))			QUANTITY OR CONCENTRATION (4 Card Only (38-45) / (46-53) / (54-61))			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	190171	253818	( 07)	*****	*****	*****	0	MEASURED	RECORD
	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****			
TETRACHLOROETHYLENE 34475 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	0	ONE/ QUARTER	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT	REPORT			
1,1,1-TRICHLOROETHANE 34506 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	0	ONE/ QUARTER	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT	REPORT			
TRICHLOROETHENE 79141 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	0	ONE/ QUARTER	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT	REPORT			
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									


NAME/TITLE PRINCIPAL EXECUTIVE OFFICER <b>Jim Harkins, Director MES</b>	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	TELEPHONE		DATE		
		410	729-8350	08	10	22
TYPED OR PRINTED	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE	NUMBER	YEAR	MO	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS( Reference all attachments here )  
Quarterly Report! Outfall 201 quarterly sample's collected on 7/9/08 & 9/03/08.

---

**APPENDIX C**  
**GROUNDWATER TREATMENT SYSTEM ANALYTICAL RESULTS**  
**(JULY - SEPTEMBER 2008)**

---



630 Churchmans Road  
 Newark, Delaware 19702  
 302-266-9121 • 454-8720 (FAX)  
 WWW.ATLANTICCOASTLABS.COM

**REPORT OF ANALYSIS**  
 REVISED 7/23/2008

Maryland Environmental Services (A)  
 259 Najoles Road  
 Millersville, MD 21108

Order Number: A08070610  
 Project Name: Black & Decker WWTP  
 Receive Date: 7/9/2008  
 Client Code: MES\_A  
 Project Location: Black & Decker WWTP

Attention: Mr. Jay Janney

**Sample # A08070610-01** **Sample Date: 7/9/2008 10:37**

Site: Black & Decker 001  
 Client Sample ID:  
 Sample Comments: None

Matrix: Waste Water

Test	Result	Units	RDL	Method	Analysis Date	Analyst
1,1,1-Trichloroethane	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
1,1,2,2-Tetrachloroethane	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
1,1,2-Trichloroethane	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
1,1-Dichloroethane	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
1,1-Dichloroethene	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
1,1-Dichloropropene	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
1,2,3-Trichlorobenzene	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
1,2,3-Trichloropropane	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
1,2,4-Trichlorobenzene	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
1,2,4-Trimethylbenzene	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
1,2-Dibromo-3-Chloropropane	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
1,2-Dibromoethane	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
1,2-Dichlorobenzene	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
1,2-Dichloroethane	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
1,2-Dichloropropane	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
1,3,5-Trimethylbenzene	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
1,3-Dichlorobenzene	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
1,3-Dichloropropane	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
1,4-Dichlorobenzene	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
2,2-Dichloropropane	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
2-Butanone (MEK)	<10	ug/L	10	EPA 8260B	7/17/2008 6:37:00 AM	WWells
2-Chloroethylvinyl ether	<5	ug/L	5	EPA 8260B	7/17/2008 6:37:00 AM	WWells
2-Chlorotoluene	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
2-Hexanone	<10	ug/L	10	EPA 8260B	7/17/2008 6:37:00 AM	WWells
3-Chloro-1-propene	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
4-Chlorotoluene	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
4-Isopropyltoluene	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells

Approved: *Warner Van Arsdale*  
 Quality Assurance Manager

Reported: 7/23/2008 8:41:52 AM

RDL = Reporting Detection Limit    N/A = Not Applicable  
 Laboratory Certification Numbers: Delaware - DE00011    Maryland - #138    Pennsylvania - 68-335    New Jersey - DES68





630 Churchmans Road  
 Newark, Delaware 19702  
 302-266-9121 • 454-8720 (FAX)  
 WWW.ATLANTICCOASTLABS.COM

Maryland Environmental Services (A)

Order Number: A08070610

Sample # A08070610-01

Sample Date: 7/9/2008 10:37

Site: Black & Decker 001

Matrix: Waste Water

Client Sample ID:

Sample Comments: None

Test	Result	Units	RDL	Method	Analysis Date	Analyst
4-Methyl-2-Pentanone (MIBK)	<10	ug/L	10	EPA 8260B	7/17/2008 6:37:00 AM	WWells
Acetone	<10	ug/L	10	EPA 8260B	7/17/2008 6:37:00 AM	WWells
Acrolein	<50	ug/L	50	EPA 8260B	7/17/2008 6:37:00 AM	WWells
Acrylonitrile	<50	ug/L	50	EPA 8260B	7/17/2008 6:37:00 AM	WWells
Benzene	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
Bromobenzene	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
Bromochloromethane	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
Bromodichloromethane	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
Bromoform	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
Bromomethane	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
Carbon Disulfide	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
Carbon Tetrachloride	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
Chlorobenzene	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
Chloroethane	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
Chloroform	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
Chloromethane	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
cis-1,2-Dichloroethene	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
cis-1,3-Dichloropropene	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
Dibromochloromethane	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
Dibromomethane	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
Dichlorodifluoromethane	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
Dichlorofluoromethane	<10	ug/L	10	EPA 8260B	7/17/2008 6:37:00 AM	WWells
Ethyl methacrylate	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
Ethylbenzene	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
Hexachlorobutadiene	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
Isopropylbenzene	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
m,p-Xylene	<2	ug/L	2	EPA 8260B	7/17/2008 6:37:00 AM	WWells
Methyl Iodide (Iodomethane)	<10	ug/L	10	EPA 8260B	7/17/2008 6:37:00 AM	WWells
Methyl methacrylate	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
Methylene Chloride	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
Methyl-tert-butyl ether	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
Naphthalene	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
n-Butylbenzene	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
n-Propylbenzene	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
o-Xylene	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
sec-Butylbenzene	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells

Approved:

*Warren Van Arsdale*  
 Quality Assurance Manager

Reported:

7/23/2008 8:41:52 AM

RDL = Reporting Detection Limit N/A = Not Applicable

Laboratory Certification Numbers: Delaware - DE00011 Maryland - #138 Pennsylvania - 68-335 New Jersey - DE568



630 Churchmans Road  
 Newark, Delaware 19702  
 302-266-9121 • 454-8720 (FAX)  
 WWW.ATLANTICCOASTLABS.COM

Maryland Environmental Services (A)

Order Number: A08070610

Sample # A08070610-01

Sample Date: 7/9/2008 10:37

Site: Black & Decker 001

Matrix: Waste Water

Client Sample ID:

Sample Comments: None

Test	Result	Units	RDL	Method	Analysis Date	Analyst
Styrene	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
tert-Amyl methyl ether (TAME)	<10	ug/L	10	EPA 8260B	7/17/2008 6:37:00 AM	WWells
tert-Butyl alcohol (TBA)	<10	ug/L	10	EPA 8260B	7/17/2008 6:37:00 AM	WWells
tert-Butylbenzene	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
Tetrachloroethene	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
Toluene	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
trans-1,2-Dichloroethene	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
trans-1,3-Dichloropropene	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
trans-1,4-Dichloro-2-butene	<2	ug/L	2	EPA 8260B	7/17/2008 6:37:00 AM	WWells
Trichloroethene	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
Trichlorofluoromethane	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
Vinyl Acetate	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
Vinyl Chloride	<1	ug/L	1	EPA 8260B	7/17/2008 6:37:00 AM	WWells
Xylenes, Total	<2	ug/L	2	EPA 8260B	7/17/2008 6:37:00 AM	WWells

Sample # A08070610-01A

Sample Date: 7/9/2008 10:37

Site: Black & Decker 001

Matrix: Waste Water

Client Sample ID: A

Sample Comments: None

Test	Result	Units	RDL	Method	Analysis Date	Analyst
BOD-5	5	mg/L	2	SM 5210 B	7/10/2008 12:00:00 PM	JMcGuire
Total Suspended Solids	14	mg/L	4	SM 2540D	7/11/2008 7:18:00 PM	JMcGuire

Sample # A08070610-01B

Sample Date: 7/9/2008 10:37

Site: Black & Decker 001

Matrix: Waste Water

Client Sample ID: B

Sample Comments: None

Test	Result	Units	RDL	Method	Analysis Date	Analyst
Oil and Grease (HEM)	<5	mg/L	5	EPA 1664	7/10/2008 12:33:00 PM	HHerman

Approved:

*Warren Van Arsdale*  
 Quality Assurance Manager

Reported:

7/23/2008 8:41:53 AM

RDL = Reporting Detection Limit    N/A = Not Applicable  
 Laboratory Certification Numbers: Delaware - DE00011    Maryland - #138    Pennsylvania - 68-335    New Jersey - DE568



**ATLANTIC COAST**  
Laboratories, Incorporated

630 Churchmans Road  
Newark, Delaware 19702  
302-266-9121 • 454-8720 (FAX)  
WWW.ATLANTICCOASTLABS.COM

**REPORT OF ANALYSIS**

Maryland Environmental Services (A)  
259 Najoles Road  
Millersville, MD 21108

Order Number: A08070609  
Project Name: Black & Decker WWTP  
Receive Date: 7/9/2008  
Client Code: MES\_A  
Project Location: Black & Decker WWTP

Attention: Mr. Jay Janney

**Sample # A08070609-01**

**Sample Date: 7/9/2008**

Site: Black & Decker 201

Matrix: Waste Water

Client Sample ID:

Sample Comments: None

<u>Test</u>	<u>Result</u>	<u>Units</u>	<u>RDL</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
1,1,1-Trichloroethane	<1	ug/L	1	EPA 8260B	7/17/2008 7:11:00 AM	WWells
Tetrachloroethene	<1	ug/L	1	EPA 8260B	7/17/2008 7:11:00 AM	WWells
Trichloroethene	<1	ug/L	1	EPA 8260B	7/17/2008 7:11:00 AM	WWells

Approved:


Quality Assurance Manager

Reported:

7/17/2008 12:46:30 PM

RDL = Reporting Detection Limit    N/A = Not Applicable

Laboratory Certification Numbers: Delaware - DE00011    Maryland - #138    Pennsylvania - 68-335    New Jersey - DE568



**ATLANTIC COAST**  
Laboratories, Incorporated

630 Churchmans Road  
Newark, Delaware 19702  
302-266-9121 • 454-8720 (FAX)  
WWW.ATLANTICCOASTLABS.COM

**REPORT OF ANALYSIS**

Maryland Environmental Services (A)  
259 Najoles Road  
Millersville, MD 21108

Order Number: A08080703  
Project Name: Black & Decker WWTP  
Receive Date: 8/13/2008  
Client Code: MES\_A  
Project Location: Black & Decker WWTP

Attention: Mr. Jay Janney

**Sample # A08080703-01** **Sample Date: 8/13/2008 10:20**

Site: Black & Decker 001  
Client Sample ID:  
Sample Comments: None

Matrix: Waste Water

Test	Result	Units	RDL	Method	Analysis Date	Analyst
BOD-5	4	mg/L	2	SM 5210 B	8/14/2008 11:30:00 AM	JMcGuire
Total Suspended Solids	12	mg/L	4	SM 2540D	8/15/2008 4:24:00 PM	JMcGuire

**Sample # A08080703-01A** **Sample Date: 8/13/2008 10:20**

Site: Black & Decker 001  
Client Sample ID: A  
Sample Comments: None

Matrix: Waste Water

Test	Result	Units	RDL	Method	Analysis Date	Analyst
Oil and Grease (HEM)	<5	mg/L	5	EPA 1664	8/14/2008 12:47:00 PM	HHerman

**Sample # A08080703-01B** **Sample Date: 8/13/2008 10:20**

Site: Black & Decker 001  
Client Sample ID: B  
Sample Comments: None

Matrix: Waste Water

Test	Result	Units	RDL	Method	Analysis Date	Analyst
1,1,1-Trichloroethane	<1	ug/L	1	EPA 8260B	8/16/2008 6:36:00 AM	WWells
Tetrachloroethene	<1	ug/L	1	EPA 8260B	8/16/2008 6:36:00 AM	WWells
Trichloroethene	<1	ug/L	1	EPA 8260B	8/16/2008 6:36:00 AM	WWells

Approved:   
Quality Assurance Manager

Reported: 8/24/2008 1:08:58 PM

RDL = Reporting Detection Limit    N/A = Not Applicable  
Laboratory Certification Numbers: Delaware - DE00011    Maryland - #138    Pennsylvania - 68-335    New Jersey - DE568



**REPORT OF ANALYSIS**

Maryland Environmental Services (A)  
259 Najoles Road  
Millersville, MD 21108

Order Number: A08090221  
Project Name: Black & Decker WWTP  
Receive Date: 9/3/2008  
Client Code: MES\_A  
Project Location: Black & Decker WWTP

Attention: Mr. Jay Janney

**Sample # A08090221-01** **Sample Date: 9/3/2008 9:25**

Site: Black & Decker 001  
Client Sample ID:  
Sample Comments: None

Matrix: Waste Water

Test	Result	Units	RDL	Method	Analysis Date	Analyst
BOD-5	<2	mg/L	2	SM 5210 B	9/4/2008 12:30:00 PM	JMcGuire
Total Suspended Solids	6	mg/L	4	SM 2540D	9/8/2008 12:49:00 PM	JMcGuire

**Sample # A08090221-01A** **Sample Date: 9/3/2008 9:25**

Site: Black & Decker 001  
Client Sample ID: A  
Sample Comments: None

Matrix: Waste Water

Test	Result	Units	RDL	Method	Analysis Date	Analyst
Oil and Grease (HEM)	<5	mg/L	5	EPA 1664	9/5/2008 10:44:00 AM	HHerman

**Sample # A08090221-01B** **Sample Date: 9/3/2008 9:25**

Site: Black & Decker 001  
Client Sample ID: B  
Sample Comments: None


Matrix: Waste Water

Test	Result	Units	RDL	Method	Analysis Date	Analyst
1,1,1-Trichloroethane	<1	ug/L	1	EPA 8260B	9/9/2008 3:03:00 AM	WWells
Tetrachloroethene	<1	ug/L	1	EPA 8260B	9/9/2008 3:03:00 AM	WWells
Trichloroethene	<1	ug/L	1	EPA 8260B	9/9/2008 3:03:00 AM	WWells

Approved: *Warren Van Arsdale*  
Quality Assurance Manager

Reported: 9/16/2008 12:42:55 PM

RDL = Reporting Detection Limit    N/A = Not Applicable  
Laboratory Certification Numbers: Delaware - DE00011    Maryland - #138    Pennsylvania - 68-335    New Jersey - DE568



630 Churchmans Road  
 Newark, Delaware 19702  
 302-266-9121 • 454-8720 (FAX)  
 WWW.ATLANTICCOASTLABS.COM

**REPORT OF ANALYSIS**

Maryland Environmental Services (A)  
 259 Najoles Road  
 Millersville, MD 21108

Order Number: A08090219  
 Project Name: Black & Decker WWTP  
 Receive Date: 9/3/2008  
 Client Code: MES\_A  
 Project Location: Black & Decker WWTP

Attention: Mr. Jay Janney

**Sample # A08090219-01**

**Sample Date: 9/3/2008 9:40**

Site: Black & Decker 201  
 Client Sample ID:  
 Sample Comments: None

Matrix: Waste Water

<u>Test</u>	<u>Result</u>	<u>Units</u>	<u>RDL</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
1,1,1-Trichloroethane	<1	ug/L	1	EPA 8260B	9/9/2008 2:31:00 AM	WWells
Tetrachloroethene	<1	ug/L	1	EPA 8260B	9/9/2008 2:31:00 AM	WWells
Trichloroethene	<1	ug/L	1	EPA 8260B	9/9/2008 2:31:00 AM	WWells

Approved:

*Walter Van Arsdale*  
 Quality Assurance Manager

Reported:

9/10/2008 2:05:51 PM

RDL = Reporting Detection Limit    N/A = Not Applicable  
 Laboratory Certification Numbers: Delaware - DE00011    Maryland - #138    Pennsylvania - 68-335    New Jersey - DE568

---

**APPENDIX D**  
**GROUNDWATER ANALYTICAL DATA PACKAGE**  
**(AUGUST 2008)**

---

## ANALYTICAL REPORT

Job Number: 500-13672-1

Job Description: Black and Decker

For:

Weston Solutions, Inc.

1400 Weston Way

PO BOX 2653

West Chester, PA 19380

Attention: Mr. Tom Cornuet



Richard C Wright

Project Manager II

richard.wright@testamericainc.com

09/10/2008

These test results meet all the requirements of NELAC for accredited parameters.

The Lab Certification ID# is 100201.

All questions regarding this test report should be directed to the TestAmerica Project Manager whose signature appears on this report. All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.

Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.

TestAmerica Laboratories, Inc.

TestAmerica Chicago 2417 Bond Street, University Park, IL 60466

Tel (708) 534-5200 Fax (708) 534-5211 [www.testamericainc.com](http://www.testamericainc.com)





**Job Narrative**  
**500-J13672-1**

**Comments**

No additional comments.

**Receipt**

All samples were received in good condition within temperature requirements.

**GC/MS VOA**

Method(s) 8260B: The following sample(s) was diluted due to the abundance of target analytes: EW-2 (500-13672-16), EW-4 (500-13672-18), RFW-12B (500-13672-13). Elevated reporting limits (RLs) are provided.

Method(s) 8260B: Surrogate recovery for the following sample(s) was outside control limits: EW-10 (500-13672-24), EW-2 (500-13672-16), EW-3 (500-13672-17), EW-4 (500-13672-18), EW-5 (500-13672-19), EW-6 (500-13672-20), EW-7 (500-13672-21), EW-9 (500-13672-23), EW-9 DUP (500-13672-25). Re-extraction and/or re-analysis was performed with concurring results. The original analysis has been reported.

No other analytical or quality issues were noted.

## EXECUTIVE SUMMARY - Detections

Client: Weston Solutions, Inc.

Job Number: 500-13672-1

Lab Sample ID Analyte	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
500-13672-2 Acetone	RFW-1B	6.5	5.0	ug/L	8260B
500-13672-3 Trichloroethene	RFW-2A	1.5	1.0	ug/L	8260B
500-13672-4 Trichloroethene	RFW-2B	1.7	1.0	ug/L	8260B
500-13672-5 cis-1,2-Dichloroethene Tetrachloroethene	RFW-3B	4.5 1.7	1.0 1.0	ug/L ug/L	8260B 8260B
500-13672-6 Chloroform Trichloroethene Tetrachloroethene	RFW-4A	1.3 29 21	1.0 1.0 1.0	ug/L ug/L ug/L	8260B 8260B 8260B
500-13672-7 Chloroform Trichloroethene Tetrachloroethene	RFW-4A DUP	1.2 28 20	1.0 1.0 1.0	ug/L ug/L ug/L	8260B 8260B 8260B
500-13672-8 cis-1,2-Dichloroethene Trichloroethene Tetrachloroethene	RFW-4B	3.7 16 35	1.0 1.0 1.0	ug/L ug/L ug/L	8260B 8260B 8260B
500-13672-9 Trichloroethene Tetrachloroethene	RFW-6	4.8 3.9	1.0 1.0	ug/L ug/L	8260B 8260B
500-13672-10 Trichloroethene	RFW-7	10	1.0	ug/L	8260B

TestAmerica Chicago

## EXECUTIVE SUMMARY - Detections

Client: Weston Solutions, Inc.

Job Number: 500-13672-1

Lab Sample ID Analyte	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
<b>500-13672-11</b>	<b>RFW-9</b>				
1,1-Dichloroethene		1.4	1.0	ug/L	8260B
1,1-Dichloroethane		1.1	1.0	ug/L	8260B
cis-1,2-Dichloroethene		14	1.0	ug/L	8260B
1,1,1-Trichloroethane		1.6	1.0	ug/L	8260B
Trichloroethene		17	1.0	ug/L	8260B
Tetrachloroethene		6.7	1.0	ug/L	8260B
<b>500-13672-12</b>	<b>RFW-11B</b>				
Trichloroethene		13	1.0	ug/L	8260B
<b>500-13672-13</b>	<b>RFW-12B</b>				
cis-1,2-Dichloroethene		2.1	2.0	ug/L	8260B
Trichloroethene		430	20	ug/L	8260B
Tetrachloroethene		36	2.0	ug/L	8260B
<b>500-13672-14</b>	<b>RFW-13</b>				
Trichloroethene		5.5	1.0	ug/L	8260B
Tetrachloroethene		24	1.0	ug/L	8260B
<b>500-13672-15</b>	<b>RFW-17</b>				
Benzene		1.3	1.0	ug/L	8260B
<b>500-13672-16</b>	<b>EW-2</b>				
cis-1,2-Dichloroethene		3.1	2.0	ug/L	8260B
Trichloroethene		350	20	ug/L	8260B
Tetrachloroethene		74	2.0	ug/L	8260B
<b>500-13672-17</b>	<b>EW-3</b>				
cis-1,2-Dichloroethene		2.4	1.0	ug/L	8260B
Trichloroethene		150	10	ug/L	8260B
Tetrachloroethene		3.6	1.0	ug/L	8260B
<b>500-13672-18</b>	<b>EW-4</b>				
Trichloroethene		1600	100	ug/L	8260B
Tetrachloroethene		36	10	ug/L	8260B

TestAmerica Chicago

## EXECUTIVE SUMMARY - Detections

Client: Weston Solutions, Inc.

Job Number: 500-13672-1

Lab Sample ID	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
<b>500-13672-19</b>	<b>EW-5</b>				
1,1,1-Trichloroethane		1.8	1.0	ug/L	8260B
Trichloroethene		250	10	ug/L	8260B
Tetrachloroethene		15	1.0	ug/L	8260B
<b>500-13672-20</b>	<b>EW-6</b>				
Trichloroethene		12	1.0	ug/L	8260B
Tetrachloroethene		21	1.0	ug/L	8260B
<b>500-13672-21</b>	<b>EW-7</b>				
Trichlorofluoromethane		1.1	1.0	ug/L	8260B
1,1-Dichloroethane		1.0	1.0	ug/L	8260B
cis-1,2-Dichloroethene		9.8	1.0	ug/L	8260B
Trichloroethene		7.1	1.0	ug/L	8260B
Tetrachloroethene		14	1.0	ug/L	8260B
<b>500-13672-22</b>	<b>EW-8</b>				
1,1-Dichloroethane		1.1	1.0	ug/L	8260B
cis-1,2-Dichloroethene		27	1.0	ug/L	8260B
Trichloroethene		13	1.0	ug/L	8260B
Tetrachloroethene		81	1.0	ug/L	8260B
<b>500-13672-23</b>	<b>EW-9</b>				
Trichloroethene		1.6	1.0	ug/L	8260B
Tetrachloroethene		160	10	ug/L	8260B
<b>500-13672-24</b>	<b>EW-10</b>				
Tetrachloroethene		2.7	1.0	ug/L	8260B
<b>500-13672-25</b>	<b>EW-9 DUP</b>				
Trichloroethene		1.5	1.0	ug/L	8260B
Tetrachloroethene		170	10	ug/L	8260B
<b>500-13672-26</b>	<b>TRIP BLANK</b>				
Methylene Chloride		3.4	2.0	ug/L	8260B

TestAmerica Chicago

## METHOD SUMMARY

Client: Weston Solutions, Inc.

Job Number: 500-13672-1

Description	Lab Location	Method	Preparation Method
-------------	--------------	--------	--------------------

Matrix: Water

VOC	TAL CHI	SW846 8260B	
Purge-and-Trap	TAL CHI		SW846 5030B

### Lab References:

TAL CHI = TestAmerica Chicago

### Method References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

# SAMPLE SUMMARY

Client: Weston Solutions, Inc.

Job Number: 500-13672-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
500-13672-1	RFW-1A	Water	08/27/2008 0945	08/29/2008 1030
500-13672-2	RFW-1B	Water	08/28/2008 0730	08/29/2008 1030
500-13672-3	RFW-2A	Water	08/27/2008 1035	08/29/2008 1030
500-13672-4	RFW-2B	Water	08/27/2008 1110	08/29/2008 1030
500-13672-5	RFW-3B	Water	08/27/2008 1605	08/29/2008 1030
500-13672-6	RFW-4A	Water	08/28/2008 0720	08/29/2008 1030
500-13672-7	RFW-4A DUP	Water	08/28/2008 0720	08/29/2008 1030
500-13672-8	RFW-4B	Water	08/28/2008 0820	08/29/2008 1030
500-13672-9	RFW-6	Water	08/28/2008 0710	08/29/2008 1030
500-13672-10	RFW-7	Water	08/27/2008 1125	08/29/2008 1030
500-13672-11	RFW-9	Water	08/27/2008 1635	08/29/2008 1030
500-13672-12	RFW-11B	Water	08/28/2008 1230	08/29/2008 1030
500-13672-13	RFW-12B	Water	08/28/2008 1215	08/29/2008 1030
500-13672-14	RFW-13	Water	08/28/2008 1050	08/29/2008 1030
500-13672-15	RFW-17	Water	08/27/2008 1158	08/29/2008 1030
500-13672-16	EW-2	Water	08/27/2008 1700	08/29/2008 1030
500-13672-17	EW-3	Water	08/28/2008 1100	08/29/2008 1030
500-13672-18	EW-4	Water	08/28/2008 1030	08/29/2008 1030
500-13672-19	EW-5	Water	08/27/2008 0935	08/29/2008 1030
500-13672-20	EW-6	Water	08/27/2008 1440	08/29/2008 1030
500-13672-21	EW-7	Water	08/27/2008 1445	08/29/2008 1030
500-13672-22	EW-8	Water	08/27/2008 1530	08/29/2008 1030
500-13672-23	EW-9	Water	08/27/2008 1520	08/29/2008 1030
500-13672-24	EW-10	Water	08/27/2008 1510	08/29/2008 1030
500-13672-25	EW-9 DUP	Water	08/27/2008 1520	08/29/2008 1030
500-13672-26	TRIP BLANK	Water	08/27/2008 0800	08/29/2008 1030

# SAMPLE RESULTS

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-13672-1

Client Sample ID: RFW-1A  
 Lab Sample ID: 500-13672-1

Date Sampled: 08/27/2008 0945  
 Date Received: 08/29/2008 1030  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
<b>Method: 8260B</b>		Date Analyzed: 09/03/2008 2258			
<b>Prep Method: 5030B</b>		Date Prepared: 09/03/2008 2258			
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
Trichloroethene	<1.0	ug/L	0.20	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0



Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-13672-1

Client Sample ID: RFW-1A  
 Lab Sample ID: 500-13672-1

Date Sampled: 08/27/2008 0945  
 Date Received: 08/29/2008 1030  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0	ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Surrogate			Acceptance Limits		
1,2-Dichloroethane-d4 (Surr)	110	%	70 - 125		
Toluene-d8 (Surr)	97	%	75 - 120		
4-Bromofluorobenzene (Surr)	88	%	75 - 120		
Dibromofluoromethane	117	%	75 - 120		

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-13672-1

Client Sample ID: RFW-1B  
 Lab Sample ID: 500-13672-2

Date Sampled: 08/28/2008 0730  
 Date Received: 08/29/2008 1030  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed: 09/04/2008 1316			
Prep Method: 5030B		Date Prepared: 09/04/2008 1316			
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0 *	ug/L	0.39	5.0	1.0
Acetone	6.5	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
Trichloroethene	<1.0	ug/L	0.20	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-13672-1

Client Sample ID: RFW-1B  
 Lab Sample ID: 500-13672-2

Date Sampled: 08/28/2008 0730  
 Date Received: 08/29/2008 1030  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0	ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Surrogate			Acceptance Limits		
1,2-Dichloroethane-d4 (Surr)	109	%		70 - 125	
Toluene-d8 (Surr)	97	%		75 - 120	
4-Bromofluorobenzene (Surr)	89	%		75 - 120	
Dibromofluoromethane	117	%		75 - 120	

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-13672-1

Client Sample ID: RFW-2A  
 Lab Sample ID: 500-13672-3

Date Sampled: 08/27/2008 1035  
 Date Received: 08/29/2008 1030  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
<b>Method: 8260B</b>		Date Analyzed: 09/03/2008 2345			
<b>Prep Method: 5030B</b>		Date Prepared: 09/03/2008 2345			
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
Trichloroethene	1.5	ug/L	0.20	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-13672-1

Client Sample ID: RFW-2A  
 Lab Sample ID: 500-13672-3

Date Sampled: 08/27/2008 1035  
 Date Received: 08/29/2008 1030  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0	ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	105	%		70 - 125	
Toluene-d8 (Surr)	98	%		75 - 120	
4-Bromofluorobenzene (Surr)	88	%		75 - 120	
Dibromofluoromethane	114	%		75 - 120	

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-13672-1

Client Sample ID: RFW-2B  
 Lab Sample ID: 500-13672-4

Date Sampled: 08/27/2008 1110  
 Date Received: 08/29/2008 1030  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
<b>Method: 8260B</b>		Date Analyzed: 09/04/2008 0008			
<b>Prep Method: 5030B</b>		Date Prepared: 09/04/2008 0008			
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
Trichloroethene	1.7	ug/L	0.20	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-13672-1

Client Sample ID: RFW-2B  
 Lab Sample ID: 500-13672-4

Date Sampled: 08/27/2008 1110  
 Date Received: 08/29/2008 1030  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0	ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	109	%		70 - 125	
Toluene-d8 (Surr)	99	%		75 - 120	
4-Bromofluorobenzene (Surr)	88	%		75 - 120	
Dibromofluoromethane	115	%		75 - 120	

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-13672-1

Client Sample ID: RFW-3B  
 Lab Sample ID: 500-13672-5

Date Sampled: 08/27/2008 1605  
 Date Received: 08/29/2008 1030  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
<b>Method: 8260B</b>		Date Analyzed: 09/04/2008 1340			
<b>Prep Method: 5030B</b>		Date Prepared: 09/04/2008 1340			
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	4.5	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
Trichloroethene	<1.0	ug/L	0.20	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	1.7	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0



Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-13672-1

Client Sample ID: RFW-3B  
 Lab Sample ID: 500-13672-5

Date Sampled: 08/27/2008 1605  
 Date Received: 08/29/2008 1030  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0	ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	111	%		70 - 125	
Toluene-d8 (Surr)	98	%		75 - 120	
4-Bromofluorobenzene (Surr)	90	%		75 - 120	
Dibromofluoromethane	114	%		75 - 120	

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-13672-1

Client Sample ID: RFW-4A  
 Lab Sample ID: 500-13672-6

Date Sampled: 08/28/2008 0720  
 Date Received: 08/29/2008 1030  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
<b>Method: 8260B</b>		Date Analyzed: 09/04/2008 0054			
<b>Prep Method: 5030B</b>		Date Prepared: 09/04/2008 0054			
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	1.3	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
Trichloroethene	29	ug/L	0.20	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	21	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-13672-1

Client Sample ID: RFW-4A  
 Lab Sample ID: 500-13672-6

Date Sampled: 08/28/2008 0720  
 Date Received: 08/29/2008 1030  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0	ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	111	%		70 - 125	
Toluene-d8 (Surr)	100	%		75 - 120	
4-Bromofluorobenzene (Surr)	89	%		75 - 120	
Dibromofluoromethane	119	%		75 - 120	

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-13672-1

Client Sample ID: RFW-4A DUP  
 Lab Sample ID: 500-13672-7

Date Sampled: 08/28/2008 0720  
 Date Received: 08/29/2008 1030  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
<b>Method: 8260B</b>		Date Analyzed: 09/04/2008 0117			
<b>Prep Method: 5030B</b>		Date Prepared: 09/04/2008 0117			
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	1.2	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
Trichloroethene	28	ug/L	0.20	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	20	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-13672-1

Client Sample ID: RFW-4A DUP  
 Lab Sample ID: 500-13672-7

Date Sampled: 08/28/2008 0720  
 Date Received: 08/29/2008 1030  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0	ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Surrogate			Acceptance Limits		
1,2-Dichloroethane-d4 (Surr)	112	%	70 - 125		
Toluene-d8 (Surr)	96	%	75 - 120		
4-Bromofluorobenzene (Surr)	87	%	75 - 120		
Dibromofluoromethane	119	%	75 - 120		

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-13672-1

Client Sample ID: RFW-4B  
 Lab Sample ID: 500-13672-8

Date Sampled: 08/28/2008 0820  
 Date Received: 08/29/2008 1030  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
<b>Method: 8260B</b>		Date Analyzed: 09/04/2008 0140			
<b>Prep Method: 5030B</b>		Date Prepared: 09/04/2008 0140			
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	3.7	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
Trichloroethene	16	ug/L	0.20	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	35	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-13672-1

Client Sample ID: RFW-4B  
 Lab Sample ID: 500-13672-8

Date Sampled: 08/28/2008 0820  
 Date Received: 08/29/2008 1030  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0	ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	114	%		70 - 125	
Toluene-d8 (Surr)	98	%		75 - 120	
4-Bromofluorobenzene (Surr)	91	%		75 - 120	
Dibromofluoromethane	120	%		75 - 120	

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-13672-1

Client Sample ID: RFW-6  
 Lab Sample ID: 500-13672-9

Date Sampled: 08/28/2008 0710  
 Date Received: 08/29/2008 1030  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
<b>Method: 8260B</b>		Date Analyzed: 09/04/2008 0203			
<b>Prep Method: 5030B</b>		Date Prepared: 09/04/2008 0203			
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
Trichloroethene	4.8	ug/L	0.20	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	3.9	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0



Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-13672-1

Client Sample ID: RFW-6  
 Lab Sample ID: 500-13672-9

Date Sampled: 08/28/2008 0710  
 Date Received: 08/29/2008 1030  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0	ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	110	%		70 - 125	
Toluene-d8 (Surr)	95	%		75 - 120	
4-Bromofluorobenzene (Surr)	91	%		75 - 120	
Dibromofluoromethane	119	%		75 - 120	

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-13672-1

Client Sample ID: RFW-7  
 Lab Sample ID: 500-13672-10

Date Sampled: 08/27/2008 1125  
 Date Received: 08/29/2008 1030  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
<b>Met.iod: 8260B</b>		Date Analyzed: 09/04/2008 0226			
<b>Prep Method: 5030B</b>		Date Prepared: 09/04/2008 0226			
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
Trichloroethene	10	ug/L	0.20	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-13672-1

Client Sample ID: RFW-7  
 Lab Sample ID: 500-13672-10

Date Sampled: 08/27/2008 1125  
 Date Received: 08/29/2008 1030  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0	ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	112	%		70 - 125	
Toluene-d8 (Surr)	100	%		75 - 120	
4-Bromofluorobenzene (Surr)	88	%		75 - 120	
Dibromofluoromethane	118	%		75 - 120	

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-13672-1

Client Sample ID: RFW-9  
 Lab Sample ID: 500-13672-11

Date Sampled: 08/27/2008 1635  
 Date Received: 08/29/2008 1030  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed: 09/04/2008 0250			
Prep Method: 5030B		Date Prepared: 09/04/2008 0250			
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	1.4	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	1.1	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	14	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	1.6	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
Trichloroethene	17	ug/L	0.20	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	6.7	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-13672-1

Client Sample ID: RFW-9  
 Lab Sample ID: 500-13672-11

Date Sampled: 08/27/2008 1635  
 Date Received: 08/29/2008 1030  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0	ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Surrogate			Acceptance Limits		
1,2-Dichloroethane-d4 (Surr)	111	%	70 - 125		
Toluene-d8 (Surr)	99	%	75 - 120		
4-Bromofluorobenzene (Surr)	88	%	75 - 120		
Dibromofluoromethane	115	%	75 - 120		

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-13672-1

Client Sample ID: RFW-11B  
 Lab Sample ID: 500-13672-12

Date Sampled: 08/28/2008 1230  
 Date Received: 08/29/2008 1030  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
<b>Method: 8260B</b>		Date Analyzed: 09/04/2008 0313			
<b>Prep Method: 5030B</b>		Date Prepared: 09/04/2008 0313			
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
Trichloroethene	13	ug/L	0.20	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-13672-1

Client Sample ID: RFW-11B  
 Lab Sample ID: 500-13672-12

Date Sampled: 08/28/2008 1230  
 Date Received: 08/29/2008 1030  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0	ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	107	%		70 - 125	
Toluene-d8 (Surr)	98	%		75 - 120	
4-Bromofluorobenzene (Surr)	91	%		75 - 120	
Dibromofluoromethane	114	%		75 - 120	

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-13672-1

Client Sample ID: RFW-12B  
 Lab Sample ID: 500-13672-13

Date Sampled: 08/28/2008 1215  
 Date Received: 08/29/2008 1030  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
<b>Method: 8260B</b>		Date Analyzed: 09/04/2008 1403			
<b>Prep Method: 5030B</b>		Date Prepared: 09/04/2008 1403			
Benzene	<2.0	ug/L	0.32	2.0	2.0
Dichlorodifluoromethane	<2.0	ug/L	0.58	2.0	2.0
Chloromethane	<2.0	ug/L	0.66	2.0	2.0
Vinyl chloride	<2.0	ug/L	0.46	2.0	2.0
Bromomethane	<2.0	ug/L	0.88	2.0	2.0
Chloroethane	<2.0	ug/L	0.90	2.0	2.0
Trichlorofluoromethane	<2.0	ug/L	0.64	2.0	2.0
1,1-Dichloroethene	<2.0	ug/L	0.44	2.0	2.0
Carbon disulfide	<10	ug/L	0.78	10	2.0
Acetone	<10	ug/L	2.4	10	2.0
Methylene Chloride	<4.0	ug/L	2.0	4.0	2.0
trans-1,2-Dichloroethene	<2.0	ug/L	0.34	2.0	2.0
1,1-Dichloroethane	<2.0	ug/L	0.36	2.0	2.0
2,2-Dichloropropane	<2.0	ug/L	0.60	2.0	2.0
cis-1,2-Dichloroethene	2.1	ug/L	0.42	2.0	2.0
Methyl Ethyl Ketone	<10	ug/L	1.7	10	2.0
Bromochloromethane	<2.0	ug/L	0.66	2.0	2.0
Chloroform	<2.0	ug/L	0.26	2.0	2.0
1,1,1-Trichloroethane	<2.0	ug/L	0.46	2.0	2.0
1,1-Dichloropropene	<2.0	ug/L	0.34	2.0	2.0
Carbon tetrachloride	<2.0	ug/L	0.42	2.0	2.0
1,2-Dichloroethane	<2.0	ug/L	0.44	2.0	2.0
1,2-Dichloropropane	<2.0	ug/L	0.46	2.0	2.0
Dibromomethane	<2.0	ug/L	0.62	2.0	2.0
Bromodichloromethane	<2.0	ug/L	0.36	2.0	2.0
cis-1,3-Dichloropropene	<2.0	ug/L	0.32	2.0	2.0
methyl isobutyl ketone	<10	ug/L	1.2	10	2.0
Toluene	<2.0	ug/L	0.32	2.0	2.0
trans-1,3-Dichloropropene	<2.0	ug/L	0.26	2.0	2.0
1,1,2-Trichloroethane	<2.0	ug/L	0.64	2.0	2.0
Tetrachloroethene	36	ug/L	0.28	2.0	2.0
1,3-Dichloropropane	<2.0	ug/L	0.34	2.0	2.0
2-Hexanone	<10	ug/L	1.5	10	2.0
Dibromochloromethane	<2.0	ug/L	0.38	2.0	2.0
1,2-Dibromoethane	<2.0	ug/L	0.48	2.0	2.0
Chlorobenzene	<2.0	ug/L	0.34	2.0	2.0
1,1,1,2-Tetrachloroethane	<2.0	ug/L	0.36	2.0	2.0
Ethylbenzene	<2.0	ug/L	0.34	2.0	2.0
m&p-Xylene	<4.0	ug/L	0.46	4.0	2.0



Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-13672-1

Client Sample ID: RFW-12B  
 Lab Sample ID: 500-13672-13

Date Sampled: 08/28/2008 1215  
 Date Received: 08/29/2008 1030  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
o-Xylene	<2.0	ug/L	0.24	2.0	2.0
Styrene	<2.0	ug/L	0.30	2.0	2.0
Bromoform	<2.0	ug/L	0.60	2.0	2.0
Isopropylbenzene	<2.0	ug/L	0.28	2.0	2.0
Bromobenzene	<2.0	ug/L	0.30	2.0	2.0
1,1,2,2-Tetrachloroethane	<2.0	ug/L	0.50	2.0	2.0
1,2,3-Trichloropropane	<2.0	ug/L	0.78	2.0	2.0
N-Propylbenzene	<2.0	ug/L	0.22	2.0	2.0
2-Chlorotoluene	<2.0	ug/L	0.32	2.0	2.0
1,3,5-Trimethylbenzene	<2.0	ug/L	0.28	2.0	2.0
4-Chlorotoluene	<2.0	ug/L	0.28	2.0	2.0
tert-Butylbenzene	<2.0	ug/L	0.26	2.0	2.0
1,2,4-Trimethylbenzene	<2.0	ug/L	0.24	2.0	2.0
sec-Butylbenzene	<2.0	ug/L	0.28	2.0	2.0
1,3-Dichlorobenzene	<2.0	ug/L	0.38	2.0	2.0
p-Isopropyltoluene	<2.0	ug/L	0.24	2.0	2.0
1,4-Dichlorobenzene	<2.0	ug/L	0.30	2.0	2.0
n-Butylbenzene	<2.0	ug/L	0.26	2.0	2.0
1,2-Dichlorobenzene	<2.0	ug/L	0.30	2.0	2.0
1,2-Dibromo-3-Chloropropane	<4.0	ug/L	1.7	4.0	2.0
1,2,4-Trichlorobenzene	<2.0	ug/L	0.40	2.0	2.0
Hexachlorobutadiene	<2.0	ug/L	0.54	2.0	2.0
Naphthalene	<2.0	ug/L	0.64	2.0	2.0
1,2,3-Trichlorobenzene	<2.0	ug/L	0.40	2.0	2.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	112	%		70 - 125	
Toluene-d8 (Surr)	95	%		75 - 120	
4-Bromofluorobenzene (Surr)	89	%		75 - 120	
Dibromofluoromethane	119	%		75 - 120	
Method: 8260B	Run Type: DL		Date Analyzed: 09/04/2008 0400		
Prep Method: 5030B			Date Prepared: 09/04/2008 0400		
Trichloroethene	430	ug/L	4.0	20	20
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	109	%		70 - 125	
Toluene-d8 (Surr)	96	%		75 - 120	
4-Bromofluorobenzene (Surr)	88	%		75 - 120	
Dibromofluoromethane	120	%		75 - 120	

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-13672-1

Client Sample ID: RFW-13  
 Lab Sample ID: 500-13672-14

Date Sampled: 08/28/2008 1050  
 Date Received: 08/29/2008 1030  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
<b>Method: 8260B</b>		Date Analyzed: 09/04/2008 0423			
<b>Prep Method: 5030B</b>		Date Prepared: 09/04/2008 0423			
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
Trichloroethene	5.5	ug/L	0.20	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	24	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-13672-1

Client Sample ID: RFW-13  
 Lab Sample ID: 500-13672-14

Date Sampled: 08/28/2008 1050  
 Date Received: 08/29/2008 1030  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0	ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	110	%		70 - 125	
Toluene-d8 (Surr)	97	%		75 - 120	
4-Bromofluorobenzene (Surr)	88	%		75 - 120	
Dibromofluoromethane	118	%		75 - 120	

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-13672-1

Client Sample ID: RFW-17  
 Lab Sample ID: 500-13672-15

Date Sampled: 08/27/2008 1158  
 Date Received: 08/29/2008 1030  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
<b>Method: 8260B</b>		Date Analyzed: 09/04/2008 0446			
<b>Prep Method: 5030B</b>		Date Prepared: 09/04/2008 0446			
Benzene	1.3	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
Trichloroethene	<1.0	ug/L	0.20	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-13672-1

Client Sample ID: RFW-17  
 Lab Sample ID: 500-13672-15

Date Sampled: 08/27/2008 1158  
 Date Received: 08/29/2008 1030  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0	ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	108	%		70 - 125	
Toluene-d8 (Surr)	97	%		75 - 120	
4-Bromofluorobenzene (Surr)	90	%		75 - 120	
Dibromofluoromethane	116	%		75 - 120	

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-13672-1

Client Sample ID: EW-2  
 Lab Sample ID: 500-13672-16

Date Sampled: 08/27/2008 1700  
 Date Received: 08/29/2008 1030  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
<b>Method: 8260B</b>		Date Analyzed: 09/04/2008 1426			
<b>Prep Method: 5030B</b>		Date Prepared: 09/04/2008 1426			
Benzene	<2.0	ug/L	0.32	2.0	2.0
Dichlorodifluoromethane	<2.0	ug/L	0.58	2.0	2.0
Chloromethane	<2.0	ug/L	0.66	2.0	2.0
Vinyl chloride	<2.0	ug/L	0.46	2.0	2.0
Bromomethane	<2.0	ug/L	0.88	2.0	2.0
Chloroethane	<2.0	ug/L	0.90	2.0	2.0
Trichlorofluoromethane	<2.0	ug/L	0.64	2.0	2.0
1,1-Dichloroethene	<2.0	ug/L	0.44	2.0	2.0
Carbon disulfide	<10	ug/L	0.78	10	2.0
Acetone	<10	ug/L	2.4	10	2.0
Methylene Chloride	<4.0	ug/L	2.0	4.0	2.0
trans-1,2-Dichloroethene	<2.0	ug/L	0.34	2.0	2.0
1,1-Dichloroethane	<2.0	ug/L	0.36	2.0	2.0
2,2-Dichloropropane	<2.0	ug/L	0.60	2.0	2.0
cis-1,2-Dichloroethene	3.1	ug/L	0.42	2.0	2.0
Methyl Ethyl Ketone	<10	ug/L	1.7	10	2.0
Bromochloromethane	<2.0	ug/L	0.66	2.0	2.0
Chloroform	<2.0	ug/L	0.26	2.0	2.0
1,1,1-Trichloroethane	<2.0	ug/L	0.46	2.0	2.0
1,1-Dichloropropene	<2.0	ug/L	0.34	2.0	2.0
Carbon tetrachloride	<2.0	ug/L	0.42	2.0	2.0
1,2-Dichloroethane	<2.0	ug/L	0.44	2.0	2.0
1,2-Dichloropropane	<2.0	ug/L	0.46	2.0	2.0
Dibromomethane	<2.0	ug/L	0.62	2.0	2.0
Bromodichloromethane	<2.0	ug/L	0.36	2.0	2.0
cis-1,3-Dichloropropene	<2.0	ug/L	0.32	2.0	2.0
methyl isobutyl ketone	<10	ug/L	1.2	10	2.0
Toluene	<2.0	ug/L	0.32	2.0	2.0
trans-1,3-Dichloropropene	<2.0	ug/L	0.26	2.0	2.0
1,1,2-Trichloroethane	<2.0	ug/L	0.64	2.0	2.0
Tetrachloroethene	74	ug/L	0.28	2.0	2.0
1,3-Dichloropropane	<2.0	ug/L	0.34	2.0	2.0
2-Hexanone	<10	ug/L	1.5	10	2.0
Dibromochloromethane	<2.0	ug/L	0.38	2.0	2.0
1,2-Dibromoethane	<2.0	ug/L	0.48	2.0	2.0
Chlorobenzene	<2.0	ug/L	0.34	2.0	2.0
1,1,1,2-Tetrachloroethane	<2.0	ug/L	0.36	2.0	2.0
Ethylbenzene	<2.0	ug/L	0.34	2.0	2.0
m&p-Xylene	<4.0	ug/L	0.46	4.0	2.0

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-13672-1

Client Sample ID: EW-2  
 Lab Sample ID: 500-13672-16

Date Sampled: 08/27/2008 1700  
 Date Received: 08/29/2008 1030  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
o-Xylene	<2.0	ug/L	0.24	2.0	2.0
Styrene	<2.0	ug/L	0.30	2.0	2.0
Bromoform	<2.0	ug/L	0.60	2.0	2.0
Isopropylbenzene	<2.0	ug/L	0.28	2.0	2.0
Bromobenzene	<2.0	ug/L	0.30	2.0	2.0
1,1,2,2-Tetrachloroethane	<2.0	ug/L	0.50	2.0	2.0
1,2,3-Trichloropropane	<2.0	ug/L	0.78	2.0	2.0
N-Propylbenzene	<2.0	ug/L	0.22	2.0	2.0
2-Chlorotoluene	<2.0	ug/L	0.32	2.0	2.0
1,3,5-Trimethylbenzene	<2.0	ug/L	0.28	2.0	2.0
4-Chlorotoluene	<2.0	ug/L	0.28	2.0	2.0
tert-Butylbenzene	<2.0	ug/L	0.26	2.0	2.0
1,2,4-Trimethylbenzene	<2.0	ug/L	0.24	2.0	2.0
sec-Butylbenzene	<2.0	ug/L	0.28	2.0	2.0
1,3-Dichlorobenzene	<2.0	ug/L	0.38	2.0	2.0
p-Isopropyltoluene	<2.0	ug/L	0.24	2.0	2.0
1,4-Dichlorobenzene	<2.0	ug/L	0.30	2.0	2.0
n-Butylbenzene	<2.0	ug/L	0.26	2.0	2.0
1,2-Dichlorobenzene	<2.0	ug/L	0.30	2.0	2.0
1,2-Dibromo-3-Chloropropane	<4.0	ug/L	1.7	4.0	2.0
1,2,4-Trichlorobenzene	<2.0	ug/L	0.40	2.0	2.0
Hexachlorobutadiene	<2.0	ug/L	0.54	2.0	2.0
Naphthalene	<2.0	ug/L	0.64	2.0	2.0
1,2,3-Trichlorobenzene	<2.0	ug/L	0.40	2.0	2.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	114	%		70 - 125	
Toluene-d8 (Surr)	98	%		75 - 120	
4-Bromofluorobenzene (Surr)	87	%		75 - 120	
Dibromofluoromethane	123	X %		75 - 120	
Method: 8260B Run Type: DL			Date Analyzed: 09/04/2008 1449		
Prep Method: 5030B			Date Prepared: 09/04/2008 1449		
Trichloroethene	350	ug/L	4.0	20	20
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	112	%		70 - 125	
Toluene-d8 (Surr)	98	%		75 - 120	
4-Bromofluorobenzene (Surr)	89	%		75 - 120	
Dibromofluoromethane	119	%		75 - 120	

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-13672-1

Client Sample ID: EW-3  
 Lab Sample ID: 500-13672-17

Date Sampled: 08/28/2008 1100  
 Date Received: 08/29/2008 1030  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
<b>Method: 8260B</b>		Date Analyzed: 09/04/2008 1512			
<b>Prep Method: 5030B</b>		Date Prepared: 09/04/2008 1512			
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0 *	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	2.4	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	3.6	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0



Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-13672-1

Client Sample ID: EW-3  
 Lab Sample ID: 500-13672-17

Date Sampled: 08/28/2008 1100  
 Date Received: 08/29/2008 1030  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0	ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0

Surrogate	Result	Unit	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	115	%	70 - 125
Toluene-d8 (Surr)	100	%	75 - 120
4-Bromofluorobenzene (Surr)	90	%	75 - 120
Dibromofluoromethane	121	X %	75 - 120

Method: 8260B Run Type: DL  
 Prep Method: 5030B

Date Analyzed: 09/04/2008 1535  
 Date Prepared: 09/04/2008 1535

Trichloroethene	150	ug/L	2.0	10	10
-----------------	-----	------	-----	----	----

Surrogate	Result	Unit	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	111	%	70 - 125
Toluene-d8 (Surr)	97	%	75 - 120
4-Bromofluorobenzene (Surr)	87	%	75 - 120
Dibromofluoromethane	117	%	75 - 120

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-13672-1

Client Sample ID: EW-4  
 Lab Sample ID: 500-13672-18

Date Sampled: 08/28/2008 1030  
 Date Received: 08/29/2008 1030  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
<b>Method: 8260B</b>		Date Analyzed: 09/04/2008 1559			
<b>Prep Method: 5030B</b>		Date Prepared: 09/04/2008 1559			
Benzene	<10	ug/L	1.6	10	10
Dichlorodifluoromethane	<10	ug/L	2.9	10	10
Chloromethane	<10	ug/L	3.3	10	10
Vinyl chloride	<10	ug/L	2.3	10	10
Bromomethane	<10	ug/L	4.4	10	10
Chloroethane	<10	ug/L	4.5	10	10
Trichlorofluoromethane	<10	ug/L	3.2	10	10
1,1-Dichloroethene	<10	ug/L	2.2	10	10
Carbon disulfide	<50 *	ug/L	3.9	50	10
Acetone	<50	ug/L	12	50	10
Methylene Chloride	<20	ug/L	9.9	20	10
trans-1,2-Dichloroethene	<10	ug/L	1.7	10	10
1,1-Dichloroethane	<10	ug/L	1.8	10	10
2,2-Dichloropropane	<10	ug/L	3.0	10	10
cis-1,2-Dichloroethene	<10	ug/L	2.1	10	10
Methyl Ethyl Ketone	<50	ug/L	8.3	50	10
Bromochloromethane	<10	ug/L	3.3	10	10
Chloroform	<10	ug/L	1.3	10	10
1,1,1-Trichloroethane	<10	ug/L	2.3	10	10
1,1-Dichloropropene	<10	ug/L	1.7	10	10
Carbon tetrachloride	<10	ug/L	2.1	10	10
1,2-Dichloroethane	<10	ug/L	2.2	10	10
1,2-Dichloropropane	<10	ug/L	2.3	10	10
Dibromomethane	<10	ug/L	3.1	10	10
Bromodichloromethane	<10	ug/L	1.8	10	10
cis-1,3-Dichloropropene	<10	ug/L	1.6	10	10
methyl isobutyl ketone	<50	ug/L	5.8	50	10
Toluene	<10	ug/L	1.6	10	10
trans-1,3-Dichloropropene	<10	ug/L	1.3	10	10
1,1,2-Trichloroethane	<10	ug/L	3.2	10	10
Tetrachloroethene	36	ug/L	1.4	10	10
1,3-Dichloropropane	<10	ug/L	1.7	10	10
2-Hexanone	<50	ug/L	7.7	50	10
Dibromochloromethane	<10	ug/L	1.9	10	10
1,2-Dibromoethane	<10	ug/L	2.4	10	10
Chlorobenzene	<10	ug/L	1.7	10	10
1,1,1,2-Tetrachloroethane	<10	ug/L	1.8	10	10
Ethylbenzene	<10	ug/L	1.7	10	10
m&p-Xylene	<20	ug/L	2.3	20	10

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-13672-1

Client Sample ID: EW-4  
 Lab Sample ID: 500-13672-18

Date Sampled: 08/28/2008 1030  
 Date Received: 08/29/2008 1030  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
o-Xylene	<10	ug/L	1.2	10	10
Styrene	<10	ug/L	1.5	10	10
Bromoform	<10	ug/L	3.0	10	10
Isopropylbenzene	<10	ug/L	1.4	10	10
Bromobenzene	<10	ug/L	1.5	10	10
1,1,2,2-Tetrachloroethane	<10	ug/L	2.5	10	10
1,2,3-Trichloropropane	<10	ug/L	3.9	10	10
N-Propylbenzene	<10	ug/L	1.1	10	10
2-Chlorotoluene	<10	ug/L	1.6	10	10
1,3,5-Trimethylbenzene	<10	ug/L	1.4	10	10
4-Chlorotoluene	<10	ug/L	1.4	10	10
tert-Butylbenzene	<10	ug/L	1.3	10	10
1,2,4-Trimethylbenzene	<10	ug/L	1.2	10	10
sec-Butylbenzene	<10	ug/L	1.4	10	10
1,3-Dichlorobenzene	<10	ug/L	1.9	10	10
p-Isopropyltoluene	<10	ug/L	1.2	10	10
1,4-Dichlorobenzene	<10	ug/L	1.5	10	10
n-Butylbenzene	<10	ug/L	1.3	10	10
1,2-Dichlorobenzene	<10	ug/L	1.5	10	10
1,2-Dibromo-3-Chloropropane	<20	ug/L	8.5	20	10
1,2,4-Trichlorobenzene	<10	ug/L	2.0	10	10
Hexachlorobutadiene	<10	ug/L	2.7	10	10
Naphthalene	<10	ug/L	3.2	10	10
1,2,3-Trichlorobenzene	<10	ug/L	2.0	10	10

Surrogate	Result	Unit	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	111	%	70 - 125
Toluene-d8 (Surr)	100	%	75 - 120
4-Bromofluorobenzene (Surr)	89	%	75 - 120
Dibromofluoromethane	121	X %	75 - 120

Method: 8260B Run Type: DL

Prep Method: 5030B

Date Analyzed: 09/04/2008 1623  
 Date Prepared: 09/04/2008 1623

Trichloroethene	1600	ug/L	20	100	100
-----------------	------	------	----	-----	-----

Surrogate	Result	Unit	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	116	%	70 - 125
Toluene-d8 (Surr)	100	%	75 - 120
4-Bromofluorobenzene (Surr)	88	%	75 - 120
Dibromofluoromethane	117	%	75 - 120

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-13672-1

Client Sample ID: EW-5  
 Lab Sample ID: 500-13672-19

Date Sampled: 08/27/2008 0935  
 Date Received: 08/29/2008 1030  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
<b>Method: 8260B</b>		Date Analyzed: 09/04/2008 1646			
<b>Prep Method: 5030B</b>		Date Prepared: 09/04/2008 1646			
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0 *	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	1.8	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	15	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-13672-1

Client Sample ID: EW-5  
 Lab Sample ID: 500-13672-19

Date Sampled: 08/27/2008 0935  
 Date Received: 08/29/2008 1030  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0	ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0

Surrogate	Result	Unit	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	115	%	70 - 125
Toluene-d8 (Surr)	101	%	75 - 120
4-Bromofluorobenzene (Surr)	88	%	75 - 120
Dibromofluoromethane	121	X %	75 - 120

Method: 8260B Run Type: DL  
 Prep Method: 5030B

Date Analyzed: 09/04/2008 1709  
 Date Prepared: 09/04/2008 1709

Trichloroethene	250	ug/L	2.0	10	10
-----------------	-----	------	-----	----	----

Surrogate	Result	Unit	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	112	%	70 - 125
Toluene-d8 (Surr)	96	%	75 - 120
4-Bromofluorobenzene (Surr)	88	%	75 - 120
Dibromofluoromethane	123	X %	75 - 120