

**Quarterly Groundwater Monitoring Report**

Prepared for  
**Black & Decker (U.S.) Inc.**

Hampstead, Maryland

October 2009

Prepared by

**WESTON SOLUTIONS, INC.**

West Chester, Pennsylvania 19380-1499

---

## TABLE OF CONTENTS

---

Section	Page
1. INTRODUCTION .....	1-1
2. SITE CHARACTERISTICS .....	2-1
2.1 HYDRAULIC PROPERTIES .....	2-1
2.2 EFFLUENT CHARACTERISTICS .....	2-1
2.3 GROUNDWATER QUALITY DATA .....	2-1
3. OPERATION AND MAINTENANCE OF THE TREATMENT SYSTEM.....	3-1
4. RECOMMENDATIONS .....	4-1

---

## LIST OF APPENDICES

---

**APPENDIX A - GROUNDWATER TREATMENT SYSTEM PUMPING RECORDS**

**APPENDIX B - DISCHARGE MONITORING REPORTS**

**APPENDIX C - GROUNDWATER TREATMENT SYSTEM ANALYTICAL RESULTS**

**APPENDIX D - GROUNDWATER ANALYTICAL DATA PACKAGE**

---

## LIST OF TABLES

---

<b>Table</b>	<b>Page</b>
Table 2-1 Treatment System Pumping Records – 3rd Quarter 2009 .....	2-2
Table 2-2 Groundwater Elevation Data – 3rd Quarter 2009.....	2-3
Table 2-3 Effluent Characteristics Summary – 3rd Quarter 2009.....	2-4
Table 2-4 Summary of Groundwater Analytical Results - August 2009 .....	2-5
Table 3-1 Treatment System Maintenance Activities – 3rd Quarter 2009.....	3-2

## 1. INTRODUCTION

This Groundwater Monitoring Report has been prepared to meet the requirements of Condition IV.G of the Administrative Consent Order between the State of Maryland Department of the Environment (MDE) and Black & Decker (U.S.) Inc. (April 1995) (Consent Order). Specifically, Condition IV.G calls for preparation of a Groundwater Monitoring Report containing the following information for each reporting period:

- The quantities of groundwater pumped, treated, and discharged.
- The calculation of quantities of contaminants removed from groundwater.
- A summary of all sampling analyses.
- An explanation of all operational or other problems encountered, and the manner in which each problem was resolved.
- Copies of all reports submitted to the Department of Natural Resources in conjunction with the Groundwater Appropriations Permit.
- Recommendations for changes to the Interim Groundwater Treatment System.

This document is one of several which are being prepared in response to the Consent Order; each of these documents are to be submitted to the MDE in accordance with the schedule outlined in the Consent Order. This document will become part of the Administrative Record for the site, which is maintained at the Hampstead Public Library.

## **2. SITE CHARACTERISTICS**

### **2.1 HYDRAULIC PROPERTIES**

In accordance with the Consent Order and the Water Appropriation Permit issued to the Black and Decker (U.S.) Inc. Hampstead, Maryland, facility, the following pumping and water level information is included for the period of July through September 2009.

Pumping records showing the total gallons pumped per month of treatment system operation are presented in Table 2-1. The complete groundwater treatment system pumping records are included in Appendix A.

Monthly water levels for wells included in the water level monitoring plan are presented in Table 2-2. For the reporting period of July through September 2009, the extraction wells were pumping at an average combined rate of approximately 168 gallons per minute (gpm).

### **2.2 EFFLUENT CHARACTERISTICS**

Effluent characteristics of the NPDES discharge points are recorded monthly on Discharge Monitoring Reports (DMRs) and are submitted to MDE, Water Management Administration, on a quarterly basis. A summary of the sample results from the DMRs is presented in Table 2-3. DMRs for the period of July through September 2009 are included in Appendix B.

### **2.3 GROUNDWATER QUALITY DATA**

For the reporting period of July through September 2009, approximately 19 pounds of total volatile organic compounds (VOCs) were removed from the groundwater by the extraction and treatment system. In general, the total VOCs removed from the groundwater were comprised primarily of trichloroethene (TCE) (85.8 %) and tetrachloroethene (PCE) (14.2 %). Analytical results of the groundwater collected from the air stripper for the period of July through September 2009 are included in Appendix C.

A summary of the analytical results from the third quarter (August 2009) groundwater sampling round of the extraction and monitor wells is included in Table 2-4. The complete

**Table 2-1**  
**Treatment System Pumping Records - 3rd Quarter 2009**  
**Black & Decker**  
**Hampstead, Maryland**

<b>Date</b>	<b>Water Pumped (gallons)</b>
July 2009	7,060,251
August 2009	6,837,783
September 2009	6,091,665

**Table 2-2**  
**Groundwater Elevation Data - 3rd Quarter 2009**  
**Black & Decker**  
**Hampstead, Maryland**

WELL NO.	TOC ELEV.	TOTAL DEPTH	7/16/2009		8/18/2009		9/25/2009	
			DTW	ELEV	DTW	ELEV	DTW	ELEV
EW-1	847.21	55	DRY	NC	DRY	NC	DRY	NC
EW-2	849.21	110	74.11	775.10	76.47	772.74	75.81	773.40
EW-3	846.64	118	81.00	765.64	78.11	768.53	80.70	765.94
EW-4	858.01	97.5	PC	NC	PC	NC	PC	NC
EW-5	864.17	98	68.47	795.70	75.45	788.72	69.11	795.06
EW-6	831.98	115	103.43	728.55	102.85	729.13	102.87	729.11
EW-7	818.38	78	72.22	746.16	71.80	746.58	71.80	746.58
EW-8	811.13	98	93.34	717.79	91.75	719.38	93.41	717.72
EW-9	811.35	141	101.42	709.93	102.79	708.56	101.50	709.85
EW-10	807.74	INA	53.63	754.11	52.07	755.67	54.64	753.10
RFW-1A	864.37	78	50.70	813.67	50.81	813.56	50.74	813.63
RFW-1B	864.23	200	50.72	813.51	50.85	813.38	50.76	813.47
RFW-2A	857.41	35	14.26	843.15	16.58	840.83	16.02	841.39
RFW-2B	857.73	75	14.83	842.90	17.30	840.43	16.83	840.90
RFW-3B	839.21	153	35.88	803.33	35.43	803.78	35.52	803.69
RFW-4A	830.37	62	35.98	794.39	36.98	793.39	36.03	794.34
RFW-4B	830.37	120	36.06	794.31	37.02	793.35	36.21	794.16
RFW-5A	817.50	30	DRY	NC	DRY	NC	DRY	NC
RFW-6	785.04	120	4.22	780.82	4.33	780.71	4.19	780.85
RFW-7	805.14	29	7.90	797.24	7.17	797.97	7.67	797.47
RFW-8	860.07	56	DRY	NC	DRY	NC	DRY	NC
RFW-9	862.02	49	26.62	835.40	26.40	835.62	26.57	835.45
RFW-10	852.06	58	DRY	NC	DRY	NC	DRY	NC
RFW-11A	849.32	72	Damaged	NC	Damaged	NC	Damaged	NC
RFW-11B	849.62	116	66.26	783.36	66.20	783.42	66.82	782.80
RFW-12B	844.87	264	48.92	795.95	50.30	794.57	50.61	794.26
RFW-13	849.11	150	64.83	784.28	65.72	783.39	65.94	783.17
RFW-14B	812.39	281	53.42	758.97	47.41	764.98	47.39	765.00
RFW-16	856.14	41	DRY	NC	DRY	NC	DRY	NC
RFW-17	834.66	60.5	27.56	807.10	26.87	807.79	27.41	807.25
RFW-20	842.49	142	35.89	806.60	34.98	807.51	34.77	807.72
RFW-21	832.65	102	23.06	809.59	22.65	810.00	22.61	810.04
PH-7	805.94	89	34.26	771.68	29.36	776.58	29.41	776.53
PH-9	814.94	98	57.41	757.53	55.40	759.54	56.00	758.94
PH-11	820.68	78	49.98	770.70	50.86	769.82	50.74	769.94
PH-12	828.35	87	52.80	775.55	53.51	774.84	53.21	775.14
B-3	803.02	83	9.86	793.16	10.41	792.61	9.74	793.28
Amoco	842.29	INA	NA	NC	NA	NC	NA	NC
Hamp. Town #22	804.96	INA	26.41	778.55	19.78	785.18	6.11	798.85
Pembroke #1	INA	INA	11.40	NC	12.52	NC	11.84	NC
Pembroke #2	INA	INA	Damaged	NC	Damaged	NC	Damaged	NC
N. Houcks. Rd.	INA	INA	9.80	NC	11.34	NC	9.60	NC
E. Century St.	INA	INA	19.49	NC	19.36	NC	19.20	NC
Lwr. Beckleys. Rd.	INA	INA	54.32	NC	54.64	NC	54.81	NC

NA - Not Available/Not Accessible

NC - Not Calculable

INA - Information not available

PC - Pump Cycles

**Table 2-3**  
**Effluent Characteristics Summary - 3rd Quarter 2009**  
**Black & Decker**  
**Hampstead, Maryland**

Discharge Number	Parameter	Units	Permit Limits	DMR DATE			
				July 2009	August 2009	September 2009	
001	FLOW	average	MGD	NA	0.146	0.160	0.152
		maximum	MGD	NA	0.199	0.607	0.196
	1,1,1-Trichloroethane	ug/l	5	< 1	< 1	< 1	
	Tetrachloroethylene	ug/l	5	< 1	< 1	< 1	
	Trichloroethylene	ug/l	5	< 1	< 1	< 1	
	Total Residual Chlorine	mg/l	< 0.1	< 0.1	< 0.1	< 0.1	
	Oil & Grease	maximum	mg/l	15	< 5	< 5	< 5
		quarterly average	mg/l	10	< 5	< 5	< 5
	pH	minimum	STD	6.0	6.20	6.40	6.30
		maximum	STD	8.5	8.10	7.50	7.00
BOD		mg/l	15	3.0	7.0	9.0	
TSS	maximum	mg/l	30	7.0	9.0	12.0	
	quarterly average	mg/l	20	7.0	9.0	12.0	
101 (Monitoring Point)	FLOW	average	MGD	NA	0.285	0.238	0.239
		maximum	MGD	NA	0.375	0.326	0.286
	Fecal Coliform	MPN/100ml	200	2.0	1.0	1.0	
201 (Monitoring Point)	FLOW	average	MGD	NA	NR	NR	0.217
		maximum	MGD	NA	NR	NR	0.278
	1,1,1-Trichloroethane	ug/l	NA	NR	NR	< 1	
	Tetrachloroethylene	ug/l	NA	NR	NR	< 1	
	Trichloroethylene	ug/l	NA	NR	NR	< 1	

DMR - Discharge Monitoring Report

NA - Not Applicable

NR - Not Reported



**Table 2-4**  
**Summary of Groundwater Analytical Results - August 2009**  
**Black & Decker**  
**Hampstead, Maryland**

PARAMETER	Units	EW-1	EW-2	EW-3	EW-4	EW-5	EW-6	EW-7	EW-8	EW-9	EW-9 (DUP)	EW-10
Chloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromomethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Acetone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Carbon Disulfide	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1-Dichloroethene	ug/L	NS	1 U	1 U	1 U	0.5 J	1 U	1 U	1 U	1 U	1 U	1 U
1,1-Dichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethene (total)	ug/L	NS	3.5	2.4	1 U	1 U	1 U	5.9	19	1 U	1 U	1 U
Chloroform	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
2-Butanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Carbon Tetrachloride	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromodichloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloropropane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trichloroethene	ug/L	NS	400	120	950	170	11	4.7	8.6	1.1	1	1 U
Dibromochloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Benzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromoform	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
2-Hexanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Tetrachloroethene	ug/L	NS	61	3	16	6.9	16	8.6	53	110	98	1 U
1,1,1,2-Tetrachloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Toluene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chlorobenzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Ethylbenzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Styrene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Xylene (total)	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U

Notes: U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.

J = Indicates an estimated value.

**Table 2-4**  
**Summary of Groundwater Analytical Results - August 2009**  
**Black & Decker**  
**Hampstead, Maryland**

PARAMETER	Units	RFW-1A	RFW-1B	RFW-2A	RFW-2B	RFW-3B	RFW-4A	RFW-4A (DUP)	RFW-4B	RFW-5A	RFW-6	RFW-7	RFW-8	RFW-9	RFW-10
Chloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromomethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Vinyl Chloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Methylene Chloride	ug/L	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	NS	2 U	2 U	NS	2 U	NS
Acetone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
Carbon Disulfide	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1-Dichloroethene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1.1	NS
1,1-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloroethene (total)	ug/L	1 U	1 U	1 U	1 U	3.7	1 U	1 U	3.7	NS	1 U	1 U	NS	16	NS
Chloroform	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
2-Butanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1,1-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Carbon Tetrachloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromodichloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloropropane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
cis-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Trichloroethene	ug/L	1 U	1 U	1.2	1.6	1 U	23	23	15	NS	2.2	4.4	NS	15	NS
Dibromochloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,1,2-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Benzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Trans-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromoform	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
4-Methyl-2-pentanone	ug/L	5 U	5 U	5 U	1 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
2-Hexanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
Tetrachloroethene	ug/L	1 U	1 U	1 U	1 U	1.4	13	13	31	NS	2.4	1 U	NS	6.9	NS
1,1,2,2-Tetrachloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Toluene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chlorobenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Ethylbenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Styrene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Xylene (total)	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS

Notes: DUP = Duplicate sample  
 NS = Not sampled

U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.  
 J = Indicates an estimated value.

**Table 2-4**  
**Summary of Groundwater Analytical Results - August 2009**  
**Black & Decker**  
**Hampstead, Maryland**

PARAMETER	Units	RFW-11	RFW-11B	RFW-12B	RFW-13	RFW-16	RFW-17	Leister Dairy	Leister Res. #1	Leister Res. #2	Trip Blank	RFW-20	RFW-21	Town #22	Town #23	Trip Blank
		USEPA drinking water method 524.2														
Chloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	1 U	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	2 U	2 U	2 U	NS	2 U	ABD	ABD	ABD	2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Acetone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
Carbon Disulfide	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	NA	NA	NA	NA	NA
1,1-Dichloroethene	ug/L	NS	1 U	0.7 J	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethene (total)	ug/L	NS	1 U	2.6	1 J	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene	ug/L	NS	8.8	440	3.5	NS	1 U	ABD	ABD	ABD	1 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U
Dibromochloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Benzene	ug/L	NS	1 U	1 U	1 U	NS	0.6 J	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
2-Hexanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
Tetrachloroethene	ug/L	NS	1 U	36	17	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Styrene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Xylene (total)	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

Notes: Samples from wells RFW-20 & 21, Town-22&23 are analyzed with the USEPA drinking water method 524.2 at the request of the MDE Source Protection and Appropriation Division. Samples from all of the other wells are analyzed with USEPA Method 8260.

analytical data package is included in Appendix D.

As found in earlier sampling events at the Black & Decker facility, TCE and PCE were the VOCs detected at the highest concentrations in the groundwater samples. The highest concentration of TCE was detected in the groundwater samples collected from wells RFW-12B and EW-4 and the highest concentration of PCE was detected in the groundwater sample collected from well EW-9. The remainder of VOCs present were detected at levels below the Federal Maximum Contaminant Levels (MCL).

### **3. OPERATION AND MAINTENANCE OF THE TREATMENT SYSTEM**

A summary of the maintenance activities which were undertaken with the extraction and treatment system during the reporting period (July through September 2009) is provided in Table 3-1. This table is comprehensive in summarizing significant maintenance events or activities, while not including those activities considered unworthy of note (such as replacement of light bulbs, lubrication of moving parts as appropriate or other routine activities).

**Table 3-1**  
**Treatment System Maintenance Activities - 3rd Quarter 2009**  
**Black & Decker**  
**Hampstead, Maryland**

Date	Event/Corrective Action
Jul-09	Alarm at air stripper due to a power outage, reset the system. System back online.
Aug-09	Alarm at air stripper due to high wet well, reset the system. System back online.
Aug-09	Alarm at air stripper due to a power outage, reset the system. System back online.
Sep '09	Alarm at air stripper due high column and blower failure. Reset everything, system back online.
Sep-09	Alarm at air stripper due to high wet well, reset the system. System back online.
Sep-09	Had to shut the air stripper down to repair a leak on the 1 1/2 bypass line. The air stripper was down 4-5 hours.
Sep-09	EW-7 is not pumping. The motor is not working. Order a new pump motor, pull old pump, bleach well and install a new pump motor. The well was down 3 days, the well is back online.
Sep-09	Alarm at air stripper due to a power outage, reset the system. System back online.

#### 4. RECOMMENDATIONS

For the reporting period of July through September 2009, the treatment system continued to create a hydraulic boundary preventing off-site migration of groundwater. The extraction system will continue to operate as currently configured to pump and treat contaminated groundwater. Depth-to-water measurements will continue to be collected on a monthly basis in all site monitor wells to construct a groundwater elevation contour map for the site. The groundwater elevation contour map will be used to verify that the required area of groundwater capture is being maintained. If necessary, pumping rates will be adjusted to maintain groundwater capture due to seasonal fluctuations in groundwater elevations. The treatment system will also continue to operate as currently configured, as data collected have proven that the treatment system is fully effective in removing VOCs from the extracted groundwater.

---

**APPENDIX A**  
**GROUNDWATER TREATMENT SYSTEM PUMPING RECORDS**  
**(JULY – SEPTEMBER 2009)**

---



MARYLAND DEPARTMENT of the ENVIRONMENT, WATER MANAGEMENT ADMINISTRATION, 1800 WASHINGTON BLVD, BALTIMORE, MD 21230

Operated By  
Maryland Environmental Service  
259 Najoles Road, Millersville MD

Facility: BTR Capital Group  
Address: 626 Hanover Pike, Hampstead Maryland  
Additional Op's & cert # - Dorrance Jones 0763, Scott Steedman 0764, Gary Dickerson 0782, David Smith 9153

Permit Number: 02-DP-0022  
Superintendent: Earle Villarreal

Certification # 1017

Month July  
Year 2009

Date	Appearance	Discharge MGD	pH su	Cl2 mg/l	Final Effluent outfall 001						Outfall 101						Outfall 201				Operator
					Tetrachloroethylene ug/l	1,1,1-Trichloroethane ug/l	Trichloroethene ug/l	BOD <sub>5</sub> mg/l	TSS mg/l	O&G mg/l	Flow MGD	Fecal mpn	Basin Inches	Alum Gpd	Hypochlorite Gpd	Post Cl2 mg/l	Tetrachloroethylene ug/l	1,1,1-Trichloroethane ug/l	Trichloroethene ug/l	Discharge mgd	
1	clear	0.17600			< 1.00	< 1.00	< 1.00	3.0	7.0	< 5.0	0.310000	< 1.8	0.0	10.0	2.0	5.0	< 1.0	< 1.0	< 1.0	0.241975	djones
2	clear	0.19900	6.60								0.348000		0.0	5.0	2.0	5.0				0.232913	djones
3	clear	0.17400									0.300000		0.0	20.0	2.0	5.0				0.219398	ssteedman
4	clear	0.18300									0.314000		0.0	5.0	2.0	5.0				0.233527	gdickerson
5	clear	0.18800									0.297000		0.0	5.0	2.0	5.0				0.246119	gdickerson
6	clear	0.16600									0.251000		0.0	10.0	2.0	5.0				0.232426	djones
7	clear	0.16800									0.260000		0.0	10.0	1.0	5.0				0.209927	djones
8	clear	0.16800	8.08	0.00							0.273000	< 1.8	0.0	5.0	1.0	5.0				0.224129	djones
9	clear	0.18600									0.302000		0.0	5.0	1.0	5.0				0.256313	gdickerson
10	clear	0.17700	6.75	0.00							0.318000		0.0	5.0	1.0	5.0				0.220363	djones
11	clear	0.17100									0.301000		0.0	5.0	2.0	5.0				0.229076	ssteedman
12	clear	0.16900									0.288000		0.0	5.0	2.0	5.0				0.242964	ssteedman
13	clear	0.16400									0.285000		0.0	3.0	1.0	5.0				0.230685	djones
14	clear	0.18600	8.13	0.00							0.323000		0.0	3.0	1.0	5.0				0.231334	djones
15	clear	0.15100									0.280000	< 1.8	0.0	3.0	1.0	5.0				0.214925	ssteedman
16	clear	0.17000	7.01	0.00							0.305000		0.0	3.0	1.0	5.0				0.222355	djones
17	clear	0.11700									0.330000		0.0	3.0	1.0	5.0				0.243125	djones
18	clear	0.10400									0.286000		0.0	4.0	1.0	5.0				0.220533	djones
19	clear	0.10900									0.292000		0.0	2.0	1.0	5.0				0.240588	djones
20	clear	0.09500									0.286000		0.0	2.0	1.0	5.0				0.216811	mvhitt
21	clear	0.11900	6.23	0.00							0.301000		0.0	1.0	2.0	5.0				0.251584	ssteedman
22	clear	0.10800									0.375000	< 1.8	0.0	1.0	1.0	5.0				0.225667	djones
23	clear	0.19900	7.04	0.00							0.286000		0.0	2.0	1.0	5.0				0.232952	ssteedman
24	clear	0.10300									0.193000		0.0	2.0	1.0	5.0				0.173729	ssteedman
25	clear	0.09900									0.212000		0.0	2.0	1.0	5.0				0.211948	dsmith
26	clear	0.13500									0.237000		0.0	2.0	2.0	5.0				0.220189	dsmith
27	clear	0.11700									0.229000		0.0	2.0	2.0	5.0				0.249888	ssteedman
28	clear	0.08900	6.87	0.00							0.274000		0.0	4.0	2.0	5.0				0.205242	djones
29	clear	0.12500									0.255000	2.0	0.0	3.0	2.0	3.2				0.223887	djones
30	clear	0.10800									0.257000		0.0	3.0	2.0	5.0				0.248819	djones
31	clear	0.11000	6.55	0.00							0.252000		0.0	2.0	2.0	5.0				0.206860	djones
Total		4.53300									8.820000									7.060251	
Average		0.14623	7.0	<0.10	0	0	0	3	7	0	0.284516	1	0.0	4.4	1.5	4.9	0	0	0	0.227750	
Minimum		0.08900	6.2	0.00	0	0	0	3	7	0	0.193000	1	0.0	1.0	1.0	3.2	0	0	0	0.173729	
Maximum		0.19900	8.1	<0.10	0	0	0	3	7	0	0.375000	2	0.0	20.0	2.0	5.0	0	0	0	0.256313	MOR 5-11-09

COMMENTS:

MARYLAND DEPARTMENT of the ENVIRONMENT, WATER MANAGEMENT ADMINISTRATION, 1800 WASHINGTON BLVD, BALTIMORE, MD 21230

Operated By:  
Maryland Environmental Service  
259 Najoles Road, Millersville MD

Facility: BTR Capital Group  
Address: 626 Hanover Pike, Hampstead Maryland

Additional Op's & cert # - Dorrance Jones 0763, Scott Steedman 0764, Dave Smith 9153, Martin Whitt 0666

Permit Number: 02-DP-0022  
Superintendent: Earle Villarreal

Certification # 1017

Month: August  
Year: 2009

Final Effluent outfall 001											Outfall 101					Outfall 201				Operator	
Date	Appearance	Discharge MGD	pH su	Cl2 mg/l	Tetrachloroethylene ug/l	1,1,1-Trichloroethane ug/l	Trichloroethene ug/l	BOD <sub>5</sub> mg/l	TSS mg/l	O&G mg/l	Flow MGD	Fecal mpn	Basin Inches	Alum Gpd	Hypochlorite Gpd	Post Cl2 mg/l	Tetrachloroethylene ug/l	1,1,1-Trichloroethane ug/l	Trichloroethene ug/l		Discharge mgd
1	clear	0.10300									0.236000		0.0	3.0	2.0	5.0				0.219802	ssteedman
2	clear	0.10900									0.238000		0.0	5.0	2.0	5.0				0.224999	ssteedman
3	clear	0.09500									0.218000		0.0	2.0	2.0	5.0				0.219698	djones
4	clear	0.09400	6.43	0.00							0.214000		0.0	2.0	1.0	5.0				0.197899	djones
5	clear	0.10200			< 1.00	< 1.00	< 1.00	7.0	9.0	< 5.0	0.257000	< 1.8	0.0	2.0	1.0	5.0				0.229804	djones
6	clear	0.10300	6.91	0.00							0.218000		0.0	6.0	1.0	5.0				0.247020	djones
7	clear	0.10500									0.262000		0.0	10.0	1.0	5.0				0.224009	djones
8	clear	0.09000									0.219000		0.0	5.0	0.5	5.0				0.208460	djones
9	clear	0.09400									0.215000		0.0	5.0	0.5	5.0				0.225858	djones
10	clear	0.09100									0.208000		0.0	5.0	1.0	5.0				0.193415	mwhitt
11	clear	0.11000	7.41	0.00							0.256000		0.0	5.0	1.0	5.0				0.256485	ssteedman
12	clear	0.08800									0.207000	< 1.8	0.0	5.0	0.5	5.0				0.197088	djones
13	clear	0.17900	7.50	0.00							0.243000		0.0	5.0	0.5	5.0				0.248914	djones
14	clear	0.12800									0.199000		0.0	5.0	0.5	5.0				0.164465	djones
15	clear	0.15600									0.216000		0.0	3.0	0.5	5.0				0.219429	dsmith
16	clear	0.17600									0.252000		0.0	2.0	0.5	5.0				0.271871	dsmith
17	clear	0.14500									0.208000		0.0	5.0	0.5	5.0				0.205895	djones
18	clear	0.17500	7.45	0.00							0.216000		0.0	5.0	1.0	5.0				0.236588	djones
19	clear	0.12800									0.235000	< 1.8	0.0	10.0	1.0	5.0				0.192248	djones
20	clear	0.16400	7.20	0.00							0.273000		0.0	5.0	1.0	5.0				0.232673	djones
21	clear	0.13600									0.236000		0.0	5.0	1.0	5.0				0.171709	djones
22	clear	0.15900									0.266000		0.0	5.0	0.5	5.0				0.218306	dsmith
23	clear	0.19800									0.326000		0.0	10.0	0.5	5.0				0.278379	dsmith
24	clear	0.14000									0.244000		0.0	5.0	1.0	5.0				0.213824	djones
25	clear	0.15800	7.15	0.00							0.294000		0.0	5.0	1.0	5.0				0.221445	djones
26	clear	0.14500									0.274000	< 1.8	0.0	5.0	1.0	5.0				0.215700	djones
27	clear	0.60700	6.45	0.00							0.264000		0.0	5.0	1.0	5.0				0.221678	djones
28	clear	0.47400									0.186000		0.0	5.0	1.0	5.0				0.168616	djones
29	clear	0.19900									0.258000		0.0	5.0	1.0	5.0				0.249512	djones
30	clear	0.15600									0.232000		0.0	10.0	2.0	5.0				0.246533	djones
31	clear	0.15600									0.222000		0.0	5.0	2.0	5.0				0.215461	ssteedman
Total		4.96300									7.392000									6.837783	
Average		0.16010	7.1	<0.10	0	0	0	7	9	0	0.238452	1	0.0	5.2	1.0	5.0	#DIV/0!	#DIV/0!	#DIV/0!	0.220574	
Minimum		0.08800	6.4	0.00	0	0	0	7	9	0	0.186000	1	0.0	2.0	0.5	5.0	0	0	0	0.164465	
Maximum		0.60700	7.5	<0.10	0	0	0	7	9	0	0.326000	1	0.0	10.0	2.0	5.0	0	0	0	0.278379	MOR 5-11-09

COMMENTS:

**Black & Decker WTP**

**PWSID # 106 0004** County: Carroll  
 Address: BTR CAPITAL GROUP, Hampstead, MD 21073  
 625 Hanover Pike, Hampstead, Carroll County, Maryland

Month: September

Operated by  
 Maryland Environmental Service

Year: 2009

GENERAL (DOMESTIC WATER)				CHEMICAL							MONITORING			DISTRIBUTION		RAW WATER				
Date	Day	Weather	Flow meter reading 0	MGD Total FQIR	pH P.O.E	Free Cl2	Na2CO3 Level	Na2CO3 (gpd)	NaOCl Level	NaOCl (gpd)	VOC'S (ppb)	Bacti Pos/Neg	pH su	TRC mg/l	DISTRIBUTION LOCATION	Operator Initials	pH su	TOTAL RAW WATER WELL (mgd)	Comments	
1	tues	clr	0	0.0051	7.5	0.95	42.00	2.00	46.00	0.00						mhitt		0.187661		
2	wed	clr	0	0.0053	7.0	1.25	40.00	2.00	46.00	0.00			6.70	0.94	Eng Lab	djones		0.254199		
3	thur	clr	0	0.0048	7.3	1.01	38.00	2.00	46.00	0.00						djones		0.221039		
4	fri	clr	0	0.0000	7.2	1.31	36.00	0.00	46.00	0.00			7.2	0.89	Admin 1st Fl	djones	5.14	0.164546		
5	sat	clr	0	0.0026	7.2	1.30	36.00	1.00	46.00	0.00						dsmith		0.220786		
6	sun	clr	0	0.0000	7.3	1.30	35.00	0.00	46.00	0.00						dsmith		0.247967		
7	mon	cldy	0	0.0037	7.5	1.01	35.00	2.00	46.00	0.00						djones		0.233790		
8	tues	cldy	0	0.0055	7.0	1.31	33.00	2.00	46.00	0.00			7.1	1.22	Admin 1st Fl	djones		0.202460		
9	wed	cldy	0	0.0052	7.3	1.30	31.00	1.00	46.00	0.00			8.1	1.09	Eng Lab	djones	5.10	0.238334		
10	thur	cldy	0	0.0056	7.2	1.26	30.00	2.00	46.00	0.00						djones		0.222355		
11	fri	rain	0	0.0000	7.6	1.22	28.00	0.00	46.00	0.00			7.7	0.89	Admin 2nd Fl	gd		0.156739		
12	sat	rain	0	0.0000	7.2	1.16	28.00	0.00	46.00	0.00						djones		0.240071		
13	sun	clr	0	0.0050	7.0	1.10	28.00	3.00	46.00	0.00						ss		0.207541		
14	mon	clr	0	0.0058	7.4	1.22	25.00	1.00	46.00	0.00			7.0	1.09	Admin 1st Fl	djones		0.181226		
15	tues	clr	0	0.0024	7.3	1.26	24.00	1.00	46.00	0.00						djones		0.165284		
16	wed	cldy	0	0.0054	7.3	1.22	23.00	2.00	46.00	0.00			6.7	0.82	Eng Lab	djones	4.95	0.187201		
17	thur	rain	0	0.0051	7.1	1.43	41.00	2.00	46.00	0.00						djones		0.204754		
18	fri	cldy	0	0.0000	7.4	1.27	39.00	0.00	46.00	0.00			7.2	1.02	Admin 2nd Fl	djones		0.143305		
19	sat	clr	0	0.0024	7.4	1.12	38.00	1.00	46.00	0.00						djones		0.219542		
20	sun	clr	0	0.0029	7.4	1.17	38.00	0.00	46.00	0.00						djones		0.210844		
21	mon	clr	0	0.0051	7.6	1.22	38.00	2.00	46.00	0.00			7.8	1.09	Admin 1st Fl	gd		0.193094		
22	tues	clr	0	0.0027	7.4	1.05	36.00	1.00	46.00	0.00						gd		0.176037		
23	wed	cldy	0	0.0050	7.2	1.12	35.00	2.00	46.00	0.00			7.1	0.75	Eng Lab	djones	5.05	0.225533		
24	thur	cldy	0	0.0030	6.9	1.10	33.00	1.00	46.00	0.00						djones		0.200938		
25	fri	clr	0	0.0024	7.2	1.14	32.00	1.00	46.00	0.00			7.1	0.88	Admin 2nd Fl	djones		0.149524		
26	sat	cldy	0	0.0000	7.2	1.10	31.00	0.00	46.00	0.00						dsmith		0.197373		
27	sun	clr	0	0.0025	7.1	1.05	31.00	1.00	46.00	0.00						dsmith		0.243651		
28	mon	cldy	0	0.0049	7.1	1.00	30.00	1.00	46.00	0.00			7.0	0.80	Admin 1st Fl	djones		0.195488		
29	tues	cldy	0	0.0024	7.2	1.24	29.00	1.00	46.00	0.00						djones		0.171457		
30	wed	cldy	0	0.0053	7.1	1.20	28.00	1.00	46.00	0.00			6.7	0.62	Eng Lab	djones		0.228926		
31			0																	
Total				0.1001	217.4	35.39	991.0	35.00	1380.0	0.00	0.0	0.0	93	12					6.091665	
Average				0.0033	7.25	1.18	33.03	1.17	46.00	0.00	0.0	0.0	7.17	0.93					0.203056	
Minimum				0.0000	6.86	0.95	23.00	0.00	46.00	0.00	0.0	0.0	6.70	0.62					0.143305	MOR
Maximum				0.0058	7.61	1.43	42.00	3.00	46.00	0.00	0.0	0.0	8.07	1.22					0.254199	12/04/08

---

**APPENDIX B  
DISCHARGE MONITORING REPORTS  
(JULY - SEPTEMBER 2009)**

---

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)

NAME **AG/GFI Hampstead, Inc**

ADDRESS **626 Hanover Pike**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) DISCHARGE MONITORING REPORT (DMR)

State Discharge Permit

02-DP-0022

Form Approved. 12345

OMB No. 2040-0004.

Approval expires 05-31-98

**MD0001881**  
PERMIT NUMBER

**001**  
DISCHARGE NUMBER

**Hampstead, MD 21074**

FACILITY **Black and Decker WWTP**

LOCATION **626 Hanover Pike**

PTN

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
09	07	01	TO	09	07	31
(20-21)		(22-23)		(24-25)		(26-27)
				(28-29)		(30-31)

\*\*\* NO DISCHARGE  \*\*\*

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	QUANTITY OR LOADING (34-61)			QUANTITY OR CONCENTRATION (34-61)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
BOD, 5-DAY (20 DEG. C) 0310 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	3	( 19)	0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	15	MG/L		ONE/MONTH	GRAB
PH 0400 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	6.2	*****	8.1	( 12)	0	TWO/WEEK	GRAB
	PERMIT REQUIREMENT	*****	*****	****	6.0	*****	8.5	SU		TWO/WEEK	GRAB
SOLIDS, TOTAL SUSPENDED 0530 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	7	7	( 19)	0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	20	30	MG/L		ONE/MONTH	GRAB
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 0050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	146226	199000	( 07)	*****	*****	*****		0	MEASURED	RECORD
	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	****		MEASURED	RECORD
CHLORINE, TOTAL RESIDUAL 0060 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	<0.1	<0.1	( 19)	0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	0.01	0.019	MG/L		ONE/MONTH	GRAB
TETRACHLOROETHYLENE 0475 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0		0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5	ug/l		ONE/MONTH	GRAB
1,1,1-TRICHLOROETHANE 0450 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0		0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5	ug/l		ONE/MONTH	GRAB

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	TELEPHONE	DATE			
<b>Jim Harkins, Director MES</b>		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	410 729-8350	09	08	21
TYPED OR PRINTED		AREA CODE	NUMBER	YEAR	MO	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

ERMITTEE NAME/ADDRESS (Include facility Name/Location if different)

NAME **AG/GFI Hampstead, Inc**

ADDRESS **626 Hanover Pike**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) DISCHARGE MONITORING REPORT (DMR)

State Discharge Permit

02-DP-0022

Form Approved. 12345  
OMB No. 2040-0004.  
Approval expires 05-31-98

**MD0001881**  
PERMIT NUMBER

**001**  
DISCHARGE NUMBER

**Hampstead, MD 21074**

ACTIVITY **Black and Decker WWTP**


LOCATION **626 Hanover Pike**

TTN

MONITORING PERIOD							
YEAR	MO	DAY	TO	YEAR	MO	DAY	
09	07	01		09	07	31	
(20-21)		(22-23)		(24-25)		(26-27) (28-29) (30-31)	

\*\*\* NO DISCHARGE  \*\*\*  
NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	QUANTITY OR LOADING (34-61)			QUANTITY OR CONCENTRATION (46-53)			UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE (3 Card Only) (46-53)	MAXIMUM	UNITS	MINIMUM (4 Card Only) (38-45)	AVERAGE	MAXIMUM				
TRICHLOROETHENE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	ug/l	0	ONE/MONTH	GRAB
'9141 1 0 0	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5	ug/l		ONE/MONTH	GRAB
EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	( 19)	0	ONE/MONTH	GRAB
OIL AND GREASE TOTAL RECOVERABLE	PERMIT REQUIREMENT	*****	*****	****	*****	10	15	MG/L		ONE/MONTH	GRAB
'0030 1 0 0	SAMPLE MEASUREMENT										
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE	DATE			
<b>Jim Harkins, Director MES</b>			410 729-8350	09	08	21	
TYPED OR PRINTED			AREA CODE	NUMBER	YEAR	MO	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

ERMITTEE NAME/ADDRESS (Include facility Name/Location if different)

NAME **AG/GFI Hampstead, Inc**

ADDRESS **626 Hanover Pike**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)  
DISCHARGE MONITORING REPORT (DMR)

State Discharge Permit

02-DP-0022

Form Approved. 12345

OMB No. 2040-0004.

Approval expires 05-31-98

MD0001881  
PERMIT NUMBER

101  
DISCHARGE NUMBER

**Hampstead, MD 21074**

ACTIVITY **Black and Decker WWTP**

LOCATION **626 Hanover Pike**

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
09	07	01	09	07	31
(20-21)		(22-23)		(24-25)	
		(26-27)		(28-29)	
				(30-31)	

\*\*\* NO DISCHARGE  \*\*\*  
NOTE: Read instructions before completing this form.


PARAMETER (32-37)	SAMPLE MEASUREMENT	QUANTITY OR LOADING (54-61)			QUANTITY OR CONCENTRATION (46-53)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 0050 1 0 0 EFFLUENT GROSS VALUE	284516	375000	( 07)	*****	*****	*****	*****	0	ONE/MONTH	GRAB	
	REPORT *****	REPORT *****	GPD	*****	*****	*****	*****	****	ONE/MONTH	GRAB	
COLIFORM, FECAL GENERAL 4055 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	*****	2	( 30)	0	ONE/WEEK	GRAB	
	*****	*****	****	*****	*****	200	MPN		ONE/WEEK	GRAB	

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER  
**Jim Harkins, Director MES**

TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT



TELEPHONE  
**410 729-8350**

DATE  
**09 08 21**

AREA CODE NUMBER YEAR MO DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)  
 NAME **AG/GFI Hampstead, Inc**  
 ADDRESS **626 Hanover Pike**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)  
 DISCHARGE MONITORING REPORT (DMR)  
 (2-16) (17-19)

State Discharge Permit  
 02-DP-0022

Form Approved. 12345  
 OMB No. 2040-0004.  
 Approval expires 05-31-98

**Hampstead, MD 21074**  
 FACILITY **Black and Decker WWTP**  
 LOCATION **626 Hanover Pike**  
 ATTN:


**MD0001881**  
 PERMIT NUMBER

**001**  
 DISCHARGE NUMBER

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
09	08	01	TO	09	08	31
(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

\*\*\* NO DISCHARGE  \*\*\*  
 NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	QUANTITY OR LOADING (54-61)			QUANTITY OR CONCENTRATION (54-61)			NO EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM				UNITS
BOD, 5-DAY (20 DEG. C) 00310 1 0 0 EFFLUENT GROSS VALUE	*****	*****	*****	****	*****	*****	7	( 19)	0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	15			ONE/MONTH	GRAB
pH	*****	*****	*****	****	6.4	*****	7.5	( 12)	0	TWO/WEEK	GRAB
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	6.0	*****	8.5			TWO/WEEK	GRAB
SOLIDS, TOTAL SUSPENDED 00530 1 0 0 EFFLUENT GROSS VALUE	*****	*****	*****	****	*****	9	9	( 19)	0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	20	30			ONE/MONTH	GRAB
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	*****	160097	607000	( 07)	*****	*****	*****		0	MEASURED	RECORD
	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****		****	MEASURED	RECORD
CHLORINE, TOTAL RESIDUAL 50060 1 0 0 EFFLUENT GROSS VALUE	*****	*****	*****	****	*****	<0.1	<0.1	( 19)	0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	0.011	0.019			ONE/MONTH	GRAB
TETRACHLOROETHYLENE 34475 1 0 0 EFFLUENT GROSS VALUE	*****	*****	*****	****	*****	*****	0		0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5			ONE/MONTH	GRAB
1,1,1-TRICHLOROETHANE 34506 1 0 0 EFFLUENT GROSS VALUE	*****	*****	*****	****	*****	*****	0		0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5			ONE/MONTH	GRAB

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER <b>Jim Harkins, Director MES</b>	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT 	TELEPHONE	DATE			
TYPED OR PRINTED			410 729-8350	09 09 22	AREA CODE	NUMBER	YEAR

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)



PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)  
 NAME **AG/GFI Hampstead, Inc**

ADDRESS **626 Hanover Pike**

**Hampstead, MD 21074**

FACILITY **Black and Decker WWTP**

LOCATION **626 Hanover Pike**

ATTN

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)  
 DISCHARGE MONITORING REPORT (DMR)  
 (2-16) (17-19)

State Discharge Permit  
 02-DP-0022

**MD0001881**  
 PERMIT NUMBER

**001**  
 DISCHARGE NUMBER

Form Approved. 12345  
 OMB No. 2040-0004.  
 Approval expires 05-31-98

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
09	08	01		09	08	31
(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

\*\*\* NO DISCHARGE  \*\*\*  
 NOTE: Read instructions before completing this form.

PARAMETER (32-37)	X	QUANTITY OR LOADING (46-53) (54-61)			QUANTITY OR CONCENTRATION (38-45) (46-53) (54-61)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
TRICHLOROETHENE	SAMPLE MEASUREMENT	*****	*****		*****	*****	0	0	ONE/MONTH	GRAB
79141 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5		ONE/MONTH	GRAB
OIL AND GREASE TOTAL RECOVERABLE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	( 19)	ONE/MONTH	GRAB
70030 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	10	15		ONE/MONTH	GRAB
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	TELEPHONE		DATE		
<b>Jim Harkins, Director MES</b>		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	<b>410</b>	<b>729-8350</b>	<b>09</b>	<b>09</b>
TYPED OR PRINTED	AREA CODE		NUMBER	YEAR	MO	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)

NAME **AG/GFI Hampstead, Inc**

ADDRESS **626 Hanover Pike**

**Hampstead, MD 21074**

FACILITY **Black and Decker WWTP**

LOCATION **626 Hanover Pike**

ATTN

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) DISCHARGE MONITORING REPORT (DMR)

State Discharge Permit  
02-DP-0022

**MD0001881**  
PERMIT NUMBER


**101**  
DISCHARGE NUMBER

Form Approved. 12345  
OMB No. 2040-0004.  
Approval expires 05-31-98

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
09	08	01		09	08	31
(20-21)		(22-23)		(24-25)		(26-27)
				(28-29)		(30-31)

\*\*\* NO DISCHARGE  \*\*\*  
NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	QUANTITY OR LOADING (34-61)			QUANTITY OR CONCENTRATION (46-53)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE (46-53)	MAXIMUM (54-61)	UNITS (54-61)	MINIMUM (38-45)	AVERAGE (46-53)	MAXIMUM (54-61)			
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	238452	326000	( 07)	*****	*****	*****	0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	REPORT *****	REPORT *****	GPD	*****	*****	*****	****	ONE/MONTH	GRAB
COLIFORM, FECAL GENERAL 74055 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	1	( 30)	ONE/WEEK	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	200	MPN	ONE/WEEK	GRAB
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER  <b>Jim Harkins, Director MES</b>	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT 	TELEPHONE		DATE		
			410	729-8350	09	09	22
TYPED OR PRINTED			AREA CODE	NUMBER	YEAR	MO	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)

NAME **AG/GFI Hampstead, Inc**

ADDRESS **626 Hanover Pike**

**Hampstead, MD 21074**

FACILITY **Black and Decker WWTP**

LOCATION **626 Hanover Pike**

ATTN:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)  
DISCHARGE MONITORING REPORT (DMR)

State Discharge Permit  
02-DP-0022

MD0001881  
PERMIT NUMBER

001  
DISCHARGE NUMBER

Form Approved. 12345


OMB No. 2040-0004.

Approval expires 05-31-98

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
09	09	01		09	09	30

\*\*\* NO DISCHARGE  \*\*\*  
NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT / PERMIT REQUIREMENT	QUANTITY OR LOADING (3 Card Only) (46-53)			QUANTITY OR CONCENTRATION (4 Card Only) (38-45)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
BOD, 5-DAY (20 DEG. C) 00310 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	9	( 19)	0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	15 *****	MG/L		ONE/MONTH	GRAB
pH	SAMPLE MEASUREMENT	*****	*****	****	6.3	*****	7.0	( 12)	0	TWO/WEEK	GRAB
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	6.0	*****	8.5	SU		TWO/WEEK	GRAB
SOLIDS, TOTAL SUSPENDED 00530 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	12	12	( 19)	0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	20	30	MG/L		ONE/MONTH	GRAB
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	151900	196000	( 07)	*****	*****	*****		0	MEASURED	RECORD
	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	****		MEASURED	RECORD
CHLORINE, TOTAL RESIDUAL 50060 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	<0.1	<0.1	( 19)	0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	0.011	0.019	MG/L		ONE/MONTH	GRAB
TETRACHLOROETHYLENE 34475 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0		0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5	ug/l		ONE/MONTH	GRAB
1,1,1-TRICHLOROETHANE 34506 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0		0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5	ug/l		ONE/MONTH	GRAB

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE		DATE		
Jim Harkins, Director MES			410	729-8350	09	10	21
TYPED OR PRINTED			AREA CODE	NUMBER	YEAR	MO	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)

NAME **AG/GFI Hampstead, Inc**  
 ADDRESS **626 Hanover Pike**

**Hampstead, MD 21074**

FACILITY **Black and Decker WWTP**

LOCATION **626 Hanover Pike**

ATTN:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)  
**DISCHARGE MONITORING REPORT (DMR)**  
 (2-16) (17-19)

**State Discharge Permit**  
**02-DP-0022**

**MD0001881**  
 PERMIT NUMBER

**001**  
 DISCHARGE NUMBER


Form Approved. 12345  
 OMB No. 2040-0004.  
 Approval expires 05-31-98

**MONITORING PERIOD**

FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY
	09	09	01		09	09	30
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

\*\*\* NO DISCHARGE  \*\*\*  
 NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	QUANTITY OR LOADING (3 Card Only) (46-53)			QUANTITY OR CONCENTRATION (4 Card Only) (38-45)			UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM				
TRICHLOROETHENE	SAMPLE MEASUREMENT	*****	*****		*****	*****	0		0	ONE/MONTH	GRAB
79141 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5	ug/l		ONE/MONTH	GRAB
OIL AND GREASE TOTAL RECOVERABLE	SAMPLE MEASUREMENT	*****	*****		*****	0	0	( 19)	0	ONE/MONTH	GRAB
70030 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	10 *****	15 *****	MG/L		ONE/MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	TELEPHONE	DATE			
<b>Jim Harkins, Director MES</b>			<b>410 729-8350</b>	<b>09</b>	<b>10</b>	<b>21</b>
TYPED OR PRINTED	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE	NUMBER	YEAR	MO	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)

NAME **AG/GFI Hampstead, Inc**

ADDRESS **626 Hanover Pike**

**Hampstead, MD 21074**

FACILITY **Black and Decker WWTP**

LOCATION **626 Hanover Pike**

ATTN:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

State Discharge Permit

02-DP-0022

Form Approved. 12345

OMB No. 2040-0004.

Approval expires 05-31-98

MD0001881

PERMIT NUMBER

101

DISCHARGE NUMBER

MONITORING PERIOD

FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY
	09	09	01		09	09	30
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

\*\*\* NO DISCHARGE  \*\*\*

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	QUANTITY OR LOADING (54-61)			QUANTITY OR CONCENTRATION (54-61)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE (46-53)	MAXIMUM	UNITS	MINIMUM (38-45)	AVERAGE (46-53)	MAXIMUM	UNITS			
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	239433	286000	( 07)	*****	*****	*****		0	ONE/MONTH	GRAB
	PERMIT REQUIREMENT	REPORT *****	REPORT *****	GPD	*****	*****	*****	****		ONE/MONTH	GRAB
COLIFORM, FECAL GENERAL 74055 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****		*****	*****	1	( 30)	0	ONE/WEEK	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	200	MPN		ONE/WEEK	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

**Jim Harkins, Director MES**

TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE

410 729-8350

AREA CODE

NUMBER

DATE

09 10 21

YEAR

MO

DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)

NAME **AG/GFI Hampstead, Inc**

ADDRESS **626 Hanover Pike**

**Hampstead, MD 21074**

FACILITY **Black and Decker WWTP**

LOCATION **626 Hanover Pike**

ATTN:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)  
**DISCHARGE MONITORING REPORT (DMR)**  
 (2-16) (17-19)

**State Discharge Permit**  
**02-DP-0022**

**MD0001881**  
 PERMIT NUMBER

**201**  
 DISCHARGE NUMBER

Form Approved. 12345

OMB No. 2040-0004.

Approval expires 05-31-98

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
09	07	01	09	09	30
(20-21)		(22-23)		(24-25)	
(26-27)		(28-29)		(30-31)	

\*\*\* NO DISCHARGE  \*\*\*  
 NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	QUANTITY OR LOADING (3 Card Only) (46-53)			QUANTITY OR CONCENTRATION (4 Card Only) (38-45)			UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM				
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE		217279	278379	( 07)	*****	*****	*****		0	MEASURED	RECORD
	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	****		MEASURED	RECORD
TETRACHLOROETHYLENE 34475 1 0 0 EFFLUENT GROSS VALUE		*****	*****	****	*****	0	0		0	ONE/ QUARTER	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT *****	REPORT *****	ug/l		ONE/ QUARTER	GRAB
1,1,1-TRICHLOROETHANE 34506 1 0 0 EFFLUENT GROSS VALUE		*****	*****	****	*****	0	0		0	ONE/ QUARTER	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT *****	REPORT	ug/l		ONE/ QUARTER	GRAB
TRICHLOROETHENE 79141 1 0 0 EFFLUENT GROSS VALUE		*****	*****	****	*****	0	0		0	ONE/ QUARTER	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT *****	REPORT	ug/l		ONE/ QUARTER	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	TELEPHONE	DATE			
<b>Jim Harkins, Director MES</b>		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	<b>410</b> AREA CODE	<b>729-8350</b> NUMBER	<b>09</b> YEAR	<b>10</b> MO
TYPED OR PRINTED						

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Quarterly Report! Outfall 201 quarterly sample's collected on 07/01/09.

---

**APPENDIX C**  
**GROUNDWATER TREATMENT SYSTEM ANALYTICAL RESULTS**  
**(JULY - SEPTEMBER 2009)**

---







**ATLANTIC COAST**  
Laboratories, Incorporated

630 Churchmans Road  
Newark, Delaware 19702  
302-266-9121 • 454-8720 (FAX)  
WWW.ATLANTICCOASTLABS.COM

**REPORT OF ANALYSIS**

Maryland Environmental Services (A)  
259 Najoles Road  
Millersville, MD 21108

Order Number: A09080159  
Project Name: Black & Decker WWTP  
Receive Date: 8/4/2009  
Client Code: MES\_A  
Project Location: Black & Decker WWTP

Attention: Mr. Jay Janney

**Sample # A09080159-01**

**Sample Date: 7/29/2009 9:25**

Site: Black & Decker 101

Matrix: Waste Water

Client Sample ID:

Sample Comments: None

<u>Test</u>	<u>Result</u>	<u>Units</u>	<u>RDL</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Fecal Coliform, MPN	2	MPN/100 mL	N/A	SM 9221 E	7/29/2009 2:30:00 PM	ChesapeakeEnvironmentalLab

Approved:

*Walter Van Arsdale*  
Quality Assurance Manager

Reported:

8/5/2009 11:55:01 AM

RDL = Reporting Detection Limit    N/A = Not Applicable

Laboratory Certification Numbers: Delaware - DE00011    Maryland - #138    Pennsylvania - 68-335    New Jersey - DE568

**REPORT OF ANALYSIS**

Maryland Environmental Services (A)  
259 Najoles Road  
Millersville, MD 21108

Order Number: A09080263  
Project Name: Black & Decker WWTP  
Receive Date: 8/5/2009  
Client Code: MES\_A  
Project Location: Black & Decker WWTP

Attention: Mr. Jay Janney

**Sample # A09080263-01**

**Sample Date: 8/5/2009 9:32**

Site: Black & Decker 001  
Client Sample ID:  
Sample Comments: None

Matrix: Waste Water

<u>Test</u>	<u>Result</u>	<u>Units</u>	<u>RDL</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
BOD-5	7	mg/L	4	SM 5210 B	8/6/2009 12:05:00 PM	Skent
Total Suspended Solids	9	mg/L	4	SM 2540D	8/10/2009 12:46:00 PM	JMcGuire

**Sample # A09080263-01A**

**Sample Date: 8/5/2009 9:32**

Site: Black & Decker 001  
Client Sample ID: A  
Sample Comments: None

Matrix: Waste Water

<u>Test</u>	<u>Result</u>	<u>Units</u>	<u>RDL</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Oil and Grease (HEM)	< 5	mg/L	5	EPA 1664	8/7/2009 10:21:00 AM	Hherman

**Sample # A09080263-01B**

**Sample Date: 8/5/2009 9:32**

Site: Black & Decker 001  
Client Sample ID: B  
Sample Comments: None

Matrix: Waste Water

<u>Test</u>	<u>Result</u>	<u>Units</u>	<u>RDL</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
1,1,1-Trichloroethane	< 1	ug/L	1	EPA 8260B	8/7/2009 5:38:00 AM	WWells
Tetrachloroethene	< 1	ug/L	1	EPA 8260B	8/7/2009 5:38:00 AM	WWells
Trichloroethene	< 1	ug/L	1	EPA 8260B	8/7/2009 5:38:00 AM	WWells

Approved:   
Quality Assurance Manager

Reported: 8/13/2009 1:33:40 PM

RDL = Reporting Detection Limit    N/A = Not Applicable  
Laboratory Certification Numbers: Delaware - DE00011    Maryland - #138    Pennsylvania - 68-335    New Jersey - DE568



**ATLANTIC COAST**  
Laboratories, Incorporated

630 Churchmans Road  
Newark, Delaware 19702  
302-266-9121 • 454-8720 (FAX)  
WWW.ATLANTICCOASTLABS.COM

**REPORT OF ANALYSIS**

Maryland Environmental Services (A)  
259 Najoles Road  
Millersville, MD 21108

Order Number: A09081681  
Project Name: Black & Decker WWTP  
Receive Date: 8/31/2009  
Client Code: MES\_A  
Project Location: Black & Decker WWTP

Attention: Mr. Jay Janney

**Sample # A09081681-01** **Sample Date: 8/19/2009 9:35**

Site: Black & Decker 101  
Client Sample ID:  
Sample Comments: None

Matrix: Waste Water

<u>Test</u>	<u>Result</u>	<u>Units</u>	<u>RDL</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Fecal Coliform, MPN	1.8	MPN/100 mL	N/A	SM 9221 E	8/19/2009 12:55:00 PM	ChesapeakeEnvironmentalLa

Approved:

*[Signature]*  
Senior Chemist

Reported:

8/31/2009 1:00:54 PM

RDL = Reporting Detection Limit    N/A = Not Applicable  
Laboratory Certification Numbers: Delaware - DE00011    Maryland - #138    Pennsylvania - 68-335    New Jersey - DE568



**ATLANTIC COAST**  
Laboratories, Incorporated

630 Churchmans Road  
Newark, Delaware 19702  
302-266-9121 • 454-8720 (FAX)  
WWW.ATLANTICCOASTLABS.COM

**REPORT OF ANALYSIS**

Maryland Environmental Services (A)  
259 Najoles Road  
Millersville, MD 21108

Order Number: A09090152  
Project Name: Black & Decker WWTP  
Receive Date: 9/2/2009  
Client Code: MES\_A  
Project Location: Black & Decker WWTP

Attention: Mr. Jay Janney

**Sample # A09090152-01** **Sample Date: 9/2/2009 10:30**

Site: Black & Decker 001  
Client Sample ID:  
Sample Comments: None

Matrix: Waste Water

Test	Result	Units	RDL	Method	Analysis Date	Analyst
BOD-5	9	mg/L	2	SM 5210 B	9/3/2009 11:40:00 AM	Skent
Total Suspended Solids	12	mg/L	4	SM 2540D	9/6/2009 11:16:00 AM	JMcGuire

**Sample # A09090152-01B** **Sample Date: 9/2/2009 10:33**

Site: Black & Decker 001  
Client Sample ID: B  
Sample Comments: None

Matrix: Waste Water

Test	Result	Units	RDL	Method	Analysis Date	Analyst
1,1,1-Trichloroethane	<1	ug/L	1	EPA 8260B	9/9/2009 6:02:00 AM	WWells
Tetrachloroethene	<1	ug/L	1	EPA 8260B	9/9/2009 6:02:00 AM	WWells
Trichloroethene	<1	ug/L	1	EPA 8260B	9/9/2009 6:02:00 AM	WWells

Approved:   
Quality Assurance Manager

Reported: 9/15/2009 2:14:39 PM

RDL = Reporting Detection Limit    N/A = Not Applicable  
Laboratory Certification Numbers: Delaware - DE00011    Maryland - #138    Pennsylvania - 68-335    New Jersey - DE568



630 Churchmans Road  
 Newark, Delaware 19702  
 302-266-9121 • 454-8720 (FAX)  
 WWW.ATLANTICCOASTLABS.COM

**REPORT OF ANALYSIS**  
 REVISED 10/7/2009

Maryland Environmental Services (A)  
 259 Najoles Road  
 Millersville, MD 21108

Order Number: A09091462  
 Project Name: Black & Decker WWTP  
 Receive Date: 9/23/2009  
 Client Code: MES\_A  
 Project Location: Black & Decker WWTP

Attention: Mr. Jay Janney

**Sample # A09091462-01** **Sample Date: 9/23/2009 9:59**

Site: Black & Decker 001  
 Client Sample ID: DJ#1  
 Sample Comments: None

Matrix: Waste Water

<u>Test</u>	<u>Result</u>	<u>Units</u>	<u>RDL</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Oil and Grease (HEM)	< 5	mg/L	5	EPA 1664	9/28/2009 10:13:00 AM	HHerman

**Sample # A09091462-02** **Sample Date: 9/23/2009 10:02**

Site: Black & Decker 001  
 Client Sample ID: DJ#2 MS  
 Sample Comments: The % recovery for the matrix spike was 80%.

Matrix: Waste Water

<u>Test</u>	<u>Result</u>	<u>Units</u>	<u>RDL</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Oil and Grease (HEM)	31.9	mg/L	5	EPA 1664	9/28/2009 10:13:00 AM	HHerman

Approved:   
 Quality Assurance Manager

Reported: 10/7/2009 3:37:12 PM

RDL = Reporting Detection Limit    N/A = Not Applicable  
 Laboratory Certification Numbers: Delaware - DE00011    Maryland - #138    Pennsylvania - 68-335    New Jersey - DE568



630 Churchmans Road  
 Newark, Delaware 19702  
 302-266-9121 • 454-8720 (FAX)  
 WWW.ATLANTICCOASTLABS.COM

**REPORT OF ANALYSIS**

Maryland Environmental Services (A)  
 259 Najoles Road  
 Millersville, MD 21108

Order Number: A09091322  
 Project Name: Black & Decker WWTP  
 Receive Date: 9/22/2009  
 Client Code: MES\_A  
 Project Location: Black & Decker WWTP

Attention: Mr. Jay Janney

**Sample # A09091322-01**

**Sample Date: 9/16/2009 9:15**

Site: Black & Decker 101

Matrix: Waste Water

Client Sample ID:

Sample Comments: None

<u>Test</u>	<u>Result</u>	<u>Units</u>	<u>RDL</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Fecal Coliform, MPN	<1.8	MPN/100 mL	N/A	SM 9221 E	9/16/2009 1:08:00 PM	ChesapeakeEnvironmentalLa

Approved:

*Warren Van Arsdale*  
 Quality Assurance Manager

Reported:

9/22/2009 2:08:13 PM

RDL = Reporting Detection Limit    N/A = Not Applicable  
 Laboratory Certification Numbers: Delaware - DE00011    Maryland - #138    Pennsylvania - 68-335    New Jersey - DE568

---

**APPENDIX D  
GROUNDWATER ANALYTICAL DATA PACKAGE  
(AUGUST 2009)**

---

## ANALYTICAL REPORT

Job Number: 500-20723-1

Job Description: Black and Decker

For:

Weston Solutions, Inc.

1400 Weston Way

PO BOX 2653

West Chester, PA 19380

Attention: Mr. Tom Cornuet



Approved for release.  
Richard C Wright  
Project Manager II  
8/25/2009 2:57 PM

Richard C Wright

Project Manager II

[richard.wright@testamericainc.com](mailto:richard.wright@testamericainc.com)

08/25/2009

cc: Greg Flasinski

These test results meet all the requirements of NELAC for accredited parameters.

The Lab Certification ID# is 100201.

All questions regarding this test report should be directed to the TestAmerica Project Manager whose signature appears on this report. All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.

Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.

**TestAmerica Laboratories, Inc.**

TestAmerica Chicago 2417 Bond Street, University Park, IL 60484

Tel (708) 534-5200 Fax (708) 534-5211 [www.testamericainc.com](http://www.testamericainc.com)





**Job Narrative**  
**500-J20723-1**

**Comments**

No additional comments.

**Receipt**

All samples were received in good condition within temperature requirements.

**GC/MS VOA**

No analytical or quality issues were noted.

## EXECUTIVE SUMMARY - Detections

Client: Weston Solutions, Inc.

Job Number: 500-20723-1

Lab Sample ID Analyte	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
500-20723-3 Trichloroethene	RFW-2A	1.2	1.0	ug/L	8260B
500-20723-4 Trichloroethene	RFW-2B	1.6	1.0	ug/L	8260B
500-20723-5 cis-1,2-Dichloroethene Tetrachloroethene	RFW-3B	3.7 1.4	1.0 1.0	ug/L ug/L	8260B 8260B
500-20723-6 Trichloroethene Tetrachloroethene	RFW-4A	23 13	1.0 1.0	ug/L ug/L	8260B 8260B
500-20723-7FD Trichloroethene Tetrachloroethene	RFW-4A DUP	23 13	1.0 1.0	ug/L ug/L	8260B 8260B
500-20723-8 cis-1,2-Dichloroethene Trichloroethene Tetrachloroethene	RFW-4B	3.7 15 31	1.0 1.0 1.0	ug/L ug/L ug/L	8260B 8260B 8260B
500-20723-9 Trichloroethene Tetrachloroethene	RFW-6	2.2 2.4	1.0 1.0	ug/L ug/L	8260B 8260B
500-20723-10 Trichloroethene	RFW-7	4.4	1.0	ug/L	8260B
500-20723-11 1,1-Dichloroethene cis-1,2-Dichloroethene Trichloroethene Tetrachloroethene	RFW-9	1.1 16 15 6.9	1.0 1.0 1.0 1.0	ug/L ug/L ug/L ug/L	8260B 8260B 8260B 8260B

TestAmerica Chicago

## EXECUTIVE SUMMARY - Detections

Client: Weston Solutions, Inc.

Job Number: 500-20723-1

Lab Sample ID Analyte	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
<b>500-20723-12</b> Trichloroethene	<b>RFW-11B</b>	8.8	1.0	ug/L	8260B
<b>500-20723-13</b> 1,1-Dichloroethene cis-1,2-Dichloroethene Trichloroethene Tetrachloroethene	<b>RFW-12B</b>	0.65 J 2.6 440 36	1.0 1.0 10 1.0	ug/L ug/L ug/L ug/L	8260B 8260B 8260B 8260B
<b>500-20723-14</b> cis-1,2-Dichloroethene Trichloroethene Tetrachloroethene	<b>RFW-13</b>	0.95 J 3.5 17	1.0 1.0 1.0	ug/L ug/L ug/L	8260B 8260B 8260B
<b>500-20723-15</b> Benzene	<b>RFW-17</b>	0.61 J	1.0	ug/L	8260B
<b>500-20723-17</b> cis-1,2-Dichloroethene Trichloroethene Tetrachloroethene	<b>EW-2</b>	3.5 400 61	1.0 10 1.0	ug/L ug/L ug/L	8260B 8260B 8260B
<b>500-20723-18</b> cis-1,2-Dichloroethene Trichloroethene Tetrachloroethene	<b>EW-3</b>	2.4 120 3.0	1.0 10 1.0	ug/L ug/L ug/L	8260B 8260B 8260B
<b>500-20723-19</b> Trichloroethene Tetrachloroethene	<b>EW-4</b>	950 16	20 1.0	ug/L ug/L	8260B 8260B
<b>500-20723-20</b> 1,1-Dichloroethene Trichloroethene Tetrachloroethene	<b>EW-5</b>	0.51 J 170 6.9	1.0 10 1.0	ug/L ug/L ug/L	8260B 8260B 8260B

TestAmerica Chicago

## EXECUTIVE SUMMARY - Detections

Client: Weston Solutions, Inc.

Job Number: 500-20723-1

Lab Sample ID Analyte	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
<b>500-20723-21</b>	<b>EW-6</b>				
Trichloroethene		11	1.0	ug/L	8260B
Tetrachloroethene		16	1.0	ug/L	8260B
<b>500-20723-22</b>	<b>EW-7</b>				
cis-1,2-Dichloroethene		5.9	1.0	ug/L	8260B
Trichloroethene		4.7	1.0	ug/L	8260B
Tetrachloroethene		8.6	1.0	ug/L	8260B
<b>500-20723-23</b>	<b>EW-8</b>				
cis-1,2-Dichloroethene		19	1.0	ug/L	8260B
Trichloroethene		8.6	1.0	ug/L	8260B
Tetrachloroethene		53	1.0	ug/L	8260B
<b>500-20723-24</b>	<b>EW-9</b>				
Trichloroethene		1.1	1.0	ug/L	8260B
Tetrachloroethene		110	5.0	ug/L	8260B
<b>500-20723-25FD</b>	<b>EW-9 DUP</b>				
Trichloroethene		1.0	1.0	ug/L	8260B
Tetrachloroethene		98	1.0	ug/L	8260B

## METHOD SUMMARY

Client: Weston Solutions, Inc.

Job Number: 500-20723-1

<b>Description</b>	<b>Lab Location</b>	<b>Method</b>	<b>Preparation Method</b>
<b>Matrix: Water</b>			
VOC	TAL CHI	SW846 8260B	
Purge and Trap	TAL CHI		SW846 5030B

### Lab References:

TAL CHI = TestAmerica Chicago

### Method References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**METHOD / ANALYST SUMMARY**

Client: Weston Solutions, Inc.

Job Number: 500-20723-1

<b>Method</b>	<b>Analyst</b>	<b>Analyst ID</b>
SW846 8260B	Alikpala, Elaine	EA
SW846 8260B	Swaney, Garth E	GES

## SAMPLE SUMMARY

Client: Weston Solutions, Inc.

Job Number: 500-20723-1

<u>Lab Sample ID</u>	<u>Client Sample ID</u>	<u>Client Matrix</u>	<u>Date/Time Sampled</u>	<u>Date/Time Received</u>
500-20723-1	RFW-1A	Water	08/18/2009 0825	08/21/2009 1015
500-20723-2	RFW-1B	Water	08/18/2009 1730	08/21/2009 1015
500-20723-3	RFW-2A	Water	08/18/2009 0930	08/21/2009 1015
500-20723-4	RFW-2B	Water	08/18/2009 0955	08/21/2009 1015
500-20723-5	RFW-3B	Water	08/18/2009 1745	08/21/2009 1015
500-20723-6	RFW-4A	Water	08/19/2009 0905	08/21/2009 1015
500-20723-7FD	RFW-4A DUP	Water	08/19/2009 0905	08/21/2009 1015
500-20723-8	RFW-4B	Water	08/19/2009 0940	08/21/2009 1015
500-20723-9	RFW-6	Water	08/19/2009 0715	08/21/2009 1015
500-20723-10	RFW-7	Water	08/18/2009 1035	08/21/2009 1015
500-20723-11	RFW-9	Water	08/19/2009 1200	08/21/2009 1015
500-20723-12	RFW-11B	Water	08/19/2009 1055	08/21/2009 1015
500-20723-13	RFW-12B	Water	08/19/2009 0725	08/21/2009 1015
500-20723-14	RFW-13	Water	08/18/2009 1515	08/21/2009 1015
500-20723-15	RFW-17	Water	08/18/2009 1110	08/21/2009 1015
500-20723-16TB	TRIP BLANK	Water	08/18/2009 0700	08/21/2009 1015
500-20723-17	EW-2	Water	08/18/2009 1645	08/21/2009 1015
500-20723-18	EW-3	Water	08/19/2009 1020	08/21/2009 1015
500-20723-19	EW-4	Water	08/19/2009 1100	08/21/2009 1015
500-20723-20	EW-5	Water	08/19/2009 1120	08/21/2009 1015
500-20723-21	EW-6	Water	08/19/2009 0935	08/21/2009 1015
500-20723-22	EW-7	Water	08/19/2009 0930	08/21/2009 1015
500-20723-23	EW-8	Water	08/19/2009 0920	08/21/2009 1015
500-20723-24	EW-9	Water	08/19/2009 0910	08/21/2009 1015
500-20723-25FD	EW-9 DUP	Water	08/19/2009 0910	08/21/2009 1015
500-20723-26	EW-10	Water	08/19/2009 0900	08/21/2009 1015

# SAMPLE RESULTS



Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-20723-1

Client Sample ID: RFW-1A  
 Lab Sample ID: 500-20723-1

Date Sampled: 08/18/2009 0825  
 Date Received: 08/21/2009 1015  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
<b>Method: 8260B</b>		Date Analyzed: 08/23/2009 0226			
<b>Prep Method: 5030B</b>		Date Prepared: 08/23/2009 0226			
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
Trichloroethene	<1.0	ug/L	0.20	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L *	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L *	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-20723-1

Client Sample ID: RFW-1A  
 Lab Sample ID: 500-20723-1

Date Sampled: 08/18/2009 0825  
 Date Received: 08/21/2009 1015  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	* ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0	* ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	* ug/L	0.20	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	99	%		72 - 135	
Toluene-d8 (Surr)	95	%		80 - 120	
4-Bromofluorobenzene (Surr)	100	%		77 - 120	
Dibromofluoromethane	104	%		79 - 133	

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-20723-1

Client Sample ID: RFW-1B  
 Lab Sample ID: 500-20723-2

Date Sampled: 08/18/2009 1730  
 Date Received: 08/21/2009 1015  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
<b>Method: 8260B</b>		Date Analyzed: 08/23/2009 0334			
<b>Prep Method: 5030B</b>		Date Prepared: 08/23/2009 0334			
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
Trichloroethene	<1.0	ug/L	0.20	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-20723-1

Client Sample ID: RFW-1B  
 Lab Sample ID: 500-20723-2

Date Sampled: 08/18/2009 1730  
 Date Received: 08/21/2009 1015  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0 *	ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0 *	ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0 *	ug/L	0.20	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	101	%		72 - 135	
Toluene-d8 (Surr)	96	%		80 - 120	
4-Bromofluorobenzene (Surr)	99	%		77 - 120	
Dibromofluoromethane	107	%		79 - 133	

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-20723-1

Client Sample ID: RFW-2A  
 Lab Sample ID: 500-20723-3

Date Sampled: 08/18/2009 0930  
 Date Received: 08/21/2009 1015  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
<b>Method: 8260B</b>		Date Analyzed: 08/23/2009 0357			
<b>Prep Method: 5030B</b>		Date Prepared: 08/23/2009 0357			
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
Trichloroethene	1.2	ug/L	0.20	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L *	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L *	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-20723-1

Client Sample ID: RFW-2A  
 Lab Sample ID: 500-20723-3

Date Sampled: 08/18/2009 0930  
 Date Received: 08/21/2009 1015  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	* ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0	* ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	* ug/L	0.20	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	101	%		72 - 135	
Toluene-d8 (Surr)	98	%		80 - 120	
4-Bromofluorobenzene (Surr)	100	%		77 - 120	
Dibromofluoromethane	106	%		79 - 133	

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-20723-1

Client Sample ID: RFW-2B  
 Lab Sample ID: 500-20723-4

Date Sampled: 08/18/2009 0955  
 Date Received: 08/21/2009 1015  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
<b>Method: 8260B</b>		Date Analyzed: 08/23/2009 0420			
<b>Prep Method: 5030B</b>		Date Prepared: 08/23/2009 0420			
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
Trichloroethene	1.6	ug/L	0.20	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-20723-1

Client Sample ID: RFW-2B  
 Lab Sample ID: 500-20723-4

Date Sampled: 08/18/2009 0955  
 Date Received: 08/21/2009 1015  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	* ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0	* ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	* ug/L	0.20	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	100	%		72 - 135	
Toluene-d8 (Surr)	96	%		80 - 120	
4-Bromofluorobenzene (Surr)	103	%		77 - 120	
Dibromofluoromethane	107	%		79 - 133	



Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-20723-1

Client Sample ID: RFW-3B  
 Lab Sample ID: 500-20723-5

Date Sampled: 08/18/2009 1745  
 Date Received: 08/21/2009 1015  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
<b>Method: 8260B</b>		Date Analyzed: 08/23/2009 0443			
<b>Prep Method: 5030B</b>		Date Prepared: 08/23/2009 0443			
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	3.7	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
Trichloroethene	<1.0	ug/L	0.20	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	1.4	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-20723-1

Client Sample ID: RFW-3B  
 Lab Sample ID: 500-20723-5

Date Sampled: 08/18/2009 1745  
 Date Received: 08/21/2009 1015  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	* ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0	* ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	* ug/L	0.20	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	98	%		72 - 135	
Toluene-d8 (Surr)	97	%		80 - 120	
4-Bromofluorobenzene (Surr)	99	%		77 - 120	
Dibromofluoromethane	106	%		79 - 133	

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-20723-1

Client Sample ID: RFW-4A  
 Lab Sample ID: 500-20723-6

Date Sampled: 08/19/2009 0905  
 Date Received: 08/21/2009 1015  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
<b>Method: 8260B</b>		Date Analyzed: 08/23/2009 0506			
<b>Prep Method: 5030B</b>		Date Prepared: 08/23/2009 0506			
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
Trichloroethene	23	ug/L	0.20	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	13	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-20723-1

Client Sample ID: RFW-4A  
 Lab Sample ID: 500-20723-6

Date Sampled: 08/19/2009 0905  
 Date Received: 08/21/2009 1015  
 Client Matrix: Water

Analyte	Result/Qualifjer	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	* ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0	* ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	* ug/L	0.20	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	99	%		72 - 135	
Toluene-d8 (Surr)	96	%		80 - 120	
4-Bromofluorobenzene (Surr)	99	%		77 - 120	
Dibromofluoromethane	106	%		79 - 133	

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-20723-1

Client Sample ID: RFW-4A DUP  
 Lab Sample ID: 500-20723-7

Date Sampled: 08/19/2009 0905  
 Date Received: 08/21/2009 1015  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
<b>Method: 8260B</b>		Date Analyzed: 08/23/2009 0529			
<b>Prep Method: 5030B</b>		Date Prepared: 08/23/2009 0529			
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
Trichloroethene	23	ug/L	0.20	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	13	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-20723-1

Client Sample ID: RFW-4A DUP  
 Lab Sample ID: 500-20723-7

Date Sampled: 08/19/2009 0905  
 Date Received: 08/21/2009 1015  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	* ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0	* ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	* ug/L	0.20	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	101	%		72 - 135	
Toluene-d8 (Surr)	95	%		80 - 120	
4-Bromofluorobenzene (Surr)	102	%		77 - 120	
Dibromofluoromethane	109	%		79 - 133	

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-20723-1

Client Sample ID: RFW-4B  
 Lab Sample ID: 500-20723-8

Date Sampled: 08/19/2009 0940  
 Date Received: 08/21/2009 1015  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
<b>Method: 8260B</b>		Date Analyzed: 08/23/2009 0552			
<b>Prep Method: 5030B</b>		Date Prepared: 08/23/2009 0552			
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	3.7	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
Trichloroethene	15	ug/L	0.20	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	31	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-20723-1

Client Sample ID: RFW-4B  
 Lab Sample ID: 500-20723-8

Date Sampled: 08/19/2009 0940  
 Date Received: 08/21/2009 1015  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	* ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0	* ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	* ug/L	0.20	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	103	%		72 - 135	
Toluene-d8 (Surr)	95	%		80 - 120	
4-Bromofluorobenzene (Surr)	98	%		77 - 120	
Dibromofluoromethane	109	%		79 - 133	



Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-20723-1

Client Sample ID: RFW-6  
 Lab Sample ID: 500-20723-9

Date Sampled: 08/19/2009 0715  
 Date Received: 08/21/2009 1015  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
<b>Method: 8260B</b>		Date Analyzed: 08/23/2009 0615			
<b>Prep Method: 5030B</b>		Date Prepared: 08/23/2009 0615			
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
Trichloroethene	2.2	ug/L	0.20	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	2.4	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-20723-1

Client Sample ID: RFW-6  
 Lab Sample ID: 500-20723-9

Date Sampled: 08/19/2009 0715  
 Date Received: 08/21/2009 1015  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	* ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0	* ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	* ug/L	0.20	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	104	%		72 - 135	
Toluene-d8 (Surr)	96	%		80 - 120	
4-Bromofluorobenzene (Surr)	97	%		77 - 120	
Dibromofluoromethane	112	%		79 - 133	

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-20723-1

Client Sample ID: RFW-7  
 Lab Sample ID: 500-20723-10

Date Sampled: 08/18/2009 1035  
 Date Received: 08/21/2009 1015  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
<b>Method: 8260B</b>		Date Analyzed: 08/23/2009 0638			
<b>Prep Method: 5030B</b>		Date Prepared: 08/23/2009 0638			
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
Trichloroethene	4.4	ug/L	0.20	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-20723-1

Client Sample ID: RFW-7  
 Lab Sample ID: 500-20723-10

Date Sampled: 08/18/2009 1035  
 Date Received: 08/21/2009 1015  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	1.20	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	* ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0	* ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	* ug/L	0.20	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	103	%		72 - 135	
Toluene-d8 (Surr)	99	%		80 - 120	
4-Bromofluorobenzene (Surr)	102	%		77 - 120	
Dibromofluoromethane	109	%		79 - 133	

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-20723-1

Client Sample ID: RFW-9  
 Lab Sample ID: 500-20723-11

Date Sampled: 08/19/2009 1200  
 Date Received: 08/21/2009 1015  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
<b>Method: 8260B</b>		Date Analyzed: 08/23/2009 0701			
<b>Prep Method: 5030B</b>		Date Prepared: 08/23/2009 0701			
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	1.1	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	16	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
Trichloroethene	15	ug/L	0.20	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	6.9	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-20723-1

Client Sample ID: RFW-9  
 Lab Sample ID: 500-20723-11

Date Sampled: 08/19/2009 1200  
 Date Received: 08/21/2009 1015  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	* ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0	* ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	* ug/L	0.20	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	102	%		72 - 135	
Toluene-d8 (Surr)	98	%		80 - 120	
4-Bromofluorobenzene (Surr)	96	%		77 - 120	
Dibromofluoromethane	110	%		79 - 133	

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-20723-1

Client Sample ID: RFW-11B  
 Lab Sample ID: 500-20723-12

Date Sampled: 08/19/2009 1055  
 Date Received: 08/21/2009 1015  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
<b>Method: 8260B</b>		Date Analyzed: 08/23/2009 0724			
<b>Prep Method: 5030B</b>		Date Prepared: 08/23/2009 0724			
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
Trichloroethene	8.8	ug/L	0.20	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-20723-1

Client Sample ID: RFW-11B  
 Lab Sample ID: 500-20723-12

Date Sampled: 08/19/2009 1055  
 Date Received: 08/21/2009 1015  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0 *	ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0 *	ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0 *	ug/L	0.20	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	103	%		72 - 135	
Toluene-d8 (Surr)	94	%		80 - 120	
4-Bromofluorobenzene (Surr)	95	%		77 - 120	
Dibromofluoromethane	108	%		79 - 133	



Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-20723-1

Client Sample ID: RFW-12B  
 Lab Sample ID: 500-20723-13

Date Sampled: 08/19/2009 0725  
 Date Received: 08/21/2009 1015  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
<b>Method: 8260B</b>		Date Analyzed: 08/24/2009 2245			
<b>Prep Method: 5030B</b>		Date Prepared: 08/24/2009 2245			
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0 *	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	0.65 J	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	2.6	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0 *	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	36	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0 *	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-20723-1

Client Sample ID: RFW-12B  
 Lab Sample ID: 500-20723-13

Date Sampled: 08/19/2009 0725  
 Date Received: 08/21/2009 1015  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0 *	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0 *	ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0 *	ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0 *	ug/L	0.20	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	99	%		72 - 135	
Toluene-d8 (Surr)	96	%		80 - 120	
4-Bromofluorobenzene (Surr)	100	%		77 - 120	
Dibromofluoromethane	105	%		79 - 133	
Method: 8260B Run Type: DL			Date Analyzed: 08/24/2009 2308		
Prep Method: 5030B			Date Prepared: 08/24/2009 2308		
Trichloroethene	440	ug/L	2.0	10	10
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	98	%		72 - 135	
Toluene-d8 (Surr)	96	%		80 - 120	
4-Bromofluorobenzene (Surr)	100	%		77 - 120	
Dibromofluoromethane	106	%		79 - 133	

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-20723-1

Client Sample ID: RFW-13  
 Lab Sample ID: 500-20723-14

Date Sampled: 08/18/2009 1515  
 Date Received: 08/21/2009 1015  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
<b>Method: 8260B</b>		Date Analyzed: 08/24/2009 2331			
<b>Prep Method: 5030B</b>		Date Prepared: 08/24/2009 2331			
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	0.95 J	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
Trichloroethene	3.5	ug/L	0.20	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	17	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-20723-1

Client Sample ID: RFW-13  
 Lab Sample ID: 500-20723-14

Date Sampled: 08/18/2009 1515  
 Date Received: 08/21/2009 1015  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0	ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0	ug/L	0.20	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	99	%		72 - 135	
Toluene-d8 (Surr)	97	%		80 - 120	
4-Bromofluorobenzene (Surr)	100	%		77 - 120	
Dibromofluoromethane	106	%		79 - 133	

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-20723-1

Client Sample ID: RFW-17  
 Lab Sample ID: 500-20723-15

Date Sampled: 08/18/2009 1110  
 Date Received: 08/21/2009 1015  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
<b>Method: 8260B</b>			Date Analyzed: 08/24/2009 2354		
<b>Prep Method: 5030B</b>			Date Prepared: 08/24/2009 2354		
Benzene	0.61 J	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0 *	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
Trichloroethene	<1.0	ug/L	0.20	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0 *	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0 *	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-20723-1

Client Sample ID: RFW-17  
 Lab Sample ID: 500-20723-15

Date Sampled: 08/18/2009 1110  
 Date Received: 08/21/2009 1015  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0 *	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0 *	ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0 *	ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0 *	ug/L	0.20	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	97	%		72 - 135	
Toluene-d8 (Surr)	98	%		80 - 120	
4-Bromofluorobenzene (Surr)	99	%		77 - 120	
Dibromofluoromethane	105	%		79 - 133	

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-20723-1

Client Sample ID: TRIP BLANK  
 Lab Sample ID: 500-20723-16

Date Sampled: 08/18/2009 0700  
 Date Received: 08/21/2009 1015  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
<b>Method: 8260B</b>		Date Analyzed: 08/25/2009 0017			
<b>Prep Method: 5030B</b>		Date Prepared: 08/25/2009 0017			
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
Trichloroethene	<1.0	ug/L	0.20	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-20723-1

Client Sample ID: TRIP BLANK  
 Lab Sample ID: 500-20723-16

Date Sampled: 08/18/2009 0700  
 Date Received: 08/21/2009 1015  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0 *	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0 *	ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0 *	ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0 *	ug/L	0.20	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	100	%		72 - 135	
Toluene-d8 (Surr)	98	%		80 - 120	
4-Bromofluorobenzene (Surr)	101	%		77 - 120	
Dibromofluoromethane	107	%		79 - 133	



Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-20723-1

Client Sample ID: EW-2  
 Lab Sample ID: 500-20723-17

Date Sampled: 08/18/2009 1645  
 Date Received: 08/21/2009 1015  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
<b>Method: 8260B</b>		Date Analyzed: 08/25/2009 0040			
<b>Prep Method: 5030B</b>		Date Prepared: 08/25/2009 0040			
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0 *	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	3.5	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0 *	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	61	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0 *	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-20723-1

Client Sample ID: EW-2  
 Lab Sample ID: 500-20723-17

Date Sampled: 08/18/2009 1645  
 Date Received: 08/21/2009 1015  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0 *	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0 *	ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0 *	ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0 *	ug/L	0.20	1.0	1.0

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	100	%	72 - 135
Toluene-d8 (Surr)	98	%	80 - 120
4-Bromofluorobenzene (Surr)	102	%	77 - 120
Dibromofluoromethane	106	%	79 - 133

Method: 8260B Run Type: DL  
 Prep Method: 5030B

Date Analyzed: 08/25/2009 0102  
 Date Prepared: 08/25/2009 0102

Trichloroethene	400	ug/L	2.0	10	10
-----------------	-----	------	-----	----	----

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	105	%	72 - 135
Toluene-d8 (Surr)	96	%	80 - 120
4-Bromofluorobenzene (Surr)	110	%	77 - 120
Dibromofluoromethane	115	%	79 - 133

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-20723-1

Client Sample ID: EW-3  
 Lab Sample ID: 500-20723-18

Date Sampled: 08/19/2009 1020  
 Date Received: 08/21/2009 1015  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
<b>Method: 8260B</b>		Date Analyzed: 08/25/2009 0124			
<b>Prep Method: 5030B</b>		Date Prepared: 08/25/2009 0124			
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0 *	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	2.4	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0 *	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	3.0	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0 *	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-20723-1

Client Sample ID: EW-3  
 Lab Sample ID: 500-20723-18

Date Sampled: 08/19/2009 1020  
 Date Received: 08/21/2009 1015  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0 *	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0 *	ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0 *	ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0 *	ug/L	0.20	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	103	%		72 - 135	
Toluene-d8 (Surr)	95	%		80 - 120	
4-Bromofluorobenzene (Surr)	102	%		77 - 120	
Dibromofluoromethane	110	%		79 - 133	
Method: 8260B Run Type: DL			Date Analyzed: 08/25/2009 0146		
Prep Method: 5030B			Date Prepared: 08/25/2009 0146		
Trichloroethene	120	ug/L	2.0	10	10
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	103	%		72 - 135	
Toluene-d8 (Surr)	95	%		80 - 120	
4-Bromofluorobenzene (Surr)	101	%		77 - 120	
Dibromofluoromethane	109	%		79 - 133	

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-20723-1

Client Sample ID: EW-4  
 Lab Sample ID: 500-20723-19

Date Sampled: 08/19/2009 1100  
 Date Received: 08/21/2009 1015  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
<b>Method: 8260B</b>		Date Analyzed: 08/25/2009 0209			
<b>Prep Method: 5030B</b>		Date Prepared: 08/25/2009 0209			
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0 *	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0 *	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	16	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0 *	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-20723-1

Client Sample ID: EW-4  
 Lab Sample ID: 500-20723-19

Date Sampled: 08/19/2009 1100  
 Date Received: 08/21/2009 1015  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0 *	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0 *	ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0 *	ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0 *	ug/L	0.20	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	102	%		72 - 135	
Toluene-d8 (Surr)	95	%		80 - 120	
4-Bromofluorobenzene (Surr)	103	%		77 - 120	
Dibromofluoromethane	110	%		79 - 133	
Method: 8260B Run Type: DL			Date Analyzed: 08/25/2009 0231		
Prep Method: 5030B			Date Prepared: 08/25/2009 0231		
Trichloroethene	950	ug/L	4.0	20	20
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	104	%		72 - 135	
Toluene-d8 (Surr)	96	%		80 - 120	
4-Bromofluorobenzene (Surr)	101	%		77 - 120	
Dibromofluoromethane	114	%		79 - 133	

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-20723-1

Client Sample ID: EW-5  
 Lab Sample ID: 500-20723-20

Date Sampled: 08/19/2009 1120  
 Date Received: 08/21/2009 1015  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
<b>Method: 8260B</b>		Date Analyzed: 08/25/2009 0254			
<b>Prep Method: 5030B</b>		Date Prepared: 08/25/2009 0254			
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0 *	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	0.51 J	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0 *	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	6.9	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0 *	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-20723-1

Client Sample ID: EW-5  
 Lab Sample ID: 500-20723-20

Date Sampled: 08/19/2009 1120  
 Date Received: 08/21/2009 1015  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0 *	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0 *	ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0 *	ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0 *	ug/L	0.20	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	104	%		72 - 135	
Toluene-d8 (Surr)	95	%		80 - 120	
4-Bromofluorobenzene (Surr)	101	%		77 - 120	
Dibromofluoromethane	111	%		79 - 133	
Method: 8260B Run Type: DL			Date Analyzed: 08/25/2009 0316		
Prep Method: 5030B			Date Prepared: 08/25/2009 0316		
Trichloroethene	170	ug/L	2.0	10	10
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	104	%		72 - 135	
Toluene-d8 (Surr)	96	%		80 - 120	
4-Bromofluorobenzene (Surr)	100	%		77 - 120	
Dibromofluoromethane	112	%		79 - 133	



Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-20723-1

Client Sample ID: EW-6  
 Lab Sample ID: 500-20723-21

Date Sampled: 08/19/2009 0935  
 Date Received: 08/21/2009 1015  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
<b>Method: 8260B</b>		Date Analyzed: 08/25/2009 0339			
<b>Prep Method: 5030B</b>		Date Prepared: 08/25/2009 0339			
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0 *	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	<1.0	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
Trichloroethene	11	ug/L	0.20	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0 *	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	16	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0 *	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-20723-1

Client Sample ID: EW-6  
 Lab Sample ID: 500-20723-21

Date Sampled: 08/19/2009 0935  
 Date Received: 08/21/2009 1015  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0 *	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0 *	ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0 *	ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0 *	ug/L	0.20	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	103	%		72 - 135	
Toluene-d8 (Surr)	95	%		80 - 120	
4-Bromofluorobenzene (Surr)	99	%		77 - 120	
Dibromofluoromethane	111	%		79 - 133	

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-20723-1

Client Sample ID: EW-7  
 Lab Sample ID: 500-20723-22

Date Sampled: 08/19/2009 0930  
 Date Received: 08/21/2009 1015  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
<b>Method: 8260B</b>		Date Analyzed: 08/25/2009 0401			
<b>Prep Method: 5030B</b>		Date Prepared: 08/25/2009 0401			
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0 *	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	5.9	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
Trichloroethene	4.7	ug/L	0.20	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0 *	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	8.6	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0 *	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-20723-1

Client Sample ID: EW-7  
 Lab Sample ID: 500-20723-22

Date Sampled: 08/19/2009 0930  
 Date Received: 08/21/2009 1015  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0 *	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0 *	ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0 *	ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0 *	ug/L	0.20	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	103	%		72 - 135	
Toluene-d8 (Surr)	96	%		80 - 120	
4-Bromofluorobenzene (Surr)	104	%		77 - 120	
Dibromofluoromethane	115	%		79 - 133	

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-20723-1

Client Sample ID: EW-8  
 Lab Sample ID: 500-20723-23

Date Sampled: 08/19/2009 0920  
 Date Received: 08/21/2009 1015  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
<b>Method: 8260B</b>		Date Analyzed: 08/25/2009 0424			
<b>Prep Method: 5030B</b>		Date Prepared: 08/25/2009 0424			
Benzene	<1.0	ug/L	0.16	1.0	1.0
Dichlorodifluoromethane	<1.0	ug/L	0.29	1.0	1.0
Chloromethane	<1.0	ug/L	0.33	1.0	1.0
Vinyl chloride	<1.0	ug/L	0.23	1.0	1.0
Bromomethane	<1.0 *	ug/L	0.44	1.0	1.0
Chloroethane	<1.0	ug/L	0.45	1.0	1.0
Trichlorofluoromethane	<1.0	ug/L	0.32	1.0	1.0
1,1-Dichloroethene	<1.0	ug/L	0.22	1.0	1.0
Carbon disulfide	<5.0	ug/L	0.39	5.0	1.0
Acetone	<5.0	ug/L	1.2	5.0	1.0
Methylene Chloride	<2.0	ug/L	0.99	2.0	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	0.17	1.0	1.0
1,1-Dichloroethane	<1.0	ug/L	0.18	1.0	1.0
2,2-Dichloropropane	<1.0	ug/L	0.30	1.0	1.0
cis-1,2-Dichloroethene	19	ug/L	0.21	1.0	1.0
Methyl Ethyl Ketone	<5.0	ug/L	0.83	5.0	1.0
Bromochloromethane	<1.0	ug/L	0.33	1.0	1.0
Chloroform	<1.0	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	<1.0	ug/L	0.23	1.0	1.0
1,1-Dichloropropene	<1.0	ug/L	0.17	1.0	1.0
Carbon tetrachloride	<1.0	ug/L	0.21	1.0	1.0
1,2-Dichloroethane	<1.0	ug/L	0.22	1.0	1.0
Trichloroethene	8.6	ug/L	0.20	1.0	1.0
1,2-Dichloropropane	<1.0	ug/L	0.23	1.0	1.0
Dibromomethane	<1.0	ug/L	0.31	1.0	1.0
Bromodichloromethane	<1.0	ug/L	0.18	1.0	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	0.16	1.0	1.0
methyl isobutyl ketone	<5.0 *	ug/L	0.58	5.0	1.0
Toluene	<1.0	ug/L	0.16	1.0	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	0.13	1.0	1.0
1,1,2-Trichloroethane	<1.0	ug/L	0.32	1.0	1.0
Tetrachloroethene	53	ug/L	0.14	1.0	1.0
1,3-Dichloropropane	<1.0	ug/L	0.17	1.0	1.0
2-Hexanone	<5.0 *	ug/L	0.77	5.0	1.0
Dibromochloromethane	<1.0	ug/L	0.19	1.0	1.0
1,2-Dibromoethane	<1.0	ug/L	0.24	1.0	1.0
Chlorobenzene	<1.0	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	0.18	1.0	1.0
Ethylbenzene	<1.0	ug/L	0.17	1.0	1.0

Mr. Tom Cornuet  
 Weston Solutions, Inc.  
 1400 Weston Way  
 PO BOX 2653  
 West Chester, PA 19380

Job Number: 500-20723-1

Client Sample ID: EW-8  
 Lab Sample ID: 500-20723-23

Date Sampled: 08/19/2009 0920  
 Date Received: 08/21/2009 1015  
 Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
m&p-Xylene	<2.0	ug/L	0.23	2.0	1.0
o-Xylene	<1.0	ug/L	0.12	1.0	1.0
Styrene	<1.0	ug/L	0.15	1.0	1.0
Bromoform	<1.0 *	ug/L	0.30	1.0	1.0
Isopropylbenzene	<1.0	ug/L	0.14	1.0	1.0
Bromobenzene	<1.0	ug/L	0.15	1.0	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	0.25	1.0	1.0
1,2,3-Trichloropropane	<1.0	ug/L	0.39	1.0	1.0
N-Propylbenzene	<1.0	ug/L	0.11	1.0	1.0
2-Chlorotoluene	<1.0	ug/L	0.16	1.0	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	0.14	1.0	1.0
4-Chlorotoluene	<1.0	ug/L	0.14	1.0	1.0
tert-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	0.12	1.0	1.0
sec-Butylbenzene	<1.0	ug/L	0.14	1.0	1.0
1,3-Dichlorobenzene	<1.0	ug/L	0.19	1.0	1.0
p-Isopropyltoluene	<1.0	ug/L	0.12	1.0	1.0
1,4-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
n-Butylbenzene	<1.0	ug/L	0.13	1.0	1.0
1,2-Dichlorobenzene	<1.0	ug/L	0.15	1.0	1.0
1,2-Dibromo-3-Chloropropane	<2.0	ug/L	0.85	2.0	1.0
1,2,4-Trichlorobenzene	<1.0 *	ug/L	0.20	1.0	1.0
Hexachlorobutadiene	<1.0	ug/L	0.27	1.0	1.0
Naphthalene	<1.0 *	ug/L	0.32	1.0	1.0
1,2,3-Trichlorobenzene	<1.0 *	ug/L	0.20	1.0	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	103	%		72 - 135	
Toluene-d8 (Surr)	96	%		80 - 120	
4-Bromofluorobenzene (Surr)	102	%		77 - 120	
Dibromofluoromethane	111	%		79 - 133	